
Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 162 of 368

Report No.: TW2306621-02E

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 166 of 368

Report No.: TW2306621-02E

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 169 of 368

Report No.: TW2306621-02E

Date: 2023-07-21



## 5G wifi

Mada	TX	Frequency	ANT	6dB Bandw	vidth (MHz)	Verdict
Mode	Туре	(MHz)	ANI	Result	Limit	verdict
		5745	1	15.707	>=0.5	Pass
802.11a	SISO	5785	1	15.702	>=0.5	Pass
		5825	1	15.685	>=0.5	Pass
902.115		5745	1	15.216	>=0.5	Pass
802.11n	SISO	5785	1	15.373	>=0.5	Pass
(HT20)		5825	1	15.740	>=0.5	Pass
802.11n	0100	5755	1	35.259	>=0.5	Pass
(HT40)	SISO	5795	1	35.240	>=0.5	Pass
000 44		5745	1	17.630	>=0.5	Pass
802.11ac	SISO	5785	1	17.626	>=0.5	Pass
(VHT20)		5825	1	17.633	>=0.5	Pass
802.11ac	SISO	5755	1	36.382	>=0.5	Pass
(VHT40)		5795	1	35.724	>=0.5	Pass
802.11ac (VHT80)	SISO	5775	1	75.220	>=0.5	Pass

Mode	TX	Frequency	ANT	26dB Bandwidth (MHz)	Verdict
Mode	Туре	(MHz)	ANI	Result	verdict
		5180 1		19.582	Pass
802.11a	SISO	5200	1	19.565	Pass
		5240	1	19.626	Pass
902.115		5180	1	22.617	Pass
802.11n (HT20)	SISO	5200	1	23.878	Pass
(11120)		5240	1	23.399	Pass
802.11n	SISO	5190	1	40.337	Pass
(HT40)	3130	5230	1	44.589	Pass
902 1100		5180	1	20.879	Pass
802.11ac (VHT20)	SISO	5200	1	21.013	Pass
(VH120)		5240	1	21.053	Pass
802.11ac	SISO	5190	1	58.049	Pass
(VHT40)	3130	5230	1	39.839	Pass
802.11ac	SISO	5210	1	79.776	Pass
(VHT80)		<del></del>			

Page 170 of 368

Report No.: TW2306621-02E

Date: 2023-07-21



## 5G transfer image

Mada	TX	Frequency	ANIT	26dB Bandwidth (MHz)	Vardiet
Mode	Туре	(MHz)	ANT	Result	Verdict
		5454	1	1.192	Pass
		5154	2	1.200	Pass
QPSK 1.4MHz	MIMO	F200	1	1.187	Pass
QPSK 1.4MHZ	IMIIMO	5200	2	1.201	Pass
		5246	1	1.192	Pass
			2	1.209	Pass
	MIMO	5154	1	1.188	Pass
			2	1.203	Pass
160AM 1 4MH <del>-</del>		5200	1	1.188	Pass
16QAM 1.4MHz			2	1.208	Pass
		5246	1	1.193	Pass
			2	1.206	Pass

Mada	TX	Frequency	ANIT	26dB Bandwidth (MHz)	) / a mali a t
Mode	Туре	(MHz)	ANT	Result	Verdict
		5.457	1	9.624	Pass
		5157	2	9.573	Pass
QPSK 10MHz	MIMO	F200	1	9.665	Pass
QFSK IUWHZ	WIIWO	5200	2	9.582	Pass
		5243	1	9.597	Pass
			2	9.581	Pass
		5157	1	9.596	Pass
			2	9.561	Pass
16QAM 10MHz	MIMO	5200 5243	1	9.613	Pass
TOQAINI TUMHZ	IVIIIVIO		2	9.578	Pass
			1	9.504	Pass
			2	9.588	Pass

Mode	TX	Frequency	ANT	26dB Bandwidth (MHz)	Verdict
	Туре	(MHz)	ANT	Result	
		5167	1	23.034	Pass
	MIMO	3107	2	19.068	Pass
QPSK 20MHz		5200	1	23.141	Pass
			2	19.157	Pass
		5233	1	19.672	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 171 of 368

Report No.: TW2306621-02E

Date: 2023-07-21



			2	19.150	Pass
		F467	1	20.222	Pass
		5167	2	19.128	Pass
160 AM 20MU-	NAINAO	5200	1	23.076	Pass
16QAM 20MHz	MIMO		2	19.275	Pass
		5233	1	19.075	Pass
			2	19.114	Pass

Mode TX Type	TX	Frequency	A NIT	6dB Bandwidth (MHz)		Mandiat
	Туре	(MHz)	ANT	Result	Limit	Verdict
ODSK	0.001/	5728	1	1.133	>=0.5	Pass
QPSK MIMO 1.4MHz	MIMO	5788	1	1.133	>=0.5	Pass
		5847	1	1.134	>=0.5	Pass
16QAM MIMO	5728	1	1.129	>=0.5	Pass	
	MIMO	5788	1	1.135	>=0.5	Pass
1.4MHz		5847	1	1.132	>=0.5	Pass

Mode TX Type	TX	Frequency	ΛNIT	6dB Bandwidth (MHz)		Mondiet
	Туре	(MHz)	ANT	Result	Limit	Verdict
ODCK		5733	1	9.031	>=0.5	Pass
QPSK MIMO 10MHz	MIMO	5788	1	9.023	>=0.5	Pass
		5842	1	9.021	>=0.5	Pass
400414		5733	1	9.013	>=0.5	Pass
16QAM	MIMO 5788	5788	1	9.025	>=0.5	Pass
10MHz		5842	1	9.022	>=0.5	Pass

	TX	Frequency	ANIT	6dB Bandwidth (MHz)		\/li t
Mode	Туре	(MHz)	ANT	Result	Limit	Verdict
QPSK 20MHz MIMO		5738	1	18.070	>=0.5	Pass
	MIMO	5789	1	18.061	>=0.5	Pass
		5839	1	18.060	>=0.5	Pass
16QAM 20MHz MIMO	5738	1	18.047	>=0.5	Pass	
	MIMO	5789	1	18.053	>=0.5	Pass
		5839	1	18.043	>=0.5	Pass


Note:All antenna were tested, and only the worst cases were reported in the test report and external antl was the worst case.

Page 172 of 368

Report No.: TW2306621-02E

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 179 of 368

Report No.: TW2306621-02E

Date: 2023-07-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 204 of 368

Report No.: TW2306621-02E

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 207 of 368

Report No.: TW2306621-02E

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21



## 8.0 Transmit Power Measurement

#### 8.1 Test Setup



#### 8.2 Limits of Peak Transmit Power Measurement

Operation Band		EUT Category	Limit	
	√	Outdoor Access Point	1 Watt (30 dBm) $\leq$ (Max. e.i.r.p 125mW	
			(21 dBm) at any elevation angle above 30	
			degrees as measured from the horizon)	
U-NII-1		Fixed point-to-point Access Point	1 Watt (30 dBm)	
		Indoor Access Point	1 Watt (30 dBm)	
		Mobile and Portable client device	250mW (24 dBm)	
U-NII-2A			250mW (24 dBm) or 11 dBm+10 log B*	
U-NII-2C			250mW (24 dBm) or 11 dBm+10 log B*	
U-NII-3			1 Watt (30 dBm)	

Note: Where B is the 26dB emission bandwidth in MHz.

### **8.3 Test Procedure**

- The EUT was directly connected to the power meter and antenna output port as show in the block diagram below.
- b. The maximum conducted output power was performed in accordance with method 11.9.2.3.1 (for AVG power) of ANSI C63.10-2013 and FCC KDB 662911 D01 v02r01 Multiple Transmitter Output.

Page 214 of 368

Report No.: TW2306621-02E

Date: 2023-07-21



### **8.4Test Results**

5G wifi

Mode	TX	Frequency	Maximum Average Condu	icted Output Power (dBm)	Verdict	
wode	Туре	(MHz)	ANT1	Limit	Verdict	
		5180	14.73	<=30	Pass	
		5200	14.73	<=30	Pass	
000 11-	CICO	5240	14.26	<=30	Pass	
802.11a	SISO	5745	15.14	<=30	Pass	
		5785	14.94	<=30	Pass	
		5825	14.79	<=30	Pass	
		5180	15.25	<=30	Pass	
		5200	15.35	<=30	Pass	
802.11n	0100	5240	15.03	<=30	Pass	
(HT20)	SISO	5745	13.91	<=30	Pass	
		5785	13.74	<=30	Pass	
		5825	13.54	<=30	Pass	
		5190	14.60	<=30	Pass	
802.11n	0100	5230	14.33	<=30	Pass	
(HT40)	SISO	5755	14.65	<=30	Pass	
		5795	14.38	<=30	Pass	
		5180	14.11	<=30	Pass	
		5200	14.06	<=30	Pass	
802.11ac	SISO	5240	13.52	<=30	Pass	
(VHT20)	5150	5745	14.59	<=30	Pass	
		5785	14.47	<=30	Pass	
		5825	14.33	<=30	Pass	
		5190	13.07	<=30	Pass	
802.11ac	SISO	5230	12.78	<=30	Pass	
(VHT40)	3130	5755	13.96	<=30	Pass	
		5795	13.66	<=30	Pass	
802.11ac	SISO	5210	13.01	<=30	Pass	
(VHT80)	3130	5775	13.63	<=30	Pass	

Page 215 of 368

Report No.: TW2306621-02E

Date: 2023-07-21



## 5G transfer image

## For external antenna

Mode	TX	Frequency	Maximum	Verdict			
iviode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	verdict
ODCK		5154	12.40	13.26	15.86	<=30	Pass
	MIMO	5200	12.49	12.79	15.65	<=30	Pass
1.4MHz		5246	12.04	12.75	15.42	<=30	Pass
100014		5154	11.72	12.54	15.16	<=30	Pass
16QAM 1.4MHz	MIMO	5200	11.90	12.24	15.08	<=30	Pass
I . <del>4</del> ΙVΙΠΖ		5246	11.34	12.05	14.72	<=30	Pass

Mada	TX	Frequency	Frequency Maximum Average Conducted Output Power (dBm)					
Mode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict	
o Dolf		5157	12.42	13.32	15.90	<=30	Pass	
QPSK 10MHz	MIMO	5200	12.59	12.84	15.73	<=30	Pass	
TOWINZ		5243	12.37	13.12	15.77	<=30	Pass	
160AM		5157	12.04	12.96	15.53	<=30	Pass	
16QAM 10MHz	MIMO	5200	12.44	13.02	15.75	<=30	Pass	
IUIVIMZ		5243	12.12	12.96	15.57	<=30	Pass	

TX TX	TX	Frequency	Maximun	Maximum Average Conducted Output Power (dBm)				
Mode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict	
07011		5167	12.39	13.26	15.86	<=30	Pass	
	QPSK 20MHz MIMO	5200	12.32	12.99	15.68	<=30	Pass	
ZUIVITZ		5233	11.57	12.29	14.96	<=30	Pass	
46000		5167	11.97	12.64	15.33	<=30	Pass	
16QAM 20MHz	MIMO	5200	11.73	12.31	15.04	<=30	Pass	
ZUIVITZ		5233	10.99	11.48	14.25	<=30	Pass	

Mode	TX	Frequency	Maximu	Maximum Average Conducted Output Power (dBm)				
Mode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict	
QPSK		5728	21.78	24.23	26.19	<=30	Pass	
1.4MHz	MIMO	5788	21.36	23.79	25.75	<=30	Pass	
1.4IVITIZ		5847	20.71	22.55	24.74	<=30	Pass	
160AM		5728	22.16	24.23	26.33	<=30	Pass	
	MIMO	5788	21.29	23.85	25.77	<=30	Pass	
1.4MHz		5847	20.67	22.54	24.72	<=30	Pass	

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 216 of 368

Report No.: TW2306621-02E

Date: 2023-07-21



Mada	TX	Frequency	Maximui	Verdict			
Mode	Type	(MHz)	ANT1	ANT2	MIMO	Limit	verdict
ODSK		5733	21.94	22.85	25.43	<=30	Pass
QPSK 10MHz	MIMO	5788	20.95	22.31	24.69	<=30	Pass
TOWINZ		5842	20.31	21.29	23.84	<=30	Pass
16001		5733	21.94	22.91	25.46	<=30	Pass
16QAM 10MHz	MIMO	5788	20.92	22.29	24.67	<=30	Pass
		5842	20.32	21.27	23.83	<=30	Pass

Mode	TX	Frequency	Maximu	Maximum Average Conducted Output Power (dBm)				
Mode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict	
ODCK		5738	22.26	23.22	25.78	<=30	Pass	
QPSK	MIMO	5789	21.33	22.58	25.01	<=30	Pass	
20MHz		5839	20.61	21.50	24.09	<=30	Pass	
460414		5738	22.24	23.17	25.74	<=30	Pass	
16QAM 20MHz	MIMO	5789	21.34	22.54	24.99	<=30	Pass	
		5839	20.66	21.57	24.15	<=30	Pass	

### For PCB antenna

Mode	TX	Frequency	Maximun	Maximum Average Conducted Output Power (dBm)						
Mode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict			
0.501/		5154	12.30	13.16	15.76	<=30	Pass			
QPSK 1.4MHz	MIMO	5200	12.25	12.55	15.41	<=30	Pass			
1.4IVITIZ		5246	11.93	12.64	15.31	<=30	Pass			
10000		5154	11.46	12.28	14.90	<=30	Pass			
16QAM	MIMO	5200	11.71	12.05	14.89	<=30	Pass			
1.4MHz		5246	11.09	11.80	14.47	<=30	Pass			

Mode	TX	Frequency	Maximum	ver (dBm)	Verdict		
iviode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	verdict
ODSK		5157	12.31	13.21	15.79	<=30	Pass
QPSK 10MHz	MIMO	5200	12.31	12.56	15.45	<=30	Pass
TUIVITZ		5243	12.14	12.89	15.54	<=30	Pass
100011		5157	11.89	12.81	15.38	<=30	Pass
16QAM 10MHz	MIMO	5200	12.17	12.75	15.48	<=30	Pass
TUIVITZ		5243	12.00	12.84	15.45	<=30	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2023-07-21



Mada	TX	Frequency	Maximun	Maximum Average Conducted Output Power (dBm)				
Mode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict	
ODCK		5167	12.26	13.13	15.73	<=30	Pass	
QPSK 20MHz	MIMO	5200	12.07	12.74	15.43	<=30	Pass	
ZUIVITZ		5233	11.40	12.12	14.79	<=30	Pass	
160014		5167	11.75	12.42	15.11	<=30	Pass	
16QAM 20MHz	MIMO	5200	11.52	12.10	14.83	<=30	Pass	
ZUIVITZ		5233	10.85	11.34	14.11	<=30	Pass	

Mode	TX	Frequency	Maximu	Maximum Average Conducted Output Power (dBm)				
Mode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict	
o Dolí		5728	20.45	22.90	24.86	<=30	Pass	
QPSK 1.4MHz	MIMO	5788	20.02	22.45	24.41	<=30	Pass	
1.4IVITIZ		5847	19.42	21.26	23.45	<=30	Pass	
460414		5728	20.83	22.90	25.00	<=30	Pass	
16QAM 1.4MHz	MIMO	5788	19.92	22.48	24.40	<=30	Pass	
1. <del>4</del> ⅣΠΖ		5847	19.36	21.23	23.41	<=30	Pass	

Mode	TX	Frequency	Maximur	Verdict			
Type	(MHz)	ANT1	ANT2	MIMO	Limit	verdict	
ODCK	0.001/	5733	21.66	22.57	25.15	<=30	Pass
QPSK MIMO	5788	20.62	21.98	24.36	<=30	Pass	
10MHz		5842	20.03	21.01	23.56	<=30	Pass
460414		5733	21.67	22.64	25.19	<=30	Pass
16QAM MIMO	5788	20.60	21.97	24.35	<=30	Pass	
10MHz		5842	20.08	21.03	23.59	<=30	Pass

Mode	TX	Frequency	Maximu	Verdict			
Туре	(MHz)	ANT1	ANT2	MIMO	Limit	verdict	
ODSK		5738	21.67	22.63	25.19	<=30	Pass
QPSK 20MHz	MIMO	5789	20.66	21.91	24.34	<=30	Pass
ZUIVITZ		5839	19.93	20.82	23.41	<=30	Pass
100011		5738	21.55	22.48	25.05	<=30	Pass
16QAM MIMO	5789	20.68	21.88	24.33	<=30	Pass	
20MHz		5839	20.15	21.02	23.60	<=30	Pass

Note1: All transmit signals are completely uncorrelated

Note2: External Antenna Gain: Ant1: 5dBi; Ant2: 5dBi; Directional Gain = 5 dBi Note3: PCB Antenna Gain: Ant1: 3.1dBi; Ant2: 3.1dBi; Directional Gain = 3.1 dBi

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21



# 9. Power Spectral Density Measurement

### 9.1 Test Setup



## 9.2 Limits of Power Spectral Density Measurement

Operation Band	EUT Category	Limit	
	√ Outdoor Access Point		
	Fixed point-to-point Access Point	17dBm/MHz	
U-NII-1	Indoor Access Point		
	Mobile and Portable client device	11dBm/MHz	
U-NII-2A		11dBm/MHz	
U-NII-2C		11dBm/MHz	
U-NII-3		30dBm/500kHz	

## 9.3 Test Procedure

- 1. The EUT was directly connected to the spectrum analyzer
- 2. Set the RBW = 1MHz for U-NII-1band, RBW = 300kHz for U-NII-3band
- 3. Set the VBW = 3MHz for U-NII-1band, RBW = 1MHz for U-NII-3band
- 4. Set the span to encompass the entire emissions bandwidth (EBW) of the signal
- 5. Detector = RMS
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.

Note: For UNII-3, according to KDB publication 789033 D02 General UNII Test Procedures New Rules v02r01, section II.F.5., it is acceptable to set RBW at 300kHz and VBW at 1500kHz if the spectrum analyzer does not have 500 kHz RBW. Then, add 10 log (500 kHz/300 kHz) to the measured result, i.e. 2.22 dB.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2023-07-21



# 9.4Test Result

5G wifi

Mada	TX	Frequency	Maximum PS	SD (dBm/MHz)	) / a mali at
Mode	Туре	(MHz)	ANT1	Limit	Verdict
		5180	2.39	<=17	Pass
802.11a	SISO	5200	2.73	<=17	Pass
		5240	4.94	<=17	Pass
900 11n		5180	1.25	<=17	Pass
802.11n	SISO	5200	6.28	<=17	Pass
(HT20)		5240	5.39	<=17	Pass
802.11n	SISO	5190	2.60	<=17	Pass
(HT40)		5230	1.67	<=17	Pass
902 1100		5180	4.59	<=17	Pass
802.11ac (VHT20)	SISO	5200	4.39	<=17	Pass
(VH120)		5240	3.85	<=17	Pass
802.11ac	SISO	5190	0.54	<=17	Pass
(VHT40)	3130	5230	0.27	<=17	Pass
802.11ac (VHT80)	SISO	5210	-1.86	<=17	Pass

Mode	TX	Frequency	Maximum PSD	(dBm/500kHz)	Verdict
Mode	Туре	(MHz)	ANT1	Limit	verdict
		5745	3.61	<=30	Pass
802.11a	SISO	5785	-0.35	<=30	Pass
		5825	3.91	<=30	Pass
900 115		5745	4.65	<=30	Pass
802.11n	SISO	5785	2.16	<=30	Pass
(HT20)		5825	2.37	<=30	Pass
802.11n	SISO	5755	-0.53	<=30	Pass
(HT40)	3130	5795	-0.63	<=30	Pass
902.1100		5745	2.68	<=30	Pass
802.11ac (VHT20)	SISO	5785	2.49	<=30	Pass
(VIII20)		5825	2.40	<=30	Pass
802.11ac	SISO	5755	-0.97	<=30	Pass
(VHT40)	3130	5795	-1.15	<=30	Pass
802.11ac	SISO	SISO 5775		<=30	Pass
(VHT80)	3130	3113	-6.16	<b>\-30</b>	газэ

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 220 of 368

Report No.: TW2306621-02E

Date: 2023-07-21



## 5G transfer image

## For external antenna

Mode	TX	Frequency		Maximum PS	D (dBm/MHz)		Verdict
	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	verdict
ODCK		5154	13.53	14.37	16.97	<=17	Pass
QPSK	MIMO	5200	13.66	13.99	16.74	<=17	Pass
1.4MHz		5246	13.14	13.93	16.56	<=17	Pass
100011		5154	12.91	13.82	16.33	<=17	Pass
16QAM	MIMO	5200	13.07	13.32	16.13	<=17	Pass
1.4MHz		5246	12.62	13.27	15.87	<=17	Pass

Mode	TX	Frequency Maximum PSD (dBm/MHz)				Verdict	
	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	verdict
ODSK		5157	3.95	5.03	7.44	<=17	Pass
QPSK 10MHz	MIMO	5200	4.13	4.30	7.22	<=17	Pass
IUIVITZ		5243	3.95	4.74	7.28	<=17	Pass
460414		5157	3.53	4.63	7.02	<=17	Pass
16QAM 10MHz	MIMO	5200	3.91	4.59	7.27	<=17	Pass
TUIVIHZ		5243	3.65	4.51	7.05	<=17	Pass

Mode	TX	Frequency		Maximum PSD (dBm/MHz)				
iviode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict	
0.701/		5167	0.62	1.70	4.09	<=17	Pass	
QPSK 20MHz	MIMO	5200	0.75	1.47	4.00	<=17	Pass	
ZUIVITZ		5233	-0.09	0.61	3.20	<=17	Pass	
		5167	0.27	1.02	3.63	<=17	Pass	
16QAM 20MHz	MIMO	5200	0.16	0.83	3.32	<=17	Pass	
ZUIVITZ		5233	-0.69	-0.18	2.39	<=17	Pass	

Mode	TX	Frequency	N	laximum PS	SD (dBm/500kH	łz)	Verdict
	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	verdict
QPSK 1.4MHz		5728	21.10	23.64	25.49	<=30	Pass
	MIMO	5788	20.63	23.06	24.95	<=30	Pass
1.4101112		5847	20.13	22.13	23.98	<=30	Pass
160AM		5728	21.42	23.51	25.51	<=30	Pass
16QAM 1.4MHz	MIMO	5788	20.51	23.20	24.97	<=30	Pass
		5847	20.09	21.87	24.01	<=30	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report released in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 221 of 368

Report No.: TW2306621-02E

Date: 2023-07-21



Mode	TX	Frequency		Maximum PSD (dBm/500kHz)				
	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict	
0.701/		5733	10.86	11.76	14.22	<=30	Pass	
QPSK 10MHz	MIMO	5788	9.85	11.51	13.69	<=30	Pass	
TOWINZ		5842	9.14	10.06	12.63	<=30	Pass	
160AM		5733	10.66	11.81	14.08	<=30	Pass	
16QAM 10MHz	MIMO	5788	9.78	11.13	13.41	<=30	Pass	
IUIVITZ		5842	9.20	10.03	12.58	<=30	Pass	

Mode	TX	Frequency		Maximum PSD (dBm/500kHz)				
	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict	
0.0017		5738	7.90	8.82	11.31	<=30	Pass	
QPSK 20MHz	MIMO	5789	6.96	8.38	10.59	<=30	Pass	
ZUIVITZ		5839	6.32	7.23	9.65	<=30	Pass	
100011		5738	8.01	8.80	11.23	<=30	Pass	
16QAM 20MHz	MIMO	5789	7.17	8.20	10.65	<=30	Pass	
ZUIVITZ		5839	6.27	7.58	9.83	<=30	Pass	

### For PCB antenna

Mode	TX	Frequency		Maximum PS	D (dBm/MHz)		Verdict
iviode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	verdict
QPSK 1.4MHz		5154	12.99	13.83	16.43	<=17	Pass
	MIMO	5200	13.12	13.45	16.20	<=17	Pass
1.4IVITZ		5246	12.60	13.39	16.02	<=17	Pass
16001		5154	12.37	13.28	15.79	<=17	Pass
16QAM	MIMO	5200	12.53	12.78	15.59	<=17	Pass
1.4MHz		5246	12.08	12.73	15.33	<=17	Pass

Mode	TX	Frequency		\			
iviode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict
QPSK 10MHz	MIMO	5157	3.45	4.53	6.94	<=17	Pass
		5200	3.63	3.80	6.72	<=17	Pass
		5243	3.45	4.24	6.78	<=17	Pass
16QAM 10MHz	MIMO	5157	3.03	4.13	6.52	<=17	Pass
		5200	3.41	4.09	6.77	<=17	Pass
		5243	3.15	4.01	6.55	<=17	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report released in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21



Mode	TX	Frequency		\/amdiat			
iviode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict
ODCK	MIMO	5167	0.08	1.16	3.55	<=17	Pass
QPSK		5200	0.21	0.93	3.46	<=17	Pass
20MHz		5233	-0.63	0.07	2.66	<=17	Pass
16QAM 20MHz		5167	-0.27	0.48	3.09	<=17	Pass
	MIMO	5200	-0.38	0.29	2.78	<=17	Pass
		5233	-1.23	-0.72	1.85	<=17	Pass

Mode	TX	Frequency	Maximum PSD (dBm/500kHz)				\/andiat
	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict
QPSK 1.4MHz		5728	19.80	22.34	24.19	<=30	Pass
	MIMO	5788	19.33	21.76	23.65	<=30	Pass
		5847	18.83	20.83	22.68	<=30	Pass
16QAM 1.4MHz		5728	20.12	22.21	24.21	<=30	Pass
	MIMO	5788	19.21	21.90	23.67	<=30	Pass
		5847	18.79	20.57	22.71	<=30	Pass

Mode	TX	Frequency		Vardiat			
iviode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict
QPSK 10MHz	MIMO	5733	10.56	11.46	13.92	<=30	Pass
		5788	9.55	11.21	13.39	<=30	Pass
		5842	8.84	9.76	12.33	<=30	Pass
16QAM 10MHz		5733	10.36	11.51	13.78	<=30	Pass
	MIMO	5788	9.48	10.83	13.11	<=30	Pass
		5842	8.90	9.73	12.28	<=30	Pass

Mode	TX	Frequency		Vandiat			
Wode	Туре	(MHz)	ANT1	ANT2	MIMO	Limit	Verdict
QPSK 20MHz		5738	7.20	8.12	10.61	<=30	Pass
	MIMO	5789	6.26	7.68	9.89	<=30	Pass
		5839	5.62	6.53	8.95	<=30	Pass
16QAM 20MHz		5738	7.31	8.10	10.53	<=30	Pass
	MIMO	5789	6.47	7.50	9.95	<=30	Pass
		5839	5.57	6.88	9.13	<=30	Pass

Note1: All transmit signals are completely uncorrelated

Note2: External Antenna Gain: Ant1: 5dBi; Ant2: 5dBi; Directional Gain = 5 dBi Note3: PCB Antenna Gain: Ant1: 3.1dBi; Ant2: 3.1dBi; Directional Gain = 3.1 dBi

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 223 of 368

Report No.: TW2306621-02E

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.


will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 230 of 368

Report No.: TW2306621-02E

Date: 2023-07-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to