




PANOX V2 Quick Start Guide


(English\简体中文\繁體中文\Deutsch\Français\Italiano\Español\日本語\한국어
\Русский\العربية)



[PANOX website](#)

PANOX V2 360°Camera

Package List:




PANOX V2*1

Type-C Cable*1

Lens Cloth*1

Quick User Guide*1

Camera Overview:



NO.	Component	NO.	Component
1	Heat dissipation holes	6	Speaker
2	LED indicator	7	3.1-inch HD touchscreen
3	Power button	8	TYPE-C interface
4	Lens*2	9	TF card slot
5	Microphone*2	10	Standard 1/4" mounting point

Before You Start:

1. When using the camera for the first time, keep it fully charged.

2. Please use the included charging cable to connect the camera's Type-C port for charging.




3. Insert Memory Card

Notes:

- Please use an exFAT formatted TF card that meets the U3/A2 specifications. Using a low-speed memory card may result in abnormal video recording. When using a memory card for the first time in this camera, please format it in-camera to ensure stable performance.
- Do not block the intake and exhaust vents to prevent any interference with the camera's heat dissipation during use.

Quick Guide:

Power On/Power Off



Power On: Press and hold the power button for 3 seconds.

Screen on/off: Press the power button briefly to turn the camera screen on/off.

Power Off: Press and hold the power button for 3 seconds to shut down the camera.

APP Download:

Scan the QR code below or search “PANOX” in the App store to download the companion app.

After installing PANOX, there are two ways to connect the camera with PANOX:

1. Both the camera and the smartphone are on the same WiFi network. Open the app and search for the camera.
2. The camera creates a hotspot, and the smartphone connects to that hotspot.

Note:

The WiFi connection range is up to 10 meters (under no interference conditions).

Specifications:

Image Sensor	Sony 1/2''*2
Lens	200°/F2.0 Fisheye*2
Touchscreen	3.1 inch
Photo Resolution	12K(11968*5984)
Video Resolution	8K(7680*3840)10fps 5.7K(5760*2880)30fps
IMU	9-axis
Power Consumption	Max 7W
Battery	1500mAh Lithium Polymer Battery
Network	WiFi: 802.11a/b/g/n/ac 80MHz, dual-band 2.4G/5G
Microphone	Built-in 2 microphones, support for external Bluetooth microphone
Indicator	RGB LED
Operating Temperature	Temperature: 0~40℃ (32~104°F) Humidity: -20~60℃ (-4~140°F)
Dimension	Main Body: 134.3 x 50 x 20mm With Lens: 134.3 x 50 x 33.75mm
Power Input	PD18W
Weight	200g

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

RF warning statement:

This device comply with FCC SAR requirements. The highest reported 1g-SAR for body is 0.762 W / Kg

Limb Worn Operation :

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 5mm is used between the user' s body , including the antenna. Third-party beltclips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna

设置-关于本机-法规认证

set-----About This Mac-----Regulatory Certification

