




11.4.2. Test Graphs



































REPORT NO.: 4791122873-1-RF-4

Page 423 of 478

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result

		Frequency	Power	Limit	EIRP	Limit	
Test Mode	Antenna	[MHz]	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	Verdict
	Ant1	5180	3.05	≤11.00	4.47	≤10.00	PASS
	Ant2	5180	4.28	≤11.00	5.81	≤10.00	PASS
	Ant1	5200	3.14	≤11.00	4.56	≤10.00	PASS
	Ant2	5200	4.00	≤11.00	5.53	≤10.00	PASS
	Ant1	5240	3.28	≤11.00	4.70	≤10.00	PASS
	Ant2	5240	3.10	≤11.00	4.63	≤10.00	PASS
	Ant1	5260	2.62	≤11.00	4.04		PASS
	Ant2	5260	2.64	≤11.00	4.17		PASS
	Ant1	5280	2.66	≤11.00	4.08		PASS
	Ant2	5280	2.94	≤11.00	4.47		PASS
	Ant1	5320	2.81	≤11.00	4.23		PASS
	Ant2	5320	2.85	≤11.00	4.38		PASS
	Ant1	5500	2.95	≤11.00	4.37		PASS
	Ant2	5500	2.75	≤11.00	4.28		PASS
44.0	Ant1	5580	2.88	≤11.00	4.30		PASS
11A	Ant2	5580	2.60	≤11.00	4.13		PASS
	Ant1	5700	3.09	≤11.00	4.51		PASS
	Ant2	5700	2.83	≤11.00	4.36		PASS
	Ant1	5720_UNII-	3.49	≤11.00	4.91		PASS
		2C 5720_UNII-					
	Ant2	2C	2.77	≤11.00	4.30		PASS
	Ant1	5720_UNII-3	-1.38	≤30.00	0.04		PASS
	Ant2	5720_UNII-3	-1.98	≤30.00	-0.45		PASS
	Ant1	5745	-0.32	≤30.00	1.10		PASS
	Ant2	5745	0.75	≤30.00	2.28		PASS
	Ant1	5785	-0.15	≤30.00	1.27		PASS
	Ant2	5785	-0.12	≤30.00	1.41		PASS
	Ant1	5825	-0.23	≤30.00	1.19		PASS
	Ant2	5825	-0.14	≤30.00	1.39		PASS
	Ant1	5180	1.13	≤11.00	2.66	≤10.00	PASS
	Ant2	5180	1.90	≤11.00	3.43	≤10.00	PASS
	total	5180	4.54	≤11.00	9.08	≤10.00	PASS
	Ant1	5200	0.75	≤11.00	2.28	≤10.00	PASS
	Ant2	5200	1.53	≤11.00	3.06	≤10.00	PASS
	total	5200	4.17	≤11.00	8.71	≤10.00	PASS
	Ant1	5240	0.76	≤11.00	2.29	≤10.00	PASS
	Ant2	5240	2.11	≤11.00	3.64	≤10.00	PASS
	total	5240	4.50	≤11.00	9.04	≤10.00	PASS
	Ant1	5260	0.28	≤11.00	1.81		PASS
	Ant2	5260	-0.08	≤11.00	1.45		PASS
	total	5260	3.11	≤11.00	7.65		PASS
	Ant1	5280	0.16	≤11.00	1.69		PASS
11N20MIMO	Ant2	5280	1.26	≤11.00	2.79		PASS
	total	5280	3.76	≤11.00	8.30		PASS
	Ant1	5320	-0.06	≤11.00	1.47		PASS
	Ant2	5320	-0.12	≤11.00	1.41		PASS
	total	5320	2.92	≤11.00	7.46		PASS
	Ant1	5500	4.13	≤11.00	5.66		PASS
	Ant2	5500	2.87	≤11.00	4.40		PASS
	total	5500	6.56	≤11.00	11.10		PASS
	Ant1	5580	3.16	≤11.00	4.69		PASS
	Ant2	5580	3.10	≤11.00 ≤11.00	4.63		PASS
	total	5580	6.14	≤11.00 ≤11.00	10.68		PASS
	Ant1	5700	3.63	≤11.00 ≤11.00	5.16		PASS
	Ant2	5700	3.25	≤11.00 ≤11.00	4.78		PASS
	total	5700	6.45	≤11.00 ≤11.00	10.99		PASS
	เบเสเ	3700	0.40	≥11.UU	10.33		FASS



	Ant1	5720_UNII- 2C	3.55	≤11.00	5.08		PASS
	Ant2	5720_UNII- 2C	3.00	≤11.00	4.53		PASS
	total	5720_UNII- 2C	6.29	≤11.00	10.83		PASS
	Ant1 Ant2	5720_UNII-3 5720_UNII-3	-1.06 -1.65	≤30.00 ≤30.00	0.47 -0.12		PASS PASS
	total	5720_UNII-3	1.67	≤30.00	6.21		PASS
	Ant1	5745	0.39	≤30.00	1.92		PASS
	Ant2	5745	1.34	≤30.00	2.87		PASS
	total	5745	3.90	≤30.00	8.44		PASS
	Ant1	5785	0.12	≤30.00	1.65		PASS
	Ant2	5785	0.96	≤30.00	2.49		PASS
	total	5785	3.57	≤30.00	8.11		PASS
	Ant1	5825	0.60	≤30.00	2.13		PASS
	Ant2	5825	-0.40	≤30.00	1.13		PASS
	total	5825	3.14	≤30.00	7.68		PASS
	Ant1	5190	-3.49	≤11.00	-1.96	≤10.00	PASS
	Ant2	5190	-2.82	≤11.00 ≤11.00	-1.29	≤10.00 ≤10.00	PASS
	total	5190	-0.13	≤11.00 ≤11.00	4.41	≤10.00 ≤10.00	PASS
	Ant1	5230	-3.56	≤11.00 ≤11.00	-2.03	≤10.00 ≤10.00	PASS
	Ant2	5230	-3.00	≤11.00 ≤11.00	-1.47	≤10.00 ≤10.00	PASS
	total	5230	-0.26	≤11.00 ≤11.00	4.28	≤10.00 ≤10.00	PASS
	Ant1	5270	-2.66	≤11.00 ≤11.00	-1.13	<u></u>	PASS
	Ant2	5270		≤11.00 ≤11.00			PASS
	total	5270	-2.63 0.37	≤11.00 ≤11.00	-1.10 4.91		PASS
	Ant1	5310	-3.29	≤11.00 ≤11.00	-1.76		PASS
	Ant2	5310	-3.33	≤11.00 ≤11.00	-1.80		PASS
	total	5310		≤11.00 ≤11.00	4.24		PASS
	Ant1	5510	-0.30 0.80	≤11.00 ≤11.00	2.33		PASS
				≤11.00 ≤11.00	1.52		PASS
	Ant2	5510 5510	-0.01 3.42	≤11.00 ≤11.00	7.96		PASS
	total		0.27				PASS
	Ant1 Ant2	5550 5550	1.26	≤11.00 ≤11.00	1.80 2.79		PASS
	_	5550	3.80	≤11.00 ≤11.00	8.34		PASS
11N40MIMO	total Ant1	5670	-0.15	≤11.00 ≤11.00	1.38		PASS
	Ant2	5670	0.58	≤11.00 ≤11.00	2.11		PASS
	total	5670	3.24	≤11.00 ≤11.00	7.78		PASS
	Ant1	5710_UNII- 2C	0.15	≤11.00 ≤11.00	1.68		PASS
	Ant2	5710_UNII- 2C	-0.47	≤11.00	1.06		PASS
	total	5710_UNII- 2C	2.86	≤11.00	7.40		PASS
	Ant1	5710_UNII-3	-6.53	≤30.00	-5.00		PASS
	Ant2	5710_UNII-3	-6.68	≤30.00	-5.15		PASS
	total	5710_UNII-3	-3.59	≤30.00	0.95		PASS
	Ant1	5755	-2.50	≤30.00	-0.97		PASS
	Ant2	5755	-2.16	≤30.00	-0.63		PASS
	total	5755	0.68	≤30.00	5.22		PASS
	Ant1	5795	-3.46	≤30.00	-1.93		PASS
	Ant2	5795	-2.18	≤30.00	-0.65		PASS
	total	5795	0.24	≤30.00 ≤30.00	4.78		PASS
11AC80MIMO	Ant1	5210	-2.72	≤30.00 ≤11.00	-1.19	≤10.00	PASS
	Ant2	5210	-2.72 -2.56	≤11.00 ≤11.00	-1.19	≤10.00 ≤10.00	PASS
	total	5210	0.37	≤11.00 ≤11.00	4.91	≤10.00 ≤10.00	PASS
	Ant1	5210	-2.84	≤11.00 ≤11.00	-1.31	≥10.00	PASS
	Ant2	5290	-1.97	≤11.00 ≤11.00	-0.44		PASS
	total	5290	0.63	≤11.00 ≤11.00	5.17		PASS
	Ant1	5530	-2.55	≤11.00 ≤11.00	-1.02		PASS
	Ant2	5530	-3.31	≤11.00 ≤11.00	-1.78		PASS
	total	5530	0.10	≤11.00 ≤11.00	4.64		PASS
	Ant1	5610	-2.32	≤11.00 ≤11.00	-0.79		PASS
	And	0100	-2.32	≥11.00	-0.79		PASS



	A 10	F0.10	0.70	444.00	0.17		D 4 6 6
	Ant2	5610	-3.70	≤11.00	-2.17		PASS
	total	5610	0.05	≤11.00	4.59		PASS
	Ant1	5690_UNII- 2C	-3.33	≤11.00	-1.80		PASS
	Ant2	5690_UNII- 2C	-3.22	≤11.00	-1.69		PASS
	total	5690_UNII- 2C	-0.26	≤11.00	4.28		PASS
	Ant1	5690_UNII-3	-9.59	≤30.00	-8.06		PASS
	Ant2	5690_UNII-3	-9.30	≤30.00	-7.77		PASS
	total	5690 UNII-3	-6.43	≤30.00	-1.89		PASS
	Ant1	5775	-8.81	≤30.00	-7.28		PASS
	Ant2	5775	-7.49	≤30.00	-5.96		PASS
	total	5775	-5.09	≤30.00	-0.55		PASS
	Ant1	5180	-2.41	≤11.00	-0.88	≤10.00	PASS
	Ant2	5180	-1.51	≤11.00	0.02	≤10.00	PASS
	total	5180	1.07	≤11.00	5.61	≤10.00	PASS
	Ant1	5200	-3.35	≤11.00	-1.82	≤10.00	PASS
	Ant2	5200	-2.59	≤11.00	-1.06	≤10.00	PASS
	total	5200	0.06	≤11.00	4.60	≤10.00	PASS
	Ant1	5240	-2.63	≤11.00	-1.10	≤10.00	PASS
	Ant2	5240	-2.46	≤11.00	-0.93	≤10.00	PASS
	total	5240	0.47	≤11.00	5.01	≤10.00	PASS
	Ant1	5260	-2.77	≤11.00	-1.24		PASS
	Ant2	5260	-2.11	≤11.00	-0.58		PASS
	total	5260	0.58	≤11.00	5.12		PASS
	Ant1	5280	-3.01	≤11.00	-1.48		PASS
	Ant2	5280	-1.95	≤11.00	-0.42		PASS
	total	5280	0.56	≤11.00	5.10		PASS
	Ant1	5320	-3.09	≤11.00	-1.56		PASS
	Ant2	5320	-2.94	≤11.00	-1.41		PASS
	total	5320	0.00	≤11.00	4.54		PASS
	Ant1	5500	1.55	≤11.00	3.08		PASS
	Ant2	5500	0.40	≤11.00	1.93		PASS
	total	5500	4.02	≤11.00	8.56		PASS
4442/00141140	Ant1	5580	1.43	≤11.00	2.96		PASS
11AX20MIMO	Ant2	5580	0.76	≤11.00	2.29		PASS
	total	5580	4.12	≤11.00	8.66		PASS
	Ant1	5700	0.91	≤11.00	2.44		PASS
	Ant2	5700	0.64	≤11.00	2.17		PASS
	total	5700 5720_UNII-	3.79	≤11.00	8.33		PASS
	Ant1	2C 5720_UNII-	1.19	≤11.00	2.72		PASS
	Ant2	2C	0.56	≤11.00	2.09		PASS
	total	5720_UNII- 2C	3.90	≤11.00	8.44		PASS
	Ant1	5720_UNII-3	-3.33	≤30.00	-1.80		PASS
	Ant2	5720_UNII-3	-3.89	≤30.00	-2.36		PASS
	total	5720_UNII-3	-0.59	≤30.00	3.95		PASS
	Ant1	5745	-2.27	≤30.00	-0.74		PASS
	Ant2	5745	-1.53	≤30.00	0.00		PASS
	total	5745	1.13	≤30.00	5.67		PASS
	Ant1	5785	-2.74	≤30.00	-1.21		PASS
	Ant2	5785	-2.12	≤30.00	-0.59		PASS
	total	5785	0.59	≤30.00	5.13		PASS
	Ant1	5825	-1.83	≤30.00	-0.30		PASS
	Ant2	5825	-2.48	≤30.00	-0.95		PASS
	total	5825	0.87	≤30.00	5.41		PASS
	Ant1	5190	-1.97	≤11.00	-0.44	≤10.00	PASS
	Ant2	5190	-1.15	≤11.00	0.38	≤10.00	PASS
11AX40MIMO	total	5190	1.47	≤11.00	6.01	≤10.00	PASS
	Ant1	5230	-2.00	≤11.00	-0.47	≤10.00	PASS
	Ant2	5230	-1.36	≤11.00	0.17	≤10.00	PASS



	total	5230	1.34	≤11.00	5.88	≤10.00	PASS
	total Ant1	5270	-3.54	≤11.00 ≤11.00	-2.01	≥10.00	PASS
	Ant2	5270	-2.58	≤11.00 ≤11.00	-2.01		PASS
	total	5270	-0.02	≤11.00 ≤11.00	4.52		PASS
	Ant1	5310	-1.56	≤11.00 ≤11.00	-0.03		PASS
	Ant2	5310		≤11.00 ≤11.00	0.01		PASS
		5310	-1.52 1.47	≤11.00 ≤11.00			PASS
	total				6.01		PASS
	Ant1	5510	-1.53	≤11.00 ≤11.00	0.00		PASS
	Ant2	5510	-2.33		-0.80		PASS
	total	5510	1.10	≤11.00	5.64		_
	Ant1 Ant2	5550 5550	-1.75	≤11.00 ≤11.00	-0.22 0.64		PASS PASS
	total	5550	-0.89 1.71	≤11.00 ≤11.00	6.25		PASS
							PASS
	Ant1 Ant2	5670	-1.93 -1.23	≤11.00	-0.40		PASS
		5670		≤11.00	0.30		
	total	5670	1.44	≤11.00	5.98		PASS
	Ant1	5710_UNII- 2C	-1.50	≤11.00	0.03		PASS
	Ant2	5710_UNII- 2C	-2.08	≤11.00	-0.55		PASS
	total	5710_UNII- 2C	1.23	≤11.00	5.77		PASS
	Ant1	5710_UNII-3	-7.18	≤30.00	-5.65		PASS
	Ant2	5710 UNII-3	-7.75	≤30.00	-6.22		PASS
	total	5710_UNII-3	-4.45	≤30.00	0.09		PASS
	Ant1	5755	-4.90	≤30.00	-3.37		PASS
	Ant2	5755	-4.21	≤30.00	-2.68		PASS
	total	5755	-1.53	≤30.00	3.01		PASS
	Ant1	5795	-5.70	≤30.00	-4.17		PASS
	Ant2	5795	-4.96	≤30.00	-3.43		PASS
	total	5795	-2.30	≤30.00	2.24		PASS
	Ant1	5210	-4.35	≤11.00	-2.82	≤10.00	PASS
	Ant2	5210	-3.94	≤11.00	-2.41	≤10.00	PASS
	total	5210	-1.13	≤11.00	3.41	≤10.00	PASS
	Ant1	5290	-5.24	≤11.00	-3.71		PASS
	Ant2	5290	-3.72	≤11.00	-2.19		PASS
	total	5290	-1.40	≤11.00	3.14		PASS
	Ant1	5530	-4.62	≤11.00	-3.09		PASS
	Ant2	5530	-5.84	≤11.00	-4.31		PASS
	total	5530	-2.18	≤11.00	2.36		PASS
	Ant1	5610	-4.37	≤11.00	-2.84		PASS
11AX80MIMO	Ant2	5610	-4.99	≤11.00	-3.46		PASS
	total	5610	-1.66	≤11.00	2.88		PASS
	Ant1	5690_UNII- 2C	-5.79	≤11.00	-4.26		PASS
	Ant2	5690_UNII- 2C	-5.23	≤11.00	-3.70		PASS
	total	5690_UNII- 2C	-2.49	≤11.00	2.05		PASS
	Ant1	5690_UNII-3	-12.26	≤30.00	-10.73		PASS
	Ant2	5690_UNII-3	-11.34	≤30.00	-9.81		PASS
	total	5690_UNII-3	-8.77	≤30.00	-4.23		PASS
	Ant1	5775	-8.69	≤30.00	-7.16		PASS
						1	
	Ant2	5775	-8.06	≤30.00	-6.53		PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz. 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



11.5.2. Test Graphs

