

MultiView • Spectrum

Ref Level 30.00 dBm Offset 1.00 dB BWBW 10.00 MHz

Att: ☒ SWT ☒ SWT 7 ms ☒ VIEW 10.00 MHz

1 Zero Span

Life Time

M1 17.14 dBm
60.00 dBm
5.43 dB
5.43000 ms

0 20 40 60 80 100

10 20 30 40 50 60 70 80 90 100

1000 MHz

QF 5.3 GHz

Marker Table

Marker	Label	Freq	A-Mag	A-Val	Function	Function Result
M1		17.14 MHz	60.0 dB	17.14 dBm		
D1	M1		5.43 dB	5.43 dB		
T1	M1		5.43 ms	-0.13 dB		

03/31/24, 15:56:20Z

MainView Spectrum
 Ref Level: 30.00 dBm Offset: 0.00 dB BW: 10 MHz
 Att: 40 dB BW: 27 MHz View: 10 MHz
 100 MHz
 1 Zero Span 100.00 MHz
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm
 -80 dBm
 -90 dBm
 -100 dBm
 0.532 GHz
 100 MHz
 Ready 2.7 MHz
 10.05.13 15:06:50.72

[illegible]

MultiView Spectrum

Ref Level: 30.00 dBm Offset: 0.00 dB BW: 10.00Hz

40 dB SMT: 27 ms BW: 10.00Hz

1001 pts

1001 pts

2.7 ms

2.54.2022

MultiView Spectrum

Ref Level: 30.00 dBm Offset: 5.00 dB BW: 10.00 kHz

40 dB 500 Hz 7 ms 500 W 100.00 V

100 kHz

100 kHz

14.79 dBm

14.79 dBm

770.00 μs

6.7070:11 g

5.430:00 g

20 dB

0 dB

-20 dB

-40 dB

-60 dB

-80 dB

-100 dB

100 kHz

200.00 μs

Marker 1

Marker	Ref	Unit	Value	Function	Function Result
D1	M1	1	270.0 ps		
D1	M1	1	5.43 ms		2.21 dB
D2	M1	1	5.43 ms		0.15 dB

10:49:42 18.06.2022

The screenshot displays the Keysight ADS software interface. At the top, the 'Spectrum' tab is selected. The main plot area shows a spectrum with a blue line representing the signal. The x-axis is labeled 'F [GHz]' and ranges from 0 to 100. The y-axis is labeled 'dBm' and ranges from -100 to 0. A red line is also visible, labeled '17.88 dBm'. The plot shows a sharp peak at approximately 17.88 GHz. Below the plot, there is a table with the following data:

Port	Ref	Int	Power	Function	Function Result
D1	M1	1	530.0 ps		
D2	M1	1	5.43 ns		
D3	M1	1	5.44 ns		


The bottom status bar shows the date and time: 20:09:28 15.06.2022.

The screenshot shows the Keysight ADS software interface. At the top, the 'Spectrum' tab is selected. The main plot area displays a spectrum with a peak at 17.95 GHz. The peak is labeled with its frequency, power, and quality factor (Q). Below the plot, the 'Marker Table' is visible, showing the measured parameters for the selected peak.


Yn	Ref	Yrc	Frequency	Function	Function Result
D1	M1	1	17.95 GHz		
D2	M1	1	17.95 GHz		

[illegible]


11AC20MIMO_Ant2_5580




11AC20MIMO_Ant1_5680




11AC20MIMO_Ant2_5680




11AC20MIMO_Ant1_5700




11AC20MIMO_Ant2_5700




11AC20MIMO_Ant1_5720



11AC20MIMO_Ant2_5720




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5190




11AC40MIMO_Ant2_5190




11AC40MIMO_Ant1_5230




11AC40MIMO_Ant2_5230




11AC40MIMO_Ant1_5270




11AC40MIMO_Ant2_5270




11AC40MIMO_Ant1_5310




11AC40MIMO_Ant2_5310




11AC40MIMO_Ant1_5510




11AC40MIMO_Ant2_5510



11AC40MIMO_Ant1_5550



11AC40MIMO_Ant2_5550



11AC40MIMO_Ant1_5630




11AC40MIMO_Ant2_5630




11AC40MIMO_Ant1_5670




11AC40MIMO_Ant2_5670



11AC40MIMO_Ant1_5710




11AC40MIMO_Ant2_5710




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5210




11AC80MIMO_Ant2_5210




11AC80MIMO_Ant1_5290




11AC80MIMO_Ant2_5290




11AC80MIMO_Ant1_5530




11AC80MIMO_Ant2_5530



11AC80MIMO_Ant1_5610



11AC80MIMO_Ant2_5610



11AC80MIMO_Ant1_5690



HubView Spectrum

Ref level 30.00 dBm Offset 0.00 dB BW 10 MHz

Att 40 dB GNT 27 ms VBW 10 MHz

1 Zone Span 1000 MHz 1000 MHz

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm

-80 dBm

-90 dBm

-100 dBm

-110 dBm

-120 dBm

-130 dBm

-140 dBm

-150 dBm

-160 dBm

-170 dBm

-180 dBm

-190 dBm

-200 dBm

0 MHz 1000 MHz

5.69 GHz 1000 MHz 2.7 MHz

12:13:18 18-06-2022

MultiView Spectrum

Ref Level 30.00 dBm Offset 8.00 dB RBW 10 kHz

Att 40 dB SWT 27 ms View 10 MHz

100 dB Span 100 MHz

30 dBm

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm

-80 dBm

-90 dBm

-100 dBm

0.000 GHz

100 MHz

CP S 775 GHz

2.7 mm

1.000 MHz

06:38:53 15.88.2022

The screenshot shows the NI-MAX software interface with a spectrum plot. The plot displays a noisy signal with a peak labeled '752 11.330 MHz'. The y-axis is labeled 'dBm' and ranges from -140 to -20. The x-axis is labeled '1001 pts' and ranges from 0 to 1000. The top status bar shows 'MultView' and 'Spectrum' tabs. The bottom status bar shows '2.2 MHz' and '1001 pts'.

MultiView Spectrum


Ref Level 30.00 dBm Offset 5.00 dB BW 10 kHz
 Ave 40 dB BW1 27 kHz View 10 kHz
 Units dB

0.575 GHz


1001 pts

Ready 12/18/2017 10:00:00


11AC160MIMO_Ant2_5250




11AC160MIMO_Ant1_5570




11AC160MIMO_Ant2_5570



11AX20MIMO_Ant1_5180




11AX20MIMO_Ant2_5180



11AX20MIMO_Ant1_5200




11AX20MIMO_Ant2_5200




11AX20MIMO_Ant1_5220




11AX20MIMO_Ant2_5220



11AX20MIMO_Ant1_5240



11AX20MIMO_Ant2_5240



11AX20MIMO_Ant1_5260



HubView - Spectrum

Ref level 30.00 dBm Offset 5.00 dB = 50W 10 MHz

Att 40 dB = 5W 27 ms = 50W 10 MHz

1 Zone Span 175 GHz

0 dBm

-20 dBm

-40 dBm

-60 dBm

-80 dBm

-100 dBm

-120 dBm

5.25 GHz

5.26 GHz

5.27 GHz

1001 pts

Ready 2.7 ms

16:37:08 18-06-2022

MultiView Spectrum

Ref Level 30.00 dBm Offset 8.00 dB BW 10 MHz
 Att 40 dB BW1 27 MHz View 10 MHz

Zero Span 10.00 GHz

-79.5 dBm

30 dBm
 20 dBm
 10 dBm
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm
 -80 dBm

CP 3.3 GHz 100.0 dBm 2.7 MHz

[illegible]

MultiView Spectrum

Rad Level 30.00 dBm Offset 6.00 dB BWW 10 MHz

A11 40 dB BWB 27 ms VBW 10 MHz

1 Zone Span 110 GHz

1000 Hz

2.7 ms

CF 5.32 GHz


1000 pps

Ready


11.000000

06/17/21 15:45:2022


11AX20MIMO_Ant2_5320




11AX20MIMO_Ant1_5500



11AX20MIMO_Ant2_5500



11AX20MIMO_Ant1_5520



MultiView Spectrum

Srf Level: 20.00 dBm Offset: 1.00 dB BW: 10 MHz
Att: 0 dB SWT: 7 ms VSW: 10 MHz

1 Zero Span

17.76 GHz 17.76 dBm
M11
D11
1.68 GHz
16.630 dBm

0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm

16.98 GHz 17.02 GHz

1000 GHz 7000 GHz

CP 5.52 GHz

Marker Table

Marker	Label	Frequency	Power	Function	Function Result
M1		17.76 GHz	17.76 dBm		
M2		460.0 ps	5.45 dB		
M3		5.45 ms	1.68 dB		
M4		5.46 ms	-2.30 dB		

16.98 GHz 17.02 GHz

Spectrum

Ref Level: 30.00 dBm Offset: 5.00 dB BWBW: 10 MHz
Att: 40 dB SWT: 7 ms VIEW: 10 MHz

Label	Freq	Amp	Function	Function Result
D1	NEL	950.0 ps	17.93 dBm	
D2	NEL	5.45 ns	3.00 dB	
D3	NEL	5.47 ms	0.16 dB	

Buttons: [Save] [Print] [Zoom In] [Zoom Out] [Reset]

Status Bar: 05-04-03 15.83.202

[illegible]

MultiView Spectrum

Ref Level: 20.00 dBm Offset: 5.00 dB BW: 500 kHz
 AHL QZ: 40 RES: 27 ms VIEW: 100 kHz

1 Zone Span 110 GHz

20 dBm
 10 dBm
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm
 -80 dBm
 -90 dBm
 -100 dBm

0 MHz 100 MHz

5.68 GHz

1000 pHz

Nearby 2.7 mHz

HubView Spectrum

Ref level 30.00 dBm Offset 0.00 dB BW 10 MHz

Att 40 dB SMT 27 ms VBW 10 MHz

1 Zone Span Life Line

dBm

1001 pts

Q7 5.68 GHz 2.7 mV

[illegible]

MultiView Spectrum

Ref Level 30.00 dBm Offset 0.00 dB BW 10 MHz

▲ A1 40 dB ▲ BWT 27 ms ▲ VIEW 10 MHz

100.00 dBm

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

0 GHz

5 GHz

10 GHz

1001 pts

5.7 GHz

2.2 mV

14:44:31 18.04.2022

MultiView Spectrum

Ref Level 30.00 dBm Offset 0.00 dB BW 10 MHz

AIN 40 dB BW1 27 ms VBW 10 MHz

1000 Hz 1000 Hz

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm

-80 dBm

-90 dBm

-100 dBm

-110 dBm

-120 dBm

-130 dBm

-140 dBm

0.5 Hz 1000 Hz


2.2 mV

05:35:34 15.03.2022


11AX20MIMO_Ant2_5720




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX20MIMO_Ant1_5785



11AX20MIMO_Ant2_5785




11AX20MIMO_Ant1_5825



11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5190




11AX40MIMO_Ant2_5190




11AX40MIMO_Ant1_5230




11AX40MIMO_Ant2_5230



11AX40MIMO_Ant1_5270




11AX40MIMO_Ant2_5270




11AX40MIMO_Ant1_5310



11AX40MIMO_Ant2_5310




11AX40MIMO_Ant1_5510




11AX40MIMO_Ant2_5510




11AX40MIMO_Ant1_5550




11AX40MIMO_Ant2_5550




11AX40MIMO_Ant1_5630




11AX40MIMO_Ant2_5630




11AX40MIMO_Ant1_5670




11AX40MIMO_Ant2_5670




11AX40MIMO_Ant1_5710




11AX40MIMO_Ant2_5710




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795



11AX40MIMO_Ant2_5795




11AX80MIMO_Ant1_5210



11AX80MIMO_Ant2_5210



11AX80MIMO_Ant1_5290



MultiView • Spectrum

Ref Level 50.00 dBm Offset 5.00 dB BW 10 MHz

Att: 0 dB SWT 27 ms VSW 10 MHz

0 dBm Span 1000 GHz 1000 GHz

0 dBm

-20 dBm

-40 dBm

-60 dBm

5.78 GHz 5.79 GHz 5.80 GHz

5.79 GHz 1000 GHz

2.7 MHz

[illegible][illegible]

MultiView Spectrum

RefLevel 20.00 dBm Offset 1.00 dB BWW 10.00Hz

• All 40 dB • SW1 7 ms • BWW 10.00Hz

100.0 GHz

1 Core Span

0 dBm

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

0 GHz

100 GHz

200 GHz

Marker List

Marker	Ref	Val	Unit	Function	Function Desc
D1	M1	1.19	ms		
D2	M1	0.45	dB		
D3	M1	0.47	dB		

0.501 GHz

100 GHz

200 GHz

100 GHz

1.19 ms

0.45 dB

0.47 dB


Function

Function Desc


Search

17.07.2023 17:04:00


11AX80MIMO_Ant2_5610




11AX80MIMO_Ant1_5690




11AX80MIMO_Ant2_5690




11AX80MIMO_Ant1_5775




11AX80MIMO_Ant2_5775




11AX160MIMO_Ant1_5250




11AX160MIMO_Ant2_5250




11AX160MIMO_Ant1_5570






3.2.2 Partial RU for 11AX mode


11AX20SISO_Ant1_5180_26Tone_RU0




11AX20SISO_Ant1_5180_52Tone_RU37




11AX20SISO_Ant1_5180_106Tone_RU53




11AX20SISO_Ant2_5180_26Tone_RU0




11AX20SISO_Ant2_5180_52Tone_RU37




11AX20SISO_Ant2_5180_106Tone_RU53




11AX20SISO_Ant1_5220_26Tone_RU0




11AX20SISO_Ant1_5220_52Tone_RU37




11AX20SISO_Ant1_5220_106Tone_RU53



11AX20SISO_Ant2_5220_26Tone_RU0




11AX20SISO_Ant2_5220_52Tone_RU37




11AX20SISO_Ant2_5220_106Tone_RU53



11AX20SISO_Ant1_5240_26Tone_RU8




11AX20SISO_Ant1_5240_52Tone_RU40




11AX20SISO_Ant1_5240_106Tone_RU54




11AX20SISO_Ant2_5240_26Tone_RU8




11AX20SISO_Ant2_5240_52Tone_RU40




11AX20SISO_Ant2_5240_106Tone_RU54




11AX20SISO_Ant1_5260_26Tone_RU0




11AX20SISO_Ant1_5260_52Tone_RU37




11AX20SISO_Ant1_5260_106Tone_RU53



11AX20SISO_Ant2_5260_26Tone_RU0




11AX20SISO_Ant2_5260_52Tone_RU37



11AX20SISO_Ant2_5260_106Tone_RU53



11AX20SISO_Ant1_5300_26Tone_RU8



11AX20SISO_Ant1_5300_52Tone_RU40



11AX20SISO_Ant1_5300_106Tone_RU54



MultiView Spectrum

Ref Level 30.00 dBm Offset 11.45 dB RBW 10 MHz

30 dB BW SWP 12 ms VIEW 10 MHz

100 V Span

10.97 dBm

10.97 dBm

2.9940 ms

4.596 ms

100 pps

1.2 ms

Type	Ref	Int	Amplitude	Function	Function Result
D1	M1	1	3.994 ms		10.97 dBm
D2	M1	1	4.548 ms		3.56 dB
D3	M1	1	4.596 ms		-0.07 dB

MultiView Spectrum

RefLevel 30.00 dBm Offset 11.45 dB RBW 10 MHz

Att 30 dB SWT 7 ms VSW 10 MHz

1 Zero Span

1001 ps

700.0 ps

dBm

10

0

-10

-20

-30

-40

-50

-60

-70

-80

-90

0

100

200

300

400

500

600

700

800

900

1000

1100

1200

1300

1400

1500

1600

1700

1800

1900

2000

2100

2200

2300

2400

2500

2600

2700

2800

2900

3000

3100

3200

3300

3400

3500

3600

3700

3800

3900

4000

4100

4200

4300

4400

4500

4600

4700

4800

4900

5000

5100

5200

5300

5400

5500

5600

5700

5800

5900

6000

6100

6200

6300

6400

6500

6600

6700

6800

6900

7000

7100

7200

7300

7400

7500

7600

7700

7800

7900

8000

8100

8200

8300

8400

8500

8600

8700

8800

8900

9000

9100

9200

9300

9400

9500

9600

9700

9800

9900

10000

10100

10200

10300

10400

10500

10600

10700

10800

10900

11000

11100

11200

11300

11400

11500

11600

11700

11800

11900

12000

12100

12200

12300

12400

12500

12600

12700

12800

12900

13000

13100

13200

13300

13400

13500

13600

13700

13800

13900

14000

14100

14200

14300

14400

14500

14600

14700

14800

14900

15000

15100

15200

15300

15400

15500

15600

15700

15800

15900

16000

16100

16200

16300

16400

16500

16600

16700

16800

16900

17000

17100

17200

17300

17400

17500

17600

17700

17800

17900

18000

18100

18200

18300

18400

18500

18600

18700

18800

18900

19000

19100

19200

19300

19400

19500

19600

19700

19800

19900

20000

20100

20200

20300

20400

20500

20600

20700

20800

20900

21000

21100

21200

21300

21400

21500

21600

21700

21800

21900

22000

22100

22200

22300

22400

22500

22600

22700

22800

22900

23000

23100

23200

23300

23400

23500

23600

23700

23800

23900

24000

24100

24200

24300

24400

24500

24600

24700

24800

24900

25000

25100

25200

25300

25400

25500

25600

25700

25800

25900

26000

26100

26200

26300

26400

26500

26600

26700

26800

26900

27000

27100

27200

27300

27400

27500

27600

27700

27800

27900

28000

28100

28200

28300

28400

28500

28600

28700

28800

28900

29000

29100

29200

29300

29400

29500

29600

29700

29800

29900

30000

30100

30200

30300

30400

30500

30600

30700

30800

30900

31000

31100

31200

31300

31400

31500

31600

31700

31800

31900

32000

32100

32200

32300

32400

32500

32600

32700

32800

32900

33000

33100

33200

33300

33400

33500

33600

33700

33800

33900

34000

34100

34200

34300

34400

34500

34600

34700

34800

34900

35000

35100

35200

35300

MultiView Spectrum

RefLevel 30.00 dBm Offset 11.45 dB RBW 10 MHz

ATT 30 dB SWT 27 ms VIEW 10 MHz

100.00

100 10.000 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm

-80 dBm

0 GHz

10 GHz

Q 5.365 GHz

1001 pts

2.7 ms

MultiView Spectrum

RefLevel 30.00 dBm Offset 11.57 GHz RBW 10 MHz

• A1 30 dB • B1 7 dB • V1 10 MHz

100 VdB

1 Zero Span

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm

-80 dBm

11.56 GHz

11.57 GHz

11.58 GHz

1001 pts

700.0 μs

Q1 S32014.000


Marker Table

Type	Ref	Freq	Power	Phase	Function	Function Result
D1	M1	1	2.093 dBm	11.57 GHz		
D2	M1	1	4.564 dBm	2.06 dB		
D3	M1	1	4.992 dBm	-0.65 dB		


Ready

AM 11.57 GHz


11AX20SISO_Ant1_5320_52Tone_RU40




11AX20SISO_Ant1_5320_106Tone_RU54




11AX20SISO_Ant2_5320_26Tone_RU8




11AX20SISO_Ant2_5320_52Tone_RU40




11AX20SISO_Ant2_5320_106Tone_RU54




11AX20SISO_Ant1_5500_26Tone_RU0



11AX20SISO_Ant1_5500_52Tone_RU37



11AX20SISO_Ant1_5500_106Tone_RU53



MultiView • Spectrum

RefLevel 30.00 dBm Offset 11.42 dB RBW 10 kHz
 Span 30 dB Span 27 GHz View 10 kHz

100.0 GHz

Zero Span 100.0 GHz

30 dBm
 20 dBm
 10 dBm
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm
 -80 dBm
 -90 dBm
 -100 dBm
 -110 dBm
 -120 dBm
 -130 dBm

0 GHz 100 GHz

Q 5.49126 GHz 2.7 GHz


The screenshot shows a spectrum analyzer interface. At the top, the 'MultView' menu is open, with 'Spectrum' selected. The main display area shows a spectrum plot with a blue trace representing the signal. The plot has a grid with frequency on the horizontal axis and power in dBm on the vertical axis. The frequency range is from 5.495 GHz to 5.496 GHz, with a 100 kHz span. The power range is from -60 dBm to 10 dBm. The signal is centered around 5.4956 GHz. The plot shows a noisy signal with a peak level of approximately -10 dBm. The noise floor is around -40 dBm. The signal is labeled '100 kHz' and '100 kHz'.

At the bottom of the screen, the following information is displayed:


- Frequency: 5.4956 GHz
- Span: 100 kHz
- Resolution Bandwidth (RBW): 2.7 MHz

[illegible][illegible]


11AX20SISO_Ant1_5580_52Tone_RU37




11AX20SISO_Ant1_5580_106Tone_RU53



11AX20SISO_Ant2_5580_26Tone_RU0




11AX20SISO_Ant2_5580_52Tone_RU37




11AX20SISO_Ant2_5580_106Tone_RU53




11AX20SISO_Ant1_5700_26Tone_RU8




11AX20SISO_Ant1_5700_52Tone_RU40




11AX20SISO_Ant1_5700_106Tone_RU54



11AX20SISO_Ant2_5700_26Tone_RU8




11AX20SISO_Ant2_5700_52Tone_RU40




11AX20SISO_Ant2_5700_106Tone_RU54




11AX20SISO_Ant1_5720_26Tone_RU0




11AX20SISO_Ant1_5720_26Tone_RU8



11AX20SISO_Ant1_5720_52Tone_RU37



11AX20SISO_Ant1_5720_52Tone_RU40



11AX20SISO_Ant1_5720_106Tone_RU53

