





NOTES:


1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED (K=10³, M=10⁶).
2. CAPACITANCE VALUES ARE SHOWN IN MICRO-FARADS UNLESS OTHERWISE NOTED (P=10⁻¹², N=10⁻⁹).
3. DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.
4. DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
5. DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

DESIGN	DATE	REV	UNIDEN No.
17 MAY 88	28 DEC 81	UC13562H	EXA13761
MUNO	KAWATSU	TITLE	MAIN PCB SCHEMATIC DIAGRAM
CHECK BY	APPROV BY	DATE	

UNIDEN CORP.



DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
17 FEB 00	26 NOV 01	UC356ZH	EXA13781
MUKO	MNAKAGAW	TITLE KEY PCB SCHEMATIC DIAGRAM	
CHECK BY	APPRO BY	DRAWING No. EPP Document	
REV. No.		UNIDEN CORP	



NOTES:
1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED.
2. RESISTOR WATTAGES ARE 1/16W UNLESS OTHERWISE NOTED.
3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED (P=MICRO-MICRO FARAD)
4. CHIP PARTS ARE NOT SPECIFIED IN THIS SCHEMATIC DIAGRAM. PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.

DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
2001 9 13	2001 11 26	UC3562H	EXA137B1
NAKAY	MNAKAW	TITLE PORT MAIN	
CHECK BY	APPRO BY	SCHEMATIC DIAGRAM	
		DRAWING No.	
		BM1 (12/1)	
REV. No		UNIDEN CORP	