



FCC RF EXPOSURE REPORT

For

Wi-Fi/BT Transceiver

MODEL NUMBER: WCF931M

REPORT NUMBER: 4791508372-RF-4

ISSUE DATE: January 24, 2025

FCC ID:A3LWCF931M

Prepared for

FCC: Samsung Electronics Co Ltd FCC:19 Chapin Rd., Building D, Pine Brook New Jersey, 07058 United States

Prepared by

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch

Building 10, Innovation Technology Park, No. 1, Li Bin Road, Song Shan Lake Hi-Tech Development Zone Dongguan, 523808, People's Republic of China

> Tel: +86 769 22038881 Fax: +86 769 33244054 Website: www.ul.com



REPORT NO.: 4791508372-RF-4 Page 2 of 8

Revision History

Rev.	Issue Date	Revisions	Revised By
V0	January 24, 2025	Initial Issue	



TABLE OF CONTENTS

Page 3 of 8

1.	ATTESTATION OF TEST RESULTS	4
2.	TEST METHODOLOGY	6
3.	FACILITIES AND ACCREDITATION	6
4.	REQUIREMENT	7



REPORT NO.: 4791508372-RF-4

Page 4 of 8

1. ATTESTATION OF TEST RESULTS

Applicant Information

Company Name: FCC: Samsung Electronics Co Ltd

Address: FCC:19 Chapin Rd., Building D, Pine Brook New Jersey, 07058

United States

Manufacturer Information

Company Name 1: CHEMTRONICS CO., LTD.

Address 1: 35, Buk-ri, Namsa-myeon, Cheoin-gu, Yongin-si, Gyeonggi-do,

Korea

Company Name 2: CHEMTROVINA COMPANYLIMITED

Address 2: Nhon Trach 2 - Loc Khang IZ, Hiep Phuoc Town, Nhon Trach

District,, Dong Nai Province, Vietnam

Company Name 3: SJIT CO., LTD.

Address 3: #54-11, Dongtanhana 1gil, Hwaseong-si, Gyeonggi-Do, Korea

Company Name 4: SJIT VINA Co., Ltd

Address 4: Lot X2, Ho Nai Industrial Zone, Ho Nai 3 Commune, Trang Bom

District, Dong Nai Province, Vietnam

Company Name 5: Chengdu Xuguang Technology Co.,Ltd.

Address 5: No 86 2nd Scction, Park Road, Longquanyi District, Chengdu City,

Sichuan Pravince, P.R. China

Company Name 6: XUGUANG TECHNOLOGY (VIETNAM) COMPANY LIMITED

Address 6: Factory No.4, Lot CN1, An Duong Industrial Park. Hong Phong

Commune, An Duong District, Hai Phong City, Vietnam

EUT Information

EUT Name: Wi-Fi/BT Transceiver

Model: WCF931M Brand: Samsung

Sample Received Date: October 18, 2024

Sample Status: Normal Sample ID: 7689937

Date of Tested: November 02, 2024 to January 24, 2025



REPORT NO.: 4791508372-RF-4 Page 5 of 8

APPLICABLE STANDARDS				
STANDARD	TEST RESULTS			
FCC 47CFR§2.1091	PASS			
KDB447498 D01 V06	PASS			

Pre	pared	Bv.

Johnson Liu

Johnson Liu

Laboratory Engineer

Approved By:

Stephen Guo

Operations Manager

Checked By:

Kebo Zhang

Senior Project Engineer



REPORT NO.: 4791508372-RF-4 Page 6 of 8

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 and KDB 447498 D01 General RF Exposure Guidance v06.

3. FACILITIES AND ACCREDITATION

	A2LA (Certificate No.: 4102.01)
	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
	has been assessed and proved to be in compliance with A2LA.
	FCC (FCC Designation No.: CN1187)
	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
	Has been recognized to perform compliance testing on equipment subject
	to the Commission's Declaration of Conformity (DoC) and Certification rules
	ISED (Company No.: 21320)
Aggraditation	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
Accreditation	has been registered and fully described in a report filed with ISED.
Certificate	The Company Number is 21320 and the test lab Conformity Assessment
	Body Identifier (CABID) is CN0046.
	VCCI (Registration No.: G-20192, C-20153, T-20155 and R-20202)
	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
	has been assessed and proved to be in compliance with VCCI, the
	Membership No. is 3793.
	Facility Name:
	Chamber D, the VCCI registration No. is G-20192 and R-20202
	Shielding Room B, the VCCI registration No. is C-20153 and T-20155

Note 1: All tests measurement facilities use to collect the measurement data are located at Building 10, Innovation Technology Park, Song Shan Lake Hi tech Development Zone, Dongguan, 523808, China

Note 2: The test anechoic chamber in UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch had been calibrated and compared to the open field sites and the test anechoic chamber is shown to be equivalent to or worst case from the open field site.

Note 3: For below 30MHz, lab had performed measurements at test anechoic chamber and comparing to measurements obtained on an open field site. And these measurements below 30MHz had been correlated to measurements performed on an OFS.



REPORT NO.: 4791508372-RF-4

Page 7 of 8

4. REQUIREMENT

LIMIT AND CALCULATION METHOD

Systems operating under the provisions of FCC 47 CFR section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as mobile device whereby a distance of 0.2m normally can be maintained between the user and the device, and below RF Permissible Exposure limit shall comply with.

Limits for General Population/Uncontrolled Exposure

RF EXPOSURE LIMIT

Frequency Range (MHz)	E-field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm²)	Averaging Time E ², H ² or S (Minutes)
0.3 1.34	614	1.63	(100)*	30
1.34 30	824/f	2.19/f	(180/f ²)*	30
30 300	27.5	0.073	0.2	30
300 1500			f/1500	30
1500 100,000			1.0	30

CALCULATION METHOD

S=PG/4πR²

Where:

S=power density

P=power input to antenna

G=power gain of the antenna in the direction of interest relative to an isotropic radiator R=distance to the center of radiation of the antenna



REPORT NO.: 4791508372-RF-4

Page 8 of 8

CALCULATED RESULTS

Radio Frequency Radiation Exposure Evaluation

For single RF source:

Operating Mode	Max. Tune up Power	Max. Directional Antenna Gain	Power density (mW/ cm ²)	Limit
	(dBm)	(dBi)	(IIIVV/ CIII)	
BLE	9	-3.61	0.00069	1
WIFI5G	23.1	1.78	0.06120	1
WIFI6G	20.5	1.42	0.03095	1

For transmit simultaneously worst case:

Operating Mode	Power density	Total Power density	Limit
Operating Wode	(mW/ cm ²)	(mW/ cm ²)	
WIFI5G	0.06120	0.00215	1
WIFI6G	0.03095	0.09215	

- 1. The Power comes from operation description.
- 2. All the modes had been tested, but only the worst data was recorded in the report.
- 3. The assess distance is 20 cm.
- 4. Only WIFI 5G&WIFI 6G can transmit simultaneously, BLE & WIFI cannot transmit simultaneously. (declared by client).

END OF REPORT