






Mode	45																																																																																													
	Harmonic																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																													
ANT	CDD 16+17																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.25</td><td>68.30</td><td>-23.05</td><td>57.41</td><td>38.39</td><td>15.67</td><td>66.22</td><td>0.00</td><td>300</td><td>46</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	10580.00	45.25	68.30	-23.05	57.41	38.39	15.67	66.22	0.00	300	46	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.54</td><td>68.30</td><td>-22.76</td><td>57.70</td><td>38.39</td><td>15.67</td><td>66.22</td><td>0.00</td><td>300</td><td>82</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	10580.00	45.54	68.30	-22.76	57.70	38.39	15.67	66.22	0.00	300	82	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																					
1	10580.00	45.25	68.30	-23.05	57.41	38.39	15.67	66.22	0.00	300	46	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																					
1	10580.00	45.54	68.30	-22.76	57.70	38.39	15.67	66.22	0.00	300	82	PEAK																																																																																		







		46																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																					
ANT		CDD 16+17																																																																																																					
Pol.		Horizontal						Fundamental																																																																																															
Peak																																																																																																							
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5451.52	61.03	74.00	-12.97	44.36	35.31	10.97	29.61	0.00	100	231	PEAK		2	5462.86	65.17	68.30	-3.13	48.49	35.32	10.98	29.62	0.00	100	231	PEAK			Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5530.00	105.76	-----	-----	88.95	35.40	11.12	29.71	0.00	100	231	PEAK						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																											
1	5451.52	61.03	74.00	-12.97	44.36	35.31	10.97	29.61	0.00	100	231	PEAK																																																																																											
2	5462.86	65.17	68.30	-3.13	48.49	35.32	10.98	29.62	0.00	100	231	PEAK																																																																																											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																											
1	5530.00	105.76	-----	-----	88.95	35.40	11.12	29.71	0.00	100	231	PEAK																																																																																											
Avg																																																																																																							
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5453.68	50.37	54.00	-3.63	33.70	35.31	10.97	29.61	0.00	100	231	AVERAGE			Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5530.00	96.25	-----	-----	79.46	35.39	11.09	29.69	0.00	100	231	AVERAGE																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																											
1	5453.68	50.37	54.00	-3.63	33.70	35.31	10.97	29.61	0.00	100	231	AVERAGE																																																																																											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																											
1	5530.00	96.25	-----	-----	79.46	35.39	11.09	29.69	0.00	100	231	AVERAGE																																																																																											




Mode	46																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																													
ANT	CDD 16+17																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.57</td><td>58.91</td><td>68.30</td><td>-9.39</td><td>41.75</td><td>35.63</td><td>11.32</td><td>29.79</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.57	58.91	68.30	-9.39	41.75	35.63	11.32	29.79	0.00	100	231	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5732.57	58.91	68.30	-9.39	41.75	35.63	11.32	29.79	0.00	100	231	PEAK																																		





Mode	46																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																												
ANT	CDD 16+17																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.22</td><td>59.90</td><td>74.00</td><td>-14.10</td><td>43.26</td><td>35.30</td><td>10.94</td><td>29.60</td><td>0.00</td><td>300 71 PEAK</td></tr><tr><td>2</td><td>5465.92</td><td>61.17</td><td>68.30</td><td>-7.13</td><td>44.48</td><td>35.32</td><td>10.99</td><td>29.62</td><td>0.00</td><td>300 71 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.22	59.90	74.00	-14.10	43.26	35.30	10.94	29.60	0.00	300 71 PEAK	2	5465.92	61.17	68.30	-7.13	44.48	35.32	10.99	29.62	0.00	300 71 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.32</td><td>-----</td><td>-----</td><td>82.53</td><td>35.39</td><td>11.10</td><td>29.70</td><td>0.00</td><td>300 71 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.32	-----	-----	82.53	35.39	11.10	29.70	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5436.22	59.90	74.00	-14.10	43.26	35.30	10.94	29.60	0.00	300 71 PEAK																																																																																																			
2	5465.92	61.17	68.30	-7.13	44.48	35.32	10.99	29.62	0.00	300 71 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	99.32	-----	-----	82.53	35.39	11.10	29.70	0.00	300 71 PEAK																																																																																																			
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.76</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>32.57</td><td>35.31</td><td>10.97</td><td>29.61</td><td>0.00</td><td>300 71 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.76	49.24	54.00	-4.76	32.57	35.31	10.97	29.61	0.00	300 71 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.34</td><td>-----</td><td>-----</td><td>73.55</td><td>35.38</td><td>11.09</td><td>29.68</td><td>0.00</td><td>300 71 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.34	-----	-----	73.55	35.38	11.09	29.68	0.00	300 71 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5454.76	49.24	54.00	-4.76	32.57	35.31	10.97	29.61	0.00	300 71 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	90.34	-----	-----	73.55	35.38	11.09	29.68	0.00	300 71 AVERAGE																																																																																																			







Mode	46																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																													
ANT	CDD 16+17																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.31</td><td>57.50</td><td>68.30</td><td>-10.80</td><td>40.28</td><td>35.66</td><td>11.34</td><td>29.78</td><td>0.00</td><td>300</td><td>71</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.31	57.50	68.30	-10.80	40.28	35.66	11.34	29.78	0.00	300	71	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5752.31	57.50	68.30	-10.80	40.28	35.66	11.34	29.78	0.00	300	71	PEAK																																		



Mode	46																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																			
ANT	CDD 16+17																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>57.15</td><td>38.55</td><td>15.93</td><td>65.70</td><td>0.00</td><td>252</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.93	74.00	-28.07	57.15	38.55	15.93	65.70	0.00	252	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>56.62</td><td>38.55</td><td>15.93</td><td>65.70</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.40	74.00	-28.60	56.62	38.55	15.93	65.70	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	45.93	74.00	-28.07	57.15	38.55	15.93	65.70	0.00	252	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	45.40	74.00	-28.60	56.62	38.55	15.93	65.70	0.00	300	360	PEAK																																																																																								







Mode	47																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																				
ANT	CDD 16+17																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5421.38</td><td>57.13</td><td>74.00</td><td>-16.87</td><td>40.51</td><td>35.29</td><td>10.92</td><td>29.59</td><td>0.00</td><td>82</td><td>231</td><td>PEAK</td></tr><tr><td>2</td><td>5460.80</td><td>56.05</td><td>68.30</td><td>-12.25</td><td>39.37</td><td>35.32</td><td>10.98</td><td>29.62</td><td>0.00</td><td>99</td><td>231</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.38	57.13	74.00	-16.87	40.51	35.29	10.92	29.59	0.00	82	231	PEAK	2	5460.80	56.05	68.30	-12.25	39.37	35.32	10.98	29.62	0.00	99	231	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5421.38	57.13	74.00	-16.87	40.51	35.29	10.92	29.59	0.00	82	231	PEAK																																																									
2	5460.80	56.05	68.30	-12.25	39.37	35.32	10.98	29.62	0.00	99	231	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.32</td><td>46.37</td><td>54.00</td><td>-7.63</td><td>29.70</td><td>35.31</td><td>10.97</td><td>29.61</td><td>0.00</td><td>83</td><td>231</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.32	46.37	54.00	-7.63	29.70	35.31	10.97	29.61	0.00	83	231	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5454.32	46.37	54.00	-7.63	29.70	35.31	10.97	29.61	0.00	83	231	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>104.96</td><td>-----</td><td>-----</td><td>88.09</td><td>35.44</td><td>11.18</td><td>29.75</td><td>0.00</td><td>108</td><td>231</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.96	-----	-----	88.09	35.44	11.18	29.75	0.00	108	231	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5610.00	104.96	-----	-----	88.09	35.44	11.18	29.75	0.00	108	231	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>94.62</td><td>-----</td><td>-----</td><td>77.75</td><td>35.44</td><td>11.18</td><td>29.75</td><td>0.00</td><td>40</td><td>231</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.62	-----	-----	77.75	35.44	11.18	29.75	0.00	40	231	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5610.00	94.62	-----	-----	77.75	35.44	11.18	29.75	0.00	40	231	AVERAGE																																																									




Mode	47																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																													
ANT	CDD 16+17																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.10</td><td>57.46</td><td>68.30</td><td>-10.84</td><td>40.28</td><td>35.64</td><td>11.33</td><td>29.79</td><td>0.00</td><td>106</td><td>231</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.10	57.46	68.30	-10.84	40.28	35.64	11.33	29.79	0.00	106	231	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5742.10	57.46	68.30	-10.84	40.28	35.64	11.33	29.79	0.00	106	231	PEAK																																		





Mode	47																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																																												
ANT	CDD 16+17																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.38</td><td>55.70</td><td>74.00</td><td>-18.30</td><td>39.04</td><td>35.31</td><td>10.96</td><td>29.61</td><td>0.00</td><td>307</td><td>42</td><td>PEAK</td></tr><tr><td>2</td><td>5468.54</td><td>55.31</td><td>68.30</td><td>-12.99</td><td>38.62</td><td>35.32</td><td>10.99</td><td>29.62</td><td>0.00</td><td>296</td><td>42</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.38	55.70	74.00	-18.30	39.04	35.31	10.96	29.61	0.00	307	42	PEAK	2	5468.54	55.31	68.30	-12.99	38.62	35.32	10.99	29.62	0.00	296	42	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>96.39</td><td>-----</td><td>-----</td><td>79.53</td><td>35.44</td><td>11.17</td><td>29.75</td><td>0.00</td><td>290</td><td>42</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.39	-----	-----	79.53	35.44	11.17	29.75	0.00	290	42	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5448.38	55.70	74.00	-18.30	39.04	35.31	10.96	29.61	0.00	307	42	PEAK																																																																																																																	
2	5468.54	55.31	68.30	-12.99	38.62	35.32	10.99	29.62	0.00	296	42	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5610.00	96.39	-----	-----	79.53	35.44	11.17	29.75	0.00	290	42	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.40</td><td>45.73</td><td>54.00</td><td>-8.27</td><td>29.10</td><td>35.29</td><td>10.93</td><td>29.59</td><td>0.00</td><td>314</td><td>42</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.40	45.73	54.00	-8.27	29.10	35.29	10.93	29.59	0.00	314	42	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>86.43</td><td>-----</td><td>-----</td><td>69.55</td><td>35.45</td><td>11.19</td><td>29.76</td><td>0.00</td><td>153</td><td>42</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	86.43	-----	-----	69.55	35.45	11.19	29.76	0.00	153	42	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5428.40	45.73	54.00	-8.27	29.10	35.29	10.93	29.59	0.00	314	42	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5610.00	86.43	-----	-----	69.55	35.45	11.19	29.76	0.00	153	42	AVERAGE																																																																																																																	







Mode	47																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																							
ANT	CDD 16+17																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.75</td><td>57.52</td><td>68.30</td><td>-10.78</td><td>40.35</td><td>35.64</td><td>11.32</td><td>29.79</td><td>0.00</td><td>305</td><td>42</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.75	57.52	68.30	-10.78	40.35	35.64	11.32	29.79	0.00	305	42	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.75	57.52	68.30	-10.78	40.35	35.64	11.32	29.79	0.00	305	42	PEAK																																												



Mode	47																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																																											
ANT	CDD 16+17																																																																																																																											
Pol.	Horizontal								Vertical																																																																																																																			
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11220.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>56.24</td><td>38.59</td><td>16.01</td><td>65.61</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>187 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	45.23	74.00	-28.77	56.24	38.59	16.01	65.61								0.00	300									187 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11220.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>56.98</td><td>38.59</td><td>16.01</td><td>65.61</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>35 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	45.97	74.00	-28.03	56.98	38.59	16.01	65.61								0.00	100									35 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	11220.00	45.23	74.00	-28.77	56.24	38.59	16.01	65.61																																																																																																																				
							0.00	300																																																																																																																				
								187 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	11220.00	45.97	74.00	-28.03	56.98	38.59	16.01	65.61																																																																																																																				
							0.00	100																																																																																																																				
								35 PEAK																																																																																																																				







Mode	48																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																			
ANT	CDD 16+17																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5000 to 5250 MHz. The plot shows a blue signal line with a sharp peak at 5123 MHz. A red line indicates the 5G BAND 1-3 limit at 65.0 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5000 to 5250 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.00</td><td>60.48</td><td>74.00</td><td>-13.52</td><td>44.15</td><td>35.00</td><td>10.61</td><td>29.28</td><td>0.00</td><td>111</td><td>117</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.00	60.48	74.00	-13.52	44.15	35.00	10.61	29.28	0.00	111	117	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a sharp peak at 5250 MHz. A red line indicates the 5G BAND 1-3 limit at 65.0 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>100.09</td><td>-----</td><td>-----</td><td>83.71</td><td>35.09</td><td>10.66</td><td>29.37</td><td>0.00</td><td>111</td><td>117</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	100.09	-----	-----	83.71	35.09	10.66	29.37	0.00	111	117	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5123.00	60.48	74.00	-13.52	44.15	35.00	10.61	29.28	0.00	111	117	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	100.09	-----	-----	83.71	35.09	10.66	29.37	0.00	111	117	PEAK																																																																																								
Avg	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5000 to 5250 MHz. The plot shows a blue signal line with a peak at 5125 MHz. A red line indicates the 5G BAND 1-3 (AVG) limit at 54.00 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5000 to 5250 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.25</td><td>50.15</td><td>54.00</td><td>-3.85</td><td>33.82</td><td>35.01</td><td>10.61</td><td>29.29</td><td>0.00</td><td>111</td><td>117</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.25	50.15	54.00	-3.85	33.82	35.01	10.61	29.29	0.00	111	117	AVERAGE	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a peak at 5250 MHz. A red line indicates the 5G BAND 1-3 (AVG) limit at 54.00 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>90.23</td><td>-----</td><td>-----</td><td>73.82</td><td>35.12</td><td>10.69</td><td>29.40</td><td>0.00</td><td>111</td><td>117</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.23	-----	-----	73.82	35.12	10.69	29.40	0.00	111	117	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5125.25	50.15	54.00	-3.85	33.82	35.01	10.61	29.29	0.00	111	117	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	90.23	-----	-----	73.82	35.12	10.69	29.40	0.00	111	117	AVERAGE																																																																																								



Mode	48																																			
	Band Edge - R																																			
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																			
ANT	CDD 16+17																																			
Pol.	Horizontal	Fundamental																																		
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.50</td><td>58.38</td><td>74.00</td><td>-15.62</td><td>41.81</td><td>35.26</td><td>10.87</td><td>29.56</td><td>0.00</td><td>111</td><td>117 PEAK</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5366.50	58.38	74.00	-15.62	41.81	35.26	10.87	29.56	0.00	111	117 PEAK	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																										
1	5366.50	58.38	74.00	-15.62	41.81	35.26	10.87	29.56	0.00	111	117 PEAK																									
Avg	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.58</td><td>48.47</td><td>54.00</td><td>-5.53</td><td>31.92</td><td>35.23</td><td>10.84</td><td>29.52</td><td>0.00</td><td>111</td><td>117 AVERAGE</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.58	48.47	54.00	-5.53	31.92	35.23	10.84	29.52	0.00	111	117 AVERAGE	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																										
1	5354.58	48.47	54.00	-5.53	31.92	35.23	10.84	29.52	0.00	111	117 AVERAGE																									





Mode	48																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																														
ANT	CDD 16+17																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5117.50</td><td>61.93</td><td>74.00</td><td>-12.07</td><td>45.60</td><td>35.00</td><td>10.61</td><td>29.28</td><td>0.00</td><td>300</td><td>75</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.50	61.93	74.00	-12.07	45.60	35.00	10.61	29.28	0.00	300	75	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>99.93</td><td>-----</td><td>-----</td><td>83.51</td><td>35.13</td><td>10.71</td><td>29.42</td><td>0.00</td><td>300</td><td>75</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.93	-----	-----	83.51	35.13	10.71	29.42	0.00	300	75
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5117.50	61.93	74.00	-12.07	45.60	35.00	10.61	29.28	0.00	300	75	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	99.93	-----	-----	83.51	35.13	10.71	29.42	0.00	300	75	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5106.00</td><td>50.82</td><td>54.00</td><td>-3.18</td><td>34.50</td><td>34.99</td><td>10.60</td><td>29.27</td><td>0.00</td><td>300</td><td>75</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.00	50.82	54.00	-3.18	34.50	34.99	10.60	29.27	0.00	300	75	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>90.57</td><td>-----</td><td>-----</td><td>74.16</td><td>35.12</td><td>10.69</td><td>29.40</td><td>0.00</td><td>300</td><td>75</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.57	-----	-----	74.16	35.12	10.69	29.40	0.00	300	75
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5106.00	50.82	54.00	-3.18	34.50	34.99	10.60	29.27	0.00	300	75	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	90.57	-----	-----	74.16	35.12	10.69	29.40	0.00	300	75	AVERAGE																																																																																																			







Mode	48																																												
	Band Edge - R																																												
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																												
ANT	CDD 16+17																																												
Pol.	Vertical						Fundamental																																						
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.05</td><td>58.16</td><td>74.00</td><td>-15.84</td><td>41.60</td><td>35.25</td><td>10.86</td><td>29.55</td><td>0.00</td><td>300</td><td>75 PEAK</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5377.05	58.16	74.00	-15.84	41.60	35.25	10.86	29.55	0.00	300	75 PEAK	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5377.05	58.16	74.00	-15.84	41.60	35.25	10.86	29.55	0.00	300	75 PEAK																																		
Avg	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.42</td><td>48.37</td><td>54.00</td><td>-5.63</td><td>31.83</td><td>35.23</td><td>10.84</td><td>29.53</td><td>0.00</td><td>300</td><td>75 AVERAGE</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5355.42	48.37	54.00	-5.63	31.83	35.23	10.84	29.53	0.00	300	75 AVERAGE	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5355.42	48.37	54.00	-5.63	31.83	35.23	10.84	29.53	0.00	300	75 AVERAGE																																		




Mode	48																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																					
ANT	CDD 16+17																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10500.00</td><td>45.61</td><td>68.30</td><td>-22.69</td><td>57.94</td><td>38.36</td><td>15.63</td><td>66.32</td><td>0.00</td><td>156</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10500.00	45.61	68.30	-22.69	57.94	38.36	15.63	66.32	0.00	156	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10500.00</td><td>46.37</td><td>68.30</td><td>-21.93</td><td>58.70</td><td>38.36</td><td>15.63</td><td>66.32</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10500.00	46.37	68.30	-21.93	58.70	38.36	15.63	66.32	0.00	100	287	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10500.00	45.61	68.30	-22.69	57.94	38.36	15.63	66.32	0.00	156	360	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10500.00	46.37	68.30	-21.93	58.70	38.36	15.63	66.32	0.00	100	287	PEAK																																																																																										







Mode	49																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																															
ANT	CDD 16+17																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.68</td><td>57.87</td><td>74.00</td><td>-16.13</td><td>41.19</td><td>35.32</td><td>10.98</td><td>29.62</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5467.16</td><td>57.55</td><td>68.30</td><td>-10.75</td><td>40.86</td><td>35.32</td><td>10.99</td><td>29.62</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.68	57.87	74.00	-16.13	41.19	35.32	10.98	29.62	0.00	100	246	PEAK	2	5467.16	57.55	68.30	-10.75	40.86	35.32	10.99	29.62	0.00	100	246	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.68</td><td>-----</td><td>-----</td><td>83.79</td><td>35.46</td><td>11.19</td><td>29.76</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.68	-----	-----	83.79	35.46	11.19	29.76	0.00	100	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.68	57.87	74.00	-16.13	41.19	35.32	10.98	29.62	0.00	100	246	PEAK																																																																																																				
2	5467.16	57.55	68.30	-10.75	40.86	35.32	10.99	29.62	0.00	100	246	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	100.68	-----	-----	83.79	35.46	11.19	29.76	0.00	100	246	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.38</td><td>48.33</td><td>54.00</td><td>-5.67</td><td>31.66</td><td>35.32</td><td>10.97</td><td>29.62</td><td>0.00</td><td>100</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.38	48.33	54.00	-5.67	31.66	35.32	10.97	29.62	0.00	100	246	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.89</td><td>-----</td><td>-----</td><td>74.03</td><td>35.44</td><td>11.17</td><td>29.75</td><td>0.00</td><td>100</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.89	-----	-----	74.03	35.44	11.17	29.75	0.00	100	246	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.38	48.33	54.00	-5.67	31.66	35.32	10.97	29.62	0.00	100	246	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	90.89	-----	-----	74.03	35.44	11.17	29.75	0.00	100	246	AVERAGE																																																																																																				




Mode	49																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																							
ANT	CDD 16+17																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.25</td><td>60.28</td><td>68.30</td><td>-8.02</td><td>43.14</td><td>35.62</td><td>11.31</td><td>29.79</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.25	60.28	68.30	-8.02	43.14	35.62	11.31	29.79	0.00	100	246	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5728.25	60.28	68.30	-8.02	43.14	35.62	11.31	29.79	0.00	100	246	PEAK																																												





Mode	49																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																																
ANT	CDD 16+17																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.52</td><td>57.49</td><td>74.00</td><td>-16.51</td><td>40.94</td><td>35.23</td><td>10.84</td><td>29.52</td><td>0.00</td><td>289</td><td>74</td><td>PEAK</td></tr><tr><td>2</td><td>5468.87</td><td>56.59</td><td>68.30</td><td>-11.71</td><td>39.90</td><td>35.33</td><td>10.99</td><td>29.63</td><td>0.00</td><td>289</td><td>74</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.52	57.49	74.00	-16.51	40.94	35.23	10.84	29.52	0.00	289	74	PEAK	2	5468.87	56.59	68.30	-11.71	39.90	35.33	10.99	29.63	0.00	289	74	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>93.93</td><td>-----</td><td>-----</td><td>77.19</td><td>35.35</td><td>11.04</td><td>29.65</td><td>0.00</td><td>289</td><td>74</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	93.93	-----	-----	77.19	35.35	11.04	29.65	0.00	289	74
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5354.52	57.49	74.00	-16.51	40.94	35.23	10.84	29.52	0.00	289	74	PEAK																																																																																																					
2	5468.87	56.59	68.30	-11.71	39.90	35.33	10.99	29.63	0.00	289	74	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5570.00	93.93	-----	-----	77.19	35.35	11.04	29.65	0.00	289	74	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.14</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>38.59</td><td>35.32</td><td>10.98</td><td>29.62</td><td>0.00</td><td>289</td><td>74</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.14	47.27	54.00	-6.73	38.59	35.32	10.98	29.62	0.00	289	74	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>84.40</td><td>-----</td><td>-----</td><td>67.64</td><td>35.37</td><td>11.06</td><td>29.67</td><td>0.00</td><td>289</td><td>74</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	84.40	-----	-----	67.64	35.37	11.06	29.67	0.00	289	74	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5458.14	47.27	54.00	-6.73	38.59	35.32	10.98	29.62	0.00	289	74	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5570.00	84.40	-----	-----	67.64	35.37	11.06	29.67	0.00	289	74	AVERAGE																																																																																																					





Mode	49																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																													
ANT	CDD 16+17																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.04</td><td>58.37</td><td>68.30</td><td>-9.93</td><td>41.15</td><td>35.66</td><td>11.34</td><td>29.78</td><td>0.00</td><td>289</td><td>74</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.04	58.37	68.30	-9.93	41.15	35.66	11.34	29.78	0.00	289	74	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5752.04	58.37	68.30	-9.93	41.15	35.66	11.34	29.78	0.00	289	74	PEAK																																		





		49																																																						
Mode		Harmonic																																																						
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																						
ANT		CDD 16+17																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11140.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>56.74</td><td>38.57</td><td>15.97</td><td>65.65</td><td>0.00</td><td>100</td><td>236</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	45.63	74.00	-28.37	56.74	38.57	15.97	65.65	0.00	100	236	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11140.00	45.63	74.00	-28.37	56.74	38.57	15.97	65.65	0.00	100	236	PEAK																																												
		Vertical																																																						
Peak Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11140.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>57.50</td><td>38.57</td><td>15.97</td><td>65.65</td><td>0.00</td><td>300</td><td>204</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	46.39	74.00	-27.61	57.50	38.57	15.97	65.65	0.00	300	204	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11140.00	46.39	74.00	-27.61	57.50	38.57	15.97	65.65	0.00	300	204	PEAK																																												





Mode	65																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C-3_5.47-5.85_802.11a_CH144_5720MHz																																																																																																			
ANT	CDD 16+17																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>58.53</td><td>38.65</td><td>16.12</td><td>65.48</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.82	74.00	-26.18	58.53	38.65	16.12	65.48	0.00	100	325	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>57.26</td><td>38.65</td><td>16.12</td><td>65.48</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	46.55	74.00	-27.45	57.26	38.65	16.12	65.48	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	47.82	74.00	-26.18	58.53	38.65	16.12	65.48	0.00	100	325	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	46.55	74.00	-27.45	57.26	38.65	16.12	65.48	0.00	100	0	PEAK																																																																																								





Mode	66																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C-3_5.47-5.85_802.11ax HE20_CH144_Full RU_5720MHz																																																																																																		
ANT	CDD 16+17																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>58.22</td><td>38.65</td><td>16.12</td><td>65.48</td><td>0.00</td><td>100</td><td>136</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.51	74.00	-26.49	58.22	38.65	16.12	65.48	0.00	100	136	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>57.26</td><td>38.65</td><td>16.12</td><td>65.48</td><td>0.00</td><td>0</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	46.55	74.00	-27.45	57.26	38.65	16.12	65.48	0.00	0	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11440.00	47.51	74.00	-26.49	58.22	38.65	16.12	65.48	0.00	100	136	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11440.00	46.55	74.00	-27.45	57.26	38.65	16.12	65.48	0.00	0	0	PEAK																																																																																							







Mode	67																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C-3_5.47-5.85_802.11ax HE40_CH142_Full RU_5710MHz																																																																																																		
ANT	CDD 16+17																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>57.13</td><td>38.64</td><td>16.11</td><td>65.49</td><td>0.00</td><td>105</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	46.39	74.00	-27.61	57.13	38.64	16.11	65.49	0.00	105	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>57.92</td><td>38.64</td><td>16.11</td><td>65.49</td><td>0.00</td><td>0</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.18	74.00	-26.82	57.92	38.64	16.11	65.49	0.00	0	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11420.00	46.39	74.00	-27.61	57.13	38.64	16.11	65.49	0.00	105	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11420.00	47.18	74.00	-26.82	57.92	38.64	16.11	65.49	0.00	0	0	PEAK																																																																																							



Mode	68																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C-3_5.47-5.85_802.11ax HE80_CH138_Full RU_5690MHz																																																																																																	
ANT	CDD 16+17																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>55.96</td><td>38.63</td><td>16.09</td><td>65.52</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	11380.00	45.16	74.00	-28.84	55.96	38.63	16.09	65.52	0.00	300	35	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>56.52</td><td>38.63</td><td>16.09</td><td>65.52</td><td>0.00</td><td>0</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	11380.00	45.72	74.00	-28.28	56.52	38.63	16.09	65.52	0.00	0	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	11380.00	45.16	74.00	-28.84	55.96	38.63	16.09	65.52	0.00	300	35	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	11380.00	45.72	74.00	-28.28	56.52	38.63	16.09	65.52	0.00	0	0	PEAK																																																																																						







Mode	69																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11a_CH40_5200MHz																																																						
ANT	CDD 16+17																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5089.44</td><td>59.24</td><td>74.00</td><td>-14.76</td><td>42.92</td><td>34.97</td><td>10.60</td><td>29.25</td><td>0.00</td><td>113</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5089.44	59.24	74.00	-14.76	42.92	34.97	10.60	29.25	0.00	113	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5089.44	59.24	74.00	-14.76	42.92	34.97	10.60	29.25	0.00	113	123	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>111.22</td><td>-----</td><td>-----</td><td>94.86</td><td>35.08</td><td>10.64</td><td>29.36</td><td>0.00</td><td>113</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	111.22	-----	-----	94.86	35.08	10.64	29.36	0.00	113	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	111.22	-----	-----	94.86	35.08	10.64	29.36	0.00	113	123	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.50</td><td>48.83</td><td>54.00</td><td>-5.17</td><td>32.49</td><td>35.03</td><td>10.62</td><td>29.31</td><td>0.00</td><td>113</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	48.83	54.00	-5.17	32.49	35.03	10.62	29.31	0.00	113	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.50	48.83	54.00	-5.17	32.49	35.03	10.62	29.31	0.00	113	123	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>103.10</td><td>-----</td><td>-----</td><td>86.74</td><td>35.08</td><td>10.64</td><td>29.36</td><td>0.00</td><td>113</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	103.10	-----	-----	86.74	35.08	10.64	29.36	0.00	113	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	103.10	-----	-----	86.74	35.08	10.64	29.36	0.00	113	123	AVERAGE																																											





Mode	69																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH40_5200MHz																																																							
ANT	CDD 16+17																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5388.80</td><td>56.71</td><td>74.00</td><td>-17.29</td><td>40.13</td><td>35.26</td><td>10.88</td><td>29.56</td><td>0.00</td><td>113</td><td>123</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.80	56.71	74.00	-17.29	40.13	35.26	10.88	29.56	0.00	113	123	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5388.80	56.71	74.00	-17.29	40.13	35.26	10.88	29.56	0.00	113	123	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.22</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>28.90</td><td>35.32</td><td>10.98</td><td>29.62</td><td>0.00</td><td>113</td><td>123</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.22	45.58	54.00	-8.42	28.90	35.32	10.98	29.62	0.00	113	123	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.22	45.58	54.00	-8.42	28.90	35.32	10.98	29.62	0.00	113	123	AVERAGE																																												







Mode	69																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11a_CH40_5200MHz																																																						
ANT	CDD 16+17																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.18</td><td>61.36</td><td>74.00</td><td>-12.64</td><td>45.02</td><td>35.03</td><td>10.62</td><td>29.31</td><td>0.00</td><td>338</td><td>63</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.18	61.36	74.00	-12.64	45.02	35.03	10.62	29.31	0.00	338	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.18	61.36	74.00	-12.64	45.02	35.03	10.62	29.31	0.00	338	63	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>112.30</td><td>-----</td><td>-----</td><td>95.94</td><td>35.08</td><td>10.64</td><td>29.36</td><td>0.00</td><td>338</td><td>63</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	112.30	-----	-----	95.94	35.08	10.64	29.36	0.00	338	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	112.30	-----	-----	95.94	35.08	10.64	29.36	0.00	338	63	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>33.93</td><td>35.03</td><td>10.62</td><td>29.31</td><td>0.00</td><td>338</td><td>63</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.27	54.00	-3.73	33.93	35.03	10.62	29.31	0.00	338	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5150.00	50.27	54.00	-3.73	33.93	35.03	10.62	29.31	0.00	338	63	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>103.48</td><td>-----</td><td>-----</td><td>87.12</td><td>35.08</td><td>10.64</td><td>29.36</td><td>0.00</td><td>338</td><td>63</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	103.48	-----	-----	87.12	35.08	10.64	29.36	0.00	338	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	103.48	-----	-----	87.12	35.08	10.64	29.36	0.00	338	63	AVERAGE																																											



Mode	69																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11a_CH40_5200MHz																																																						
ANT	CDD 16+17																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5427.01</td><td>57.00</td><td>74.00</td><td>-17.00</td><td>40.37</td><td>35.29</td><td>10.93</td><td>29.59</td><td>0.00</td><td>338</td><td>63</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.01	57.00	74.00	-17.00	40.37	35.29	10.93	29.59	0.00	338	63	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5427.01	57.00	74.00	-17.00	40.37	35.29	10.93	29.59	0.00	338	63	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>28.88</td><td>35.32</td><td>10.98</td><td>29.62</td><td>0.00</td><td>338</td><td>63</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	45.56	54.00	-8.44	28.88	35.32	10.98	29.62	0.00	338	63	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5459.12	45.56	54.00	-8.44	28.88	35.32	10.98	29.62	0.00	338	63	AVERAGE																																											







Mode	69																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11a_CH40_5200MHz																																																						
ANT	CDD 16+17																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5089.44</td><td>59.24</td><td>74.00</td><td>-14.76</td><td>42.92</td><td>34.97</td><td>10.60</td><td>29.25</td><td>0.00</td><td>113</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5089.44	59.24	74.00	-14.76	42.92	34.97	10.60	29.25	0.00	113	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5089.44	59.24	74.00	-14.76	42.92	34.97	10.60	29.25	0.00	113	123	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>111.22</td><td>-----</td><td>-----</td><td>94.86</td><td>35.08</td><td>10.64</td><td>29.36</td><td>0.00</td><td>113</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	111.22	-----	-----	94.86	35.08	10.64	29.36	0.00	113	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	111.22	-----	-----	94.86	35.08	10.64	29.36	0.00	113	123	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.50</td><td>48.83</td><td>54.00</td><td>-5.17</td><td>32.49</td><td>35.03</td><td>10.62</td><td>29.31</td><td>0.00</td><td>113</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	48.83	54.00	-5.17	32.49	35.03	10.62	29.31	0.00	113	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.50	48.83	54.00	-5.17	32.49	35.03	10.62	29.31	0.00	113	123	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>103.10</td><td>-----</td><td>-----</td><td>86.74</td><td>35.08</td><td>10.64</td><td>29.36</td><td>0.00</td><td>113</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	103.10	-----	-----	86.74	35.08	10.64	29.36	0.00	113	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	103.10	-----	-----	86.74	35.08	10.64	29.36	0.00	113	123	AVERAGE																																											





Mode	69																																																								
	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11a_CH40_5200MHz																																																								
ANT	CDD 16+17																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.80</td><td>56.71</td><td>74.00</td><td>-17.29</td><td>40.13</td><td>35.26</td><td>10.88</td><td>29.56</td><td>0.00</td><td>113</td><td>123</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.80	56.71	74.00	-17.29	40.13	35.26	10.88	29.56	0.00	113	123	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5388.80	56.71	74.00	-17.29	40.13	35.26	10.88	29.56	0.00	113	123	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.22</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>28.90</td><td>35.32</td><td>10.98</td><td>29.62</td><td>0.00</td><td>113</td><td>123</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.22	45.58	54.00	-8.42	28.90	35.32	10.98	29.62	0.00	113	123	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5457.22	45.58	54.00	-8.42	28.90	35.32	10.98	29.62	0.00	113	123	AVERAGE																																													







Mode	69																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11a_CH40_5200MHz																																																						
ANT	CDD 16+17																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.18</td><td>61.36</td><td>74.00</td><td>-12.64</td><td>45.02</td><td>35.03</td><td>10.62</td><td>29.31</td><td>0.00</td><td>338</td><td>63</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.18	61.36	74.00	-12.64	45.02	35.03	10.62	29.31	0.00	338	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.18	61.36	74.00	-12.64	45.02	35.03	10.62	29.31	0.00	338	63	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>112.30</td><td>-----</td><td>-----</td><td>95.94</td><td>35.08</td><td>10.64</td><td>29.36</td><td>0.00</td><td>338</td><td>63</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	112.30	-----	-----	95.94	35.08	10.64	29.36	0.00	338	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	112.30	-----	-----	95.94	35.08	10.64	29.36	0.00	338	63	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>33.93</td><td>35.03</td><td>10.62</td><td>29.31</td><td>0.00</td><td>338</td><td>63</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.27	54.00	-3.73	33.93	35.03	10.62	29.31	0.00	338	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5150.00	50.27	54.00	-3.73	33.93	35.03	10.62	29.31	0.00	338	63	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>103.48</td><td>-----</td><td>-----</td><td>87.12</td><td>35.08</td><td>10.64</td><td>29.36</td><td>0.00</td><td>338</td><td>63</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	103.48	-----	-----	87.12	35.08	10.64	29.36	0.00	338	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	103.48	-----	-----	87.12	35.08	10.64	29.36	0.00	338	63	AVERAGE																																											







Mode	69										
	Band Edge - R										
	U-NII-1_5.15-5.25_802.11a_CH40_5200MHz										
ANT	CDD 16+17										
Pol.	Vertical										
Peak											





Mode	50																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	CDD 16+17																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.78</td><td>59.49</td><td>68.30</td><td>-8.81</td><td>42.53</td><td>35.51</td><td>11.23</td><td>29.78</td><td>0.00</td><td>100</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>5651.55</td><td>58.10</td><td>69.45</td><td>-11.35</td><td>41.12</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>236</td><td>PEAK</td></tr><tr><td>3</td><td>5708.97</td><td>76.99</td><td>107.81</td><td>-30.82</td><td>59.91</td><td>35.59</td><td>11.29</td><td>29.80</td><td>0.00</td><td>100</td><td>236</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>76.43</td><td>111.54</td><td>-35.11</td><td>59.31</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.78	59.49	68.30	-8.81	42.53	35.51	11.23	29.78	0.00	100	236	PEAK	2	5651.55	58.10	69.45	-11.35	41.12	35.52	11.24	29.78	0.00	100	236	PEAK	3	5708.97	76.99	107.81	-30.82	59.91	35.59	11.29	29.80	0.00	100	236	PEAK	4	5720.28	76.43	111.54	-35.11	59.31	35.61	11.30	29.79	0.00	100	236	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.94</td><td>-----</td><td>-----</td><td>97.76</td><td>35.64</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	114.94	-----	-----	97.76	35.64	11.33	29.79	0.00	100	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5647.78	59.49	68.30	-8.81	42.53	35.51	11.23	29.78	0.00	100	236	PEAK																																																																																																																														
2	5651.55	58.10	69.45	-11.35	41.12	35.52	11.24	29.78	0.00	100	236	PEAK																																																																																																																														
3	5708.97	76.99	107.81	-30.82	59.91	35.59	11.29	29.80	0.00	100	236	PEAK																																																																																																																														
4	5720.28	76.43	111.54	-35.11	59.31	35.61	11.30	29.79	0.00	100	236	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	114.94	-----	-----	97.76	35.64	11.33	29.79	0.00	100	236	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.14</td><td>-----</td><td>-----</td><td>88.96</td><td>35.64</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.14	-----	-----	88.96	35.64	11.33	29.79	0.00	100	236	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.14</td><td>-----</td><td>-----</td><td>88.96</td><td>35.64</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.14	-----	-----	88.96	35.64	11.33	29.79	0.00	100	236	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.14	-----	-----	88.96	35.64	11.33	29.79	0.00	100	236	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.14	-----	-----	88.96	35.64	11.33	29.79	0.00	100	236	AVERAGE																																																																																																																														







Mode	50																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	CDD 16+17																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5649.52</td><td>59.53</td><td>68.30</td><td>-8.77</td><td>42.57</td><td>35.51</td><td>11.23</td><td>29.78</td><td>0.00</td><td>303 48 PEAK</td></tr><tr><td>2 5650.83</td><td>57.31</td><td>68.91</td><td>-11.60</td><td>40.33</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>303 48 PEAK</td></tr><tr><td>3 5711.00</td><td>74.18</td><td>108.38</td><td>-34.20</td><td>57.09</td><td>35.60</td><td>11.29</td><td>29.80</td><td>0.00</td><td>303 48 PEAK</td></tr><tr><td>4 5720.14</td><td>73.69</td><td>111.21</td><td>-37.52</td><td>56.57</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>303 48 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5649.52	59.53	68.30	-8.77	42.57	35.51	11.23	29.78	0.00	303 48 PEAK	2 5650.83	57.31	68.91	-11.60	40.33	35.52	11.24	29.78	0.00	303 48 PEAK	3 5711.00	74.18	108.38	-34.20	57.09	35.60	11.29	29.80	0.00	303 48 PEAK	4 5720.14	73.69	111.21	-37.52	56.57	35.61	11.30	29.79	0.00	303 48 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>106.20</td><td>-----</td><td>-----</td><td>89.02</td><td>35.64</td><td>11.33</td><td>29.79</td><td>0.00</td><td>303 48 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	106.20	-----	-----	89.02	35.64	11.33	29.79	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5649.52	59.53	68.30	-8.77	42.57	35.51	11.23	29.78	0.00	303 48 PEAK																																																																																																														
2 5650.83	57.31	68.91	-11.60	40.33	35.52	11.24	29.78	0.00	303 48 PEAK																																																																																																														
3 5711.00	74.18	108.38	-34.20	57.09	35.60	11.29	29.80	0.00	303 48 PEAK																																																																																																														
4 5720.14	73.69	111.21	-37.52	56.57	35.61	11.30	29.79	0.00	303 48 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5745.00	106.20	-----	-----	89.02	35.64	11.33	29.79	0.00	303 48 PEAK																																																																																																														
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>97.78</td><td>-----</td><td>-----</td><td>80.61</td><td>35.64</td><td>11.32</td><td>29.79</td><td>0.00</td><td>303 48 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	97.78	-----	-----	80.61	35.64	11.32	29.79	0.00	303 48 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>97.78</td><td>-----</td><td>-----</td><td>80.61</td><td>35.64</td><td>11.32</td><td>29.79</td><td>0.00</td><td>303 48 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	97.78	-----	-----	80.61	35.64	11.32	29.79	0.00	303 48 AVERAGE																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5745.00	97.78	-----	-----	80.61	35.64	11.32	29.79	0.00	303 48 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5745.00	97.78	-----	-----	80.61	35.64	11.32	29.79	0.00	303 48 AVERAGE																																																																																																														






Mode	50																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																			
ANT	CDD 16+17																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.61</td><td>74.00</td><td>-25.39</td><td>59.26</td><td>38.66</td><td>16.15</td><td>65.46</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	48.61	74.00	-25.39	59.26	38.66	16.15	65.46	0.00	100	120	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>58.80</td><td>38.66</td><td>16.15</td><td>65.46</td><td>0.00</td><td>100</td><td>54</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	48.15	74.00	-25.85	58.80	38.66	16.15	65.46	0.00	100	54	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	48.61	74.00	-25.39	59.26	38.66	16.15	65.46	0.00	100	120	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	48.15	74.00	-25.85	58.80	38.66	16.15	65.46	0.00	100	54	PEAK																																																																																								






Mode	51																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																			
ANT	CDD 16+17																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>56.24</td><td>38.68</td><td>16.18</td><td>65.41</td><td>0.00</td><td>246</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.69	74.00	-28.31	56.24	38.68	16.18	65.41	0.00	246	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>56.51</td><td>38.68</td><td>16.18</td><td>65.41</td><td>0.00</td><td>100</td><td>229</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.96	74.00	-28.04	56.51	38.68	16.18	65.41	0.00	100	229	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	45.69	74.00	-28.31	56.24	38.68	16.18	65.41	0.00	246	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	45.96	74.00	-28.04	56.51	38.68	16.18	65.41	0.00	100	229	PEAK																																																																																								





Mode	52																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	CDD 16+17																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.82</td><td>69.65</td><td>111.32</td><td>-41.67</td><td>52.25</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>2</td><td>5855.69</td><td>70.86</td><td>110.71</td><td>-39.85</td><td>53.46</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>3</td><td>5924.82</td><td>57.03</td><td>68.43</td><td>-11.40</td><td>39.61</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>4</td><td>5937.57</td><td>59.05</td><td>68.30</td><td>-9.25</td><td>41.64</td><td>35.76</td><td>11.48</td><td>29.83</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.82	69.65	111.32	-41.67	52.25	35.76	11.43	29.79	0.00	100	238	PEAK	2	5855.69	70.86	110.71	-39.85	53.46	35.76	11.43	29.79	0.00	100	238	PEAK	3	5924.82	57.03	68.43	-11.40	39.61	35.77	11.47	29.82	0.00	100	238	PEAK	4	5937.57	59.05	68.30	-9.25	41.64	35.76	11.48	29.83	0.00	100	238	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.53</td><td>-----</td><td>-----</td><td>96.17</td><td>35.74</td><td>11.40</td><td>29.78</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.53	-----	-----	96.17	35.74	11.40	29.78	0.00	100	238	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.82	69.65	111.32	-41.67	52.25	35.76	11.43	29.79	0.00	100	238	PEAK																																																																																																																													
2	5855.69	70.86	110.71	-39.85	53.46	35.76	11.43	29.79	0.00	100	238	PEAK																																																																																																																													
3	5924.82	57.03	68.43	-11.40	39.61	35.77	11.47	29.82	0.00	100	238	PEAK																																																																																																																													
4	5937.57	59.05	68.30	-9.25	41.64	35.76	11.48	29.83	0.00	100	238	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	113.53	-----	-----	96.17	35.74	11.40	29.78	0.00	100	238	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.36</td><td>-----</td><td>-----</td><td>87.00</td><td>35.74</td><td>11.40</td><td>29.78</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.36	-----	-----	87.00	35.74	11.40	29.78	0.00	100	238	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	104.36	-----	-----	87.00	35.74	11.40	29.78	0.00	100	238	AVERAGE																																																																																																																													






Mode	52																																																																																															
	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																															
ANT	CDD 16+17																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.57</td><td>66.59</td><td>111.89</td><td>-45.30</td><td>49.19</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>388</td><td>20 PEAK</td></tr><tr><td>2</td><td>5855.19</td><td>67.41</td><td>110.85</td><td>-43.44</td><td>50.01</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>388</td><td>20 PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>58.07</td><td>68.99</td><td>-10.92</td><td>40.65</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>388</td><td>20 PEAK</td></tr><tr><td>4</td><td>5946.06</td><td>59.11</td><td>68.30</td><td>-9.19</td><td>41.70</td><td>35.76</td><td>11.49</td><td>29.84</td><td>0.00</td><td>388</td><td>20 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.57	66.59	111.89	-45.30	49.19	35.76	11.43	29.79	0.00	388	20 PEAK	2	5855.19	67.41	110.85	-43.44	50.01	35.76	11.43	29.79	0.00	388	20 PEAK	3	5924.07	58.07	68.99	-10.92	40.65	35.77	11.47	29.82	0.00	388	20 PEAK	4	5946.06	59.11	68.30	-9.19	41.70	35.76	11.49	29.84	0.00	388	20 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.57	66.59	111.89	-45.30	49.19	35.76	11.43	29.79	0.00	388	20 PEAK																																																																																					
2	5855.19	67.41	110.85	-43.44	50.01	35.76	11.43	29.79	0.00	388	20 PEAK																																																																																					
3	5924.07	58.07	68.99	-10.92	40.65	35.77	11.47	29.82	0.00	388	20 PEAK																																																																																					
4	5946.06	59.11	68.30	-9.19	41.70	35.76	11.49	29.84	0.00	388	20 PEAK																																																																																					
Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.65</td><td>-----</td><td>-----</td><td>86.28</td><td>35.74</td><td>11.41</td><td>29.78</td><td>0.00</td><td>388</td><td>20 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	103.65	-----	-----	86.28	35.74	11.41	29.78	0.00	388	20 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5825.00	103.65	-----	-----	86.28	35.74	11.41	29.78	0.00	388	20 PEAK																																																																																					
Blank																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.09</td><td>-----</td><td>-----</td><td>76.72</td><td>35.74</td><td>11.41</td><td>29.78</td><td>0.00</td><td>388</td><td>20 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	94.09	-----	-----	76.72	35.74	11.41	29.78	0.00	388	20 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5825.00	94.09	-----	-----	76.72	35.74	11.41	29.78	0.00	388	20 AVERAGE																																																																																					






Mode	52																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																			
ANT	CDD 16+17																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>55.88</td><td>38.71</td><td>16.23</td><td>65.37</td><td>0.00</td><td>300</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.45	74.00	-28.55	55.88	38.71	16.23	65.37	0.00	300	111	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>58.19</td><td>38.71</td><td>16.23</td><td>65.37</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.76	74.00	-26.24	58.19	38.71	16.23	65.37	0.00	300	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	45.45	74.00	-28.55	55.88	38.71	16.23	65.37	0.00	300	111	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	47.76	74.00	-26.24	58.19	38.71	16.23	65.37	0.00	300	0	PEAK																																																																																								





Mode	53																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																										
ANT	CDD 16+17																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5613.27</td><td>57.95</td><td>68.30</td><td>-10.35</td><td>41.05</td><td>35.47</td><td>11.20</td><td>29.77</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5650.83</td><td>56.49</td><td>68.91</td><td>-12.42</td><td>39.51</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>5712.89</td><td>66.32</td><td>108.91</td><td>-42.59</td><td>49.23</td><td>35.60</td><td>11.29</td><td>29.80</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>5722.60</td><td>74.11</td><td>116.83</td><td>-42.72</td><td>56.99</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.27	57.95	68.30	-10.35	41.05	35.47	11.20	29.77	0.00	100	239	PEAK	2	5650.83	56.49	68.91	-12.42	39.51	35.52	11.24	29.78	0.00	100	239	PEAK	3	5712.89	66.32	108.91	-42.59	49.23	35.60	11.29	29.80	0.00	100	239	PEAK	4	5722.60	74.11	116.83	-42.72	56.99	35.61	11.30	29.79	0.00	100	239	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>112.85</td><td>-----</td><td>-----</td><td>95.66</td><td>35.65</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.85	-----	-----	95.66	35.65	11.33	29.79	0.00	100	239	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5613.27	57.95	68.30	-10.35	41.05	35.47	11.20	29.77	0.00	100	239	PEAK																																																																																																																															
2	5650.83	56.49	68.91	-12.42	39.51	35.52	11.24	29.78	0.00	100	239	PEAK																																																																																																																															
3	5712.89	66.32	108.91	-42.59	49.23	35.60	11.29	29.80	0.00	100	239	PEAK																																																																																																																															
4	5722.60	74.11	116.83	-42.72	56.99	35.61	11.30	29.79	0.00	100	239	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	112.85	-----	-----	95.66	35.65	11.33	29.79	0.00	100	239	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.73</td><td>-----</td><td>-----</td><td>86.55</td><td>35.64</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.73	-----	-----	86.55	35.64	11.33	29.79	0.00	100	239	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	103.73	-----	-----	86.55	35.64	11.33	29.79	0.00	100	239	AVERAGE																																																																																																																															





		53																																																																																																																					
Mode	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																						
ANT	CDD 16+17																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5614.72</td><td>57.76</td><td>68.30</td><td>-10.54</td><td>40.86</td><td>35.47</td><td>11.20</td><td>29.77</td><td>0.00</td><td>310 49 PEAK</td></tr><tr><td>2 5650.68</td><td>56.25</td><td>68.81</td><td>-12.56</td><td>39.27</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>310 49 PEAK</td></tr><tr><td>3 5701.72</td><td>58.71</td><td>105.78</td><td>-47.07</td><td>41.65</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>310 49 PEAK</td></tr><tr><td>4 5720.14</td><td>60.59</td><td>111.21</td><td>-50.62</td><td>43.47</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>310 49 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5614.72	57.76	68.30	-10.54	40.86	35.47	11.20	29.77	0.00	310 49 PEAK	2 5650.68	56.25	68.81	-12.56	39.27	35.52	11.24	29.78	0.00	310 49 PEAK	3 5701.72	58.71	105.78	-47.07	41.65	35.58	11.28	29.80	0.00	310 49 PEAK	4 5720.14	60.59	111.21	-50.62	43.47	35.61	11.30	29.79	0.00	310 49 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.12</td><td>-----</td><td>-----</td><td>85.94</td><td>35.64</td><td>11.33</td><td>29.79</td><td>0.00</td><td>310 49 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	103.12	-----	-----	85.94	35.64	11.33	29.79	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5614.72	57.76	68.30	-10.54	40.86	35.47	11.20	29.77	0.00	310 49 PEAK																																																																																																														
2 5650.68	56.25	68.81	-12.56	39.27	35.52	11.24	29.78	0.00	310 49 PEAK																																																																																																														
3 5701.72	58.71	105.78	-47.07	41.65	35.58	11.28	29.80	0.00	310 49 PEAK																																																																																																														
4 5720.14	60.59	111.21	-50.62	43.47	35.61	11.30	29.79	0.00	310 49 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5745.00	103.12	-----	-----	85.94	35.64	11.33	29.79	0.00	310 49 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>95.00</td><td>-----</td><td>-----</td><td>77.82</td><td>35.64</td><td>11.33</td><td>29.79</td><td>0.00</td><td>310 49 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	95.00	-----	-----	77.82	35.64	11.33	29.79	0.00	310 49 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5745.00	95.00	-----	-----	77.82	35.64	11.33	29.79	0.00	310 49 AVERAGE																																																																																																														






Mode	53																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																				
ANT	CDD 16+17																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>57.72</td><td>38.66</td><td>16.15</td><td>65.46</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	47.07	74.00	-26.93	57.72	38.66	16.15	65.46	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>57.83</td><td>38.66</td><td>16.15</td><td>65.46</td><td>0.00</td><td>300</td><td>2</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	47.18	74.00	-26.82	57.83	38.66	16.15	65.46	0.00	300	2
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11490.00	47.07	74.00	-26.93	57.72	38.66	16.15	65.46	0.00	100	360	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11490.00	47.18	74.00	-26.82	57.83	38.66	16.15	65.46	0.00	300	2	PEAK																																																																																									






Mode	54																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																			
ANT	CDD 16+17																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>58.18</td><td>38.68</td><td>16.18</td><td>65.41</td><td>0.00</td><td>300</td><td>314</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.63	74.00	-26.37	58.18	38.68	16.18	65.41	0.00	300	314	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>57.48</td><td>38.68</td><td>16.18</td><td>65.41</td><td>0.00</td><td>100</td><td>154</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.93	74.00	-27.07	57.48	38.68	16.18	65.41	0.00	100	154	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	47.63	74.00	-26.37	58.18	38.68	16.18	65.41	0.00	300	314	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	46.93	74.00	-27.07	57.48	38.68	16.18	65.41	0.00	100	154	PEAK																																																																																								





Mode	55																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																													
ANT	CDD 16+17																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.82</td><td>69.01</td><td>111.32</td><td>-42.31</td><td>51.61</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>107</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>5855.82</td><td>63.85</td><td>110.67</td><td>-46.82</td><td>46.45</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>107</td><td>236</td><td>PEAK</td></tr><tr><td>3</td><td>5923.19</td><td>58.17</td><td>69.63</td><td>-11.46</td><td>40.75</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>107</td><td>236</td><td>PEAK</td></tr><tr><td>4</td><td>5926.82</td><td>57.73</td><td>68.30</td><td>-10.57</td><td>40.30</td><td>35.77</td><td>11.48</td><td>29.82</td><td>0.00</td><td>107</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.82	69.01	111.32	-42.31	51.61	35.76	11.43	29.79	0.00	107	236	PEAK	2	5855.82	63.85	110.67	-46.82	46.45	35.76	11.43	29.79	0.00	107	236	PEAK	3	5923.19	58.17	69.63	-11.46	40.75	35.77	11.47	29.82	0.00	107	236	PEAK	4	5926.82	57.73	68.30	-10.57	40.30	35.77	11.48	29.82	0.00	107	236	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.91</td><td>-----</td><td>-----</td><td>95.55</td><td>35.74</td><td>11.40</td><td>29.78</td><td>0.00</td><td>107</td><td>236</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	112.91	-----	-----	95.55	35.74	11.40	29.78	0.00	107	236	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5854.82	69.01	111.32	-42.31	51.61	35.76	11.43	29.79	0.00	107	236	PEAK																																																																																																																																		
2	5855.82	63.85	110.67	-46.82	46.45	35.76	11.43	29.79	0.00	107	236	PEAK																																																																																																																																		
3	5923.19	58.17	69.63	-11.46	40.75	35.77	11.47	29.82	0.00	107	236	PEAK																																																																																																																																		
4	5926.82	57.73	68.30	-10.57	40.30	35.77	11.48	29.82	0.00	107	236	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	112.91	-----	-----	95.55	35.74	11.40	29.78	0.00	107	236	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.51</td><td>-----</td><td>-----</td><td>85.15</td><td>35.74</td><td>11.40</td><td>29.78</td><td>0.00</td><td>107</td><td>236</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.51	-----	-----	85.15	35.74	11.40	29.78	0.00	107	236	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	102.51	-----	-----	85.15	35.74	11.40	29.78	0.00	107	236	AVERAGE																																																																																																																																		






Mode	55																																																																																															
	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																															
ANT	CDD 16+17																																																																																															
Pol.	Vertical																																																																																															
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.57</td><td>61.08</td><td>114.17</td><td>-53.09</td><td>43.68</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>400</td><td>6</td><td>PEAK</td></tr><tr><td>2</td><td>5871.32</td><td>58.09</td><td>106.33</td><td>-48.24</td><td>40.67</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>400</td><td>6</td><td>PEAK</td></tr><tr><td>3</td><td>5924.82</td><td>55.89</td><td>68.43</td><td>-12.54</td><td>38.47</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>400</td><td>6</td><td>PEAK</td></tr><tr><td>4</td><td>5939.82</td><td>57.75</td><td>68.30</td><td>-10.55</td><td>40.35</td><td>35.76</td><td>11.48</td><td>29.84</td><td>0.00</td><td>400</td><td>6</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.57	61.08	114.17	-53.09	43.68	35.76	11.43	29.79	0.00	400	6	PEAK	2	5871.32	58.09	106.33	-48.24	40.67	35.77	11.44	29.79	0.00	400	6	PEAK	3	5924.82	55.89	68.43	-12.54	38.47	35.77	11.47	29.82	0.00	400	6	PEAK	4	5939.82	57.75	68.30	-10.55	40.35	35.76	11.48	29.84	0.00	400	6	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5853.57	61.08	114.17	-53.09	43.68	35.76	11.43	29.79	0.00	400	6	PEAK																																																																																				
2	5871.32	58.09	106.33	-48.24	40.67	35.77	11.44	29.79	0.00	400	6	PEAK																																																																																				
3	5924.82	55.89	68.43	-12.54	38.47	35.77	11.47	29.82	0.00	400	6	PEAK																																																																																				
4	5939.82	57.75	68.30	-10.55	40.35	35.76	11.48	29.84	0.00	400	6	PEAK																																																																																				
Fundamental																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.59</td><td>-----</td><td>-----</td><td>83.22</td><td>35.74</td><td>11.40</td><td>29.77</td><td>0.00</td><td>400</td><td>6</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.59	-----	-----	83.22	35.74	11.40	29.77	0.00	400	6	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5825.00	100.59	-----	-----	83.22	35.74	11.40	29.77	0.00	400	6	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>91.68</td><td>-----</td><td>-----</td><td>74.31</td><td>35.74</td><td>11.41</td><td>29.78</td><td>0.00</td><td>400</td><td>6</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	91.68	-----	-----	74.31	35.74	11.41	29.78	0.00	400	6	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5825.00	91.68	-----	-----	74.31	35.74	11.41	29.78	0.00	400	6	AVERAGE																																																																																				




Mode	55																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																			
ANT	CDD 16+17																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>57.50</td><td>38.71</td><td>16.23</td><td>65.37</td><td>0.00</td><td>100</td><td>145</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.07	74.00	-26.93	57.50	38.71	16.23	65.37	0.00	100	145	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>57.28</td><td>38.71</td><td>16.23</td><td>65.37</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.85	74.00	-27.15	57.28	38.71	16.23	65.37	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	47.07	74.00	-26.93	57.50	38.71	16.23	65.37	0.00	100	145	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	46.85	74.00	-27.15	57.28	38.71	16.23	65.37	0.00	100	360	PEAK																																																																																								






Mode	56																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																								
ANT	CDD 16+17																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.90</td><td>59.90</td><td>68.30</td><td>-8.40</td><td>42.96</td><td>35.50</td><td>11.22</td><td>29.78</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>55.67</td><td>68.76</td><td>-13.09</td><td>38.69</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5700.68</td><td>58.20</td><td>105.49</td><td>-47.29</td><td>41.14</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.21</td><td>110.90</td><td>-52.69</td><td>41.09</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.90	59.90	68.30	-8.40	42.96	35.50	11.22	29.78	0.00	100	266	PEAK	2	5650.61	55.67	68.76	-13.09	38.69	35.52	11.24	29.78	0.00	100	266	PEAK	3	5700.68	58.20	105.49	-47.29	41.14	35.58	11.28	29.80	0.00	100	266	PEAK	4	5720.00	58.21	110.90	-52.69	41.09	35.61	11.30	29.79	0.00	100	266	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>107.32</td><td>-----</td><td>-----</td><td>90.07</td><td>35.68</td><td>11.35</td><td>29.78</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	107.32	-----	-----	90.07	35.68	11.35	29.78	0.00	100	266	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5637.90	59.90	68.30	-8.40	42.96	35.50	11.22	29.78	0.00	100	266	PEAK																																																																																																																													
2	5650.61	55.67	68.76	-13.09	38.69	35.52	11.24	29.78	0.00	100	266	PEAK																																																																																																																													
3	5700.68	58.20	105.49	-47.29	41.14	35.58	11.28	29.80	0.00	100	266	PEAK																																																																																																																													
4	5720.00	58.21	110.90	-52.69	41.09	35.61	11.30	29.79	0.00	100	266	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	107.32	-----	-----	90.07	35.68	11.35	29.78	0.00	100	266	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.28</td><td>-----</td><td>-----</td><td>80.06</td><td>35.66</td><td>11.34</td><td>29.78</td><td>0.00</td><td>100</td><td>266</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	97.28	-----	-----	80.06	35.66	11.34	29.78	0.00	100	266	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	97.28	-----	-----	80.06	35.66	11.34	29.78	0.00	100	266	AVERAGE																																																																																																																													




Mode	56																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																				
ANT	CDD 16+17																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.16</td><td>59.09</td><td>112.81</td><td>-53.72</td><td>41.69</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5873.86</td><td>57.69</td><td>105.62</td><td>-47.93</td><td>40.27</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5924.56</td><td>57.57</td><td>68.62</td><td>-11.05</td><td>40.15</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5937.23</td><td>58.21</td><td>68.30</td><td>-10.09</td><td>40.79</td><td>35.77</td><td>11.48</td><td>29.83</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.16	59.09	112.81	-53.72	41.69	35.76	11.43	29.79	0.00	100	266	PEAK	2	5873.86	57.69	105.62	-47.93	40.27	35.77	11.44	29.79	0.00	100	266	PEAK	3	5924.56	57.57	68.62	-11.05	40.15	35.77	11.47	29.82	0.00	100	266	PEAK	4	5937.23	58.21	68.30	-10.09	40.79	35.77	11.48	29.83	0.00	100	266	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.16	59.09	112.81	-53.72	41.69	35.76	11.43	29.79	0.00	100	266	PEAK																																																																									
2	5873.86	57.69	105.62	-47.93	40.27	35.77	11.44	29.79	0.00	100	266	PEAK																																																																									
3	5924.56	57.57	68.62	-11.05	40.15	35.77	11.47	29.82	0.00	100	266	PEAK																																																																									
4	5937.23	58.21	68.30	-10.09	40.79	35.77	11.48	29.83	0.00	100	266	PEAK																																																																									





		56																																																																																																																												
Mode		Band Edge - L																																																																																																																												
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																												
ANT		CDD 16+17																																																																																																																												
Pol.		Fundamental																																																																																																																												
Peak	Vertical	Fundamental																																																																																																																												
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.24</td><td>58.89</td><td>68.30</td><td>-9.41</td><td>41.95</td><td>35.49</td><td>11.22</td><td>29.77</td><td>0.00</td><td>326</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>56.00</td><td>68.76</td><td>-12.76</td><td>39.02</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>326</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>5706.26</td><td>57.49</td><td>107.05</td><td>-49.56</td><td>40.41</td><td>35.59</td><td>11.29</td><td>29.80</td><td>0.00</td><td>326</td><td>25</td><td>PEAK</td></tr><tr><td>4</td><td>5720.52</td><td>57.93</td><td>112.08</td><td>-54.15</td><td>40.81</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>326</td><td>25</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.24	58.89	68.30	-9.41	41.95	35.49	11.22	29.77	0.00	326	25	PEAK	2	5650.61	56.00	68.76	-12.76	39.02	35.52	11.24	29.78	0.00	326	25	PEAK	3	5706.26	57.49	107.05	-49.56	40.41	35.59	11.29	29.80	0.00	326	25	PEAK	4	5720.52	57.93	112.08	-54.15	40.81	35.61	11.30	29.79	0.00	326	25	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.39</td><td>-----</td><td>-----</td><td>83.17</td><td>35.66</td><td>11.34</td><td>29.78</td><td>0.00</td><td>326</td><td>25</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.39	-----	-----	83.17	35.66	11.34	29.78	0.00	326	25
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5631.24	58.89	68.30	-9.41	41.95	35.49	11.22	29.77	0.00	326	25	PEAK																																																																																																																		
2	5650.61	56.00	68.76	-12.76	39.02	35.52	11.24	29.78	0.00	326	25	PEAK																																																																																																																		
3	5706.26	57.49	107.05	-49.56	40.41	35.59	11.29	29.80	0.00	326	25	PEAK																																																																																																																		
4	5720.52	57.93	112.08	-54.15	40.81	35.61	11.30	29.79	0.00	326	25	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5755.00	100.39	-----	-----	83.17	35.66	11.34	29.78	0.00	326	25	PEAK																																																																																																																		
Avg	Blank	Fundamental																																																																																																																												
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>90.14</td><td>-----</td><td>-----</td><td>72.92</td><td>35.66</td><td>11.34</td><td>29.78</td><td>0.00</td><td>326</td><td>25</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	90.14	-----	-----	72.92	35.66	11.34	29.78	0.00	326	25	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5755.00	90.14	-----	-----	72.92	35.66	11.34	29.78	0.00	326	25	AVERAGE																																																																																																																		






Mode	56																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																				
ANT	CDD 16+17																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>55.94</td><td>110.91</td><td>-54.97</td><td>38.54</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>326</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>5870.35</td><td>57.85</td><td>106.60</td><td>-48.75</td><td>40.43</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>326</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>5924.56</td><td>56.58</td><td>68.62</td><td>-12.04</td><td>39.16</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>326</td><td>25</td><td>PEAK</td></tr><tr><td>4</td><td>5938.60</td><td>58.09</td><td>68.30</td><td>-10.21</td><td>40.68</td><td>35.76</td><td>11.48</td><td>29.83</td><td>0.00</td><td>326</td><td>25</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	55.94	110.91	-54.97	38.54	35.76	11.43	29.79	0.00	326	25	PEAK	2	5870.35	57.85	106.60	-48.75	40.43	35.77	11.44	29.79	0.00	326	25	PEAK	3	5924.56	56.58	68.62	-12.04	39.16	35.77	11.47	29.82	0.00	326	25	PEAK	4	5938.60	58.09	68.30	-10.21	40.68	35.76	11.48	29.83	0.00	326	25	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5855.00	55.94	110.91	-54.97	38.54	35.76	11.43	29.79	0.00	326	25	PEAK																																																																									
2	5870.35	57.85	106.60	-48.75	40.43	35.77	11.44	29.79	0.00	326	25	PEAK																																																																									
3	5924.56	56.58	68.62	-12.04	39.16	35.77	11.47	29.82	0.00	326	25	PEAK																																																																									
4	5938.60	58.09	68.30	-10.21	40.68	35.76	11.48	29.83	0.00	326	25	PEAK																																																																									




Mode	56																																																					
	Harmonic																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																					
ANT	CDD 16+17																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>56.07</td><td>38.67</td><td>16.15</td><td>65.44</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.45	74.00	-28.55	56.07	38.67	16.15	65.44	0.00	278	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11510.00	45.45	74.00	-28.55	56.07	38.67	16.15	65.44	0.00	278	0 PEAK																																											
Vertical																																																						
																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>55.89</td><td>38.67</td><td>16.15</td><td>65.44</td><td>0.00</td><td>0</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.27	74.00	-28.73	55.89	38.67	16.15	65.44	0.00	0	0 PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11510.00	45.27	74.00	-28.73	55.89	38.67	16.15	65.44	0.00	0	0 PEAK																																											






		57																																																																																																																																									
Mode	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																										
ANT	CDD 16+17																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5634.62</td><td>57.93</td><td>68.30</td><td>-10.37</td><td>40.98</td><td>35.50</td><td>11.22</td><td>29.77</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.67</td><td>68.90</td><td>-12.23</td><td>39.69</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>3</td><td>5700.01</td><td>55.83</td><td>105.30</td><td>-49.47</td><td>38.77</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.51</td><td>110.91</td><td>-56.40</td><td>37.39</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5634.62	57.93	68.30	-10.37	40.98	35.50	11.22	29.77	0.00	100	226	PEAK	2	5650.00	56.67	68.90	-12.23	39.69	35.52	11.24	29.78	0.00	100	226	PEAK	3	5700.01	55.83	105.30	-49.47	38.77	35.58	11.28	29.80	0.00	100	226	PEAK	4	5720.00	54.51	110.91	-56.40	37.39	35.61	11.30	29.79	0.00	100	226	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>106.05</td><td>-----</td><td>-----</td><td>88.69</td><td>35.73</td><td>11.40</td><td>29.77</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	106.05	-----	-----	88.69	35.73	11.40	29.77	0.00	100	226	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5634.62	57.93	68.30	-10.37	40.98	35.50	11.22	29.77	0.00	100	226	PEAK																																																																																																																															
2	5650.00	56.67	68.90	-12.23	39.69	35.52	11.24	29.78	0.00	100	226	PEAK																																																																																																																															
3	5700.01	55.83	105.30	-49.47	38.77	35.58	11.28	29.80	0.00	100	226	PEAK																																																																																																																															
4	5720.00	54.51	110.91	-56.40	37.39	35.61	11.30	29.79	0.00	100	226	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	106.05	-----	-----	88.69	35.73	11.40	29.77	0.00	100	226	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>97.07</td><td>-----</td><td>-----</td><td>79.78</td><td>35.70</td><td>11.37</td><td>29.78</td><td>0.00</td><td>100</td><td>226</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.07	-----	-----	79.78	35.70	11.37	29.78	0.00	100	226	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	97.07	-----	-----	79.78	35.70	11.37	29.78	0.00	100	226	AVERAGE																																																																																																																															




Mode	57																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																				
ANT	CDD 16+17																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.29</td><td>57.58</td><td>112.51</td><td>-54.93</td><td>40.18</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>2</td><td>5871.50</td><td>58.31</td><td>106.28</td><td>-47.97</td><td>40.89</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>3</td><td>5924.66</td><td>54.69</td><td>68.55</td><td>-13.86</td><td>37.27</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>4</td><td>5938.77</td><td>58.88</td><td>68.30</td><td>-9.42</td><td>41.47</td><td>35.76</td><td>11.48</td><td>29.83</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.29	57.58	112.51	-54.93	40.18	35.76	11.43	29.79	0.00	100	226	PEAK	2	5871.50	58.31	106.28	-47.97	40.89	35.77	11.44	29.79	0.00	100	226	PEAK	3	5924.66	54.69	68.55	-13.86	37.27	35.77	11.47	29.82	0.00	100	226	PEAK	4	5938.77	58.88	68.30	-9.42	41.47	35.76	11.48	29.83	0.00	100	226	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.29	57.58	112.51	-54.93	40.18	35.76	11.43	29.79	0.00	100	226	PEAK																																																																									
2	5871.50	58.31	106.28	-47.97	40.89	35.77	11.44	29.79	0.00	100	226	PEAK																																																																									
3	5924.66	54.69	68.55	-13.86	37.27	35.77	11.47	29.82	0.00	100	226	PEAK																																																																									
4	5938.77	58.88	68.30	-9.42	41.47	35.76	11.48	29.83	0.00	100	226	PEAK																																																																									







		57																																																																																											
Mode	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																												
ANT	CDD 16+17																																																																																												
Pol.	Vertical																																																																																												
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.84</td><td>59.23</td><td>68.30</td><td>-9.07</td><td>42.29</td><td>35.49</td><td>11.22</td><td>29.77</td><td>0.00</td><td>100</td><td>262</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>56.35</td><td>68.46</td><td>-12.11</td><td>39.37</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>262</td><td>PEAK</td></tr><tr><td>3</td><td>5704.23</td><td>57.34</td><td>106.49</td><td>-49.15</td><td>40.27</td><td>35.59</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>262</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.62</td><td>110.91</td><td>-57.29</td><td>36.50</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>262</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5633.84	59.23	68.30	-9.07	42.29	35.49	11.22	29.77	0.00	100	262	PEAK	2	5650.22	56.35	68.46	-12.11	39.37	35.52	11.24	29.78	0.00	100	262	PEAK	3	5704.23	57.34	106.49	-49.15	40.27	35.59	11.28	29.80	0.00	100	262	PEAK	4	5720.00	53.62	110.91	-57.29	36.50	35.61	11.30	29.79	0.00	100	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5633.84	59.23	68.30	-9.07	42.29	35.49	11.22	29.77	0.00	100	262	PEAK																																																																																	
2	5650.22	56.35	68.46	-12.11	39.37	35.52	11.24	29.78	0.00	100	262	PEAK																																																																																	
3	5704.23	57.34	106.49	-49.15	40.27	35.59	11.28	29.80	0.00	100	262	PEAK																																																																																	
4	5720.00	53.62	110.91	-57.29	36.50	35.61	11.30	29.79	0.00	100	262	PEAK																																																																																	
Fundamental																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.65</td><td>-----</td><td>-----</td><td>78.30</td><td>35.73</td><td>11.39</td><td>29.77</td><td>0.00</td><td>100</td><td>262</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.65	-----	-----	78.30	35.73	11.39	29.77	0.00	100	262	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5795.00	95.65	-----	-----	78.30	35.73	11.39	29.77	0.00	100	262	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>84.92</td><td>-----</td><td>-----</td><td>67.57</td><td>35.73</td><td>11.39</td><td>29.77</td><td>0.00</td><td>100</td><td>262</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	84.92	-----	-----	67.57	35.73	11.39	29.77	0.00	100	262	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5795.00	84.92	-----	-----	67.57	35.73	11.39	29.77	0.00	100	262	AVERAGE																																																																																	



Mode	57																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																				
ANT	CDD 16+17																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.83</td><td>58.16</td><td>113.57</td><td>-55.41</td><td>40.76</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>262</td><td>PEAK</td></tr><tr><td>2</td><td>5874.44</td><td>57.53</td><td>105.46</td><td>-47.93</td><td>40.11</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>262</td><td>PEAK</td></tr><tr><td>3</td><td>5924.97</td><td>57.40</td><td>68.32</td><td>-10.92</td><td>39.98</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>262</td><td>PEAK</td></tr><tr><td>4</td><td>5931.64</td><td>58.19</td><td>68.30</td><td>-10.11</td><td>40.77</td><td>35.77</td><td>11.48</td><td>29.83</td><td>0.00</td><td>100</td><td>262</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.83	58.16	113.57	-55.41	40.76	35.76	11.43	29.79	0.00	100	262	PEAK	2	5874.44	57.53	105.46	-47.93	40.11	35.77	11.44	29.79	0.00	100	262	PEAK	3	5924.97	57.40	68.32	-10.92	39.98	35.77	11.47	29.82	0.00	100	262	PEAK	4	5931.64	58.19	68.30	-10.11	40.77	35.77	11.48	29.83	0.00	100	262	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5853.83	58.16	113.57	-55.41	40.76	35.76	11.43	29.79	0.00	100	262	PEAK																																																																									
2	5874.44	57.53	105.46	-47.93	40.11	35.77	11.44	29.79	0.00	100	262	PEAK																																																																									
3	5924.97	57.40	68.32	-10.92	39.98	35.77	11.47	29.82	0.00	100	262	PEAK																																																																									
4	5931.64	58.19	68.30	-10.11	40.77	35.77	11.48	29.83	0.00	100	262	PEAK																																																																									




Mode	57																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																		
ANT	CDD 16+17																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>55.92</td><td>38.69</td><td>16.19</td><td>65.40</td><td>0.00</td><td>300</td><td>163</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.40	74.00	-28.60	55.92	38.69	16.19	65.40	0.00	300	163	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>55.61</td><td>38.69</td><td>16.19</td><td>65.40</td><td>0.00</td><td>0</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.09	74.00	-28.91	55.61	38.69	16.19	65.40	0.00	0	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11590.00	45.40	74.00	-28.60	55.92	38.69	16.19	65.40	0.00	300	163	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11590.00	45.09	74.00	-28.91	55.61	38.69	16.19	65.40	0.00	0	0	PEAK																																																																																							
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31200.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>55.92</td><td>38.69</td><td>16.19</td><td>65.40</td><td>0.00</td><td>300</td><td>163</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31200.00	45.40	74.00	-28.60	55.92	38.69	16.19	65.40	0.00	300	163	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31200.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>55.61</td><td>38.69</td><td>16.19</td><td>65.40</td><td>0.00</td><td>0</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31200.00	45.09	74.00	-28.91	55.61	38.69	16.19	65.40	0.00	0	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	31200.00	45.40	74.00	-28.60	55.92	38.69	16.19	65.40	0.00	300	163	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	31200.00	45.09	74.00	-28.91	55.61	38.69	16.19	65.40	0.00	0	0	PEAK																																																																																							






Mode	58																																																																																				
	Band Edge - L																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																				
ANT	CDD 16+17																																																																																				
Pol.	Horizontal																																																																																				
Peak	Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 5600 5635 5670 5705 5740 5775 5G BAND 4 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.04</td><td>57.81</td><td>68.30</td><td>-10.49</td><td>40.88</td><td>35.49</td><td>11.21</td><td>29.77</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>2</td><td>5650.84</td><td>56.28</td><td>68.93</td><td>-12.65</td><td>39.30</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>3</td><td>5702.47</td><td>59.83</td><td>105.99</td><td>-46.16</td><td>42.77</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>4</td><td>5720.14</td><td>56.72</td><td>111.23</td><td>-54.51</td><td>39.60</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5627.04	57.81	68.30	-10.49	40.88	35.49	11.21	29.77	0.00	100	226	PEAK	2	5650.84	56.28	68.93	-12.65	39.30	35.52	11.24	29.78	0.00	100	226	PEAK	3	5702.47	59.83	105.99	-46.16	42.77	35.58	11.28	29.80	0.00	100	226	PEAK	4	5720.14	56.72	111.23	-54.51	39.60	35.61	11.30	29.79	0.00	100	226	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5627.04	57.81	68.30	-10.49	40.88	35.49	11.21	29.77	0.00	100	226	PEAK																																																																									
2	5650.84	56.28	68.93	-12.65	39.30	35.52	11.24	29.78	0.00	100	226	PEAK																																																																									
3	5702.47	59.83	105.99	-46.16	42.77	35.58	11.28	29.80	0.00	100	226	PEAK																																																																									
4	5720.14	56.72	111.23	-54.51	39.60	35.61	11.30	29.79	0.00	100	226	PEAK																																																																									
Fundamental	Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 2200 3400 4600 5800 7000 5G BAND 4 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>104.34</td><td>-----</td><td>-----</td><td>87.05</td><td>35.70</td><td>11.37</td><td>29.78</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	104.34	-----	-----	87.05	35.70	11.37	29.78	0.00	100	226	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5775.00	104.34	-----	-----	87.05	35.70	11.37	29.78	0.00	100	226	PEAK																																																																									
Avg	Blank																																																																																				
	Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 2200 3400 4600 5800 7000 5G BAND 4(AVG) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.42</td><td>-----</td><td>-----</td><td>76.18</td><td>35.67</td><td>11.35</td><td>29.78</td><td>0.00</td><td>100</td><td>226</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	93.42	-----	-----	76.18	35.67	11.35	29.78	0.00	100	226	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5775.00	93.42	-----	-----	76.18	35.67	11.35	29.78	0.00	100	226	AVERAGE																																																																									




Mode	58																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																														
ANT	CDD 16+17																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.72</td><td>56.91</td><td>111.54</td><td>-54.63</td><td>39.51</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>2</td><td>5873.62</td><td>58.26</td><td>105.69</td><td>-47.43</td><td>40.84</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>3</td><td>5924.72</td><td>57.38</td><td>68.51</td><td>-11.13</td><td>39.96</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr><tr><td>4</td><td>5940.64</td><td>58.60</td><td>68.30</td><td>-9.70</td><td>41.20</td><td>35.76</td><td>11.48</td><td>29.84</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.72	56.91	111.54	-54.63	39.51	35.76	11.43	29.79	0.00	100	226	PEAK	2	5873.62	58.26	105.69	-47.43	40.84	35.77	11.44	29.79	0.00	100	226	PEAK	3	5924.72	57.38	68.51	-11.13	39.96	35.77	11.47	29.82	0.00	100	226	PEAK	4	5940.64	58.60	68.30	-9.70	41.20	35.76	11.48	29.84	0.00	100	226	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.72	56.91	111.54	-54.63	39.51	35.76	11.43	29.79	0.00	100	226	PEAK																																																																																			
2	5873.62	58.26	105.69	-47.43	40.84	35.77	11.44	29.79	0.00	100	226	PEAK																																																																																			
3	5924.72	57.38	68.51	-11.13	39.96	35.77	11.47	29.82	0.00	100	226	PEAK																																																																																			
4	5940.64	58.60	68.30	-9.70	41.20	35.76	11.48	29.84	0.00	100	226	PEAK																																																																																			





Mode	58																																																																																
	Band Edge - L																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																
ANT	CDD 16+17																																																																																
Pol.	Vertical																																																																																
Peak																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.12</td><td>57.94</td><td>68.30</td><td>-10.36</td><td>41.00</td><td>35.49</td><td>11.22</td><td>29.77</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>5652.77</td><td>58.82</td><td>70.36</td><td>-11.54</td><td>41.84</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>5701.94</td><td>56.98</td><td>105.84</td><td>-48.86</td><td>39.92</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.63</td><td>110.91</td><td>-56.28</td><td>37.51</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5632.12	57.94	68.30	-10.36	41.00	35.49	11.22	29.77	0.00	300	0 PEAK	2	5652.77	58.82	70.36	-11.54	41.84	35.52	11.24	29.78	0.00	300	0 PEAK	3	5701.94	56.98	105.84	-48.86	39.92	35.58	11.28	29.80	0.00	300	0 PEAK	4	5720.00	54.63	110.91	-56.28	37.51	35.61	11.30	29.79	0.00	300	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																							
1	5632.12	57.94	68.30	-10.36	41.00	35.49	11.22	29.77	0.00	300	0 PEAK																																																																						
2	5652.77	58.82	70.36	-11.54	41.84	35.52	11.24	29.78	0.00	300	0 PEAK																																																																						
3	5701.94	56.98	105.84	-48.86	39.92	35.58	11.28	29.80	0.00	300	0 PEAK																																																																						
4	5720.00	54.63	110.91	-56.28	37.51	35.61	11.30	29.79	0.00	300	0 PEAK																																																																						
Avg	Blank																																																																																
																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.29</td><td>-----</td><td>-----</td><td>76.96</td><td>35.72</td><td>11.38</td><td>29.77</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	94.29	-----	-----	76.96	35.72	11.38	29.77	0.00	300	0 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																							
1	5775.00	94.29	-----	-----	76.96	35.72	11.38	29.77	0.00	300	0 PEAK																																																																						
Avg	Blank																																																																																
																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>83.48</td><td>-----</td><td>-----</td><td>66.15</td><td>35.72</td><td>11.38</td><td>29.77</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	83.48	-----	-----	66.15	35.72	11.38	29.77	0.00	300	0 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																							
1	5775.00	83.48	-----	-----	66.15	35.72	11.38	29.77	0.00	300	0 AVERAGE																																																																						






Mode	58																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																				
ANT	CDD 16+17																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.19</td><td>57.04</td><td>112.74</td><td>-55.70</td><td>39.64</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5873.62</td><td>57.26</td><td>105.69</td><td>-48.43</td><td>39.84</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5924.54</td><td>58.80</td><td>68.64</td><td>-9.84</td><td>41.38</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5926.12</td><td>58.16</td><td>68.30</td><td>-10.14</td><td>40.73</td><td>35.77</td><td>11.48</td><td>29.82</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.19	57.04	112.74	-55.70	39.64	35.76	11.43	29.79	0.00	300	0	PEAK	2	5873.62	57.26	105.69	-48.43	39.84	35.77	11.44	29.79	0.00	300	0	PEAK	3	5924.54	58.80	68.64	-9.84	41.38	35.77	11.47	29.82	0.00	300	0	PEAK	4	5926.12	58.16	68.30	-10.14	40.73	35.77	11.48	29.82	0.00	300	0	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.19	57.04	112.74	-55.70	39.64	35.76	11.43	29.79	0.00	300	0	PEAK																																																																									
2	5873.62	57.26	105.69	-48.43	39.84	35.77	11.44	29.79	0.00	300	0	PEAK																																																																									
3	5924.54	58.80	68.64	-9.84	41.38	35.77	11.47	29.82	0.00	300	0	PEAK																																																																									
4	5926.12	58.16	68.30	-10.14	40.73	35.77	11.48	29.82	0.00	300	0	PEAK																																																																									






Mode	58																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																			
ANT	CDD 16+17																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>55.70</td><td>38.68</td><td>16.17</td><td>65.42</td><td>0.00</td><td>300</td><td>149</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.13	74.00	-28.87	55.70	38.68	16.17	65.42	0.00	300	149	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>56.76</td><td>38.68</td><td>16.17</td><td>65.42</td><td>0.00</td><td>0</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.19	74.00	-27.81	56.76	38.68	16.17	65.42	0.00	0	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	45.13	74.00	-28.87	55.70	38.68	16.17	65.42	0.00	300	149	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	46.19	74.00	-27.81	56.76	38.68	16.17	65.42	0.00	0	0	PEAK																																																																																								






Mode	59																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU26/0_5745MHz																																																																																													
ANT	CDD 16+17																																																																																													
Pol.	Horizontal																																																																																													
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.55</td><td>57.60</td><td>68.30</td><td>-10.70</td><td>40.70</td><td>35.47</td><td>11.20</td><td>29.77</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5652.71</td><td>57.52</td><td>70.32</td><td>-12.00</td><td>40.54</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5702.16</td><td>56.71</td><td>105.90</td><td>-49.19</td><td>39.65</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.50</td><td>110.90</td><td>-55.40</td><td>38.38</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5612.55	57.60	68.30	-10.70	40.70	35.47	11.20	29.77	0.00	100	258	PEAK	2	5652.71	57.52	70.32	-12.00	40.54	35.52	11.24	29.78	0.00	100	258	PEAK	3	5702.16	56.71	105.90	-49.19	39.65	35.58	11.28	29.80	0.00	100	258	PEAK	4	5720.00	55.50	110.90	-55.40	38.38	35.61	11.30	29.79	0.00	100	258	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5612.55	57.60	68.30	-10.70	40.70	35.47	11.20	29.77	0.00	100	258	PEAK																																																																																		
2	5652.71	57.52	70.32	-12.00	40.54	35.52	11.24	29.78	0.00	100	258	PEAK																																																																																		
3	5702.16	56.71	105.90	-49.19	39.65	35.58	11.28	29.80	0.00	100	258	PEAK																																																																																		
4	5720.00	55.50	110.90	-55.40	38.38	35.61	11.30	29.79	0.00	100	258	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.53</td><td>-----</td><td>-----</td><td>94.36</td><td>35.64</td><td>11.32</td><td>29.79</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.53	-----	-----	94.36	35.64	11.32	29.79	0.00	100	258	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5745.00	111.53	-----	-----	94.36	35.64	11.32	29.79	0.00	100	258	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.71</td><td>-----</td><td>-----</td><td>85.56</td><td>35.63</td><td>11.31</td><td>29.79</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.71	-----	-----	85.56	35.63	11.31	29.79	0.00	100	258	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5745.00	102.71	-----	-----	85.56	35.63	11.31	29.79	0.00	100	258	AVERAGE																																																																																		



Mode	59																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU26/0_5745MHz																																																																																																																																								
ANT	CDD 16+17																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5611.10</td><td>57.28</td><td>68.30</td><td>-11.02</td><td>40.38</td><td>35.46</td><td>11.20</td><td>29.76</td><td>0.00</td><td>296</td><td>22</td><td>PEAK</td></tr><tr><td>2</td><td>5650.39</td><td>55.54</td><td>68.59</td><td>-13.05</td><td>38.56</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>296</td><td>22</td><td>PEAK</td></tr><tr><td>3</td><td>5701.43</td><td>56.44</td><td>105.70</td><td>-49.26</td><td>39.38</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>296</td><td>22</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.81</td><td>110.90</td><td>-55.09</td><td>38.69</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>296</td><td>22</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5611.10	57.28	68.30	-11.02	40.38	35.46	11.20	29.76	0.00	296	22	PEAK	2	5650.39	55.54	68.59	-13.05	38.56	35.52	11.24	29.78	0.00	296	22	PEAK	3	5701.43	56.44	105.70	-49.26	39.38	35.58	11.28	29.80	0.00	296	22	PEAK	4	5720.00	55.81	110.90	-55.09	38.69	35.61	11.30	29.79	0.00	296	22	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.68</td><td>-----</td><td>-----</td><td>87.53</td><td>35.63</td><td>11.31</td><td>29.79</td><td>0.00</td><td>296</td><td>22</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.68	-----	-----	87.53	35.63	11.31	29.79	0.00	296	22	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5611.10	57.28	68.30	-11.02	40.38	35.46	11.20	29.76	0.00	296	22	PEAK																																																																																																																													
2	5650.39	55.54	68.59	-13.05	38.56	35.52	11.24	29.78	0.00	296	22	PEAK																																																																																																																													
3	5701.43	56.44	105.70	-49.26	39.38	35.58	11.28	29.80	0.00	296	22	PEAK																																																																																																																													
4	5720.00	55.81	110.90	-55.09	38.69	35.61	11.30	29.79	0.00	296	22	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	104.68	-----	-----	87.53	35.63	11.31	29.79	0.00	296	22	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.13</td><td>-----</td><td>-----</td><td>79.98</td><td>35.63</td><td>11.31</td><td>29.79</td><td>0.00</td><td>296</td><td>22</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.13	-----	-----	79.98	35.63	11.31	29.79	0.00	296	22	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	97.13	-----	-----	79.98	35.63	11.31	29.79	0.00	296	22	AVERAGE																																																																																																																													






		60																																																																																			
Mode	Band Edge																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU26/8_5825MHz																																																																																				
ANT	CDD 16+17																																																																																				
Pol.	Horizontal																																																																																				
Peak																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.69</td><td>56.75</td><td>111.60</td><td>-54.85</td><td>39.35</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr><tr><td>2 5871.19</td><td>58.14</td><td>106.36</td><td>-48.22</td><td>40.72</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr><tr><td>3 5925.00</td><td>56.27</td><td>68.30</td><td>-12.03</td><td>38.84</td><td>35.77</td><td>11.48</td><td>29.82</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr><tr><td>4 5941.69</td><td>58.61</td><td>68.30</td><td>-9.69</td><td>41.20</td><td>35.76</td><td>11.49</td><td>29.84</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.69	56.75	111.60	-54.85	39.35	35.76	11.43	29.79	0.00	100	236 PEAK	2 5871.19	58.14	106.36	-48.22	40.72	35.77	11.44	29.79	0.00	100	236 PEAK	3 5925.00	56.27	68.30	-12.03	38.84	35.77	11.48	29.82	0.00	100	236 PEAK	4 5941.69	58.61	68.30	-9.69	41.20	35.76	11.49	29.84	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5854.69	56.75	111.60	-54.85	39.35	35.76	11.43	29.79	0.00	100	236 PEAK																																																																											
2 5871.19	58.14	106.36	-48.22	40.72	35.77	11.44	29.79	0.00	100	236 PEAK																																																																											
3 5925.00	56.27	68.30	-12.03	38.84	35.77	11.48	29.82	0.00	100	236 PEAK																																																																											
4 5941.69	58.61	68.30	-9.69	41.20	35.76	11.49	29.84	0.00	100	236 PEAK																																																																											
Fundamental																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>112.29</td><td>-----</td><td>-----</td><td>94.91</td><td>35.75</td><td>11.41</td><td>29.78</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.29	-----	-----	94.91	35.75	11.41	29.78	0.00	100	236 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5825.00	112.29	-----	-----	94.91	35.75	11.41	29.78	0.00	100	236 PEAK																																																																											
Avg	Blank																																																																																				
																																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.56</td><td>-----</td><td>-----</td><td>86.18</td><td>35.75</td><td>11.41</td><td>29.78</td><td>0.00</td><td>100</td><td>236 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.56	-----	-----	86.18	35.75	11.41	29.78	0.00	100	236 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5825.00	103.56	-----	-----	86.18	35.75	11.41	29.78	0.00	100	236 AVERAGE																																																																											






Mode	60																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU26/8_5825MHz																																																																																							
ANT	CDD 16+17																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>56.57</td><td>110.90</td><td>-54.33</td><td>39.17</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>105</td><td>67 PEAK</td></tr><tr><td>2 5869.69</td><td>58.45</td><td>106.78</td><td>-48.33</td><td>41.04</td><td>35.76</td><td>11.44</td><td>29.79</td><td>0.00</td><td>105</td><td>67 PEAK</td></tr><tr><td>3 5924.44</td><td>56.55</td><td>68.71</td><td>-12.16</td><td>39.13</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>105</td><td>67 PEAK</td></tr><tr><td>4 5948.07</td><td>58.76</td><td>68.30</td><td>-9.54</td><td>41.35</td><td>35.76</td><td>11.49</td><td>29.84</td><td>0.00</td><td>105</td><td>67 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5855.00	56.57	110.90	-54.33	39.17	35.76	11.43	29.79	0.00	105	67 PEAK	2 5869.69	58.45	106.78	-48.33	41.04	35.76	11.44	29.79	0.00	105	67 PEAK	3 5924.44	56.55	68.71	-12.16	39.13	35.77	11.47	29.82	0.00	105	67 PEAK	4 5948.07	58.76	68.30	-9.54	41.35	35.76	11.49	29.84	0.00	105	67 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5855.00	56.57	110.90	-54.33	39.17	35.76	11.43	29.79	0.00	105	67 PEAK																																																																														
2 5869.69	58.45	106.78	-48.33	41.04	35.76	11.44	29.79	0.00	105	67 PEAK																																																																														
3 5924.44	56.55	68.71	-12.16	39.13	35.77	11.47	29.82	0.00	105	67 PEAK																																																																														
4 5948.07	58.76	68.30	-9.54	41.35	35.76	11.49	29.84	0.00	105	67 PEAK																																																																														
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.24</td><td>-----</td><td>-----</td><td>85.86</td><td>35.75</td><td>11.41</td><td>29.78</td><td>0.00</td><td>105</td><td>67 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.24	-----	-----	85.86	35.75	11.41	29.78	0.00	105	67 PEAK																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	103.24	-----	-----	85.86	35.75	11.41	29.78	0.00	105	67 PEAK																																																																														
Avg	Blank																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.63</td><td>-----</td><td>-----</td><td>78.25</td><td>35.75</td><td>11.41</td><td>29.78</td><td>0.00</td><td>105</td><td>67 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	95.63	-----	-----	78.25	35.75	11.41	29.78	0.00	105	67 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	95.63	-----	-----	78.25	35.75	11.41	29.78	0.00	105	67 AVERAGE																																																																														






Mode	61																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU52/37_5745MHz																																																																																																																							
ANT	CDD 16+17																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5618.49</td><td>56.70</td><td>68.30</td><td>-11.60</td><td>39.79</td><td>35.47</td><td>11.21</td><td>29.77</td><td>0.00</td><td>100 268 PEAK</td></tr><tr><td>2 5650.10</td><td>55.26</td><td>68.30</td><td>-13.12</td><td>38.28</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100 268 PEAK</td></tr><tr><td>3 5701.87</td><td>56.99</td><td>105.82</td><td>-48.83</td><td>39.93</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100 268 PEAK</td></tr><tr><td>4 5721.15</td><td>60.30</td><td>113.53</td><td>-53.23</td><td>43.18</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100 268 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5618.49	56.70	68.30	-11.60	39.79	35.47	11.21	29.77	0.00	100 268 PEAK	2 5650.10	55.26	68.30	-13.12	38.28	35.52	11.24	29.78	0.00	100 268 PEAK	3 5701.87	56.99	105.82	-48.83	39.93	35.58	11.28	29.80	0.00	100 268 PEAK	4 5721.15	60.30	113.53	-53.23	43.18	35.61	11.30	29.79	0.00	100 268 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>111.58</td><td>-----</td><td>-----</td><td>94.43</td><td>35.63</td><td>11.31</td><td>29.79</td><td>0.00</td><td>100 268 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	111.58	-----	-----	94.43	35.63	11.31	29.79	0.00	100 268 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5618.49	56.70	68.30	-11.60	39.79	35.47	11.21	29.77	0.00	100 268 PEAK																																																																																																															
2 5650.10	55.26	68.30	-13.12	38.28	35.52	11.24	29.78	0.00	100 268 PEAK																																																																																																															
3 5701.87	56.99	105.82	-48.83	39.93	35.58	11.28	29.80	0.00	100 268 PEAK																																																																																																															
4 5721.15	60.30	113.53	-53.23	43.18	35.61	11.30	29.79	0.00	100 268 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5745.00	111.58	-----	-----	94.43	35.63	11.31	29.79	0.00	100 268 PEAK																																																																																																															
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.66</td><td>-----</td><td>-----</td><td>85.49</td><td>35.64</td><td>11.32</td><td>29.79</td><td>0.00</td><td>100 268 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	102.66	-----	-----	85.49	35.64	11.32	29.79	0.00	100 268 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5745.00	102.66	-----	-----	85.49	35.64	11.32	29.79	0.00	100 268 AVERAGE																																																																																																															





		61																																																																																																																					
Mode	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU52/37_5745MHz																																																																																																																						
ANT	CDD 16+17																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5603.99</td><td>57.04</td><td>68.30</td><td>-11.26</td><td>40.15</td><td>35.46</td><td>11.19</td><td>29.76</td><td>0.00</td><td>297 23 PEAK</td></tr><tr><td>2 5651.41</td><td>57.20</td><td>69.35</td><td>-12.15</td><td>40.22</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>297 23 PEAK</td></tr><tr><td>3 5702.01</td><td>58.09</td><td>105.86</td><td>-47.77</td><td>41.03</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>297 23 PEAK</td></tr><tr><td>4 5720.28</td><td>56.93</td><td>111.54</td><td>-54.61</td><td>39.81</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>297 23 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5603.99	57.04	68.30	-11.26	40.15	35.46	11.19	29.76	0.00	297 23 PEAK	2 5651.41	57.20	69.35	-12.15	40.22	35.52	11.24	29.78	0.00	297 23 PEAK	3 5702.01	58.09	105.86	-47.77	41.03	35.58	11.28	29.80	0.00	297 23 PEAK	4 5720.28	56.93	111.54	-54.61	39.81	35.61	11.30	29.79	0.00	297 23 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>104.24</td><td>-----</td><td>-----</td><td>87.07</td><td>35.64</td><td>11.32</td><td>29.79</td><td>0.00</td><td>297 23 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	104.24	-----	-----	87.07	35.64	11.32	29.79	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5603.99	57.04	68.30	-11.26	40.15	35.46	11.19	29.76	0.00	297 23 PEAK																																																																																																														
2 5651.41	57.20	69.35	-12.15	40.22	35.52	11.24	29.78	0.00	297 23 PEAK																																																																																																														
3 5702.01	58.09	105.86	-47.77	41.03	35.58	11.28	29.80	0.00	297 23 PEAK																																																																																																														
4 5720.28	56.93	111.54	-54.61	39.81	35.61	11.30	29.79	0.00	297 23 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5745.00	104.24	-----	-----	87.07	35.64	11.32	29.79	0.00	297 23 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>95.34</td><td>-----</td><td>-----</td><td>78.19</td><td>35.63</td><td>11.31</td><td>29.79</td><td>0.00</td><td>297 23 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	95.34	-----	-----	78.19	35.63	11.31	29.79	0.00	297 23 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5745.00	95.34	-----	-----	78.19	35.63	11.31	29.79	0.00	297 23 AVERAGE																																																																																																														






Mode	62																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU52/40_5825MHz																																																																																																																																										
ANT	CDD 16+17																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.19</td><td>56.77</td><td>112.74</td><td>-55.97</td><td>39.37</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>5871.32</td><td>58.67</td><td>106.33</td><td>-47.66</td><td>41.25</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>3</td><td>5923.82</td><td>57.57</td><td>69.17</td><td>-11.60</td><td>40.15</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>4</td><td>5937.44</td><td>58.90</td><td>68.30</td><td>-9.40</td><td>41.48</td><td>35.77</td><td>11.48</td><td>29.83</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.19	56.77	112.74	-55.97	39.37	35.76	11.43	29.79	0.00	100	333	PEAK	2	5871.32	58.67	106.33	-47.66	41.25	35.77	11.44	29.79	0.00	100	333	PEAK	3	5923.82	57.57	69.17	-11.60	40.15	35.77	11.47	29.82	0.00	100	333	PEAK	4	5937.44	58.90	68.30	-9.40	41.48	35.77	11.48	29.83	0.00	100	333	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.05</td><td>-----</td><td>-----</td><td>89.68</td><td>35.74</td><td>11.41</td><td>29.78</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.05	-----	-----	89.68	35.74	11.41	29.78	0.00	100	333	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.19	56.77	112.74	-55.97	39.37	35.76	11.43	29.79	0.00	100	333	PEAK																																																																																																																															
2	5871.32	58.67	106.33	-47.66	41.25	35.77	11.44	29.79	0.00	100	333	PEAK																																																																																																																															
3	5923.82	57.57	69.17	-11.60	40.15	35.77	11.47	29.82	0.00	100	333	PEAK																																																																																																																															
4	5937.44	58.90	68.30	-9.40	41.48	35.77	11.48	29.83	0.00	100	333	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	107.05	-----	-----	89.68	35.74	11.41	29.78	0.00	100	333	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.83</td><td>-----</td><td>-----</td><td>81.46</td><td>35.74</td><td>11.41</td><td>29.78</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.83	-----	-----	81.46	35.74	11.41	29.78	0.00	100	333	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	98.83	-----	-----	81.46	35.74	11.41	29.78	0.00	100	333	AVERAGE																																																																																																																															






Mode	62																																																																																					
	Band Edge																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU52/40_5825MHz																																																																																					
ANT	CDD 16+17																																																																																					
Pol.	Vertical																																																																																					
Peak																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5855.00</td><td>55.35</td><td>110.90</td><td>-55.55</td><td>37.95</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr><tr><td>2 5873.82</td><td>56.88</td><td>105.63</td><td>-48.75</td><td>39.46</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr><tr><td>3 5923.44</td><td>57.60</td><td>69.45</td><td>-11.85</td><td>40.18</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr><tr><td>4 5926.07</td><td>58.11</td><td>68.30</td><td>-10.19</td><td>40.68</td><td>35.77</td><td>11.48</td><td>29.82</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5855.00	55.35	110.90	-55.55	37.95	35.76	11.43	29.79	0.00	261	0 PEAK	2 5873.82	56.88	105.63	-48.75	39.46	35.77	11.44	29.79	0.00	261	0 PEAK	3 5923.44	57.60	69.45	-11.85	40.18	35.77	11.47	29.82	0.00	261	0 PEAK	4 5926.07	58.11	68.30	-10.19	40.68	35.77	11.48	29.82	0.00	261	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5855.00	55.35	110.90	-55.55	37.95	35.76	11.43	29.79	0.00	261	0 PEAK																																																																												
2 5873.82	56.88	105.63	-48.75	39.46	35.77	11.44	29.79	0.00	261	0 PEAK																																																																												
3 5923.44	57.60	69.45	-11.85	40.18	35.77	11.47	29.82	0.00	261	0 PEAK																																																																												
4 5926.07	58.11	68.30	-10.19	40.68	35.77	11.48	29.82	0.00	261	0 PEAK																																																																												
Avg	Blank																																																																																					
																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>100.99</td><td>-----</td><td>-----</td><td>83.61</td><td>35.75</td><td>11.41</td><td>29.78</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.99	-----	-----	83.61	35.75	11.41	29.78	0.00	261	0 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5825.00	100.99	-----	-----	83.61	35.75	11.41	29.78	0.00	261	0 PEAK																																																																												






Mode	63																																																																																														
	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU106/53_5745MHz																																																																																														
ANT	CDD 16+17																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.23</td><td>57.79</td><td>68.30</td><td>-10.51</td><td>40.83</td><td>35.51</td><td>11.23</td><td>29.78</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>2</td><td>5650.97</td><td>55.47</td><td>69.02</td><td>-13.55</td><td>38.49</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>3</td><td>5700.71</td><td>56.64</td><td>105.50</td><td>-48.86</td><td>39.58</td><td>35.58</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>56.77</td><td>111.54</td><td>-54.77</td><td>39.65</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.23	57.79	68.30	-10.51	40.83	35.51	11.23	29.78	0.00	100	238	PEAK	2	5650.97	55.47	69.02	-13.55	38.49	35.52	11.24	29.78	0.00	100	238	PEAK	3	5700.71	56.64	105.50	-48.86	39.58	35.58	11.28	29.80	0.00	100	238	PEAK	4	5720.28	56.77	111.54	-54.77	39.65	35.61	11.30	29.79	0.00	100	238	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5649.23	57.79	68.30	-10.51	40.83	35.51	11.23	29.78	0.00	100	238	PEAK																																																																																			
2	5650.97	55.47	69.02	-13.55	38.49	35.52	11.24	29.78	0.00	100	238	PEAK																																																																																			
3	5700.71	56.64	105.50	-48.86	39.58	35.58	11.28	29.80	0.00	100	238	PEAK																																																																																			
4	5720.28	56.77	111.54	-54.77	39.65	35.61	11.30	29.79	0.00	100	238	PEAK																																																																																			
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.17</td><td>-----</td><td>-----</td><td>96.00</td><td>35.64</td><td>11.32</td><td>29.79</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.17	-----	-----	96.00	35.64	11.32	29.79	0.00	100	238	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	113.17	-----	-----	96.00	35.64	11.32	29.79	0.00	100	238	PEAK																																																																																			
Blank																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.38</td><td>-----</td><td>-----</td><td>87.21</td><td>35.64</td><td>11.32</td><td>29.79</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.38	-----	-----	87.21	35.64	11.32	29.79	0.00	100	238	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	104.38	-----	-----	87.21	35.64	11.32	29.79	0.00	100	238	AVERAGE																																																																																			






Mode	63																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU106/53_5745MHz																																																																																																																													
ANT	CDD 16+17																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5632.56</td><td>57.64</td><td>68.30</td><td>-10.66</td><td>40.70</td><td>35.49</td><td>11.22</td><td>29.77</td><td>0.00</td><td>100</td><td>157 PEAK</td></tr><tr><td>2 5651.70</td><td>56.66</td><td>69.56</td><td>-12.90</td><td>39.68</td><td>35.52</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>157 PEAK</td></tr><tr><td>3 5703.75</td><td>56.78</td><td>106.35</td><td>-49.57</td><td>39.71</td><td>35.59</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>157 PEAK</td></tr><tr><td>4 5720.43</td><td>55.40</td><td>111.87</td><td>-56.47</td><td>38.28</td><td>35.61</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>157 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5632.56	57.64	68.30	-10.66	40.70	35.49	11.22	29.77	0.00	100	157 PEAK	2 5651.70	56.66	69.56	-12.90	39.68	35.52	11.24	29.78	0.00	100	157 PEAK	3 5703.75	56.78	106.35	-49.57	39.71	35.59	11.28	29.80	0.00	100	157 PEAK	4 5720.43	55.40	111.87	-56.47	38.28	35.61	11.30	29.79	0.00	100	157 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.11</td><td>-----</td><td>-----</td><td>85.94</td><td>35.64</td><td>11.32</td><td>29.79</td><td>0.00</td><td>100</td><td>157 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	103.11	-----	-----	85.94	35.64	11.32	29.79	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5632.56	57.64	68.30	-10.66	40.70	35.49	11.22	29.77	0.00	100	157 PEAK																																																																																																																				
2 5651.70	56.66	69.56	-12.90	39.68	35.52	11.24	29.78	0.00	100	157 PEAK																																																																																																																				
3 5703.75	56.78	106.35	-49.57	39.71	35.59	11.28	29.80	0.00	100	157 PEAK																																																																																																																				
4 5720.43	55.40	111.87	-56.47	38.28	35.61	11.30	29.79	0.00	100	157 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	103.11	-----	-----	85.94	35.64	11.32	29.79	0.00	100	157 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>93.67</td><td>-----</td><td>-----</td><td>76.52</td><td>35.63</td><td>11.31</td><td>29.79</td><td>0.00</td><td>100</td><td>157 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	93.67	-----	-----	76.52	35.63	11.31	29.79	0.00	100	157 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	93.67	-----	-----	76.52	35.63	11.31	29.79	0.00	100	157 AVERAGE																																																																																																																				



Mode	64																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20 _CH165_Partial_RU106/54_5825MHz																																																																																																																																														
ANT	CDD 16+17																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.69</td><td>55.89</td><td>111.60</td><td>-55.71</td><td>38.49</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>2</td><td>5873.19</td><td>57.14</td><td>105.81</td><td>-48.67</td><td>39.72</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>3</td><td>5922.32</td><td>57.49</td><td>70.28</td><td>-12.79</td><td>40.07</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>4</td><td>5936.19</td><td>58.76</td><td>68.30</td><td>-9.54</td><td>41.34</td><td>35.77</td><td>11.48</td><td>29.83</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.69	55.89	111.60	-55.71	38.49	35.76	11.43	29.79	0.00	100	238	PEAK	2	5873.19	57.14	105.81	-48.67	39.72	35.77	11.44	29.79	0.00	100	238	PEAK	3	5922.32	57.49	70.28	-12.79	40.07	35.77	11.47	29.82	0.00	100	238	PEAK	4	5936.19	58.76	68.30	-9.54	41.34	35.77	11.48	29.83	0.00	100	238	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.11</td><td>-----</td><td>-----</td><td>95.73</td><td>35.75</td><td>11.41</td><td>29.78</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	113.11	-----	-----	95.73	35.75	11.41	29.78	0.00	100	238	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5854.69	55.89	111.60	-55.71	38.49	35.76	11.43	29.79	0.00	100	238	PEAK																																																																																																																																			
2	5873.19	57.14	105.81	-48.67	39.72	35.77	11.44	29.79	0.00	100	238	PEAK																																																																																																																																			
3	5922.32	57.49	70.28	-12.79	40.07	35.77	11.47	29.82	0.00	100	238	PEAK																																																																																																																																			
4	5936.19	58.76	68.30	-9.54	41.34	35.77	11.48	29.83	0.00	100	238	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	113.11	-----	-----	95.73	35.75	11.41	29.78	0.00	100	238	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.46</td><td>-----</td><td>-----</td><td>87.08</td><td>35.75</td><td>11.41</td><td>29.78</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	104.46	-----	-----	87.08	35.75	11.41	29.78	0.00	100	238	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	104.46	-----	-----	87.08	35.75	11.41	29.78	0.00	100	238	AVERAGE																																																																																																																																			



Mode	64																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20 _CH165_Partial_RU106/54_5825MHz																																																																																																																														
ANT	CDD 16+17																																																																																																																														
Pol.	Vertical					Fundamental																																																																																																																									
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.94</td><td>56.33</td><td>111.03</td><td>-54.70</td><td>38.93</td><td>35.76</td><td>11.43</td><td>29.79</td><td>0.00</td><td>300</td><td>73 PEAK</td></tr><tr><td>2 5870.82</td><td>57.62</td><td>106.47</td><td>-48.85</td><td>40.20</td><td>35.77</td><td>11.44</td><td>29.79</td><td>0.00</td><td>300</td><td>73 PEAK</td></tr><tr><td>3 5924.44</td><td>56.96</td><td>68.71</td><td>-11.75</td><td>39.54</td><td>35.77</td><td>11.47</td><td>29.82</td><td>0.00</td><td>300</td><td>73 PEAK</td></tr><tr><td>4 5933.44</td><td>58.58</td><td>68.30</td><td>-9.72</td><td>41.16</td><td>35.77</td><td>11.48</td><td>29.83</td><td>0.00</td><td>300</td><td>73 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.94	56.33	111.03	-54.70	38.93	35.76	11.43	29.79	0.00	300	73 PEAK	2 5870.82	57.62	106.47	-48.85	40.20	35.77	11.44	29.79	0.00	300	73 PEAK	3 5924.44	56.96	68.71	-11.75	39.54	35.77	11.47	29.82	0.00	300	73 PEAK	4 5933.44	58.58	68.30	-9.72	41.16	35.77	11.48	29.83	0.00	300	73 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.79</td><td>-----</td><td>-----</td><td>87.42</td><td>35.74</td><td>11.41</td><td>29.78</td><td>0.00</td><td>300</td><td>73 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.79	-----	-----	87.42	35.74	11.41	29.78	0.00	300	73 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5854.94	56.33	111.03	-54.70	38.93	35.76	11.43	29.79	0.00	300	73 PEAK																																																																																																																					
2 5870.82	57.62	106.47	-48.85	40.20	35.77	11.44	29.79	0.00	300	73 PEAK																																																																																																																					
3 5924.44	56.96	68.71	-11.75	39.54	35.77	11.47	29.82	0.00	300	73 PEAK																																																																																																																					
4 5933.44	58.58	68.30	-9.72	41.16	35.77	11.48	29.83	0.00	300	73 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5825.00	104.79	-----	-----	87.42	35.74	11.41	29.78	0.00	300	73 PEAK																																																																																																																					
Avg	Blank																																																																																																																														
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.84</td><td>-----</td><td>-----</td><td>79.48</td><td>35.74</td><td>11.40</td><td>29.78</td><td>0.00</td><td>300</td><td>73 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	96.84	-----	-----	79.48	35.74	11.40	29.78	0.00	300	73 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5825.00	96.84	-----	-----	79.48	35.74	11.40	29.78	0.00	300	73 AVERAGE																																																																																																																					



	71																																																																																																																																																																	
Mode	Emission below 1GHz																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																	
ANT	CDD 16+17																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	Data: 1 <table><thead><tr><th></th><th>Over Freq</th><th>Limit Level</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable Preamp Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>92.08</td><td>25.56</td><td>-17.94</td><td>43.50</td><td>41.03</td><td>15.08</td><td>1.35</td><td>31.90</td><td>--- Peak</td></tr><tr><td>2</td><td>176.47</td><td>26.99</td><td>-16.51</td><td>43.50</td><td>41.03</td><td>15.36</td><td>1.93</td><td>31.33</td><td>--- Peak</td></tr><tr><td>3</td><td>267.65</td><td>26.92</td><td>-19.08</td><td>46.00</td><td>36.62</td><td>19.38</td><td>2.38</td><td>31.46</td><td>--- Peak</td></tr><tr><td>4</td><td>494.63</td><td>24.90</td><td>-21.10</td><td>46.00</td><td>29.06</td><td>23.91</td><td>3.24</td><td>31.31</td><td>--- Peak</td></tr><tr><td>5</td><td>750.71</td><td>29.58</td><td>-16.42</td><td>46.00</td><td>29.23</td><td>27.47</td><td>3.99</td><td>31.11</td><td>--- Peak</td></tr><tr><td>6</td><td>926.28</td><td>31.58</td><td>-14.42</td><td>46.00</td><td>28.38</td><td>29.48</td><td>4.43</td><td>30.71</td><td>--- Peak</td></tr></tbody></table>		Over Freq	Limit Level	Limit Line	ReadAntenna Level	Cable Preamp Factor	Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	92.08	25.56	-17.94	43.50	41.03	15.08	1.35	31.90	--- Peak	2	176.47	26.99	-16.51	43.50	41.03	15.36	1.93	31.33	--- Peak	3	267.65	26.92	-19.08	46.00	36.62	19.38	2.38	31.46	--- Peak	4	494.63	24.90	-21.10	46.00	29.06	23.91	3.24	31.31	--- Peak	5	750.71	29.58	-16.42	46.00	29.23	27.47	3.99	31.11	--- Peak	6	926.28	31.58	-14.42	46.00	28.38	29.48	4.43	30.71	--- Peak	Data: 2 <table><thead><tr><th></th><th>Over Freq</th><th>Limit Level</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable Preamp Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>48.43</td><td>25.37</td><td>-14.63</td><td>40.00</td><td>40.71</td><td>15.45</td><td>0.75</td><td>31.54</td><td>--- Peak</td></tr><tr><td>2</td><td>177.44</td><td>22.55</td><td>-20.95</td><td>43.50</td><td>36.66</td><td>15.29</td><td>1.93</td><td>31.33</td><td>--- Peak</td></tr><tr><td>3</td><td>288.99</td><td>22.60</td><td>-23.40</td><td>46.00</td><td>32.59</td><td>19.10</td><td>2.49</td><td>31.58</td><td>--- Peak</td></tr><tr><td>4</td><td>527.61</td><td>24.72</td><td>-21.28</td><td>46.00</td><td>28.26</td><td>24.62</td><td>3.34</td><td>31.50</td><td>--- Peak</td></tr><tr><td>5</td><td>659.53</td><td>27.51</td><td>-18.49</td><td>46.00</td><td>28.55</td><td>26.50</td><td>3.75</td><td>31.29</td><td>--- Peak</td></tr><tr><td>6</td><td>758.47</td><td>29.20</td><td>-16.80</td><td>46.00</td><td>28.74</td><td>27.58</td><td>4.01</td><td>31.13</td><td>--- Peak</td></tr></tbody></table>		Over Freq	Limit Level	Limit Line	ReadAntenna Level	Cable Preamp Factor	Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	48.43	25.37	-14.63	40.00	40.71	15.45	0.75	31.54	--- Peak	2	177.44	22.55	-20.95	43.50	36.66	15.29	1.93	31.33	--- Peak	3	288.99	22.60	-23.40	46.00	32.59	19.10	2.49	31.58	--- Peak	4	527.61	24.72	-21.28	46.00	28.26	24.62	3.34	31.50	--- Peak	5	659.53	27.51	-18.49	46.00	28.55	26.50	3.75	31.29	--- Peak	6	758.47	29.20	-16.80	46.00	28.74	27.58	4.01	31.13	--- Peak
		Over Freq	Limit Level	Limit Line	ReadAntenna Level	Cable Preamp Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																																																										
1	92.08	25.56	-17.94	43.50	41.03	15.08	1.35	31.90	--- Peak																																																																																																																																																									
2	176.47	26.99	-16.51	43.50	41.03	15.36	1.93	31.33	--- Peak																																																																																																																																																									
3	267.65	26.92	-19.08	46.00	36.62	19.38	2.38	31.46	--- Peak																																																																																																																																																									
4	494.63	24.90	-21.10	46.00	29.06	23.91	3.24	31.31	--- Peak																																																																																																																																																									
5	750.71	29.58	-16.42	46.00	29.23	27.47	3.99	31.11	--- Peak																																																																																																																																																									
6	926.28	31.58	-14.42	46.00	28.38	29.48	4.43	30.71	--- Peak																																																																																																																																																									
	Over Freq	Limit Level	Limit Line	ReadAntenna Level	Cable Preamp Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																																																										
1	48.43	25.37	-14.63	40.00	40.71	15.45	0.75	31.54	--- Peak																																																																																																																																																									
2	177.44	22.55	-20.95	43.50	36.66	15.29	1.93	31.33	--- Peak																																																																																																																																																									
3	288.99	22.60	-23.40	46.00	32.59	19.10	2.49	31.58	--- Peak																																																																																																																																																									
4	527.61	24.72	-21.28	46.00	28.26	24.62	3.34	31.50	--- Peak																																																																																																																																																									
5	659.53	27.51	-18.49	46.00	28.55	26.50	3.75	31.29	--- Peak																																																																																																																																																									
6	758.47	29.20	-16.80	46.00	28.74	27.58	4.01	31.13	--- Peak																																																																																																																																																									



Mode	72																																																																																																																																																																	
	Emission below 1GHz																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																																																	
ANT	CDD 16+17																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	Data: 3 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Over Freq</th><th>Limit Level</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable Factor</th><th>Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>140.58</td><td>16.82</td><td>-26.68</td><td>43.50</td><td>29.02</td><td>17.51</td><td>1.71</td><td>31.42</td><td>--- Peak</td></tr><tr><td>2</td><td>259.89</td><td>18.74</td><td>-27.26</td><td>46.00</td><td>28.13</td><td>19.67</td><td>2.35</td><td>31.41</td><td>--- Peak</td></tr><tr><td>3</td><td>424.79</td><td>22.55</td><td>-23.45</td><td>46.00</td><td>28.37</td><td>22.41</td><td>3.01</td><td>31.24</td><td>--- Peak</td></tr><tr><td>4</td><td>628.49</td><td>27.16</td><td>-18.84</td><td>46.00</td><td>28.45</td><td>26.34</td><td>3.66</td><td>31.29</td><td>--- Peak</td></tr><tr><td>5</td><td>779.81</td><td>29.66</td><td>-16.34</td><td>46.00</td><td>28.88</td><td>27.90</td><td>4.06</td><td>31.18</td><td>--- Peak</td></tr><tr><td>6</td><td>904.94</td><td>30.14</td><td>-15.86</td><td>46.00</td><td>27.67</td><td>29.16</td><td>4.38</td><td>31.07</td><td>--- Peak</td></tr></tbody></table>		Over Freq	Limit Level	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	140.58	16.82	-26.68	43.50	29.02	17.51	1.71	31.42	--- Peak	2	259.89	18.74	-27.26	46.00	28.13	19.67	2.35	31.41	--- Peak	3	424.79	22.55	-23.45	46.00	28.37	22.41	3.01	31.24	--- Peak	4	628.49	27.16	-18.84	46.00	28.45	26.34	3.66	31.29	--- Peak	5	779.81	29.66	-16.34	46.00	28.88	27.90	4.06	31.18	--- Peak	6	904.94	30.14	-15.86	46.00	27.67	29.16	4.38	31.07	--- Peak	Data: 4 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Over Freq</th><th>Limit Level</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable Factor</th><th>Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>257.95</td><td>18.49</td><td>-27.51</td><td>46.00</td><td>28.10</td><td>19.45</td><td>2.34</td><td>31.40</td><td>--- Peak</td></tr><tr><td>2</td><td>424.79</td><td>22.55</td><td>-23.45</td><td>46.00</td><td>28.37</td><td>22.41</td><td>3.01</td><td>31.24</td><td>--- Peak</td></tr><tr><td>3</td><td>487.84</td><td>22.81</td><td>-23.19</td><td>46.00</td><td>27.13</td><td>23.77</td><td>3.22</td><td>31.31</td><td>--- Peak</td></tr><tr><td>4</td><td>631.40</td><td>27.86</td><td>-18.14</td><td>46.00</td><td>29.15</td><td>26.35</td><td>3.66</td><td>31.30</td><td>--- Peak</td></tr><tr><td>5</td><td>779.81</td><td>29.66</td><td>-16.34</td><td>46.00</td><td>28.88</td><td>27.90</td><td>4.06</td><td>31.18</td><td>--- Peak</td></tr><tr><td>6</td><td>904.94</td><td>30.14</td><td>-15.86</td><td>46.00</td><td>27.67</td><td>29.16</td><td>4.38</td><td>31.07</td><td>--- Peak</td></tr></tbody></table>		Over Freq	Limit Level	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	257.95	18.49	-27.51	46.00	28.10	19.45	2.34	31.40	--- Peak	2	424.79	22.55	-23.45	46.00	28.37	22.41	3.01	31.24	--- Peak	3	487.84	22.81	-23.19	46.00	27.13	23.77	3.22	31.31	--- Peak	4	631.40	27.86	-18.14	46.00	29.15	26.35	3.66	31.30	--- Peak	5	779.81	29.66	-16.34	46.00	28.88	27.90	4.06	31.18	--- Peak	6	904.94	30.14	-15.86	46.00	27.67	29.16	4.38	31.07	--- Peak
	Over Freq	Limit Level	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																																																										
1	140.58	16.82	-26.68	43.50	29.02	17.51	1.71	31.42	--- Peak																																																																																																																																																									
2	259.89	18.74	-27.26	46.00	28.13	19.67	2.35	31.41	--- Peak																																																																																																																																																									
3	424.79	22.55	-23.45	46.00	28.37	22.41	3.01	31.24	--- Peak																																																																																																																																																									
4	628.49	27.16	-18.84	46.00	28.45	26.34	3.66	31.29	--- Peak																																																																																																																																																									
5	779.81	29.66	-16.34	46.00	28.88	27.90	4.06	31.18	--- Peak																																																																																																																																																									
6	904.94	30.14	-15.86	46.00	27.67	29.16	4.38	31.07	--- Peak																																																																																																																																																									
	Over Freq	Limit Level	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																																																										
1	257.95	18.49	-27.51	46.00	28.10	19.45	2.34	31.40	--- Peak																																																																																																																																																									
2	424.79	22.55	-23.45	46.00	28.37	22.41	3.01	31.24	--- Peak																																																																																																																																																									
3	487.84	22.81	-23.19	46.00	27.13	23.77	3.22	31.31	--- Peak																																																																																																																																																									
4	631.40	27.86	-18.14	46.00	29.15	26.35	3.66	31.30	--- Peak																																																																																																																																																									
5	779.81	29.66	-16.34	46.00	28.88	27.90	4.06	31.18	--- Peak																																																																																																																																																									
6	904.94	30.14	-15.86	46.00	27.67	29.16	4.38	31.07	--- Peak																																																																																																																																																									



Co-location





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
70	-	-	-	(BT Tx Worse)	39	2480	-	-	-
	U-NII-2A	5.25-5.35	CDD 16+17	(5G WIFI Tx Worse From Band I/II/III/IV)	64	5320	6Mbps	-	-
	-	-	-	WWAN Link Worse	-	-	-	-	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
70	Bluetooth LE	39	2497.36	46.01	54	-7.99	V	Average	Pass	Band Edge
	802.11a	64	5350.1	45.94	54	-8.06	H	Average	Pass	Band Edge
	WWAN Worse	Part 27M LTE Band41 BW=20M								





		70																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-2A_5 5.25-5.35_ 802.11a_CH64_5320MHz																																																																																																	
ANT	Co-location																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.06</td><td>56.94</td><td>74.00</td><td>-17.06</td><td>40.27</td><td>35.31</td><td>10.97</td><td>29.61</td><td>0.00</td><td>102</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.06	56.94	74.00	-17.06	40.27	35.31	10.97	29.61	0.00	102	259	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>112.31</td><td>-----</td><td>104.22</td><td>31.14</td><td>7.48</td><td>30.53</td><td>0.00</td><td>102</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.31	-----	104.22	31.14	7.48	30.53	0.00	102	259
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.06	56.94	74.00	-17.06	40.27	35.31	10.97	29.61	0.00	102	259	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	112.31	-----	104.22	31.14	7.48	30.53	0.00	102	259	PEAK																																																																																							
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>29.40</td><td>35.23</td><td>10.83</td><td>29.52</td><td>0.00</td><td>102</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	45.94	54.00	-8.06	29.40	35.23	10.83	29.52	0.00	102	259	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>110.67</td><td>-----</td><td>102.58</td><td>31.14</td><td>7.48</td><td>30.53</td><td>0.00</td><td>102</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.67	-----	102.58	31.14	7.48	30.53	0.00	102	259
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5350.10	45.94	54.00	-8.06	29.40	35.23	10.83	29.52	0.00	102	259	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	110.67	-----	102.58	31.14	7.48	30.53	0.00	102	259	AVERAGE																																																																																							







Mode	70																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5 5.25-5.35_ 802.11a_CH64_5320MHz																																																																																																		
ANT	Co-location																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.94</td><td>56.91</td><td>74.00</td><td>-17.09</td><td>40.27</td><td>35.30</td><td>10.94</td><td>29.60</td><td>0.00</td><td>290</td><td>75</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.94	56.91	74.00	-17.09	40.27	35.30	10.94	29.60	0.00	290	75	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.58</td><td>-----</td><td>-----</td><td>91.00</td><td>35.20</td><td>10.80</td><td>29.50</td><td>0.00</td><td>290</td><td>75</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.58	-----	-----	91.00	35.20	10.80	29.50	0.00	290	75
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5434.94	56.91	74.00	-17.09	40.27	35.30	10.94	29.60	0.00	290	75	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	107.58	-----	-----	91.00	35.20	10.80	29.50	0.00	290	75	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.44</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>28.90</td><td>35.32</td><td>10.98</td><td>29.62</td><td>0.00</td><td>290</td><td>75</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.44	45.58	54.00	-8.42	28.90	35.32	10.98	29.62	0.00	290	75	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.06</td><td>-----</td><td>-----</td><td>96.97</td><td>31.14</td><td>7.48</td><td>30.53</td><td>0.00</td><td>290</td><td>75</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.06	-----	-----	96.97	31.14	7.48	30.53	0.00	290	75
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5439.44	45.58	54.00	-8.42	28.90	35.32	10.98	29.62	0.00	290	75	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	105.06	-----	-----	96.97	31.14	7.48	30.53	0.00	290	75	AVERAGE																																																																																							



Mode	70																																																																																					
	Harmonic																																																																																					
	U-NII-2A_5 5.25-5.35_ 802.11a_CH64_5320MHz																																																																																					
ANT	Co-location																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>56.23</td><td>38.41</td><td>15.71</td><td>66.15</td><td>0.00</td><td>100</td><td>303 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	44.20	74.00	-29.80	56.23	38.41	15.71	66.15	0.00	100	303 PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>55.29</td><td>38.41</td><td>15.71</td><td>66.15</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	43.26	74.00	-30.74	55.29	38.41	15.71	66.15	0.00	100	121 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	10640.00	44.20	74.00	-29.80	56.23	38.41	15.71	66.15	0.00	100	303 PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	10640.00	43.26	74.00	-30.74	55.29	38.41	15.71	66.15	0.00	100	121 PEAK																																																																											



Mode	70																																																																																							
	Band Edge																																																																																							
	BLE(2M)_CH39_2480MHz																																																																																							
ANT	Co-location																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.00</td><td>55.74</td><td>74.00</td><td>-18.26</td><td>41.89</td><td>31.16</td><td>7.31</td><td>30.62</td><td>6.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.00	55.74	74.00	-18.26	41.89	31.16	7.31	30.62	6.00	100	304	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>105.96</td><td>-----</td><td>-----</td><td>91.87</td><td>31.14</td><td>7.48</td><td>30.53</td><td>6.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.96	-----	-----	91.87	31.14	7.48	30.53	6.00	100	304	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2494.00	55.74	74.00	-18.26	41.89	31.16	7.31	30.62	6.00	100	304	PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2480.00	105.96	-----	-----	91.87	31.14	7.48	30.53	6.00	100	304	PEAK																																																																												
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.50</td><td>43.02</td><td>54.00</td><td>-10.98</td><td>29.17</td><td>31.16</td><td>7.31</td><td>30.62</td><td>6.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.50	43.02	54.00	-10.98	29.17	31.16	7.31	30.62	6.00	100	304	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.96</td><td>-----</td><td>-----</td><td>84.87</td><td>31.14</td><td>7.48</td><td>30.53</td><td>6.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.96	-----	-----	84.87	31.14	7.48	30.53	6.00	100	304	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2493.50	43.02	54.00	-10.98	29.17	31.16	7.31	30.62	6.00	100	304	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2480.00	98.96	-----	-----	84.87	31.14	7.48	30.53	6.00	100	304	AVERAGE																																																																												

Mode

70

Band Edge - L

BLE(2M)_CH39_2480MHz

ANT


Co-location

Pol.


Vertical

Fundamental

Peak




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2495.74	55.78	74.00	-18.22	41.92	31.16	7.31	30.61	6.00	313	360	PEAK




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2480.00	109.97	-----	-----	95.88	31.14	7.48	30.53	6.00	313	360	PEAK

Avg



	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2497.36	46.01	54.00	-7.99	32.14	31.17	7.31	30.61	6.00	313	360	AVERAGE



	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2480.00	107.20	-----	-----	93.11	31.14	7.48	30.53	6.00	313	360	AVERAGE



70

Mode

Harmonic

BLE(2M)_CH39_2480MHz

ANT

Co-location

Pol.

Horizontal

Vertical

Peak

Avg

Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue line for the measured signal, a red line for the FCC PART 15C limit, and a red line for the FCC PART 15C (AVG) limit. The measured signal is below the limits.


	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	4960.00	42.69	74.00	-31.31	62.04	34.00	10.50	65.45	0.00	300	157	PEAK

Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue line for the measured signal, a red line for the FCC PART 15C limit, and a red line for the FCC PART 15C (AVG) limit. The measured signal is below the limits.


	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	4960.00	44.04	74.00	-29.96	64.19	34.00	10.50	65.45	0.00	300	239	PEAK

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20-5180-26ru-1	100	-	-	10Hz
802.11ax HE20-5180-52ru-1	100	-	-	10Hz
802.11ax HE20-5180-106ru-1	100	-	-	10Hz



802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160






802.11ax HE20-5180-26ru-1



802.11ax HE20-5180-52ru-1





802.11ax HE20-5180-106ru-1

