





Date: 1.SEP.2021 21:20:42

LTE Band66 QPSK 99% Channel 132322 BW=15MHz RB=75 RB Offset=0



Date: 1.SEP.2021 21:20:19

LTE Band66 QPSK -26dBc Channel 132322 BW=15MHz RB=75 RB Offset=0


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777




Chongqing Academy of Information and Communication Technology

Page 102 of 315



Date: 1.SEP.2021 21:21:32

LTE Band66 QPSK 99% Channel 132322 BW=20MHz RB=100 RB Offset=0



Date: 1.SEP.2021 21:21:50

LTE Band66 QPSK -26dBc Channel 132322 BW=20MHz RB=100 RB Offset=0

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Chongqing Academy of Information and Communication Technology

Page 104 of 315

6.5. Conducted spurious emissions

Specifications:	FCC Part 2.1051, 24.238, 2.1053, 22.917, 27.53
DUT Serial Number:	860710050007536
Test conditions:	Ambient Temperature:15℃-35℃ Relative Humidity:30%-60% Air pressure: 86-106kPa
Test Results:	Pass

Limit Level Construction:

According to Part 22.917 (a), i.e., Out of Band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to Part 24.238 (a), i.e., Out of Band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB, so the limit level is: $P(\text{dBm}) - (43 + 10 \log(P)) \text{ dB} = -13 \text{ dBm}$.

According to Part 27.53(h):


Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 Bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

According to Part 27.53(g):

For operations in the 600 MHz Band and the 698-746 MHz Band, the power of any emission outside a licensee's frequency Band(s) of operation shall be attenuated below the transmitter power (P) within the licensed Band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution Bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz Bands immediately outside and adjacent to a licensee's frequency block, a resolution Bandwidth of at least 30 kHz may be employed.

Test Setup:

During the test, the EUT was controlled via the Wireless Communications Test Set to ensure max power transmission and proper modulation and measured by spectrum analyzer.

**Test Method:**

The measurement was performed accordance with section 2.2.13 of ANSI/TIA-603-D: Land Mobile FM or PM Communications Equipment Measurement and Performance Standards.

The measurement was performed accordance with section 2.2.13 of ANSI/TIA-603-D-2010: Land Mobile FM or PM Communications Equipment Measurement and Performance Standards.


The RF output of the transmitter was connected to a spectrum analyzer through a calibrated coaxial cable. Sufficient scans were taken to show the out-of-Band emissions, if any, up to 10th harmonic. The EUT was scanned for spurious emissions from 30MHz to 20GHz with sufficient Bandwidth and video resolution. The spectrum analyzer was set to Maximum hold mode to ensure that the worst-case emissions were captured.

Note: Only worst case result is given below.

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777


6.5.1 GSM850 Conducted Spurious Emission Results



Date: 2.SEP.2021 21:13:48

GMSK, Low channel, 824.200 MHz, 30MHz to 1GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 2.SEP.2021 21:14:12

GMSK, Low channel, 824.200 MHz, 1GHz to 10GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 2.SEP.2021 21:15:55

GMSK, Mid Channel, 836.6 MHz, 30MHz to 1GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 2.SEP.2021 21:15:33

GMSK, Mid Channel, 836.6 MHz, 1GHz to 10GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 2.SEP.2021 21:16:26

GMSK, High Channel, 848.8 MHz, 30MHz to 1GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 2.SEP.2021 21:16:45

GMSK, High Channel, 848.8 MHz, 1GHz to 10GHz


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



8PSK, Low channel, 824.200 MHz, 30MHz to 1GHz


Note: The strong emission shown in each case is the carrier signal.



8PSK, Low channel, 824.200 MHz, 1GHz to 10GHz


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



8PSK, Mid Channel, 836.6 MHz, 30MHz to 1GHz


Note: The strong emission shown in each case is the carrier signal.



8PSK, Mid Channel, 836.6 MHz, 1GHz to 10GHz


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



8PSK, High Channel, 848.8 MHz, 30MHz to 1GHz

Note: The strong emission shown in each case is the carrier signal.




8PSK, High Channel, 848.8 MHz, 1GHz to 10GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6.5.2 PCS1900 Conducted Spurious Emission Results



Date: 2.SEP.2021 21:28:24

GMSK, Low channel, 1850.2 MHz, 30MHz to 1GHz




Date: 2.SEP.2021 21:29:16

GMSK, Low channel, 1850.2 MHz, 1GHz to 10GHz

Note: The strong emission shown is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 2.SEP.2021 21:29:42

GMSK, Low channel, 1850.2 MHz, 10GHz to 20GHz




Date: 2.SEP.2021 21:30:52

GMSK, Middle channel, 1880.0 MHz, 30MHz to 1GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777





Date: 2.SEP.2021 21:31:14

GMSK, High channel, 1909.8 MHz, 30MHz to 1GHz




Date: 2.SEP.2021 21:31:34

GMSK, High channel, 1909.8 MHz, 1GHz to 10GHz

Note: The strong emission shown is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 2.SEP.2021 21:31:55


GMSK, High channel, 1909.8 MHz, 10GHz to 20GHz



8PSK, Low channel, 1850.2 MHz, 30MHz to 1GHz


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



8PSK, Low channel, 1850.2 MHz, 1GHz to 10GHz


Note: The strong emission shown is the carrier signal.




8PSK, Low channel, 1850.2 MHz, 10GHz to 20GHz

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



8PSK, Middle channel, 1880.0 MHz, 30MHz to 1GHz




8PSK, Middle channel, 1880.0 MHz, 1GHz to 10GHz


Note: The strong emission shown is the carrier signal.

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777




8PSK, Middle channel, 1880.0 MHz, 10GHz to 20GHz



8PSK, High channel, 1909.8 MHz, 30MHz to 1GHz



8PSK, High channel, 1909.8 MHz, 1GHz to 10GHz
Note: The strong emission shown is the carrier signal




8PSK, High channel, 1909.8 MHz, 10GHz to 20GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6.5.3 LTE B2 Conducted Spurious Emission Results



Date: 1.SEP.2021 21:37:45

1.4MHz bandwidth QPSK Mode Middle channel, 1880 MHz, 30MHz to 1GHz




Date: 1.SEP.2021 21:38:02

1.4MHz bandwidth QPSK Middle channel, 1880MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 21:38:27

1.4MHz bandwidth QPSK Middle channel, 1880 MHz, 10GHz to 20GHz




Date: 1.SEP.2021 22:45:56

3MHz bandwidth QPSK Mode Middle Channel, 1880 MHz, 30MHz to 1GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 22:46:34

3MHz bandwidth QPSK Middle Channel, 1880 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 22:46:52

3MHz bandwidth QPSK Middle Channel, 1880 MHz, 10GHz to 20GHz


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 21:39:51

5MHz bandwidth QPSK Mode Middle Channel, 1880 MHz,30MHz to 1GHz




Date: 1.SEP.2021 21:40:08

5MHz bandwidth QPSK Mode Middle Channel, 1880 MHz,1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 1.SEP.2021 21:40:29

5MHz bandwidth QPSK Mode Middle Channel, 1880 MHz, 10GHz to 20GHz



Date: 1.SEP.2021 21:41:27

10MHz bandwidth QPSK Mode Middle Channel, 1880 MHz, 30MHz to 1GHz

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Ref 29 dBm *Att 30 dB SWT 55 ms 3.754807692 GHz

Offset 4 dB

Marker 1 [T1] 20.15 dBm 1.879887692 GHz


1 FX MAX1

D1 -13 dBm


2 1.879887692 GHz

Start 1 GHz 900 MHz/ Stop 10 GHz

Note: The strong emission shown in each case is the carrier signal.




Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 21:41:50

15MHz bandwidth QPSK Mode Middle Channel, 1880 MHz, 30MHz to 1GHz




Date: 1.SEP.2021 21:42:06

15MHz bandwidth QPSK Mode Middle Channel, 1880 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 21:42:21

15MHz bandwidth QPSK Mode Middle Channel, 1880 MHz, 10GHz to 20GHz




Date: 1.SEP.2021 21:43:15

20MHz bandwidth QPSK Mode Middle Channel, 1880 MHz, 30MHz to 1GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 1.SEP.2021 21:42:57

20MHz bandwidth QPSK Mode Middle Channel, 1880 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 21:42:42

20MHz bandwidth QPSK Mode Middle Channel, 1880 MHz, 10GHz to 20GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6.5.4 LTE B4 Conducted Spurious Emission Results



Date: 1.SEP.2021 21:43:49

1.4MHz bandwidth QPSK Mode Middle channel, 1732.5 MHz, 30MHz to 1GHz




Date: 1.SEP.2021 21:44:07

1.4MHz bandwidth QPSK Middle channel, 1732.5MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 21:44:24

1.4MHz bandwidth QPSK Middle channel, 1732.5 MHz, 10GHz to 20GHz




Date: 1.SEP.2021 21:45:23

3MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 30MHz to 1GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 21:45:09

3MHz bandwidth QPSK Middle Channel, 1732.5 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 21:44:55

3MHz bandwidth QPSK Middle Channel, 1732.5 MHz, 10GHz to 20GHz


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 21:45:40

5MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 30MHz to 1GHz




Date: 1.SEP.2021 21:45:55

5MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 21:46:10

5MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz,10GHz to 20GHz



Date: 1.SEP.2021 21:47:10

10MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 30MHz to 1GHz

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Ref 29 dBm *Att 30 dB RBW 1 MHz VBW 3 MHz SWT 55 ms Marker 2 [T1] 19.92 dBm 3.466346154 GHz


Offset 4 dB

1 19.92 dBm 3.466346154 GHz


D1 -13 dBm

Start 1 GHz 900 MHz/ Stop 10 GHz

Note: The strong emission shown in each case is the carrier signal.




Page 136 of 315



Date: 1.SEP.2021 21:47:37

15MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 30MHz to 1GHz




Date: 1.SEP.2021 21:47:54

15MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 21:48:09

15MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 10GHz to 20GHz




Date: 1.SEP.2021 21:49:11

20MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 30MHz to 1GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 1.SEP.2021 21:48:49

20MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 21:48:33

20MHz bandwidth QPSK Mode Middle Channel, 1732.5 MHz, 10GHz to 20GHz

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777


6.5.5 LTE B5 Conducted Spurious Emission Results



Date: 1.SEP.2021 22:03:39

1.4MHz bandwidth QPSK Mode Middle Channel, 836.5 MHz,30MHz to 1GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 22:03:54

1.4MHz bandwidth QPSK Mode Middle Channel, 836.5 MHz,1GHz to 10GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 1.SEP.2021 22:04:32

3MHz bandwidth QPSK Mode Middle Channel, 836.5 MHz,30MHz to 1GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 22:04:14

3MHz bandwidth QPSK Mode Middle Channel, 836.5 MHz,1GHz to 10GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 1.SEP.2021 22:04:52

5MHz bandwidth QPSK Mode Middle Channel, 836.5 MHz, 30MHz to 1GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 22:05:07

5MHz bandwidth QPSK Mode Middle Channel, 836.5 MHz, 1GHz to 10GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 22:05:49

10MHz bandwidth QPSK Mode Middle Channel, 836.5 MHz,30MHz to 1GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 22:05:23

10MHz bandwidth QPSK Mode Middle Channel, 836.5 MHz,1GHz to 10GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.5.6 LTE B66 Conducted Spurious Emission Results



Date: 1.SEP.2021 22:06:43

1.4MHz bandwidth QPSK Mode Middle Channel, 1745 MHz,30MHz to 1GHz




Date: 1.SEP.2021 22:06:58

1.4MHz bandwidth QPSK Mode Middle Channel, 1745 MHz,1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 1.SEP.2021 22:07:14

1.4MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 10GHz to 20GHz




Date: 1.SEP.2021 22:08:04

3MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 30MHz to 1GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 22:07:47

3MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 22:07:34

3MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 10GHz to 20GHz


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 22:08:31

5MHz bandwidth QPSK Mode Middle Channel, 1745 MHz,30MHz to 1GHz




Date: 1.SEP.2021 22:08:45

5MHz bandwidth QPSK Mode Middle Channel, 1745 MHz,1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 1.SEP.2021 22:09:00

5MHz bandwidth QPSK Mode Middle Channel, 1745 MHz,10GHz to 20GHz




Date: 1.SEP.2021 22:09:53

10MHz bandwidth QPSK Mode Middle Channel, 1745 MHz,30MHz to 1GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 1.SEP.2021 22:09:36

10MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.




Date: 1.SEP.2021 22:09:23

10MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 10GHz to 20GHz


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 22:10:16

15MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 30MHz to 1GHz




Date: 1.SEP.2021 22:10:30

15MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 22:10:45

15MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 10GHz to 20GHz




Date: 1.SEP.2021 22:11:56

20MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 30MHz to 1GHz

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 1.SEP.2021 22:11:40

20MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 1GHz to 10GHz

Note: The strong emission shown in each case is the carrier signal.



Date: 1.SEP.2021 22:11:13

20MHz bandwidth QPSK Mode Middle Channel, 1745 MHz, 10GHz to 20GHz

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6.6. Radiated Spurious Emission

Specifications:	FCC Part 2.1051, 2.1053, 24.238, 22.917, 27.53
DUT Serial Number:	860710050012304
Test conditions:	Ambient Temperature:15°C-35°C Relative Humidity:30%-60% Air pressure: 86-106kPa
Test Results:	Pass

Note: The data set reflected in this report is worst case

Limit Level Construction:

According to Part 22.917 (a), i.e., Out of Band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to Part 24.238 (a), i.e., Out of Band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB, so the limit level is: $P(\text{dBm}) - (43 + 10 \log(P)) \text{ dB} = -13\text{dBm}$.

According to Part 27.53(c):

On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;

According to Part 27.53(h):

Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 Bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

According to Part 27.53(g):

For operations in the 600 MHz Band and the 698-746 MHz Band, the power of any emission outside a licensee's frequency Band(s) of operation shall be attenuated below the transmitter power (P) within the licensed Band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution Bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz Bands immediately outside and adjacent to a licensee's frequency block, a resolution Bandwidth of at least 30 kHz may be employed.

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

Limits for Radiated spurious emissions(UE)	
Frequency range	Limit Level /Resolution Bandwidth
30 MHz to 20000 MHz	-13dBm/1MHz

Measurement Uncertainty:

Item	Uncertainty
Expanded Uncertainty (30MHz-150MHz)	5.15 dB (k=2)
Expanded Uncertainty (150MHz-1GHz)	4.09dB (k=2)
Expanded Uncertainty (1GHz-3GHz)	2.92dB (k=2)
Expanded Uncertainty (3GHz-6GHz)	2.93dB (k=2)
Expanded Uncertainty (3GHz-12.75GHz)	2.69dB (k=2)


Test Setup:

The EUT was placed in an anechoic chamber. The Wireless Communications Test Set was used to set the TX channel and power level and modulate the TX signal with different bit patterns.

Test Method:

The measurement method is substitution method accordance with section 2.2.12 of ANSI/TIA-603-E: Land Mobile FM or PM Communications Equipment Measurement and Performance Standards.


(a) Connect the equipment as illustrated and measure the spurious emissions as the method as above. The distance from the device to the antenna is 3 m .



(b) Reconnect the equipment as illustrated.

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



(c) Remove the transmitter and replace it with a substitution antenna. The center of the substitution antenna should be approximately at the same location as the center of the transmitter.

(d) Feed the substitution antenna at the transmitter end with a signal generator connected to the antenna by means of a non-radiating cable. With the antennas at both ends horizontally polarized, and with the signal generator tuned to a particular spurious frequency, raise and lower the test antenna to obtain a maximum reading at the spectrum analyzer. Adjust the level of the signal generator output until the previously recorded maximum reading for this set of conditions is obtained. This should be done carefully repeating the adjustment of the test antenna and generator output.

(e) Repeat step d) with both antennas vertically polarized for each spurious frequency.

(f) Calculate power in dBm into a reference ideal half-wave dipole antenna by reducing the readings obtained in steps d) and e) by the power loss in the cable between the generator and the antenna, and further corrected for the gain of the substitution antenna used relative to an ideal half-wave dipole antenna by the following formula:

$$P_d(\text{dBm}) = P_g(\text{dBm}) - \text{cable loss (dB)} + \text{antenna gain (dB)}$$

where:

P_d is the dipole equivalent power and P_g is the generator output power into the substitution antenna.

Note: The evaluation of radiated spurious emission under the simultaneous transmission of WWAN & WLAN.

6.6.1 GSM850 GMSK Radiated Spurious Emission Results

Test Data (GMSK Mode channel 128)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1648.4	-57.8	4.8	7.3	-55.3	V
2472.6	-51.1	6.0	6.8	-50.3	V
3296.8	-68.2	6.7	8.9	-66.0	V
4121.0	-65.8	7.6	9.2	-64.2	V
4945.2	-65.7	7.7	9.9	-63.5	V
5769.4	-73.2	1.5	10.5	-64.2	V

Test Data (8PSK Mode channel 128)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1648.4	-47.2	4.8	7.3	-44.7	V
2472.6	-50.1	6.0	6.8	-49.3	V
3296.8	-43.4	6.7	8.9	-41.2	V
4121.0	-45.7	7.6	9.2	-44.1	V
4945.2	-50.6	7.7	9.9	-48.4	V
5769.4	-51.0	1.5	10.5	-42.0	V

Test Data (GMSK Mode channel 190)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1672.8	-57.7	4.7	7.3	-55.1	V
2509.2	-51.2	5.9	6.7	-50.4	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

3345.6	-53.7	6.8	8.9	-51.6	V
4182.0	-52.0	7.8	9.2	-50.6	V
5018.4	-51.2	7.5	9.9	-48.8	V
5854.8	-58.0	1.1	10.5	-48.6	V

Test Data (8PSK Mode channel 190)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1672.8	-50.3	4.7	7.3	-47.7	V
2509.2	-51.7	5.9	6.7	-50.9	V
3345.6	-37.7	6.8	8.9	-35.6	V
4182.0	-50.0	7.8	9.2	-48.6	V
5018.4	-51.1	7.5	9.9	-48.7	V
5854.8	-57.9	1.1	10.5	-48.5	V

Test Data (GMSK Mode channel 251)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1697.6	-58.6	4.8	8.0	-55.4	H
2546.4	-50.6	5.9	6.9	-49.6	H
3395.2	-54.8	6.9	8.9	-52.8	V
4244.0	-51.1	7.8	9.2	-49.7	V
5092.8	-52.1	6.8	9.9	-49.0	V
5941.6	-57.7	1.4	10.9	-48.2	V

Test Data (8PSK Mode channel 251)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1697.6	-46.9	4.8	8.0	-43.7	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

2546.4	-49.3	5.9	6.9	-48.3	V
3395.2	-49.3	6.9	8.9	-47.3	H
4244.0	-42.6	7.8	9.2	-41.2	V
5092.8	-51.8	6.8	9.9	-48.7	V
5941.6	-58.0	1.4	10.9	-48.5	V

6.6.2 PCS1900 GMSK Radiated Spurious Emission Results

Test Data (GMSK Mode channel 512)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3700.4	-52.9	7.2	8.9	-51.2	V
5550.6	-57.1	2.0	10.5	-48.6	V
7400.8	-57.0	0.9	11.9	-46.0	V
9251.0	-53.5	1.0	11.5	-43.0	V
11101.2	-53.2	0.3	12.1	-41.4	V
12951.4	-50.9	0.4	12.4	-38.9	V

Test Data (8PSK Mode channel 512)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3700.4	-56.4	7.2	8.9	-54.7	H
5550.6	-59.5	2.0	10.5	-51.0	V
7400.8	-55.8	0.9	11.9	-44.8	V
9251.0	-52.9	1.0	11.5	-42.4	V
11101.2	-55.1	0.3	12.1	-43.3	V
12951.4	-53.6	0.4	12.4	-41.6	V

Test Data (GMSK Mode channel 661)

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-53.8	7.3	8.9	-52.2	V
5640.0	-58.8	1.8	10.5	-50.1	V
7520.0	-57.9	0.9	11.9	-46.9	V
9400.0	-56.7	0.8	11.8	-45.7	V
11280.0	-54.4	0.3	12.1	-42.6	V
13160.0	-51.8	0.4	12.4	-39.8	V

Test Data (8PSK Mode channel 661)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-49.7	7.3	8.9	-48.1	V
5640.0	-58.8	1.8	10.5	-50.1	V
7520.0	-58.9	0.9	11.9	-47.9	V
9400.0	-55.5	0.8	11.8	-44.5	V
11280.0	-53.0	0.3	12.1	-41.2	V
13160.0	-53.6	0.4	12.4	-41.6	V

Test Data (GMSK Mode channel 810)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3819.6	-52.1	7.4	9.2	-50.3	V
5729.4	-59.8	1.5	10.5	-50.8	V
7639.2	-57.7	1.1	11.9	-46.9	V
9549.0	-55.0	0.9	11.8	-44.1	V
11458.8	-54.5	0.8	12.2	-43.1	V
13368.6	-51.5	0.4	12.4	-39.5	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Test Data (8PSK Mode channel 810)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3819.6	-47.5	7.4	9.2	-45.7	V
5729.4	-59.3	1.5	10.5	-50.3	V
7639.2	-59.3	1.1	11.9	-48.5	V
9549.0	-56.6	0.9	11.8	-45.7	V
11458.8	-54.5	0.8	12.2	-43.1	V
13368.6	-53.4	0.4	12.4	-41.4	V

6.6.3 LTE B2 Radiated Spurious Emission Results
Test Data (1.4MHz bandwidth 18607 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3701.4	-66.7	7.2	8.9	-65.0	V
5552.1	-70.8	2.5	10.5	-62.8	V
7402.8	-73.1	0.9	11.9	-62.1	V
9253.5	-70.3	1.0	11.5	-59.8	V
11104.2	-71.0	0.3	12.1	-59.2	V
12954.9	-69.8	0.4	12.4	-57.8	V

Test Data (1.4MHz bandwidth 18607 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3701.4	-68.0	7.2	8.9	-66.3	V
5552.1	-65.1	2.5	10.5	-57.1	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

7402.8	-72.2	0.9	11.9	-61.2	V
9253.5	-71.2	1.0	11.5	-60.7	V
11104.2	-70.5	0.3	12.1	-58.7	V
12954.9	-69.6	0.4	12.4	-57.6	V

Test Data (1.4MHz bandwidth 18900 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-67.1	7.3	8.9	-65.5	V
5640.0	-71.9	1.8	10.5	-63.2	V
7520.0	-71.8	0.9	11.9	-60.8	V
9400.0	-70.6	0.8	11.8	-59.6	V
11280.0	-69.9	0.3	12.1	-58.1	V
13160.0	-70.0	0.4	12.4	-58.0	V

Test Data (1.4MHz bandwidth 18900 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-66.2	7.3	8.9	-64.6	V
5640.0	-71.8	1.8	10.5	-63.1	V
7520.0	-71.5	0.9	11.9	-60.5	V
9400.0	-70.2	0.8	11.8	-59.2	V
11280.0	-70.2	0.3	12.1	-58.4	V
13160.0	-70.0	0.4	12.4	-58.0	V

Test Data (1.4MHz bandwidth 19192 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3818.4	-66.7	7.4	9.2	-64.9	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

5727.6	-71.9	1.5	10.5	-62.9	V
7636.8	-71.9	1.1	11.9	-61.1	V
9546.0	-70.3	0.9	11.8	-59.4	V
11455.2	-70.4	0.3	12.2	-58.5	V
13364.4	-69.9	0.4	12.4	-57.9	V

Test Data (1.4MHz bandwidth 1912 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3818.4	-66.4	7.4	9.2	-64.6	V
5727.6	-72.1	1.5	10.5	-63.1	V
7636.8	-72.2	1.1	11.9	-61.4	V
9546.0	-70.3	0.9	11.8	-59.4	V
11455.2	-70.3	0.3	12.2	-58.4	V
13364.4	-70.0	0.4	12.4	-58.0	V

Test Data (3MHz bandwidth 18615 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3703.0	-66.9	7.2	8.9	-65.2	V
5554.5	-71.1	2.0	10.5	-62.6	V
7406.0	-73.2	0.9	11.9	-62.2	V
9257.5	-70.5	1.0	11.5	-60.0	V
11109.0	-70.8	0.4	12.1	-59.1	V
12960.5	-69.8	0.4	12.4	-57.8	V

Test Data (3MHz bandwidth 18615 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
-----------------	----------------------------------	-----------------	-------------------	------------------------------------	----------------------------

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

3703.0	-67.0	7.2	8.9	-65.3	V
5554.5	-71.4	2.0	10.5	-62.9	V
7406.0	-73.4	0.9	11.9	-62.4	V
9257.5	-71.0	1.0	11.5	-60.5	V
11109.0	-70.5	0.4	12.1	-58.8	V
12960.5	-69.8	0.4	12.4	-57.8	V

Test Data (3MHz bandwidth 18900 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-66.5	7.3	8.9	-64.9	V
5640.0	-71.8	1.8	10.5	-63.1	V
7520.0	-72.1	0.9	11.9	-61.1	V
9400.0	-70.7	0.8	11.8	-59.7	V
11280.0	-70.1	0.3	12.1	-58.3	V
13160.0	-69.9	0.4	12.4	-57.9	V

Test Data (3MHz bandwidth 18900 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-66.9	7.3	8.9	-65.3	V
5640.0	-71.6	1.8	10.5	-62.9	V
7520.0	-71.4	0.9	11.9	-60.4	V
9400.0	-70.0	0.8	11.8	-59.0	V
11280.0	-69.2	0.3	12.1	-57.4	V
13160.0	-70.0	0.4	12.4	-58.0	V

Test Data (3MHz bandwidth 19184 QPSK Mode)

Frequency [MHz]	Generator output	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission	Antenna Polarization
-----------------	------------------	-----------------	-------------------	-------------------	----------------------

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

	power(Pg) [dBm]			Power (Pd) [dBm]	[H/V]
3816.4	-66.8	7.4	9.2	-65.0	V
5724.8	-72.8	1.4	10.5	-63.7	V
7633.2	-72.5	1.1	11.9	-61.7	V
9541.6	-71.2	0.9	11.8	-60.3	V
11450.0	-70.3	0.8	12.2	-58.9	V
13358.4	-69.7	0.4	12.4	-57.7	V

Test Data (3MHz bandwidth 19184 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3816.4	-67.3	7.4	9.2	-65.5	V
5724.8	-72.0	1.4	10.5	-62.9	V
7633.2	-71.7	1.1	11.9	-60.9	V
9541.6	-70.7	0.9	11.8	-59.8	V
11450.0	-69.4	0.8	12.2	-58.0	V
13358.4	-69.9	0.4	12.4	-57.9	V

Test Data (5MHz bandwidth 18625 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3705.0	-66.7	7.2	8.9	-65.0	V
5557.5	-70.9	2.5	10.5	-62.9	V
7410.0	-73.3	0.9	11.9	-62.3	V
9262.5	-71.1	1.0	11.5	-60.6	V
11115.0	-70.3	0.3	12.1	-58.5	V
12967.5	-70.2	0.4	12.4	-58.2	V

Test Data (5MHz bandwidth 18625 16QAM Mode)

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3705.0	-67.3	7.2	8.9	-65.6	V
5557.5	-71.5	2.5	10.5	-63.5	V
7410.0	-72.3	0.9	11.9	-61.3	V
9262.5	-70.0	1.0	11.5	-59.5	V
11115.0	-71.0	0.3	12.1	-59.2	V
12967.5	-69.9	0.4	12.4	-57.9	V

Test Data (5MHz bandwidth 18900 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-66.8	7.3	8.9	-65.2	V
5640.0	-71.7	1.8	10.5	-63.0	V
7520.0	-72.2	0.9	11.9	-61.2	V
9400.0	-70.2	0.8	11.8	-59.2	V
11280.0	-70.6	0.3	12.1	-58.8	V
13160.0	-69.9	0.4	12.4	-57.9	V

Test Data (5MHz bandwidth 18900 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-66.3	7.3	8.9	-64.7	V
5640.0	-71.7	1.8	10.5	-63.0	V
7520.0	-72.4	0.9	11.9	-61.4	V
9400.0	-70.0	0.8	11.8	-59.0	V
11280.0	-69.7	0.3	12.1	-57.9	V
13160.0	-69.7	0.4	12.4	-57.7	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Test Data (5MHz bandwidth 19174 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3814.8	-66.8	7.4	9.2	-65.0	V
5722.2	-71.8	1.5	10.5	-62.8	V
7629.6	-72.7	0.8	11.9	-61.6	V
9537.0	-71.3	0.9	11.8	-60.4	V
11444.4	-69.8	0.8	12.2	-58.4	V
13351.8	-70.1	0.4	12.4	-58.1	V

Test Data (5MHz bandwidth 19174 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3814.8	-65.9	7.4	9.2	-64.1	V
5722.2	-72.5	1.5	10.5	-63.5	V
7629.6	-72.3	0.8	11.9	-61.2	V
9537.0	-70.9	0.9	11.8	-60.0	V
11444.4	-70.0	0.8	12.2	-58.6	V
13351.8	-69.7	0.4	12.4	-57.7	V

Test Data (10MHz bandwidth 18650 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3710.0	-67.5	7.2	8.9	-65.8	V
5565.0	-71.5	2.0	10.5	-63.0	V
7420.0	-73.1	0.9	11.9	-62.1	V
9275.0	-70.7	1.0	11.5	-60.2	V
11130.0	-70.6	0.3	12.1	-58.8	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

12985.0	-69.7	0.4	12.4	-57.7	V
---------	-------	-----	------	-------	---

Test Data (10MHz bandwidth 18650 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3710.0	-67.4	7.2	8.9	-65.7	V
5565.0	-71.6	2.0	10.5	-63.1	V
7420.0	-72.6	0.9	11.9	-61.6	V
9275.0	-70.6	1.0	11.5	-60.1	V
11130.0	-70.3	0.3	12.1	-58.5	V
12985.0	-70.2	0.4	12.4	-58.2	V

Test Data (10MHz bandwidth 18900 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-66.8	7.3	8.9	-65.2	V
5640.0	-71.9	1.8	10.5	-63.2	V
7520.0	-72.1	0.9	11.9	-61.1	V
9400.0	-70.3	0.8	11.8	-59.3	V
11280.0	-70.4	0.3	12.1	-58.6	V
13160.0	-69.9	0.4	12.4	-57.9	V

Test Data (10MHz bandwidth 18900 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-67.4	7.3	8.9	-65.8	V
5640.0	-72.0	1.8	10.5	-63.3	V
7520.0	-72.0	0.9	11.9	-61.0	V
9400.0	-70.7	0.8	11.8	-59.7	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

11280.0	-69.6	0.3	12.1	-57.8	V
13160.0	-69.9	0.4	12.4	-57.9	V

Test Data (10MHz bandwidth 19149 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3809.8	-67.6	7.4	9.2	-65.8	V
5714.7	-71.8	1.5	10.5	-62.8	V
7619.6	-72.3	1.1	11.9	-61.5	V
9524.5	-70.5	0.9	11.8	-59.6	V
11429.4	-70.1	0.8	12.2	-58.7	V
13343.3	-69.6	0.4	12.4	-57.6	V

Test Data (10MHz bandwidth 19149 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3809.8	-67.0	7.4	9.2	-65.2	V
5714.7	-73.0	1.5	10.5	-64.0	V
7619.6	-72.7	1.1	11.9	-61.9	V
9524.5	-70.3	0.9	11.8	-59.4	V
11429.4	-70.2	0.8	12.2	-58.8	V
13343.3	-70.0	0.4	12.4	-58.0	V

Test Data (15MHz bandwidth 18675 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3715.0	-67.4	7.2	8.9	-65.7	V
5572.5	-71.8	2.0	10.5	-63.3	V
7430.0	-72.2	0.9	11.9	-61.2	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

9287.5	-70.5	1.0	11.5	-60.0	V
11145.0	-70.6	0.3	12.1	-58.8	V
13002.5	-69.9	0.4	12.4	-57.9	V

Test Data (15MHz bandwidth 18675 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3715.0	-66.8	7.2	8.9	-65.1	V
5572.5	-71.8	2.0	10.5	-63.3	V
7430.0	-72.7	0.9	11.9	-61.7	V
9287.5	-70.3	1.0	11.5	-59.8	V
11145.0	-70.8	0.3	12.1	-59.0	V
13002.5	-69.0	0.4	12.4	-57.0	V

Test Data (15MHz bandwidth 18900 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-65.5	7.3	8.9	-63.9	V
5640.0	-71.6	1.8	10.5	-62.9	V
7520.0	-72.4	0.9	11.9	-61.4	V
9400.0	-70.3	0.8	11.8	-59.3	V
11280.0	-69.9	0.3	12.1	-58.1	V
13160.0	-70.0	0.4	12.4	-58.0	V

Test Data (15MHz bandwidth 18900 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-66.2	7.3	8.9	-64.6	V
5640.0	-71.1	1.8	10.5	-62.4	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

7520.0	-72.2	0.9	11.9	-61.2	V
9400.0	-70.3	0.8	11.8	-59.3	V
11280.0	-70.6	0.3	12.1	-58.8	V
13160.0	-70.0	0.4	12.4	-58.0	V

Test Data (15MHz bandwidth 19124 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3804.8	-60.0	7.4	9.2	-58.2	V
5707.2	-67.9	1.5	10.5	-58.9	V
7609.6	-64.6	1.1	11.9	-53.8	V
9512.0	-71.4	0.9	11.8	-60.5	V
11414.4	-69.8	0.8	12.2	-58.4	V
13316.8	-70.1	0.4	12.4	-58.1	V

Test Data (15MHz bandwidth 19124 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3804.8	-67.1	7.4	9.2	-65.3	V
5707.2	-72.1	1.5	10.5	-63.1	V
7609.6	-71.8	1.1	11.9	-61.0	V
9512.0	-70.5	0.9	11.8	-59.6	V
11414.4	-70.4	0.8	12.2	-59.0	V
13316.8	-70.2	0.4	12.4	-58.2	V

Test Data (20MHz bandwidth 18700 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3720.0	-61.1	7.3	9.2	-59.2	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

5580.0	-71.7	2.0	10.5	-63.2	V
7440.0	-66.9	0.9	11.9	-55.9	V
9300.0	-70.6	0.7	11.8	-59.5	V
11160.0	-70.5	0.3	12.2	-58.6	V
13020.0	-70.1	0.4	12.4	-58.1	V

Test Data (20MHz bandwidth 18700 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3720.0	-67.5	7.3	9.2	-65.6	V
5580.0	-72.1	2.0	10.5	-63.6	V
7440.0	-73.2	0.9	11.9	-62.2	V
9300.0	-72.4	0.7	11.8	-61.3	V
11160.0	-70.5	0.3	12.2	-58.6	V
13020.0	-70.2	0.4	12.4	-58.2	V

Test Data (20MHz bandwidth 18900 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3760.0	-61.0	7.3	8.9	-59.4	V
5640.0	-70.8	1.8	10.5	-62.1	V
7520.0	-68.6	0.9	11.9	-57.6	V
9400.0	-70.6	0.8	11.8	-59.6	V
11280.0	-70.4	0.3	12.1	-58.6	V
13160.0	-70.1	0.4	12.4	-58.1	V

Test Data (20MHz bandwidth 18900 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
-----------------	----------------------------------	-----------------	-------------------	------------------------------------	----------------------------

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

3760.0	-67.3	7.3	8.9	-65.7	V
5640.0	-72.6	1.8	10.5	-63.9	V
7520.0	-72.3	0.9	11.9	-61.3	V
9400.0	-70.1	0.8	11.8	-59.1	V
11280.0	-70.5	0.3	12.1	-58.7	V
13160.0	-70.0	0.4	12.4	-58.0	V

Test Data (20MHz bandwidth 19099 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3799.8	-59.4	7.4	9.2	-57.6	V
5699.7	-68.4	1.7	10.5	-59.6	V
7599.6	-65.2	0.8	11.9	-54.1	V
9499.5	-70.3	0.8	11.8	-59.3	V
11399.4	-69.6	0.8	12.2	-58.2	V
13299.3	-69.8	0.4	12.4	-57.8	V

Test Data (20MHz bandwidth 19099 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3799.8	-67.6	7.4	9.2	-65.8	V
5699.7	-72.1	1.7	10.5	-63.3	V
7599.6	-72.7	0.8	11.9	-61.6	V
9499.5	-70.7	0.8	11.8	-59.7	V
11399.4	-69.8	0.8	12.2	-58.4	V
13299.3	-70.0	0.4	12.4	-58.0	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.6.4 LTE B4 Radiated Spurious Emission Results

Test Data (1.4MHz bandwidth 19957 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3421.4	-42.1	6.9	8.9	-40.1	V
5132.1	-65.0	6.3	9.9	-61.4	V
6842.8	-65.0	0.8	11.9	-53.9	V
8553.5	-65.0	0.9	11.2	-54.7	V
10264.2	-69.5	0.5	12.0	-58.0	V
11974.9	-69.9	0.4	12.2	-58.1	V

Test Data (1.4MHz bandwidth 19957 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3421.4	-44.0	6.9	8.9	-42.0	V
5132.1	-66.3	6.3	9.9	-62.7	V
6842.8	-64.0	0.8	11.9	-52.9	V
8553.5	-66.4	0.9	11.2	-56.1	V
10264.2	-70.4	0.5	12.0	-58.9	V
11974.9	-70.1	0.4	12.2	-58.3	V

Test Data (1.4MHz bandwidth 20175 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-45.3	6.9	8.9	-43.3	V
5197.5	-67.2	5.8	9.9	-63.1	V
6930.0	-65.6	0.9	11.9	-54.6	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

8662.5	-65.6	0.9	11.2	-55.3	V
10395.0	-71.7	0.7	12.2	-60.2	V
12127.5	-69.7	0.6	12.2	-58.1	V

Test Data (1.4MHz bandwidth 20175 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-46.0	6.9	8.9	-44.0	V
5197.5	-67.6	5.8	9.9	-63.5	V
6930.0	-66.2	0.9	11.9	-55.2	V
8662.5	-65.2	0.9	11.2	-54.9	V
10395.0	-71.3	0.7	12.2	-59.8	V
12127.5	-70.3	0.6	12.2	-58.7	V

Test Data (1.4MHz bandwidth 20392 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3508.4	-46.7	7.0	8.9	-44.8	V
5262.5	-68.5	4.7	9.9	-63.3	V
7016.8	-67.4	1.2	11.9	-56.7	V
8771.0	-65.5	1.1	11.2	-55.4	V
10525.2	-70.9	0.6	12.2	-59.3	V
12279.4	-70.3	0.3	12.2	-58.4	V

Test Data (1.4MHz bandwidth 20392 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3508.4	-47.7	7.0	8.9	-45.8	V
5262.5	-68.5	4.7	9.9	-63.3	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

7016.8	-68.0	1.2	11.9	-57.3	V
8771.0	-67.1	1.1	11.2	-57.0	V
10525.2	-71.1	0.6	12.2	-59.5	V
12279.4	-70.4	0.3	12.2	-58.5	V

Test Data (3MHz bandwidth 19965 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3423.0	-45.2	6.9	8.9	-43.2	V
5134.5	-65.8	6.3	9.9	-62.2	V
6846.0	-67.9	0.8	11.9	-56.8	V
8557.5	-67.6	0.9	11.2	-57.3	V
10269.0	-71.4	0.5	12.0	-59.9	V
11980.5	-69.7	0.4	12.2	-57.9	V

Test Data (3MHz bandwidth 19965 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3423.0	-43.8	6.9	8.9	-41.8	V
5134.5	-66.9	6.3	9.9	-63.3	V
6846.0	-66.8	0.8	11.9	-55.7	V
8557.5	-65.2	0.9	11.2	-54.9	V
10269.0	-71.2	0.5	12.0	-59.7	V
11980.5	-70.4	0.4	12.2	-58.6	V

Test Data (3MHz bandwidth 20175 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-48.1	6.9	8.9	-46.1	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

5197.5	-68.0	5.8	9.9	-63.9	V
6930.0	-69.1	0.9	11.9	-58.1	V
8662.5	-66.5	0.9	11.2	-56.2	V
10395.0	-71.2	0.7	12.2	-59.7	V
12127.5	-70.2	0.6	12.2	-58.6	V

Test Data (3MHz bandwidth 20175 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-49.6	6.9	8.9	-47.6	V
5197.5	-68.1	5.8	9.9	-64.0	V
6930.0	-68.6	0.9	11.9	-57.6	V
8662.5	-67.6	0.9	11.2	-57.3	V
10395.0	-71.7	0.7	12.2	-60.2	V
12127.5	-70.2	0.6	12.2	-58.6	V

Test Data (3MHz bandwidth 20384 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3506.8	-50.4	7.0	8.9	-48.5	V
5260.2	-68.6	5.0	9.9	-63.7	V
7013.6	-69.4	1.2	11.9	-58.7	V
8767.0	-68.0	1.2	11.2	-58.0	V
10520.4	-72.0	0.6	12.2	-60.4	V
12273.8	-70.7	0.3	12.2	-58.8	V

Test Data (3MHz bandwidth 20384 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
-----------------	----------------------------------	-----------------	-------------------	------------------------------------	----------------------------

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

3506.8	-50.2	7.0	8.9	-48.3	V
5260.2	-68.8	5.0	9.9	-63.9	V
7013.6	-68.1	1.2	11.9	-57.4	V
8767.0	-67.5	1.2	11.2	-57.5	V
10520.4	-71.1	0.6	12.2	-59.5	V
12273.8	-70.0	0.3	12.2	-58.1	V

Test Data (5MHz bandwidth 19975 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3425.0	-46.9	6.9	8.9	-44.9	V
5137.5	-66.6	6.3	9.9	-63.0	V
6850.0	-67.8	0.8	11.9	-56.7	V
8562.5	-68.4	0.9	11.2	-58.1	V
10275.0	-71.0	0.5	12.0	-59.5	V
11987.5	-70.1	0.4	12.2	-58.3	V

Test Data (5MHz bandwidth 19975 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3425.0	-48.3	6.9	8.9	-46.3	V
5137.5	-66.7	6.3	9.9	-63.1	V
6850.0	-69.3	0.8	11.9	-58.2	V
8562.5	-68.3	0.9	11.2	-58.0	V
10275.0	-71.9	0.5	12.0	-60.4	V
11987.5	-70.2	0.4	12.2	-58.4	V

Test Data (5MHz bandwidth 20175 QPSK Mode)

Frequency [MHz]	Generator output	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission	Antenna Polarization
-----------------	------------------	-----------------	-------------------	-------------------	----------------------

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

	power(Pg) [dBm]			Power (Pd) [dBm]	[H/V]
3465.0	-49.6	6.9	8.9	-47.6	V
5197.5	-67.4	5.8	9.9	-63.3	V
6930.0	-68.1	0.9	11.9	-57.1	V
8662.5	-68.6	0.9	11.2	-58.3	V
10395.0	-71.8	0.7	12.2	-60.3	V
12127.5	-70.0	0.6	12.2	-58.4	V

Test Data (5MHz bandwidth 20175 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-50.8	6.9	8.9	-48.8	V
5197.5	-67.6	5.8	9.9	-63.5	V
6930.0	-69.7	0.9	11.9	-58.7	V
8662.5	-68.3	0.9	11.2	-58.0	V
10395.0	-72.5	0.7	12.2	-61.0	V
12127.5	-70.1	0.6	12.2	-58.5	V

Test Data (5MHz bandwidth 20374 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3504.8	-52.1	7.0	8.9	-50.2	V
5257.2	-68.8	5.0	9.9	-63.9	V
7009.6	-69.0	1.2	11.9	-58.3	V
8762.0	-68.4	1.2	11.2	-58.4	V
10514.4	-72.4	0.6	12.2	-60.8	V
12266.8	-70.2	0.4	12.2	-58.4	V

Test Data (5MHz bandwidth 20374 16QAM Mode)

Frequency	Generator	Cable loss	Antenna	Spurious	Antenna
-----------	-----------	------------	---------	----------	---------

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

[MHz]	output power(Pg) [dBm]	[dB]	Gain [dB]	Emission Power (Pd) [dBm]	Polarization [H/V]
3504.8	-53.0	7.0	8.9	-51.1	V
5257.2	-69.7	5.0	9.9	-64.8	V
7009.6	-73.0	1.2	11.9	-62.3	V
8762.0	-71.3	1.2	11.2	-61.3	V
10514.4	-72.1	0.6	12.2	-60.5	V
12266.8	-70.8	0.4	12.2	-59.0	V

Test Data (10MHz bandwidth 20000 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3430.0	-52.6	6.9	8.9	-50.6	V
5145.0	-67.4	6.3	9.9	-63.8	V
6860.0	-73.8	0.8	11.9	-62.7	V
8575.0	-71.1	0.9	11.2	-60.8	V
10290.0	-72.0	0.5	12.0	-60.5	V
12005.0	-70.8	0.4	12.2	-59.0	V

Test Data (10MHz bandwidth 20000 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3430.0	-68.9	6.9	8.9	-66.9	V
5145.0	-67.4	6.3	9.9	-63.8	V
6860.0	-73.5	0.8	11.9	-62.4	V
8575.0	-71.3	0.9	11.2	-61.0	V
10290.0	-72.6	0.5	12.0	-61.1	V
12005.0	-70.6	0.4	12.2	-58.8	V

Test Data (10MHz bandwidth 20175 QPSK Mode)
Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-54.3	6.9	8.9	-52.3	V
5197.5	-68.1	5.8	9.9	-64.0	V
6930.0	-73.2	0.9	11.9	-62.2	V
8662.5	-71.2	0.9	11.2	-60.9	V
10395.0	-72.3	0.7	12.2	-60.8	V
12127.5	-70.8	0.6	12.2	-59.2	V

Test Data (10MHz bandwidth 20175 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-69.5	6.9	8.9	-67.5	V
5197.5	-68.8	5.8	9.9	-64.7	V
6930.0	-74.1	0.9	11.9	-63.1	V
8662.5	-70.8	0.9	11.2	-60.5	V
10395.0	-71.4	0.7	12.2	-59.9	V
12127.5	-70.9	0.6	12.2	-59.3	V

Test Data (10MHz bandwidth 20349 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3499.8	-55.1	7.0	8.9	-53.2	V
5249.7	-68.7	5.0	9.9	-63.8	V
6999.6	-69.9	0.9	11.9	-58.9	V
8749.5	-71.1	1.2	11.2	-61.1	V
10499.4	-71.9	0.6	12.2	-60.3	V
12249.3	-70.8	0.3	12.2	-58.9	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Test Data (10MHz bandwidth 20349 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3499.8	-68.8	7.0	8.9	-66.9	V
5249.7	-68.7	5.0	9.9	-63.8	V
6999.6	-73.5	0.9	11.9	-62.5	V
8749.5	-70.9	1.2	11.2	-60.9	V
10499.4	-71.9	0.6	12.2	-60.3	V
12249.3	-71.2	0.3	12.2	-59.3	V

Test Data (15MHz bandwidth 20025 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3435.0	-55.5	6.9	8.9	-53.5	V
5152.5	-67.6	6.3	9.9	-64.0	V
6870.0	-73.1	0.8	11.9	-62.0	V
8587.5	-70.8	0.9	11.2	-60.5	V
10305.0	-71.8	0.7	12.2	-60.3	V
12022.5	-70.6	0.6	12.2	-59.0	V

Test Data (15MHz bandwidth 20025 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3435.0	-68.7	6.9	8.9	-66.7	V
5152.5	-67.6	6.3	9.9	-64.0	V
6870.0	-72.9	0.8	11.9	-61.8	V
8587.5	-70.4	0.9	11.2	-60.1	V
10305.0	-73.0	0.7	12.2	-61.5	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

12022.5	-70.6	0.6	12.2	-59.0	V
---------	-------	-----	------	-------	---

Test Data (15MHz bandwidth 20175 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-54.9	6.9	8.9	-52.9	V
5197.5	-67.6	6.3	9.9	-64.0	V
6930.0	-73.8	0.8	11.9	-62.7	V
8662.5	-71.3	0.9	11.2	-61.0	V
10395.0	-72.7	0.7	12.2	-61.2	V
12127.5	-70.5	0.6	12.2	-58.9	V

Test Data (15MHz bandwidth 20175 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-68.9	6.9	8.9	-66.9	V
5197.5	-68.4	5.8	9.9	-64.3	V
6930.0	-73.8	0.9	11.9	-62.8	V
8662.5	-71.8	0.9	11.2	-61.5	V
10395.0	-72.5	0.7	12.2	-61.0	V
12127.5	-70.9	0.6	12.2	-59.3	V

Test Data (15MHz bandwidth 20324 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3494.8	-56.3	7.0	8.9	-54.4	V
5242.2	-69.0	5.0	9.9	-64.1	V
6989.6	-73.4	1.2	11.9	-62.7	V
8737.0	-70.7	1.2	11.2	-60.7	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

10484.4	-72.3	0.3	12.2	-60.4	V
12231.8	-71.2	0.3	12.2	-59.3	V

Test Data (15MHz bandwidth 20324 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3494.8	-68.8	7.0	8.9	-66.9	V
5242.2	-69.0	5.0	9.9	-64.1	V
6989.6	-73.5	1.2	11.9	-62.8	V
8737.0	-71.3	1.2	11.2	-61.3	V
10484.4	-72.2	0.3	12.2	-60.3	V
12231.8	-71.3	0.3	12.2	-59.4	V

Test Data (20MHz bandwidth 20050 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3440.0	-56.3	6.9	8.9	-54.3	V
5160.0	-67.1	6.3	9.9	-63.5	V
6880.0	-73.4	0.8	11.9	-62.3	V
8600.0	-71.5	0.9	11.2	-61.2	V
10320.0	-72.0	0.7	12.2	-60.5	V
12040.0	-70.7	0.6	12.2	-59.1	V

Test Data (20MHz bandwidth 20050 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3440.0	-68.5	6.9	8.9	-66.5	V
5160.0	-67.0	6.3	9.9	-63.4	V
6880.0	-74.1	0.8	11.9	-63.0	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

8600.0	-71.4	0.9	11.2	-61.1	V
10320.0	-72.7	0.7	12.2	-61.2	V
12040.0	-70.9	0.6	12.2	-59.3	V

Test Data (20MHz bandwidth 20175 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-56.0	6.9	8.9	-54.0	V
5197.5	-68.5	5.8	9.9	-64.4	V
6930.0	-73.6	0.9	11.9	-62.6	V
8662.5	-71.0	0.9	11.2	-60.7	V
10395.0	-72.6	0.7	12.2	-61.1	V
12127.5	-70.9	0.6	12.2	-59.3	V

Test Data (20MHz bandwidth 20175 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3465.0	-68.8	6.9	8.9	-66.8	V
5197.5	-68.9	5.8	9.9	-64.8	V
6930.0	-73.3	0.9	11.9	-62.3	V
8662.5	-70.8	0.9	11.2	-60.5	V
10395.0	-72.6	0.7	12.2	-61.1	V
12127.5	-70.8	0.6	12.2	-59.2	V

Test Data (20MHz bandwidth 20299 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3489.8	-56.2	7.0	8.9	-54.3	V
5234.7	-68.5	5.0	9.9	-63.6	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6979.6	-73.1	0.9	11.9	-62.1	V
8724.5	-70.5	1.2	11.2	-60.5	V
10469.4	-72.4	0.3	12.2	-60.5	V
12214.3	-71.3	0.3	12.2	-59.4	V

Test Data (20MHz bandwidth 20299 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3489.8	-68.5	7.0	8.9	-66.6	V
5234.7	-69.1	5.0	9.9	-64.2	V
6979.6	-74.3	0.9	11.9	-63.3	V
8724.5	-70.9	1.2	11.2	-60.9	V
10469.4	-72.4	0.3	12.2	-60.5	V
12214.3	-71.4	0.3	12.2	-59.5	V

6.6.5 LTE B5 Radiated Spurious Emission Results

Test Data (1.4MHz bandwidth 20407 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1649.4	-69.4	4.7	7.3	-66.8	H
2474.1	-61.9	6.0	6.8	-61.1	V
3298.8	-68.6	6.7	8.9	-66.4	V
4123.5	-66.7	7.6	9.2	-65.1	V
4948.2	-65.1	7.7	9.9	-62.9	V
5772.9	-72.9	1.4	10.5	-63.8	V

Test Data (1.4MHz bandwidth 20407 16QAM Mode)

Frequency	Generator	Cable loss	Antenna	Spurious	Antenna
-----------	-----------	------------	---------	----------	---------

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

[MHz]	output power(Pg) [dBm]	[dB]	Gain [dB]	Emission Power (Pd) [dBm]	Polarization [H/V]
1649.4	-69.0	4.7	7.3	-66.4	H
2474.1	-61.0	6.0	6.8	-60.2	V
3298.8	-64.9	6.7	8.9	-62.7	V
4123.5	-66.5	7.6	9.2	-64.9	V
4948.2	-65.3	7.7	9.9	-63.1	V
5772.9	-72.1	1.4	10.5	-63.0	V

Test Data (1.4MHz bandwidth 20525 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1673.0	-68.9	4.7	7.3	-66.3	V
2509.5	-60.8	5.9	6.7	-60.0	H
3346.0	-67.9	6.8	8.9	-65.8	V
4182.5	-65.5	7.8	9.2	-64.1	V
5019.0	-65.7	7.5	9.9	-63.3	V
5855.5	-72.7	1.1	10.5	-63.3	V

Test Data (1.4MHz bandwidth 20525 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1673.0	-68.9	4.7	7.3	-66.3	H
2509.5	-60.8	5.9	6.7	-60.0	V
3346.0	-69.1	6.8	8.9	-67.0	V
4182.5	-66.1	7.8	9.2	-64.7	V
5019.0	-66.1	7.5	9.9	-63.7	V
5855.5	-72.9	1.1	10.5	-63.5	V

Test Data (1.4MHz bandwidth 20642 QPSK Mode)
Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1696.4	-69.5	4.8	7.9	-66.4	V
2544.6	-60.7	5.9	6.9	-59.7	H
3392.8	-68.3	6.9	8.9	-66.3	V
4241.0	-66.0	7.8	9.2	-64.6	V
5089.2	-66.6	6.8	9.9	-63.5	V
5937.4	-72.8	1.4	10.9	-63.3	V

Test Data (1.4MHz bandwidth 20642 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1696.4	-69.5	4.8	7.9	-66.4	H
2544.6	-60.5	5.9	6.9	-59.5	V
3392.8	-68.3	6.9	8.9	-66.3	V
4241.0	-65.8	7.8	9.2	-64.4	V
5089.2	-66.5	6.8	9.9	-63.4	V
5937.4	-73.1	1.4	10.9	-63.6	V

Test Data (3MHz bandwidth 20415 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1651.0	-70.4	4.8	7.9	-67.3	V
2476.5	-61.5	5.9	6.9	-60.5	H
3302.0	-68.9	6.9	8.9	-66.9	V
4127.5	-66.0	7.8	9.2	-64.6	V
4953.0	-66.2	6.8	9.9	-63.1	V
5778.5	-73.4	1.4	10.9	-63.9	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Test Data (3MHz bandwidth 20415 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1651.0	-69.5	4.8	7.9	-66.4	H
2476.5	-60.4	5.9	6.9	-59.4	V
3302.0	-67.6	6.9	8.9	-65.6	V
4127.5	-66.2	7.8	9.2	-64.8	V
4953.0	-66.0	6.8	9.9	-62.9	V
5778.5	-73.4	1.4	10.9	-63.9	V

Test Data (3MHz bandwidth 20525 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1673.0	-68.7	4.7	7.3	-66.1	H
2509.5	-61.3	5.9	6.7	-60.5	H
3346.0	-68.2	6.8	8.9	-66.1	V
4182.5	-66.4	7.8	9.2	-65.0	V
5019.0	-66.2	7.5	9.9	-63.8	V
5855.5	-72.5	1.1	10.5	-63.1	V

Test Data (3MHz bandwidth 20525 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1673.0	-68.6	4.7	7.3	-66.0	H
2509.5	-61.0	5.9	6.7	-60.2	V
3346.0	-68.1	6.8	8.9	-66.0	V
4182.5	-66.2	7.8	9.2	-64.8	V
5019.0	-65.9	7.5	9.9	-63.5	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

5855.5	-72.7	1.1	10.5	-63.3	V
--------	-------	-----	------	-------	---

Test Data (3MHz bandwidth 20634 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1694.8	-69.5	4.8	8.0	-66.3	V
2542.2	-60.9	5.9	6.9	-59.9	V
3389.6	-68.6	6.9	8.9	-66.6	V
4237.0	-65.8	7.8	9.2	-64.4	V
5084.4	-66.9	6.8	9.9	-63.8	V
5931.8	-73.2	1.4	10.9	-63.7	V

Test Data (3MHz bandwidth 20634 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1694.8	-69.6	4.8	8.0	-66.4	V
2542.2	-60.7	5.9	6.9	-59.7	V
3389.6	-68.3	6.9	8.9	-66.3	V
4237.0	-66.0	7.8	9.2	-64.6	V
5084.4	-66.5	6.8	9.9	-63.4	V
5931.8	-72.7	1.4	10.9	-63.2	V

Test Data (5MHz bandwidth 20425 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1653.0	-69.5	4.8	7.3	-67.0	H
2479.5	-61.3	5.9	6.6	-60.6	H
3306.0	-68.4	6.8	8.9	-66.3	V
4132.5	-66.4	7.6	9.2	-64.8	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

4959.0	-66.0	7.5	9.9	-63.6	V
5785.5	-73.0	1.4	10.5	-63.9	V

Test Data (5MHz bandwidth 20425 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1653.0	-69.1	4.8	7.3	-66.6	V
2479.5	-60.2	5.9	6.6	-59.5	H
3306.0	-68.9	6.8	8.9	-66.8	V
4132.5	-66.6	7.6	9.2	-65.0	V
4959.0	-65.7	7.5	9.9	-63.3	V
5785.5	-73.4	1.4	10.5	-64.3	V

Test Data (5MHz bandwidth 20525 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1673.0	-69.1	4.7	7.3	-66.5	H
2509.5	-61.3	5.9	6.7	-60.5	V
3346.0	-67.9	6.8	8.9	-65.8	V
4182.5	-66.0	7.8	9.2	-64.6	V
5019.0	-65.6	7.5	9.9	-63.2	V
5855.5	-72.8	1.1	10.5	-63.4	V

Test Data (5MHz bandwidth 20525 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1673.0	-69.1	4.7	7.3	-66.5	H
2509.5	-60.3	5.9	6.7	-59.5	V
3346.0	-68.9	6.8	8.9	-66.8	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

4182.5	-66.2	7.8	9.2	-64.8	V
5019.0	-65.2	7.5	9.9	-62.8	V
5855.5	-72.8	1.1	10.5	-63.4	V

Test Data (5MHz bandwidth 20624 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1692.8	-69.5	4.8	8.0	-66.3	H
2539.2	-60.0	5.9	6.9	-59.0	V
3385.6	-68.7	6.9	8.9	-66.7	V
4232.0	-66.0	7.8	9.2	-64.6	V
5078.4	-67.1	6.8	9.9	-64.0	V
5924.8	-73.2	1.4	10.9	-63.7	V

Test Data (5MHz bandwidth 20624 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1692.8	-69.8	4.8	8.0	-66.6	V
2539.2	-60.9	5.9	6.9	-59.9	V
3385.6	-68.6	6.9	8.9	-66.6	V
4232.0	-66.2	7.8	9.2	-64.8	V
5078.4	-66.7	6.8	9.9	-63.6	V
5924.8	-72.5	1.4	10.9	-63.0	V

Test Data (10MHz bandwidth 20450 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1658.0	-69.2	4.8	7.6	-66.4	H
2487.0	-60.9	5.9	6.6	-60.2	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

3316.0	-68.7	6.8	8.9	-66.6	V
4145.0	-66.1	7.6	9.2	-64.5	V
4974.0	-65.3	7.5	9.9	-62.9	V
5803.0	-73.3	1.4	10.9	-63.8	V

Test Data (10MHz bandwidth 20450 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1658.0	-69.2	4.8	7.6	-66.4	V
2487.0	-60.7	5.9	6.6	-60.0	V
3316.0	-68.6	6.8	8.9	-66.5	V
4145.0	-66.5	7.6	9.2	-64.9	V
4974.0	-65.9	7.5	9.9	-63.5	V
5803.0	-72.8	1.4	10.9	-63.3	V

Test Data (10MHz bandwidth 20525 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1673.0	-68.8	4.7	7.3	-66.2	V
2509.5	-61.3	5.9	6.7	-60.5	V
3346.0	-68.0	6.8	8.9	-65.9	V
4182.5	-65.7	7.8	9.2	-64.3	V
5019.0	-65.9	7.5	9.9	-63.5	V
5855.5	-72.9	1.1	10.5	-63.5	V

Test Data (10MHz bandwidth 20525 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1673.0	-68.9	4.7	7.3	-66.3	H

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

2509.5	-60.7	5.9	6.7	-59.9	V
3346.0	-68.5	6.8	8.9	-66.4	V
4182.5	-66.7	7.8	9.2	-65.3	V
5019.0	-66.6	7.5	9.9	-64.2	V
5855.5	-73.2	1.1	10.5	-63.8	V

Test Data (10MHz bandwidth 20599 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1687.8	-69.5	4.8	8.1	-66.2	V
2531.7	-60.6	5.9	6.9	-59.6	V
3375.6	-68.7	6.8	8.9	-66.6	V
4219.5	-66.8	7.8	9.2	-65.4	V
5063.4	-66.1	7.1	9.9	-63.3	V
5907.3	-72.9	1.4	10.9	-63.4	V

Test Data (10MHz bandwidth 20599 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
1687.8	-69.6	4.8	8.1	-66.3	V
2531.7	-60.5	5.9	6.9	-59.5	H
3375.6	-68.6	6.8	8.9	-66.5	V
4219.5	-66.5	7.8	9.2	-65.1	V
5063.4	-66.8	7.1	9.9	-64.0	V
5907.3	-72.9	1.4	10.9	-63.4	V

6.6.6 LTE B66 Radiated Spurious Emission Results

Test Data (1.4MHz bandwidth 131979 QPSK Mode)

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3421.4	-42.6	6.9	8.9	-40.62	V
5132.1	-67.4	6.3	9.9	-63.8	V
6842.8	-65.6	0.8	11.9	-54.5	V
8553.5	-64.1	0.9	11.2	-53.8	V
10264.2	-72.2	0.7	12.0	-60.9	V
11974.9	-70.6	0.4	12.2	-58.8	V

Test Data (1.4MHz bandwidth 131979 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3421.4	-43.2	6.9	8.9	-41.2	V
5132.1	-67.6	6.3	9.9	-64.0	V
6842.8	-64.2	0.8	11.9	-53.1	V
8553.5	-64.7	0.9	11.2	-54.4	V
10264.2	-72.1	0.7	12.0	-60.8	V
11974.9	-70.6	0.4	12.2	-58.8	V

Test Data (1.4MHz bandwidth 132322 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3490.0	-45.9	7.0	8.9	-44.0	V
5235.0	-68.6	5.0	9.9	-63.7	V
6980.0	-67.7	1.0	11.9	-56.8	V
8725.0	-64.2	1.2	11.2	-54.2	V
10470.0	-72.2	0.3	12.2	-60.3	V
12215.0	-71.5	0.3	12.3	-59.5	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

Test Data (1.4MHz bandwidth 132322 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3490.0	-45.5	7.0	8.9	-43.6	V
5235.0	-68.9	5.0	9.9	-64.0	V
6980.0	-68.5	1.0	11.9	-57.6	V
8725.0	-63.3	1.2	11.2	-53.3	V
10470.0	-72.2	0.3	12.2	-60.3	V
12215.0	-71.0	0.3	12.3	-59.0	V

Test Data (1.4MHz bandwidth 132664 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3558.4	-48.2	7.0	8.9	-46.3	V
5337.6	-67.4	4.1	10.5	-61.0	V
7116.8	-64.4	0.9	11.9	-53.4	V
8896.0	-64.4	1.2	11.5	-54.1	V
10675.2	-71.8	0.8	12.2	-60.4	V
12454.4	-71.1	0.4	12.3	-59.2	V

Test Data (1.4MHz bandwidth 132664 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3558.4	-47.8	7.0	8.9	-45.9	V
5337.6	-67.5	4.1	10.5	-61.1	V
7116.8	-67.3	0.9	11.9	-56.3	V
8896.0	-65.7	1.2	11.5	-55.4	V
10675.2	-71.9	0.8	12.2	-60.5	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

12454.4	-71.0	0.4	12.3	-59.1	V
---------	-------	-----	------	-------	---

Test Data (3MHz bandwidth 131987 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3423.0	-45.4	6.9	8.9	-43.4	V
5134.5	-67.0	6.3	9.9	-63.4	V
6846.5	-66.4	0.8	11.9	-55.3	V
8557.5	-65.3	0.9	11.2	-55.0	V
10269.0	-72.3	0.5	12.0	-60.8	V
11980.5	-70.5	0.4	12.2	-58.7	V

Test Data (3MHz bandwidth 131987 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3423.0	-48.7	6.9	8.9	-46.7	V
5134.5	-67.3	6.3	9.9	-63.7	V
6846.5	-69.6	0.8	11.9	-58.5	V
8557.5	-67.7	0.9	11.2	-57.4	V
10269.0	-72.5	0.5	12.0	-61.0	V
11980.5	-70.2	0.4	12.2	-58.4	V

Test Data (3MHz bandwidth 132322 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3490.0	-50.2	7.0	8.9	-48.3	V
5235.0	-69.4	5.0	9.9	-64.5	V
6980.0	-69.7	1.0	11.9	-58.8	V
8725.0	-65.6	1.2	11.2	-55.6	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

10470.0	-72.3	0.3	12.2	-60.4	V
12215.0	-71.3	0.3	12.3	-59.3	V

Test Data (3MHz bandwidth 132322 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3490.0	-50.6	7.0	8.9	-48.7	V
5235.0	-69.3	5.0	9.9	-64.4	V
6980.0	-69.7	1.0	11.9	-58.8	V
8725.0	-65.8	1.2	11.2	-55.8	V
10470.0	-72.3	0.3	12.2	-60.4	V
12215.0	-71.6	0.3	12.3	-59.6	V

Test Data (3MHz bandwidth 132656 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3556.8	-50.4	7.0	8.9	-48.5	V
5335.2	-70.7	4.1	10.5	-64.3	V
7113.6	-67.8	0.9	11.9	-56.8	V
8892.0	-68.7	1.2	11.5	-58.4	V
10670.4	-71.7	0.8	12.2	-60.3	V
12448.8	-70.9	0.4	12.3	-59.0	V

Test Data (3MHz bandwidth 132656 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3556.8	-49.6	7.0	8.9	-47.7	V
5335.2	-71.2	4.1	10.5	-64.8	V
7113.6	-68.1	0.9	11.9	-57.1	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

8892.0	-71.1	1.2	11.5	-60.8	V
10670.4	-71.4	0.8	12.2	-60.0	V
12448.8	-70.8	0.4	12.3	-58.9	V

Test Data (5MHz bandwidth 131997 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3425.0	-52.3	6.9	8.9	-50.3	H
5137.5	-67.7	6.3	9.9	-64.1	V
6850.0	-66.2	0.8	11.9	-55.1	V
8562.5	-68.1	0.9	11.2	-57.8	V
10275.0	-72.1	0.5	12.0	-60.6	V
11987.5	-70.6	0.4	12.2	-58.8	V

Test Data (5MHz bandwidth 131997 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3425.0	-54.2	6.9	8.9	-52.2	H
5137.5	-67.2	6.3	9.9	-63.6	V
6850.0	-68.8	0.8	11.9	-57.7	V
8562.5	-69.8	0.9	11.2	-59.5	V
10275.0	-72.3	0.5	12.0	-60.8	V
11987.5	-70.5	0.4	12.2	-58.7	V

Test Data (5MHz bandwidth 132322 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3490.0	-49.8	7.0	8.9	-47.9	V
5235.0	-68.9	5.0	9.9	-64.0	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6980.0	-68.4	1.0	11.9	-57.5	V
8725.0	-66.9	1.2	11.2	-56.9	V
10470.0	-72.4	0.3	12.2	-60.5	V
12215.0	-70.9	0.3	12.3	-58.9	V

Test Data (5MHz bandwidth 132322 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3490.0	-52.4	7.0	8.9	-50.5	V
5235.0	-69.2	5.0	9.9	-64.3	V
6980.0	-69.2	1.0	11.9	-58.3	V
8725.0	-67.9	1.2	11.2	-57.9	V
10470.0	-72.0	0.3	12.2	-60.1	V
12215.0	-71.2	0.3	12.3	-59.2	V

Test Data (5MHz bandwidth 132646 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3554.8	-51.2	7.0	8.9	-49.3	V
5332.2	-70.0	4.1	10.5	-63.6	V
7109.6	-66.5	0.9	11.9	-55.5	V
8887.0	-68.7	1.2	11.5	-58.4	V
10664.4	-71.6	0.8	12.2	-60.2	V
12441.8	-70.8	0.4	12.3	-58.9	V

Test Data (5MHz bandwidth 132646 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3554.8	-51.1	7.0	8.9	-49.2	V

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

5332.2	-69.9	4.1	10.5	-63.5	V
7109.6	-68.9	0.9	11.9	-57.9	V
8887.0	-69.4	1.2	11.5	-59.1	V
10664.4	-71.4	0.8	12.2	-60.0	V
12441.8	-70.5	0.4	12.3	-58.6	V

Test Data (10MHz bandwidth 132022 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3430.0	-49.9	6.9	8.9	-47.9	V
5145.0	-67.1	6.3	9.9	-63.5	V
6860.0	-68.4	0.8	11.9	-57.3	V
8575.0	-69.2	0.9	11.2	-58.9	V
10290.0	-72.3	0.5	12.2	-60.6	V
12005.0	-70.3	0.4	12.2	-58.5	V

Test Data (10MHz bandwidth 132022 16QAM Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
3430.0	-68.2	6.9	8.9	-66.2	V
5145.0	-67.6	6.3	9.9	-64.0	V
6860.0	-72.7	0.8	11.9	-61.6	V
8575.0	-71.0	0.9	11.2	-60.7	V
10290.0	-72.6	0.5	12.2	-60.9	V
12005.0	-70.5	0.4	12.2	-58.7	V

Test Data (10MHz bandwidth 132322 QPSK Mode)

Frequency [MHz]	Generator output power(Pg) [dBm]	Cable loss [dB]	Antenna Gain [dB]	Spurious Emission Power (Pd) [dBm]	Antenna Polarization [H/V]
-----------------	----------------------------------	-----------------	-------------------	------------------------------------	----------------------------

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777