


802.11g_Nss1,(6Mbps)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.09	54.00	-7.91	31.52	3	Vertical	251	1.41	-	14.57	27.64	3.88	-
AV	2.4186G	104.29	Inf	-Inf	31.53	3	Vertical	251	1.41	-	72.76	27.60	3.93	-
PK	2.39G	60.99	74.00	-13.01	31.52	3	Vertical	251	1.41	-	29.47	27.64	3.88	-
PK	2.4182G	113.00	Inf	-Inf	31.53	3	Vertical	251	1.41	-	81.47	27.60	3.93	-

802.11g_Nss1,(6Mbps)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.49	54.00	-0.51	31.52	3	Horizontal	277	2.70	-	21.97	27.64	3.88	-
AV	2.4242G	108.95	Inf	-Inf	31.54	3	Horizontal	277	2.70	-	77.41	27.60	3.94	-
PK	2.39G	71.54	74.00	-2.46	31.52	3	Horizontal	277	2.70	-	40.02	27.64	3.88	-
PK	2.4246G	117.29	Inf	-Inf	31.54	3	Horizontal	277	2.70	-	85.75	27.60	3.94	-

802.11g_Nss1,(6Mbps)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	49.94	54.00	-4.06	31.52	3	Vertical	265	1.26	-	18.42	27.64	3.88	-
AV	2.4296G	105.58	Inf	-Inf	31.48	3	Vertical	265	1.26	-	74.10	27.54	3.94	-
PK	2.39G	63.77	74.00	-10.23	31.52	3	Vertical	265	1.26	-	32.25	27.64	3.88	-
PK	2.4292G	114.53	Inf	-Inf	31.48	3	Vertical	265	1.26	-	83.05	27.54	3.94	-

802.11g_Nss1,(6Mbps)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	50.41	54.00	-3.59	31.52	3	Horizontal	72	2.16	-	18.89	27.64	3.88	-
AV	2.4268G	109.91	Inf	-Inf	31.49	3	Horizontal	72	2.16	-	78.42	27.55	3.94	-
PK	2.3888G	67.05	74.00	-6.95	31.52	3	Horizontal	72	2.16	-	35.53	27.64	3.88	-
PK	2.4266G	118.57	Inf	-Inf	31.49	3	Horizontal	72	2.16	-	87.08	27.55	3.94	-

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3506G	44.78	54.00	-9.22	31.63	3	Vertical	260	1.57	-	13.15	27.80	3.83	-
AV	2.4386G	107.49	Inf	-Inf	31.56	3	Vertical	260	1.57	-	75.93	27.60	3.96	-
AV	2.4835G	47.90	54.00	-6.10	31.63	3	Vertical	260	1.57	-	16.27	27.60	4.03	-
PK	2.371G	56.54	74.00	-17.46	31.58	3	Vertical	260	1.57	-	24.96	27.72	3.86	-
PK	2.4394G	115.85	Inf	-Inf	31.56	3	Vertical	260	1.57	-	84.29	27.60	3.96	-
PK	2.4835G	61.91	74.00	-12.09	31.63	3	Vertical	260	1.57	-	30.28	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.71	54.00	-6.29	31.52	3	Horizontal	294	2.38	-	16.19	27.64	3.88	-
AV	2.4334G	110.72	Inf	-Inf	31.55	3	Horizontal	294	2.38	-	79.17	27.60	3.95	-
AV	2.4842G	53.73	54.00	-0.27	31.63	3	Horizontal	294	2.38	-	22.10	27.60	4.03	-
PK	2.3898G	58.44	74.00	-15.56	31.52	3	Horizontal	294	2.38	-	26.92	27.64	3.88	-
PK	2.4334G	119.71	Inf	-Inf	31.55	3	Horizontal	294	2.38	-	88.16	27.60	3.95	-
PK	2.4842G	71.08	74.00	-2.92	31.63	3	Horizontal	294	2.38	-	39.45	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87303G	30.54	54.00	-23.46	1.66	3	Vertical	127	1.50	-	28.88	31.25	5.34	34.93
PK	4.87307G	42.10	74.00	-31.90	1.66	3	Vertical	127	1.50	-	40.44	31.25	5.34	34.93

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87364G	30.38	54.00	-23.62	1.66	3	Horizontal	326	1.50	-	28.72	31.25	5.34	34.93
PK	4.87402G	41.98	74.00	-32.02	1.66	3	Horizontal	326	1.50	-	40.32	31.25	5.34	34.93

802.11g_Nss1,(6Mbps)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.346G	45.02	54.00	-8.98	31.62	3	Vertical	262	2.90	-	13.40	27.80	3.82	-
AV	2.4376G	105.76	Inf	-Inf	31.48	3	Vertical	262	2.90	-	74.28	27.52	3.96	-
AV	2.4835G	53.40	54.00	-0.60	31.53	3	Vertical	262	2.90	-	21.87	27.50	4.03	-
PK	2.388G	56.91	74.00	-17.09	31.53	3	Vertical	262	2.90	-	25.38	27.65	3.88	-
PK	2.4364G	114.28	Inf	-Inf	31.48	3	Vertical	262	2.90	-	82.80	27.53	3.95	-
PK	2.4835G	67.70	74.00	-6.30	31.53	3	Vertical	262	2.90	-	36.17	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.45	54.00	-7.55	31.52	3	Horizontal	291	1.14	-	14.93	27.64	3.88	-
AV	2.4376G	110.63	Inf	-Inf	31.48	3	Horizontal	291	1.14	-	79.15	27.52	3.96	-
AV	2.4835G	53.78	54.00	-0.22	31.53	3	Horizontal	291	1.14	-	22.25	27.50	4.03	-
PK	2.3672G	56.52	74.00	-17.48	31.58	3	Horizontal	291	1.14	-	24.94	27.73	3.85	-
PK	2.4364G	119.53	Inf	-Inf	31.48	3	Horizontal	291	1.14	-	88.05	27.53	3.95	-
PK	2.4835G	68.57	74.00	-5.43	31.53	3	Horizontal	291	1.14	-	37.04	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4448G	105.61	Inf	-Inf	31.48	3	Vertical	39	1.00	-	74.13	27.51	3.97	-
AV	2.4836G	53.93	54.00	-0.07	31.53	3	Vertical	39	1.00	-	22.40	27.50	4.03	-
PK	2.4446G	113.91	Inf	-Inf	31.48	3	Vertical	39	1.00	-	82.43	27.51	3.97	-
PK	2.4844G	69.33	74.00	-4.67	31.53	3	Vertical	39	1.00	-	37.80	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4426G	109.23	Inf	-Inf	31.47	3	Horizontal	290	1.40	-	77.76	27.51	3.96	-
AV	2.4835G	53.97	54.00	-0.03	31.53	3	Horizontal	290	1.40	-	22.44	27.50	4.03	-
PK	2.4414G	117.68	Inf	-Inf	31.48	3	Horizontal	290	1.40	-	86.20	27.52	3.96	-
PK	2.4838G	66.48	74.00	-7.52	31.53	3	Horizontal	290	1.40	-	34.95	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4504G	104.40	Inf	-Inf	31.48	3	Vertical	38	1.00	-	72.92	27.50	3.98	-
AV	2.4835G	50.33	54.00	-3.67	31.53	3	Vertical	38	1.00	-	18.80	27.50	4.03	-
PK	2.45G	112.67	Inf	-Inf	31.48	3	Vertical	38	1.00	-	81.19	27.50	3.98	-
PK	2.4835G	63.42	74.00	-10.58	31.53	3	Vertical	38	1.00	-	31.89	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4464G	107.65	Inf	-Inf	31.48	3	Horizontal	296	1.00	-	76.17	27.51	3.97	-
AV	2.4844G	53.85	54.00	-0.15	31.53	3	Horizontal	296	1.00	-	22.32	27.50	4.03	-
PK	2.447G	115.64	Inf	-Inf	31.48	3	Horizontal	296	1.00	-	84.16	27.51	3.97	-
PK	2.4856G	68.99	74.00	-5.01	31.53	3	Horizontal	296	1.00	-	37.46	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4592G	100.93	Inf	-Inf	31.59	3	Vertical	253	1.32	-	69.34	27.60	3.99	-
AV	2.4854G	46.59	54.00	-7.41	31.63	3	Vertical	253	1.32	-	14.96	27.60	4.03	-
PK	2.4602G	110.00	Inf	-Inf	31.59	3	Vertical	253	1.32	-	78.41	27.60	3.99	-
PK	2.4838G	60.83	74.00	-13.17	31.63	3	Vertical	253	1.32	-	29.20	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	105.44	Inf	-Inf	31.60	3	Horizontal	291	2.63	-	73.84	27.60	4.00	-
AV	2.4838G	53.37	54.00	-0.63	31.63	3	Horizontal	291	2.63	-	21.74	27.60	4.03	-
PK	2.4644G	113.35	Inf	-Inf	31.60	3	Horizontal	291	2.63	-	81.75	27.60	4.00	-
PK	2.4842G	67.59	74.00	-6.41	31.63	3	Horizontal	291	2.63	-	35.96	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	101.56	Inf	-Inf	31.60	3	Vertical	257	1.58	-	69.96	27.60	4.00	-
AV	2.4836G	53.83	54.00	-0.17	31.63	3	Vertical	257	1.58	-	22.20	27.60	4.03	-
PK	2.4628G	110.68	Inf	-Inf	31.59	3	Vertical	257	1.58	-	79.09	27.60	3.99	-
PK	2.4835G	72.46	74.00	-1.54	31.63	3	Vertical	257	1.58	-	40.83	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4698G	104.34	Inf	-Inf	31.60	3	Horizontal	283	2.95	-	72.74	27.60	4.00	-
AV	2.4835G	50.60	54.00	-3.40	31.63	3	Horizontal	283	2.95	-	18.97	27.60	4.03	-
PK	2.4696G	112.49	Inf	-Inf	31.60	3	Horizontal	283	2.95	-	80.89	27.60	4.00	-
PK	2.4835G	65.39	74.00	-8.61	31.63	3	Horizontal	283	2.95	-	33.76	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92393G	31.17	54.00	-22.83	1.72	3	Vertical	315	1.22	-	29.45	31.30	5.36	34.94
PK	4.92388G	43.94	74.00	-30.06	1.72	3	Vertical	315	1.22	-	42.22	31.30	5.36	34.94

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92411G	30.98	54.00	-23.02	1.72	3	Horizontal	284	2.79	-	29.26	31.30	5.36	34.94
PK	4.92438G	43.08	74.00	-30.92	1.72	3	Horizontal	284	2.79	-	41.36	31.30	5.36	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.63	54.00	-0.37	31.52	3	Vertical	141	1.81	-	22.11	27.64	3.88	-
AV	2.4094G	99.75	Inf	-Inf	31.51	3	Vertical	141	1.81	-	68.24	27.60	3.91	-
PK	2.39G	70.01	74.00	-3.99	31.52	3	Vertical	141	1.81	-	38.49	27.64	3.88	-
PK	2.4096G	110.41	Inf	-Inf	31.51	3	Vertical	141	1.81	-	78.90	27.60	3.91	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.87	54.00	-0.13	31.52	3	Horizontal	294	2.41	-	22.35	27.64	3.88	-
AV	2.4168G	102.76	Inf	-Inf	31.53	3	Horizontal	294	2.41	-	71.23	27.60	3.93	-
PK	2.39G	71.04	74.00	-2.96	31.52	3	Horizontal	294	2.41	-	39.52	27.64	3.88	-
PK	2.4082G	113.77	Inf	-Inf	31.51	3	Horizontal	294	2.41	-	82.26	27.60	3.91	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82393G	32.04	54.00	-21.96	1.58	3	Vertical	98	1.48	-	30.46	31.20	5.31	34.93
PK	4.82383G	44.95	74.00	-29.05	1.58	3	Vertical	98	1.48	-	43.37	31.20	5.31	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	29.22	54.00	-24.78	1.58	3	Horizontal	189	1.50	-	27.64	31.20	5.31	34.93
PK	4.82314G	42.67	74.00	-31.33	1.57	3	Horizontal	189	1.50	-	41.10	31.19	5.31	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.37	54.00	-3.63	31.52	3	Vertical	98	2.63	-	18.85	27.64	3.88	-
AV	2.4242G	102.79	Inf	-Inf	31.54	3	Vertical	98	2.63	-	71.25	27.60	3.94	-
PK	2.39G	66.31	74.00	-7.69	31.52	3	Vertical	98	2.63	-	34.79	27.64	3.88	-
PK	2.425G	112.72	Inf	-Inf	31.54	3	Vertical	98	2.63	-	81.18	27.60	3.94	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.28	54.00	-0.72	31.52	3	Horizontal	57	1.00	-	21.76	27.64	3.88	-
AV	2.425G	105.14	Inf	-Inf	31.54	3	Horizontal	57	1.00	-	73.60	27.60	3.94	-
PK	2.3894G	68.54	74.00	-5.46	31.52	3	Horizontal	57	1.00	-	37.02	27.64	3.88	-
PK	2.4246G	115.20	Inf	-Inf	31.54	3	Horizontal	57	1.00	-	83.66	27.60	3.94	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	52.97	54.00	-1.03	31.52	3	Vertical	230	1.10	-	21.45	27.64	3.88	-
AV	2.4298G	105.36	Inf	-Inf	31.48	3	Vertical	230	1.10	-	73.88	27.54	3.94	-
PK	2.39G	70.67	74.00	-3.33	31.52	3	Vertical	230	1.10	-	39.15	27.64	3.88	-
PK	2.429G	117.58	Inf	-Inf	31.48	3	Vertical	230	1.10	-	86.10	27.54	3.94	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.73	54.00	-0.27	31.52	3	Horizontal	74	2.32	-	22.21	27.64	3.88	-
AV	2.4302G	105.72	Inf	-Inf	31.49	3	Horizontal	74	2.32	-	74.23	27.54	3.95	-
PK	2.39G	72.14	74.00	-1.86	31.52	3	Horizontal	74	2.32	-	40.62	27.64	3.88	-
PK	2.4298G	117.71	Inf	-Inf	31.48	3	Horizontal	74	2.32	-	86.23	27.54	3.94	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.46	54.00	-3.54	31.52	3	Vertical	228	1.01	-	18.94	27.64	3.88	-
AV	2.4322G	103.39	Inf	-Inf	31.49	3	Vertical	228	1.01	-	71.90	27.54	3.95	-
PK	2.39G	66.54	74.00	-7.46	31.52	3	Vertical	228	1.01	-	35.02	27.64	3.88	-
PK	2.4278G	116.06	Inf	-Inf	31.48	3	Vertical	228	1.01	-	84.58	27.54	3.94	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	52.77	54.00	-1.23	31.52	3	Horizontal	296	1.14	-	21.25	27.64	3.88	-
AV	2.4326G	106.59	Inf	-Inf	31.48	3	Horizontal	296	1.14	-	75.11	27.53	3.95	-
PK	2.3892G	67.49	74.00	-6.51	31.52	3	Horizontal	296	1.14	-	35.97	27.64	3.88	-
PK	2.4336G	118.65	Inf	-Inf	31.48	3	Horizontal	296	1.14	-	87.17	27.53	3.95	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.55	54.00	-8.45	31.52	3	Vertical	99	2.63	-	14.03	27.64	3.88	-
AV	2.4306G	104.58	Inf	-Inf	31.55	3	Vertical	99	2.63	-	73.03	27.60	3.95	-
AV	2.4835G	49.76	54.00	-4.24	31.63	3	Vertical	99	2.63	-	18.13	27.60	4.03	-
PK	2.3898G	58.19	74.00	-15.81	31.52	3	Vertical	99	2.63	-	26.67	27.64	3.88	-
PK	2.4302G	114.86	Inf	-Inf	31.55	3	Vertical	99	2.63	-	83.31	27.60	3.95	-
PK	2.4842G	62.54	74.00	-11.46	31.63	3	Vertical	99	2.63	-	30.91	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	48.06	54.00	-5.94	31.52	3	Horizontal	56	1.00	-	16.54	27.64	3.88	-
AV	2.431G	106.96	Inf	-Inf	31.55	3	Horizontal	56	1.00	-	75.41	27.60	3.95	-
AV	2.4835G	53.34	54.00	-0.66	31.63	3	Horizontal	56	1.00	-	21.71	27.60	4.03	-
PK	2.3898G	60.95	74.00	-13.05	31.52	3	Horizontal	56	1.00	-	29.43	27.64	3.88	-
PK	2.4346G	117.35	Inf	-Inf	31.55	3	Horizontal	56	1.00	-	85.80	27.60	3.95	-
PK	2.4846G	67.92	74.00	-6.08	31.63	3	Horizontal	56	1.00	-	36.29	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87305G	29.29	54.00	-24.71	1.66	3	Vertical	203	1.16	-	27.63	31.25	5.34	34.93
PK	4.87494G	42.37	74.00	-31.63	1.66	3	Vertical	203	1.16	-	40.71	31.25	5.34	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87302G	28.99	54.00	-25.01	1.66	3	Horizontal	134	1.50	-	27.33	31.25	5.34	34.93
PK	4.87363G	42.80	74.00	-31.20	1.66	3	Horizontal	134	1.50	-	41.14	31.25	5.34	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	44.14	54.00	-9.86	31.52	3	Vertical	92	2.91	-	12.62	27.64	3.88	-
AV	2.4332G	101.52	Inf	-Inf	31.48	3	Vertical	92	2.91	-	70.04	27.53	3.95	-
AV	2.4835G	49.82	54.00	-4.18	31.53	3	Vertical	92	2.91	-	18.29	27.50	4.03	-
PK	2.3872G	57.00	74.00	-17.00	31.53	3	Vertical	92	2.91	-	25.47	27.65	3.88	-
PK	2.4336G	113.36	Inf	-Inf	31.48	3	Vertical	92	2.91	-	81.88	27.53	3.95	-
PK	2.4835G	64.45	74.00	-9.55	31.53	3	Vertical	92	2.91	-	32.92	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.36	54.00	-7.64	31.52	3	Horizontal	296	1.13	-	14.84	27.64	3.88	-
AV	2.4336G	106.12	Inf	-Inf	31.48	3	Horizontal	296	1.13	-	74.64	27.53	3.95	-
AV	2.4835G	53.78	54.00	-0.22	31.53	3	Horizontal	296	1.13	-	22.25	27.50	4.03	-
PK	2.39G	60.33	74.00	-13.67	31.52	3	Horizontal	296	1.13	-	28.81	27.64	3.88	-
PK	2.4352G	117.86	Inf	-Inf	31.48	3	Horizontal	296	1.13	-	86.38	27.53	3.95	-
PK	2.4835G	68.67	74.00	-5.33	31.53	3	Horizontal	296	1.13	-	37.14	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4598G	98.95	Inf	-Inf	31.49	3	Vertical	35	1.00	-	67.46	27.50	3.99	-
AV	2.4835G	53.10	54.00	-0.90	31.53	3	Vertical	35	1.00	-	21.57	27.50	4.03	-
PK	2.461G	111.93	Inf	-Inf	31.49	3	Vertical	35	1.00	-	80.44	27.50	3.99	-
PK	2.4848G	68.91	74.00	-5.09	31.53	3	Vertical	35	1.00	-	37.38	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4508G	102.85	Inf	-Inf	31.48	3	Horizontal	296	1.00	-	71.37	27.50	3.98	-
AV	2.4835G	53.42	54.00	-0.58	31.53	3	Horizontal	296	1.00	-	21.89	27.50	4.03	-
PK	2.4534G	115.44	Inf	-Inf	31.48	3	Horizontal	296	1.00	-	83.96	27.50	3.98	-
PK	2.4835G	70.81	74.00	-3.19	31.53	3	Horizontal	296	1.00	-	39.28	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4638G	100.69	Inf	-Inf	31.60	3	Vertical	252	1.99	-	69.09	27.60	4.00	-
AV	2.4835G	53.66	54.00	-0.34	31.63	3	Vertical	252	1.99	-	22.03	27.60	4.03	-
PK	2.462G	109.88	Inf	-Inf	31.59	3	Vertical	252	1.99	-	78.29	27.60	3.99	-
PK	2.484G	67.68	74.00	-6.32	31.63	3	Vertical	252	1.99	-	36.05	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4636G	99.89	Inf	-Inf	31.60	3	Horizontal	21	1.50	-	68.29	27.60	4.00	-
AV	2.4835G	53.34	54.00	-0.66	31.63	3	Horizontal	21	1.50	-	21.71	27.60	4.03	-
PK	2.4648G	110.06	Inf	-Inf	31.60	3	Horizontal	21	1.50	-	78.46	27.60	4.00	-
PK	2.484G	70.31	74.00	-3.69	31.63	3	Horizontal	21	1.50	-	38.68	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4688G	99.18	Inf	-Inf	31.60	3	Vertical	252	2.02	-	67.58	27.60	4.00	-
AV	2.4835G	51.74	54.00	-2.26	31.63	3	Vertical	252	2.02	-	20.11	27.60	4.03	-
PK	2.4694G	108.56	Inf	-Inf	31.60	3	Vertical	252	2.02	-	76.96	27.60	4.00	-
PK	2.4835G	70.58	74.00	-3.42	31.63	3	Vertical	252	2.02	-	38.95	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4686G	99.33	Inf	-Inf	31.60	3	Horizontal	24	1.15	-	67.73	27.60	4.00	-
AV	2.4835G	52.98	54.00	-1.02	31.63	3	Horizontal	24	1.15	-	21.35	27.60	4.03	-
PK	2.4682G	109.93	Inf	-Inf	31.60	3	Horizontal	24	1.15	-	78.33	27.60	4.00	-
PK	2.4835G	73.57	74.00	-0.43	31.63	3	Horizontal	24	1.15	-	41.94	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9232G	29.65	54.00	-24.35	1.71	3	Vertical	95	1.50	-	27.94	31.29	5.36	34.94
PK	4.92378G	43.92	74.00	-30.08	1.72	3	Vertical	95	1.50	-	42.20	31.30	5.36	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9232G	29.63	54.00	-24.37	1.71	3	Horizontal	14	1.50	-	27.92	31.29	5.36	34.94
PK	4.92334G	42.95	74.00	-31.05	1.71	3	Horizontal	14	1.50	-	41.24	31.29	5.36	34.94

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	49.00	54.00	-5.00	31.52	3	Vertical	99	2.63	-	17.48	27.64	3.88	-
AV	2.4296G	97.09	Inf	-Inf	31.54	3	Vertical	99	2.63	-	65.55	27.60	3.94	-
AV	2.4835G	45.89	54.00	-8.11	31.63	3	Vertical	99	2.63	-	14.26	27.60	4.03	-
PK	2.39G	64.65	74.00	-9.35	31.52	3	Vertical	99	2.63	-	33.13	27.64	3.88	-
PK	2.4292G	107.00	Inf	-Inf	31.54	3	Vertical	99	2.63	-	75.46	27.60	3.94	-
PK	2.4852G	58.76	74.00	-15.24	31.63	3	Vertical	99	2.63	-	27.13	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.17	54.00	-0.83	31.52	3	Horizontal	54	1.00	-	21.65	27.64	3.88	-
AV	2.43G	99.46	Inf	-Inf	31.54	3	Horizontal	54	1.00	-	67.92	27.60	3.94	-
AV	2.4835G	47.83	54.00	-6.17	31.63	3	Horizontal	54	1.00	-	16.20	27.60	4.03	-
PK	2.39G	70.03	74.00	-3.97	31.52	3	Horizontal	54	1.00	-	38.51	27.64	3.88	-
PK	2.4288G	109.71	Inf	-Inf	31.54	3	Horizontal	54	1.00	-	78.17	27.60	3.94	-
PK	2.484G	61.72	74.00	-12.28	31.63	3	Horizontal	54	1.00	-	30.09	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84254G	29.53	54.00	-24.47	1.66	3	Vertical	243	1.50	-	27.87	31.27	5.32	34.93
PK	4.84481G	42.97	74.00	-31.03	1.67	3	Vertical	243	1.50	-	41.30	31.28	5.32	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84254G	29.73	54.00	-24.27	1.66	3	Horizontal	109	1.11	-	28.07	31.27	5.32	34.93
PK	4.84401G	42.96	74.00	-31.04	1.67	3	Horizontal	109	1.11	-	41.29	31.28	5.32	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.29	54.00	-3.71	31.52	3	Vertical	253	1.90	-	18.77	27.64	3.88	-
AV	2.435G	97.41	Inf	-Inf	31.55	3	Vertical	253	1.90	-	65.86	27.60	3.95	-
AV	2.4835G	49.41	54.00	-4.59	31.63	3	Vertical	253	1.90	-	17.78	27.60	4.03	-
PK	2.3894G	65.45	74.00	-8.55	31.52	3	Vertical	253	1.90	-	33.93	27.64	3.88	-
PK	2.433G	107.48	Inf	-Inf	31.55	3	Vertical	253	1.90	-	75.93	27.60	3.95	-
PK	2.4835G	63.37	74.00	-10.63	31.63	3	Vertical	253	1.90	-	31.74	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	53.20	54.00	-0.80	31.52	3	Horizontal	57	1.00	-	21.68	27.64	3.88	-
AV	2.4835G	50.51	54.00	-3.49	31.63	3	Horizontal	57	1.00	-	18.88	27.60	4.03	-
PK	2.3898G	69.70	74.00	-4.30	31.52	3	Horizontal	57	1.00	-	38.18	27.64	3.88	-
PK	2.4835G	63.63	74.00	-10.37	31.63	3	Horizontal	57	1.00	-	32.00	27.60	4.03	-
AV	2.4322G	100.29	Inf	-Inf	31.55	3	Horizontal	57	1.00	-	68.74	27.60	3.95	-
PK	2.433G	111.33	Inf	-Inf	31.55	3	Horizontal	57	1.00	-	79.78	27.60	3.95	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.17	54.00	-8.83	31.52	3	Vertical	97	2.53	-	13.65	27.64	3.88	-
AV	2.4282G	97.22	Inf	-Inf	31.54	3	Vertical	97	2.53	-	65.68	27.60	3.94	-
AV	2.4835G	50.55	54.00	-3.45	31.63	3	Vertical	97	2.53	-	18.92	27.60	4.03	-
PK	2.3898G	57.81	74.00	-16.19	31.52	3	Vertical	97	2.53	-	26.29	27.64	3.88	-
PK	2.427G	107.04	Inf	-Inf	31.54	3	Vertical	97	2.53	-	75.50	27.60	3.94	-
PK	2.4846G	64.70	74.00	-9.30	31.63	3	Vertical	97	2.53	-	33.07	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.97	54.00	-6.03	31.52	3	Horizontal	56	1.00	-	16.45	27.64	3.88	-
AV	2.4298G	99.90	Inf	-Inf	31.54	3	Horizontal	56	1.00	-	68.36	27.60	3.94	-
AV	2.4835G	53.73	54.00	-0.27	31.63	3	Horizontal	56	1.00	-	22.10	27.60	4.03	-
PK	2.3898G	62.03	74.00	-11.97	31.52	3	Horizontal	56	1.00	-	30.51	27.64	3.88	-
PK	2.4314G	110.82	Inf	-Inf	31.55	3	Horizontal	56	1.00	-	79.27	27.60	3.95	-
PK	2.4838G	69.47	74.00	-4.53	31.63	3	Horizontal	56	1.00	-	37.84	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87257G	29.30	54.00	-24.70	1.66	3	Vertical	199	1.58	-	27.64	31.25	5.34	34.93
PK	4.8734G	42.60	74.00	-31.40	1.66	3	Vertical	199	1.58	-	40.94	31.25	5.34	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8725G	29.24	54.00	-24.76	1.66	3	Horizontal	145	1.50	-	27.58	31.25	5.34	34.93
PK	4.87361G	43.20	74.00	-30.80	1.66	3	Horizontal	145	1.50	-	41.54	31.25	5.34	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	44.45	54.00	-9.55	31.52	3	Vertical	34	1.01	-	12.93	27.64	3.88	-
AV	2.4592G	92.92	Inf	-Inf	31.49	3	Vertical	34	1.01	-	61.43	27.50	3.99	-
AV	2.4835G	53.54	54.00	-0.46	31.53	3	Vertical	34	1.01	-	22.01	27.50	4.03	-
PK	2.3544G	58.43	74.00	-15.57	31.61	3	Vertical	34	1.01	-	26.82	27.78	3.83	-
PK	2.4584G	106.63	Inf	-Inf	31.49	3	Vertical	34	1.01	-	75.14	27.50	3.99	-
PK	2.4835G	72.55	74.00	-1.45	31.53	3	Vertical	34	1.01	-	41.02	27.50	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.01	54.00	-7.99	31.52	3	Horizontal	296	1.13	-	14.49	27.64	3.88	-
AV	2.4332G	98.76	Inf	-Inf	31.48	3	Horizontal	296	1.13	-	67.28	27.53	3.95	-
AV	2.4835G	53.86	54.00	-0.14	31.53	3	Horizontal	296	1.13	-	22.33	27.50	4.03	-
PK	2.39G	60.66	74.00	-13.34	31.52	3	Horizontal	296	1.13	-	29.14	27.64	3.88	-
PK	2.4312G	111.82	Inf	-Inf	31.49	3	Horizontal	296	1.13	-	80.33	27.54	3.95	-
PK	2.4844G	71.88	74.00	-2.12	31.53	3	Horizontal	296	1.13	-	40.35	27.50	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	43.29	54.00	-10.71	31.52	3	Vertical	101	2.63	-	11.77	27.64	3.88	-
AV	2.4318G	94.61	Inf	-Inf	31.55	3	Vertical	101	2.63	-	63.06	27.60	3.95	-
AV	2.4835G	49.87	54.00	-4.13	31.63	3	Vertical	101	2.63	-	18.24	27.60	4.03	-
PK	2.3746G	56.88	74.00	-17.12	31.56	3	Vertical	101	2.63	-	25.32	27.70	3.86	-
PK	2.435G	104.86	Inf	-Inf	31.55	3	Vertical	101	2.63	-	73.31	27.60	3.95	-
PK	2.4842G	68.92	74.00	-5.08	31.63	3	Vertical	101	2.63	-	37.29	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	43.66	54.00	-10.34	31.52	3	Horizontal	57	1.00	-	12.14	27.64	3.88	-
AV	2.4326G	97.32	Inf	-Inf	31.55	3	Horizontal	57	1.00	-	65.77	27.60	3.95	-
AV	2.4835G	53.45	54.00	-0.55	31.63	3	Horizontal	57	1.00	-	21.82	27.60	4.03	-
PK	2.375G	56.93	74.00	-17.07	31.56	3	Horizontal	57	1.00	-	25.37	27.70	3.86	-
PK	2.4358G	108.50	Inf	-Inf	31.55	3	Horizontal	57	1.00	-	76.95	27.60	3.95	-
PK	2.4846G	72.33	74.00	-1.67	31.63	3	Horizontal	57	1.00	-	40.70	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	43.30	54.00	-10.70	31.52	3	Vertical	251	2.00	-	11.78	27.64	3.88	-
AV	2.4676G	94.87	Inf	-Inf	31.60	3	Vertical	251	2.00	-	63.27	27.60	4.00	-
AV	2.4835G	52.20	54.00	-1.80	31.63	3	Vertical	251	2.00	-	20.57	27.60	4.03	-
PK	2.3864G	56.69	74.00	-17.31	31.53	3	Vertical	251	2.00	-	25.16	27.65	3.88	-
PK	2.4688G	104.23	Inf	-Inf	31.60	3	Vertical	251	2.00	-	72.63	27.60	4.00	-
PK	2.484G	70.46	74.00	-3.54	31.63	3	Vertical	251	2.00	-	38.83	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	43.50	54.00	-10.50	31.52	3	Horizontal	58	1.00	-	11.98	27.64	3.88	-
AV	2.4636G	96.68	Inf	-Inf	31.60	3	Horizontal	58	1.00	-	65.08	27.60	4.00	-
AV	2.4835G	53.33	54.00	-0.67	31.63	3	Horizontal	58	1.00	-	21.70	27.60	4.03	-
PK	2.3748G	56.52	74.00	-17.48	31.56	3	Horizontal	58	1.00	-	24.96	27.70	3.86	-
PK	2.4364G	107.48	Inf	-Inf	31.55	3	Horizontal	58	1.00	-	75.93	27.60	3.95	-
PK	2.4835G	72.79	74.00	-1.21	31.63	3	Horizontal	58	1.00	-	41.16	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90288G	29.99	54.00	-24.01	1.63	3	Vertical	93	1.00	-	28.36	31.21	5.35	34.93
PK	4.90472G	43.53	74.00	-30.47	1.64	3	Vertical	93	1.00	-	41.89	31.22	5.35	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX

2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90255G	29.69	54.00	-24.31	1.63	3	Horizontal	213	1.50	-	28.06	31.21	5.35	34.93
PK	4.9038G	43.66	74.00	-30.34	1.64	3	Horizontal	213	1.50	-	42.02	31.22	5.35	34.93



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	QP	70.13M	39.90	40.00	-0.10	3	Vertical	78	1.55	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	115.36M	37.49	43.50	-6.01	3	Vertical	360	1.00	-
2437MHz	Pass	PK	258.92M	31.52	46.00	-14.48	3	Vertical	360	1.00	-
2437MHz	Pass	PK	567.38M	35.10	46.00	-10.90	3	Vertical	360	1.00	-
2437MHz	Pass	PK	960M	35.32	46.00	-10.68	3	Vertical	360	1.00	-
2437MHz	Pass	QP	41.94M	39.22	40.00	-0.78	3	Vertical	168	1.00	-
2437MHz	Pass	QP	70.13M	39.90	40.00	-0.10	3	Vertical	78	1.55	-
2437MHz	Pass	PK	97.9M	39.11	43.50	-4.39	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	423.82M	37.45	46.00	-8.55	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	553.8M	40.21	46.00	-5.79	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	953.44M	35.22	46.00	-10.78	3	Horizontal	0	1.00	-
2437MHz	Pass	QP	57.78M	35.49	40.00	-4.51	3	Horizontal	189	3.00	-
2437MHz	Pass	QP	78.76M	39.51	40.00	-0.49	3	Horizontal	220	2.32	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	115.36M	37.49	43.50	-6.01	-19.01	3	Vertical	360	1.00	-	56.50	16.61	1.05	36.67
PK	258.92M	31.52	46.00	-14.48	-15.86	3	Vertical	360	1.00	-	47.38	19.01	1.53	36.40
PK	567.38M	35.10	46.00	-10.90	-9.41	3	Vertical	360	1.00	-	44.51	25.27	2.41	37.09
PK	960M	35.32	46.00	-10.68	-4.11	3	Vertical	360	1.00	-	39.43	30.25	3.11	37.47
QP	41.94M	39.22	40.00	-0.78	-18.77	3	Vertical	168	1.00	-	57.99	17.54	0.76	37.07
QP	70.13M	39.90	40.00	-0.10	-24.73	3	Vertical	78	1.55	-	64.63	11.41	0.84	36.98

802.11ax HEW40_Nss1,(MCS0)_4TX

2437MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	97.9M	39.11	43.50	-4.39	-20.68	3	Horizontal	0	1.00	-	59.79	15.00	0.97	36.65
PK	423.82M	37.45	46.00	-8.55	-12.50	3	Horizontal	0	1.00	-	49.95	22.09	2.00	36.59
PK	553.8M	40.21	46.00	-5.79	-9.77	3	Horizontal	0	1.00	-	49.98	24.92	2.39	37.08
PK	953.44M	35.22	46.00	-10.78	-4.32	3	Horizontal	0	1.00	-	39.54	30.12	3.10	37.54
QP	57.78M	35.49	40.00	-4.51	-25.27	3	Horizontal	189	3.00	-	60.76	10.98	0.83	37.08
QP	78.76M	39.51	40.00	-0.49	-23.75	3	Horizontal	220	2.32	-	63.26	12.25	0.88	36.88

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	2.4848G	53.88	54.00	-0.12	3	Vertical	336	2.30	-
802.11g_Nss1,(6Mbps)_4TX	Pass	AV	2.4838G	53.85	54.00	-0.15	3	Vertical	156	1.34	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	2.4835G	53.96	54.00	-0.04	3	Vertical	14	2.04	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	2.484G	73.83	74.00	-0.17	3	Vertical	4	2.74	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1.(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3892G	53.60	54.00	-0.40	3	Vertical	345	2.60	-
2412MHz	Pass	AV	2.4082G	111.98	Inf	-Inf	3	Vertical	345	2.60	-
2412MHz	Pass	PK	2.389G	61.00	74.00	-13.00	3	Vertical	345	2.60	-
2412MHz	Pass	PK	2.4092G	114.51	Inf	-Inf	3	Vertical	345	2.60	-
2412MHz	Pass	AV	2.389G	46.63	54.00	-7.37	3	Horizontal	328	2.88	-
2412MHz	Pass	AV	2.4158G	108.17	Inf	-Inf	3	Horizontal	328	2.88	-
2412MHz	Pass	PK	2.39G	57.28	74.00	-16.72	3	Horizontal	328	2.88	-
2412MHz	Pass	PK	2.4148G	110.56	Inf	-Inf	3	Horizontal	328	2.88	-
2412MHz	Pass	AV	4.82393G	42.48	54.00	-11.52	3	Vertical	204	1.10	-
2412MHz	Pass	PK	4.82389G	48.46	74.00	-25.54	3	Vertical	204	1.10	-
2412MHz	Pass	AV	4.82399G	36.18	54.00	-17.82	3	Horizontal	204	1.09	-
2412MHz	Pass	PK	4.82386G	45.13	74.00	-28.87	3	Horizontal	204	1.09	-
2417MHz	Pass	AV	2.39G	52.66	54.00	-1.34	3	Vertical	345	2.88	-
2417MHz	Pass	AV	2.4208G	113.99	Inf	-Inf	3	Vertical	345	2.88	-
2417MHz	Pass	PK	2.39G	60.42	74.00	-13.58	3	Vertical	345	2.88	-
2417MHz	Pass	PK	2.421G	116.10	Inf	-Inf	3	Vertical	345	2.88	-
2417MHz	Pass	AV	2.3884G	46.69	54.00	-7.31	3	Horizontal	327.1	2.89	-
2417MHz	Pass	AV	2.4188G	111.36	Inf	-Inf	3	Horizontal	327.1	2.89	-
2417MHz	Pass	PK	2.3884G	57.25	74.00	-16.75	3	Horizontal	327.1	2.89	-
2417MHz	Pass	PK	2.4184G	113.52	Inf	-Inf	3	Horizontal	327.1	2.89	-
2422MHz	Pass	AV	2.3898G	53.78	54.00	-0.22	3	Vertical	87	2.66	-
2422MHz	Pass	AV	2.4258G	113.96	Inf	-Inf	3	Vertical	87	2.66	-
2422MHz	Pass	PK	2.39G	62.00	74.00	-12.00	3	Vertical	87	2.66	-
2422MHz	Pass	PK	2.426G	116.27	Inf	-Inf	3	Vertical	87	2.66	-
2422MHz	Pass	AV	2.39G	49.59	54.00	-4.41	3	Horizontal	64	1.03	-
2422MHz	Pass	AV	2.4238G	110.49	Inf	-Inf	3	Horizontal	64	1.03	-
2422MHz	Pass	PK	2.3898G	58.83	74.00	-15.17	3	Horizontal	64	1.03	-
2422MHz	Pass	PK	2.4236G	112.54	Inf	-Inf	3	Horizontal	64	1.03	-
2427MHz	Pass	AV	2.3892G	53.28	54.00	-0.72	3	Vertical	85	2.64	-
2427MHz	Pass	AV	2.4308G	114.31	Inf	-Inf	3	Vertical	85	2.64	-
2427MHz	Pass	PK	2.3894G	60.71	74.00	-13.29	3	Vertical	85	2.64	-
2427MHz	Pass	PK	2.431G	116.89	Inf	-Inf	3	Vertical	85	2.64	-
2427MHz	Pass	AV	2.3892G	47.95	54.00	-6.05	3	Horizontal	63	1.09	-
2427MHz	Pass	AV	2.4288G	111.15	Inf	-Inf	3	Horizontal	63	1.09	-
2427MHz	Pass	PK	2.3896G	58.25	74.00	-15.75	3	Horizontal	63	1.09	-
2427MHz	Pass	PK	2.4284G	113.42	Inf	-Inf	3	Horizontal	63	1.09	-
2437MHz	Pass	AV	2.3894G	45.15	54.00	-8.85	3	Vertical	346	2.84	-
2437MHz	Pass	AV	2.4326G	114.39	Inf	-Inf	3	Vertical	346	2.84	-
2437MHz	Pass	AV	2.4835G	51.99	54.00	-2.01	3	Vertical	346	2.84	-
2437MHz	Pass	PK	2.3518G	56.82	74.00	-17.18	3	Vertical	346	2.84	-
2437MHz	Pass	PK	2.433G	116.90	Inf	-Inf	3	Vertical	346	2.84	-
2437MHz	Pass	PK	2.4835G	60.45	74.00	-13.55	3	Vertical	346	2.84	-
2437MHz	Pass	AV	2.3878G	44.01	54.00	-9.99	3	Horizontal	326	2.91	-
2437MHz	Pass	AV	2.4354G	112.31	Inf	-Inf	3	Horizontal	326	2.91	-
2437MHz	Pass	AV	2.4835G	48.01	54.00	-5.99	3	Horizontal	326	2.91	-
2437MHz	Pass	PK	2.3578G	56.18	74.00	-17.82	3	Horizontal	326	2.91	-
2437MHz	Pass	PK	2.4342G	114.47	Inf	-Inf	3	Horizontal	326	2.91	-
2437MHz	Pass	PK	2.4835G	58.54	74.00	-15.46	3	Horizontal	326	2.91	-
2437MHz	Pass	AV	4.87374G	30.22	54.00	-23.78	3	Vertical	238	1.50	-
2437MHz	Pass	PK	4.87257G	43.27	74.00	-30.73	3	Vertical	238	1.50	-
2437MHz	Pass	AV	4.87208G	30.29	54.00	-23.71	3	Horizontal	175	1.50	-
2437MHz	Pass	PK	4.87238G	42.43	74.00	-31.57	3	Horizontal	175	1.50	-
2442MHz	Pass	AV	2.39G	47.14	54.00	-6.86	3	Vertical	336	2.30	-
2442MHz	Pass	AV	2.4384G	113.94	Inf	-Inf	3	Vertical	336	2.30	-
2442MHz	Pass	AV	2.4848G	53.88	54.00	-0.12	3	Vertical	336	2.30	-
2442MHz	Pass	PK	2.3896G	57.51	74.00	-16.49	3	Vertical	336	2.30	-
2442MHz	Pass	PK	2.4392G	116.62	Inf	-Inf	3	Vertical	336	2.30	-
2442MHz	Pass	PK	2.4848G	61.75	74.00	-12.25	3	Vertical	336	2.30	-
2442MHz	Pass	AV	2.3896G	44.98	54.00	-9.02	3	Horizontal	64	1.00	-
2442MHz	Pass	AV	2.4404G	111.39	Inf	-Inf	3	Horizontal	64	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2442MHz	Pass	AV	2.4848G	51.09	54.00	-2.91	3	Horizontal	64	1.00	-
2442MHz	Pass	PK	2.384G	56.34	74.00	-17.66	3	Horizontal	64	1.00	-
2442MHz	Pass	PK	2.4404G	113.20	Inf	-Inf	3	Horizontal	64	1.00	-
2442MHz	Pass	PK	2.4848G	59.66	74.00	-14.34	3	Horizontal	64	1.00	-
2447MHz	Pass	AV	2.4432G	113.43	Inf	-Inf	3	Vertical	339	2.18	-
2447MHz	Pass	AV	2.4848G	53.37	54.00	-0.63	3	Vertical	339	2.18	-
2447MHz	Pass	PK	2.4442G	116.03	Inf	-Inf	3	Vertical	339	2.18	-
2447MHz	Pass	PK	2.4848G	62.30	74.00	-11.70	3	Vertical	339	2.18	-
2447MHz	Pass	AV	2.4452G	110.76	Inf	-Inf	3	Horizontal	63	1.00	-
2447MHz	Pass	AV	2.4846G	50.92	54.00	-3.08	3	Horizontal	63	1.00	-
2447MHz	Pass	PK	2.4442G	112.68	Inf	-Inf	3	Horizontal	63	1.00	-
2447MHz	Pass	PK	2.4848G	59.86	74.00	-14.14	3	Horizontal	63	1.00	-
2452MHz	Pass	AV	2.4538G	111.71	Inf	-Inf	3	Vertical	340	2.22	-
2452MHz	Pass	AV	2.484G	52.83	54.00	-1.17	3	Vertical	340	2.22	-
2452MHz	Pass	PK	2.4534G	114.14	Inf	-Inf	3	Vertical	340	2.22	-
2452MHz	Pass	PK	2.484G	61.73	74.00	-12.27	3	Vertical	340	2.22	-
2452MHz	Pass	AV	2.4538G	108.37	Inf	-Inf	3	Horizontal	63	1.06	-
2452MHz	Pass	AV	2.484G	49.47	54.00	-4.53	3	Horizontal	63	1.06	-
2452MHz	Pass	PK	2.4548G	110.47	Inf	-Inf	3	Horizontal	63	1.06	-
2452MHz	Pass	PK	2.4842G	59.71	74.00	-14.29	3	Horizontal	63	1.06	-
2457MHz	Pass	AV	2.4608G	111.64	Inf	-Inf	3	Vertical	343	2.78	-
2457MHz	Pass	AV	2.4835G	53.50	54.00	-0.50	3	Vertical	343	2.78	-
2457MHz	Pass	PK	2.4598G	114.00	Inf	-Inf	3	Vertical	343	2.78	-
2457MHz	Pass	PK	2.484G	62.53	74.00	-11.47	3	Vertical	343	2.78	-
2457MHz	Pass	AV	2.4608G	106.55	Inf	-Inf	3	Horizontal	316	1.58	-
2457MHz	Pass	AV	2.4835G	50.86	54.00	-3.14	3	Horizontal	316	1.58	-
2457MHz	Pass	PK	2.4596G	108.78	Inf	-Inf	3	Horizontal	316	1.58	-
2457MHz	Pass	PK	2.4838G	60.38	74.00	-13.62	3	Horizontal	316	1.58	-
2462MHz	Pass	AV	2.4636G	109.31	Inf	-Inf	3	Vertical	95	2.79	-
2462MHz	Pass	AV	2.4835G	53.49	54.00	-0.51	3	Vertical	95	2.79	-
2462MHz	Pass	PK	2.4648G	111.74	Inf	-Inf	3	Vertical	95	2.79	-
2462MHz	Pass	PK	2.4835G	60.90	74.00	-13.10	3	Vertical	95	2.79	-
2462MHz	Pass	AV	2.4656G	104.54	Inf	-Inf	3	Horizontal	319	1.56	-
2462MHz	Pass	AV	2.4835G	50.19	54.00	-3.81	3	Horizontal	319	1.56	-
2462MHz	Pass	PK	2.4648G	106.98	Inf	-Inf	3	Horizontal	319	1.56	-
2462MHz	Pass	PK	2.4838G	58.87	74.00	-15.13	3	Horizontal	319	1.56	-
2462MHz	Pass	AV	4.92395G	34.18	54.00	-19.82	3	Vertical	195	1.50	-
2462MHz	Pass	PK	4.92539G	46.90	74.00	-27.10	3	Vertical	195	1.50	-
2462MHz	Pass	AV	4.92389G	32.12	54.00	-21.88	3	Horizontal	208	1.00	-
2462MHz	Pass	PK	4.92396G	43.77	74.00	-30.23	3	Horizontal	208	1.00	-
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.76	54.00	-2.24	3	Vertical	158	1.90	-
2412MHz	Pass	AV	2.417G	106.46	Inf	-Inf	3	Vertical	158	1.90	-
2412MHz	Pass	PK	2.3896G	64.83	74.00	-9.17	3	Vertical	158	1.90	-
2412MHz	Pass	PK	2.417G	114.69	Inf	-Inf	3	Vertical	158	1.90	-
2412MHz	Pass	AV	2.39G	53.54	54.00	-0.46	3	Horizontal	112	2.32	-
2412MHz	Pass	AV	2.4128G	102.58	Inf	-Inf	3	Horizontal	112	2.32	-
2412MHz	Pass	PK	2.4132G	111.19	Inf	-Inf	3	Horizontal	112	2.32	-
2412MHz	Pass	PK	2.39G	66.86	74.00	-7.14	3	Horizontal	112	2.32	-
2412MHz	Pass	AV	4.82388G	32.90	54.00	-21.10	3	Vertical	130	1.50	-
2412MHz	Pass	PK	4.82357G	43.49	74.00	-30.51	3	Vertical	130	1.50	-
2412MHz	Pass	AV	4.82635G	31.22	54.00	-22.78	3	Horizontal	202	1.73	-
2412MHz	Pass	PK	4.82537G	42.60	74.00	-31.40	3	Horizontal	202	1.73	-
2417MHz	Pass	AV	2.39G	53.58	54.00	-0.42	3	Vertical	154	2.03	-
2417MHz	Pass	AV	2.4216G	109.24	Inf	-Inf	3	Vertical	154	2.03	-
2417MHz	Pass	PK	2.3898G	69.81	74.00	-4.19	3	Vertical	154	2.03	-
2417MHz	Pass	PK	2.422G	118.42	Inf	-Inf	3	Vertical	154	2.03	-
2417MHz	Pass	AV	2.39G	48.11	54.00	-5.89	3	Horizontal	15	1.20	-
2417MHz	Pass	AV	2.414G	105.31	Inf	-Inf	3	Horizontal	15	1.20	-
2417MHz	Pass	PK	2.39G	63.93	74.00	-10.07	3	Horizontal	15	1.20	-
2417MHz	Pass	PK	2.4144G	114.15	Inf	-Inf	3	Horizontal	15	1.20	-
2437MHz	Pass	AV	2.3886G	45.53	54.00	-8.47	3	Vertical	158	1.82	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.4414G	109.63	Inf	-Inf	3	Vertical	158	1.82	-
2437MHz	Pass	AV	2.4835G	53.29	54.00	-0.71	3	Vertical	158	1.82	-
2437MHz	Pass	PK	2.3678G	56.80	74.00	-17.20	3	Vertical	158	1.82	-
2437MHz	Pass	PK	2.4414G	118.21	Inf	-Inf	3	Vertical	158	1.82	-
2437MHz	Pass	PK	2.4835G	68.35	74.00	-5.65	3	Vertical	158	1.82	-
2437MHz	Pass	AV	2.3894G	45.63	54.00	-8.37	3	Horizontal	109	2.89	-
2437MHz	Pass	AV	2.4378G	107.17	Inf	-Inf	3	Horizontal	109	2.89	-
2437MHz	Pass	AV	2.4835G	48.20	54.00	-5.80	3	Horizontal	109	2.89	-
2437MHz	Pass	PK	2.3898G	58.02	74.00	-15.98	3	Horizontal	109	2.89	-
2437MHz	Pass	PK	2.4378G	116.48	Inf	-Inf	3	Horizontal	109	2.89	-
2437MHz	Pass	PK	2.487G	59.78	74.00	-14.22	3	Horizontal	109	2.89	-
2437MHz	Pass	AV	4.87228G	31.01	54.00	-22.99	3	Vertical	324	1.50	-
2437MHz	Pass	PK	4.87174G	42.57	74.00	-31.43	3	Vertical	324	1.50	-
2437MHz	Pass	AV	4.87219G	30.84	54.00	-23.16	3	Horizontal	40	2.62	-
2437MHz	Pass	PK	4.87151G	42.71	74.00	-31.29	3	Horizontal	40	2.62	-
2442MHz	Pass	AV	2.39G	48.39	54.00	-5.61	3	Vertical	195	1.50	-
2442MHz	Pass	AV	2.4496G	106.50	Inf	-Inf	3	Vertical	195	1.50	-
2442MHz	Pass	AV	2.4872G	52.85	54.00	-1.15	3	Vertical	195	1.50	-
2442MHz	Pass	PK	2.39G	63.22	74.00	-10.78	3	Vertical	195	1.50	-
2442MHz	Pass	PK	2.4492G	115.66	Inf	-Inf	3	Vertical	195	1.50	-
2442MHz	Pass	PK	2.4872G	66.92	74.00	-7.08	3	Vertical	195	1.50	-
2442MHz	Pass	AV	2.3896G	45.73	54.00	-8.27	3	Horizontal	164	2.79	-
2442MHz	Pass	AV	2.4364G	102.25	Inf	-Inf	3	Horizontal	164	2.79	-
2442MHz	Pass	AV	2.484G	50.79	54.00	-3.21	3	Horizontal	164	2.79	-
2442MHz	Pass	PK	2.3896G	57.31	74.00	-16.69	3	Horizontal	164	2.79	-
2442MHz	Pass	PK	2.4356G	110.87	Inf	-Inf	3	Horizontal	164	2.79	-
2442MHz	Pass	PK	2.484G	63.22	74.00	-10.78	3	Horizontal	164	2.79	-
2447MHz	Pass	AV	2.4546G	107.01	Inf	-Inf	3	Vertical	196	1.50	-
2447MHz	Pass	AV	2.4838G	53.73	54.00	-0.27	3	Vertical	196	1.50	-
2447MHz	Pass	PK	2.4544G	115.23	Inf	-Inf	3	Vertical	196	1.50	-
2447MHz	Pass	PK	2.4835G	67.09	74.00	-6.91	3	Vertical	196	1.50	-
2447MHz	Pass	AV	2.454G	104.66	Inf	-Inf	3	Horizontal	194	2.22	-
2447MHz	Pass	AV	2.485G	50.94	54.00	-3.06	3	Horizontal	194	2.22	-
2447MHz	Pass	PK	2.454G	113.72	Inf	-Inf	3	Horizontal	194	2.22	-
2447MHz	Pass	PK	2.4878G	62.31	74.00	-11.69	3	Horizontal	194	2.22	-
2452MHz	Pass	AV	2.4596G	106.24	Inf	-Inf	3	Vertical	195	1.50	-
2452MHz	Pass	AV	2.4835G	53.52	54.00	-0.48	3	Vertical	195	1.50	-
2452MHz	Pass	PK	2.4592G	114.86	Inf	-Inf	3	Vertical	195	1.50	-
2452MHz	Pass	PK	2.4868G	65.29	74.00	-8.71	3	Vertical	195	1.50	-
2452MHz	Pass	AV	2.4564G	103.69	Inf	-Inf	3	Horizontal	194	1.05	-
2452MHz	Pass	AV	2.4835G	50.06	54.00	-3.94	3	Horizontal	194	1.05	-
2452MHz	Pass	PK	2.4576G	112.82	Inf	-Inf	3	Horizontal	194	1.05	-
2452MHz	Pass	PK	2.4858G	61.69	74.00	-12.31	3	Horizontal	194	1.05	-
2457MHz	Pass	AV	2.4616G	105.05	Inf	-Inf	3	Vertical	161	1.77	-
2457MHz	Pass	AV	2.4835G	53.45	54.00	-0.55	3	Vertical	161	1.77	-
2457MHz	Pass	PK	2.4602G	114.15	Inf	-Inf	3	Vertical	161	1.77	-
2457MHz	Pass	PK	2.4846G	66.03	74.00	-7.97	3	Vertical	161	1.77	-
2457MHz	Pass	AV	2.4628G	101.07	Inf	-Inf	3	Horizontal	295	1.33	-
2457MHz	Pass	AV	2.4836G	51.57	54.00	-2.43	3	Horizontal	295	1.33	-
2457MHz	Pass	PK	2.4626G	109.39	Inf	-Inf	3	Horizontal	295	1.33	-
2457MHz	Pass	PK	2.4848G	64.96	74.00	-9.04	3	Horizontal	295	1.33	-
2462MHz	Pass	AV	2.4668G	103.84	Inf	-Inf	3	Vertical	156	1.34	-
2462MHz	Pass	AV	2.4838G	53.85	54.00	-0.15	3	Vertical	156	1.34	-
2462MHz	Pass	PK	2.4668G	112.02	Inf	-Inf	3	Vertical	156	1.34	-
2462MHz	Pass	PK	2.4848G	70.13	74.00	-3.87	3	Vertical	156	1.34	-
2462MHz	Pass	AV	2.4684G	100.15	Inf	-Inf	3	Horizontal	293	1.56	-
2462MHz	Pass	AV	2.4864G	50.05	54.00	-3.95	3	Horizontal	293	1.56	-
2462MHz	Pass	PK	2.4684G	108.49	Inf	-Inf	3	Horizontal	293	1.56	-
2462MHz	Pass	PK	2.4852G	64.55	74.00	-9.45	3	Horizontal	293	1.56	-
2462MHz	Pass	AV	4.92384G	31.14	54.00	-22.86	3	Vertical	164	1.50	-
2462MHz	Pass	PK	4.92593G	43.88	74.00	-30.12	3	Vertical	164	1.50	-
2462MHz	Pass	AV	4.92222G	31.04	54.00	-22.96	3	Horizontal	168	1.62	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	4.92299G	43.27	74.00	-30.73	3	Horizontal	168	1.62	-
802.11ax HEW20_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.65	54.00	-0.35	3	Vertical	258	2.59	-
2412MHz	Pass	AV	2.4056G	103.82	Inf	-Inf	3	Vertical	258	2.59	-
2412MHz	Pass	PK	2.39G	70.45	74.00	-3.55	3	Vertical	258	2.59	-
2412MHz	Pass	PK	2.4064G	114.08	Inf	-Inf	3	Vertical	258	2.59	-
2412MHz	Pass	AV	2.39G	50.23	54.00	-3.77	3	Horizontal	333	1.19	-
2412MHz	Pass	AV	2.417G	99.85	Inf	-Inf	3	Horizontal	333	1.19	-
2412MHz	Pass	PK	2.3896G	67.01	74.00	-6.99	3	Horizontal	333	1.19	-
2412MHz	Pass	PK	2.417G	109.61	Inf	-Inf	3	Horizontal	333	1.19	-
2412MHz	Pass	AV	4.82391G	29.81	54.00	-24.19	3	Vertical	131	1.41	-
2412MHz	Pass	PK	4.82209G	43.25	74.00	-30.75	3	Vertical	131	1.41	-
2412MHz	Pass	AV	4.82155G	29.32	54.00	-24.68	3	Horizontal	156	1.50	-
2412MHz	Pass	PK	4.8216G	42.88	74.00	-31.12	3	Horizontal	156	1.50	-
2417MHz	Pass	AV	2.39G	53.89	54.00	-0.11	3	Vertical	4	2.85	-
2417MHz	Pass	AV	2.4244G	106.75	Inf	-Inf	3	Vertical	4	2.85	-
2417MHz	Pass	PK	2.39G	69.31	74.00	-4.69	3	Vertical	4	2.85	-
2417MHz	Pass	PK	2.4234G	116.03	Inf	-Inf	3	Vertical	4	2.85	-
2417MHz	Pass	AV	2.39G	50.75	54.00	-3.25	3	Horizontal	283	1.23	-
2417MHz	Pass	AV	2.4244G	103.76	Inf	-Inf	3	Horizontal	283	1.23	-
2417MHz	Pass	PK	2.39G	66.79	74.00	-7.21	3	Horizontal	283	1.23	-
2417MHz	Pass	PK	2.4238G	114.23	Inf	-Inf	3	Horizontal	283	1.23	-
2422MHz	Pass	AV	2.39G	48.59	54.00	-5.41	3	Vertical	190	1.58	-
2422MHz	Pass	AV	2.4298G	94.80	Inf	-Inf	3	Vertical	190	1.58	-
2422MHz	Pass	PK	2.39G	62.37	74.00	-11.63	3	Vertical	190	1.58	-
2422MHz	Pass	PK	2.4284G	113.82	Inf	-Inf	3	Vertical	190	1.58	-
2422MHz	Pass	PK	2.3898G	64.23	74.00	-9.77	3	Horizontal	344	1.37	-
2422MHz	Pass	AV	2.39G	49.98	54.00	-4.02	3	Horizontal	344	1.37	-
2422MHz	Pass	PK	2.4302G	113.16	Inf	-Inf	3	Horizontal	344	1.37	-
2422MHz	Pass	AV	2.4304G	102.08	Inf	-Inf	3	Horizontal	344	1.37	-
2437MHz	Pass	AV	2.3898G	46.59	54.00	-7.41	3	Vertical	4	2.84	-
2437MHz	Pass	AV	2.4306G	107.78	Inf	-Inf	3	Vertical	4	2.84	-
2437MHz	Pass	AV	2.4835G	53.38	54.00	-0.62	3	Vertical	4	2.84	-
2437MHz	Pass	PK	2.3898G	59.78	74.00	-14.22	3	Vertical	4	2.84	-
2437MHz	Pass	PK	2.4326G	117.45	Inf	-Inf	3	Vertical	4	2.84	-
2437MHz	Pass	PK	2.4835G	68.25	74.00	-5.75	3	Vertical	4	2.84	-
2437MHz	Pass	AV	2.3898G	45.30	54.00	-8.70	3	Horizontal	285	1.13	-
2437MHz	Pass	AV	2.433G	104.64	Inf	-Inf	3	Horizontal	285	1.13	-
2437MHz	Pass	AV	2.4835G	49.65	54.00	-4.35	3	Horizontal	285	1.13	-
2437MHz	Pass	PK	2.3898G	57.59	74.00	-16.41	3	Horizontal	285	1.13	-
2437MHz	Pass	PK	2.4314G	115.36	Inf	-Inf	3	Horizontal	285	1.13	-
2437MHz	Pass	PK	2.4835G	62.64	74.00	-11.36	3	Horizontal	285	1.13	-
2437MHz	Pass	AV	4.87168G	29.22	54.00	-24.78	3	Vertical	156	1.50	-
2437MHz	Pass	PK	4.87185G	42.68	74.00	-31.32	3	Vertical	156	1.50	-
2437MHz	Pass	AV	4.87189G	29.17	54.00	-24.83	3	Horizontal	176	1.50	-
2437MHz	Pass	PK	4.87297G	42.46	74.00	-31.54	3	Horizontal	176	1.50	-
2442MHz	Pass	AV	2.39G	45.25	54.00	-8.75	3	Vertical	14	2.05	-
2442MHz	Pass	AV	2.4384G	105.33	Inf	-Inf	3	Vertical	14	2.05	-
2442MHz	Pass	AV	2.4835G	52.84	54.00	-1.16	3	Vertical	14	2.05	-
2442MHz	Pass	PK	2.39G	58.58	74.00	-15.42	3	Vertical	14	2.05	-
2442MHz	Pass	PK	2.4444G	117.56	Inf	-Inf	3	Vertical	14	2.05	-
2442MHz	Pass	PK	2.486G	68.87	74.00	-5.13	3	Vertical	14	2.05	-
2442MHz	Pass	AV	2.39G	43.93	54.00	-10.07	3	Horizontal	342	1.41	-
2442MHz	Pass	AV	2.4388G	101.28	Inf	-Inf	3	Horizontal	342	1.41	-
2442MHz	Pass	AV	2.4835G	49.15	54.00	-4.85	3	Horizontal	342	1.41	-
2442MHz	Pass	PK	2.3476G	57.04	74.00	-16.96	3	Horizontal	342	1.41	-
2442MHz	Pass	PK	2.4364G	113.33	Inf	-Inf	3	Horizontal	342	1.41	-
2442MHz	Pass	PK	2.484G	64.57	74.00	-9.43	3	Horizontal	342	1.41	-
2447MHz	Pass	AV	2.4398G	104.81	Inf	-Inf	3	Vertical	14	2.04	-
2447MHz	Pass	AV	2.4835G	53.96	54.00	-0.04	3	Vertical	14	2.04	-
2447MHz	Pass	PK	2.4412G	117.96	Inf	-Inf	3	Vertical	14	2.04	-
2447MHz	Pass	PK	2.4856G	69.74	74.00	-4.26	3	Vertical	14	2.04	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	AV	2.44G	100.29	Inf	-Inf	3	Horizontal	344	1.42	-
2447MHz	Pass	AV	2.4835G	50.23	54.00	-3.77	3	Horizontal	344	1.42	-
2447MHz	Pass	PK	2.4412G	113.37	Inf	-Inf	3	Horizontal	344	1.42	-
2447MHz	Pass	PK	2.4836G	65.54	74.00	-8.46	3	Horizontal	344	1.42	-
2452MHz	Pass	AV	2.39G	43.38	54.00	-10.62	3	Vertical	20	2.04	-
2452MHz	Pass	AV	2.46G	103.86	Inf	-Inf	3	Vertical	20	2.04	-
2452MHz	Pass	AV	2.4835G	53.14	54.00	-0.86	3	Vertical	20	2.04	-
2452MHz	Pass	PK	2.3624G	56.81	74.00	-17.19	3	Vertical	20	2.04	-
2452MHz	Pass	PK	2.4592G	115.96	Inf	-Inf	3	Vertical	20	2.04	-
2452MHz	Pass	PK	2.4856G	69.42	74.00	-4.58	3	Vertical	20	2.04	-
2452MHz	Pass	AV	2.3524G	43.26	54.00	-10.74	3	Horizontal	348	1.50	-
2452MHz	Pass	AV	2.4596G	98.51	Inf	-Inf	3	Horizontal	348	1.50	-
2452MHz	Pass	AV	2.4835G	49.10	54.00	-4.90	3	Horizontal	348	1.50	-
2452MHz	Pass	PK	2.3524G	56.27	74.00	-17.73	3	Horizontal	348	1.50	-
2452MHz	Pass	PK	2.4528G	111.24	Inf	-Inf	3	Horizontal	348	1.50	-
2452MHz	Pass	PK	2.4848G	63.89	74.00	-10.11	3	Horizontal	348	1.50	-
2457MHz	Pass	AV	2.4634G	103.63	Inf	-Inf	3	Vertical	17	2.30	-
2457MHz	Pass	AV	2.4835G	53.45	54.00	-0.55	3	Vertical	17	2.30	-
2457MHz	Pass	PK	2.4602G	114.10	Inf	-Inf	3	Vertical	17	2.30	-
2457MHz	Pass	PK	2.4854G	68.48	74.00	-5.52	3	Vertical	17	2.30	-
2457MHz	Pass	AV	2.4644G	100.02	Inf	-Inf	3	Horizontal	283	1.09	-
2457MHz	Pass	AV	2.4835G	50.33	54.00	-3.67	3	Horizontal	283	1.09	-
2457MHz	Pass	PK	2.4632G	109.64	Inf	-Inf	3	Horizontal	283	1.09	-
2457MHz	Pass	PK	2.4848G	65.02	74.00	-8.98	3	Horizontal	283	1.09	-
2462MHz	Pass	AV	2.4694G	102.35	Inf	-Inf	3	Vertical	9	1.97	-
2462MHz	Pass	AV	2.4835G	53.54	54.00	-0.46	3	Vertical	9	1.97	-
2462MHz	Pass	PK	2.469G	113.75	Inf	-Inf	3	Vertical	9	1.97	-
2462MHz	Pass	PK	2.4835G	73.54	74.00	-0.46	3	Vertical	9	1.97	-
2462MHz	Pass	AV	2.4694G	98.93	Inf	-Inf	3	Horizontal	284	1.07	-
2462MHz	Pass	AV	2.4835G	49.74	54.00	-4.26	3	Horizontal	284	1.07	-
2462MHz	Pass	PK	2.4662G	109.56	Inf	-Inf	3	Horizontal	284	1.07	-
2462MHz	Pass	PK	2.4836G	67.35	74.00	-6.65	3	Horizontal	284	1.07	-
2462MHz	Pass	AV	4.92168G	29.39	54.00	-24.61	3	Vertical	80	1.50	-
2462MHz	Pass	PK	4.92386G	43.78	74.00	-30.22	3	Vertical	80	1.50	-
2462MHz	Pass	AV	4.92285G	29.41	54.00	-24.59	3	Horizontal	212	1.50	-
2462MHz	Pass	PK	4.92435G	43.64	74.00	-30.36	3	Horizontal	212	1.50	-
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	52.75	54.00	-1.25	3	Vertical	3	2.87	-
2422MHz	Pass	AV	2.4296G	100.88	Inf	-Inf	3	Vertical	3	2.87	-
2422MHz	Pass	AV	2.4835G	49.15	54.00	-4.85	3	Vertical	3	2.87	-
2422MHz	Pass	PK	2.39G	69.85	74.00	-4.15	3	Vertical	3	2.87	-
2422MHz	Pass	PK	2.4384G	110.69	Inf	-Inf	3	Vertical	3	2.87	-
2422MHz	Pass	PK	2.484G	62.92	74.00	-11.08	3	Vertical	3	2.87	-
2422MHz	Pass	AV	2.39G	49.30	54.00	-4.70	3	Horizontal	284	1.21	-
2422MHz	Pass	AV	2.4296G	97.59	Inf	-Inf	3	Horizontal	284	1.21	-
2422MHz	Pass	AV	2.4835G	46.44	54.00	-7.56	3	Horizontal	284	1.21	-
2422MHz	Pass	PK	2.39G	66.02	74.00	-7.98	3	Horizontal	284	1.21	-
2422MHz	Pass	PK	2.4308G	107.67	Inf	-Inf	3	Horizontal	284	1.21	-
2422MHz	Pass	PK	2.4835G	59.70	74.00	-14.30	3	Horizontal	284	1.21	-
2422MHz	Pass	AV	4.84158G	29.83	54.00	-24.17	3	Vertical	129	1.50	-
2422MHz	Pass	PK	4.84208G	44.36	74.00	-29.64	3	Vertical	129	1.50	-
2422MHz	Pass	AV	4.8415G	29.83	54.00	-24.17	3	Horizontal	271	1.00	-
2422MHz	Pass	PK	4.84493G	42.86	74.00	-31.14	3	Horizontal	271	1.00	-
2437MHz	Pass	AV	2.3898G	46.43	54.00	-7.57	3	Vertical	6	2.21	-
2437MHz	Pass	AV	2.4294G	100.32	Inf	-Inf	3	Vertical	6	2.21	-
2437MHz	Pass	AV	2.4835G	53.42	54.00	-0.58	3	Vertical	6	2.21	-
2437MHz	Pass	PK	2.3898G	61.42	74.00	-12.58	3	Vertical	6	2.21	-
2437MHz	Pass	PK	2.439G	111.92	Inf	-Inf	3	Vertical	6	2.21	-
2437MHz	Pass	PK	2.4838G	69.45	74.00	-4.55	3	Vertical	6	2.21	-
2437MHz	Pass	AV	2.3898G	45.07	54.00	-8.93	3	Horizontal	284	1.10	-
2437MHz	Pass	AV	2.4306G	97.39	Inf	-Inf	3	Horizontal	284	1.10	-
2437MHz	Pass	AV	2.4835G	49.73	54.00	-4.27	3	Horizontal	284	1.10	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.3898G	58.75	74.00	-15.25	3	Horizontal	284	1.10	-
2437MHz	Pass	PK	2.4326G	108.57	Inf	-Inf	3	Horizontal	284	1.10	-
2437MHz	Pass	PK	2.4838G	64.51	74.00	-9.49	3	Horizontal	284	1.10	-
2437MHz	Pass	AV	4.8715G	29.06	54.00	-24.94	3	Vertical	162	2.00	-
2437MHz	Pass	PK	4.8717G	42.90	74.00	-31.10	3	Vertical	162	2.00	-
2437MHz	Pass	AV	4.87163G	29.12	54.00	-24.88	3	Horizontal	245	1.50	-
2437MHz	Pass	PK	4.87155G	42.96	74.00	-31.04	3	Horizontal	245	1.50	-
2442MHz	Pass	AV	2.39G	45.16	54.00	-8.84	3	Vertical	13	2.05	-
2442MHz	Pass	AV	2.4352G	97.92	Inf	-Inf	3	Vertical	13	2.05	-
2442MHz	Pass	AV	2.4835G	53.13	54.00	-0.87	3	Vertical	13	2.05	-
2442MHz	Pass	PK	2.3888G	59.18	74.00	-14.82	3	Vertical	13	2.05	-
2442MHz	Pass	PK	2.432G	110.71	Inf	-Inf	3	Vertical	13	2.05	-
2442MHz	Pass	PK	2.4835G	71.03	74.00	-2.97	3	Vertical	13	2.05	-
2442MHz	Pass	AV	2.39G	44.23	54.00	-9.77	3	Horizontal	344	1.39	-
2442MHz	Pass	AV	2.4356G	94.29	Inf	-Inf	3	Horizontal	344	1.39	-
2442MHz	Pass	AV	2.4835G	50.14	54.00	-3.86	3	Horizontal	344	1.39	-
2442MHz	Pass	PK	2.39G	57.29	74.00	-16.71	3	Horizontal	344	1.39	-
2442MHz	Pass	PK	2.4324G	107.50	Inf	-Inf	3	Horizontal	344	1.39	-
2442MHz	Pass	PK	2.4835G	66.60	74.00	-7.40	3	Horizontal	344	1.39	-
2447MHz	Pass	AV	2.3898G	43.44	54.00	-10.56	3	Vertical	4	2.24	-
2447MHz	Pass	AV	2.4382G	98.75	Inf	-Inf	3	Vertical	4	2.24	-
2447MHz	Pass	AV	2.4835G	53.24	54.00	-0.76	3	Vertical	4	2.24	-
2447MHz	Pass	PK	2.3634G	56.76	74.00	-17.24	3	Vertical	4	2.24	-
2447MHz	Pass	PK	2.4394G	109.66	Inf	-Inf	3	Vertical	4	2.24	-
2447MHz	Pass	PK	2.4838G	70.18	74.00	-3.82	3	Vertical	4	2.24	-
2447MHz	Pass	AV	2.3894G	43.20	54.00	-10.80	3	Horizontal	284	1.12	-
2447MHz	Pass	AV	2.4382G	95.75	Inf	-Inf	3	Horizontal	284	1.12	-
2447MHz	Pass	AV	2.4835G	49.44	54.00	-4.56	3	Horizontal	284	1.12	-
2447MHz	Pass	PK	2.3734G	55.74	74.00	-18.26	3	Horizontal	284	1.12	-
2447MHz	Pass	PK	2.4394G	106.40	Inf	-Inf	3	Horizontal	284	1.12	-
2447MHz	Pass	PK	2.4842G	65.12	74.00	-8.88	3	Horizontal	284	1.12	-
2452MHz	Pass	AV	2.39G	43.26	54.00	-10.74	3	Vertical	4	2.74	-
2452MHz	Pass	AV	2.4608G	97.91	Inf	-Inf	3	Vertical	4	2.74	-
2452MHz	Pass	AV	2.4835G	52.62	54.00	-1.38	3	Vertical	4	2.74	-
2452MHz	Pass	PK	2.3892G	56.29	74.00	-17.71	3	Vertical	4	2.74	-
2452MHz	Pass	PK	2.4564G	108.68	Inf	-Inf	3	Vertical	4	2.74	-
2452MHz	Pass	PK	2.484G	73.83	74.00	-0.17	3	Vertical	4	2.74	-
2452MHz	Pass	AV	2.3528G	43.08	54.00	-10.92	3	Horizontal	287	1.08	-
2452MHz	Pass	AV	2.4368G	93.95	Inf	-Inf	3	Horizontal	287	1.08	-
2452MHz	Pass	AV	2.4835G	48.38	54.00	-5.62	3	Horizontal	287	1.08	-
2452MHz	Pass	PK	2.366G	57.08	74.00	-16.92	3	Horizontal	287	1.08	-
2452MHz	Pass	PK	2.4364G	104.89	Inf	-Inf	3	Horizontal	287	1.08	-
2452MHz	Pass	PK	2.4835G	68.60	74.00	-5.40	3	Horizontal	287	1.08	-
2452MHz	Pass	AV	4.90161G	29.62	54.00	-24.38	3	Vertical	139	1.49	-
2452MHz	Pass	PK	4.90292G	43.20	74.00	-30.80	3	Vertical	139	1.49	-
2452MHz	Pass	AV	4.90196G	29.61	54.00	-24.39	3	Horizontal	307.1	1.50	-
2452MHz	Pass	PK	4.90256G	43.04	74.00	-30.96	3	Horizontal	307.1	1.50	-

802.11b_Nss1,(1Mbps)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3892G	53.60	54.00	-0.40	31.52	3	Vertical	345	2.60	-	22.08	27.64	3.88	-
AV	2.4082G	111.98	Inf	-Inf	31.51	3	Vertical	345	2.60	-	80.47	27.60	3.91	-
PK	2.389G	61.00	74.00	-13.00	31.52	3	Vertical	345	2.60	-	29.48	27.64	3.88	-
PK	2.4092G	114.51	Inf	-Inf	31.51	3	Vertical	345	2.60	-	83.00	27.60	3.91	-

802.11b_Nss1,(1Mbps)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	46.63	54.00	-7.37	31.52	3	Horizontal	328	2.88	-	15.11	27.64	3.88	-
AV	2.4158G	108.17	Inf	-Inf	31.52	3	Horizontal	328	2.88	-	76.65	27.60	3.92	-
PK	2.39G	57.28	74.00	-16.72	31.52	3	Horizontal	328	2.88	-	25.76	27.64	3.88	-
PK	2.4148G	110.56	Inf	-Inf	31.52	3	Horizontal	328	2.88	-	79.04	27.60	3.92	-

802.11b_Nss1,(1Mbps)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82393G	42.48	54.00	-11.52	1.58	3	Vertical	204	1.10	-	40.90	31.20	5.31	34.93
PK	4.82389G	48.46	74.00	-25.54	1.58	3	Vertical	204	1.10	-	46.88	31.20	5.31	34.93

802.11b_Nss1,(1Mbps)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82399G	36.18	54.00	-17.82	1.58	3	Horizontal	204	1.09	-	34.60	31.20	5.31	34.93
PK	4.82386G	45.13	74.00	-28.87	1.58	3	Horizontal	204	1.09	-	43.55	31.20	5.31	34.93

802.11b_Nss1,(1Mbps)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	52.66	54.00	-1.34	31.52	3	Vertical	345	2.88	-	21.14	27.64	3.88	-
AV	2.4208G	113.99	Inf	-Inf	31.53	3	Vertical	345	2.88	-	82.46	27.60	3.93	-
PK	2.39G	60.42	74.00	-13.58	31.52	3	Vertical	345	2.88	-	28.90	27.64	3.88	-
PK	2.421G	116.10	Inf	-Inf	31.53	3	Vertical	345	2.88	-	84.57	27.60	3.93	-

802.11b_Nss1,(1Mbps)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	46.69	54.00	-7.31	31.53	3	Horizontal	327	2.89	-	15.16	27.65	3.88	-
AV	2.4188G	111.36	Inf	-Inf	31.53	3	Horizontal	327	2.89	-	79.83	27.60	3.93	-
PK	2.3884G	57.25	74.00	-16.75	31.53	3	Horizontal	327	2.89	-	25.72	27.65	3.88	-
PK	2.4184G	113.52	Inf	-Inf	31.53	3	Horizontal	327	2.89	-	81.99	27.60	3.93	-

802.11b_Nss1,(1Mbps)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.78	54.00	-0.22	31.52	3	Vertical	87	2.66	-	22.26	27.64	3.88	-
AV	2.4258G	113.96	Inf	-Inf	31.49	3	Vertical	87	2.66	-	82.47	27.55	3.94	-
PK	2.39G	62.00	74.00	-12.00	31.52	3	Vertical	87	2.66	-	30.48	27.64	3.88	-
PK	2.426G	116.27	Inf	-Inf	31.49	3	Vertical	87	2.66	-	84.78	27.55	3.94	-

802.11b_Nss1,(1Mbps)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	49.59	54.00	-4.41	31.52	3	Horizontal	64	1.03	-	18.07	27.64	3.88	-
AV	2.4238G	110.49	Inf	-Inf	31.49	3	Horizontal	64	1.03	-	79.00	27.55	3.94	-
PK	2.3898G	58.83	74.00	-15.17	31.52	3	Horizontal	64	1.03	-	27.31	27.64	3.88	-
PK	2.4236G	112.54	Inf	-Inf	31.49	3	Horizontal	64	1.03	-	81.05	27.55	3.94	-

802.11b_Nss1,(1Mbps)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	53.28	54.00	-0.72	31.52	3	Vertical	85	2.64	-	21.76	27.64	3.88	-
AV	2.4308G	114.31	Inf	-Inf	31.49	3	Vertical	85	2.64	-	82.82	27.54	3.95	-
PK	2.3894G	60.71	74.00	-13.29	31.52	3	Vertical	85	2.64	-	29.19	27.64	3.88	-
PK	2.431G	116.89	Inf	-Inf	31.49	3	Vertical	85	2.64	-	85.40	27.54	3.95	-

802.11b_Nss1,(1Mbps)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	47.95	54.00	-6.05	31.52	3	Horizontal	63	1.09	-	16.43	27.64	3.88	-
AV	2.4288G	111.15	Inf	-Inf	31.48	3	Horizontal	63	1.09	-	79.67	27.54	3.94	-
PK	2.3896G	58.25	74.00	-15.75	31.52	3	Horizontal	63	1.09	-	26.73	27.64	3.88	-
PK	2.4284G	113.42	Inf	-Inf	31.48	3	Horizontal	63	1.09	-	81.94	27.54	3.94	-

802.11b_Nss1,(1Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.15	54.00	-8.85	31.52	3	Vertical	346	2.84	-	13.63	27.64	3.88	-
AV	2.4326G	114.39	Inf	-Inf	31.55	3	Vertical	346	2.84	-	82.84	27.60	3.95	-
AV	2.4835G	51.99	54.00	-2.01	31.63	3	Vertical	346	2.84	-	20.36	27.60	4.03	-
PK	2.3518G	56.82	74.00	-17.18	31.62	3	Vertical	346	2.84	-	25.20	27.79	3.83	-
PK	2.433G	116.90	Inf	-Inf	31.55	3	Vertical	346	2.84	-	85.35	27.60	3.95	-
PK	2.4835G	60.45	74.00	-13.55	31.63	3	Vertical	346	2.84	-	28.82	27.60	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	44.01	54.00	-9.99	31.53	3	Horizontal	326	2.91	-	12.48	27.65	3.88	-
AV	2.4354G	112.31	Inf	-Inf	31.55	3	Horizontal	326	2.91	-	80.76	27.60	3.95	-
AV	2.4835G	48.01	54.00	-5.99	31.63	3	Horizontal	326	2.91	-	16.38	27.60	4.03	-
PK	2.3578G	56.18	74.00	-17.82	31.61	3	Horizontal	326	2.91	-	24.57	27.77	3.84	-
PK	2.4342G	114.47	Inf	-Inf	31.55	3	Horizontal	326	2.91	-	82.92	27.60	3.95	-
PK	2.4835G	58.54	74.00	-15.46	31.63	3	Horizontal	326	2.91	-	26.91	27.60	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87374G	30.22	54.00	-23.78	1.66	3	Vertical	238	1.50	-	28.56	31.25	5.34	34.93
PK	4.87257G	43.27	74.00	-30.73	1.66	3	Vertical	238	1.50	-	41.61	31.25	5.34	34.93

802.11b_Nss1,(1Mbps)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87208G	30.29	54.00	-23.71	1.67	3	Horizontal	175	1.50	-	28.62	31.26	5.34	34.93
PK	4.87238G	42.43	74.00	-31.57	1.67	3	Horizontal	175	1.50	-	40.76	31.26	5.34	34.93

802.11b_Nss1,(1Mbps)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.14	54.00	-6.86	31.52	3	Vertical	336	2.30	-	15.62	27.64	3.88	-
AV	2.4384G	113.94	Inf	-Inf	31.48	3	Vertical	336	2.30	-	82.46	27.52	3.96	-
AV	2.4848G	53.88	54.00	-0.12	31.53	3	Vertical	336	2.30	-	22.35	27.50	4.03	-
PK	2.3896G	57.51	74.00	-16.49	31.52	3	Vertical	336	2.30	-	25.99	27.64	3.88	-
PK	2.4392G	116.62	Inf	-Inf	31.48	3	Vertical	336	2.30	-	85.14	27.52	3.96	-
PK	2.4848G	61.75	74.00	-12.25	31.53	3	Vertical	336	2.30	-	30.22	27.50	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2442MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	44.98	54.00	-9.02	31.52	3	Horizontal	64	1.00	-	13.46	27.64	3.88	-
AV	2.4404G	111.39	Inf	-Inf	31.48	3	Horizontal	64	1.00	-	79.91	27.52	3.96	-
AV	2.4848G	51.09	54.00	-2.91	31.53	3	Horizontal	64	1.00	-	19.56	27.50	4.03	-
PK	2.384G	56.34	74.00	-17.66	31.54	3	Horizontal	64	1.00	-	24.80	27.66	3.88	-
PK	2.4404G	113.20	Inf	-Inf	31.48	3	Horizontal	64	1.00	-	81.72	27.52	3.96	-
PK	2.4848G	59.66	74.00	-14.34	31.53	3	Horizontal	64	1.00	-	28.13	27.50	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4432G	113.43	Inf	-Inf	31.47	3	Vertical	339	2.18	-	81.96	27.51	3.96	-
AV	2.4848G	53.37	54.00	-0.63	31.53	3	Vertical	339	2.18	-	21.84	27.50	4.03	-
PK	2.4442G	116.03	Inf	-Inf	31.48	3	Vertical	339	2.18	-	84.55	27.51	3.97	-
PK	2.4848G	62.30	74.00	-11.70	31.53	3	Vertical	339	2.18	-	30.77	27.50	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4452G	110.76	Inf	-Inf	31.48	3	Horizontal	63	1.00	-	79.28	27.51	3.97	-
AV	2.4846G	50.92	54.00	-3.08	31.53	3	Horizontal	63	1.00	-	19.39	27.50	4.03	-
PK	2.4442G	112.68	Inf	-Inf	31.48	3	Horizontal	63	1.00	-	81.20	27.51	3.97	-
PK	2.4848G	59.86	74.00	-14.14	31.53	3	Horizontal	63	1.00	-	28.33	27.50	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4538G	111.71	Inf	-Inf	31.48	3	Vertical	340	2.22	-	80.23	27.50	3.98	-
AV	2.484G	52.83	54.00	-1.17	31.53	3	Vertical	340	2.22	-	21.30	27.50	4.03	-
PK	2.4534G	114.14	Inf	-Inf	31.48	3	Vertical	340	2.22	-	82.66	27.50	3.98	-
PK	2.484G	61.73	74.00	-12.27	31.53	3	Vertical	340	2.22	-	30.20	27.50	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4538G	108.37	Inf	-Inf	31.48	3	Horizontal	63	1.06	-	76.89	27.50	3.98	-
AV	2.484G	49.47	54.00	-4.53	31.53	3	Horizontal	63	1.06	-	17.94	27.50	4.03	-
PK	2.4548G	110.47	Inf	-Inf	31.48	3	Horizontal	63	1.06	-	78.99	27.50	3.98	-
PK	2.4842G	59.71	74.00	-14.29	31.53	3	Horizontal	63	1.06	-	28.18	27.50	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4608G	111.64	Inf	-Inf	31.59	3	Vertical	343	2.78	-	80.05	27.60	3.99	-
AV	2.4835G	53.50	54.00	-0.50	31.63	3	Vertical	343	2.78	-	21.87	27.60	4.03	-
PK	2.4598G	114.00	Inf	-Inf	31.59	3	Vertical	343	2.78	-	82.41	27.60	3.99	-
PK	2.484G	62.53	74.00	-11.47	31.63	3	Vertical	343	2.78	-	30.90	27.60	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4608G	106.55	Inf	-Inf	31.59	3	Horizontal	316	1.58	-	74.96	27.60	3.99	-
AV	2.4835G	50.86	54.00	-3.14	31.63	3	Horizontal	316	1.58	-	19.23	27.60	4.03	-
PK	2.4596G	108.78	Inf	-Inf	31.59	3	Horizontal	316	1.58	-	77.19	27.60	3.99	-
PK	2.4838G	60.38	74.00	-13.62	31.63	3	Horizontal	316	1.58	-	28.75	27.60	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4636G	109.31	Inf	-Inf	31.60	3	Vertical	95	2.79	-	77.71	27.60	4.00	-
AV	2.4835G	53.49	54.00	-0.51	31.63	3	Vertical	95	2.79	-	21.86	27.60	4.03	-
PK	2.4648G	111.74	Inf	-Inf	31.60	3	Vertical	95	2.79	-	80.14	27.60	4.00	-
PK	2.4835G	60.90	74.00	-13.10	31.63	3	Vertical	95	2.79	-	29.27	27.60	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4656G	104.54	Inf	-Inf	31.60	3	Horizontal	319	1.56	-	72.94	27.60	4.00	-
AV	2.4835G	50.19	54.00	-3.81	31.63	3	Horizontal	319	1.56	-	18.56	27.60	4.03	-
PK	2.4648G	106.98	Inf	-Inf	31.60	3	Horizontal	319	1.56	-	75.38	27.60	4.00	-
PK	2.4838G	58.87	74.00	-15.13	31.63	3	Horizontal	319	1.56	-	27.24	27.60	4.03	-

802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92395G	34.18	54.00	-19.82	1.72	3	Vertical	195	1.50	-	32.46	31.30	5.36	34.94
PK	4.92539G	46.90	74.00	-27.10	1.72	3	Vertical	195	1.50	-	45.18	31.30	5.36	34.94

802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92389G	32.12	54.00	-21.88	1.72	3	Horizontal	208	1.00	-	30.40	31.30	5.36	34.94
PK	4.92396G	43.77	74.00	-30.23	1.72	3	Horizontal	208	1.00	-	42.05	31.30	5.36	34.94

802.11g_Nss1,(6Mbps)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	51.76	54.00	-2.24	31.52	3	Vertical	158	1.90	-	20.24	27.64	3.88	-
AV	2.417G	106.46	Inf	-Inf	31.53	3	Vertical	158	1.90	-	74.93	27.60	3.93	-
PK	2.3896G	64.83	74.00	-9.17	31.52	3	Vertical	158	1.90	-	33.31	27.64	3.88	-
PK	2.417G	114.69	Inf	-Inf	31.53	3	Vertical	158	1.90	-	83.16	27.60	3.93	-

802.11g_Nss1,(6Mbps)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.54	54.00	-0.46	31.52	3	Horizontal	112	2.32	-	22.02	27.64	3.88	-
AV	2.4128G	102.58	Inf	-Inf	31.52	3	Horizontal	112	2.32	-	71.06	27.60	3.92	-
PK	2.4132G	111.19	Inf	-Inf	31.52	3	Horizontal	112	2.32	-	79.67	27.60	3.92	-
PK	2.39G	66.86	74.00	-7.14	31.52	3	Horizontal	112	2.32	-	35.34	27.64	3.88	-

802.11g_Nss1,(6Mbps)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82388G	32.90	54.00	-21.10	1.58	3	Vertical	130	1.50	-	31.32	31.20	5.31	34.93
PK	4.82357G	43.49	74.00	-30.51	1.57	3	Vertical	130	1.50	-	41.92	31.19	5.31	34.93

802.11g_Nss1,(6Mbps)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82635G	31.22	54.00	-22.78	1.59	3	Horizontal	202	1.73	-	29.63	31.21	5.31	34.93
PK	4.82537G	42.60	74.00	-31.40	1.58	3	Horizontal	202	1.73	-	41.02	31.20	5.31	34.93

802.11g_Nss1,(6Mbps)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.58	54.00	-0.42	31.52	3	Vertical	154	2.03	-	22.06	27.64	3.88	-
AV	2.4216G	109.24	Inf	-Inf	31.53	3	Vertical	154	2.03	-	77.71	27.60	3.93	-
PK	2.3898G	69.81	74.00	-4.19	31.52	3	Vertical	154	2.03	-	38.29	27.64	3.88	-
PK	2.422G	118.42	Inf	-Inf	31.53	3	Vertical	154	2.03	-	86.89	27.60	3.93	-

802.11g_Nss1,(6Mbps)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	48.11	54.00	-5.89	31.52	3	Horizontal	15	1.20	-	16.59	27.64	3.88	-
AV	2.414G	105.31	Inf	-Inf	31.52	3	Horizontal	15	1.20	-	73.79	27.60	3.92	-
PK	2.39G	63.93	74.00	-10.07	31.52	3	Horizontal	15	1.20	-	32.41	27.64	3.88	-
PK	2.4144G	114.15	Inf	-Inf	31.52	3	Horizontal	15	1.20	-	82.63	27.60	3.92	-

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	45.53	54.00	-8.47	31.53	3	Vertical	158	1.82	-	14.00	27.65	3.88	-
AV	2.4414G	109.63	Inf	-Inf	31.56	3	Vertical	158	1.82	-	78.07	27.60	3.96	-
AV	2.4835G	53.29	54.00	-0.71	31.63	3	Vertical	158	1.82	-	21.66	27.60	4.03	-
PK	2.3678G	56.80	74.00	-17.20	31.58	3	Vertical	158	1.82	-	25.22	27.73	3.85	-
PK	2.4414G	118.21	Inf	-Inf	31.56	3	Vertical	158	1.82	-	86.65	27.60	3.96	-
PK	2.4835G	68.35	74.00	-5.65	31.63	3	Vertical	158	1.82	-	36.72	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3894G	45.63	54.00	-8.37	31.52	3	Horizontal	109	2.89	-	14.11	27.64	3.88	-
AV	2.4378G	107.17	Inf	-Inf	31.56	3	Horizontal	109	2.89	-	75.61	27.60	3.96	-
AV	2.4835G	48.20	54.00	-5.80	31.63	3	Horizontal	109	2.89	-	16.57	27.60	4.03	-
PK	2.3898G	58.02	74.00	-15.98	31.52	3	Horizontal	109	2.89	-	26.50	27.64	3.88	-
PK	2.4378G	116.48	Inf	-Inf	31.56	3	Horizontal	109	2.89	-	84.92	27.60	3.96	-
PK	2.487G	59.78	74.00	-14.22	31.63	3	Horizontal	109	2.89	-	28.15	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87228G	31.01	54.00	-22.99	1.67	3	Vertical	324	1.50	-	29.34	31.26	5.34	34.93
PK	4.87174G	42.57	74.00	-31.43	1.67	3	Vertical	324	1.50	-	40.90	31.26	5.34	34.93

802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87219G	30.84	54.00	-23.16	1.67	3	Horizontal	40	2.62	-	29.17	31.26	5.34	34.93
PK	4.87151G	42.71	74.00	-31.29	1.67	3	Horizontal	40	2.62	-	41.04	31.26	5.34	34.93

802.11g_Nss1,(6Mbps)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	48.39	54.00	-5.61	31.52	3	Vertical	195	1.50	-	16.87	27.64	3.88	-
AV	2.4496G	106.50	Inf	-Inf	31.47	3	Vertical	195	1.50	-	75.03	27.50	3.97	-
AV	2.4872G	52.85	54.00	-1.15	31.53	3	Vertical	195	1.50	-	21.32	27.50	4.03	-
PK	2.39G	63.22	74.00	-10.78	31.52	3	Vertical	195	1.50	-	31.70	27.64	3.88	-
PK	2.4492G	115.66	Inf	-Inf	31.47	3	Vertical	195	1.50	-	84.19	27.50	3.97	-
PK	2.4872G	66.92	74.00	-7.08	31.53	3	Vertical	195	1.50	-	35.39	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3896G	45.73	54.00	-8.27	31.52	3	Horizontal	164	2.79	-	14.21	27.64	3.88	-
AV	2.4364G	102.25	Inf	-Inf	31.48	3	Horizontal	164	2.79	-	70.77	27.53	3.95	-
AV	2.484G	50.79	54.00	-3.21	31.53	3	Horizontal	164	2.79	-	19.26	27.50	4.03	-
PK	2.3896G	57.31	74.00	-16.69	31.52	3	Horizontal	164	2.79	-	25.79	27.64	3.88	-
PK	2.4356G	110.87	Inf	-Inf	31.48	3	Horizontal	164	2.79	-	79.39	27.53	3.95	-
PK	2.484G	63.22	74.00	-10.78	31.53	3	Horizontal	164	2.79	-	31.69	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4546G	107.01	Inf	-Inf	31.48	3	Vertical	196	1.50	-	75.53	27.50	3.98	-
AV	2.4838G	53.73	54.00	-0.27	31.53	3	Vertical	196	1.50	-	22.20	27.50	4.03	-
PK	2.4544G	115.23	Inf	-Inf	31.48	3	Vertical	196	1.50	-	83.75	27.50	3.98	-
PK	2.4835G	67.09	74.00	-6.91	31.53	3	Vertical	196	1.50	-	35.56	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.454G	104.66	Inf	-Inf	31.48	3	Horizontal	194	2.22	-	73.18	27.50	3.98	-
AV	2.485G	50.94	54.00	-3.06	31.53	3	Horizontal	194	2.22	-	19.41	27.50	4.03	-
PK	2.454G	113.72	Inf	-Inf	31.48	3	Horizontal	194	2.22	-	82.24	27.50	3.98	-
PK	2.4878G	62.31	74.00	-11.69	31.53	3	Horizontal	194	2.22	-	30.78	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4596G	106.24	Inf	-Inf	31.49	3	Vertical	195	1.50	-	74.75	27.50	3.99	-
AV	2.4835G	53.52	54.00	-0.48	31.53	3	Vertical	195	1.50	-	21.99	27.50	4.03	-
PK	2.4592G	114.86	Inf	-Inf	31.49	3	Vertical	195	1.50	-	83.37	27.50	3.99	-
PK	2.4868G	65.29	74.00	-8.71	31.53	3	Vertical	195	1.50	-	33.76	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4564G	103.69	Inf	-Inf	31.48	3	Horizontal	194	1.05	-	72.21	27.50	3.98	-
AV	2.4835G	50.06	54.00	-3.94	31.53	3	Horizontal	194	1.05	-	18.53	27.50	4.03	-
PK	2.4576G	112.82	Inf	-Inf	31.49	3	Horizontal	194	1.05	-	81.33	27.50	3.99	-
PK	2.4858G	61.69	74.00	-12.31	31.53	3	Horizontal	194	1.05	-	30.16	27.50	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4616G	105.05	Inf	-Inf	31.59	3	Vertical	161	1.77	-	73.46	27.60	3.99	-
AV	2.4835G	53.45	54.00	-0.55	31.63	3	Vertical	161	1.77	-	21.82	27.60	4.03	-
PK	2.4602G	114.15	Inf	-Inf	31.59	3	Vertical	161	1.77	-	82.56	27.60	3.99	-
PK	2.4846G	66.03	74.00	-7.97	31.63	3	Vertical	161	1.77	-	34.40	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	101.07	Inf	-Inf	31.59	3	Horizontal	295	1.33	-	69.48	27.60	3.99	-
AV	2.4836G	51.57	54.00	-2.43	31.63	3	Horizontal	295	1.33	-	19.94	27.60	4.03	-
PK	2.4626G	109.39	Inf	-Inf	31.59	3	Horizontal	295	1.33	-	77.80	27.60	3.99	-
PK	2.4848G	64.96	74.00	-9.04	31.63	3	Horizontal	295	1.33	-	33.33	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4668G	103.84	Inf	-Inf	31.60	3	Vertical	156	1.34	-	72.24	27.60	4.00	-
AV	2.4838G	53.85	54.00	-0.15	31.63	3	Vertical	156	1.34	-	22.22	27.60	4.03	-
PK	2.4668G	112.02	Inf	-Inf	31.60	3	Vertical	156	1.34	-	80.42	27.60	4.00	-
PK	2.4848G	70.13	74.00	-3.87	31.63	3	Vertical	156	1.34	-	38.50	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4684G	100.15	Inf	-Inf	31.60	3	Horizontal	293	1.56	-	68.55	27.60	4.00	-
AV	2.4864G	50.05	54.00	-3.95	31.63	3	Horizontal	293	1.56	-	18.42	27.60	4.03	-
PK	2.4684G	108.49	Inf	-Inf	31.60	3	Horizontal	293	1.56	-	76.89	27.60	4.00	-
PK	2.4852G	64.55	74.00	-9.45	31.63	3	Horizontal	293	1.56	-	32.92	27.60	4.03	-

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92384G	31.14	54.00	-22.86	1.72	3	Vertical	164	1.50	-	29.42	31.30	5.36	34.94
PK	4.92593G	43.88	74.00	-30.12	1.72	3	Vertical	164	1.50	-	42.16	31.30	5.36	34.94

802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92222G	31.04	54.00	-22.96	1.71	3	Horizontal	168	1.62	-	29.33	31.29	5.36	34.94
PK	4.92299G	43.27	74.00	-30.73	1.71	3	Horizontal	168	1.62	-	41.56	31.29	5.36	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.65	54.00	-0.35	31.52	3	Vertical	258	2.59	-	22.13	27.64	3.88	-
AV	2.4056G	103.82	Inf	-Inf	31.51	3	Vertical	258	2.59	-	72.31	27.60	3.91	-
PK	2.39G	70.45	74.00	-3.55	31.52	3	Vertical	258	2.59	-	38.93	27.64	3.88	-
PK	2.4064G	114.08	Inf	-Inf	31.51	3	Vertical	258	2.59	-	82.57	27.60	3.91	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.23	54.00	-3.77	31.52	3	Horizontal	333	1.19	-	18.71	27.64	3.88	-
AV	2.417G	99.85	Inf	-Inf	31.53	3	Horizontal	333	1.19	-	68.32	27.60	3.93	-
PK	2.3896G	67.01	74.00	-6.99	31.52	3	Horizontal	333	1.19	-	35.49	27.64	3.88	-
PK	2.417G	109.61	Inf	-Inf	31.53	3	Horizontal	333	1.19	-	78.08	27.60	3.93	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82391G	29.81	54.00	-24.19	1.58	3	Vertical	131	1.41	-	28.23	31.20	5.31	34.93
PK	4.82209G	43.25	74.00	-30.75	1.57	3	Vertical	131	1.41	-	41.68	31.19	5.31	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82155G	29.32	54.00	-24.68	1.57	3	Horizontal	156	1.50	-	27.75	31.19	5.31	34.93
PK	4.8216G	42.88	74.00	-31.12	1.57	3	Horizontal	156	1.50	-	41.31	31.19	5.31	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.89	54.00	-0.11	31.52	3	Vertical	4	2.85	-	22.37	27.64	3.88	-
AV	2.4244G	106.75	Inf	-Inf	31.54	3	Vertical	4	2.85	-	75.21	27.60	3.94	-
PK	2.39G	69.31	74.00	-4.69	31.52	3	Vertical	4	2.85	-	37.79	27.64	3.88	-
PK	2.4234G	116.03	Inf	-Inf	31.54	3	Vertical	4	2.85	-	84.49	27.60	3.94	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.75	54.00	-3.25	31.52	3	Horizontal	283	1.23	-	19.23	27.64	3.88	-
AV	2.4244G	103.76	Inf	-Inf	31.54	3	Horizontal	283	1.23	-	72.22	27.60	3.94	-
PK	2.39G	66.79	74.00	-7.21	31.52	3	Horizontal	283	1.23	-	35.27	27.64	3.88	-
PK	2.4238G	114.23	Inf	-Inf	31.54	3	Horizontal	283	1.23	-	82.69	27.60	3.94	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	48.59	54.00	-5.41	31.52	3	Vertical	190	1.58	-	17.07	27.64	3.88	-
AV	2.4298G	94.80	Inf	-Inf	31.48	3	Vertical	190	1.58	-	63.32	27.54	3.94	-
PK	2.39G	62.37	74.00	-11.63	31.52	3	Vertical	190	1.58	-	30.85	27.64	3.88	-
PK	2.4284G	113.82	Inf	-Inf	31.48	3	Vertical	190	1.58	-	82.34	27.54	3.94	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	64.23	74.00	-9.77	31.52	3	Horizontal	344	1.37	-	32.71	27.64	3.88	-
AV	2.39G	49.98	54.00	-4.02	31.52	3	Horizontal	344	1.37	-	18.46	27.64	3.88	-
PK	2.4302G	113.16	Inf	-Inf	31.49	3	Horizontal	344	1.37	-	81.67	27.54	3.95	-
AV	2.4304G	102.08	Inf	-Inf	31.49	3	Horizontal	344	1.37	-	70.59	27.54	3.95	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.59	54.00	-7.41	31.52	3	Vertical	4	2.84	-	15.07	27.64	3.88	-
AV	2.4306G	107.78	Inf	-Inf	31.55	3	Vertical	4	2.84	-	76.23	27.60	3.95	-
AV	2.4835G	53.38	54.00	-0.62	31.63	3	Vertical	4	2.84	-	21.75	27.60	4.03	-
PK	2.3898G	59.78	74.00	-14.22	31.52	3	Vertical	4	2.84	-	28.26	27.64	3.88	-
PK	2.4326G	117.45	Inf	-Inf	31.55	3	Vertical	4	2.84	-	85.90	27.60	3.95	-
PK	2.4835G	68.25	74.00	-5.75	31.63	3	Vertical	4	2.84	-	36.62	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.30	54.00	-8.70	31.52	3	Horizontal	285	1.13	-	13.78	27.64	3.88	-
AV	2.433G	104.64	Inf	-Inf	31.55	3	Horizontal	285	1.13	-	73.09	27.60	3.95	-
AV	2.4835G	49.65	54.00	-4.35	31.63	3	Horizontal	285	1.13	-	18.02	27.60	4.03	-
PK	2.3898G	57.59	74.00	-16.41	31.52	3	Horizontal	285	1.13	-	26.07	27.64	3.88	-
PK	2.4314G	115.36	Inf	-Inf	31.55	3	Horizontal	285	1.13	-	83.81	27.60	3.95	-
PK	2.4835G	62.64	74.00	-11.36	31.63	3	Horizontal	285	1.13	-	31.01	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87168G	29.22	54.00	-24.78	1.67	3	Vertical	156	1.50	-	27.55	31.26	5.34	34.93
PK	4.87185G	42.68	74.00	-31.32	1.67	3	Vertical	156	1.50	-	41.01	31.26	5.34	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87189G	29.17	54.00	-24.83	1.67	3	Horizontal	176	1.50	-	27.50	31.26	5.34	34.93
PK	4.87297G	42.46	74.00	-31.54	1.66	3	Horizontal	176	1.50	-	40.80	31.25	5.34	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	45.25	54.00	-8.75	31.52	3	Vertical	14	2.05	-	13.73	27.64	3.88	-
AV	2.4384G	105.33	Inf	-Inf	31.48	3	Vertical	14	2.05	-	73.85	27.52	3.96	-
AV	2.4835G	52.84	54.00	-1.16	31.53	3	Vertical	14	2.05	-	21.31	27.50	4.03	-
PK	2.39G	58.58	74.00	-15.42	31.52	3	Vertical	14	2.05	-	27.06	27.64	3.88	-
PK	2.4444G	117.56	Inf	-Inf	31.48	3	Vertical	14	2.05	-	86.08	27.51	3.97	-
PK	2.486G	68.87	74.00	-5.13	31.53	3	Vertical	14	2.05	-	37.34	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	43.93	54.00	-10.07	31.52	3	Horizontal	342	1.41	-	12.41	27.64	3.88	-
AV	2.4388G	101.28	Inf	-Inf	31.48	3	Horizontal	342	1.41	-	69.80	27.52	3.96	-
AV	2.4835G	49.15	54.00	-4.85	31.53	3	Horizontal	342	1.41	-	17.62	27.50	4.03	-
PK	2.3476G	57.04	74.00	-16.96	31.62	3	Horizontal	342	1.41	-	25.42	27.80	3.82	-
PK	2.4364G	113.33	Inf	-Inf	31.48	3	Horizontal	342	1.41	-	81.85	27.53	3.95	-
PK	2.484G	64.57	74.00	-9.43	31.53	3	Horizontal	342	1.41	-	33.04	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4398G	104.81	Inf	-Inf	31.48	3	Vertical	14	2.04	-	73.33	27.52	3.96	-
AV	2.4835G	53.96	54.00	-0.04	31.53	3	Vertical	14	2.04	-	22.43	27.50	4.03	-
PK	2.4412G	117.96	Inf	-Inf	31.48	3	Vertical	14	2.04	-	86.48	27.52	3.96	-
PK	2.4856G	69.74	74.00	-4.26	31.53	3	Vertical	14	2.04	-	38.21	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.44G	100.29	Inf	-Inf	31.48	3	Horizontal	344	1.42	-	68.81	27.52	3.96	-
AV	2.4835G	50.23	54.00	-3.77	31.53	3	Horizontal	344	1.42	-	18.70	27.50	4.03	-
PK	2.4412G	113.37	Inf	-Inf	31.48	3	Horizontal	344	1.42	-	81.89	27.52	3.96	-
PK	2.4836G	65.54	74.00	-8.46	31.53	3	Horizontal	344	1.42	-	34.01	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.4598G	116.90	Inf	-Inf	31.49	3	Vertical	20	2.04	-	85.41	27.50	3.99	-
AV	2.459G	103.51	Inf	-Inf	31.49	3	Vertical	20	2.04	-	72.02	27.50	3.99	-
PK	2.4835G	68.63	74.00	-5.37	31.53	3	Vertical	20	2.04	-	37.10	27.50	4.03	-
AV	2.4835G	53.30	54.00	-0.70	31.53	3	Vertical	20	2.04	-	21.77	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.46G	98.11	Inf	-Inf	31.49	3	Horizontal	340	1.50	-	66.62	27.50	3.99	-
AV	2.4835G	49.27	54.00	-4.73	31.53	3	Horizontal	340	1.50	-	17.74	27.50	4.03	-
PK	2.4598G	111.62	Inf	-Inf	31.49	3	Horizontal	340	1.50	-	80.13	27.50	3.99	-
PK	2.4836G	64.64	74.00	-9.36	31.53	3	Horizontal	340	1.50	-	33.11	27.50	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4634G	103.63	Inf	-Inf	31.60	3	Vertical	17	2.30	-	72.03	27.60	4.00	-
AV	2.4835G	53.45	54.00	-0.55	31.63	3	Vertical	17	2.30	-	21.82	27.60	4.03	-
PK	2.4602G	114.10	Inf	-Inf	31.59	3	Vertical	17	2.30	-	82.51	27.60	3.99	-
PK	2.4854G	68.48	74.00	-5.52	31.63	3	Vertical	17	2.30	-	36.85	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	100.02	Inf	-Inf	31.60	3	Horizontal	283	1.09	-	68.42	27.60	4.00	-
AV	2.4835G	50.33	54.00	-3.67	31.63	3	Horizontal	283	1.09	-	18.70	27.60	4.03	-
PK	2.4632G	109.64	Inf	-Inf	31.59	3	Horizontal	283	1.09	-	78.05	27.60	3.99	-
PK	2.4848G	65.02	74.00	-8.98	31.63	3	Horizontal	283	1.09	-	33.39	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	102.35	Inf	-Inf	31.60	3	Vertical	9	1.97	-	70.75	27.60	4.00	-
AV	2.4835G	53.54	54.00	-0.46	31.63	3	Vertical	9	1.97	-	21.91	27.60	4.03	-
PK	2.469G	113.75	Inf	-Inf	31.60	3	Vertical	9	1.97	-	82.15	27.60	4.00	-
PK	2.4835G	73.54	74.00	-0.46	31.63	3	Vertical	9	1.97	-	41.91	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	98.93	Inf	-Inf	31.60	3	Horizontal	284	1.07	-	67.33	27.60	4.00	-
AV	2.4835G	49.74	54.00	-4.26	31.63	3	Horizontal	284	1.07	-	18.11	27.60	4.03	-
PK	2.4662G	109.56	Inf	-Inf	31.60	3	Horizontal	284	1.07	-	77.96	27.60	4.00	-
PK	2.4836G	67.35	74.00	-6.65	31.63	3	Horizontal	284	1.07	-	35.72	27.60	4.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92168G	29.39	54.00	-24.61	1.71	3	Vertical	80	1.50	-	27.68	31.29	5.36	34.94
PK	4.92386G	43.78	74.00	-30.22	1.72	3	Vertical	80	1.50	-	42.06	31.30	5.36	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92285G	29.41	54.00	-24.59	1.71	3	Horizontal	212	1.50	-	27.70	31.29	5.36	34.94
PK	4.92435G	43.64	74.00	-30.36	1.72	3	Horizontal	212	1.50	-	41.92	31.30	5.36	34.94

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	52.75	54.00	-1.25	31.52	3	Vertical	3	2.87	-	21.23	27.64	3.88	-
AV	2.4296G	100.88	Inf	-Inf	31.54	3	Vertical	3	2.87	-	69.34	27.60	3.94	-
AV	2.4835G	49.15	54.00	-4.85	31.63	3	Vertical	3	2.87	-	17.52	27.60	4.03	-
PK	2.39G	69.85	74.00	-4.15	31.52	3	Vertical	3	2.87	-	38.33	27.64	3.88	-
PK	2.4384G	110.69	Inf	-Inf	31.56	3	Vertical	3	2.87	-	79.13	27.60	3.96	-
PK	2.484G	62.92	74.00	-11.08	31.63	3	Vertical	3	2.87	-	31.29	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	49.30	54.00	-4.70	31.52	3	Horizontal	284	1.21	-	17.78	27.64	3.88	-
AV	2.4296G	97.59	Inf	-Inf	31.54	3	Horizontal	284	1.21	-	66.05	27.60	3.94	-
AV	2.4835G	46.44	54.00	-7.56	31.63	3	Horizontal	284	1.21	-	14.81	27.60	4.03	-
PK	2.39G	66.02	74.00	-7.98	31.52	3	Horizontal	284	1.21	-	34.50	27.64	3.88	-
PK	2.4308G	107.67	Inf	-Inf	31.55	3	Horizontal	284	1.21	-	76.12	27.60	3.95	-
PK	2.4835G	59.70	74.00	-14.30	31.63	3	Horizontal	284	1.21	-	28.07	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84158G	29.83	54.00	-24.17	1.66	3	Vertical	129	1.50	-	28.17	31.27	5.32	34.93
PK	4.84208G	44.36	74.00	-29.64	1.66	3	Vertical	129	1.50	-	42.70	31.27	5.32	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8415G	29.83	54.00	-24.17	1.66	3	Horizontal	271	1.00	-	28.17	31.27	5.32	34.93
PK	4.84493G	42.86	74.00	-31.14	1.67	3	Horizontal	271	1.00	-	41.19	31.28	5.32	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.43	54.00	-7.57	31.52	3	Vertical	6	2.21	-	14.91	27.64	3.88	-
AV	2.4294G	100.32	Inf	-Inf	31.54	3	Vertical	6	2.21	-	68.78	27.60	3.94	-
AV	2.4835G	53.42	54.00	-0.58	31.63	3	Vertical	6	2.21	-	21.79	27.60	4.03	-
PK	2.3898G	61.42	74.00	-12.58	31.52	3	Vertical	6	2.21	-	29.90	27.64	3.88	-
PK	2.439G	111.92	Inf	-Inf	31.56	3	Vertical	6	2.21	-	80.36	27.60	3.96	-
PK	2.4838G	69.45	74.00	-4.55	31.63	3	Vertical	6	2.21	-	37.82	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.07	54.00	-8.93	31.52	3	Horizontal	284	1.10	-	13.55	27.64	3.88	-
AV	2.4306G	97.39	Inf	-Inf	31.55	3	Horizontal	284	1.10	-	65.84	27.60	3.95	-
AV	2.4835G	49.73	54.00	-4.27	31.63	3	Horizontal	284	1.10	-	18.10	27.60	4.03	-
PK	2.3898G	58.75	74.00	-15.25	31.52	3	Horizontal	284	1.10	-	27.23	27.64	3.88	-
PK	2.4326G	108.57	Inf	-Inf	31.55	3	Horizontal	284	1.10	-	77.02	27.60	3.95	-
PK	2.4838G	64.51	74.00	-9.49	31.63	3	Horizontal	284	1.10	-	32.88	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8715G	29.06	54.00	-24.94	1.67	3	Vertical	162	2.00	-	27.39	31.26	5.34	34.93
PK	4.8717G	42.90	74.00	-31.10	1.67	3	Vertical	162	2.00	-	41.23	31.26	5.34	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87163G	29.12	54.00	-24.88	1.67	3	Horizontal	245	1.50	-	27.45	31.26	5.34	34.93
PK	4.87155G	42.96	74.00	-31.04	1.67	3	Horizontal	245	1.50	-	41.29	31.26	5.34	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	45.16	54.00	-8.84	31.52	3	Vertical	13	2.05	-	13.64	27.64	3.88	-
AV	2.4352G	97.92	Inf	-Inf	31.48	3	Vertical	13	2.05	-	66.44	27.53	3.95	-
AV	2.4835G	53.13	54.00	-0.87	31.53	3	Vertical	13	2.05	-	21.60	27.50	4.03	-
PK	2.3888G	59.18	74.00	-14.82	31.52	3	Vertical	13	2.05	-	27.66	27.64	3.88	-
PK	2.432G	110.71	Inf	-Inf	31.49	3	Vertical	13	2.05	-	79.22	27.54	3.95	-
PK	2.4835G	71.03	74.00	-2.97	31.53	3	Vertical	13	2.05	-	39.50	27.50	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	44.23	54.00	-9.77	31.52	3	Horizontal	344	1.39	-	12.71	27.64	3.88	-
AV	2.4356G	94.29	Inf	-Inf	31.48	3	Horizontal	344	1.39	-	62.81	27.53	3.95	-
AV	2.4835G	50.14	54.00	-3.86	31.53	3	Horizontal	344	1.39	-	18.61	27.50	4.03	-
PK	2.39G	57.29	74.00	-16.71	31.52	3	Horizontal	344	1.39	-	25.77	27.64	3.88	-
PK	2.4324G	107.50	Inf	-Inf	31.49	3	Horizontal	344	1.39	-	76.01	27.54	3.95	-
PK	2.4835G	66.60	74.00	-7.40	31.53	3	Horizontal	344	1.39	-	35.07	27.50	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	43.44	54.00	-10.56	31.52	3	Vertical	4	2.24	-	11.92	27.64	3.88	-
AV	2.4382G	98.75	Inf	-Inf	31.56	3	Vertical	4	2.24	-	67.19	27.60	3.96	-
AV	2.4835G	53.24	54.00	-0.76	31.63	3	Vertical	4	2.24	-	21.61	27.60	4.03	-
PK	2.3634G	56.76	74.00	-17.24	31.60	3	Vertical	4	2.24	-	25.16	27.75	3.85	-
PK	2.4394G	109.66	Inf	-Inf	31.56	3	Vertical	4	2.24	-	78.10	27.60	3.96	-
PK	2.4838G	70.18	74.00	-3.82	31.63	3	Vertical	4	2.24	-	38.55	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	43.20	54.00	-10.80	31.52	3	Horizontal	284	1.12	-	11.68	27.64	3.88	-
AV	2.4382G	95.75	Inf	-Inf	31.56	3	Horizontal	284	1.12	-	64.19	27.60	3.96	-
AV	2.4835G	49.44	54.00	-4.56	31.63	3	Horizontal	284	1.12	-	17.81	27.60	4.03	-
PK	2.3734G	55.74	74.00	-18.26	31.57	3	Horizontal	284	1.12	-	24.17	27.71	3.86	-
PK	2.4394G	106.40	Inf	-Inf	31.56	3	Horizontal	284	1.12	-	74.84	27.60	3.96	-
PK	2.4842G	65.12	74.00	-8.88	31.63	3	Horizontal	284	1.12	-	33.49	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	43.26	54.00	-10.74	31.52	3	Vertical	4	2.74	-	11.74	27.64	3.88	-
AV	2.4608G	97.91	Inf	-Inf	31.59	3	Vertical	4	2.74	-	66.32	27.60	3.99	-
AV	2.4835G	52.62	54.00	-1.38	31.63	3	Vertical	4	2.74	-	20.99	27.60	4.03	-
PK	2.3892G	56.29	74.00	-17.71	31.52	3	Vertical	4	2.74	-	24.77	27.64	3.88	-
PK	2.4564G	108.68	Inf	-Inf	31.58	3	Vertical	4	2.74	-	77.10	27.60	3.98	-
PK	2.484G	73.83	74.00	-0.17	31.63	3	Vertical	4	2.74	-	42.20	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3528G	43.08	54.00	-10.92	31.62	3	Horizontal	287	1.08	-	11.46	27.79	3.83	-
AV	2.4368G	93.95	Inf	-Inf	31.56	3	Horizontal	287	1.08	-	62.39	27.60	3.96	-
AV	2.4835G	48.38	54.00	-5.62	31.63	3	Horizontal	287	1.08	-	16.75	27.60	4.03	-
PK	2.366G	57.08	74.00	-16.92	31.59	3	Horizontal	287	1.08	-	25.49	27.74	3.85	-
PK	2.4364G	104.89	Inf	-Inf	31.55	3	Horizontal	287	1.08	-	73.34	27.60	3.95	-
PK	2.4835G	68.60	74.00	-5.40	31.63	3	Horizontal	287	1.08	-	36.97	27.60	4.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90161G	29.62	54.00	-24.38	1.63	3	Vertical	139	1.49	-	27.99	31.21	5.35	34.93
PK	4.90292G	43.20	74.00	-30.80	1.63	3	Vertical	139	1.49	-	41.57	31.21	5.35	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90196G	29.61	54.00	-24.39	1.63	3	Horizontal	307	1.50	-	27.98	31.21	5.35	34.93
PK	4.90256G	43.04	74.00	-30.96	1.63	3	Horizontal	307	1.50	-	41.41	31.21	5.35	34.93



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	QP	47.51M	39.47	40.00	-0.53	3	Vertical	176	1.08	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	260.86M	32.71	46.00	-13.29	3	Vertical	360	1.00	-
2437MHz	Pass	PK	357.86M	37.38	46.00	-8.62	3	Vertical	360	1.00	-
2437MHz	Pass	PK	431.58M	40.50	46.00	-5.50	3	Vertical	360	1.00	-
2437MHz	Pass	PK	557.68M	36.04	46.00	-9.96	3	Vertical	360	1.00	-
2437MHz	Pass	PK	714.82M	35.03	46.00	-10.97	3	Vertical	360	1.00	-
2437MHz	Pass	QP	47.51M	39.47	40.00	-0.53	3	Vertical	176	1.08	-
2437MHz	Pass	PK	208.48M	42.30	43.50	-1.20	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	429.64M	40.58	46.00	-5.42	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	478.14M	41.01	46.00	-4.99	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	707.06M	40.51	46.00	-5.49	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	800.18M	36.89	46.00	-9.11	3	Horizontal	0	1.00	-
2437MHz	Pass	QP	86.26M	39.29	40.00	-0.71	3	Horizontal	184	1.00	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	260.86M	32.71	46.00	-13.29	-15.70	3	Vertical	360	1.00	-	48.41	19.16	1.54	36.40
PK	357.86M	37.38	46.00	-8.62	-14.96	3	Vertical	360	1.00	-	52.34	19.79	1.79	36.54
PK	431.58M	40.50	46.00	-5.50	-12.41	3	Vertical	360	1.00	-	52.91	22.16	2.03	36.60
PK	557.68M	36.04	46.00	-9.96	-9.45	3	Vertical	360	1.00	-	45.49	25.25	2.39	37.09
PK	714.82M	35.03	46.00	-10.97	-8.60	3	Vertical	360	1.00	-	43.63	26.07	2.71	37.38
QP	47.51M	39.47	40.00	-0.53	-21.95	3	Vertical	176	1.08	-	61.42	14.34	0.80	37.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	208.48M	42.30	43.50	-1.20	-20.67	3	Horizontal	0	1.00	-	62.97	14.27	1.35	36.29
PK	429.64M	40.58	46.00	-5.42	-12.44	3	Horizontal	0	1.00	-	53.02	22.14	2.02	36.60
PK	478.14M	41.01	46.00	-4.99	-11.73	3	Horizontal	0	1.00	-	52.74	22.93	2.17	36.83
PK	707.06M	40.51	46.00	-5.49	-8.77	3	Horizontal	0	1.00	-	49.28	25.87	2.70	37.34
PK	800.18M	36.89	46.00	-9.11	-7.52	3	Horizontal	0	1.00	-	44.41	27.21	2.75	37.48
QP	86.26M	39.29	40.00	-0.71	-22.50	3	Horizontal	184	1.00	-	61.79	13.36	0.92	36.78



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	2.4838G	73.80	74.00	-0.20	3	Vertical	200	2.24	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	2.4854G	73.89	74.00	-0.11	3	Vertical	201	1.32	-

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	48.88	54.00	-5.12	3	Vertical	203	1.50	-
2412MHz	Pass	AV	2.4196G	100.71	Inf	-Inf	3	Vertical	203	1.50	-
2412MHz	Pass	PK	2.3898G	73.44	74.00	-0.56	3	Vertical	203	1.50	-
2412MHz	Pass	PK	2.4204G	114.20	Inf	-Inf	3	Vertical	203	1.50	-
2412MHz	Pass	AV	2.3898G	49.57	54.00	-4.43	3	Horizontal	300	2.60	-
2412MHz	Pass	AV	2.4082G	102.74	Inf	-Inf	3	Horizontal	300	2.60	-
2412MHz	Pass	PK	2.3894G	71.48	74.00	-2.52	3	Horizontal	300	2.60	-
2412MHz	Pass	PK	2.4108G	112.57	Inf	-Inf	3	Horizontal	300	2.60	-
2412MHz	Pass	AV	4.8218G	29.97	54.00	-24.03	3	Vertical	199	1.06	-
2412MHz	Pass	PK	4.8224G	42.47	74.00	-31.53	3	Vertical	199	1.06	-
2412MHz	Pass	AV	4.82168G	29.88	54.00	-24.12	3	Horizontal	251	2.50	-
2412MHz	Pass	PK	4.82246G	42.26	74.00	-31.74	3	Horizontal	251	2.50	-
2417MHz	Pass	AV	2.3898G	47.85	54.00	-6.15	3	Vertical	200	1.44	-
2417MHz	Pass	AV	2.4254G	105.11	Inf	-Inf	3	Vertical	200	1.44	-
2417MHz	Pass	AV	2.4838G	46.57	54.00	-7.43	3	Vertical	200	1.44	-
2417MHz	Pass	PK	2.3898G	67.89	74.00	-6.11	3	Vertical	200	1.44	-
2417MHz	Pass	PK	2.4246G	118.02	Inf	-Inf	3	Vertical	200	1.44	-
2417MHz	Pass	PK	2.4846G	59.93	74.00	-14.07	3	Vertical	200	1.44	-
2417MHz	Pass	AV	2.3894G	47.23	54.00	-6.77	3	Horizontal	302	2.92	-
2417MHz	Pass	AV	2.4202G	104.74	Inf	-Inf	3	Horizontal	302	2.92	-
2417MHz	Pass	AV	2.4835G	45.48	54.00	-8.52	3	Horizontal	302	2.92	-
2417MHz	Pass	PK	2.3898G	65.27	74.00	-8.73	3	Horizontal	302	2.92	-
2417MHz	Pass	PK	2.4158G	113.63	Inf	-Inf	3	Horizontal	302	2.92	-
2417MHz	Pass	PK	2.4858G	58.21	74.00	-15.79	3	Horizontal	302	2.92	-
2437MHz	Pass	AV	2.3898G	44.80	54.00	-9.20	3	Vertical	178	1.50	-
2437MHz	Pass	AV	2.4342G	106.52	Inf	-Inf	3	Vertical	178	1.50	-
2437MHz	Pass	AV	2.4835G	47.39	54.00	-6.61	3	Vertical	178	1.50	-
2437MHz	Pass	PK	2.3894G	60.16	74.00	-13.84	3	Vertical	178	1.50	-
2437MHz	Pass	PK	2.431G	115.23	Inf	-Inf	3	Vertical	178	1.50	-
2437MHz	Pass	PK	2.4838G	66.24	74.00	-7.76	3	Vertical	178	1.50	-
2437MHz	Pass	AV	2.3898G	44.14	54.00	-9.86	3	Horizontal	298	2.86	-
2437MHz	Pass	AV	2.4354G	105.91	Inf	-Inf	3	Horizontal	298	2.86	-
2437MHz	Pass	AV	2.4854G	46.21	54.00	-7.79	3	Horizontal	298	2.86	-
2437MHz	Pass	PK	2.3778G	57.75	74.00	-16.25	3	Horizontal	298	2.86	-
2437MHz	Pass	PK	2.4294G	114.47	Inf	-Inf	3	Horizontal	298	2.86	-
2437MHz	Pass	PK	2.4838G	61.14	74.00	-12.86	3	Horizontal	298	2.86	-
2437MHz	Pass	PK	4.8737G	42.87	74.00	-31.13	3	Vertical	129	1.50	-
2437MHz	Pass	AV	4.87194G	29.85	54.00	-24.15	3	Vertical	129	1.50	-
2437MHz	Pass	AV	4.87183G	29.64	54.00	-24.36	3	Horizontal	107	2.06	-
2437MHz	Pass	PK	4.87249G	42.51	74.00	-31.49	3	Horizontal	107	2.06	-
2452MHz	Pass	AV	2.3888G	44.88	54.00	-9.12	3	Vertical	269	1.59	-
2452MHz	Pass	AV	2.4436G	108.12	Inf	-Inf	3	Vertical	269	1.59	-
2452MHz	Pass	AV	2.484G	53.42	54.00	-0.58	3	Vertical	269	1.59	-
2452MHz	Pass	PK	2.3608G	57.31	74.00	-16.69	3	Vertical	269	1.59	-
2452MHz	Pass	PK	2.4432G	118.77	Inf	-Inf	3	Vertical	269	1.59	-
2452MHz	Pass	PK	2.486G	68.73	74.00	-5.27	3	Vertical	269	1.59	-
2452MHz	Pass	AV	2.3688G	44.38	54.00	-9.62	3	Horizontal	337	1.38	-
2452MHz	Pass	AV	2.4484G	103.95	Inf	-Inf	3	Horizontal	337	1.38	-
2452MHz	Pass	AV	2.4835G	51.74	54.00	-2.26	3	Horizontal	337	1.38	-
2452MHz	Pass	PK	2.36G	56.45	74.00	-17.55	3	Horizontal	337	1.38	-
2452MHz	Pass	PK	2.464G	114.33	Inf	-Inf	3	Horizontal	337	1.38	-
2452MHz	Pass	PK	2.484G	64.64	74.00	-9.36	3	Horizontal	337	1.38	-
2457MHz	Pass	AV	2.389G	44.03	54.00	-9.97	3	Vertical	199	2.21	-
2457MHz	Pass	AV	2.465G	105.31	Inf	-Inf	3	Vertical	199	2.21	-
2457MHz	Pass	AV	2.4838G	51.94	54.00	-2.06	3	Vertical	199	2.21	-
2457MHz	Pass	PK	2.3866G	57.51	74.00	-16.49	3	Vertical	199	2.21	-
2457MHz	Pass	PK	2.4654G	117.80	Inf	-Inf	3	Vertical	199	2.21	-
2457MHz	Pass	PK	2.4842G	73.63	74.00	-0.37	3	Vertical	199	2.21	-
2457MHz	Pass	AV	2.3674G	44.05	54.00	-9.95	3	Horizontal	14	1.50	-
2457MHz	Pass	AV	2.4526G	98.38	Inf	-Inf	3	Horizontal	14	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	2.4838G	50.82	54.00	-3.18	3	Horizontal	14	1.50	-
2457MHz	Pass	PK	2.381G	57.49	74.00	-16.51	3	Horizontal	14	1.50	-
2457MHz	Pass	PK	2.4634G	111.43	Inf	-Inf	3	Horizontal	14	1.50	-
2457MHz	Pass	PK	2.4842G	71.43	74.00	-2.57	3	Horizontal	14	1.50	-
2462MHz	Pass	AV	2.4674G	102.42	Inf	-Inf	3	Vertical	200	2.24	-
2462MHz	Pass	AV	2.4835G	51.19	54.00	-2.81	3	Vertical	200	2.24	-
2462MHz	Pass	PK	2.468G	114.74	Inf	-Inf	3	Vertical	200	2.24	-
2462MHz	Pass	PK	2.4838G	73.80	74.00	-0.20	3	Vertical	200	2.24	-
2462MHz	Pass	AV	2.4662G	97.82	Inf	-Inf	3	Horizontal	343	1.81	-
2462MHz	Pass	AV	2.4835G	48.81	54.00	-5.19	3	Horizontal	343	1.81	-
2462MHz	Pass	PK	2.4642G	108.10	Inf	-Inf	3	Horizontal	343	1.81	-
2462MHz	Pass	PK	2.4836G	72.37	74.00	-1.63	3	Horizontal	343	1.81	-
2462MHz	Pass	AV	4.92253G	29.67	54.00	-24.33	3	Vertical	345	1.50	-
2462MHz	Pass	PK	4.92536G	42.60	74.00	-31.40	3	Vertical	345	1.50	-
2462MHz	Pass	AV	4.92185G	29.73	54.00	-24.27	3	Horizontal	270	1.50	-
2462MHz	Pass	PK	4.92219G	42.39	74.00	-31.61	3	Horizontal	270	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3896G	51.24	54.00	-2.76	3	Vertical	85	3.00	-
2422MHz	Pass	AV	2.4128G	103.18	Inf	-Inf	3	Vertical	85	3.00	-
2422MHz	Pass	AV	2.4835G	46.69	54.00	-7.31	3	Vertical	85	3.00	-
2422MHz	Pass	PK	2.3896G	73.45	74.00	-0.55	3	Vertical	85	3.00	-
2422MHz	Pass	PK	2.4108G	115.77	Inf	-Inf	3	Vertical	85	3.00	-
2422MHz	Pass	PK	2.4864G	62.67	74.00	-11.33	3	Vertical	85	3.00	-
2422MHz	Pass	AV	2.3896G	47.40	54.00	-6.60	3	Horizontal	293	2.90	-
2422MHz	Pass	AV	2.4292G	96.89	Inf	-Inf	3	Horizontal	293	2.90	-
2422MHz	Pass	AV	2.4884G	44.68	54.00	-9.32	3	Horizontal	293	2.90	-
2422MHz	Pass	PK	2.39G	73.05	74.00	-0.95	3	Horizontal	293	2.90	-
2422MHz	Pass	PK	2.4044G	110.66	Inf	-Inf	3	Horizontal	293	2.90	-
2422MHz	Pass	PK	2.484G	58.69	74.00	-15.31	3	Horizontal	293	2.90	-
2422MHz	Pass	AV	4.84318G	30.39	54.00	-23.61	3	Vertical	243	1.50	-
2422MHz	Pass	PK	4.84211G	43.27	74.00	-30.73	3	Vertical	243	1.50	-
2422MHz	Pass	AV	4.84191G	30.43	54.00	-23.57	3	Horizontal	134	2.11	-
2422MHz	Pass	PK	4.84407G	42.66	74.00	-31.34	3	Horizontal	134	2.11	-
2427MHz	Pass	AV	2.3898G	52.20	54.00	-1.80	3	Vertical	189	2.27	-
2427MHz	Pass	AV	2.4294G	103.67	Inf	-Inf	3	Vertical	189	2.27	-
2427MHz	Pass	AV	2.4846G	51.51	54.00	-2.49	3	Vertical	189	2.27	-
2427MHz	Pass	PK	2.3894G	73.88	74.00	-0.12	3	Vertical	189	2.27	-
2427MHz	Pass	PK	2.4158G	115.67	Inf	-Inf	3	Vertical	189	2.27	-
2427MHz	Pass	PK	2.4842G	69.87	74.00	-4.13	3	Vertical	189	2.27	-
2427MHz	Pass	AV	2.389G	48.79	54.00	-5.21	3	Horizontal	204	2.82	-
2427MHz	Pass	AV	2.4234G	100.28	Inf	-Inf	3	Horizontal	204	2.82	-
2427MHz	Pass	AV	2.4842G	50.65	54.00	-3.35	3	Horizontal	204	2.82	-
2427MHz	Pass	PK	2.3898G	67.31	74.00	-6.69	3	Horizontal	204	2.82	-
2427MHz	Pass	PK	2.421G	111.91	Inf	-Inf	3	Horizontal	204	2.82	-
2427MHz	Pass	PK	2.4862G	66.22	74.00	-7.78	3	Horizontal	204	2.82	-
2437MHz	Pass	AV	2.3894G	48.06	54.00	-5.94	3	Vertical	192	2.51	-
2437MHz	Pass	AV	2.4286G	102.29	Inf	-Inf	3	Vertical	192	2.51	-
2437MHz	Pass	AV	2.4842G	52.68	54.00	-1.32	3	Vertical	192	2.51	-
2437MHz	Pass	PK	2.3898G	60.90	74.00	-13.10	3	Vertical	192	2.51	-
2437MHz	Pass	PK	2.4354G	112.98	Inf	-Inf	3	Vertical	192	2.51	-
2437MHz	Pass	PK	2.4835G	73.46	74.00	-0.54	3	Vertical	192	2.51	-
2437MHz	Pass	AV	2.3898G	47.45	54.00	-6.55	3	Horizontal	12	1.80	-
2437MHz	Pass	AV	2.4234G	97.46	Inf	-Inf	3	Horizontal	12	1.80	-
2437MHz	Pass	AV	2.4842G	50.92	54.00	-3.08	3	Horizontal	12	1.80	-
2437MHz	Pass	PK	2.3398G	57.56	74.00	-16.44	3	Horizontal	12	1.80	-
2437MHz	Pass	PK	2.4222G	110.04	Inf	-Inf	3	Horizontal	12	1.80	-
2437MHz	Pass	PK	2.4862G	65.04	74.00	-8.96	3	Horizontal	12	1.80	-
2437MHz	Pass	AV	4.87216G	29.89	54.00	-24.11	3	Vertical	306	2.54	-
2437MHz	Pass	PK	4.87464G	43.04	74.00	-30.96	3	Vertical	306	2.54	-
2437MHz	Pass	AV	4.87169G	29.87	54.00	-24.13	3	Horizontal	109	2.33	-
2437MHz	Pass	PK	4.87299G	42.07	74.00	-31.93	3	Horizontal	109	2.33	-
2442MHz	Pass	AV	2.3892G	44.36	54.00	-9.64	3	Vertical	261	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2442MHz	Pass	AV	2.4524G	99.17	Inf	-Inf	3	Vertical	261	1.50	-
2442MHz	Pass	AV	2.4835G	53.70	54.00	-0.30	3	Vertical	261	1.50	-
2442MHz	Pass	PK	2.3808G	56.56	74.00	-17.44	3	Vertical	261	1.50	-
2442MHz	Pass	PK	2.4508G	110.97	Inf	-Inf	3	Vertical	261	1.50	-
2442MHz	Pass	PK	2.4844G	71.09	74.00	-2.91	3	Vertical	261	1.50	-
2442MHz	Pass	AV	2.3588G	44.15	54.00	-9.85	3	Horizontal	0	1.65	-
2442MHz	Pass	AV	2.428G	93.59	Inf	-Inf	3	Horizontal	0	1.65	-
2442MHz	Pass	AV	2.4835G	47.11	54.00	-6.89	3	Horizontal	0	1.65	-
2442MHz	Pass	PK	2.3828G	56.85	74.00	-17.15	3	Horizontal	0	1.65	-
2442MHz	Pass	PK	2.4504G	106.06	Inf	-Inf	3	Horizontal	0	1.65	-
2442MHz	Pass	PK	2.4864G	61.48	74.00	-12.52	3	Horizontal	0	1.65	-
2447MHz	Pass	AV	2.3614G	46.23	54.00	-7.77	3	Vertical	201	1.32	-
2447MHz	Pass	AV	2.4398G	104.60	Inf	-Inf	3	Vertical	201	1.32	-
2447MHz	Pass	AV	2.4835G	50.92	54.00	-3.08	3	Vertical	201	1.32	-
2447MHz	Pass	PK	2.3826G	57.34	74.00	-16.66	3	Vertical	201	1.32	-
2447MHz	Pass	PK	2.4346G	113.56	Inf	-Inf	3	Vertical	201	1.32	-
2447MHz	Pass	PK	2.4854G	73.89	74.00	-0.11	3	Vertical	201	1.32	-
2447MHz	Pass	AV	2.3818G	46.15	54.00	-7.85	3	Horizontal	297	2.80	-
2447MHz	Pass	AV	2.4298G	97.70	Inf	-Inf	3	Horizontal	297	2.80	-
2447MHz	Pass	AV	2.4835G	49.31	54.00	-4.69	3	Horizontal	297	2.80	-
2447MHz	Pass	PK	2.361G	57.26	74.00	-16.74	3	Horizontal	297	2.80	-
2447MHz	Pass	PK	2.4374G	108.33	Inf	-Inf	3	Horizontal	297	2.80	-
2447MHz	Pass	PK	2.4842G	66.28	74.00	-7.72	3	Horizontal	297	2.80	-
2452MHz	Pass	AV	2.3764G	46.22	54.00	-7.78	3	Vertical	196	2.90	-
2452MHz	Pass	AV	2.436G	99.23	Inf	-Inf	3	Vertical	196	2.90	-
2452MHz	Pass	AV	2.4835G	51.66	54.00	-2.34	3	Vertical	196	2.90	-
2452MHz	Pass	PK	2.3872G	57.29	74.00	-16.71	3	Vertical	196	2.90	-
2452MHz	Pass	PK	2.4356G	111.45	Inf	-Inf	3	Vertical	196	2.90	-
2452MHz	Pass	PK	2.4835G	73.11	74.00	-0.89	3	Vertical	196	2.90	-
2452MHz	Pass	AV	2.36G	46.26	54.00	-7.74	3	Horizontal	113	1.00	-
2452MHz	Pass	AV	2.4352G	92.74	Inf	-Inf	3	Horizontal	113	1.00	-
2452MHz	Pass	AV	2.4835G	48.50	54.00	-5.50	3	Horizontal	113	1.00	-
2452MHz	Pass	PK	2.3692G	57.52	74.00	-16.48	3	Horizontal	113	1.00	-
2452MHz	Pass	PK	2.4348G	105.34	Inf	-Inf	3	Horizontal	113	1.00	-
2452MHz	Pass	PK	2.484G	66.48	74.00	-7.52	3	Horizontal	113	1.00	-
2452MHz	Pass	AV	4.90208G	30.11	54.00	-23.89	3	Vertical	10	2.31	-
2452MHz	Pass	PK	4.90425G	43.55	74.00	-30.45	3	Vertical	10	2.31	-
2452MHz	Pass	AV	4.90187G	30.28	54.00	-23.72	3	Horizontal	52	2.90	-
2452MHz	Pass	PK	4.90214G	43.68	74.00	-30.32	3	Horizontal	52	2.90	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.88	54.00	-5.12	31.52	3	Vertical	203	1.50	-	17.36	27.64	3.88	-
AV	2.4196G	100.71	Inf	-Inf	31.53	3	Vertical	203	1.50	-	69.18	27.60	3.93	-
PK	2.3898G	73.44	74.00	-0.56	31.52	3	Vertical	203	1.50	-	41.92	27.64	3.88	-
PK	2.4204G	114.20	Inf	-Inf	31.53	3	Vertical	203	1.50	-	82.67	27.60	3.93	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	49.57	54.00	-4.43	31.52	3	Horizontal	300	2.60	-	18.05	27.64	3.88	-
AV	2.4082G	102.74	Inf	-Inf	31.51	3	Horizontal	300	2.60	-	71.23	27.60	3.91	-
PK	2.3894G	71.48	74.00	-2.52	31.52	3	Horizontal	300	2.60	-	39.96	27.64	3.88	-
PK	2.4108G	112.57	Inf	-Inf	31.52	3	Horizontal	300	2.60	-	81.05	27.60	3.92	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8218G	29.97	54.00	-24.03	1.57	3	Vertical	199	1.06	-	28.40	31.19	5.31	34.93
PK	4.8224G	42.47	74.00	-31.53	1.57	3	Vertical	199	1.06	-	40.90	31.19	5.31	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82168G	29.88	54.00	-24.12	1.57	3	Horizontal	251	2.50	-	28.31	31.19	5.31	34.93
PK	4.82246G	42.26	74.00	-31.74	1.57	3	Horizontal	251	2.50	-	40.69	31.19	5.31	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	47.85	54.00	-6.15	31.52	3	Vertical	200	1.44	-	16.33	27.64	3.88	-
AV	2.4254G	105.11	Inf	-Inf	31.54	3	Vertical	200	1.44	-	73.57	27.60	3.94	-
AV	2.4838G	46.57	54.00	-7.43	31.63	3	Vertical	200	1.44	-	14.94	27.60	4.03	-
PK	2.3898G	67.89	74.00	-6.11	31.52	3	Vertical	200	1.44	-	36.37	27.64	3.88	-
PK	2.4246G	118.02	Inf	-Inf	31.54	3	Vertical	200	1.44	-	86.48	27.60	3.94	-
PK	2.4846G	59.93	74.00	-14.07	31.63	3	Vertical	200	1.44	-	28.30	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3894G	47.23	54.00	-6.77	31.52	3	Horizontal	302	2.92	-	15.71	27.64	3.88	-
AV	2.4202G	104.74	Inf	-Inf	31.53	3	Horizontal	302	2.92	-	73.21	27.60	3.93	-
AV	2.4835G	45.48	54.00	-8.52	31.63	3	Horizontal	302	2.92	-	13.85	27.60	4.03	-
PK	2.3898G	65.27	74.00	-8.73	31.52	3	Horizontal	302	2.92	-	33.75	27.64	3.88	-
PK	2.4158G	113.63	Inf	-Inf	31.52	3	Horizontal	302	2.92	-	82.11	27.60	3.92	-
PK	2.4858G	58.21	74.00	-15.79	31.63	3	Horizontal	302	2.92	-	26.58	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.80	54.00	-9.20	31.52	3	Vertical	178	1.50	-	13.28	27.64	3.88	-
AV	2.4342G	106.52	Inf	-Inf	31.55	3	Vertical	178	1.50	-	74.97	27.60	3.95	-
AV	2.4835G	47.39	54.00	-6.61	31.63	3	Vertical	178	1.50	-	15.76	27.60	4.03	-
PK	2.3894G	60.16	74.00	-13.84	31.52	3	Vertical	178	1.50	-	28.64	27.64	3.88	-
PK	2.431G	115.23	Inf	-Inf	31.55	3	Vertical	178	1.50	-	83.68	27.60	3.95	-
PK	2.4838G	66.24	74.00	-7.76	31.63	3	Vertical	178	1.50	-	34.61	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.14	54.00	-9.86	31.52	3	Horizontal	298	2.86	-	12.62	27.64	3.88	-
AV	2.4354G	105.91	Inf	-Inf	31.55	3	Horizontal	298	2.86	-	74.36	27.60	3.95	-
AV	2.4854G	46.21	54.00	-7.79	31.63	3	Horizontal	298	2.86	-	14.58	27.60	4.03	-
PK	2.3778G	57.75	74.00	-16.25	31.56	3	Horizontal	298	2.86	-	26.19	27.69	3.87	-
PK	2.4294G	114.47	Inf	-Inf	31.54	3	Horizontal	298	2.86	-	82.93	27.60	3.94	-
PK	2.4838G	61.14	74.00	-12.86	31.63	3	Horizontal	298	2.86	-	29.51	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.8737G	42.87	74.00	-31.13	1.66	3	Vertical	129	1.50	-	41.21	31.25	5.34	34.93
AV	4.87194G	29.85	54.00	-24.15	1.67	3	Vertical	129	1.50	-	28.18	31.26	5.34	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87183G	29.64	54.00	-24.36	1.67	3	Horizontal	107	2.06	-	27.97	31.26	5.34	34.93
PK	4.87249G	42.51	74.00	-31.49	1.67	3	Horizontal	107	2.06	-	40.84	31.26	5.34	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	44.88	54.00	-9.12	31.52	3	Vertical	269	1.59	-	13.36	27.64	3.88	-
AV	2.4436G	108.12	Inf	-Inf	31.48	3	Vertical	269	1.59	-	76.64	27.51	3.97	-
AV	2.484G	53.42	54.00	-0.58	31.53	3	Vertical	269	1.59	-	21.89	27.50	4.03	-
PK	2.3608G	57.31	74.00	-16.69	31.60	3	Vertical	269	1.59	-	25.71	27.76	3.84	-
PK	2.4432G	118.77	Inf	-Inf	31.47	3	Vertical	269	1.59	-	87.30	27.51	3.96	-
PK	2.486G	68.73	74.00	-5.27	31.53	3	Vertical	269	1.59	-	37.20	27.50	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3688G	44.38	54.00	-9.62	31.57	3	Horizontal	337	1.38	-	12.81	27.72	3.85	-
AV	2.4484G	103.95	Inf	-Inf	31.47	3	Horizontal	337	1.38	-	72.48	27.50	3.97	-
AV	2.4835G	51.74	54.00	-2.26	31.53	3	Horizontal	337	1.38	-	20.21	27.50	4.03	-
PK	2.36G	56.45	74.00	-17.55	31.60	3	Horizontal	337	1.38	-	24.85	27.76	3.84	-
PK	2.4464G	114.33	Inf	-Inf	31.48	3	Horizontal	337	1.38	-	82.85	27.51	3.97	-
PK	2.484G	64.64	74.00	-9.36	31.53	3	Horizontal	337	1.38	-	33.11	27.50	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	44.03	54.00	-9.97	31.52	3	Vertical	199	2.21	-	12.51	27.64	3.88	-
AV	2.465G	105.31	Inf	-Inf	31.60	3	Vertical	199	2.21	-	73.71	27.60	4.00	-
AV	2.4838G	51.94	54.00	-2.06	31.63	3	Vertical	199	2.21	-	20.31	27.60	4.03	-
PK	2.3866G	57.51	74.00	-16.49	31.53	3	Vertical	199	2.21	-	25.98	27.65	3.88	-
PK	2.4654G	117.80	Inf	-Inf	31.60	3	Vertical	199	2.21	-	86.20	27.60	4.00	-
PK	2.4842G	73.63	74.00	-0.37	31.63	3	Vertical	199	2.21	-	42.00	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3674G	44.05	54.00	-9.95	31.58	3	Horizontal	14	1.50	-	12.47	27.73	3.85	-
AV	2.4526G	98.38	Inf	-Inf	31.58	3	Horizontal	14	1.50	-	66.80	27.60	3.98	-
AV	2.4838G	50.82	54.00	-3.18	31.63	3	Horizontal	14	1.50	-	19.19	27.60	4.03	-
PK	2.381G	57.49	74.00	-16.51	31.55	3	Horizontal	14	1.50	-	25.94	27.68	3.87	-
PK	2.4634G	111.43	Inf	-Inf	31.60	3	Horizontal	14	1.50	-	79.83	27.60	4.00	-
PK	2.4842G	71.43	74.00	-2.57	31.63	3	Horizontal	14	1.50	-	39.80	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4674G	102.42	Inf	-Inf	31.60	3	Vertical	200	2.24	-	70.82	27.60	4.00	-
AV	2.4835G	51.19	54.00	-2.81	31.63	3	Vertical	200	2.24	-	19.56	27.60	4.03	-
PK	2.468G	114.74	Inf	-Inf	31.60	3	Vertical	200	2.24	-	83.14	27.60	4.00	-
PK	2.4838G	73.80	74.00	-0.20	31.63	3	Vertical	200	2.24	-	42.17	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	97.82	Inf	-Inf	31.60	3	Horizontal	343	1.81	-	66.22	27.60	4.00	-
AV	2.4835G	48.81	54.00	-5.19	31.63	3	Horizontal	343	1.81	-	17.18	27.60	4.03	-
PK	2.4642G	108.10	Inf	-Inf	31.60	3	Horizontal	343	1.81	-	76.50	27.60	4.00	-
PK	2.4836G	72.37	74.00	-1.63	31.63	3	Horizontal	343	1.81	-	40.74	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92253G	29.67	54.00	-24.33	1.71	3	Vertical	345	1.50	-	27.96	31.29	5.36	34.94
PK	4.92536G	42.60	74.00	-31.40	1.72	3	Vertical	345	1.50	-	40.88	31.30	5.36	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92185G	29.73	54.00	-24.27	1.71	3	Horizontal	270	1.50	-	28.02	31.29	5.36	34.94
PK	4.92219G	42.39	74.00	-31.61	1.71	3	Horizontal	270	1.50	-	40.68	31.29	5.36	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3896G	51.24	54.00	-2.76	31.52	3	Vertical	85	3.00	-	19.72	27.64	3.88	-
AV	2.4128G	103.18	Inf	-Inf	31.52	3	Vertical	85	3.00	-	71.66	27.60	3.92	-
AV	2.4835G	46.69	54.00	-7.31	31.63	3	Vertical	85	3.00	-	15.06	27.60	4.03	-
PK	2.3896G	73.45	74.00	-0.55	31.52	3	Vertical	85	3.00	-	41.93	27.64	3.88	-
PK	2.4108G	115.77	Inf	-Inf	31.52	3	Vertical	85	3.00	-	84.25	27.60	3.92	-
PK	2.4864G	62.67	74.00	-11.33	31.63	3	Vertical	85	3.00	-	31.04	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.40	54.00	-6.60	31.52	3	Horizontal	293	2.90	-	15.88	27.64	3.88	-
AV	2.4292G	96.89	Inf	-Inf	31.54	3	Horizontal	293	2.90	-	65.35	27.60	3.94	-
AV	2.4884G	44.68	54.00	-9.32	31.63	3	Horizontal	293	2.90	-	13.05	27.60	4.03	-
PK	2.39G	73.05	74.00	-0.95	31.52	3	Horizontal	293	2.90	-	41.53	27.64	3.88	-
PK	2.4044G	110.66	Inf	-Inf	31.51	3	Horizontal	293	2.90	-	79.15	27.60	3.91	-
PK	2.484G	58.69	74.00	-15.31	31.63	3	Horizontal	293	2.90	-	27.06	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84318G	30.39	54.00	-23.61	1.66	3	Vertical	243	1.50	-	28.73	31.27	5.32	34.93
PK	4.84211G	43.27	74.00	-30.73	1.66	3	Vertical	243	1.50	-	41.61	31.27	5.32	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84191G	30.43	54.00	-23.57	1.66	3	Horizontal	134	2.11	-	28.77	31.27	5.32	34.93
PK	4.84407G	42.66	74.00	-31.34	1.67	3	Horizontal	134	2.11	-	40.99	31.28	5.32	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.20	54.00	-1.80	31.52	3	Vertical	189	2.27	-	20.68	27.64	3.88	-
AV	2.4294G	103.67	Inf	-Inf	31.54	3	Vertical	189	2.27	-	72.13	27.60	3.94	-
AV	2.4846G	51.51	54.00	-2.49	31.63	3	Vertical	189	2.27	-	19.88	27.60	4.03	-
PK	2.3894G	73.88	74.00	-0.12	31.52	3	Vertical	189	2.27	-	42.36	27.64	3.88	-
PK	2.4158G	115.67	Inf	-Inf	31.52	3	Vertical	189	2.27	-	84.15	27.60	3.92	-
PK	2.4842G	69.87	74.00	-4.13	31.63	3	Vertical	189	2.27	-	38.24	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	48.79	54.00	-5.21	31.52	3	Horizontal	204	2.82	-	17.27	27.64	3.88	-
AV	2.4234G	100.28	Inf	-Inf	31.54	3	Horizontal	204	2.82	-	68.74	27.60	3.94	-
AV	2.4842G	50.65	54.00	-3.35	31.63	3	Horizontal	204	2.82	-	19.02	27.60	4.03	-
PK	2.3898G	67.31	74.00	-6.69	31.52	3	Horizontal	204	2.82	-	35.79	27.64	3.88	-
PK	2.421G	111.91	Inf	-Inf	31.53	3	Horizontal	204	2.82	-	80.38	27.60	3.93	-
PK	2.4862G	66.22	74.00	-7.78	31.63	3	Horizontal	204	2.82	-	34.59	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.06	54.00	-5.94	31.52	3	Vertical	192	2.51	-	16.54	27.64	3.88	-
AV	2.4286G	102.29	Inf	-Inf	31.54	3	Vertical	192	2.51	-	70.75	27.60	3.94	-
AV	2.4842G	52.68	54.00	-1.32	31.63	3	Vertical	192	2.51	-	21.05	27.60	4.03	-
PK	2.3898G	60.90	74.00	-13.10	31.52	3	Vertical	192	2.51	-	29.38	27.64	3.88	-
PK	2.4354G	112.98	Inf	-Inf	31.55	3	Vertical	192	2.51	-	81.43	27.60	3.95	-
PK	2.4835G	73.46	74.00	-0.54	31.63	3	Vertical	192	2.51	-	41.83	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.45	54.00	-6.55	31.52	3	Horizontal	12	1.80	-	15.93	27.64	3.88	-
AV	2.4234G	97.46	Inf	-Inf	31.54	3	Horizontal	12	1.80	-	65.92	27.60	3.94	-
AV	2.4842G	50.92	54.00	-3.08	31.63	3	Horizontal	12	1.80	-	19.29	27.60	4.03	-
PK	2.3398G	57.56	74.00	-16.44	31.63	3	Horizontal	12	1.80	-	25.93	27.82	3.81	-
PK	2.4222G	110.04	Inf	-Inf	31.53	3	Horizontal	12	1.80	-	78.51	27.60	3.93	-
PK	2.4862G	65.04	74.00	-8.96	31.63	3	Horizontal	12	1.80	-	33.41	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87216G	29.89	54.00	-24.11	1.67	3	Vertical	306	2.54	-	28.92	31.26	5.34	34.93
PK	4.87464G	43.04	74.00	-30.96	1.66	3	Vertical	306	2.54	-	41.58	31.25	5.34	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87169G	29.87	54.00	-24.13	1.67	3	Horizontal	109	2.33	-	28.90	31.26	5.34	34.93
PK	4.87299G	42.07	74.00	-31.93	1.66	3	Horizontal	109	2.33	-	41.01	31.25	5.34	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3892G	44.36	54.00	-9.64	31.52	3	Vertical	261	1.50	-	12.84	27.64	3.88	-
AV	2.4524G	99.17	Inf	-Inf	31.48	3	Vertical	261	1.50	-	67.69	27.50	3.98	-
AV	2.4835G	53.70	54.00	-0.30	31.53	3	Vertical	261	1.50	-	22.17	27.50	4.03	-
PK	2.3808G	56.56	74.00	-17.44	31.55	3	Vertical	261	1.50	-	25.01	27.68	3.87	-
PK	2.4508G	110.97	Inf	-Inf	31.48	3	Vertical	261	1.50	-	79.49	27.50	3.98	-
PK	2.4844G	71.09	74.00	-2.91	31.53	3	Vertical	261	1.50	-	39.56	27.50	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3588G	44.15	54.00	-9.85	31.60	3	Horizontal	0	1.65	-	12.55	27.76	3.84	-
AV	2.428G	93.59	Inf	-Inf	31.48	3	Horizontal	0	1.65	-	62.11	27.54	3.94	-
AV	2.4835G	47.11	54.00	-6.89	31.53	3	Horizontal	0	1.65	-	15.58	27.50	4.03	-
PK	2.3828G	56.85	74.00	-17.15	31.54	3	Horizontal	0	1.65	-	25.31	27.67	3.87	-
PK	2.4504G	106.06	Inf	-Inf	31.48	3	Horizontal	0	1.65	-	74.58	27.50	3.98	-
PK	2.4864G	61.48	74.00	-12.52	31.53	3	Horizontal	0	1.65	-	29.95	27.50	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3614G	46.23	54.00	-7.77	31.59	3	Vertical	201	1.32	-	14.64	27.75	3.84	-
AV	2.4398G	104.60	Inf	-Inf	31.56	3	Vertical	201	1.32	-	73.04	27.60	3.96	-
AV	2.4835G	50.92	54.00	-3.08	31.63	3	Vertical	201	1.32	-	19.29	27.60	4.03	-
PK	2.3826G	57.34	74.00	-16.66	31.54	3	Vertical	201	1.32	-	25.80	27.67	3.87	-
PK	2.4346G	113.56	Inf	-Inf	31.55	3	Vertical	201	1.32	-	82.01	27.60	3.95	-
PK	2.4854G	73.89	74.00	-0.11	31.63	3	Vertical	201	1.32	-	42.26	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3818G	46.15	54.00	-7.85	31.54	3	Horizontal	297	2.80	-	14.61	27.67	3.87	-
AV	2.4298G	97.70	Inf	-Inf	31.54	3	Horizontal	297	2.80	-	66.16	27.60	3.94	-
AV	2.4835G	49.31	54.00	-4.69	31.63	3	Horizontal	297	2.80	-	17.68	27.60	4.03	-
PK	2.361G	57.26	74.00	-16.74	31.60	3	Horizontal	297	2.80	-	25.66	27.76	3.84	-
PK	2.4374G	108.33	Inf	-Inf	31.56	3	Horizontal	297	2.80	-	76.77	27.60	3.96	-
PK	2.4842G	66.28	74.00	-7.72	31.63	3	Horizontal	297	2.80	-	34.65	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3764G	46.22	54.00	-7.78	31.55	3	Vertical	196	2.90	-	14.67	27.69	3.86	-
AV	2.436G	99.23	Inf	-Inf	31.55	3	Vertical	196	2.90	-	67.68	27.60	3.95	-
AV	2.4835G	51.66	54.00	-2.34	31.63	3	Vertical	196	2.90	-	20.03	27.60	4.03	-
PK	2.3872G	57.29	74.00	-16.71	31.53	3	Vertical	196	2.90	-	25.76	27.65	3.88	-
PK	2.4356G	111.45	Inf	-Inf	31.55	3	Vertical	196	2.90	-	79.90	27.60	3.95	-
PK	2.4835G	73.11	74.00	-0.89	31.63	3	Vertical	196	2.90	-	41.48	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.36G	46.26	54.00	-7.74	31.60	3	Horizontal	113	1.00	-	14.66	27.76	3.84	-
AV	2.4352G	92.74	Inf	-Inf	31.55	3	Horizontal	113	1.00	-	61.19	27.60	3.95	-
AV	2.4835G	48.50	54.00	-5.50	31.63	3	Horizontal	113	1.00	-	16.87	27.60	4.03	-
PK	2.3692G	57.52	74.00	-16.48	31.57	3	Horizontal	113	1.00	-	25.95	27.72	3.85	-
PK	2.4348G	105.34	Inf	-Inf	31.55	3	Horizontal	113	1.00	-	73.79	27.60	3.95	-
PK	2.484G	66.48	74.00	-7.52	31.63	3	Horizontal	113	1.00	-	34.85	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90208G	30.11	54.00	-23.89	1.63	3	Vertical	10	2.31	-	28.48	31.21	5.35	34.93
PK	4.90425G	43.55	74.00	-30.45	1.64	3	Vertical	10	2.31	-	41.91	31.22	5.35	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90187G	30.28	54.00	-23.72	1.63	3	Horizontal	52	2.90	-	28.65	31.21	5.35	34.93
PK	4.90214G	43.68	74.00	-30.32	1.63	3	Horizontal	52	2.90	-	42.05	31.21	5.35	34.93



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	QP	47.38M	39.66	40.00	-0.34	3	Vertical	189	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	210.42M	33.24	43.50	-10.26	3	Vertical	360	1.00	-
2437MHz	Pass	PK	353.98M	34.39	46.00	-11.61	3	Vertical	360	1.00	-
2437MHz	Pass	PK	425.76M	37.09	46.00	-8.91	3	Vertical	360	1.00	-
2437MHz	Pass	PK	563.5M	35.62	46.00	-10.38	3	Vertical	360	1.00	-
2437MHz	Pass	PK	712.88M	36.59	46.00	-9.41	3	Vertical	360	1.00	-
2437MHz	Pass	QP	47.38M	39.66	40.00	-0.34	3	Vertical	189	1.00	-
2437MHz	Pass	PK	208.48M	38.68	43.50	-4.82	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	423.82M	40.44	46.00	-5.56	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	555.74M	39.12	46.00	-6.88	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	681.84M	39.66	46.00	-6.34	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	875.84M	36.69	46.00	-9.31	3	Horizontal	0	1.00	-
2437MHz	Pass	QP	84.32M	39.23	40.00	-0.77	3	Horizontal	1.12	1.00	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	210.42M	33.24	43.50	-10.26	-20.72	3	Vertical	360	1.00	-	53.96	14.22	1.36	36.30
PK	353.98M	34.39	46.00	-11.61	-15.04	3	Vertical	360	1.00	-	49.43	19.71	1.78	36.53
PK	425.76M	37.09	46.00	-8.91	-12.47	3	Vertical	360	1.00	-	49.56	22.12	2.01	36.60
PK	563.5M	35.62	46.00	-10.38	-9.32	3	Vertical	360	1.00	-	44.94	25.37	2.40	37.09
PK	712.88M	36.59	46.00	-9.41	-8.65	3	Vertical	360	1.00	-	45.24	26.01	2.71	37.37
QP	47.38M	39.66	40.00	-0.34	-21.87	3	Vertical	189	1.00	-	61.53	14.41	0.80	37.08

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	208.48M	38.68	43.50	-4.82	-20.60	3	Horizontal	0	1.00	-	59.28	14.27	1.35	36.22
PK	423.82M	40.44	46.00	-5.56	-12.42	3	Horizontal	0	1.00	-	52.86	22.09	2.00	36.51
PK	555.74M	39.12	46.00	-6.88	-9.59	3	Horizontal	0	1.00	-	48.71	25.12	2.39	37.10
PK	681.84M	39.66	46.00	-6.34	-8.88	3	Horizontal	0	1.00	-	48.54	25.63	2.66	37.17
PK	875.84M	36.69	46.00	-9.31	-6.50	3	Horizontal	0	1.00	-	43.19	28.15	2.97	37.62
QP	84.32M	39.23	40.00	-0.77	-22.77	3	Horizontal	1.12	1.00	-	62.00	13.01	0.91	36.69



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Horizontal	63	1.36	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	2.39G	53.88	54.00	-0.12	3	Horizontal	288	2.71	-

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	47.73	54.00	-6.27	3	Vertical	178	1.50	-
2412MHz	Pass	AV	2.4042G	98.59	Inf	-Inf	3	Vertical	178	1.50	-
2412MHz	Pass	PK	2.39G	67.28	74.00	-6.72	3	Vertical	178	1.50	-
2412MHz	Pass	PK	2.4046G	110.45	Inf	-Inf	3	Vertical	178	1.50	-
2412MHz	Pass	AV	2.3894G	49.82	54.00	-4.18	3	Horizontal	313	1.73	-
2412MHz	Pass	AV	2.4152G	102.43	Inf	-Inf	3	Horizontal	313	1.73	-
2412MHz	Pass	PK	2.39G	73.85	74.00	-0.15	3	Horizontal	313	1.73	-
2412MHz	Pass	PK	2.4052G	112.53	Inf	-Inf	3	Horizontal	313	1.73	-
2412MHz	Pass	AV	4.83032G	30.02	54.00	-23.98	3	Vertical	86	1.50	-
2412MHz	Pass	PK	4.82972G	42.89	74.00	-31.11	3	Vertical	86	1.50	-
2412MHz	Pass	AV	4.83192G	30.11	54.00	-23.89	3	Horizontal	344	1.51	-
2412MHz	Pass	PK	4.82524G	43.06	74.00	-30.94	3	Horizontal	344	1.51	-
2417MHz	Pass	AV	2.3894G	46.06	54.00	-7.94	3	Vertical	191	1.50	-
2417MHz	Pass	AV	2.4154G	101.83	Inf	-Inf	3	Vertical	191	1.50	-
2417MHz	Pass	AV	2.4838G	44.97	54.00	-9.03	3	Vertical	191	1.50	-
2417MHz	Pass	PK	2.3898G	62.62	74.00	-11.38	3	Vertical	191	1.50	-
2417MHz	Pass	PK	2.4158G	113.08	Inf	-Inf	3	Vertical	191	1.50	-
2417MHz	Pass	PK	2.4838G	59.37	74.00	-14.63	3	Vertical	191	1.50	-
2417MHz	Pass	AV	2.3898G	47.95	54.00	-6.05	3	Horizontal	302	2.20	-
2417MHz	Pass	AV	2.4178G	104.33	Inf	-Inf	3	Horizontal	302	2.20	-
2417MHz	Pass	AV	2.4846G	45.84	54.00	-8.16	3	Horizontal	302	2.20	-
2417MHz	Pass	PK	2.3894G	68.82	74.00	-5.18	3	Horizontal	302	2.20	-
2417MHz	Pass	PK	2.409G	116.61	Inf	-Inf	3	Horizontal	302	2.20	-
2417MHz	Pass	PK	2.4858G	58.98	74.00	-15.02	3	Horizontal	302	2.20	-
2437MHz	Pass	AV	2.3894G	44.06	54.00	-9.94	3	Vertical	109	1.52	-
2437MHz	Pass	AV	2.4342G	100.33	Inf	-Inf	3	Vertical	109	1.52	-
2437MHz	Pass	AV	2.4842G	45.51	54.00	-8.49	3	Vertical	109	1.52	-
2437MHz	Pass	PK	2.3534G	57.87	74.00	-16.13	3	Vertical	109	1.52	-
2437MHz	Pass	PK	2.4338G	113.34	Inf	-Inf	3	Vertical	109	1.52	-
2437MHz	Pass	PK	2.4835G	60.58	74.00	-13.42	3	Vertical	109	1.52	-
2437MHz	Pass	AV	2.3898G	44.77	54.00	-9.23	3	Horizontal	64	1.05	-
2437MHz	Pass	AV	2.4326G	105.43	Inf	-Inf	3	Horizontal	64	1.05	-
2437MHz	Pass	AV	2.4842G	47.00	54.00	-7.00	3	Horizontal	64	1.05	-
2437MHz	Pass	PK	2.389G	57.65	74.00	-16.35	3	Horizontal	64	1.05	-
2437MHz	Pass	PK	2.4334G	118.07	Inf	-Inf	3	Horizontal	64	1.05	-
2437MHz	Pass	PK	2.4838G	64.92	74.00	-9.08	3	Horizontal	64	1.05	-
2437MHz	Pass	AV	4.87233G	29.68	54.00	-24.32	3	Vertical	204	1.50	-
2437MHz	Pass	PK	4.87367G	42.29	74.00	-31.71	3	Vertical	204	1.50	-
2437MHz	Pass	AV	4.87205G	29.90	54.00	-24.10	3	Horizontal	291	1.70	-
2437MHz	Pass	PK	4.87381G	43.06	74.00	-30.94	3	Horizontal	291	1.70	-
2452MHz	Pass	AV	2.3804G	44.23	54.00	-9.77	3	Vertical	17	1.34	-
2452MHz	Pass	AV	2.4456G	101.02	Inf	-Inf	3	Vertical	17	1.34	-
2452MHz	Pass	AV	2.4835G	48.96	54.00	-5.04	3	Vertical	17	1.34	-
2452MHz	Pass	PK	2.38G	56.55	74.00	-17.45	3	Vertical	17	1.34	-
2452MHz	Pass	PK	2.448G	112.34	Inf	-Inf	3	Vertical	17	1.34	-
2452MHz	Pass	PK	2.4856G	63.31	74.00	-10.69	3	Vertical	17	1.34	-
2452MHz	Pass	AV	2.39G	44.23	54.00	-9.77	3	Horizontal	63	1.36	-
2452MHz	Pass	AV	2.444G	106.52	Inf	-Inf	3	Horizontal	63	1.36	-
2452MHz	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Horizontal	63	1.36	-
2452MHz	Pass	PK	2.3568G	56.71	74.00	-17.29	3	Horizontal	63	1.36	-
2452MHz	Pass	PK	2.4448G	118.94	Inf	-Inf	3	Horizontal	63	1.36	-
2452MHz	Pass	PK	2.4844G	69.67	74.00	-4.33	3	Horizontal	63	1.36	-
2457MHz	Pass	AV	2.367G	43.72	54.00	-10.28	3	Vertical	88	2.03	-
2457MHz	Pass	AV	2.451G	99.79	Inf	-Inf	3	Vertical	88	2.03	-
2457MHz	Pass	AV	2.4835G	49.88	54.00	-4.12	3	Vertical	88	2.03	-
2457MHz	Pass	PK	2.3774G	57.39	74.00	-16.61	3	Vertical	88	2.03	-
2457MHz	Pass	PK	2.4654G	112.88	Inf	-Inf	3	Vertical	88	2.03	-
2457MHz	Pass	PK	2.4835G	73.61	74.00	-0.39	3	Vertical	88	2.03	-
2457MHz	Pass	AV	2.3834G	43.76	54.00	-10.24	3	Horizontal	300	1.65	-
2457MHz	Pass	AV	2.449G	102.17	Inf	-Inf	3	Horizontal	300	1.65	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	2.4835G	50.06	54.00	-3.94	3	Horizontal	300	1.65	-
2457MHz	Pass	PK	2.3718G	57.53	74.00	-16.47	3	Horizontal	300	1.65	-
2457MHz	Pass	PK	2.4482G	115.29	Inf	-Inf	3	Horizontal	300	1.65	-
2457MHz	Pass	PK	2.4838G	73.05	74.00	-0.95	3	Horizontal	300	1.65	-
2462MHz	Pass	AV	2.454G	95.65	Inf	-Inf	3	Vertical	90	2.08	-
2462MHz	Pass	AV	2.4835G	46.97	54.00	-7.03	3	Vertical	90	2.08	-
2462MHz	Pass	PK	2.4684G	109.74	Inf	-Inf	3	Vertical	90	2.08	-
2462MHz	Pass	PK	2.4835G	71.26	74.00	-2.74	3	Vertical	90	2.08	-
2462MHz	Pass	AV	2.4648G	97.79	Inf	-Inf	3	Horizontal	307	2.08	-
2462MHz	Pass	AV	2.4835G	47.73	54.00	-6.27	3	Horizontal	307	2.08	-
2462MHz	Pass	PK	2.4596G	111.26	Inf	-Inf	3	Horizontal	307	2.08	-
2462MHz	Pass	PK	2.4835G	73.75	74.00	-0.25	3	Horizontal	307	2.08	-
2462MHz	Pass	AV	4.92171G	30.18	54.00	-23.82	3	Vertical	106	1.50	-
2462MHz	Pass	PK	4.92492G	42.81	74.00	-31.19	3	Vertical	106	1.50	-
2462MHz	Pass	AV	4.92626G	29.92	54.00	-24.08	3	Horizontal	253	1.50	-
2462MHz	Pass	PK	4.92213G	43.02	74.00	-30.98	3	Horizontal	253	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3884G	45.93	54.00	-8.07	3	Vertical	91	1.57	-
2422MHz	Pass	AV	2.4396G	96.72	Inf	-Inf	3	Vertical	91	1.57	-
2422MHz	Pass	AV	2.4844G	45.57	54.00	-8.43	3	Vertical	91	1.57	-
2422MHz	Pass	PK	2.3896G	65.98	74.00	-8.02	3	Vertical	91	1.57	-
2422MHz	Pass	PK	2.4104G	111.06	Inf	-Inf	3	Vertical	91	1.57	-
2422MHz	Pass	PK	2.4835G	65.86	74.00	-8.14	3	Vertical	91	1.57	-
2422MHz	Pass	AV	2.3896G	51.93	54.00	-2.07	3	Horizontal	65	2.30	-
2422MHz	Pass	AV	2.406G	101.50	Inf	-Inf	3	Horizontal	65	2.30	-
2422MHz	Pass	AV	2.4876G	49.09	54.00	-4.91	3	Horizontal	65	2.30	-
2422MHz	Pass	PK	2.3896G	73.70	74.00	-0.30	3	Horizontal	65	2.30	-
2422MHz	Pass	PK	2.4048G	113.06	Inf	-Inf	3	Horizontal	65	2.30	-
2422MHz	Pass	PK	2.4868G	62.50	74.00	-11.50	3	Horizontal	65	2.30	-
2422MHz	Pass	AV	4.84158G	30.77	54.00	-23.23	3	Vertical	340	1.50	-
2422MHz	Pass	PK	4.84218G	43.64	74.00	-30.36	3	Vertical	340	1.50	-
2422MHz	Pass	AV	4.84171G	30.66	54.00	-23.34	3	Horizontal	145	2.57	-
2422MHz	Pass	PK	4.84203G	43.36	74.00	-30.64	3	Horizontal	145	2.57	-
2427MHz	Pass	AV	2.3882G	44.19	54.00	-9.81	3	Vertical	17	1.50	-
2427MHz	Pass	AV	2.4442G	95.93	Inf	-Inf	3	Vertical	17	1.50	-
2427MHz	Pass	AV	2.4842G	46.20	54.00	-7.80	3	Vertical	17	1.50	-
2427MHz	Pass	PK	2.3894G	57.76	74.00	-16.24	3	Vertical	17	1.50	-
2427MHz	Pass	PK	2.443G	108.76	Inf	-Inf	3	Vertical	17	1.50	-
2427MHz	Pass	PK	2.4842G	60.38	74.00	-13.62	3	Vertical	17	1.50	-
2427MHz	Pass	AV	2.3898G	49.72	54.00	-4.28	3	Horizontal	295	3.00	-
2427MHz	Pass	AV	2.4358G	102.60	Inf	-Inf	3	Horizontal	295	3.00	-
2427MHz	Pass	AV	2.4842G	49.38	54.00	-4.62	3	Horizontal	295	3.00	-
2427MHz	Pass	PK	2.3898G	73.84	74.00	-0.16	3	Horizontal	295	3.00	-
2427MHz	Pass	PK	2.4202G	113.38	Inf	-Inf	3	Horizontal	295	3.00	-
2427MHz	Pass	PK	2.4842G	62.47	74.00	-11.53	3	Horizontal	295	3.00	-
2432MHz	Pass	AV	2.39G	46.41	54.00	-7.59	3	Vertical	263	1.48	-
2432MHz	Pass	AV	2.4148G	99.09	Inf	-Inf	3	Vertical	263	1.48	-
2432MHz	Pass	AV	2.4835G	51.18	54.00	-2.82	3	Vertical	263	1.48	-
2432MHz	Pass	PK	2.39G	60.18	74.00	-13.82	3	Vertical	263	1.48	-
2432MHz	Pass	PK	2.4332G	110.02	Inf	-Inf	3	Vertical	263	1.48	-
2432MHz	Pass	PK	2.484G	64.88	74.00	-9.12	3	Vertical	263	1.48	-
2432MHz	Pass	AV	2.39G	53.88	54.00	-0.12	3	Horizontal	288	2.71	-
2432MHz	Pass	AV	2.4284G	100.62	Inf	-Inf	3	Horizontal	288	2.71	-
2432MHz	Pass	AV	2.4844G	49.58	54.00	-4.42	3	Horizontal	288	2.71	-
2432MHz	Pass	PK	2.3896G	69.79	74.00	-4.21	3	Horizontal	288	2.71	-
2432MHz	Pass	PK	2.4184G	112.88	Inf	-Inf	3	Horizontal	288	2.71	-
2432MHz	Pass	PK	2.484G	65.54	74.00	-8.46	3	Horizontal	288	2.71	-
2437MHz	Pass	AV	2.3898G	47.37	54.00	-6.63	3	Vertical	244	2.80	-
2437MHz	Pass	AV	2.4298G	99.39	Inf	-Inf	3	Vertical	244	2.80	-
2437MHz	Pass	AV	2.4842G	51.13	54.00	-2.87	3	Vertical	244	2.80	-
2437MHz	Pass	PK	2.3486G	57.70	74.00	-16.30	3	Vertical	244	2.80	-
2437MHz	Pass	PK	2.4206G	110.31	Inf	-Inf	3	Vertical	244	2.80	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.4838G	71.99	74.00	-2.01	3	Vertical	244	2.80	-
2437MHz	Pass	AV	2.3898G	46.51	54.00	-7.49	3	Horizontal	296	2.44	-
2437MHz	Pass	AV	2.4306G	105.39	Inf	-Inf	3	Horizontal	296	2.44	-
2437MHz	Pass	AV	2.4835G	51.80	54.00	-2.20	3	Horizontal	296	2.44	-
2437MHz	Pass	PK	2.3894G	62.37	74.00	-11.63	3	Horizontal	296	2.44	-
2437MHz	Pass	PK	2.4314G	116.25	Inf	-Inf	3	Horizontal	296	2.44	-
2437MHz	Pass	PK	2.4835G	73.42	74.00	-0.58	3	Horizontal	296	2.44	-
2437MHz	Pass	AV	4.89112G	29.67	54.00	-24.33	3	Vertical	153	2.44	-
2437MHz	Pass	PK	4.87592G	41.90	74.00	-32.10	3	Vertical	153	2.44	-
2437MHz	Pass	AV	4.87186G	29.74	54.00	-24.26	3	Horizontal	85	2.04	-
2437MHz	Pass	PK	4.8731G	42.77	74.00	-31.23	3	Horizontal	85	2.04	-
2447MHz	Pass	AV	2.3514G	44.10	54.00	-9.90	3	Vertical	90	1.56	-
2447MHz	Pass	AV	2.4358G	99.41	Inf	-Inf	3	Vertical	90	1.56	-
2447MHz	Pass	AV	2.485G	46.46	54.00	-7.54	3	Vertical	90	1.56	-
2447MHz	Pass	PK	2.3806G	57.93	74.00	-16.07	3	Vertical	90	1.56	-
2447MHz	Pass	PK	2.4358G	110.93	Inf	-Inf	3	Vertical	90	1.56	-
2447MHz	Pass	PK	2.485G	70.22	74.00	-3.78	3	Vertical	90	1.56	-
2447MHz	Pass	AV	2.3726G	46.24	54.00	-7.76	3	Horizontal	296	2.43	-
2447MHz	Pass	AV	2.441G	101.02	Inf	-Inf	3	Horizontal	296	2.43	-
2447MHz	Pass	AV	2.4846G	49.64	54.00	-4.36	3	Horizontal	296	2.43	-
2447MHz	Pass	PK	2.3602G	58.31	74.00	-15.69	3	Horizontal	296	2.43	-
2447MHz	Pass	PK	2.4406G	113.88	Inf	-Inf	3	Horizontal	296	2.43	-
2447MHz	Pass	PK	2.4842G	70.67	74.00	-3.33	3	Horizontal	296	2.43	-
2452MHz	Pass	AV	2.3548G	45.13	54.00	-8.87	3	Vertical	336	1.53	-
2452MHz	Pass	AV	2.4696G	95.79	Inf	-Inf	3	Vertical	336	1.53	-
2452MHz	Pass	AV	2.4835G	49.35	54.00	-4.65	3	Vertical	336	1.53	-
2452MHz	Pass	PK	2.3608G	57.72	74.00	-16.28	3	Vertical	336	1.53	-
2452MHz	Pass	PK	2.4508G	107.02	Inf	-Inf	3	Vertical	336	1.53	-
2452MHz	Pass	PK	2.4856G	73.70	74.00	-0.30	3	Vertical	336	1.53	-
2452MHz	Pass	AV	2.3576G	44.04	54.00	-9.96	3	Horizontal	295	2.42	-
2452MHz	Pass	AV	2.4372G	98.76	Inf	-Inf	3	Horizontal	295	2.42	-
2452MHz	Pass	AV	2.484G	48.42	54.00	-5.58	3	Horizontal	295	2.42	-
2452MHz	Pass	PK	2.384G	58.14	74.00	-15.86	3	Horizontal	295	2.42	-
2452MHz	Pass	PK	2.4456G	113.01	Inf	-Inf	3	Horizontal	295	2.42	-
2452MHz	Pass	PK	2.484G	70.84	74.00	-3.16	3	Horizontal	295	2.42	-
2452MHz	Pass	AV	4.90376G	30.61	54.00	-23.39	3	Vertical	324	1.50	-
2452MHz	Pass	PK	4.90152G	43.36	74.00	-30.64	3	Vertical	324	1.50	-
2452MHz	Pass	AV	4.90193G	30.46	54.00	-23.54	3	Horizontal	51	1.51	-
2452MHz	Pass	PK	4.90184G	43.33	74.00	-30.67	3	Horizontal	51	1.51	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.73	54.00	-6.27	31.52	3	Vertical	178	1.50	-	16.21	27.64	3.88	-
AV	2.4042G	98.59	Inf	-Inf	31.51	3	Vertical	178	1.50	-	67.08	27.60	3.91	-
PK	2.39G	67.28	74.00	-6.72	31.52	3	Vertical	178	1.50	-	35.76	27.64	3.88	-
PK	2.4046G	110.45	Inf	-Inf	31.51	3	Vertical	178	1.50	-	78.94	27.60	3.91	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	49.82	54.00	-4.18	31.52	3	Horizontal	313	1.73	-	18.30	27.64	3.88	-
AV	2.4152G	102.43	Inf	-Inf	31.52	3	Horizontal	313	1.73	-	70.91	27.60	3.92	-
PK	2.39G	73.85	74.00	-0.15	31.52	3	Horizontal	313	1.73	-	42.33	27.64	3.88	-
PK	2.4052G	112.53	Inf	-Inf	31.51	3	Horizontal	313	1.73	-	81.02	27.60	3.91	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83032G	30.02	54.00	-23.98	1.61	3	Vertical	86	1.50	-	28.41	31.22	5.32	34.93
PK	4.82972G	42.89	74.00	-31.11	1.60	3	Vertical	86	1.50	-	41.29	31.22	5.31	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83192G	30.11	54.00	-23.89	1.62	3	Horizontal	344	1.51	-	28.49	31.23	5.32	34.93
PK	4.82524G	43.06	74.00	-30.94	1.58	3	Horizontal	344	1.51	-	41.48	31.20	5.31	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.06	54.00	-7.94	31.52	3	Vertical	191	1.50	-	14.54	27.64	3.88	-
AV	2.4154G	101.83	Inf	-Inf	31.52	3	Vertical	191	1.50	-	70.31	27.60	3.92	-
AV	2.4838G	44.97	54.00	-9.03	31.63	3	Vertical	191	1.50	-	13.34	27.60	4.03	-
PK	2.3898G	62.62	74.00	-11.38	31.52	3	Vertical	191	1.50	-	31.10	27.64	3.88	-
PK	2.4158G	113.08	Inf	-Inf	31.52	3	Vertical	191	1.50	-	81.56	27.60	3.92	-
PK	2.4838G	59.37	74.00	-14.63	31.63	3	Vertical	191	1.50	-	27.74	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.95	54.00	-6.05	31.52	3	Horizontal	302	2.20	-	16.43	27.64	3.88	-
AV	2.4178G	104.33	Inf	-Inf	31.53	3	Horizontal	302	2.20	-	72.80	27.60	3.93	-
AV	2.4846G	45.84	54.00	-8.16	31.63	3	Horizontal	302	2.20	-	14.21	27.60	4.03	-
PK	2.3894G	68.82	74.00	-5.18	31.52	3	Horizontal	302	2.20	-	37.30	27.64	3.88	-
PK	2.409G	116.61	Inf	-Inf	31.51	3	Horizontal	302	2.20	-	85.10	27.60	3.91	-
PK	2.4858G	58.98	74.00	-15.02	31.63	3	Horizontal	302	2.20	-	27.35	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	44.06	54.00	-9.94	31.52	3	Vertical	109	1.52	-	12.54	27.64	3.88	-
AV	2.4342G	100.33	Inf	-Inf	31.55	3	Vertical	109	1.52	-	68.78	27.60	3.95	-
AV	2.4842G	45.51	54.00	-8.49	31.63	3	Vertical	109	1.52	-	13.88	27.60	4.03	-
PK	2.3534G	57.87	74.00	-16.13	31.62	3	Vertical	109	1.52	-	26.25	27.79	3.83	-
PK	2.4338G	113.34	Inf	-Inf	31.55	3	Vertical	109	1.52	-	81.79	27.60	3.95	-
PK	2.4835G	60.58	74.00	-13.42	31.63	3	Vertical	109	1.52	-	28.95	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.77	54.00	-9.23	31.52	3	Horizontal	64	1.05	-	13.25	27.64	3.88	-
AV	2.4326G	105.43	Inf	-Inf	31.55	3	Horizontal	64	1.05	-	73.88	27.60	3.95	-
AV	2.4842G	47.00	54.00	-7.00	31.63	3	Horizontal	64	1.05	-	15.37	27.60	4.03	-
PK	2.389G	57.65	74.00	-16.35	31.52	3	Horizontal	64	1.05	-	26.13	27.64	3.88	-
PK	2.4334G	118.07	Inf	-Inf	31.55	3	Horizontal	64	1.05	-	86.52	27.60	3.95	-
PK	2.4838G	64.92	74.00	-9.08	31.63	3	Horizontal	64	1.05	-	33.29	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87233G	29.68	54.00	-24.32	1.67	3	Vertical	204	1.50	-	28.01	31.26	5.34	34.93
PK	4.87367G	42.29	74.00	-31.71	1.66	3	Vertical	204	1.50	-	40.63	31.25	5.34	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87205G	29.90	54.00	-24.10	1.67	3	Horizontal	291	1.70	-	28.23	31.26	5.34	34.93
PK	4.87381G	43.06	74.00	-30.94	1.66	3	Horizontal	291	1.70	-	41.40	31.25	5.34	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3804G	44.23	54.00	-9.77	31.55	3	Vertical	17	1.34	-	12.68	27.68	3.87	-
AV	2.4456G	101.02	Inf	-Inf	31.48	3	Vertical	17	1.34	-	69.54	27.51	3.97	-
AV	2.4835G	48.96	54.00	-5.04	31.53	3	Vertical	17	1.34	-	17.43	27.50	4.03	-
PK	2.38G	56.55	74.00	-17.45	31.55	3	Vertical	17	1.34	-	25.00	27.68	3.87	-
PK	2.448G	112.34	Inf	-Inf	31.47	3	Vertical	17	1.34	-	80.87	27.50	3.97	-
PK	2.4856G	63.31	74.00	-10.69	31.53	3	Vertical	17	1.34	-	31.78	27.50	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	44.23	54.00	-9.77	31.52	3	Horizontal	63	1.36	-	12.71	27.64	3.88	-
AV	2.444G	106.52	Inf	-Inf	31.48	3	Horizontal	63	1.36	-	75.04	27.51	3.97	-
AV	2.4835G	53.88	54.00	-0.12	31.53	3	Horizontal	63	1.36	-	22.35	27.50	4.03	-
PK	2.3568G	56.71	74.00	-17.29	31.61	3	Horizontal	63	1.36	-	25.10	27.77	3.84	-
PK	2.4448G	118.94	Inf	-Inf	31.48	3	Horizontal	63	1.36	-	87.46	27.51	3.97	-
PK	2.4844G	69.67	74.00	-4.33	31.53	3	Horizontal	63	1.36	-	38.14	27.50	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.367G	43.72	54.00	-10.28	31.58	3	Vertical	88	2.03	-	12.14	27.73	3.85	-
AV	2.451G	99.79	Inf	-Inf	31.58	3	Vertical	88	2.03	-	68.21	27.60	3.98	-
AV	2.4835G	49.88	54.00	-4.12	31.63	3	Vertical	88	2.03	-	18.25	27.60	4.03	-
PK	2.3774G	57.39	74.00	-16.61	31.56	3	Vertical	88	2.03	-	25.83	27.69	3.87	-
PK	2.4654G	112.88	Inf	-Inf	31.60	3	Vertical	88	2.03	-	81.28	27.60	4.00	-
PK	2.4835G	73.61	74.00	-0.39	31.63	3	Vertical	88	2.03	-	41.98	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3834G	43.76	54.00	-10.24	31.55	3	Horizontal	300	1.65	-	12.21	27.67	3.88	-
AV	2.449G	102.17	Inf	-Inf	31.57	3	Horizontal	300	1.65	-	70.60	27.60	3.97	-
AV	2.4835G	50.06	54.00	-3.94	31.63	3	Horizontal	300	1.65	-	18.43	27.60	4.03	-
PK	2.3718G	57.53	74.00	-16.47	31.57	3	Horizontal	300	1.65	-	25.96	27.71	3.86	-
PK	2.4482G	115.29	Inf	-Inf	31.57	3	Horizontal	300	1.65	-	83.72	27.60	3.97	-
PK	2.4838G	73.05	74.00	-0.95	31.63	3	Horizontal	300	1.65	-	41.42	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.454G	95.65	Inf	-Inf	31.58	3	Vertical	90	2.08	-	64.07	27.60	3.98	-
AV	2.4835G	46.97	54.00	-7.03	31.63	3	Vertical	90	2.08	-	15.34	27.60	4.03	-
PK	2.4684G	109.74	Inf	-Inf	31.60	3	Vertical	90	2.08	-	78.14	27.60	4.00	-
PK	2.4835G	71.26	74.00	-2.74	31.63	3	Vertical	90	2.08	-	39.63	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	97.79	Inf	-Inf	31.60	3	Horizontal	307	2.08	-	66.19	27.60	4.00	-
AV	2.4835G	47.73	54.00	-6.27	31.63	3	Horizontal	307	2.08	-	16.10	27.60	4.03	-
PK	2.4596G	111.26	Inf	-Inf	31.59	3	Horizontal	307	2.08	-	79.67	27.60	3.99	-
PK	2.4835G	73.75	74.00	-0.25	31.63	3	Horizontal	307	2.08	-	42.12	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92171G	30.18	54.00	-23.82	1.71	3	Vertical	106	1.50	-	28.47	31.29	5.36	34.94
PK	4.92492G	42.81	74.00	-31.19	1.72	3	Vertical	106	1.50	-	41.09	31.30	5.36	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92626G	29.92	54.00	-24.08	1.73	3	Horizontal	253	1.50	-	28.19	31.31	5.36	34.94
PK	4.92213G	43.02	74.00	-30.98	1.71	3	Horizontal	253	1.50	-	41.31	31.29	5.36	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	45.93	54.00	-8.07	31.53	3	Vertical	91	1.57	-	14.40	27.65	3.88	-
AV	2.4396G	96.72	Inf	-Inf	31.56	3	Vertical	91	1.57	-	65.16	27.60	3.96	-
AV	2.4844G	45.57	54.00	-8.43	31.63	3	Vertical	91	1.57	-	13.94	27.60	4.03	-
PK	2.3896G	65.98	74.00	-8.02	31.52	3	Vertical	91	1.57	-	34.46	27.64	3.88	-
PK	2.4104G	111.06	Inf	-Inf	31.52	3	Vertical	91	1.57	-	79.54	27.60	3.92	-
PK	2.4835G	65.86	74.00	-8.14	31.63	3	Vertical	91	1.57	-	34.23	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3896G	51.93	54.00	-2.07	31.52	3	Horizontal	65	2.30	-	20.41	27.64	3.88	-
AV	2.406G	101.50	Inf	-Inf	31.51	3	Horizontal	65	2.30	-	69.99	27.60	3.91	-
AV	2.4876G	49.09	54.00	-4.91	31.63	3	Horizontal	65	2.30	-	17.46	27.60	4.03	-
PK	2.3896G	73.70	74.00	-0.30	31.52	3	Horizontal	65	2.30	-	42.18	27.64	3.88	-
PK	2.4048G	113.06	Inf	-Inf	31.51	3	Horizontal	65	2.30	-	81.55	27.60	3.91	-
PK	2.4868G	62.50	74.00	-11.50	31.63	3	Horizontal	65	2.30	-	30.87	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84158G	30.77	54.00	-23.23	1.66	3	Vertical	340	1.50	-	29.11	31.27	5.32	34.93
PK	4.84218G	43.64	74.00	-30.36	1.66	3	Vertical	340	1.50	-	41.98	31.27	5.32	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84171G	30.66	54.00	-23.34	1.66	3	Horizontal	145	2.57	-	29.00	31.27	5.32	34.93
PK	4.84203G	43.36	74.00	-30.64	1.66	3	Horizontal	145	2.57	-	41.70	31.27	5.32	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3882G	44.19	54.00	-9.81	31.53	3	Vertical	17	1.50	-	12.66	27.65	3.88	-
AV	2.442G	95.93	Inf	-Inf	31.57	3	Vertical	17	1.50	-	64.36	27.60	3.97	-
AV	2.4842G	46.20	54.00	-7.80	31.63	3	Vertical	17	1.50	-	14.57	27.60	4.03	-
PK	2.3894G	57.76	74.00	-16.24	31.52	3	Vertical	17	1.50	-	26.24	27.64	3.88	-
PK	2.443G	108.76	Inf	-Inf	31.56	3	Vertical	17	1.50	-	77.20	27.60	3.96	-
PK	2.4842G	60.38	74.00	-13.62	31.63	3	Vertical	17	1.50	-	28.75	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.72	54.00	-4.28	31.52	3	Horizontal	295	3.00	-	18.20	27.64	3.88	-
AV	2.4358G	102.60	Inf	-Inf	31.55	3	Horizontal	295	3.00	-	71.05	27.60	3.95	-
AV	2.4842G	49.38	54.00	-4.62	31.63	3	Horizontal	295	3.00	-	17.75	27.60	4.03	-
PK	2.3898G	73.84	74.00	-0.16	31.52	3	Horizontal	295	3.00	-	42.32	27.64	3.88	-
PK	2.4202G	113.38	Inf	-Inf	31.53	3	Horizontal	295	3.00	-	81.85	27.60	3.93	-
PK	2.4842G	62.47	74.00	-11.53	31.63	3	Horizontal	295	3.00	-	30.84	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2432MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.41	54.00	-7.59	31.52	3	Vertical	263	1.48	-	14.89	27.64	3.88	-
AV	2.4148G	99.09	Inf	-Inf	31.49	3	Vertical	263	1.48	-	67.60	27.57	3.92	-
AV	2.4835G	51.18	54.00	-2.82	31.53	3	Vertical	263	1.48	-	19.65	27.50	4.03	-
PK	2.39G	60.18	74.00	-13.82	31.52	3	Vertical	263	1.48	-	28.66	27.64	3.88	-
PK	2.4332G	110.02	Inf	-Inf	31.48	3	Vertical	263	1.48	-	78.54	27.53	3.95	-
PK	2.484G	64.88	74.00	-9.12	31.53	3	Vertical	263	1.48	-	33.35	27.50	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2432MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.88	54.00	-0.12	31.52	3	Horizontal	288	2.71	-	22.36	27.64	3.88	-
AV	2.4284G	100.62	Inf	-Inf	31.48	3	Horizontal	288	2.71	-	69.14	27.54	3.94	-
AV	2.4844G	49.58	54.00	-4.42	31.53	3	Horizontal	288	2.71	-	18.05	27.50	4.03	-
PK	2.3896G	69.79	74.00	-4.21	31.52	3	Horizontal	288	2.71	-	38.27	27.64	3.88	-
PK	2.4184G	112.88	Inf	-Inf	31.49	3	Horizontal	288	2.71	-	81.39	27.56	3.93	-
PK	2.484G	65.54	74.00	-8.46	31.53	3	Horizontal	288	2.71	-	34.01	27.50	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.37	54.00	-6.63	31.52	3	Vertical	244	2.80	-	15.85	27.64	3.88	-
AV	2.4298G	99.39	Inf	-Inf	31.54	3	Vertical	244	2.80	-	67.85	27.60	3.94	-
AV	2.4842G	51.13	54.00	-2.87	31.63	3	Vertical	244	2.80	-	19.50	27.60	4.03	-
PK	2.3486G	57.70	74.00	-16.30	31.62	3	Vertical	244	2.80	-	26.08	27.80	3.82	-
PK	2.4206G	110.31	Inf	-Inf	31.53	3	Vertical	244	2.80	-	78.78	27.60	3.93	-
PK	2.4838G	71.99	74.00	-2.01	31.63	3	Vertical	244	2.80	-	40.36	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.51	54.00	-7.49	31.52	3	Horizontal	296	2.44	-	14.99	27.64	3.88	-
AV	2.4306G	105.39	Inf	-Inf	31.55	3	Horizontal	296	2.44	-	73.84	27.60	3.95	-
AV	2.4835G	51.80	54.00	-2.20	31.63	3	Horizontal	296	2.44	-	20.17	27.60	4.03	-
PK	2.3894G	62.37	74.00	-11.63	31.52	3	Horizontal	296	2.44	-	30.85	27.64	3.88	-
PK	2.4314G	116.25	Inf	-Inf	31.55	3	Horizontal	296	2.44	-	84.70	27.60	3.95	-
PK	2.4835G	73.42	74.00	-0.58	31.63	3	Horizontal	296	2.44	-	41.79	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89112G	29.67	54.00	-24.33	1.64	3	Vertical	153	2.44	-	28.03	31.22	5.35	34.93
PK	4.87592G	41.90	74.00	-32.10	1.66	3	Vertical	153	2.44	-	40.24	31.25	5.34	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87186G	29.74	54.00	-24.26	1.67	3	Horizontal	85	2.04	-	28.07	31.26	5.34	34.93
PK	4.8731G	42.77	74.00	-31.23	1.66	3	Horizontal	85	2.04	-	41.11	31.25	5.34	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3514G	44.10	54.00	-9.90	31.62	3	Vertical	90	1.56	-	12.48	27.79	3.83	-
AV	2.4358G	99.41	Inf	-Inf	31.55	3	Vertical	90	1.56	-	67.86	27.60	3.95	-
AV	2.485G	46.46	54.00	-7.54	31.63	3	Vertical	90	1.56	-	14.83	27.60	4.03	-
PK	2.3806G	57.93	74.00	-16.07	31.55	3	Vertical	90	1.56	-	26.38	27.68	3.87	-
PK	2.4358G	110.93	Inf	-Inf	31.55	3	Vertical	90	1.56	-	79.38	27.60	3.95	-
PK	2.485G	70.22	74.00	-3.78	31.63	3	Vertical	90	1.56	-	38.59	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3726G	46.24	54.00	-7.76	31.57	3	Horizontal	296	2.43	-	14.67	27.71	3.86	-
AV	2.441G	101.02	Inf	-Inf	31.56	3	Horizontal	296	2.43	-	69.46	27.60	3.96	-
AV	2.4846G	49.64	54.00	-4.36	31.63	3	Horizontal	296	2.43	-	18.01	27.60	4.03	-
PK	2.3602G	58.31	74.00	-15.69	31.60	3	Horizontal	296	2.43	-	26.71	27.76	3.84	-
PK	2.4406G	113.88	Inf	-Inf	31.56	3	Horizontal	296	2.43	-	82.32	27.60	3.96	-
PK	2.4842G	70.67	74.00	-3.33	31.63	3	Horizontal	296	2.43	-	39.04	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3548G	45.13	54.00	-8.87	31.61	3	Vertical	336	1.53	-	13.52	27.78	3.83	-
AV	2.4696G	95.79	Inf	-Inf	31.60	3	Vertical	336	1.53	-	64.19	27.60	4.00	-
AV	2.4835G	49.35	54.00	-4.65	31.63	3	Vertical	336	1.53	-	17.72	27.60	4.03	-
PK	2.3608G	57.72	74.00	-16.28	31.60	3	Vertical	336	1.53	-	26.12	27.76	3.84	-
PK	2.4508G	107.02	Inf	-Inf	31.58	3	Vertical	336	1.53	-	75.44	27.60	3.98	-
PK	2.4856G	73.70	74.00	-0.30	31.63	3	Vertical	336	1.53	-	42.07	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3576G	44.04	54.00	-9.96	31.61	3	Horizontal	295	2.42	-	12.43	27.77	3.84	-
AV	2.4372G	98.76	Inf	-Inf	31.56	3	Horizontal	295	2.42	-	67.20	27.60	3.96	-
AV	2.484G	48.42	54.00	-5.58	31.63	3	Horizontal	295	2.42	-	16.79	27.60	4.03	-
PK	2.384G	58.14	74.00	-15.86	31.54	3	Horizontal	295	2.42	-	26.60	27.66	3.88	-
PK	2.4456G	113.01	Inf	-Inf	31.57	3	Horizontal	295	2.42	-	81.44	27.60	3.97	-
PK	2.484G	70.84	74.00	-3.16	31.63	3	Horizontal	295	2.42	-	39.21	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90376G	30.61	54.00	-23.39	1.64	3	Vertical	324	1.50	-	28.97	31.22	5.35	34.93
PK	4.90152G	43.36	74.00	-30.64	1.63	3	Vertical	324	1.50	-	41.73	31.21	5.35	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90193G	30.46	54.00	-23.54	1.63	3	Horizontal	51	1.51	-	28.83	31.21	5.35	34.93
PK	4.90184G	43.33	74.00	-30.67	1.63	3	Horizontal	51	1.51	-	41.70	31.21	5.35	34.93


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.092G	43.56	54.00	-10.44	Vertical
Mode 2	Pass	AV	4.996G	38.02	54.00	-15.98	Vertical

Mode Configure


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.2G	30.25	54.00	-23.75	3	Vertical	129	1.50	-
Mode 1	Pass	AV	5.092G	43.56	54.00	-10.44	3	Vertical	62	2.47	-
Mode 1	Pass	AV	5.32G	36.92	54.00	-17.08	3	Vertical	51	2.14	-
Mode 1	Pass	PK	2.2G	49.11	74.00	-24.89	3	Vertical	129	1.50	-
Mode 1	Pass	PK	5.092G	52.86	74.00	-21.14	3	Vertical	62	2.47	-
Mode 1	Pass	PK	5.32G	47.18	74.00	-26.82	3	Vertical	51	2.14	-
Mode 1	Pass	AV	2.224G	29.32	54.00	-24.68	3	Horizontal	43	1.24	-
Mode 1	Pass	AV	4.804G	34.41	54.00	-19.59	3	Horizontal	9	1.50	-
Mode 1	Pass	AV	5.08004G	39.24	54.00	-14.76	3	Horizontal	65	2.32	-
Mode 1	Pass	PK	2.224G	42.16	74.00	-31.84	3	Horizontal	43	1.24	-
Mode 1	Pass	PK	4.804G	44.87	74.00	-29.13	3	Horizontal	9	1.50	-
Mode 1	Pass	PK	5.08G	48.59	74.00	-25.41	3	Horizontal	65	2.32	-
Mode 2	Pass	AV	1.996G	27.79	54.00	-26.21	3	Vertical	340	1.50	-
Mode 2	Pass	AV	4.996G	38.02	54.00	-15.98	3	Vertical	22	1.00	-
Mode 2	Pass	AV	5.548G	33.93	54.00	-20.07	3	Vertical	0	1.99	-
Mode 2	Pass	PK	1.996G	44.80	74.00	-29.20	3	Vertical	340	1.50	-
Mode 2	Pass	PK	4.996G	48.10	74.00	-25.90	3	Vertical	22	1.00	-
Mode 2	Pass	PK	5.548G	47.62	74.00	-26.38	3	Vertical	0	1.99	-
Mode 2	Pass	AV	1.996G	28.61	54.00	-25.39	3	Horizontal	306	1.50	-
Mode 2	Pass	AV	4.144G	32.97	54.00	-21.03	3	Horizontal	109	2.50	-
Mode 2	Pass	AV	4.708G	33.98	54.00	-20.02	3	Horizontal	118	1.50	-
Mode 2	Pass	PK	1.996G	40.82	74.00	-33.18	3	Horizontal	306	1.50	-
Mode 2	Pass	PK	4.144G	43.00	74.00	-31.00	3	Horizontal	109	2.50	-
Mode 2	Pass	PK	4.708G	44.59	74.00	-29.41	3	Horizontal	118	1.50	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.2G	30.25	54.00	-23.75	-3.17	3	Vertical	129	1.50	-	33.42	28.00	3.60	34.77
AV	5.092G	43.56	54.00	-10.44	2.39	3	Vertical	62	2.47	-	41.17	31.87	5.45	34.93
AV	5.32G	36.92	54.00	-17.08	2.05	3	Vertical	51	2.14	-	34.87	31.32	5.62	34.89
PK	2.2G	49.11	74.00	-24.89	-3.17	3	Vertical	129	1.50	-	52.28	28.00	3.60	34.77
PK	5.092G	52.86	74.00	-21.14	2.39	3	Vertical	62	2.47	-	50.47	31.87	5.45	34.93
PK	5.32G	47.18	74.00	-26.82	2.05	3	Vertical	51	2.14	-	45.13	31.32	5.62	34.89

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.224G	29.32	54.00	-24.68	-3.09	3	Horizontal	43	1.24	-	32.41	28.05	3.64	34.78
AV	4.804G	34.41	54.00	-19.59	1.47	3	Horizontal	9	1.50	-	32.94	31.10	5.30	34.93
AV	5.08004G	39.24	54.00	-14.76	2.33	3	Horizontal	65	2.32	-	36.91	31.82	5.44	34.93
PK	2.224G	42.16	74.00	-31.84	-3.09	3	Horizontal	43	1.24	-	45.25	28.05	3.64	34.78
PK	4.804G	44.87	74.00	-29.13	1.47	3	Horizontal	9	1.50	-	43.40	31.10	5.30	34.93
PK	5.08G	48.59	74.00	-25.41	2.33	3	Horizontal	65	2.32	-	46.26	31.82	5.44	34.93

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.996G	27.79	54.00	-26.21	-5.29	3	Vertical	340	1.50	-	33.08	25.98	3.40	34.67
AV	4.996G	38.02	54.00	-15.98	1.94	3	Vertical	22	1.00	-	36.08	31.48	5.40	34.94
AV	5.548G	33.93	54.00	-20.07	2.60	3	Vertical	0	1.99	-	31.33	31.70	5.78	34.88
PK	1.996G	44.80	74.00	-29.20	-5.29	3	Vertical	340	1.50	-	50.09	25.98	3.40	34.67
PK	4.996G	48.10	74.00	-25.90	1.94	3	Vertical	22	1.00	-	46.16	31.48	5.40	34.94
PK	5.548G	47.62	74.00	-26.38	2.60	3	Vertical	0	1.99	-	45.02	31.70	5.77	34.87

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.996G	28.61	54.00	-25.39	-5.29	3	Horizontal	306	1.50	-	33.90	25.98	3.40	34.67
AV	4.144G	32.97	54.00	-21.03	-0.05	3	Horizontal	109	2.50	-	33.02	29.80	4.97	34.82
AV	4.708G	33.98	54.00	-20.02	1.60	3	Horizontal	118	1.50	-	32.38	31.22	5.30	34.92
PK	1.996G	40.82	74.00	-33.18	-5.29	3	Horizontal	306	1.50	-	46.11	25.98	3.40	34.67
PK	4.144G	43.00	74.00	-31.00	-0.05	3	Horizontal	109	2.50	-	43.05	29.80	4.97	34.82
PK	4.708G	44.59	74.00	-29.41	1.60	3	Horizontal	118	1.50	-	42.99	31.22	5.30	34.92