




Neckband LHS Outer housing











Appendix: ISO - A series paper (mm)

A1 - 594 x 841

A0 - 841 x 1189

A4 - 210 x 297

A3 - 297 x 420


A2 - 420 x 594

Appendix: Types of drawing lines

Center line (center of an area)

Thick line (boundary of product)

2A0 - 1189 x 1682 Thin line (inner size & descriptive detail)



Version history

Project: TCL SOCL200BTOR

Version Summary of updates
1.0 Issue for production
Bazil Tung

2.0 Approbations label update
Bazil Tung

2.0 Update FCC ID/IC shared with MTRO100BT Bazil Tung

2.5 0.2 2.0 PRODUCT GRAPHIC DRAWINGS

Scale:1009
Unit: mm

Version Summary of updates
Summary

The label uses a double adhesives tape to with plastic for protection to ensure it cannot be removed.

SOCL200BTOR PGD PAGE 1/2

Appendix: Tolerance (mm)

Break line (break large parts)

Dashed line (indicates special requirement)

Dimension line (indicates size/ distance)

Small parts, delta +/-0,15

Medium parts, delta +/-0,25

Large parts, delta variant

PART	COLOUR	TECHNIQUE	CHANGES / REMARKS	VER
A TCL logo on earpiece	PMS Warm Red C	Pad printing		3.0
B "L" and "R" graphic on earpiece	As per material	Recess engraving, 0.2, high gloss		3.0
C TCL wordmark on neckband	As per material	Recess engraving, 0.2, high gloss		3.0
D Model number on neckband	PMS Warm Red C	Pad printing		3.0
E Approbations label	White colour graphics on black background	Single color print on black label, matte finish		3.0

100% Graphics art

