

RF Test Data for RLAN(5. 8G) (Conducted Measurement)

Product Name: R/C DRONE

Trade Mark: N/A

Test Model: H869SW

FCC ID: 2AKPPFLT869

Environmental Conditions


Temperature:	23.8℃
Relative Humidity:	58%
ATM Pressure:	100.0 kPa
Test Engineer:	Allen Lai
Supervised by:	Hugo Chen
NOTE	N/A

Appendix A2: Occupied channel bandwidth


Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.663	5736.6084	5753.2717	---	---
11A	Ant2	5745	16.583	5736.6883	5753.2717	---	---
11A	Ant1	5785	16.623	5776.6484	5793.2717	---	---
11A	Ant2	5785	16.583	5776.6883	5793.2717	---	---
11A	Ant1	5825	16.623	5816.6883	5833.3117	---	---
11A	Ant2	5825	16.583	5816.7283	5833.3117	---	---
11N20MIMO	Ant1	5745	17.782	5736.0889	5753.8711	---	---
11N20MIMO	Ant2	5745	17.782	5736.0889	5753.8711	---	---
11N20MIMO	Ant1	5785	17.782	5776.0889	5793.8711	---	---
11N20MIMO	Ant2	5785	17.782	5776.0889	5793.8711	---	---
11N20MIMO	Ant1	5825	17.782	5816.1289	5833.9111	---	---
11N20MIMO	Ant2	5825	17.822	5816.0889	5833.9111	---	---
11AC20MIMO	Ant1	5745	17.742	5736.0889	5753.8312	---	---
11AC20MIMO	Ant2	5745	17.742	5736.0889	5753.8312	---	---
11AC20MIMO	Ant1	5785	17.782	5776.0889	5793.8711	---	---
11AC20MIMO	Ant2	5785	17.782	5776.0889	5793.8711	---	---
11AC20MIMO	Ant1	5825	17.822	5816.0889	5833.9111	---	---
11AC20MIMO	Ant2	5825	17.822	5816.0889	5833.9111	---	---


Test Graphs




11A-Ant1-5745




11A-Ant2-5745




11A-Ant1-5785




11A-Ant2-5785




11A-Ant1-5825




11A-Ant2-5825




11N20MIMO-Ant1-5745




11N20MIMO-Ant2-5745




11N20MIMO-Ant1-5785




11N20MIMO-Ant2-5785




11N20MIMO-Ant1-5825




11N20MIMO-Ant2-5825




11AC20MIMO-Ant1-5745




11AC20MIMO-Ant2-5745




11AC20MIMO-Ant1-5785



11AC20MIMO-Ant2-5785



11AC20MIMO-Ant1-5825





Appendix A: Min emission bandwidth

Test Result


TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.32	5736.80	5753.12	0.5	PASS
11A	Ant2	5745	16.36	5736.80	5753.16	0.5	PASS
11A	Ant1	5785	16.32	5776.80	5793.12	0.5	PASS
11A	Ant2	5785	16.36	5776.80	5793.16	0.5	PASS
11A	Ant1	5825	16.36	5816.80	5833.16	0.5	PASS
11A	Ant2	5825	16.32	5816.84	5833.16	0.5	PASS
11N20MIMO	Ant1	5745	17.56	5736.20	5753.76	0.5	PASS
11N20MIMO	Ant2	5745	17.28	5736.20	5753.48	0.5	PASS
11N20MIMO	Ant1	5785	17.56	5776.20	5793.76	0.5	PASS
11N20MIMO	Ant2	5785	17.20	5776.20	5793.40	0.5	PASS
11N20MIMO	Ant1	5825	17.64	5816.16	5833.80	0.5	PASS
11N20MIMO	Ant2	5825	17.56	5816.20	5833.76	0.5	PASS
11AC20MIMO	Ant1	5745	17.32	5736.20	5753.52	0.5	PASS
11AC20MIMO	Ant2	5745	17.56	5736.20	5753.76	0.5	PASS
11AC20MIMO	Ant1	5785	17.52	5776.20	5793.72	0.5	PASS
11AC20MIMO	Ant2	5785	17.56	5776.20	5793.76	0.5	PASS
11AC20MIMO	Ant1	5825	17.20	5816.56	5833.76	0.5	PASS
11AC20MIMO	Ant2	5825	17.16	5816.60	5833.76	0.5	PASS

Test Graphs







11A-Ant1-5785-PASS




11A-Ant2-5785-PASS




11A-Ant1-5825-PASS




11A-Ant2-5825-PASS




11N20MIMO-Ant1-5745-PASS




11N20MIMO-Ant2-5745-PASS




11N20MIMO-Ant1-5785-PASS




11N20MIMO-Ant2-5785-PASS




11N20MIMO-Ant1-5825-PASS




11N20MIMO-Ant2-5825-PASS




11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS




11AC20MIMO-Ant1-5785-PASS



11AC20MIMO-Ant2-5785-PASS



11AC20MIMO-Ant1-5825-PASS



Appendix B: Maximum conducted output power

Test Result

TestMode	Antenna	Frequency[MHz]	Conducted Power[dBm]	Conducted Limit[dBm]	Verdict
11A	Ant1	5745	1.42	≤30.00	PASS
11A	Ant2	5745	0.68	≤30.00	PASS
11A	Ant1	5785	2.90	≤30.00	PASS
11A	Ant2	5785	1.99	≤30.00	PASS
11A	Ant1	5825	2.39	≤30.00	PASS
11A	Ant2	5825	1.25	≤30.00	PASS
11N20MIMO	Ant1	5745	1.25	≤30.00	PASS
11N20MIMO	Ant2	5745	0.52	≤30.00	PASS
11N20MIMO	total	5745	3.91	≤30.00	PASS
11N20MIMO	Ant1	5785	0.52	≤30.00	PASS
11N20MIMO	Ant2	5785	-0.41	≤30.00	PASS
11N20MIMO	total	5785	3.09	≤30.00	PASS
11N20MIMO	Ant1	5825	0.05	≤30.00	PASS
11N20MIMO	Ant2	5825	-1.05	≤30.00	PASS
11N20MIMO	total	5825	2.55	≤30.00	PASS
11AC20MIMO	Ant1	5745	2.63	≤30.00	PASS
11AC20MIMO	Ant2	5745	1.98	≤30.00	PASS
11AC20MIMO	total	5745	5.33	≤30.00	PASS
11AC20MIMO	Ant1	5785	0.59	≤30.00	PASS
11AC20MIMO	Ant2	5785	-0.31	≤30.00	PASS
11AC20MIMO	total	5785	3.17	≤30.00	PASS
11AC20MIMO	Ant1	5825	-0.04	≤30.00	PASS
11AC20MIMO	Ant2	5825	-1.10	≤30.00	PASS
11AC20MIMO	total	5825	2.47	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the result.

Appendix C: Maximum power spectral density


Test Result


TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	DC Factor [dB]	RBW Factor [dB]	Limit[dBm/MHz]	Verdict
11A	Ant1	5745	-12.79	0.40	0.00	≤30.00	PASS
11A	Ant2	5745	-13.55	0.44	0.00	≤30.00	PASS
11A	Ant1	5785	-11.09	0.36	0.00	≤30.00	PASS
11A	Ant2	5785	-12.02	0.32	0.00	≤30.00	PASS
11A	Ant1	5825	-11.63	0.42	0.00	≤30.00	PASS
11A	Ant2	5825	-12.97	0.40	0.00	≤30.00	PASS
11N20MIMO	Ant1	5745	-13.10	0.45	0.00	≤30.00	PASS
11N20MIMO	Ant2	5745	-13.54	0.41	0.00	≤30.00	PASS
11N20MIMO	total	5745	-10.30	---	---	≤30.00	PASS
11N20MIMO	Ant1	5785	-13.78	0.49	0.00	≤30.00	PASS
11N20MIMO	Ant2	5785	-14.82	0.43	0.00	≤30.00	PASS
11N20MIMO	total	5785	-11.26	---	---	≤30.00	PASS
11N20MIMO	Ant1	5825	-14.15	0.45	0.00	≤30.00	PASS
11N20MIMO	Ant2	5825	-15.46	0.45	0.00	≤30.00	PASS
11N20MIMO	total	5825	-11.75	---	---	≤30.00	PASS
11AC20MIMO	Ant1	5745	-11.73	0.37	0.00	≤30.00	PASS
11AC20MIMO	Ant2	5745	-12.44	0.47	0.00	≤30.00	PASS
11AC20MIMO	total	5745	-9.06	---	---	≤30.00	PASS
11AC20MIMO	Ant1	5785	-13.81	0.51	0.00	≤30.00	PASS
11AC20MIMO	Ant2	5785	-14.48	0.53	0.00	≤30.00	PASS
11AC20MIMO	total	5785	-11.12	---	---	≤30.00	PASS
11AC20MIMO	Ant1	5825	-14.26	0.47	0.00	≤30.00	PASS
11AC20MIMO	Ant2	5825	-15.43	0.45	0.00	≤30.00	PASS
11AC20MIMO	total	5825	-11.80	---	---	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs







11A-Ant1-5785-PASS




11A-Ant2-5785-PASS




11A-Ant1-5825-PASS




11A-Ant2-5825-PASS




11N20MIMO-Ant1-5745-PASS




11N20MIMO-Ant2-5745-PASS




11N20MIMO-Ant1-5785-PASS




11N20MIMO-Ant2-5785-PASS




11N20MIMO-Ant1-5825-PASS




11N20MIMO-Ant2-5825-PASS




11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS




11AC20MIMO-Ant1-5785-PASS



11AC20MIMO-Ant2-5785-PASS



11AC20MIMO-Ant1-5825-PASS



Appendix D: Band edge measurements


Test Result

TestMode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-39.58	≤15.98	PASS
11A	Ant1	Low	5745	5700~5720	-39.38	≤10.23	PASS
11A	Ant1	Low	5745	5650~5700	-39.49	≤-26.88	PASS
11A	Ant1	Low	5745	5760~5650	-39.13	≤-27	PASS
11A	Ant2	Low	5745	5720~5725	-39.73	≤16.36	PASS
11A	Ant2	Low	5745	5700~5720	-38.88	≤10.47	PASS
11A	Ant2	Low	5745	5650~5700	-39.31	≤-26.38	PASS
11A	Ant2	Low	5745	5760~5650	-39.26	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-40.24	≤15.65	PASS
11A	Ant1	High	5825	5855~5875	-39.1	≤10.35	PASS
11A	Ant1	High	5825	5875~5925	-39.47	≤-26.73	PASS
11A	Ant1	High	5825	5925~5935	-38.62	≤-27	PASS
11A	Ant2	High	5825	5850~5855	-39.45	≤15.65	PASS
11A	Ant2	High	5825	5855~5875	-40.2	≤10.02	PASS
11A	Ant2	High	5825	5875~5925	-38.68	≤-26.87	PASS
11A	Ant2	High	5825	5925~5935	-38.17	≤-27	PASS
11N20MI MO	Ant1	Low	5745	5720~5725	-39.76	≤16.36	PASS
11N20MI MO	Ant1	Low	5745	5700~5720	-39.24	≤10.37	PASS
11N20MI MO	Ant1	Low	5745	5650~5700	-39.27	≤-26.14	PASS
11N20MI MO	Ant1	Low	5745	5760~5650	-38.81	≤-27	PASS
11N20MI MO	Ant2	Low	5745	5720~5725	-40.01	≤15.98	PASS
11N20MI MO	Ant2	Low	5745	5700~5720	-37.95	≤10.70	PASS
11N20MI MO	Ant2	Low	5745	5650~5700	-40	≤-26.88	PASS
11N20MI MO	Ant2	Low	5745	5760~5650	-39.13	≤-27	PASS
11N20MI MO	Ant1	High	5825	5850~5855	-40.3	≤15.65	PASS
11N20MI MO	Ant1	High	5825	5855~5875	-37.87	≤11.99	PASS
11N20MI MO	Ant1	High	5825	5875~5925	-39.7	≤-26.87	PASS
11N20MI MO	Ant1	High	5825	5925~5935	-38.38	≤-27	PASS
11N20MI	Ant2	High	5825	5850~5855	-40.32	≤15.65	PASS


MO							
11N20MI MO	Ant2	High	5825	5855~5875	-39.05	≤10.46	PASS
11N20MI MO	Ant2	High	5825	5875~5925	-39.68	≤-26.44	PASS
11N20MI MO	Ant2	High	5825	5925~5935	-38.46	≤-27	PASS
11AC20M IMO	Ant1	Low	5745	5720~5725	-38.74	≤16.36	PASS
11AC20M IMO	Ant1	Low	5745	5700~5720	-38.53	≤10.89	PASS
11AC20M IMO	Ant1	Low	5745	5650~5700	-37.81	≤-24.90	PASS
11AC20M IMO	Ant1	Low	5745	5760~5650	-38.85	≤-27	PASS
11AC20M IMO	Ant2	Low	5745	5720~5725	-40.11	≤15.98	PASS
11AC20M IMO	Ant2	Low	5745	5700~5720	-38.49	≤10.75	PASS
11AC20M IMO	Ant2	Low	5745	5650~5700	-39.56	≤-26.88	PASS
11AC20M IMO	Ant2	Low	5745	5760~5650	-38.9	≤-27	PASS
11AC20M IMO	Ant1	High	5825	5850~5855	-39.72	≤16.10	PASS
11AC20M IMO	Ant1	High	5825	5855~5875	-39.28	≤10.24	PASS
11AC20M IMO	Ant1	High	5825	5875~5925	-39.51	≤-26.44	PASS
11AC20M IMO	Ant1	High	5825	5925~5935	-38.8	≤-27	PASS
11AC20M IMO	Ant2	High	5825	5850~5855	-39.49	≤16.10	PASS
11AC20M IMO	Ant2	High	5825	5855~5875	-39.19	≤10.02	PASS
11AC20M IMO	Ant2	High	5825	5875~5925	-38.8	≤-25.86	PASS
11AC20M IMO	Ant2	High	5825	5925~5935	-38.85	≤-27	PASS

Test Graphs







11A-Ant1-5825-PASS




11A-Ant2-5825-PASS




11N20MIMO-Ant1-5745-PASS




11N20MIMO-Ant2-5745-PASS




11N20MIMO-Ant1-5825-PASS




11N20MIMO-Ant2-5825-PASS




11AC20MIMO-Ant1-5745-PASS



11AC20MIMO-Ant2-5745-PASS



11AC20MIMO-Ant1-5825-PASS



Appendix E: Frequency Stability

Test Result

Ant1

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VDC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5745	20	6.66	5745.041039	5745 – 5825	PASS
5745	50	7.40	5744.933548	5745 – 5825	PASS
5745	40	7.40	5745.050945	5745 – 5825	PASS
5745	30	7.40	5745.009926	5745 – 5825	PASS
5745	20	7.40	5744.907202	5745 – 5825	PASS
5745	10	7.40	5745.076732	5745 – 5825	PASS
5745	0	7.40	5745.084333	5745 – 5825	PASS
5745	-10	7.40	5744.903159	5745 – 5825	PASS
5745	-20	7.40	5745.033055	5745 – 5825	PASS
5745	-30	7.40	5745.059729	5745 – 5825	PASS

Ant2

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VDC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5745	20	6.66	5744.916013	5745 – 5825	PASS
5745	50	7.40	5745.005464	5745 – 5825	PASS
5745	40	7.40	5744.999666	5745 – 5825	PASS
5745	30	7.40	5744.912172	5745 – 5825	PASS
5745	20	7.40	5745.005382	5745 – 5825	PASS
5745	10	7.40	5745.021796	5745 – 5825	PASS
5745	0	7.40	5744.910254	5745 – 5825	PASS
5745	-10	7.40	5745.072852	5745 – 5825	PASS
5745	-20	7.40	5744.909069	5745 – 5825	PASS
5745	-30	7.40	5744.965065	5745 – 5825	PASS

Ant1

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VDC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5785	20	6.66	5784.976167	5745 – 5825	PASS
5785	50	7.40	5785.027551	5745 – 5825	PASS
5785	40	7.40	5784.962090	5745 – 5825	PASS
5785	30	7.40	5784.990629	5745 – 5825	PASS
5785	20	7.40	5784.998354	5745 – 5825	PASS
5785	10	7.40	5785.012681	5745 – 5825	PASS
5785	0	7.40	5785.059765	5745 – 5825	PASS
5785	-10	7.40	5784.912339	5745 – 5825	PASS
5785	-20	7.40	5785.074352	5745 – 5825	PASS
5785	-30	7.40	5784.912952	5745 – 5825	PASS

Ant2

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VDC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5785	20	6.66	5785.023417	5745 – 5825	PASS
5785	50	7.40	5784.982052	5745 – 5825	PASS
5785	40	7.40	5785.092825	5745 – 5825	PASS
5785	30	7.40	5785.091799	5745 – 5825	PASS
5785	20	7.40	5785.069784	5745 – 5825	PASS
5785	10	7.40	5784.950614	5745 – 5825	PASS
5785	0	7.40	5785.077447	5745 – 5825	PASS
5785	-10	7.40	5785.042768	5745 – 5825	PASS
5785	-20	7.40	5784.974367	5745 – 5825	PASS
5785	-30	7.40	5785.003993	5745 – 5825	PASS

Ant1

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VDC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5825	20	6.66	5824.910994	5745 – 5825	PASS
5825	50	7.40	5824.955446	5745 – 5825	PASS
5825	40	7.40	5824.950636	5745 – 5825	PASS
5825	30	7.40	5824.982370	5745 – 5825	PASS
5825	20	7.40	5825.085909	5745 – 5825	PASS
5825	10	7.40	5824.906989	5745 – 5825	PASS
5825	0	7.40	5825.008848	5745 – 5825	PASS
5825	-10	7.40	5824.975844	5745 – 5825	PASS
5825	-20	7.40	5824.953194	5745 – 5825	PASS
5825	-30	7.40	5825.032182	5745 – 5825	PASS

Ant2


Frequency (MHz)	Environment Temperature (Degree)	Voltage (VDC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5825	20	6.66	5825.074161	5745 – 5825	PASS
5825	50	7.40	5825.026472	5745 – 5825	PASS
5825	40	7.40	5824.983524	5745 – 5825	PASS
5825	30	7.40	5824.918209	5745 – 5825	PASS
5825	20	7.40	5825.060073	5745 – 5825	PASS
5825	10	7.40	5825.005428	5745 – 5825	PASS
5825	0	7.40	5824.983522	5745 – 5825	PASS
5825	-10	7.40	5825.083726	5745 – 5825	PASS
5825	-20	7.40	5824.988826	5745 – 5825	PASS
5825	-30	7.40	5825.095740	5745 – 5825	PASS


Appendix F: Duty Cycle

Test Result


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Dc Factor [%]	1/T
11A	Ant1	5745	2.06	2.26	91.15	0.40	0.49
11A	Ant2	5745	2.07	2.29	90.39	0.44	0.48
11A	Ant1	5785	2.06	2.24	91.96	0.36	0.49
11A	Ant2	5785	2.06	2.22	92.79	0.32	0.49
11A	Ant1	5825	2.07	2.28	90.79	0.42	0.48
11A	Ant2	5825	2.06	2.26	91.15	0.40	0.49
11N20MIMO	Ant1	5745	1.93	2.14	90.19	0.45	0.52
11N20MIMO	Ant2	5745	1.92	2.11	91.00	0.41	0.52
11N20MIMO	Ant1	5785	1.92	2.15	89.30	0.49	0.52
11N20MIMO	Ant2	5785	1.92	2.12	90.57	0.43	0.52
11N20MIMO	Ant1	5825	1.93	2.14	90.19	0.45	0.52
11N20MIMO	Ant2	5825	1.92	2.13	90.14	0.45	0.52
11AC20MIMO	Ant1	5745	1.93	2.10	91.90	0.37	0.52
11AC20MIMO	Ant2	5745	1.94	2.16	89.81	0.47	0.52
11AC20MIMO	Ant1	5785	1.93	2.17	88.94	0.51	0.52
11AC20MIMO	Ant2	5785	1.93	2.18	88.53	0.53	0.52
11AC20MIMO	Ant1	5825	1.94	2.16	89.81	0.47	0.52
11AC20MIMO	Ant2	5825	1.93	2.14	90.19	0.45	0.52

Test Graphs







NTNV-11A-Ant1-5785




NTNV-11A-Ant2-5785




NTNV-11A-Ant1-5825




NTNV-11A-Ant2-5825




NTNV-11N20MIMO-Ant1-5745




NTNV-11N20MIMO-Ant2-5745




NTNV-11N20MIMO-Ant1-5785




NTNV-11N20MIMO-Ant2-5785




NTNV-11N20MIMO-Ant1-5825




NTNV-11N20MIMO-Ant2-5825




NTNV-11AC20MIMO-Ant1-5745




NTNV-11AC20MIMO-Ant2-5745



NTNV-11AC20MIMO-Ant1-5785



NTNV-11AC20MIMO-Ant2-5785



NTNV-11AC20MIMO-Ant1-5825

