

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1882.5	10	25	12	18.90	20.27	< 33.01
		1	1	18.60	19.97	< 33.01
		1	50	18.59	19.96	< 33.01
		50	0	18.93	20.30	< 33.01
		1	51	18.55	19.92	< 33.01
		1	0	18.56	19.93	< 33.01
1910.0	10	25	12	18.90	20.27	< 33.01
		1	1	18.56	19.93	< 33.01
		1	50	18.51	19.88	< 33.01
		50	0	18.94	20.31	< 33.01
		1	51	18.52	19.89	< 33.01
		1	0	18.56	19.93	< 33.01
1857.5	15	36	18	18.96	20.33	< 33.01
		1	1	18.75	20.12	< 33.01
		1	77	18.68	20.05	< 33.01
		75	0	18.95	20.32	< 33.01
		1	78	18.65	20.02	< 33.01
		1	0	18.72	20.09	< 33.01
1882.5	15	36	18	18.98	20.35	< 33.01
		1	1	18.65	20.02	< 33.01
		1	77	18.64	20.01	< 33.01
		75	0	18.97	20.34	< 33.01
		1	78	18.65	20.02	< 33.01
		1	0	18.63	20.00	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1907.5	15	36	18	18.97	20.34	< 33.01
		1	1	18.75	20.12	< 33.01
		1	77	18.54	19.91	< 33.01
		75	0	19.04	20.41	< 33.01
		1	78	18.78	20.15	< 33.01
		1	0	18.69	20.06	< 33.01
1860.0	20	50	25	18.94	20.31	< 33.01
		1	1	18.71	20.08	< 33.01
		1	104	18.64	20.01	< 33.01
		100	0	19.02	20.39	< 33.01
		1	105	18.61	19.98	< 33.01
		1	0	18.69	20.06	< 33.01
1882.5	20	50	25	18.95	20.32	< 33.01
		1	1	18.63	20.00	< 33.01
		1	104	18.69	20.06	< 33.01
		100	0	19.01	20.38	< 33.01
		1	105	18.66	20.03	< 33.01
		1	0	18.66	20.03	< 33.01
1905.0	20	50	25	19.02	20.39	< 33.01
		1	1	18.67	20.04	< 33.01
		1	104	18.57	19.94	< 33.01
		100	0	19.06	20.43	< 33.01
		1	105	18.68	20.05	< 33.01
		1	0	18.59	19.96	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1862.5	25	64	32	18.95	20.32	< 33.01
		1	1	18.72	20.09	< 33.01
		1	131	18.71	20.08	< 33.01
		128	0	19.03	20.40	< 33.01
		1	132	18.66	20.03	< 33.01
		1	0	18.74	20.11	< 33.01
1882.5	25	64	32	18.94	20.31	< 33.01
		1	1	18.70	20.07	< 33.01
		1	131	18.76	20.13	< 33.01
		128	0	19.01	20.38	< 33.01
		1	132	18.81	20.18	< 33.01
		1	0	18.70	20.07	< 33.01
1902.5	25	64	32	19.07	20.44	< 33.01
		1	1	18.66	20.03	< 33.01
		1	131	18.73	20.10	< 33.01
		128	0	19.00	20.37	< 33.01
		1	132	18.75	20.12	< 33.01
		1	0	18.60	19.97	< 33.01
1865.0	30	80	40	19.06	20.43	< 33.01
		1	1	18.78	20.15	< 33.01
		1	158	18.72	20.09	< 33.01
		160	0	19.17	20.54	< 33.01
		1	159	18.69	20.06	< 33.01
		1	0	18.73	20.10	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1882.5	30	80	40	18.98	20.35	< 33.01
		1	1	18.82	20.19	< 33.01
		1	158	18.72	20.09	< 33.01
		160	0	19.11	20.48	< 33.01
		1	159	18.81	20.18	< 33.01
		1	0	18.76	20.13	< 33.01
1900.0	30	80	40	19.16	20.53	< 33.01
		1	1	18.72	20.09	< 33.01
		1	158	18.68	20.05	< 33.01
		160	0	19.06	20.43	< 33.01
		1	159	18.74	20.11	< 33.01
		1	0	18.58	19.95	< 33.01
1870.0	40	108	54	19.09	20.46	< 33.01
		1	1	18.90	20.27	< 33.01
		1	214	18.81	20.18	< 33.01
		216	0	19.09	20.46	< 33.01
		1	215	18.81	20.18	< 33.01
		1	0	18.74	20.11	< 33.01
1882.5	40	108	54	19.07	20.44	< 33.01
		1	1	18.86	20.23	< 33.01
		1	214	18.86	20.23	< 33.01
		216	0	19.11	20.48	< 33.01
		1	215	18.82	20.19	< 33.01
		1	0	18.71	20.08	< 33.01
1895.0	40	108	54	19.10	20.47	< 33.01
		1	1	18.69	20.06	< 33.01
		1	214	18.79	20.16	< 33.01
		216	0	19.08	20.45	< 33.01
		1	215	18.72	20.09	< 33.01
		1	0	18.98	20.35	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n38_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2575.0	10	12	6	23.89	25.49	< 33.01
		1	1	23.91	25.51	< 33.01
		1	22	23.94	25.54	< 33.01
		24	0	23.90	25.50	< 33.01
		1	23	23.39	24.99	< 33.01
		1	0	23.29	24.89	< 33.01
2595.0	10	12	6	23.74	25.34	< 33.01
		1	1	23.86	25.46	< 33.01
		1	22	23.58	25.18	< 33.01
		24	0	23.69	25.29	< 33.01
		1	23	23.06	24.66	< 33.01
		1	0	23.30	24.90	< 33.01
2615.0	10	12	6	23.56	25.16	< 33.01
		1	1	23.55	25.15	< 33.01
		1	22	23.57	25.17	< 33.01
		24	0	23.55	25.15	< 33.01
		1	23	22.96	24.56	< 33.01
		1	0	23.10	24.70	< 33.01
2577.5	15	18	9	24.08	25.68	< 33.01
		1	1	24.06	25.66	< 33.01
		1	36	24.01	25.61	< 33.01
		36	0	24.03	25.63	< 33.01
		1	37	23.54	25.14	< 33.01
		1	0	23.60	25.20	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2595.0	15	18	9	23.92	25.52	< 33.01
		1	1	23.94	25.54	< 33.01
		1	36	23.74	25.34	< 33.01
		36	0	23.87	25.47	< 33.01
		1	37	23.21	24.81	< 33.01
		1	0	23.49	25.09	< 33.01
2612.5	15	18	9	23.71	25.31	< 33.01
		1	1	23.78	25.38	< 33.01
		1	36	23.70	25.30	< 33.01
		36	0	23.76	25.36	< 33.01
		1	37	23.18	24.78	< 33.01
		1	0	23.23	24.83	< 33.01
2580.0	20	25	12	24.06	25.66	< 33.01
		1	1	24.00	25.60	< 33.01
		1	49	23.90	25.50	< 33.01
		50	0	24.05	25.65	< 33.01
		1	50	23.44	25.04	< 33.01
		1	0	23.64	25.24	< 33.01
2595.0	20	25	12	23.86	25.46	< 33.01
		1	1	23.95	25.55	< 33.01
		1	49	23.75	25.35	< 33.01
		50	0	23.89	25.49	< 33.01
		1	50	23.12	24.72	< 33.01
		1	0	23.48	25.08	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2610.0	20	25	12	23.78	25.38	< 33.01
		1	1	23.65	25.25	< 33.01
		1	49	23.64	25.24	< 33.01
		50	0	23.76	25.36	< 33.01
		1	50	23.13	24.73	< 33.01
		1	0	23.37	24.97	< 33.01
2585.0	30	36	78	24.07	25.67	< 33.01
		1	1	24.12	25.72	< 33.01
		1	76	23.89	25.49	< 33.01
		75	0	24.01	25.61	< 33.01
		1	77	23.35	24.95	< 33.01
		1	0	23.65	25.25	< 33.01
2595.0	30	36	78	24.02	25.62	< 33.01
		1	1	24.08	25.68	< 33.01
		1	76	23.89	25.49	< 33.01
		75	0	23.96	25.56	< 33.01
		1	77	23.37	24.97	< 33.01
		1	0	23.63	25.23	< 33.01
2605.0	30	36	78	23.87	25.47	< 33.01
		1	1	23.90	25.50	< 33.01
		1	76	23.82	25.42	< 33.01
		75	0	23.88	25.48	< 33.01
		1	77	23.28	24.88	< 33.01
		1	0	23.49	25.09	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2590.0	40	50	25	23.99	25.59	< 33.01
		1	1	24.07	25.67	< 33.01
		1	104	23.87	25.47	< 33.01
		100	0	23.99	25.59	< 33.01
		1	105	23.35	24.95	< 33.01
		1	0	23.73	25.33	< 33.01
2595.0	40	50	25	24.02	25.62	< 33.01
		1	1	24.06	25.66	< 33.01
		1	104	23.77	25.37	< 33.01
		100	0	24.00	25.60	< 33.01
		1	105	23.24	24.84	< 33.01
		1	0	23.82	25.42	< 33.01
2600.0	40	50	25	23.87	25.47	< 33.01
		1	1	24.04	25.64	< 33.01
		1	104	23.81	25.41	< 33.01
		100	0	23.96	25.56	< 33.01
		1	105	23.28	24.88	< 33.01
		1	0	23.79	25.39	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2575.0	10	12	6	23.86	25.46	< 33.01
		1	1	23.86	25.46	< 33.01
		1	22	23.89	25.49	< 33.01
		24	0	23.91	25.51	< 33.01
		1	23	23.34	24.94	< 33.01
		1	0	23.30	24.90	< 33.01
2595.0	10	12	6	23.73	25.33	< 33.01
		1	1	23.77	25.37	< 33.01
		1	22	23.69	25.29	< 33.01
		24	0	23.75	25.35	< 33.01
		1	23	23.10	24.70	< 33.01
		1	0	23.32	24.92	< 33.01
2615.0	10	12	6	23.60	25.20	< 33.01
		1	1	23.57	25.17	< 33.01
		1	22	23.58	25.18	< 33.01
		24	0	23.63	25.23	< 33.01
		1	23	22.99	24.59	< 33.01
		1	0	23.13	24.73	< 33.01
2577.5	15	18	9	24.11	25.71	< 33.01
		1	1	24.15	25.75	< 33.01
		1	36	24.11	25.71	< 33.01
		36	0	24.11	25.71	< 33.01
		1	37	23.57	25.17	< 33.01
		1	0	23.60	25.20	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2595.0	15	18	9	23.87	25.47	< 33.01
		1	1	23.92	25.52	< 33.01
		1	36	23.72	25.32	< 33.01
		36	0	23.92	25.52	< 33.01
		1	37	23.24	24.84	< 33.01
		1	0	23.38	24.98	< 33.01
2612.5	15	18	9	23.75	25.35	< 33.01
		1	1	23.78	25.38	< 33.01
		1	36	23.78	25.38	< 33.01
		36	0	23.80	25.40	< 33.01
		1	37	23.21	24.81	< 33.01
		1	0	23.25	24.85	< 33.01
2580.0	20	25	12	24.01	25.61	< 33.01
		1	1	24.09	25.69	< 33.01
		1	49	23.99	25.59	< 33.01
		50	0	24.05	25.65	< 33.01
		1	50	23.46	25.06	< 33.01
		1	0	23.57	25.17	< 33.01
2595.0	20	25	12	23.91	25.51	< 33.01
		1	1	23.95	25.55	< 33.01
		1	49	23.64	25.24	< 33.01
		50	0	23.84	25.44	< 33.01
		1	50	23.15	24.75	< 33.01
		1	0	23.50	25.10	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2610.0	20	25	12	23.73	25.33	< 33.01
		1	1	23.76	25.36	< 33.01
		1	49	23.73	25.33	< 33.01
		50	0	23.74	25.34	< 33.01
		1	50	23.24	24.84	< 33.01
		1	0	23.29	24.89	< 33.01
2585.0	30	36	78	24.04	25.64	< 33.01
		1	1	24.09	25.69	< 33.01
		1	76	23.88	25.48	< 33.01
		75	0	24.10	25.70	< 33.01
		1	77	23.43	25.03	< 33.01
		1	0	23.75	25.35	< 33.01
2595.0	30	36	78	23.98	25.58	< 33.01
		1	1	24.11	25.71	< 33.01
		1	76	23.81	25.41	< 33.01
		75	0	24.04	25.64	< 33.01
		1	77	23.29	24.89	< 33.01
		1	0	23.76	25.36	< 33.01
2605.0	30	36	78	23.80	25.40	< 33.01
		1	1	23.89	25.49	< 33.01
		1	76	23.83	25.43	< 33.01
		75	0	23.88	25.48	< 33.01
		1	77	23.31	24.91	< 33.01
		1	0	23.53	25.13	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2590.0	40	50	25	24.00	25.60	< 33.01
		1	1	24.06	25.66	< 33.01
		1	104	23.88	25.48	< 33.01
		100	0	23.95	25.55	< 33.01
		1	105	23.37	24.97	< 33.01
		1	0	23.73	25.33	< 33.01
2595.0	40	50	25	23.95	25.55	< 33.01
		1	1	24.08	25.68	< 33.01
		1	104	23.78	25.38	< 33.01
		100	0	23.99	25.59	< 33.01
		1	105	23.38	24.98	< 33.01
		1	0	23.84	25.44	< 33.01
2600.0	40	50	25	23.91	25.51	< 33.01
		1	1	24.13	25.73	< 33.01
		1	104	23.81	25.41	< 33.01
		100	0	23.97	25.57	< 33.01
		1	105	23.31	24.91	< 33.01
		1	0	23.71	25.31	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2575.0	10	12	6	23.95	25.55	< 33.01
		1	1	23.94	25.54	< 33.01
		1	22	23.87	25.47	< 33.01
		24	0	23.94	25.54	< 33.01
		1	23	23.53	25.13	< 33.01
		1	0	23.50	25.10	< 33.01
2595.0	10	12	6	23.78	25.38	< 33.01
		1	1	23.99	25.59	< 33.01
		1	22	23.81	25.41	< 33.01
		24	0	23.82	25.42	< 33.01
		1	23	23.21	24.81	< 33.01
		1	0	23.36	24.96	< 33.01
2615.0	10	12	6	23.52	25.12	< 33.01
		1	1	23.70	25.30	< 33.01
		1	22	23.65	25.25	< 33.01
		24	0	23.60	25.20	< 33.01
		1	23	23.16	24.76	< 33.01
		1	0	23.17	24.77	< 33.01
2577.5	15	18	9	24.08	25.68	< 33.01
		1	1	24.22	25.82	< 33.01
		1	36	24.12	25.72	< 33.01
		36	0	24.15	25.75	< 33.01
		1	37	23.64	25.24	< 33.01
		1	0	23.69	25.29	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2595.0	15	18	9	23.92	25.52	< 33.01
		1	1	24.07	25.67	< 33.01
		1	36	23.86	25.46	< 33.01
		36	0	23.93	25.53	< 33.01
		1	37	23.25	24.85	< 33.01
		1	0	23.55	25.15	< 33.01
2612.5	15	18	9	23.79	25.39	< 33.01
		1	1	23.80	25.40	< 33.01
		1	36	23.76	25.36	< 33.01
		36	0	23.71	25.31	< 33.01
		1	37	23.37	24.97	< 33.01
		1	0	23.27	24.87	< 33.01
2580.0	20	25	12	24.07	25.67	< 33.01
		1	1	24.15	25.75	< 33.01
		1	49	24.02	25.62	< 33.01
		50	0	24.03	25.63	< 33.01
		1	50	23.53	25.13	< 33.01
		1	0	23.64	25.24	< 33.01
2595.0	20	25	12	23.93	25.53	< 33.01
		1	1	24.07	25.67	< 33.01
		1	49	23.80	25.40	< 33.01
		50	0	23.79	25.39	< 33.01
		1	50	23.29	24.89	< 33.01
		1	0	23.61	25.21	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2610.0	20	25	12	23.76	25.36	< 33.01
		1	1	23.77	25.37	< 33.01
		1	49	23.87	25.47	< 33.01
		50	0	23.68	25.28	< 33.01
		1	50	23.22	24.82	< 33.01
		1	0	23.46	25.06	< 33.01
2585.0	30	36	78	24.11	25.71	< 33.01
		1	1	24.15	25.75	< 33.01
		1	76	24.11	25.71	< 33.01
		75	0	24.01	25.61	< 33.01
		1	77	23.49	25.09	< 33.01
		1	0	23.84	25.44	< 33.01
2595.0	30	36	78	24.00	25.60	< 33.01
		1	1	24.07	25.67	< 33.01
		1	76	23.91	25.51	< 33.01
		75	0	24.02	25.62	< 33.01
		1	77	23.51	25.11	< 33.01
		1	0	23.83	25.43	< 33.01
2605.0	30	36	78	23.89	25.49	< 33.01
		1	1	24.02	25.62	< 33.01
		1	76	24.04	25.64	< 33.01
		75	0	23.91	25.51	< 33.01
		1	77	23.35	24.95	< 33.01
		1	0	23.62	25.22	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2590.0	40	50	25	23.99	25.59	< 33.01
		1	1	24.20	25.80	< 33.01
		1	104	23.85	25.45	< 33.01
		100	0	23.99	25.59	< 33.01
		1	105	23.61	25.21	< 33.01
		1	0	23.95	25.55	< 33.01
2595.0	40	50	25	23.95	25.55	< 33.01
		1	1	24.10	25.70	< 33.01
		1	104	23.85	25.45	< 33.01
		100	0	24.01	25.61	< 33.01
		1	105	23.51	25.11	< 33.01
		1	0	24.02	25.62	< 33.01
2600.0	40	50	25	23.94	25.54	< 33.01
		1	1	24.23	25.83	< 33.01
		1	104	23.92	25.52	< 33.01
		100	0	23.93	25.53	< 33.01
		1	105	23.43	25.03	< 33.01
		1	0	23.82	25.42	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2575.0	10	12	6	23.93	25.53	< 33.01
		1	1	23.72	25.32	< 33.01
		1	22	24.25	25.85	< 33.01
		24	0	23.96	25.56	< 33.01
		1	23	23.43	25.03	< 33.01
		1	0	23.50	25.10	< 33.01
2595.0	10	12	6	23.73	25.33	< 33.01
		1	1	23.96	25.56	< 33.01
		1	22	23.76	25.36	< 33.01
		24	0	23.87	25.47	< 33.01
		1	23	23.17	24.77	< 33.01
		1	0	23.35	24.95	< 33.01
2615.0	10	12	6	23.60	25.20	< 33.01
		1	1	23.67	25.27	< 33.01
		1	22	23.67	25.27	< 33.01
		24	0	23.65	25.25	< 33.01
		1	23	23.09	24.69	< 33.01
		1	0	23.21	24.81	< 33.01
2577.5	15	18	9	24.13	25.73	< 33.01
		1	1	24.22	25.82	< 33.01
		1	36	24.18	25.78	< 33.01
		36	0	24.15	25.75	< 33.01
		1	37	23.60	25.20	< 33.01
		1	0	23.71	25.31	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2595.0	15	18	9	23.93	25.53	< 33.01
		1	1	23.94	25.54	< 33.01
		1	36	23.90	25.50	< 33.01
		36	0	23.92	25.52	< 33.01
		1	37	23.41	25.01	< 33.01
		1	0	23.63	25.23	< 33.01
2612.5	15	18	9	23.72	25.32	< 33.01
		1	1	23.89	25.49	< 33.01
		1	36	23.81	25.41	< 33.01
		36	0	23.82	25.42	< 33.01
		1	37	23.27	24.87	< 33.01
		1	0	23.25	24.85	< 33.01
2580.0	20	25	12	24.17	25.77	< 33.01
		1	1	24.16	25.76	< 33.01
		1	49	24.04	25.64	< 33.01
		50	0	24.06	25.66	< 33.01
		1	50	23.58	25.18	< 33.01
		1	0	23.65	25.25	< 33.01
2595.0	20	25	12	23.97	25.57	< 33.01
		1	1	24.03	25.63	< 33.01
		1	49	23.85	25.45	< 33.01
		50	0	23.93	25.53	< 33.01
		1	50	23.24	24.84	< 33.01
		1	0	23.55	25.15	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2610.0	20	25	12	23.84	25.44	< 33.01
		1	1	23.72	25.32	< 33.01
		1	49	23.74	25.34	< 33.01
		50	0	23.83	25.43	< 33.01
		1	50	23.34	24.94	< 33.01
		1	0	23.44	25.04	< 33.01
2585.0	30	36	78	24.17	25.77	< 33.01
		1	1	24.26	25.86	< 33.01
		1	76	24.10	25.70	< 33.01
		75	0	24.13	25.73	< 33.01
		1	77	23.56	25.16	< 33.01
		1	0	23.85	25.45	< 33.01
2595.0	30	36	78	24.00	25.60	< 33.01
		1	1	24.09	25.69	< 33.01
		1	76	23.86	25.46	< 33.01
		75	0	24.10	25.70	< 33.01
		1	77	23.37	24.97	< 33.01
		1	0	23.85	25.45	< 33.01
2605.0	30	36	78	23.84	25.44	< 33.01
		1	1	24.07	25.67	< 33.01
		1	76	23.91	25.51	< 33.01
		75	0	23.90	25.50	< 33.01
		1	77	23.43	25.03	< 33.01
		1	0	23.58	25.18	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2590.0	40	50	25	24.08	25.68	< 33.01
		1	1	24.26	25.86	< 33.01
		1	104	23.93	25.53	< 33.01
		100	0	24.00	25.60	< 33.01
		1	105	23.51	25.11	< 33.01
		1	0	24.04	25.64	< 33.01
2595.0	40	50	25	24.10	25.70	< 33.01
		1	1	24.13	25.73	< 33.01
		1	104	23.93	25.53	< 33.01
		100	0	23.87	25.47	< 33.01
		1	105	23.45	25.05	< 33.01
		1	0	23.92	25.52	< 33.01
2600.0	40	50	25	23.96	25.56	< 33.01
		1	1	24.23	25.83	< 33.01
		1	104	23.88	25.48	< 33.01
		100	0	23.98	25.58	< 33.01
		1	105	23.38	24.98	< 33.01
		1	0	23.83	25.43	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2575.0	10	12	6	22.29	23.89	< 33.01
		1	1	22.19	23.79	< 33.01
		1	22	22.28	23.88	< 33.01
		24	0	22.26	23.86	< 33.01
		1	23	22.27	23.87	< 33.01
		1	0	22.16	23.76	< 33.01
2595.0	10	12	6	22.19	23.79	< 33.01
		1	1	22.10	23.70	< 33.01
		1	22	21.90	23.50	< 33.01
		24	0	22.17	23.77	< 33.01
		1	23	21.80	23.40	< 33.01
		1	0	22.07	23.67	< 33.01
2615.0	10	12	6	22.06	23.66	< 33.01
		1	1	21.89	23.49	< 33.01
		1	22	21.79	23.39	< 33.01
		24	0	22.03	23.63	< 33.01
		1	23	21.80	23.40	< 33.01
		1	0	21.84	23.44	< 33.01
2577.5	15	18	9	22.64	24.24	< 33.01
		1	1	22.29	23.89	< 33.01
		1	36	22.30	23.90	< 33.01
		36	0	22.57	24.17	< 33.01
		1	37	22.17	23.77	< 33.01
		1	0	22.36	23.96	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2595.0	15	18	9	22.30	23.90	< 33.01
		1	1	22.17	23.77	< 33.01
		1	36	22.02	23.62	< 33.01
		36	0	22.36	23.96	< 33.01
		1	37	22.00	23.60	< 33.01
		1	0	22.12	23.72	< 33.01
2612.5	15	18	9	22.12	23.72	< 33.01
		1	1	21.95	23.55	< 33.01
		1	36	21.83	23.43	< 33.01
		36	0	22.15	23.75	< 33.01
		1	37	21.83	23.43	< 33.01
		1	0	21.89	23.49	< 33.01
2580.0	20	25	12	22.50	24.10	< 33.01
		1	1	22.23	23.83	< 33.01
		1	49	22.06	23.66	< 33.01
		50	0	22.55	24.15	< 33.01
		1	50	22.06	23.66	< 33.01
		1	0	22.21	23.81	< 33.01
2595.0	20	25	12	22.31	23.91	< 33.01
		1	1	22.23	23.83	< 33.01
		1	49	21.92	23.52	< 33.01
		50	0	22.31	23.91	< 33.01
		1	50	21.92	23.52	< 33.01
		1	0	22.21	23.81	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2610.0	20	25	12	22.27	23.87	< 33.01
		1	1	21.88	23.48	< 33.01
		1	49	21.83	23.43	< 33.01
		50	0	22.21	23.81	< 33.01
		1	50	21.94	23.54	< 33.01
		1	0	22.00	23.60	< 33.01
2585.0	30	36	78	22.53	24.13	< 33.01
		1	1	22.39	23.99	< 33.01
		1	76	22.15	23.75	< 33.01
		75	0	22.61	24.21	< 33.01
		1	77	22.28	23.88	< 33.01
		1	0	22.44	24.04	< 33.01
2595.0	30	36	78	22.45	24.05	< 33.01
		1	1	22.40	24.00	< 33.01
		1	76	22.16	23.76	< 33.01
		75	0	22.46	24.06	< 33.01
		1	77	22.15	23.75	< 33.01
		1	0	22.44	24.04	< 33.01
2605.0	30	36	78	22.29	23.89	< 33.01
		1	1	22.20	23.80	< 33.01
		1	76	22.13	23.73	< 33.01
		75	0	22.39	23.99	< 33.01
		1	77	22.12	23.72	< 33.01
		1	0	22.35	23.95	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2590.0	40	50	25	22.43	24.03	< 33.01
		1	1	22.38	23.98	< 33.01
		1	104	22.14	23.74	< 33.01
		100	0	22.50	24.10	< 33.01
		1	105	22.12	23.72	< 33.01
		1	0	22.44	24.04	< 33.01
2595.0	40	50	25	22.48	24.08	< 33.01
		1	1	22.30	23.90	< 33.01
		1	104	22.07	23.67	< 33.01
		100	0	22.53	24.13	< 33.01
		1	105	22.06	23.66	< 33.01
		1	0	22.55	24.15	< 33.01
2600.0	40	50	25	22.35	23.95	< 33.01
		1	1	22.35	23.95	< 33.01
		1	104	22.00	23.60	< 33.01
		100	0	22.51	24.11	< 33.01
		1	105	22.08	23.68	< 33.01
		1	0	22.54	24.14	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	HPUE n38_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2575.0	10	12	6	26.41	28.01	< 33.01
		1	1	26.44	28.04	< 33.01
		1	22	26.53	28.13	< 33.01
		24	0	26.10	27.70	< 33.01
		1	23	23.23	24.83	< 33.01
		1	0	23.22	24.82	< 33.01
2595.0	10	12	6	26.38	27.98	< 33.01
		1	1	26.43	28.03	< 33.01
		1	22	26.31	27.91	< 33.01
		24	0	26.02	27.62	< 33.01
		1	23	22.99	24.59	< 33.01
		1	0	23.16	24.76	< 33.01
2615.0	10	12	6	26.29	27.89	< 33.01
		1	1	26.30	27.90	< 33.01
		1	22	26.20	27.80	< 33.01
		24	0	25.91	27.51	< 33.01
		1	23	22.75	24.35	< 33.01
		1	0	22.91	24.51	< 33.01
2577.5	15	18	9	26.54	28.14	< 33.01
		1	1	26.48	28.08	< 33.01
		1	36	26.64	28.24	< 33.01
		36	0	26.30	27.90	< 33.01
		1	37	23.41	25.01	< 33.01
		1	0	23.44	25.04	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2595.0	15	18	9	26.47	28.07	< 33.01
		1	1	26.56	28.16	< 33.01
		1	36	26.48	28.08	< 33.01
		36	0	26.19	27.79	< 33.01
		1	37	23.10	24.70	< 33.01
		1	0	23.32	24.92	< 33.01
2612.5	15	18	9	26.34	27.94	< 33.01
		1	1	26.35	27.95	< 33.01
		1	36	26.36	27.96	< 33.01
		36	0	25.96	27.56	< 33.01
		1	37	23.00	24.60	< 33.01
		1	0	23.05	24.65	< 33.01
2580.0	20	25	12	26.69	28.29	< 33.01
		1	1	26.45	28.05	< 33.01
		1	49	26.61	28.21	< 33.01
		50	0	26.29	27.89	< 33.01
		1	50	23.39	24.99	< 33.01
		1	0	23.46	25.06	< 33.01
2595.0	20	25	12	26.60	28.20	< 33.01
		1	1	26.56	28.16	< 33.01
		1	49	26.41	28.01	< 33.01
		50	0	26.19	27.79	< 33.01
		1	50	23.05	24.65	< 33.01
		1	0	23.42	25.02	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2610.0	20	25	12	26.40	28.00	< 33.01
		1	1	26.34	27.94	< 33.01
		1	49	26.39	27.99	< 33.01
		50	0	25.98	27.58	< 33.01
		1	50	22.99	24.59	< 33.01
		1	0	23.09	24.69	< 33.01
2585.0	30	36	78	27.06	28.66	< 33.01
		1	1	26.38	27.98	< 33.01
		1	76	26.88	28.48	< 33.01
		75	0	26.82	28.42	< 33.01
		1	77	24.12	25.72	< 33.01
		1	0	24.43	26.03	< 33.01
2595.0	30	36	78	26.98	28.58	< 33.01
		1	1	26.44	28.04	< 33.01
		1	76	26.95	28.55	< 33.01
		75	0	26.72	28.32	< 33.01
		1	77	23.85	25.45	< 33.01
		1	0	24.22	25.82	< 33.01
2605.0	30	36	78	26.84	28.44	< 33.01
		1	1	26.51	28.11	< 33.01
		1	76	26.86	28.46	< 33.01
		75	0	26.48	28.08	< 33.01
		1	77	23.55	25.15	< 33.01
		1	0	23.77	25.37	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2590.0	40	50	25	26.87	28.47	< 33.01
		1	1	26.29	27.89	< 33.01
		1	104	26.82	28.42	< 33.01
		100	0	26.53	28.13	< 33.01
		1	105	23.55	25.15	< 33.01
		1	0	24.21	25.81	< 33.01
2595.0	40	50	25	26.89	28.49	< 33.01
		1	1	26.33	27.93	< 33.01
		1	104	26.90	28.50	< 33.01
		100	0	26.54	28.14	< 33.01
		1	105	23.55	25.15	< 33.01
		1	0	24.11	25.71	< 33.01
2600.0	40	50	25	26.84	28.44	< 33.01
		1	1	26.49	28.09	< 33.01
		1	104	26.81	28.41	< 33.01
		100	0	26.45	28.05	< 33.01
		1	105	23.49	25.09	< 33.01
		1	0	24.03	25.63	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2575.0	10	12	6	26.23	27.83	< 33.01
		1	1	25.86	27.46	< 33.01
		1	22	26.03	27.63	< 33.01
		24	0	25.58	27.18	< 33.01
		1	23	23.22	24.82	< 33.01
		1	0	23.20	24.80	< 33.01
2595.0	10	12	6	26.15	27.75	< 33.01
		1	1	26.28	27.88	< 33.01
		1	22	26.28	27.88	< 33.01
		24	0	25.45	27.05	< 33.01
		1	23	22.97	24.57	< 33.01
		1	0	23.12	24.72	< 33.01
2615.0	10	12	6	26.16	27.76	< 33.01
		1	1	22.80	24.40	< 33.01
		1	22	26.19	27.79	< 33.01
		24	0	25.38	26.98	< 33.01
		1	23	22.72	24.32	< 33.01
		1	0	22.82	24.42	< 33.01
2577.5	15	18	9	26.37	27.97	< 33.01
		1	1	25.82	27.42	< 33.01
		1	36	26.17	27.77	< 33.01
		36	0	25.72	27.32	< 33.01
		1	37	23.38	24.98	< 33.01
		1	0	23.39	24.99	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2595.0	15	18	9	26.32	27.92	< 33.01
		1	1	26.05	27.65	< 33.01
		1	36	26.12	27.72	< 33.01
		36	0	25.63	27.23	< 33.01
		1	37	23.06	24.66	< 33.01
		1	0	23.23	24.83	< 33.01
2612.5	15	18	9	26.23	27.83	< 33.01
		1	1	25.99	27.59	< 33.01
		1	36	26.30	27.90	< 33.01
		36	0	25.42	27.02	< 33.01
		1	37	22.90	24.50	< 33.01
		1	0	23.00	24.60	< 33.01
2580.0	20	25	12	26.45	28.05	< 33.01
		1	1	25.75	27.35	< 33.01
		1	49	26.18	27.78	< 33.01
		50	0	25.70	27.30	< 33.01
		1	50	23.28	24.88	< 33.01
		1	0	23.38	24.98	< 33.01
2595.0	20	25	12	26.45	28.05	< 33.01
		1	1	26.06	27.66	< 33.01
		1	49	26.17	27.77	< 33.01
		50	0	25.62	27.22	< 33.01
		1	50	22.99	24.59	< 33.01
		1	0	23.30	24.90	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2610.0	20	25	12	26.34	27.94	< 33.01
		1	1	26.18	27.78	< 33.01
		1	49	26.32	27.92	< 33.01
		50	0	25.42	27.02	< 33.01
		1	50	22.88	24.48	< 33.01
		1	0	23.01	24.61	< 33.01
2585.0	30	36	78	26.74	28.34	< 33.01
		1	1	25.49	27.09	< 33.01
		1	76	26.22	27.82	< 33.01
		75	0	26.21	27.81	< 33.01
		1	77	24.11	25.71	< 33.01
		1	0	24.41	26.01	< 33.01
2595.0	30	36	78	26.71	28.31	< 33.01
		1	1	25.61	27.21	< 33.01
		1	76	26.41	28.01	< 33.01
		75	0	26.11	27.71	< 33.01
		1	77	23.66	25.26	< 33.01
		1	0	24.03	25.63	< 33.01
2605.0	30	36	78	26.60	28.20	< 33.01
		1	1	26.15	27.75	< 33.01
		1	76	26.66	28.26	< 33.01
		75	0	25.91	27.51	< 33.01
		1	77	23.53	25.13	< 33.01
		1	0	23.79	25.39	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2590.0	40	50	25	26.59	28.19	< 33.01
		1	1	25.55	27.15	< 33.01
		1	104	26.49	28.09	< 33.01
		100	0	25.94	27.54	< 33.01
		1	105	23.50	25.10	< 33.01
		1	0	24.15	25.75	< 33.01
2595.0	40	50	25	26.61	28.21	< 33.01
		1	1	25.90	27.50	< 33.01
		1	104	26.66	28.26	< 33.01
		100	0	25.94	27.54	< 33.01
		1	105	23.51	25.11	< 33.01
		1	0	24.05	25.65	< 33.01
2600.0	40	50	25	26.60	28.20	< 33.01
		1	1	25.64	27.24	< 33.01
		1	104	26.73	28.33	< 33.01
		100	0	25.93	27.53	< 33.01
		1	105	23.46	25.06	< 33.01
		1	0	23.95	25.55	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2575.0	10	12	6	25.37	26.97	< 33.01
		1	1	25.59	27.19	< 33.01
		1	22	25.67	27.27	< 33.01
		24	0	24.51	26.11	< 33.01
		1	23	22.94	24.54	< 33.01
		1	0	22.95	24.55	< 33.01
2595.0	10	12	6	25.48	27.08	< 33.01
		1	1	25.35	26.95	< 33.01
		1	22	25.26	26.86	< 33.01
		24	0	24.52	26.12	< 33.01
		1	23	23.10	24.70	< 33.01
		1	0	23.22	24.82	< 33.01
2615.0	10	12	6	25.41	27.01	< 33.01
		1	1	25.21	26.81	< 33.01
		1	22	25.18	26.78	< 33.01
		24	0	24.40	26.00	< 33.01
		1	23	22.95	24.55	< 33.01
		1	0	22.90	24.50	< 33.01
2577.5	15	18	9	25.53	27.13	< 33.01
		1	1	25.70	27.30	< 33.01
		1	36	25.85	27.45	< 33.01
		36	0	24.73	26.33	< 33.01
		1	37	23.41	25.01	< 33.01
		1	0	23.50	25.10	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2595.0	15	18	9	25.49	27.09	< 33.01
		1	1	25.69	27.29	< 33.01
		1	36	25.78	27.38	< 33.01
		36	0	24.63	26.23	< 33.01
		1	37	23.15	24.75	< 33.01
		1	0	23.38	24.98	< 33.01
2612.5	15	18	9	25.37	26.97	< 33.01
		1	1	25.54	27.14	< 33.01
		1	36	25.70	27.30	< 33.01
		36	0	24.47	26.07	< 33.01
		1	37	22.72	24.32	< 33.01
		1	0	22.81	24.41	< 33.01
2580.0	20	25	12	25.65	27.25	< 33.01
		1	1	25.63	27.23	< 33.01
		1	49	25.80	27.40	< 33.01
		50	0	24.80	26.40	< 33.01
		1	50	23.40	25.00	< 33.01
		1	0	23.49	25.09	< 33.01
2595.0	20	25	12	25.60	27.20	< 33.01
		1	1	25.06	26.66	< 33.01
		1	49	25.10	26.70	< 33.01
		50	0	24.69	26.29	< 33.01
		1	50	23.03	24.63	< 33.01
		1	0	23.39	24.99	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2610.0	20	25	12	25.41	27.01	< 33.01
		1	1	24.82	26.42	< 33.01
		1	49	25.00	26.60	< 33.01
		50	0	24.49	26.09	< 33.01
		1	50	23.01	24.61	< 33.01
		1	0	23.12	24.72	< 33.01
2585.0	30	36	78	25.90	27.50	< 33.01
		1	1	25.08	26.68	< 33.01
		1	76	25.70	27.30	< 33.01
		75	0	25.33	26.93	< 33.01
		1	77	23.61	25.21	< 33.01
		1	0	23.73	25.33	< 33.01
2595.0	30	36	78	25.88	27.48	< 33.01
		1	1	25.62	27.22	< 33.01
		1	76	26.18	27.78	< 33.01
		75	0	25.15	26.75	< 33.01
		1	77	23.47	25.07	< 33.01
		1	0	23.72	25.32	< 33.01
2605.0	30	36	78	25.80	27.40	< 33.01
		1	1	25.77	27.37	< 33.01
		1	76	26.14	27.74	< 33.01
		75	0	24.97	26.57	< 33.01
		1	77	23.35	24.95	< 33.01
		1	0	23.38	24.98	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2590.0	40	50	25	25.88	27.48	< 33.01
		1	1	25.68	27.28	< 33.01
		1	104	25.47	27.07	< 33.01
		100	0	25.05	26.65	< 33.01
		1	105	23.59	25.19	< 33.01
		1	0	23.97	25.57	< 33.01
2595.0	40	50	25	25.87	27.47	< 33.01
		1	1	25.77	27.37	< 33.01
		1	104	26.09	27.69	< 33.01
		100	0	25.01	26.61	< 33.01
		1	105	23.36	24.96	< 33.01
		1	0	23.62	25.22	< 33.01
2600.0	40	50	25	25.86	27.46	< 33.01
		1	1	25.83	27.43	< 33.01
		1	104	26.12	27.72	< 33.01
		100	0	24.98	26.58	< 33.01
		1	105	23.33	24.93	< 33.01
		1	0	23.48	25.08	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2575.0	10	12	6	24.15	25.75	< 33.01
		1	1	24.30	25.90	< 33.01
		1	22	24.35	25.95	< 33.01
		24	0	24.17	25.77	< 33.01
		1	23	23.89	25.49	< 33.01
		1	0	23.91	25.51	< 33.01
2595.0	10	12	6	24.07	25.67	< 33.01
		1	1	24.26	25.86	< 33.01
		1	22	24.15	25.75	< 33.01
		24	0	24.09	25.69	< 33.01
		1	23	23.71	25.31	< 33.01
		1	0	23.89	25.49	< 33.01
2615.0	10	12	6	23.88	25.48	< 33.01
		1	1	24.13	25.73	< 33.01
		1	22	23.90	25.50	< 33.01
		24	0	23.92	25.52	< 33.01
		1	23	23.48	25.08	< 33.01
		1	0	23.56	25.16	< 33.01
2577.5	15	18	9	24.47	26.07	< 33.01
		1	1	24.54	26.14	< 33.01
		1	36	24.59	26.19	< 33.01
		36	0	24.41	26.01	< 33.01
		1	37	23.44	25.04	< 33.01
		1	0	23.29	24.89	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2595.0	15	18	9	24.32	25.92	< 33.01
		1	1	24.53	26.13	< 33.01
		1	36	24.38	25.98	< 33.01
		36	0	24.28	25.88	< 33.01
		1	37	23.15	24.75	< 33.01
		1	0	23.20	24.80	< 33.01
2612.5	15	18	9	24.07	25.67	< 33.01
		1	1	24.11	25.71	< 33.01
		1	36	24.14	25.74	< 33.01
		36	0	24.07	25.67	< 33.01
		1	37	23.71	25.31	< 33.01
		1	0	23.74	25.34	< 33.01
2580.0	20	25	12	24.36	25.96	< 33.01
		1	1	24.47	26.07	< 33.01
		1	49	24.53	26.13	< 33.01
		50	0	24.34	25.94	< 33.01
		1	50	23.27	24.87	< 33.01
		1	0	23.28	24.88	< 33.01
2595.0	20	25	12	24.22	25.82	< 33.01
		1	1	24.48	26.08	< 33.01
		1	49	24.31	25.91	< 33.01
		50	0	24.22	25.82	< 33.01
		1	50	23.07	24.67	< 33.01
		1	0	23.25	24.85	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2610.0	20	25	12	23.99	25.59	< 33.01
		1	1	23.65	25.25	< 33.01
		1	49	24.03	25.63	< 33.01
		50	0	24.01	25.61	< 33.01
		1	50	23.55	25.15	< 33.01
		1	0	23.64	25.24	< 33.01
2585.0	30	36	78	25.05	26.65	< 33.01
		1	1	24.77	26.37	< 33.01
		1	76	24.98	26.58	< 33.01
		75	0	24.96	26.56	< 33.01
		1	77	24.55	26.15	< 33.01
		1	0	24.52	26.12	< 33.01
2595.0	30	36	78	24.82	26.42	< 33.01
		1	1	24.75	26.35	< 33.01
		1	76	24.75	26.35	< 33.01
		75	0	24.72	26.32	< 33.01
		1	77	24.42	26.02	< 33.01
		1	0	24.43	26.03	< 33.01
2605.0	30	36	78	24.61	26.21	< 33.01
		1	1	24.71	26.31	< 33.01
		1	76	24.66	26.26	< 33.01
		75	0	24.53	26.13	< 33.01
		1	77	24.31	25.91	< 33.01
		1	0	24.25	25.85	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2590.0	40	50	25	24.80	26.40	< 33.01
		1	1	24.72	26.32	< 33.01
		1	104	24.50	26.10	< 33.01
		100	0	24.63	26.23	< 33.01
		1	105	23.96	25.56	< 33.01
		1	0	24.20	25.80	< 33.01
2595.0	40	50	25	24.65	26.25	< 33.01
		1	1	24.70	26.30	< 33.01
		1	104	24.60	26.20	< 33.01
		100	0	24.64	26.24	< 33.01
		1	105	24.24	25.84	< 33.01
		1	0	24.44	26.04	< 33.01
2600.0	40	50	25	24.55	26.15	< 33.01
		1	1	24.70	26.30	< 33.01
		1	104	24.57	26.17	< 33.01
		100	0	24.58	26.18	< 33.01
		1	105	24.10	25.70	< 33.01
		1	0	24.42	26.02	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2575.0	10	12	6	22.33	23.93	< 33.01
		1	1	22.39	23.99	< 33.01
		1	22	22.46	24.06	< 33.01
		24	0	22.22	23.82	< 33.01
		1	23	22.41	24.01	< 33.01
		1	0	22.37	23.97	< 33.01
2595.0	10	12	6	22.19	23.79	< 33.01
		1	1	22.19	23.79	< 33.01
		1	22	22.00	23.60	< 33.01
		24	0	22.08	23.68	< 33.01
		1	23	22.00	23.60	< 33.01
		1	0	22.15	23.75	< 33.01
2615.0	10	12	6	21.95	23.55	< 33.01
		1	1	21.93	23.53	< 33.01
		1	22	21.84	23.44	< 33.01
		24	0	21.92	23.52	< 33.01
		1	23	21.76	23.36	< 33.01
		1	0	21.90	23.50	< 33.01
2577.5	15	18	9	22.52	24.12	< 33.01
		1	1	22.69	24.29	< 33.01
		1	36	22.61	24.21	< 33.01
		36	0	22.43	24.03	< 33.01
		1	37	22.63	24.23	< 33.01
		1	0	22.70	24.30	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2595.0	15	18	9	22.27	23.87	< 33.01
		1	1	22.53	24.13	< 33.01
		1	36	22.34	23.94	< 33.01
		36	0	22.29	23.89	< 33.01
		1	37	22.28	23.88	< 33.01
		1	0	22.52	24.12	< 33.01
2612.5	15	18	9	21.95	23.55	< 33.01
		1	1	22.01	23.61	< 33.01
		1	36	21.97	23.57	< 33.01
		36	0	22.00	23.60	< 33.01
		1	37	21.89	23.49	< 33.01
		1	0	21.95	23.55	< 33.01
2580.0	20	25	12	22.49	24.09	< 33.01
		1	1	22.68	24.28	< 33.01
		1	49	22.55	24.15	< 33.01
		50	0	22.40	24.00	< 33.01
		1	50	22.57	24.17	< 33.01
		1	0	22.67	24.27	< 33.01
2595.0	20	25	12	22.23	23.83	< 33.01
		1	1	22.44	24.04	< 33.01
		1	49	22.10	23.70	< 33.01
		50	0	22.28	23.88	< 33.01
		1	50	22.12	23.72	< 33.01
		1	0	22.45	24.05	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2610.0	20	25	12	22.00	23.60	< 33.01
		1	1	22.13	23.73	< 33.01
		1	49	22.04	23.64	< 33.01
		50	0	21.95	23.55	< 33.01
		1	50	22.50	24.10	< 33.01
		1	0	22.26	23.86	< 33.01
2585.0	30	36	78	23.21	24.81	< 33.01
		1	1	25.35	26.95	< 33.01
		1	76	23.21	24.81	< 33.01
		75	0	23.20	24.80	< 33.01
		1	77	23.19	24.79	< 33.01
		1	0	23.44	25.04	< 33.01
2595.0	30	36	78	22.91	24.51	< 33.01
		1	1	23.32	24.92	< 33.01
		1	76	22.86	24.46	< 33.01
		75	0	22.99	24.59	< 33.01
		1	77	22.97	24.57	< 33.01
		1	0	23.30	24.90	< 33.01
2605.0	30	36	78	22.58	24.18	< 33.01
		1	1	23.05	24.65	< 33.01
		1	76	22.74	24.34	< 33.01
		75	0	22.67	24.27	< 33.01
		1	77	22.72	24.32	< 33.01
		1	0	23.00	24.60	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2590.0	40	50	25	22.73	24.33	< 33.01
		1	1	23.15	24.75	< 33.01
		1	104	22.79	24.39	< 33.01
		100	0	22.82	24.42	< 33.01
		1	105	22.77	24.37	< 33.01
		1	0	23.32	24.92	< 33.01
2595.0	40	50	25	22.68	24.28	< 33.01
		1	1	23.05	24.65	< 33.01
		1	104	22.75	24.35	< 33.01
		100	0	22.78	24.38	< 33.01
		1	105	22.75	24.35	< 33.01
		1	0	23.22	24.82	< 33.01
2600.0	40	50	25	22.57	24.17	< 33.01
		1	1	23.05	24.65	< 33.01
		1	104	22.64	24.24	< 33.01
		100	0	22.63	24.23	< 33.01
		1	105	22.67	24.27	< 33.01
		1	0	23.15	24.75	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n41_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2506.02	20	25	12	23.94	25.74	< 33.01
		1	1	23.89	25.69	< 33.01
		1	49	23.71	25.51	< 33.01
		50	0	23.82	25.62	< 33.01
		1	50	23.13	24.93	< 33.01
		1	0	23.39	25.19	< 33.01
2592.99	20	25	12	24.03	25.83	< 33.01
		1	1	24.20	26.00	< 33.01
		1	49	23.81	25.61	< 33.01
		50	0	24.00	25.80	< 33.01
		1	50	23.28	25.08	< 33.01
		1	0	23.64	25.44	< 33.01
2679.99	20	25	12	24.08	25.88	< 33.01
		1	1	24.08	25.88	< 33.01
		1	49	23.97	25.77	< 33.01
		50	0	24.16	25.96	< 33.01
		1	50	23.43	25.23	< 33.01
		1	0	23.63	25.43	< 33.01
2511.00	30	36	78	23.77	25.57	< 33.01
		1	1	23.91	25.71	< 33.01
		1	76	23.83	25.63	< 33.01
		75	0	23.87	25.67	< 33.01
		1	77	23.29	25.09	< 33.01
		1	0	23.46	25.26	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2592.99	30	36	78	24.00	25.80	< 33.01
		1	1	24.22	26.02	< 33.01
		1	76	23.83	25.63	< 33.01
		75	0	24.08	25.88	< 33.01
		1	77	23.38	25.18	< 33.01
		1	0	23.65	25.45	< 33.01
2674.98	30	36	78	24.11	25.91	< 33.01
		1	1	23.95	25.75	< 33.01
		1	76	24.14	25.94	< 33.01
		75	0	24.12	25.92	< 33.01
		1	77	23.57	25.37	< 33.01
		1	0	23.55	25.35	< 33.01
2516.01	40	50	25	23.75	25.55	< 33.01
		1	1	23.90	25.70	< 33.01
		1	104	23.86	25.66	< 33.01
		100	0	23.79	25.59	< 33.01
		1	105	23.43	25.23	< 33.01
		1	0	23.46	25.26	< 33.01
2592.99	40	50	25	24.05	25.85	< 33.01
		1	1	24.32	26.12	< 33.01
		1	104	23.78	25.58	< 33.01
		100	0	24.10	25.90	< 33.01
		1	105	23.36	25.16	< 33.01
		1	0	23.85	25.65	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2670.00	40	50	25	24.16	25.96	< 33.01
		1	1	24.00	25.80	< 33.01
		1	104	24.18	25.98	< 33.01
		100	0	24.22	26.02	< 33.01
		1	105	23.63	25.43	< 33.01
		1	0	23.66	25.46	< 33.01
2521.02	50	64	32	23.82	25.62	< 33.01
		1	1	23.80	25.60	< 33.01
		1	131	23.95	25.75	< 33.01
		128	0	23.78	25.58	< 33.01
		1	132	23.37	25.17	< 33.01
		1	0	23.43	25.23	< 33.01
2592.99	50	64	32	24.00	25.80	< 33.01
		1	1	24.35	26.15	< 33.01
		1	131	23.74	25.54	< 33.01
		128	0	24.04	25.84	< 33.01
		1	132	23.32	25.12	< 33.01
		1	0	23.89	25.69	< 33.01
2664.99	50	64	32	23.95	25.75	< 33.01
		1	1	23.75	25.55	< 33.01
		1	131	23.96	25.76	< 33.01
		128	0	23.98	25.78	< 33.01
		1	132	23.53	25.33	< 33.01
		1	0	23.31	25.11	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2526.00	60	81	40	23.69	25.49	< 33.01
		1	1	23.77	25.57	< 33.01
		1	160	23.92	25.72	< 33.01
		162	0	23.74	25.54	< 33.01
		1	161	23.38	25.18	< 33.01
		1	0	23.30	25.10	< 33.01
2592.99	60	81	40	23.97	25.77	< 33.01
		1	1	24.23	26.03	< 33.01
		1	160	23.67	25.47	< 33.01
		162	0	24.02	25.82	< 33.01
		1	161	23.21	25.01	< 33.01
		1	0	23.74	25.54	< 33.01
2659.98	60	81	40	24.02	25.82	< 33.01
		1	1	23.70	25.50	< 33.01
		1	160	23.95	25.75	< 33.01
		162	0	23.97	25.77	< 33.01
		1	161	23.38	25.18	< 33.01
		1	0	23.36	25.16	< 33.01
2531.01	70	90	45	23.60	25.40	< 33.01
		1	1	23.61	25.41	< 33.01
		1	187	23.70	25.50	< 33.01
		180	0	23.65	25.45	< 33.01
		1	188	23.17	24.97	< 33.01
		1	0	23.32	25.12	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2592.99	70	90	45	23.84	25.64	< 33.01
		1	1	24.07	25.87	< 33.01
		1	187	23.50	25.30	< 33.01
		180	0	23.87	25.67	< 33.01
		1	188	22.94	24.74	< 33.01
		1	0	23.58	25.38	< 33.01
2655.00	70	90	45	23.75	25.55	< 33.01
		1	1	23.55	25.35	< 33.01
		1	187	23.74	25.54	< 33.01
		180	0	23.81	25.61	< 33.01
		1	188	23.27	25.07	< 33.01
		1	0	23.31	25.11	< 33.01
2536.02	80	108	54	23.66	25.46	< 33.01
		1	1	23.69	25.49	< 33.01
		1	215	23.85	25.65	< 33.01
		216	0	23.78	25.58	< 33.01
		1	216	23.28	25.08	< 33.01
		1	0	23.29	25.09	< 33.01
2592.99	80	108	54	23.83	25.63	< 33.01
		1	1	24.12	25.92	< 33.01
		1	215	23.65	25.45	< 33.01
		216	0	23.81	25.61	< 33.01
		1	216	23.06	24.86	< 33.01
		1	0	23.61	25.41	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2649.99	80	108	54	23.84	25.64	< 33.01
		1	1	23.50	25.30	< 33.01
		1	215	23.87	25.67	< 33.01
		216	0	23.75	25.55	< 33.01
		1	216	23.39	25.19	< 33.01
		1	0	23.23	25.03	< 33.01
2541.00	90	120	60	23.73	25.53	< 33.01
		1	1	23.73	25.53	< 33.01
		1	243	23.98	25.78	< 33.01
		243	0	23.73	25.53	< 33.01
		1	244	23.26	25.06	< 33.01
		1	0	23.26	25.06	< 33.01
2592.99	90	120	60	23.81	25.61	< 33.01
		1	1	24.14	25.94	< 33.01
		1	243	23.64	25.44	< 33.01
		243	0	23.91	25.71	< 33.01
		1	244	23.01	24.81	< 33.01
		1	0	23.49	25.29	< 33.01
2644.98	90	120	60	23.81	25.61	< 33.01
		1	1	23.68	25.48	< 33.01
		1	243	23.90	25.70	< 33.01
		243	0	23.76	25.56	< 33.01
		1	244	23.35	25.15	< 33.01
		1	0	23.39	25.19	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2546.01	100	135	67	23.78	25.58	< 33.01
		1	1	23.62	25.42	< 33.01
		1	271	23.75	25.55	< 33.01
		270	0	23.90	25.70	< 33.01
		1	272	23.04	24.84	< 33.01
		1	0	23.25	25.05	< 33.01
2592.99	100	135	67	23.81	25.61	< 33.01
		1	1	24.02	25.82	< 33.01
		1	271	23.59	25.39	< 33.01
		270	0	23.92	25.72	< 33.01
		1	272	22.98	24.78	< 33.01
		1	0	23.40	25.20	< 33.01
2640.00	100	135	67	23.77	25.57	< 33.01
		1	1	23.79	25.59	< 33.01
		1	271	23.92	25.72	< 33.01
		270	0	23.70	25.50	< 33.01
		1	272	23.20	25.00	< 33.01
		1	0	23.26	25.06	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2506.02	20	25	12	23.87	25.67	< 33.01
		1	1	24.01	25.81	< 33.01
		1	49	23.64	25.44	< 33.01
		50	0	23.83	25.63	< 33.01
		1	50	23.19	24.99	< 33.01
		1	0	23.40	25.20	< 33.01
2592.99	20	25	12	24.06	25.86	< 33.01
		1	1	24.10	25.90	< 33.01
		1	49	23.91	25.71	< 33.01
		50	0	23.97	25.77	< 33.01
		1	50	23.43	25.23	< 33.01
		1	0	23.61	25.41	< 33.01
2679.99	20	25	12	24.16	25.96	< 33.01
		1	1	23.99	25.79	< 33.01
		1	49	23.97	25.77	< 33.01
		50	0	24.10	25.90	< 33.01
		1	50	23.44	25.24	< 33.01
		1	0	23.67	25.47	< 33.01
2511.00	30	36	78	23.82	25.62	< 33.01
		1	1	23.90	25.70	< 33.01
		1	76	23.90	25.70	< 33.01
		75	0	23.87	25.67	< 33.01
		1	77	23.28	25.08	< 33.01
		1	0	23.47	25.27	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2592.99	30	36	78	24.10	25.90	< 33.01
		1	1	24.23	26.03	< 33.01
		1	76	23.84	25.64	< 33.01
		75	0	24.03	25.83	< 33.01
		1	77	23.43	25.23	< 33.01
		1	0	23.80	25.60	< 33.01
2674.98	30	36	78	24.11	25.91	< 33.01
		1	1	23.94	25.74	< 33.01
		1	76	24.17	25.97	< 33.01
		75	0	24.13	25.93	< 33.01
		1	77	23.74	25.54	< 33.01
		1	0	23.61	25.41	< 33.01
2516.01	40	50	25	23.79	25.59	< 33.01
		1	1	23.93	25.73	< 33.01
		1	104	23.89	25.69	< 33.01
		100	0	23.77	25.57	< 33.01
		1	105	23.40	25.20	< 33.01
		1	0	23.43	25.23	< 33.01
2592.99	40	50	25	24.05	25.85	< 33.01
		1	1	24.33	26.13	< 33.01
		1	104	23.81	25.61	< 33.01
		100	0	24.09	25.89	< 33.01
		1	105	23.40	25.20	< 33.01
		1	0	23.90	25.70	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2670.00	40	50	25	24.14	25.94	< 33.01
		1	1	24.03	25.83	< 33.01
		1	104	24.09	25.89	< 33.01
		100	0	24.12	25.92	< 33.01
		1	105	23.68	25.48	< 33.01
		1	0	23.68	25.48	< 33.01
2521.02	50	64	32	23.74	25.54	< 33.01
		1	1	23.86	25.66	< 33.01
		1	131	24.01	25.81	< 33.01
		128	0	23.75	25.55	< 33.01
		1	132	23.48	25.28	< 33.01
		1	0	23.43	25.23	< 33.01
2592.99	50	64	32	23.99	25.79	< 33.01
		1	1	24.35	26.15	< 33.01
		1	131	23.84	25.64	< 33.01
		128	0	24.02	25.82	< 33.01
		1	132	23.38	25.18	< 33.01
		1	0	23.82	25.62	< 33.01
2664.99	50	64	32	23.93	25.73	< 33.01
		1	1	23.76	25.56	< 33.01
		1	131	24.07	25.87	< 33.01
		128	0	23.95	25.75	< 33.01
		1	132	23.58	25.38	< 33.01
		1	0	23.38	25.18	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2526.00	60	81	40	23.71	25.51	< 33.01
		1	1	23.72	25.52	< 33.01
		1	160	23.89	25.69	< 33.01
		162	0	23.73	25.53	< 33.01
		1	161	23.38	25.18	< 33.01
		1	0	23.44	25.24	< 33.01
2592.99	60	81	40	23.92	25.72	< 33.01
		1	1	24.23	26.03	< 33.01
		1	160	23.70	25.50	< 33.01
		162	0	23.93	25.73	< 33.01
		1	161	23.26	25.06	< 33.01
		1	0	23.77	25.57	< 33.01
2659.98	60	81	40	23.94	25.74	< 33.01
		1	1	23.76	25.56	< 33.01
		1	160	24.00	25.80	< 33.01
		162	0	23.94	25.74	< 33.01
		1	161	23.39	25.19	< 33.01
		1	0	23.36	25.16	< 33.01
2531.01	70	90	45	23.64	25.44	< 33.01
		1	1	23.69	25.49	< 33.01
		1	187	23.71	25.51	< 33.01
		180	0	23.66	25.46	< 33.01
		1	188	23.27	25.07	< 33.01
		1	0	23.32	25.12	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2592.99	70	90	45	23.81	25.61	< 33.01
		1	1	24.17	25.97	< 33.01
		1	187	23.39	25.19	< 33.01
		180	0	23.85	25.65	< 33.01
		1	188	22.95	24.75	< 33.01
		1	0	23.63	25.43	< 33.01
2655.00	70	90	45	23.80	25.60	< 33.01
		1	1	23.62	25.42	< 33.01
		1	187	23.72	25.52	< 33.01
		180	0	23.70	25.50	< 33.01
		1	188	23.30	25.10	< 33.01
		1	0	23.22	25.02	< 33.01
2536.02	80	108	54	23.67	25.47	< 33.01
		1	1	23.63	25.43	< 33.01
		1	215	23.82	25.62	< 33.01
		216	0	23.69	25.49	< 33.01
		1	216	23.29	25.09	< 33.01
		1	0	23.28	25.08	< 33.01
2592.99	80	108	54	23.86	25.66	< 33.01
		1	1	24.13	25.93	< 33.01
		1	215	23.65	25.45	< 33.01
		216	0	23.71	25.51	< 33.01
		1	216	23.09	24.89	< 33.01
		1	0	23.55	25.35	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2649.99	80	108	54	23.77	25.57	< 33.01
		1	1	23.37	25.17	< 33.01
		1	215	23.87	25.67	< 33.01
		216	0	23.74	25.54	< 33.01
		1	216	23.41	25.21	< 33.01
		1	0	23.16	24.96	< 33.01
2541.00	90	120	60	23.64	25.44	< 33.01
		1	1	23.60	25.40	< 33.01
		1	243	23.84	25.64	< 33.01
		243	0	23.82	25.62	< 33.01
		1	244	23.26	25.06	< 33.01
		1	0	23.33	25.13	< 33.01
2592.99	90	120	60	23.87	25.67	< 33.01
		1	1	24.15	25.95	< 33.01
		1	243	23.65	25.45	< 33.01
		243	0	23.90	25.70	< 33.01
		1	244	23.12	24.92	< 33.01
		1	0	23.51	25.31	< 33.01
2644.98	90	120	60	23.74	25.54	< 33.01
		1	1	23.61	25.41	< 33.01
		1	243	24.04	25.84	< 33.01
		243	0	23.77	25.57	< 33.01
		1	244	23.42	25.22	< 33.01
		1	0	23.35	25.15	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2546.01	100	135	67	23.84	25.64	< 33.01
		1	1	23.59	25.39	< 33.01
		1	271	23.73	25.53	< 33.01
		270	0	23.72	25.52	< 33.01
		1	272	23.06	24.86	< 33.01
		1	0	23.35	25.15	< 33.01
2592.99	100	135	67	23.90	25.70	< 33.01
		1	1	24.14	25.94	< 33.01
		1	271	23.59	25.39	< 33.01
		270	0	23.92	25.72	< 33.01
		1	272	22.92	24.72	< 33.01
		1	0	23.44	25.24	< 33.01
2640.00	100	135	67	23.74	25.54	< 33.01
		1	1	23.74	25.54	< 33.01
		1	271	24.04	25.84	< 33.01
		270	0	23.73	25.53	< 33.01
		1	272	23.34	25.14	< 33.01
		1	0	23.31	25.11	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2506.02	20	25	12	23.88	25.68	< 33.01
		1	1	23.84	25.64	< 33.01
		1	49	23.87	25.67	< 33.01
		50	0	23.92	25.72	< 33.01
		1	50	23.01	24.81	< 33.01
		1	0	23.22	25.02	< 33.01
2592.99	20	25	12	24.06	25.86	< 33.01
		1	1	24.19	25.99	< 33.01
		1	49	23.85	25.65	< 33.01
		50	0	23.98	25.78	< 33.01
		1	50	23.52	25.32	< 33.01
		1	0	23.78	25.58	< 33.01
2679.99	20	25	12	24.10	25.90	< 33.01
		1	1	24.09	25.89	< 33.01
		1	49	24.00	25.80	< 33.01
		50	0	24.09	25.89	< 33.01
		1	50	23.71	25.51	< 33.01
		1	0	23.81	25.61	< 33.01
2511.00	30	36	78	23.70	25.50	< 33.01
		1	1	24.01	25.81	< 33.01
		1	76	23.92	25.72	< 33.01
		75	0	23.76	25.56	< 33.01
		1	77	23.51	25.31	< 33.01
		1	0	23.28	25.08	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2592.99	30	36	78	24.04	25.84	< 33.01
		1	1	24.37	26.17	< 33.01
		1	76	23.95	25.75	< 33.01
		75	0	24.09	25.89	< 33.01
		1	77	23.40	25.20	< 33.01
		1	0	23.84	25.64	< 33.01
2674.98	30	36	78	24.10	25.90	< 33.01
		1	1	24.08	25.88	< 33.01
		1	76	24.20	26.00	< 33.01
		75	0	24.15	25.95	< 33.01
		1	77	23.77	25.57	< 33.01
		1	0	23.71	25.51	< 33.01
2516.01	40	50	25	23.71	25.51	< 33.01
		1	1	24.00	25.80	< 33.01
		1	104	23.88	25.68	< 33.01
		100	0	23.84	25.64	< 33.01
		1	105	23.49	25.29	< 33.01
		1	0	23.62	25.42	< 33.01
2592.99	40	50	25	23.93	25.73	< 33.01
		1	1	24.47	26.27	< 33.01
		1	104	23.95	25.75	< 33.01
		100	0	24.08	25.88	< 33.01
		1	105	23.43	25.23	< 33.01
		1	0	24.07	25.87	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2670.00	40	50	25	24.07	25.87	< 33.01
		1	1	24.02	25.82	< 33.01
		1	104	24.20	26.00	< 33.01
		100	0	24.21	26.01	< 33.01
		1	105	23.85	25.65	< 33.01
		1	0	23.85	25.65	< 33.01
2521.02	50	64	32	23.78	25.58	< 33.01
		1	1	23.86	25.66	< 33.01
		1	131	24.01	25.81	< 33.01
		128	0	23.74	25.54	< 33.01
		1	132	23.54	25.34	< 33.01
		1	0	23.54	25.34	< 33.01
2592.99	50	64	32	24.00	25.80	< 33.01
		1	1	24.32	26.12	< 33.01
		1	131	23.76	25.56	< 33.01
		128	0	23.97	25.77	< 33.01
		1	132	23.52	25.32	< 33.01
		1	0	24.08	25.88	< 33.01
2664.99	50	64	32	24.00	25.80	< 33.01
		1	1	23.95	25.75	< 33.01
		1	131	24.15	25.95	< 33.01
		128	0	23.96	25.76	< 33.01
		1	132	23.61	25.41	< 33.01
		1	0	23.53	25.33	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2526.00	60	81	40	23.69	25.49	< 33.01
		1	1	23.77	25.57	< 33.01
		1	160	23.98	25.78	< 33.01
		162	0	23.74	25.54	< 33.01
		1	161	23.58	25.38	< 33.01
		1	0	23.54	25.34	< 33.01
2592.99	60	81	40	23.88	25.68	< 33.01
		1	1	24.38	26.18	< 33.01
		1	160	23.82	25.62	< 33.01
		162	0	23.98	25.78	< 33.01
		1	161	23.29	25.09	< 33.01
		1	0	23.84	25.64	< 33.01
2659.98	60	81	40	23.98	25.78	< 33.01
		1	1	23.83	25.63	< 33.01
		1	160	23.95	25.75	< 33.01
		162	0	23.94	25.74	< 33.01
		1	161	23.58	25.38	< 33.01
		1	0	23.48	25.28	< 33.01
2531.01	70	90	45	23.63	25.43	< 33.01
		1	1	23.69	25.49	< 33.01
		1	187	23.88	25.68	< 33.01
		180	0	23.87	25.67	< 33.01
		1	188	23.26	25.06	< 33.01
		1	0	23.44	25.24	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2592.99	70	90	45	23.78	25.58	< 33.01
		1	1	24.21	26.01	< 33.01
		1	187	23.57	25.37	< 33.01
		180	0	23.81	25.61	< 33.01
		1	188	23.10	24.90	< 33.01
		1	0	23.77	25.57	< 33.01
2655.00	70	90	45	23.76	25.56	< 33.01
		1	1	23.59	25.39	< 33.01
		1	187	23.88	25.68	< 33.01
		180	0	23.78	25.58	< 33.01
		1	188	23.42	25.22	< 33.01
		1	0	23.35	25.15	< 33.01
2536.02	80	108	54	23.64	25.44	< 33.01
		1	1	23.72	25.52	< 33.01
		1	215	23.88	25.68	< 33.01
		216	0	23.72	25.52	< 33.01
		1	216	23.45	25.25	< 33.01
		1	0	23.45	25.25	< 33.01
2592.99	80	108	54	23.88	25.68	< 33.01
		1	1	24.26	26.06	< 33.01
		1	215	23.72	25.52	< 33.01
		216	0	23.77	25.57	< 33.01
		1	216	23.12	24.92	< 33.01
		1	0	23.72	25.52	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2649.99	80	108	54	23.80	25.60	< 33.01
		1	1	23.55	25.35	< 33.01
		1	215	23.91	25.71	< 33.01
		216	0	23.82	25.62	< 33.01
		1	216	23.53	25.33	< 33.01
		1	0	23.39	25.19	< 33.01
2541.00	90	120	60	23.66	25.46	< 33.01
		1	1	23.75	25.55	< 33.01
		1	243	23.88	25.68	< 33.01
		243	0	23.82	25.62	< 33.01
		1	244	23.48	25.28	< 33.01
		1	0	23.42	25.22	< 33.01
2592.99	90	120	60	23.88	25.68	< 33.01
		1	1	24.03	25.83	< 33.01
		1	243	23.57	25.37	< 33.01
		243	0	23.84	25.64	< 33.01
		1	244	23.10	24.90	< 33.01
		1	0	23.56	25.36	< 33.01
2644.98	90	120	60	23.84	25.64	< 33.01
		1	1	23.75	25.55	< 33.01
		1	243	24.04	25.84	< 33.01
		243	0	23.82	25.62	< 33.01
		1	244	23.59	25.39	< 33.01
		1	0	23.57	25.37	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2546.01	100	135	67	23.80	25.60	< 33.01
		1	1	23.74	25.54	< 33.01
		1	271	23.77	25.57	< 33.01
		270	0	23.75	25.55	< 33.01
		1	272	23.20	25.00	< 33.01
		1	0	23.44	25.24	< 33.01
2592.99	100	135	67	23.92	25.72	< 33.01
		1	1	24.28	26.08	< 33.01
		1	271	23.68	25.48	< 33.01
		270	0	23.85	25.65	< 33.01
		1	272	23.07	24.87	< 33.01
		1	0	23.48	25.28	< 33.01
2640.00	100	135	67	23.69	25.49	< 33.01
		1	1	23.82	25.62	< 33.01
		1	271	24.04	25.84	< 33.01
		270	0	23.78	25.58	< 33.01
		1	272	23.50	25.30	< 33.01
		1	0	23.57	25.37	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2506.02	20	25	12	23.86	25.66	< 33.01
		1	1	24.17	25.97	< 33.01
		1	49	23.76	25.56	< 33.01
		50	0	23.89	25.69	< 33.01
		1	50	23.31	25.11	< 33.01
		1	0	23.47	25.27	< 33.01
2592.99	20	25	12	24.11	25.91	< 33.01
		1	1	24.34	26.14	< 33.01
		1	49	23.99	25.79	< 33.01
		50	0	24.10	25.90	< 33.01
		1	50	23.48	25.28	< 33.01
		1	0	23.81	25.61	< 33.01
2679.99	20	25	12	24.17	25.97	< 33.01
		1	1	24.17	25.97	< 33.01
		1	49	24.16	25.96	< 33.01
		50	0	24.13	25.93	< 33.01
		1	50	23.65	25.45	< 33.01
		1	0	23.78	25.58	< 33.01
2511.00	30	36	78	23.85	25.65	< 33.01
		1	1	24.04	25.84	< 33.01
		1	76	23.90	25.70	< 33.01
		75	0	23.87	25.67	< 33.01
		1	77	23.47	25.27	< 33.01
		1	0	23.51	25.31	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2592.99	30	36	78	24.12	25.92	< 33.01
		1	1	24.31	26.11	< 33.01
		1	76	23.93	25.73	< 33.01
		75	0	24.10	25.90	< 33.01
		1	77	23.35	25.15	< 33.01
		1	0	23.77	25.57	< 33.01
2674.98	30	36	78	24.15	25.95	< 33.01
		1	1	24.13	25.93	< 33.01
		1	76	24.25	26.05	< 33.01
		75	0	24.16	25.96	< 33.01
		1	77	23.70	25.50	< 33.01
		1	0	23.64	25.44	< 33.01
2516.01	40	50	25	23.80	25.60	< 33.01
		1	1	24.27	26.07	< 33.01
		1	104	24.13	25.93	< 33.01
		100	0	23.78	25.58	< 33.01
		1	105	23.55	25.35	< 33.01
		1	0	23.55	25.35	< 33.01
2592.99	40	50	25	24.05	25.85	< 33.01
		1	1	24.49	26.29	< 33.01
		1	104	24.00	25.80	< 33.01
		100	0	24.11	25.91	< 33.01
		1	105	23.38	25.18	< 33.01
		1	0	23.99	25.79	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2670.00	40	50	25	24.20	26.00	< 33.01
		1	1	24.12	25.92	< 33.01
		1	104	24.19	25.99	< 33.01
		100	0	24.16	25.96	< 33.01
		1	105	23.76	25.56	< 33.01
		1	0	23.92	25.72	< 33.01
2521.02	50	64	32	23.75	25.55	< 33.01
		1	1	23.89	25.69	< 33.01
		1	131	24.06	25.86	< 33.01
		128	0	23.80	25.60	< 33.01
		1	132	23.61	25.41	< 33.01
		1	0	23.59	25.39	< 33.01
2592.99	50	64	32	24.02	25.82	< 33.01
		1	1	24.41	26.21	< 33.01
		1	131	23.93	25.73	< 33.01
		128	0	23.97	25.77	< 33.01
		1	132	23.44	25.24	< 33.01
		1	0	24.00	25.80	< 33.01
2664.99	50	64	32	24.02	25.82	< 33.01
		1	1	23.90	25.70	< 33.01
		1	131	24.08	25.88	< 33.01
		128	0	23.99	25.79	< 33.01
		1	132	23.55	25.35	< 33.01
		1	0	23.49	25.29	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2526.00	60	81	40	23.78	25.58	< 33.01
		1	1	23.88	25.68	< 33.01
		1	160	24.25	26.05	< 33.01
		162	0	23.81	25.61	< 33.01
		1	161	23.40	25.20	< 33.01
		1	0	23.50	25.30	< 33.01
2592.99	60	81	40	23.95	25.75	< 33.01
		1	1	24.42	26.22	< 33.01
		1	160	23.86	25.66	< 33.01
		162	0	24.04	25.84	< 33.01
		1	161	23.26	25.06	< 33.01
		1	0	23.81	25.61	< 33.01
2659.98	60	81	40	23.88	25.68	< 33.01
		1	1	23.93	25.73	< 33.01
		1	160	24.23	26.03	< 33.01
		162	0	24.02	25.82	< 33.01
		1	161	23.57	25.37	< 33.01
		1	0	23.45	25.25	< 33.01
2531.01	70	90	45	23.73	25.53	< 33.01
		1	1	23.82	25.62	< 33.01
		1	187	23.80	25.60	< 33.01
		180	0	23.73	25.53	< 33.01
		1	188	23.39	25.19	< 33.01
		1	0	23.39	25.19	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2592.99	70	90	45	23.87	25.67	< 33.01
		1	1	24.24	26.04	< 33.01
		1	187	23.48	25.28	< 33.01
		180	0	23.88	25.68	< 33.01
		1	188	23.07	24.87	< 33.01
		1	0	23.72	25.52	< 33.01
2655.00	70	90	45	23.82	25.62	< 33.01
		1	1	23.56	25.36	< 33.01
		1	187	23.92	25.72	< 33.01
		180	0	23.87	25.67	< 33.01
		1	188	23.46	25.26	< 33.01
		1	0	23.38	25.18	< 33.01
2536.02	80	108	54	23.71	25.51	< 33.01
		1	1	23.79	25.59	< 33.01
		1	215	23.99	25.79	< 33.01
		216	0	23.69	25.49	< 33.01
		1	216	23.42	25.22	< 33.01
		1	0	23.48	25.28	< 33.01
2592.99	80	108	54	23.84	25.64	< 33.01
		1	1	24.19	25.99	< 33.01
		1	215	23.54	25.34	< 33.01
		216	0	23.76	25.56	< 33.01
		1	216	23.21	25.01	< 33.01
		1	0	23.66	25.46	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2649.99	80	108	54	23.80	25.60	< 33.01
		1	1	23.65	25.45	< 33.01
		1	215	24.05	25.85	< 33.01
		216	0	23.83	25.63	< 33.01
		1	216	23.48	25.28	< 33.01
		1	0	23.32	25.12	< 33.01
2541.00	90	120	60	23.63	25.43	< 33.01
		1	1	23.84	25.64	< 33.01
		1	243	24.11	25.91	< 33.01
		243	0	23.71	25.51	< 33.01
		1	244	23.40	25.20	< 33.01
		1	0	23.46	25.26	< 33.01
2592.99	90	120	60	23.79	25.59	< 33.01
		1	1	24.49	26.29	< 33.01
		1	243	24.04	25.84	< 33.01
		243	0	23.93	25.73	< 33.01
		1	244	23.36	25.16	< 33.01
		1	0	23.71	25.51	< 33.01
2644.98	90	120	60	23.81	25.61	< 33.01
		1	1	23.70	25.50	< 33.01
		1	243	24.02	25.82	< 33.01
		243	0	23.85	25.65	< 33.01
		1	244	23.51	25.31	< 33.01
		1	0	23.48	25.28	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2546.01	100	135	67	23.86	25.66	< 33.01
		1	1	23.85	25.65	< 33.01
		1	271	24.01	25.81	< 33.01
		270	0	23.69	25.49	< 33.01
		1	272	23.28	25.08	< 33.01
		1	0	23.49	25.29	< 33.01
2592.99	100	135	67	23.90	25.70	< 33.01
		1	1	24.23	26.03	< 33.01
		1	271	23.70	25.50	< 33.01
		270	0	23.93	25.73	< 33.01
		1	272	23.12	24.92	< 33.01
		1	0	23.52	25.32	< 33.01
2640.00	100	135	67	23.78	25.58	< 33.01
		1	1	24.00	25.80	< 33.01
		1	271	24.02	25.82	< 33.01
		270	0	23.73	25.53	< 33.01
		1	272	23.45	25.25	< 33.01
		1	0	23.46	25.26	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2506.02	20	25	12	22.29	24.09	< 33.01
		1	1	22.21	24.01	< 33.01
		1	49	21.92	23.72	< 33.01
		50	0	22.26	24.06	< 33.01
		1	50	21.91	23.71	< 33.01
		1	0	22.04	23.84	< 33.01
2592.99	20	25	12	22.60	24.40	< 33.01
		1	1	22.32	24.12	< 33.01
		1	49	22.06	23.86	< 33.01
		50	0	22.55	24.35	< 33.01
		1	50	22.12	23.92	< 33.01
		1	0	22.39	24.19	< 33.01
2679.99	20	25	12	22.56	24.36	< 33.01
		1	1	22.31	24.11	< 33.01
		1	49	22.24	24.04	< 33.01
		50	0	22.55	24.35	< 33.01
		1	50	22.23	24.03	< 33.01
		1	0	22.38	24.18	< 33.01
2511.00	30	36	78	22.30	24.10	< 33.01
		1	1	22.13	23.93	< 33.01
		1	76	21.95	23.75	< 33.01
		75	0	22.27	24.07	< 33.01
		1	77	21.92	23.72	< 33.01
		1	0	22.07	23.87	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2592.99	30	36	78	22.53	24.33	< 33.01
		1	1	22.49	24.29	< 33.01
		1	76	22.08	23.88	< 33.01
		75	0	22.54	24.34	< 33.01
		1	77	22.17	23.97	< 33.01
		1	0	22.54	24.34	< 33.01
2674.98	30	36	78	22.56	24.36	< 33.01
		1	1	22.25	24.05	< 33.01
		1	76	22.41	24.21	< 33.01
		75	0	22.62	24.42	< 33.01
		1	77	22.40	24.20	< 33.01
		1	0	22.42	24.22	< 33.01
2516.01	40	50	25	22.22	24.02	< 33.01
		1	1	22.14	23.94	< 33.01
		1	104	22.04	23.84	< 33.01
		100	0	22.33	24.13	< 33.01
		1	105	22.13	23.93	< 33.01
		1	0	21.99	23.79	< 33.01
2592.99	40	50	25	22.50	24.30	< 33.01
		1	1	22.59	24.39	< 33.01
		1	104	22.16	23.96	< 33.01
		100	0	22.60	24.40	< 33.01
		1	105	22.04	23.84	< 33.01
		1	0	22.67	24.47	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2670.00	40	50	25	22.65	24.45	< 33.01
		1	1	22.33	24.13	< 33.01
		1	104	22.35	24.15	< 33.01
		100	0	22.64	24.44	< 33.01
		1	105	22.34	24.14	< 33.01
		1	0	22.41	24.21	< 33.01
2521.02	50	64	32	22.26	24.06	< 33.01
		1	1	22.02	23.82	< 33.01
		1	131	22.10	23.90	< 33.01
		128	0	22.20	24.00	< 33.01
		1	132	22.10	23.90	< 33.01
		1	0	22.07	23.87	< 33.01
2592.99	50	64	32	22.48	24.28	< 33.01
		1	1	22.84	24.64	< 33.01
		1	131	21.95	23.75	< 33.01
		128	0	22.42	24.22	< 33.01
		1	132	22.17	23.97	< 33.01
		1	0	22.61	24.41	< 33.01
2664.99	50	64	32	22.50	24.30	< 33.01
		1	1	21.89	23.69	< 33.01
		1	131	22.24	24.04	< 33.01
		128	0	22.41	24.21	< 33.01
		1	132	22.23	24.03	< 33.01
		1	0	22.20	24.00	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2526.00	60	81	40	22.23	24.03	< 33.01
		1	1	22.01	23.81	< 33.01
		1	160	22.14	23.94	< 33.01
		162	0	22.28	24.08	< 33.01
		1	161	22.11	23.91	< 33.01
		1	0	21.84	23.64	< 33.01
2592.99	60	81	40	22.55	24.35	< 33.01
		1	1	22.54	24.34	< 33.01
		1	160	21.98	23.78	< 33.01
		162	0	22.57	24.37	< 33.01
		1	161	21.93	23.73	< 33.01
		1	0	22.47	24.27	< 33.01
2659.98	60	81	40	22.49	24.29	< 33.01
		1	1	22.10	23.90	< 33.01
		1	160	22.16	23.96	< 33.01
		162	0	22.43	24.23	< 33.01
		1	161	22.22	24.02	< 33.01
		1	0	22.05	23.85	< 33.01
2531.01	70	90	45	22.17	23.97	< 33.01
		1	1	21.85	23.65	< 33.01
		1	187	21.93	23.73	< 33.01
		180	0	22.27	24.07	< 33.01
		1	188	21.92	23.72	< 33.01
		1	0	21.97	23.77	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2592.99	70	90	45	22.35	24.15	< 33.01
		1	1	22.46	24.26	< 33.01
		1	187	21.88	23.68	< 33.01
		180	0	22.35	24.15	< 33.01
		1	188	21.87	23.67	< 33.01
		1	0	22.41	24.21	< 33.01
2655.00	70	90	45	22.29	24.09	< 33.01
		1	1	22.05	23.85	< 33.01
		1	187	22.07	23.87	< 33.01
		180	0	22.38	24.18	< 33.01
		1	188	22.14	23.94	< 33.01
		1	0	22.11	23.91	< 33.01
2536.02	80	108	54	22.14	23.94	< 33.01
		1	1	21.84	23.64	< 33.01
		1	215	22.09	23.89	< 33.01
		216	0	22.21	24.01	< 33.01
		1	216	22.03	23.83	< 33.01
		1	0	22.24	24.04	< 33.01
2592.99	80	108	54	22.35	24.15	< 33.01
		1	1	22.44	24.24	< 33.01
		1	215	21.96	23.76	< 33.01
		216	0	22.35	24.15	< 33.01
		1	216	21.70	23.50	< 33.01
		1	0	22.37	24.17	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2649.99	80	108	54	22.29	24.09	< 33.01
		1	1	21.82	23.62	< 33.01
		1	215	22.12	23.92	< 33.01
		216	0	22.21	24.01	< 33.01
		1	216	22.07	23.87	< 33.01
		1	0	21.97	23.77	< 33.01
2541.00	90	120	60	22.26	24.06	< 33.01
		1	1	21.98	23.78	< 33.01
		1	243	22.09	23.89	< 33.01
		243	0	22.24	24.04	< 33.01
		1	244	22.00	23.80	< 33.01
		1	0	22.01	23.81	< 33.01
2592.99	90	120	60	22.35	24.15	< 33.01
		1	1	22.33	24.13	< 33.01
		1	243	21.93	23.73	< 33.01
		243	0	22.41	24.21	< 33.01
		1	244	21.84	23.64	< 33.01
		1	0	22.30	24.10	< 33.01
2644.98	90	120	60	22.29	24.09	< 33.01
		1	1	21.90	23.70	< 33.01
		1	243	22.30	24.10	< 33.01
		243	0	22.32	24.12	< 33.01
		1	244	22.20	24.00	< 33.01
		1	0	22.06	23.86	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2546.01	100	135	67	22.33	24.13	< 33.01
		1	1	21.88	23.68	< 33.01
		1	271	21.97	23.77	< 33.01
		270	0	22.23	24.03	< 33.01
		1	272	21.79	23.59	< 33.01
		1	0	22.00	23.80	< 33.01
2592.99	100	135	67	22.33	24.13	< 33.01
		1	1	22.46	24.26	< 33.01
		1	271	21.90	23.70	< 33.01
		270	0	22.36	24.16	< 33.01
		1	272	21.81	23.61	< 33.01
		1	0	22.23	24.03	< 33.01
2640.00	100	135	67	22.22	24.02	< 33.01
		1	1	22.12	23.92	< 33.01
		1	271	22.21	24.01	< 33.01
		270	0	22.26	24.06	< 33.01
		1	272	22.03	23.83	< 33.01
		1	0	22.08	23.88	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	HPUE n41_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2506.02	20	25	12	26.92	28.72	< 33.01
		1	1	27.03	28.83	< 33.01
		1	49	26.67	28.47	< 33.01
		50	0	26.35	28.15	< 33.01
		1	50	23.24	25.04	< 33.01
		1	0	23.44	25.24	< 33.01
2592.99	20	25	12	27.13	28.93	< 33.01
		1	1	27.24	29.04	< 33.01
		1	49	26.97	28.77	< 33.01
		50	0	26.67	28.47	< 33.01
		1	50	23.39	25.19	< 33.01
		1	0	23.76	25.56	< 33.01
2679.99	20	25	12	27.25	29.05	< 33.01
		1	1	27.11	28.91	< 33.01
		1	49	27.04	28.84	< 33.01
		50	0	26.67	28.47	< 33.01
		1	50	23.41	25.21	< 33.01
		1	0	23.62	25.42	< 33.01
2511.00	30	36	78	26.85	28.65	< 33.01
		1	1	27.01	28.81	< 33.01
		1	76	26.89	28.69	< 33.01
		75	0	26.38	28.18	< 33.01
		1	77	23.31	25.11	< 33.01
		1	0	23.47	25.27	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2592.99	30	36	78	27.10	28.90	< 33.01
		1	1	27.30	29.10	< 33.01
		1	76	26.90	28.70	< 33.01
		75	0	26.68	28.48	< 33.01
		1	77	23.30	25.10	< 33.01
		1	0	23.70	25.50	< 33.01
2674.98	30	36	78	27.23	29.03	< 33.01
		1	1	27.03	28.83	< 33.01
		1	76	27.19	28.99	< 33.01
		75	0	26.66	28.46	< 33.01
		1	77	23.72	25.52	< 33.01
		1	0	23.60	25.40	< 33.01
2516.01	40	50	25	26.84	28.64	< 33.01
		1	1	27.06	28.86	< 33.01
		1	104	26.93	28.73	< 33.01
		100	0	26.34	28.14	< 33.01
		1	105	23.50	25.30	< 33.01
		1	0	23.52	25.32	< 33.01
2592.99	40	50	25	27.12	28.92	< 33.01
		1	1	27.40	29.20	< 33.01
		1	104	26.88	28.68	< 33.01
		100	0	26.65	28.45	< 33.01
		1	105	23.30	25.10	< 33.01
		1	0	23.84	25.64	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2670.00	40	50	25	27.21	29.01	< 33.01
		1	1	27.08	28.88	< 33.01
		1	104	27.19	28.99	< 33.01
		100	0	26.69	28.49	< 33.01
		1	105	23.62	25.42	< 33.01
		1	0	23.63	25.43	< 33.01
2521.02	50	64	32	26.86	28.66	< 33.01
		1	1	26.78	28.58	< 33.01
		1	131	26.90	28.70	< 33.01
		128	0	26.26	28.06	< 33.01
		1	132	23.39	25.19	< 33.01
		1	0	23.43	25.23	< 33.01
2592.99	50	64	32	27.00	28.80	< 33.01
		1	1	27.37	29.17	< 33.01
		1	131	26.71	28.51	< 33.01
		128	0	26.50	28.30	< 33.01
		1	132	23.33	25.13	< 33.01
		1	0	23.81	25.61	< 33.01
2664.99	50	64	32	26.98	28.78	< 33.01
		1	1	26.85	28.65	< 33.01
		1	131	27.07	28.87	< 33.01
		128	0	26.48	28.28	< 33.01
		1	132	23.54	25.34	< 33.01
		1	0	23.42	25.22	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2526.00	60	81	40	26.71	28.51	< 33.01
		1	1	26.79	28.59	< 33.01
		1	160	26.97	28.77	< 33.01
		162	0	26.27	28.07	< 33.01
		1	161	23.38	25.18	< 33.01
		1	0	23.42	25.22	< 33.01
2592.99	60	81	40	26.99	28.79	< 33.01
		1	1	27.36	29.16	< 33.01
		1	160	26.71	28.51	< 33.01
		162	0	26.50	28.30	< 33.01
		1	161	23.24	25.04	< 33.01
		1	0	23.77	25.57	< 33.01
2659.98	60	81	40	27.01	28.81	< 33.01
		1	1	26.76	28.56	< 33.01
		1	160	26.93	28.73	< 33.01
		162	0	26.47	28.27	< 33.01
		1	161	23.38	25.18	< 33.01
		1	0	23.35	25.15	< 33.01
2531.01	70	90	45	26.69	28.49	< 33.01
		1	1	26.71	28.51	< 33.01
		1	187	26.79	28.59	< 33.01
		180	0	26.26	28.06	< 33.01
		1	188	23.37	25.17	< 33.01
		1	0	23.32	25.12	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2592.99	70	90	45	26.87	28.67	< 33.01
		1	1	27.18	28.98	< 33.01
		1	187	26.54	28.34	< 33.01
		180	0	26.35	28.15	< 33.01
		1	188	22.93	24.73	< 33.01
		1	0	23.59	25.39	< 33.01
2655.00	70	90	45	26.82	28.62	< 33.01
		1	1	26.59	28.39	< 33.01
		1	187	26.88	28.68	< 33.01
		180	0	26.36	28.16	< 33.01
		1	188	23.32	25.12	< 33.01
		1	0	23.24	25.04	< 33.01
2536.02	80	108	54	26.70	28.50	< 33.01
		1	1	26.65	28.45	< 33.01
		1	215	26.89	28.69	< 33.01
		216	0	26.25	28.05	< 33.01
		1	216	23.21	25.01	< 33.01
		1	0	23.32	25.12	< 33.01
2592.99	80	108	54	26.85	28.65	< 33.01
		1	1	27.13	28.93	< 33.01
		1	215	26.59	28.39	< 33.01
		216	0	26.39	28.19	< 33.01
		1	216	23.09	24.89	< 33.01
		1	0	23.55	25.35	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2649.99	80	108	54	26.76	28.56	< 33.01
		1	1	26.56	28.36	< 33.01
		1	215	26.87	28.67	< 33.01
		216	0	26.35	28.15	< 33.01
		1	216	23.38	25.18	< 33.01
		1	0	23.24	25.04	< 33.01
2541.00	90	120	60	26.79	28.59	< 33.01
		1	1	26.70	28.50	< 33.01
		1	243	26.83	28.63	< 33.01
		243	0	26.30	28.10	< 33.01
		1	244	23.30	25.10	< 33.01
		1	0	23.33	25.13	< 33.01
2592.99	90	120	60	26.88	28.68	< 33.01
		1	1	27.10	28.90	< 33.01
		1	243	26.71	28.51	< 33.01
		243	0	26.41	28.21	< 33.01
		1	244	23.17	24.97	< 33.01
		1	0	23.53	25.33	< 33.01
2644.98	90	120	60	26.87	28.67	< 33.01
		1	1	26.66	28.46	< 33.01
		1	243	26.95	28.75	< 33.01
		243	0	26.36	28.16	< 33.01
		1	244	23.32	25.12	< 33.01
		1	0	23.27	25.07	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2546.01	100	135	67	26.82	28.62	< 33.01
		1	1	26.59	28.39	< 33.01
		1	271	26.72	28.52	< 33.01
		270	0	26.39	28.19	< 33.01
		1	272	22.99	24.79	< 33.01
		1	0	23.30	25.10	< 33.01
2592.99	100	135	67	26.91	28.71	< 33.01
		1	1	27.09	28.89	< 33.01
		1	271	26.60	28.40	< 33.01
		270	0	26.42	28.22	< 33.01
		1	272	22.94	24.74	< 33.01
		1	0	23.36	25.16	< 33.01
2640.00	100	135	67	26.79	28.59	< 33.01
		1	1	26.73	28.53	< 33.01
		1	271	26.92	28.72	< 33.01
		270	0	26.28	28.08	< 33.01
		1	272	23.26	25.06	< 33.01
		1	0	23.41	25.21	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2506.02	20	25	12	26.90	28.70	< 33.01
		1	1	26.98	28.78	< 33.01
		1	49	26.78	28.58	< 33.01
		50	0	25.93	27.73	< 33.01
		1	50	23.26	25.06	< 33.01
		1	0	23.31	25.11	< 33.01
2592.99	20	25	12	27.12	28.92	< 33.01
		1	1	27.22	29.02	< 33.01
		1	49	26.93	28.73	< 33.01
		50	0	26.14	27.94	< 33.01
		1	50	23.53	25.33	< 33.01
		1	0	23.85	25.65	< 33.01
2679.99	20	25	12	27.16	28.96	< 33.01
		1	1	27.05	28.85	< 33.01
		1	49	27.06	28.86	< 33.01
		50	0	26.12	27.92	< 33.01
		1	50	23.49	25.29	< 33.01
		1	0	23.71	25.51	< 33.01
2511.00	30	36	78	26.82	28.62	< 33.01
		1	1	27.02	28.82	< 33.01
		1	76	26.91	28.71	< 33.01
		75	0	25.84	27.64	< 33.01
		1	77	23.36	25.16	< 33.01
		1	0	23.49	25.29	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2592.99	30	36	78	27.12	28.92	< 33.01
		1	1	27.36	29.16	< 33.01
		1	76	26.96	28.76	< 33.01
		75	0	26.14	27.94	< 33.01
		1	77	23.40	25.20	< 33.01
		1	0	23.80	25.60	< 33.01
2674.98	30	36	78	27.13	28.93	< 33.01
		1	1	26.97	28.77	< 33.01
		1	76	27.15	28.95	< 33.01
		75	0	26.22	28.02	< 33.01
		1	77	23.63	25.43	< 33.01
		1	0	23.61	25.41	< 33.01
2516.01	40	50	25	26.80	28.60	< 33.01
		1	1	26.98	28.78	< 33.01
		1	104	26.95	28.75	< 33.01
		100	0	25.90	27.70	< 33.01
		1	105	23.46	25.26	< 33.01
		1	0	23.52	25.32	< 33.01
2592.99	40	50	25	27.16	28.96	< 33.01
		1	1	27.47	29.27	< 33.01
		1	104	27.00	28.80	< 33.01
		100	0	26.10	27.90	< 33.01
		1	105	23.28	25.08	< 33.01
		1	0	23.93	25.73	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2670.00	40	50	25	27.17	28.97	< 33.01
		1	1	27.11	28.91	< 33.01
		1	104	27.31	29.11	< 33.01
		100	0	26.24	28.04	< 33.01
		1	105	23.61	25.41	< 33.01
		1	0	23.62	25.42	< 33.01
2521.02	50	64	32	26.80	28.60	< 33.01
		1	1	26.87	28.67	< 33.01
		1	131	27.00	28.80	< 33.01
		128	0	25.82	27.62	< 33.01
		1	132	23.47	25.27	< 33.01
		1	0	23.53	25.33	< 33.01
2592.99	50	64	32	27.05	28.85	< 33.01
		1	1	27.25	29.05	< 33.01
		1	131	26.71	28.51	< 33.01
		128	0	25.98	27.78	< 33.01
		1	132	23.37	25.17	< 33.01
		1	0	23.84	25.64	< 33.01
2664.99	50	64	32	27.03	28.83	< 33.01
		1	1	26.85	28.65	< 33.01
		1	131	27.18	28.98	< 33.01
		128	0	25.96	27.76	< 33.01
		1	132	23.53	25.33	< 33.01
		1	0	23.34	25.14	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2526.00	60	81	40	26.75	28.55	< 33.01
		1	1	26.78	28.58	< 33.01
		1	160	26.89	28.69	< 33.01
		162	0	25.84	27.64	< 33.01
		1	161	23.38	25.18	< 33.01
		1	0	23.32	25.12	< 33.01
2592.99	60	81	40	26.92	28.72	< 33.01
		1	1	27.33	29.13	< 33.01
		1	160	26.79	28.59	< 33.01
		162	0	26.00	27.80	< 33.01
		1	161	23.11	24.91	< 33.01
		1	0	23.77	25.57	< 33.01
2659.98	60	81	40	26.98	28.78	< 33.01
		1	1	26.75	28.55	< 33.01
		1	160	26.95	28.75	< 33.01
		162	0	25.92	27.72	< 33.01
		1	161	23.39	25.19	< 33.01
		1	0	23.49	25.29	< 33.01
2531.01	70	90	45	26.65	28.45	< 33.01
		1	1	26.73	28.53	< 33.01
		1	187	26.83	28.63	< 33.01
		180	0	25.73	27.53	< 33.01
		1	188	23.27	25.07	< 33.01
		1	0	23.34	25.14	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2592.99	70	90	45	26.83	28.63	< 33.01
		1	1	27.28	29.08	< 33.01
		1	187	26.43	28.23	< 33.01
		180	0	25.93	27.73	< 33.01
		1	188	23.05	24.85	< 33.01
		1	0	23.64	25.44	< 33.01
2655.00	70	90	45	26.81	28.61	< 33.01
		1	1	26.52	28.32	< 33.01
		1	187	26.83	28.63	< 33.01
		180	0	25.83	27.63	< 33.01
		1	188	23.35	25.15	< 33.01
		1	0	23.26	25.06	< 33.01
2536.02	80	108	54	26.67	28.47	< 33.01
		1	1	26.66	28.46	< 33.01
		1	215	26.83	28.63	< 33.01
		216	0	25.90	27.70	< 33.01
		1	216	23.33	25.13	< 33.01
		1	0	23.42	25.22	< 33.01
2592.99	80	108	54	26.88	28.68	< 33.01
		1	1	27.11	28.91	< 33.01
		1	215	26.52	28.32	< 33.01
		216	0	25.97	27.77	< 33.01
		1	216	23.10	24.90	< 33.01
		1	0	23.58	25.38	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2649.99	80	108	54	26.75	28.55	< 33.01
		1	1	26.49	28.29	< 33.01
		1	215	26.89	28.69	< 33.01
		216	0	25.83	27.63	< 33.01
		1	216	23.43	25.23	< 33.01
		1	0	23.27	25.07	< 33.01
2541.00	90	120	60	26.76	28.56	< 33.01
		1	1	26.72	28.52	< 33.01
		1	243	26.97	28.77	< 33.01
		243	0	25.76	27.56	< 33.01
		1	244	23.30	25.10	< 33.01
		1	0	23.41	25.21	< 33.01
2592.99	90	120	60	26.89	28.69	< 33.01
		1	1	27.18	28.98	< 33.01
		1	243	26.69	28.49	< 33.01
		243	0	25.91	27.71	< 33.01
		1	244	23.09	24.89	< 33.01
		1	0	23.56	25.36	< 33.01
2644.98	90	120	60	26.83	28.63	< 33.01
		1	1	26.71	28.51	< 33.01
		1	243	27.07	28.87	< 33.01
		243	0	25.82	27.62	< 33.01
		1	244	23.32	25.12	< 33.01
		1	0	23.36	25.16	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2546.01	100	135	67	26.80	28.60	< 33.01
		1	1	26.72	28.52	< 33.01
		1	271	26.76	28.56	< 33.01
		270	0	25.76	27.56	< 33.01
		1	272	23.03	24.83	< 33.01
		1	0	23.31	25.11	< 33.01
2592.99	100	135	67	26.88	28.68	< 33.01
		1	1	27.23	29.03	< 33.01
		1	271	26.62	28.42	< 33.01
		270	0	25.91	27.71	< 33.01
		1	272	23.05	24.85	< 33.01
		1	0	23.39	25.19	< 33.01
2640.00	100	135	67	26.73	28.53	< 33.01
		1	1	26.78	28.58	< 33.01
		1	271	26.87	28.67	< 33.01
		270	0	25.73	27.53	< 33.01
		1	272	23.29	25.09	< 33.01
		1	0	23.36	25.16	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2506.02	20	25	12	25.90	27.70	< 33.01
		1	1	25.95	27.75	< 33.01
		1	49	25.82	27.62	< 33.01
		50	0	24.82	26.62	< 33.01
		1	50	23.19	24.99	< 33.01
		1	0	23.53	25.33	< 33.01
2592.99	20	25	12	26.17	27.97	< 33.01
		1	1	26.27	28.07	< 33.01
		1	49	25.98	27.78	< 33.01
		50	0	25.08	26.88	< 33.01
		1	50	23.60	25.40	< 33.01
		1	0	23.89	25.69	< 33.01
2679.99	20	25	12	26.21	28.01	< 33.01
		1	1	26.06	27.86	< 33.01
		1	49	26.00	27.80	< 33.01
		50	0	25.05	26.85	< 33.01
		1	50	23.68	25.48	< 33.01
		1	0	23.80	25.60	< 33.01
2511.00	30	36	78	25.82	27.62	< 33.01
		1	1	25.94	27.74	< 33.01
		1	76	25.85	27.65	< 33.01
		75	0	24.80	26.60	< 33.01
		1	77	23.54	25.34	< 33.01
		1	0	23.61	25.41	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2592.99	30	36	78	26.08	27.88	< 33.01
		1	1	26.36	28.16	< 33.01
		1	76	25.96	27.76	< 33.01
		75	0	25.10	26.90	< 33.01
		1	77	23.60	25.40	< 33.01
		1	0	23.96	25.76	< 33.01
2674.98	30	36	78	26.10	27.90	< 33.01
		1	1	26.06	27.86	< 33.01
		1	76	26.17	27.97	< 33.01
		75	0	25.17	26.97	< 33.01
		1	77	23.79	25.59	< 33.01
		1	0	23.82	25.62	< 33.01
2516.01	40	50	25	25.75	27.55	< 33.01
		1	1	26.10	27.90	< 33.01
		1	104	26.20	28.00	< 33.01
		100	0	24.83	26.63	< 33.01
		1	105	23.55	25.35	< 33.01
		1	0	23.65	25.45	< 33.01
2592.99	40	50	25	26.13	27.93	< 33.01
		1	1	26.48	28.28	< 33.01
		1	104	26.00	27.80	< 33.01
		100	0	25.10	26.90	< 33.01
		1	105	23.56	25.36	< 33.01
		1	0	24.11	25.91	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2670.00	40	50	25	26.15	27.95	< 33.01
		1	1	26.05	27.85	< 33.01
		1	104	26.16	27.96	< 33.01
		100	0	25.26	27.06	< 33.01
		1	105	23.89	25.69	< 33.01
		1	0	23.79	25.59	< 33.01
2521.02	50	64	32	25.78	27.58	< 33.01
		1	1	25.87	27.67	< 33.01
		1	131	26.00	27.80	< 33.01
		128	0	24.79	26.59	< 33.01
		1	132	23.64	25.44	< 33.01
		1	0	23.84	25.64	< 33.01
2592.99	50	64	32	26.05	27.85	< 33.01
		1	1	26.42	28.22	< 33.01
		1	131	25.83	27.63	< 33.01
		128	0	25.03	26.83	< 33.01
		1	132	23.52	25.32	< 33.01
		1	0	23.97	25.77	< 33.01
2664.99	50	64	32	26.01	27.81	< 33.01
		1	1	25.78	27.58	< 33.01
		1	131	26.09	27.89	< 33.01
		128	0	24.91	26.71	< 33.01
		1	132	23.78	25.58	< 33.01
		1	0	23.60	25.40	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2526.00	60	81	40	25.69	27.49	< 33.01
		1	1	25.92	27.72	< 33.01
		1	160	26.00	27.80	< 33.01
		162	0	24.81	26.61	< 33.01
		1	161	23.56	25.36	< 33.01
		1	0	23.63	25.43	< 33.01
2592.99	60	81	40	25.94	27.74	< 33.01
		1	1	26.58	28.38	< 33.01
		1	160	25.95	27.75	< 33.01
		162	0	24.95	26.75	< 33.01
		1	161	23.17	24.97	< 33.01
		1	0	23.70	25.50	< 33.01
2659.98	60	81	40	25.93	27.73	< 33.01
		1	1	25.83	27.63	< 33.01
		1	160	26.02	27.82	< 33.01
		162	0	24.98	26.78	< 33.01
		1	161	23.68	25.48	< 33.01
		1	0	23.56	25.36	< 33.01
2531.01	70	90	45	25.69	27.49	< 33.01
		1	1	25.71	27.51	< 33.01
		1	187	25.80	27.60	< 33.01
		180	0	24.72	26.52	< 33.01
		1	188	23.56	25.36	< 33.01
		1	0	23.74	25.54	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2592.99	70	90	45	25.84	27.64	< 33.01
		1	1	26.24	28.04	< 33.01
		1	187	25.55	27.35	< 33.01
		180	0	24.90	26.70	< 33.01
		1	188	23.05	24.85	< 33.01
		1	0	23.79	25.59	< 33.01
2655.00	70	90	45	25.76	27.56	< 33.01
		1	1	25.63	27.43	< 33.01
		1	187	25.93	27.73	< 33.01
		180	0	24.81	26.61	< 33.01
		1	188	23.41	25.21	< 33.01
		1	0	23.32	25.12	< 33.01
2536.02	80	108	54	25.73	27.53	< 33.01
		1	1	25.75	27.55	< 33.01
		1	215	25.93	27.73	< 33.01
		216	0	24.66	26.46	< 33.01
		1	216	23.40	25.20	< 33.01
		1	0	23.23	25.03	< 33.01
2592.99	80	108	54	25.86	27.66	< 33.01
		1	1	26.21	28.01	< 33.01
		1	215	25.70	27.50	< 33.01
		216	0	24.85	26.65	< 33.01
		1	216	23.23	25.03	< 33.01
		1	0	23.73	25.53	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2649.99	80	108	54	25.83	27.63	< 33.01
		1	1	25.58	27.38	< 33.01
		1	215	26.00	27.80	< 33.01
		216	0	24.80	26.60	< 33.01
		1	216	23.47	25.27	< 33.01
		1	0	23.32	25.12	< 33.01
2541.00	90	120	60	25.73	27.53	< 33.01
		1	1	25.79	27.59	< 33.01
		1	243	25.92	27.72	< 33.01
		243	0	24.73	26.53	< 33.01
		1	244	23.50	25.30	< 33.01
		1	0	23.53	25.33	< 33.01
2592.99	90	120	60	25.86	27.66	< 33.01
		1	1	26.23	28.03	< 33.01
		1	243	25.74	27.54	< 33.01
		243	0	24.87	26.67	< 33.01
		1	244	23.23	25.03	< 33.01
		1	0	23.62	25.42	< 33.01
2644.98	90	120	60	25.82	27.62	< 33.01
		1	1	25.63	27.43	< 33.01
		1	243	26.00	27.80	< 33.01
		243	0	24.79	26.59	< 33.01
		1	244	23.61	25.41	< 33.01
		1	0	23.51	25.31	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2546.01	100	135	67	25.80	27.60	< 33.01
		1	1	25.69	27.49	< 33.01
		1	271	25.82	27.62	< 33.01
		270	0	24.73	26.53	< 33.01
		1	272	23.32	25.12	< 33.01
		1	0	23.45	25.25	< 33.01
2592.99	100	135	67	25.90	27.70	< 33.01
		1	1	26.20	28.00	< 33.01
		1	271	25.71	27.51	< 33.01
		270	0	24.90	26.70	< 33.01
		1	272	23.00	24.80	< 33.01
		1	0	23.53	25.33	< 33.01
2640.00	100	135	67	25.73	27.53	< 33.01
		1	1	25.86	27.66	< 33.01
		1	271	26.14	27.94	< 33.01
		270	0	24.72	26.52	< 33.01
		1	272	23.34	25.14	< 33.01
		1	0	23.44	25.24	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2506.02	20	25	12	24.24	26.04	< 33.01
		1	1	24.22	26.02	< 33.01
		1	49	24.14	25.94	< 33.01
		50	0	24.43	26.23	< 33.01
		1	50	23.27	25.07	< 33.01
		1	0	23.42	25.22	< 33.01
2592.99	20	25	12	24.73	26.53	< 33.01
		1	1	24.78	26.58	< 33.01
		1	49	24.51	26.31	< 33.01
		50	0	24.64	26.44	< 33.01
		1	50	23.56	25.36	< 33.01
		1	0	23.98	25.78	< 33.01
2679.99	20	25	12	24.77	26.57	< 33.01
		1	1	24.78	26.58	< 33.01
		1	49	24.71	26.51	< 33.01
		50	0	24.71	26.51	< 33.01
		1	50	23.79	25.59	< 33.01
		1	0	23.90	25.70	< 33.01
2511.00	30	36	78	24.37	26.17	< 33.01
		1	1	24.53	26.33	< 33.01
		1	76	24.44	26.24	< 33.01
		75	0	24.37	26.17	< 33.01
		1	77	23.46	25.26	< 33.01
		1	0	23.61	25.41	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2592.99	30	36	78	24.64	26.44	< 33.01
		1	1	24.94	26.74	< 33.01
		1	76	24.67	26.47	< 33.01
		75	0	24.63	26.43	< 33.01
		1	77	23.69	25.49	< 33.01
		1	0	24.03	25.83	< 33.01
2674.98	30	36	78	24.70	26.50	< 33.01
		1	1	24.80	26.60	< 33.01
		1	76	24.72	26.52	< 33.01
		75	0	24.71	26.51	< 33.01
		1	77	23.87	25.67	< 33.01
		1	0	23.80	25.60	< 33.01
2516.01	40	50	25	24.36	26.16	< 33.01
		1	1	24.60	26.40	< 33.01
		1	104	24.32	26.12	< 33.01
		100	0	24.31	26.11	< 33.01
		1	105	23.60	25.40	< 33.01
		1	0	23.61	25.41	< 33.01
2592.99	40	50	25	24.64	26.44	< 33.01
		1	1	25.07	26.87	< 33.01
		1	104	24.82	26.62	< 33.01
		100	0	24.61	26.41	< 33.01
		1	105	23.55	25.35	< 33.01
		1	0	24.17	25.97	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2670.00	40	50	25	24.76	26.56	< 33.01
		1	1	24.71	26.51	< 33.01
		1	104	24.70	26.50	< 33.01
		100	0	24.74	26.54	< 33.01
		1	105	23.96	25.76	< 33.01
		1	0	23.80	25.60	< 33.01
2521.02	50	64	32	24.12	25.92	< 33.01
		1	1	24.46	26.26	< 33.01
		1	131	24.49	26.29	< 33.01
		128	0	24.34	26.14	< 33.01
		1	132	23.68	25.48	< 33.01
		1	0	23.66	25.46	< 33.01
2592.99	50	64	32	24.53	26.33	< 33.01
		1	1	24.93	26.73	< 33.01
		1	131	24.36	26.16	< 33.01
		128	0	24.58	26.38	< 33.01
		1	132	23.46	25.26	< 33.01
		1	0	23.92	25.72	< 33.01
2664.99	50	64	32	24.51	26.31	< 33.01
		1	1	24.52	26.32	< 33.01
		1	131	24.71	26.51	< 33.01
		128	0	24.46	26.26	< 33.01
		1	132	23.88	25.68	< 33.01
		1	0	23.69	25.49	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2526.00	60	81	40	24.19	25.99	< 33.01
		1	1	24.40	26.20	< 33.01
		1	160	24.54	26.34	< 33.01
		162	0	24.32	26.12	< 33.01
		1	161	23.49	25.29	< 33.01
		1	0	23.50	25.30	< 33.01
2592.99	60	81	40	24.46	26.26	< 33.01
		1	1	24.90	26.70	< 33.01
		1	160	24.45	26.25	< 33.01
		162	0	24.56	26.36	< 33.01
		1	161	23.49	25.29	< 33.01
		1	0	24.02	25.82	< 33.01
2659.98	60	81	40	24.48	26.28	< 33.01
		1	1	24.32	26.12	< 33.01
		1	160	24.56	26.36	< 33.01
		162	0	24.50	26.30	< 33.01
		1	161	23.72	25.52	< 33.01
		1	0	23.49	25.29	< 33.01
2531.01	70	90	45	24.21	26.01	< 33.01
		1	1	24.28	26.08	< 33.01
		1	187	24.33	26.13	< 33.01
		180	0	24.31	26.11	< 33.01
		1	188	23.57	25.37	< 33.01
		1	0	23.46	25.26	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2592.99	70	90	45	24.39	26.19	< 33.01
		1	1	24.80	26.60	< 33.01
		1	187	24.26	26.06	< 33.01
		180	0	24.39	26.19	< 33.01
		1	188	23.17	24.97	< 33.01
		1	0	23.90	25.70	< 33.01
2655.00	70	90	45	24.34	26.14	< 33.01
		1	1	24.15	25.95	< 33.01
		1	187	24.43	26.23	< 33.01
		180	0	24.31	26.11	< 33.01
		1	188	23.37	25.17	< 33.01
		1	0	23.30	25.10	< 33.01
2536.02	80	108	54	24.21	26.01	< 33.01
		1	1	24.32	26.12	< 33.01
		1	215	24.44	26.24	< 33.01
		216	0	24.20	26.00	< 33.01
		1	216	23.43	25.23	< 33.01
		1	0	23.39	25.19	< 33.01
2592.99	80	108	54	24.35	26.15	< 33.01
		1	1	24.78	26.58	< 33.01
		1	215	24.24	26.04	< 33.01
		216	0	24.35	26.15	< 33.01
		1	216	23.22	25.02	< 33.01
		1	0	23.67	25.47	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2649.99	80	108	54	24.27	26.07	< 33.01
		1	1	24.07	25.87	< 33.01
		1	215	24.50	26.30	< 33.01
		216	0	24.32	26.12	< 33.01
		1	216	23.44	25.24	< 33.01
		1	0	23.18	24.98	< 33.01
2541.00	90	120	60	24.16	25.96	< 33.01
		1	1	24.29	26.09	< 33.01
		1	243	24.47	26.27	< 33.01
		243	0	24.26	26.06	< 33.01
		1	244	23.51	25.31	< 33.01
		1	0	23.46	25.26	< 33.01
2592.99	90	120	60	24.34	26.14	< 33.01
		1	1	24.85	26.65	< 33.01
		1	243	24.36	26.16	< 33.01
		243	0	24.49	26.29	< 33.01
		1	244	23.38	25.18	< 33.01
		1	0	23.76	25.56	< 33.01
2644.98	90	120	60	24.26	26.06	< 33.01
		1	1	24.41	26.21	< 33.01
		1	243	24.70	26.50	< 33.01
		243	0	24.39	26.19	< 33.01
		1	244	23.57	25.37	< 33.01
		1	0	23.55	25.35	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2546.01	100	135	67	24.29	26.09	< 33.01
		1	1	24.27	26.07	< 33.01
		1	271	24.43	26.23	< 33.01
		270	0	24.43	26.23	< 33.01
		1	272	23.19	24.99	< 33.01
		1	0	23.48	25.28	< 33.01
2592.99	100	135	67	24.34	26.14	< 33.01
		1	1	24.74	26.54	< 33.01
		1	271	24.21	26.01	< 33.01
		270	0	24.37	26.17	< 33.01
		1	272	23.14	24.94	< 33.01
		1	0	23.67	25.47	< 33.01
2640.00	100	135	67	24.31	26.11	< 33.01
		1	1	24.37	26.17	< 33.01
		1	271	24.55	26.35	< 33.01
		270	0	24.20	26.00	< 33.01
		1	272	23.41	25.21	< 33.01
		1	0	23.44	25.24	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2506.02	20	25	12	22.37	24.17	< 33.01
		1	1	22.18	23.98	< 33.01
		1	49	21.88	23.68	< 33.01
		50	0	22.34	24.14	< 33.01
		1	50	22.04	23.84	< 33.01
		1	0	22.14	23.94	< 33.01
2592.99	20	25	12	22.50	24.30	< 33.01
		1	1	22.41	24.21	< 33.01
		1	49	22.14	23.94	< 33.01
		50	0	22.56	24.36	< 33.01
		1	50	22.20	24.00	< 33.01
		1	0	22.49	24.29	< 33.01
2679.99	20	25	12	22.58	24.38	< 33.01
		1	1	22.31	24.11	< 33.01
		1	49	22.27	24.07	< 33.01
		50	0	22.67	24.47	< 33.01
		1	50	22.26	24.06	< 33.01
		1	0	22.39	24.19	< 33.01
2511.00	30	36	78	22.25	24.05	< 33.01
		1	1	22.21	24.01	< 33.01
		1	76	22.02	23.82	< 33.01
		75	0	22.29	24.09	< 33.01
		1	77	22.00	23.80	< 33.01
		1	0	22.16	23.96	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2592.99	30	36	78	22.58	24.38	< 33.01
		1	1	22.66	24.46	< 33.01
		1	76	22.14	23.94	< 33.01
		75	0	22.60	24.40	< 33.01
		1	77	22.13	23.93	< 33.01
		1	0	22.61	24.41	< 33.01
2674.98	30	36	78	22.63	24.43	< 33.01
		1	1	22.32	24.12	< 33.01
		1	76	22.49	24.29	< 33.01
		75	0	22.68	24.48	< 33.01
		1	77	22.46	24.26	< 33.01
		1	0	22.39	24.19	< 33.01
2516.01	40	50	25	22.19	23.99	< 33.01
		1	1	22.20	24.00	< 33.01
		1	104	22.19	23.99	< 33.01
		100	0	22.30	24.10	< 33.01
		1	105	22.18	23.98	< 33.01
		1	0	22.25	24.05	< 33.01
2592.99	40	50	25	22.59	24.39	< 33.01
		1	1	22.61	24.41	< 33.01
		1	104	22.15	23.95	< 33.01
		100	0	22.69	24.49	< 33.01
		1	105	22.14	23.94	< 33.01
		1	0	22.69	24.49	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2670.00	40	50	25	22.63	24.43	< 33.01
		1	1	22.32	24.12	< 33.01
		1	104	22.47	24.27	< 33.01
		100	0	22.62	24.42	< 33.01
		1	105	22.46	24.26	< 33.01
		1	0	22.41	24.21	< 33.01
2521.02	50	64	32	22.27	24.07	< 33.01
		1	1	22.20	24.00	< 33.01
		1	131	22.18	23.98	< 33.01
		128	0	22.28	24.08	< 33.01
		1	132	22.15	23.95	< 33.01
		1	0	22.24	24.04	< 33.01
2592.99	50	64	32	22.51	24.31	< 33.01
		1	1	22.56	24.36	< 33.01
		1	131	22.05	23.85	< 33.01
		128	0	22.45	24.25	< 33.01
		1	132	22.15	23.95	< 33.01
		1	0	22.63	24.43	< 33.01
2664.99	50	64	32	22.40	24.20	< 33.01
		1	1	22.01	23.81	< 33.01
		1	131	22.29	24.09	< 33.01
		128	0	22.42	24.22	< 33.01
		1	132	22.38	24.18	< 33.01
		1	0	22.22	24.02	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2526.00	60	81	40	22.24	24.04	< 33.01
		1	1	22.09	23.89	< 33.01
		1	160	22.21	24.01	< 33.01
		162	0	22.30	24.10	< 33.01
		1	161	22.18	23.98	< 33.01
		1	0	22.12	23.92	< 33.01
2592.99	60	81	40	22.54	24.34	< 33.01
		1	1	22.65	24.45	< 33.01
		1	160	21.87	23.67	< 33.01
		162	0	22.49	24.29	< 33.01
		1	161	21.86	23.66	< 33.01
		1	0	22.48	24.28	< 33.01
2659.98	60	81	40	22.47	24.27	< 33.01
		1	1	22.17	23.97	< 33.01
		1	160	22.25	24.05	< 33.01
		162	0	22.52	24.32	< 33.01
		1	161	22.21	24.01	< 33.01
		1	0	22.14	23.94	< 33.01
2531.01	70	90	45	22.16	23.96	< 33.01
		1	1	21.90	23.70	< 33.01
		1	187	21.98	23.78	< 33.01
		180	0	22.27	24.07	< 33.01
		1	188	22.08	23.88	< 33.01
		1	0	22.14	23.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2592.99	70	90	45	22.37	24.17	< 33.01
		1	1	22.32	24.12	< 33.01
		1	187	21.73	23.53	< 33.01
		180	0	22.41	24.21	< 33.01
		1	188	21.70	23.50	< 33.01
		1	0	22.37	24.17	< 33.01
2655.00	70	90	45	22.32	24.12	< 33.01
		1	1	21.83	23.63	< 33.01
		1	187	22.29	24.09	< 33.01
		180	0	22.29	24.09	< 33.01
		1	188	21.92	23.72	< 33.01
		1	0	21.99	23.79	< 33.01
2536.02	80	108	54	22.16	23.96	< 33.01
		1	1	21.92	23.72	< 33.01
		1	215	22.05	23.85	< 33.01
		216	0	22.43	24.23	< 33.01
		1	216	22.12	23.92	< 33.01
		1	0	22.01	23.81	< 33.01
2592.99	80	108	54	22.27	24.07	< 33.01
		1	1	22.29	24.09	< 33.01
		1	215	21.79	23.59	< 33.01
		216	0	22.37	24.17	< 33.01
		1	216	21.74	23.54	< 33.01
		1	0	22.31	24.11	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2649.99	80	108	54	22.27	24.07	< 33.01
		1	1	21.63	23.43	< 33.01
		1	215	22.16	23.96	< 33.01
		216	0	22.30	24.10	< 33.01
		1	216	22.12	23.92	< 33.01
		1	0	21.98	23.78	< 33.01
2541.00	90	120	60	22.20	24.00	< 33.01
		1	1	22.01	23.81	< 33.01
		1	243	22.22	24.02	< 33.01
		243	0	22.20	24.00	< 33.01
		1	244	22.02	23.82	< 33.01
		1	0	22.05	23.85	< 33.01
2592.99	90	120	60	22.31	24.11	< 33.01
		1	1	22.50	24.30	< 33.01
		1	243	21.90	23.70	< 33.01
		243	0	22.38	24.18	< 33.01
		1	244	21.80	23.60	< 33.01
		1	0	22.38	24.18	< 33.01
2644.98	90	120	60	22.36	24.16	< 33.01
		1	1	21.97	23.77	< 33.01
		1	243	22.27	24.07	< 33.01
		243	0	22.29	24.09	< 33.01
		1	244	22.16	23.96	< 33.01
		1	0	22.13	23.93	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2546.01	100	135	67	22.28	24.08	< 33.01
		1	1	21.97	23.77	< 33.01
		1	271	22.07	23.87	< 33.01
		270	0	22.33	24.13	< 33.01
		1	272	21.81	23.61	< 33.01
		1	0	22.04	23.84	< 33.01
2592.99	100	135	67	22.29	24.09	< 33.01
		1	1	22.35	24.15	< 33.01
		1	271	21.77	23.57	< 33.01
		270	0	22.42	24.22	< 33.01
		1	272	21.70	23.50	< 33.01
		1	0	22.12	23.92	< 33.01
2640.00	100	135	67	22.19	23.99	< 33.01
		1	1	21.97	23.77	< 33.01
		1	271	22.18	23.98	< 33.01
		270	0	22.33	24.13	< 33.01
		1	272	22.10	23.90	< 33.01
		1	0	22.16	23.96	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n77/n78_SA (3450 ~ 3550)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3455.01	10	12	6	24.52	25.12	< 30.00
		1	1	24.34	24.94	< 30.00
		1	22	24.34	24.94	< 30.00
		24	0	24.63	25.23	< 30.00
		1	23	24.05	24.65	< 30.00
		1	0	23.88	24.48	< 30.00
3500.01	10	12	6	24.52	25.12	< 30.00
		1	1	24.37	24.97	< 30.00
		1	22	24.38	24.98	< 30.00
		24	0	24.59	25.19	< 30.00
		1	23	23.85	24.45	< 30.00
		1	0	23.90	24.50	< 30.00
3544.98	10	12	6	24.38	24.98	< 30.00
		1	1	24.35	24.95	< 30.00
		1	22	24.44	25.04	< 30.00
		24	0	24.35	24.95	< 30.00
		1	23	23.81	24.41	< 30.00
		1	0	23.88	24.48	< 30.00
3457.50	15	18	9	24.25	24.85	< 30.00
		1	1	24.11	24.71	< 30.00
		1	36	24.03	24.63	< 30.00
		36	0	24.10	24.70	< 30.00
		1	37	23.68	24.28	< 30.00
		1	0	23.60	24.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3500.01	15	18	9	24.28	24.88	< 30.00
		1	1	24.20	24.80	< 30.00
		1	36	24.17	24.77	< 30.00
		36	0	24.26	24.86	< 30.00
		1	37	23.73	24.33	< 30.00
		1	0	23.84	24.44	< 30.00
3542.49	15	18	9	24.26	24.86	< 30.00
		1	1	24.38	24.98	< 30.00
		1	36	24.31	24.91	< 30.00
		36	0	24.25	24.85	< 30.00
		1	37	23.75	24.35	< 30.00
		1	0	23.78	24.38	< 30.00
3460.02	20	25	12	23.93	24.53	< 30.00
		1	1	24.09	24.69	< 30.00
		1	49	23.92	24.52	< 30.00
		50	0	24.09	24.69	< 30.00
		1	50	23.36	23.96	< 30.00
		1	0	23.45	24.05	< 30.00
3500.01	20	25	12	24.07	24.67	< 30.00
		1	1	24.20	24.80	< 30.00
		1	49	24.07	24.67	< 30.00
		50	0	24.15	24.75	< 30.00
		1	50	23.62	24.22	< 30.00
		1	0	23.62	24.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3540.00	20	25	12	24.33	24.93	< 30.00
		1	1	24.16	24.76	< 30.00
		1	49	24.27	24.87	< 30.00
		50	0	24.21	24.81	< 30.00
		1	50	23.74	24.34	< 30.00
		1	0	23.82	24.42	< 30.00
3464.00	30	36	78	23.97	24.57	< 30.00
		1	1	24.16	24.76	< 30.00
		1	76	24.09	24.69	< 30.00
		75	0	24.06	24.66	< 30.00
		1	77	23.73	24.33	< 30.00
		1	0	23.57	24.17	< 30.00
3500.01	30	36	78	24.11	24.71	< 30.00
		1	1	24.19	24.79	< 30.00
		1	76	24.10	24.70	< 30.00
		75	0	24.24	24.84	< 30.00
		1	77	23.69	24.29	< 30.00
		1	0	23.72	24.32	< 30.00
3534.99	30	36	78	24.30	24.90	< 30.00
		1	1	24.44	25.04	< 30.00
		1	76	24.22	24.82	< 30.00
		75	0	24.32	24.92	< 30.00
		1	77	23.88	24.48	< 30.00
		1	0	23.78	24.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3470.01	40	50	25	24.11	24.71	< 30.00
		1	1	24.02	24.62	< 30.00
		1	104	24.36	24.96	< 30.00
		100	0	24.15	24.75	< 30.00
		1	105	23.82	24.42	< 30.00
		1	0	23.84	24.44	< 30.00
3500.01	40	50	25	24.27	24.87	< 30.00
		1	1	24.24	24.84	< 30.00
		1	104	24.40	25.00	< 30.00
		100	0	24.36	24.96	< 30.00
		1	105	23.94	24.54	< 30.00
		1	0	24.00	24.60	< 30.00
3529.98	40	50	25	24.55	25.15	< 30.00
		1	1	24.25	24.85	< 30.00
		1	104	24.58	25.18	< 30.00
		100	0	24.40	25.00	< 30.00
		1	105	23.93	24.53	< 30.00
		1	0	23.85	24.45	< 30.00
3475.02	50	64	32	23.98	24.58	< 30.00
		1	1	24.20	24.80	< 30.00
		1	131	23.98	24.58	< 30.00
		128	0	24.11	24.71	< 30.00
		1	132	23.38	23.98	< 30.00
		1	0	23.67	24.27	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3500.01	50	64	32	24.12	24.72	< 30.00
		1	1	23.92	24.52	< 30.00
		1	131	23.98	24.58	< 30.00
		128	0	24.18	24.78	< 30.00
		1	132	23.55	24.15	< 30.00
		1	0	23.77	24.37	< 30.00
3525.00	50	64	32	24.25	24.85	< 30.00
		1	1	24.20	24.80	< 30.00
		1	131	24.09	24.69	< 30.00
		128	0	24.17	24.77	< 30.00
		1	132	23.45	24.05	< 30.00
		1	0	23.66	24.26	< 30.00
3480.00	60	81	40	24.01	24.61	< 30.00
		1	1	24.06	24.66	< 30.00
		1	160	23.97	24.57	< 30.00
		162	0	24.12	24.72	< 30.00
		1	161	23.40	24.00	< 30.00
		1	0	23.38	23.98	< 30.00
3500.01	60	81	40	24.14	24.74	< 30.00
		1	1	23.85	24.45	< 30.00
		1	160	24.15	24.75	< 30.00
		162	0	24.12	24.72	< 30.00
		1	161	23.62	24.22	< 30.00
		1	0	23.59	24.19	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3519.99	60	81	40	24.16	24.76	< 30.00
		1	1	23.89	24.49	< 30.00
		1	160	23.95	24.55	< 30.00
		162	0	24.08	24.68	< 30.00
		1	161	23.49	24.09	< 30.00
		1	0	23.51	24.11	< 30.00
3485.01	70	90	45	23.91	24.51	< 30.00
		1	1	23.73	24.33	< 30.00
		1	187	23.95	24.55	< 30.00
		180	0	23.84	24.44	< 30.00
		1	188	23.49	24.09	< 30.00
		1	0	23.34	23.94	< 30.00
3500.01	70	90	45	24.00	24.60	< 30.00
		1	1	23.63	24.23	< 30.00
		1	187	23.98	24.58	< 30.00
		180	0	24.03	24.63	< 30.00
		1	188	23.62	24.22	< 30.00
		1	0	23.45	24.05	< 30.00
3514.98	70	90	45	24.06	24.66	< 30.00
		1	1	23.87	24.47	< 30.00
		1	187	23.94	24.54	< 30.00
		180	0	24.13	24.73	< 30.00
		1	188	23.27	23.87	< 30.00
		1	0	23.57	24.17	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3490.02	80	108	54	23.94	24.54	< 30.00
		1	1	23.76	24.36	< 30.00
		1	215	24.02	24.62	< 30.00
		216	0	23.87	24.47	< 30.00
		1	216	23.57	24.17	< 30.00
		1	0	23.47	24.07	< 30.00
3500.01	80	108	54	24.06	24.66	< 30.00
		1	1	23.83	24.43	< 30.00
		1	215	23.98	24.58	< 30.00
		216	0	23.93	24.53	< 30.00
		1	216	23.51	24.11	< 30.00
		1	0	23.21	23.81	< 30.00
3510.00	80	108	54	24.05	24.65	< 30.00
		1	1	23.71	24.31	< 30.00
		1	215	23.91	24.51	< 30.00
		216	0	24.00	24.60	< 30.00
		1	216	23.53	24.13	< 30.00
		1	0	23.31	23.91	< 30.00
3495.00	90	120	60	24.07	24.67	< 30.00
		1	1	23.91	24.51	< 30.00
		1	243	24.04	24.64	< 30.00
		243	0	23.92	24.52	< 30.00
		1	244	23.56	24.16	< 30.00
		1	0	23.49	24.09	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3500.01	90	120	60	24.02	24.62	< 30.00
		1	1	23.71	24.31	< 30.00
		1	243	24.08	24.68	< 30.00
		243	0	23.88	24.48	< 30.00
		1	244	23.44	24.04	< 30.00
		1	0	23.23	23.83	< 30.00
3504.99	90	120	60	23.87	24.47	< 30.00
		1	1	23.80	24.40	< 30.00
		1	243	23.96	24.56	< 30.00
		243	0	23.92	24.52	< 30.00
		1	244	23.44	24.04	< 30.00
		1	0	23.22	23.82	< 30.00
3500.01	100	135	67	23.93	24.53	< 30.00
		1	1	23.88	24.48	< 30.00
		1	271	23.69	24.29	< 30.00
		270	0	23.84	24.44	< 30.00
		1	272	24.05	24.65	< 30.00
		1	0	24.09	24.69	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3455.01	10	12	6	24.49	25.09	< 30.00
		1	1	24.46	25.06	< 30.00
		1	22	24.35	24.95	< 30.00
		24	0	24.55	25.15	< 30.00
		1	23	23.82	24.42	< 30.00
		1	0	24.07	24.67	< 30.00
3500.01	10	12	6	24.46	25.06	< 30.00
		1	1	24.38	24.98	< 30.00
		1	22	24.46	25.06	< 30.00
		24	0	24.53	25.13	< 30.00
		1	23	23.86	24.46	< 30.00
		1	0	23.92	24.52	< 30.00
3544.98	10	12	6	24.43	25.03	< 30.00
		1	1	24.45	25.05	< 30.00
		1	22	24.31	24.91	< 30.00
		24	0	24.42	25.02	< 30.00
		1	23	23.82	24.42	< 30.00
		1	0	23.92	24.52	< 30.00
3457.50	15	18	9	24.18	24.78	< 30.00
		1	1	24.13	24.73	< 30.00
		1	36	24.05	24.65	< 30.00
		36	0	24.27	24.87	< 30.00
		1	37	23.62	24.22	< 30.00
		1	0	23.67	24.27	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3500.01	15	18	9	24.13	24.73	< 30.00
		1	1	24.20	24.80	< 30.00
		1	36	24.31	24.91	< 30.00
		36	0	24.23	24.83	< 30.00
		1	37	23.87	24.47	< 30.00
		1	0	23.64	24.24	< 30.00
3542.49	15	18	9	24.24	24.84	< 30.00
		1	1	24.27	24.87	< 30.00
		1	36	24.30	24.90	< 30.00
		36	0	24.35	24.95	< 30.00
		1	37	23.79	24.39	< 30.00
		1	0	23.91	24.51	< 30.00
3460.02	20	25	12	23.97	24.57	< 30.00
		1	1	24.14	24.74	< 30.00
		1	49	23.91	24.51	< 30.00
		50	0	23.95	24.55	< 30.00
		1	50	23.47	24.07	< 30.00
		1	0	23.47	24.07	< 30.00
3500.01	20	25	12	24.05	24.65	< 30.00
		1	1	24.14	24.74	< 30.00
		1	49	24.06	24.66	< 30.00
		50	0	24.14	24.74	< 30.00
		1	50	23.64	24.24	< 30.00
		1	0	23.55	24.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3540.00	20	25	12	24.34	24.94	< 30.00
		1	1	24.15	24.75	< 30.00
		1	49	24.14	24.74	< 30.00
		50	0	24.26	24.86	< 30.00
		1	50	23.70	24.30	< 30.00
		1	0	24.02	24.62	< 30.00
3464.00	30	36	78	24.02	24.62	< 30.00
		1	1	24.02	24.62	< 30.00
		1	76	24.20	24.80	< 30.00
		75	0	24.11	24.71	< 30.00
		1	77	23.65	24.25	< 30.00
		1	0	23.75	24.35	< 30.00
3500.01	30	36	78	24.29	24.89	< 30.00
		1	1	24.21	24.81	< 30.00
		1	76	24.30	24.90	< 30.00
		75	0	24.32	24.92	< 30.00
		1	77	23.53	24.13	< 30.00
		1	0	23.86	24.46	< 30.00
3534.99	30	36	78	24.39	24.99	< 30.00
		1	1	24.29	24.89	< 30.00
		1	76	24.35	24.95	< 30.00
		75	0	24.43	25.03	< 30.00
		1	77	23.83	24.43	< 30.00
		1	0	23.92	24.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3470.01	40	50	25	24.05	24.65	< 30.00
		1	1	24.03	24.63	< 30.00
		1	104	24.30	24.90	< 30.00
		100	0	24.12	24.72	< 30.00
		1	105	23.76	24.36	< 30.00
		1	0	23.80	24.40	< 30.00
3500.01	40	50	25	24.28	24.88	< 30.00
		1	1	24.21	24.81	< 30.00
		1	104	24.50	25.10	< 30.00
		100	0	24.42	25.02	< 30.00
		1	105	24.06	24.66	< 30.00
		1	0	23.93	24.53	< 30.00
3529.98	40	50	25	24.53	25.13	< 30.00
		1	1	24.46	25.06	< 30.00
		1	104	24.50	25.10	< 30.00
		100	0	24.55	25.15	< 30.00
		1	105	24.03	24.63	< 30.00
		1	0	23.83	24.43	< 30.00
3475.02	50	64	32	23.96	24.56	< 30.00
		1	1	24.16	24.76	< 30.00
		1	131	24.13	24.73	< 30.00
		128	0	23.99	24.59	< 30.00
		1	132	23.61	24.21	< 30.00
		1	0	23.59	24.19	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3500.01	50	64	32	24.11	24.71	< 30.00
		1	1	23.96	24.56	< 30.00
		1	131	24.02	24.62	< 30.00
		128	0	24.12	24.72	< 30.00
		1	132	23.50	24.10	< 30.00
		1	0	23.79	24.39	< 30.00
3525.00	50	64	32	24.11	24.71	< 30.00
		1	1	24.06	24.66	< 30.00
		1	131	24.13	24.73	< 30.00
		128	0	24.16	24.76	< 30.00
		1	132	23.48	24.08	< 30.00
		1	0	23.72	24.32	< 30.00
3480.00	60	81	40	23.98	24.58	< 30.00
		1	1	23.90	24.50	< 30.00
		1	160	23.92	24.52	< 30.00
		162	0	23.90	24.50	< 30.00
		1	161	23.37	23.97	< 30.00
		1	0	23.42	24.02	< 30.00
3500.01	60	81	40	24.23	24.83	< 30.00
		1	1	23.89	24.49	< 30.00
		1	160	24.17	24.77	< 30.00
		162	0	24.18	24.78	< 30.00
		1	161	23.50	24.10	< 30.00
		1	0	23.57	24.17	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3519.99	60	81	40	24.19	24.79	< 30.00
		1	1	23.94	24.54	< 30.00
		1	160	23.97	24.57	< 30.00
		162	0	24.16	24.76	< 30.00
		1	161	23.54	24.14	< 30.00
		1	0	23.54	24.14	< 30.00
3485.01	70	90	45	24.06	24.66	< 30.00
		1	1	23.76	24.36	< 30.00
		1	187	23.86	24.46	< 30.00
		180	0	24.01	24.61	< 30.00
		1	188	23.32	23.92	< 30.00
		1	0	23.39	23.99	< 30.00
3500.01	70	90	45	24.01	24.61	< 30.00
		1	1	23.70	24.30	< 30.00
		1	187	24.00	24.60	< 30.00
		180	0	24.03	24.63	< 30.00
		1	188	23.64	24.24	< 30.00
		1	0	23.41	24.01	< 30.00
3514.98	70	90	45	23.94	24.54	< 30.00
		1	1	23.91	24.51	< 30.00
		1	187	24.01	24.61	< 30.00
		180	0	24.13	24.73	< 30.00
		1	188	23.46	24.06	< 30.00
		1	0	23.43	24.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3490.02	80	108	54	23.90	24.50	< 30.00
		1	1	23.92	24.52	< 30.00
		1	215	23.97	24.57	< 30.00
		216	0	23.97	24.57	< 30.00
		1	216	23.61	24.21	< 30.00
		1	0	23.33	23.93	< 30.00
3500.01	80	108	54	24.15	24.75	< 30.00
		1	1	23.67	24.27	< 30.00
		1	215	24.12	24.72	< 30.00
		216	0	23.86	24.46	< 30.00
		1	216	23.46	24.06	< 30.00
		1	0	23.36	23.96	< 30.00
3510.00	80	108	54	24.21	24.81	< 30.00
		1	1	23.66	24.26	< 30.00
		1	215	23.96	24.56	< 30.00
		216	0	24.12	24.72	< 30.00
		1	216	23.58	24.18	< 30.00
		1	0	23.33	23.93	< 30.00
3495.00	90	120	60	23.93	24.53	< 30.00
		1	1	23.86	24.46	< 30.00
		1	243	24.09	24.69	< 30.00
		243	0	24.02	24.62	< 30.00
		1	244	23.66	24.26	< 30.00
		1	0	23.27	23.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3500.01	90	120	60	23.90	24.50	< 30.00
		1	1	23.85	24.45	< 30.00
		1	243	24.12	24.72	< 30.00
		243	0	23.91	24.51	< 30.00
		1	244	23.51	24.11	< 30.00
		1	0	23.37	23.97	< 30.00
3504.99	90	120	60	24.03	24.63	< 30.00
		1	1	23.84	24.44	< 30.00
		1	243	24.22	24.82	< 30.00
		243	0	23.87	24.47	< 30.00
		1	244	23.49	24.09	< 30.00
		1	0	23.36	23.96	< 30.00
3500.01	100	135	67	24.12	24.72	< 30.00
		1	1	23.98	24.58	< 30.00
		1	271	23.88	24.48	< 30.00
		270	0	23.75	24.35	< 30.00
		1	272	23.94	24.54	< 30.00
		1	0	23.96	24.56	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3455.01	10	12	6	24.33	24.93	< 30.00
		1	1	24.59	25.19	< 30.00
		1	22	24.40	25.00	< 30.00
		24	0	24.39	24.99	< 30.00
		1	23	23.90	24.50	< 30.00
		1	0	24.11	24.71	< 30.00
3500.01	10	12	6	24.48	25.08	< 30.00
		1	1	24.65	25.25	< 30.00
		1	22	24.59	25.19	< 30.00
		24	0	24.56	25.16	< 30.00
		1	23	24.05	24.65	< 30.00
		1	0	24.02	24.62	< 30.00
3544.98	10	12	6	24.35	24.95	< 30.00
		1	1	24.45	25.05	< 30.00
		1	22	24.45	25.05	< 30.00
		24	0	24.36	24.96	< 30.00
		1	23	23.85	24.45	< 30.00
		1	0	24.13	24.73	< 30.00
3457.50	15	18	9	24.07	24.67	< 30.00
		1	1	24.29	24.89	< 30.00
		1	36	24.14	24.74	< 30.00
		36	0	24.13	24.73	< 30.00
		1	37	23.73	24.33	< 30.00
		1	0	23.76	24.36	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3500.01	15	18	9	24.30	24.90	< 30.00
		1	1	24.20	24.80	< 30.00
		1	36	24.30	24.90	< 30.00
		36	0	24.12	24.72	< 30.00
		1	37	23.87	24.47	< 30.00
		1	0	23.76	24.36	< 30.00
3542.49	15	18	9	24.27	24.87	< 30.00
		1	1	24.46	25.06	< 30.00
		1	36	24.27	24.87	< 30.00
		36	0	24.29	24.89	< 30.00
		1	37	23.83	24.43	< 30.00
		1	0	23.96	24.56	< 30.00
3460.02	20	25	12	24.02	24.62	< 30.00
		1	1	24.04	24.64	< 30.00
		1	49	24.10	24.70	< 30.00
		50	0	24.05	24.65	< 30.00
		1	50	23.68	24.28	< 30.00
		1	0	23.71	24.31	< 30.00
3500.01	20	25	12	24.04	24.64	< 30.00
		1	1	24.24	24.84	< 30.00
		1	49	24.17	24.77	< 30.00
		50	0	24.05	24.65	< 30.00
		1	50	23.66	24.26	< 30.00
		1	0	23.71	24.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3540.00	20	25	12	24.26	24.86	< 30.00
		1	1	24.26	24.86	< 30.00
		1	49	24.28	24.88	< 30.00
		50	0	24.15	24.75	< 30.00
		1	50	23.86	24.46	< 30.00
		1	0	24.01	24.61	< 30.00
3464.00	30	36	78	24.05	24.65	< 30.00
		1	1	24.10	24.70	< 30.00
		1	76	24.40	25.00	< 30.00
		75	0	24.12	24.72	< 30.00
		1	77	23.88	24.48	< 30.00
		1	0	23.87	24.47	< 30.00
3500.01	30	36	78	24.30	24.90	< 30.00
		1	1	24.33	24.93	< 30.00
		1	76	24.33	24.93	< 30.00
		75	0	24.26	24.86	< 30.00
		1	77	23.75	24.35	< 30.00
		1	0	23.95	24.55	< 30.00
3534.99	30	36	78	24.42	25.02	< 30.00
		1	1	24.41	25.01	< 30.00
		1	76	24.39	24.99	< 30.00
		75	0	24.45	25.05	< 30.00
		1	77	23.87	24.47	< 30.00
		1	0	23.97	24.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3470.01	40	50	25	24.16	24.76	< 30.00
		1	1	24.21	24.81	< 30.00
		1	104	24.42	25.02	< 30.00
		100	0	24.20	24.80	< 30.00
		1	105	24.02	24.62	< 30.00
		1	0	23.81	24.41	< 30.00
3500.01	40	50	25	24.30	24.90	< 30.00
		1	1	24.39	24.99	< 30.00
		1	104	24.63	25.23	< 30.00
		100	0	24.33	24.93	< 30.00
		1	105	24.15	24.75	< 30.00
		1	0	24.09	24.69	< 30.00
3529.98	40	50	25	24.44	25.04	< 30.00
		1	1	24.40	25.00	< 30.00
		1	104	24.59	25.19	< 30.00
		100	0	24.42	25.02	< 30.00
		1	105	24.08	24.68	< 30.00
		1	0	24.10	24.70	< 30.00
3475.02	50	64	32	24.08	24.68	< 30.00
		1	1	24.22	24.82	< 30.00
		1	131	24.05	24.65	< 30.00
		128	0	23.92	24.52	< 30.00
		1	132	23.45	24.05	< 30.00
		1	0	23.72	24.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3500.01	50	64	32	24.05	24.65	< 30.00
		1	1	24.14	24.74	< 30.00
		1	131	24.12	24.72	< 30.00
		128	0	24.01	24.61	< 30.00
		1	132	23.73	24.33	< 30.00
		1	0	23.72	24.32	< 30.00
3525.00	50	64	32	24.18	24.78	< 30.00
		1	1	24.19	24.79	< 30.00
		1	131	24.05	24.65	< 30.00
		128	0	24.11	24.71	< 30.00
		1	132	23.56	24.16	< 30.00
		1	0	23.70	24.30	< 30.00
3480.00	60	81	40	24.09	24.69	< 30.00
		1	1	24.07	24.67	< 30.00
		1	160	24.18	24.78	< 30.00
		162	0	23.93	24.53	< 30.00
		1	161	23.48	24.08	< 30.00
		1	0	23.43	24.03	< 30.00
3500.01	60	81	40	24.05	24.65	< 30.00
		1	1	24.10	24.70	< 30.00
		1	160	24.22	24.82	< 30.00
		162	0	24.11	24.71	< 30.00
		1	161	23.62	24.22	< 30.00
		1	0	23.58	24.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3519.99	60	81	40	24.03	24.63	< 30.00
		1	1	24.13	24.73	< 30.00
		1	160	24.09	24.69	< 30.00
		162	0	24.09	24.69	< 30.00
		1	161	23.57	24.17	< 30.00
		1	0	23.71	24.31	< 30.00
3485.01	70	90	45	23.87	24.47	< 30.00
		1	1	23.79	24.39	< 30.00
		1	187	23.95	24.55	< 30.00
		180	0	24.04	24.64	< 30.00
		1	188	23.53	24.13	< 30.00
		1	0	23.45	24.05	< 30.00
3500.01	70	90	45	23.97	24.57	< 30.00
		1	1	23.75	24.35	< 30.00
		1	187	24.11	24.71	< 30.00
		180	0	24.08	24.68	< 30.00
		1	188	23.80	24.40	< 30.00
		1	0	23.42	24.02	< 30.00
3514.98	70	90	45	23.97	24.57	< 30.00
		1	1	23.99	24.59	< 30.00
		1	187	24.13	24.73	< 30.00
		180	0	24.00	24.60	< 30.00
		1	188	23.50	24.10	< 30.00
		1	0	23.57	24.17	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3490.02	80	108	54	24.05	24.65	< 30.00
		1	1	23.88	24.48	< 30.00
		1	215	24.16	24.76	< 30.00
		216	0	24.02	24.62	< 30.00
		1	216	23.65	24.25	< 30.00
		1	0	23.44	24.04	< 30.00
3500.01	80	108	54	24.06	24.66	< 30.00
		1	1	23.95	24.55	< 30.00
		1	215	24.17	24.77	< 30.00
		216	0	23.97	24.57	< 30.00
		1	216	23.74	24.34	< 30.00
		1	0	23.48	24.08	< 30.00
3510.00	80	108	54	24.06	24.66	< 30.00
		1	1	23.82	24.42	< 30.00
		1	215	24.07	24.67	< 30.00
		216	0	23.86	24.46	< 30.00
		1	216	23.53	24.13	< 30.00
		1	0	23.45	24.05	< 30.00
3495.00	90	120	60	24.01	24.61	< 30.00
		1	1	24.03	24.63	< 30.00
		1	243	24.12	24.72	< 30.00
		243	0	24.02	24.62	< 30.00
		1	244	23.53	24.13	< 30.00
		1	0	23.52	24.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3500.01	90	120	60	23.90	24.50	< 30.00
		1	1	23.83	24.43	< 30.00
		1	243	24.26	24.86	< 30.00
		243	0	24.01	24.61	< 30.00
		1	244	23.68	24.28	< 30.00
		1	0	23.31	23.91	< 30.00
3504.99	90	120	60	24.01	24.61	< 30.00
		1	1	23.89	24.49	< 30.00
		1	243	24.24	24.84	< 30.00
		243	0	23.86	24.46	< 30.00
		1	244	23.63	24.23	< 30.00
		1	0	23.30	23.90	< 30.00
3500.01	100	135	67	24.13	24.73	< 30.00
		1	1	24.13	24.73	< 30.00
		1	271	23.92	24.52	< 30.00
		270	0	23.94	24.54	< 30.00
		1	272	24.11	24.71	< 30.00
		1	0	24.22	24.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3455.01	10	12	6	24.48	25.08	< 30.00
		1	1	24.45	25.05	< 30.00
		1	22	24.48	25.08	< 30.00
		24	0	24.56	25.16	< 30.00
		1	23	23.85	24.45	< 30.00
		1	0	24.08	24.68	< 30.00
3500.01	10	12	6	24.49	25.09	< 30.00
		1	1	24.57	25.17	< 30.00
		1	22	24.59	25.19	< 30.00
		24	0	24.59	25.19	< 30.00
		1	23	23.88	24.48	< 30.00
		1	0	24.16	24.76	< 30.00
3544.98	10	12	6	24.49	25.09	< 30.00
		1	1	24.79	25.39	< 30.00
		1	22	24.30	24.90	< 30.00
		24	0	24.43	25.03	< 30.00
		1	23	23.83	24.43	< 30.00
		1	0	24.00	24.60	< 30.00
3457.50	15	18	9	24.15	24.75	< 30.00
		1	1	24.33	24.93	< 30.00
		1	36	24.09	24.69	< 30.00
		36	0	24.21	24.81	< 30.00
		1	37	23.85	24.45	< 30.00
		1	0	23.91	24.51	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3500.01	15	18	9	24.17	24.77	< 30.00
		1	1	24.25	24.85	< 30.00
		1	36	24.41	25.01	< 30.00
		36	0	24.21	24.81	< 30.00
		1	37	23.89	24.49	< 30.00
		1	0	23.71	24.31	< 30.00
3542.49	15	18	9	24.32	24.92	< 30.00
		1	1	24.32	24.92	< 30.00
		1	36	24.39	24.99	< 30.00
		36	0	24.28	24.88	< 30.00
		1	37	23.75	24.35	< 30.00
		1	0	23.89	24.49	< 30.00
3460.02	20	25	12	24.18	24.78	< 30.00
		1	1	24.00	24.60	< 30.00
		1	49	23.97	24.57	< 30.00
		50	0	23.98	24.58	< 30.00
		1	50	23.65	24.25	< 30.00
		1	0	23.58	24.18	< 30.00
3500.01	20	25	12	24.14	24.74	< 30.00
		1	1	24.34	24.94	< 30.00
		1	49	24.10	24.70	< 30.00
		50	0	24.16	24.76	< 30.00
		1	50	23.60	24.20	< 30.00
		1	0	23.73	24.33	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3540.00	20	25	12	24.39	24.99	< 30.00
		1	1	24.26	24.86	< 30.00
		1	49	24.40	25.00	< 30.00
		50	0	24.16	24.76	< 30.00
		1	50	23.79	24.39	< 30.00
		1	0	23.93	24.53	< 30.00
3464.00	30	36	78	24.06	24.66	< 30.00
		1	1	24.14	24.74	< 30.00
		1	76	24.22	24.82	< 30.00
		75	0	24.25	24.85	< 30.00
		1	77	23.71	24.31	< 30.00
		1	0	23.73	24.33	< 30.00
3500.01	30	36	78	24.35	24.95	< 30.00
		1	1	24.20	24.80	< 30.00
		1	76	24.28	24.88	< 30.00
		75	0	24.35	24.95	< 30.00
		1	77	23.78	24.38	< 30.00
		1	0	23.86	24.46	< 30.00
3534.99	30	36	78	24.43	25.03	< 30.00
		1	1	24.55	25.15	< 30.00
		1	76	24.27	24.87	< 30.00
		75	0	24.48	25.08	< 30.00
		1	77	23.76	24.36	< 30.00
		1	0	24.33	24.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3470.01	40	50	25	24.23	24.83	< 30.00
		1	1	24.16	24.76	< 30.00
		1	104	24.37	24.97	< 30.00
		100	0	24.27	24.87	< 30.00
		1	105	24.09	24.69	< 30.00
		1	0	23.99	24.59	< 30.00
3500.01	40	50	25	24.28	24.88	< 30.00
		1	1	24.32	24.92	< 30.00
		1	104	24.69	25.29	< 30.00
		100	0	24.37	24.97	< 30.00
		1	105	24.40	25.00	< 30.00
		1	0	23.95	24.55	< 30.00
3529.98	40	50	25	24.49	25.09	< 30.00
		1	1	24.34	24.94	< 30.00
		1	104	24.44	25.04	< 30.00
		100	0	24.48	25.08	< 30.00
		1	105	24.02	24.62	< 30.00
		1	0	23.87	24.47	< 30.00
3475.02	50	64	32	23.93	24.53	< 30.00
		1	1	24.18	24.78	< 30.00
		1	131	24.02	24.62	< 30.00
		128	0	24.05	24.65	< 30.00
		1	132	23.62	24.22	< 30.00
		1	0	23.55	24.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3500.01	50	64	32	24.02	24.62	< 30.00
		1	1	24.29	24.89	< 30.00
		1	131	24.08	24.68	< 30.00
		128	0	24.13	24.73	< 30.00
		1	132	23.67	24.27	< 30.00
		1	0	23.79	24.39	< 30.00
3525.00	50	64	32	24.22	24.82	< 30.00
		1	1	24.13	24.73	< 30.00
		1	131	24.22	24.82	< 30.00
		128	0	24.13	24.73	< 30.00
		1	132	23.72	24.32	< 30.00
		1	0	23.63	24.23	< 30.00
3480.00	60	81	40	24.08	24.68	< 30.00
		1	1	24.20	24.80	< 30.00
		1	160	24.13	24.73	< 30.00
		162	0	24.11	24.71	< 30.00
		1	161	23.43	24.03	< 30.00
		1	0	23.28	23.88	< 30.00
3500.01	60	81	40	24.20	24.80	< 30.00
		1	1	24.13	24.73	< 30.00
		1	160	24.48	25.08	< 30.00
		162	0	24.17	24.77	< 30.00
		1	161	23.76	24.36	< 30.00
		1	0	23.62	24.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3519.99	60	81	40	24.10	24.70	< 30.00
		1	1	24.04	24.64	< 30.00
		1	160	24.22	24.82	< 30.00
		162	0	24.07	24.67	< 30.00
		1	161	23.49	24.09	< 30.00
		1	0	23.81	24.41	< 30.00
3485.01	70	90	45	23.99	24.59	< 30.00
		1	1	24.04	24.64	< 30.00
		1	187	23.98	24.58	< 30.00
		180	0	24.00	24.60	< 30.00
		1	188	23.46	24.06	< 30.00
		1	0	23.49	24.09	< 30.00
3500.01	70	90	45	23.97	24.57	< 30.00
		1	1	23.86	24.46	< 30.00
		1	187	24.16	24.76	< 30.00
		180	0	23.93	24.53	< 30.00
		1	188	23.45	24.05	< 30.00
		1	0	23.54	24.14	< 30.00
3514.98	70	90	45	24.17	24.77	< 30.00
		1	1	24.00	24.60	< 30.00
		1	187	24.05	24.65	< 30.00
		180	0	24.15	24.75	< 30.00
		1	188	23.43	24.03	< 30.00
		1	0	23.50	24.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3490.02	80	108	54	24.07	24.67	< 30.00
		1	1	24.03	24.63	< 30.00
		1	215	24.32	24.92	< 30.00
		216	0	24.00	24.60	< 30.00
		1	216	23.69	24.29	< 30.00
		1	0	23.60	24.20	< 30.00
3500.01	80	108	54	24.02	24.62	< 30.00
		1	1	23.76	24.36	< 30.00
		1	215	24.11	24.71	< 30.00
		216	0	23.94	24.54	< 30.00
		1	216	23.65	24.25	< 30.00
		1	0	23.32	23.92	< 30.00
3510.00	80	108	54	23.96	24.56	< 30.00
		1	1	23.75	24.35	< 30.00
		1	215	24.02	24.62	< 30.00
		216	0	23.95	24.55	< 30.00
		1	216	23.47	24.07	< 30.00
		1	0	23.32	23.92	< 30.00
3495.00	90	120	60	23.93	24.53	< 30.00
		1	1	23.77	24.37	< 30.00
		1	243	24.14	24.74	< 30.00
		243	0	23.90	24.50	< 30.00
		1	244	23.58	24.18	< 30.00
		1	0	23.56	24.16	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3500.01	90	120	60	24.03	24.63	< 30.00
		1	1	23.94	24.54	< 30.00
		1	243	24.28	24.88	< 30.00
		243	0	23.99	24.59	< 30.00
		1	244	23.70	24.30	< 30.00
		1	0	23.25	23.85	< 30.00
3504.99	90	120	60	24.05	24.65	< 30.00
		1	1	23.93	24.53	< 30.00
		1	243	24.16	24.76	< 30.00
		243	0	23.94	24.54	< 30.00
		1	244	23.58	24.18	< 30.00
		1	0	23.41	24.01	< 30.00
3500.01	100	135	67	24.16	24.76	< 30.00
		1	1	24.05	24.65	< 30.00
		1	271	23.97	24.57	< 30.00
		270	0	23.98	24.58	< 30.00
		1	272	24.17	24.77	< 30.00
		1	0	24.08	24.68	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3455.01	10	12	6	21.58	22.18	< 30.00
		1	1	21.36	21.96	< 30.00
		1	22	21.44	22.04	< 30.00
		24	0	21.42	22.02	< 30.00
		1	23	21.44	22.04	< 30.00
		1	0	21.41	22.01	< 30.00
3500.01	10	12	6	21.93	22.53	< 30.00
		1	1	21.89	22.49	< 30.00
		1	22	21.77	22.37	< 30.00
		24	0	21.86	22.46	< 30.00
		1	23	21.76	22.36	< 30.00
		1	0	21.86	22.46	< 30.00
3544.98	10	12	6	21.52	22.12	< 30.00
		1	1	21.37	21.97	< 30.00
		1	22	21.40	22.00	< 30.00
		24	0	21.42	22.02	< 30.00
		1	23	21.36	21.96	< 30.00
		1	0	21.40	22.00	< 30.00
3457.50	15	18	9	21.49	22.09	< 30.00
		1	1	21.59	22.19	< 30.00
		1	36	21.52	22.12	< 30.00
		36	0	21.51	22.11	< 30.00
		1	37	21.57	22.17	< 30.00
		1	0	21.63	22.23	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	15	18	9	21.89	22.49	< 30.00
		1	1	21.97	22.57	< 30.00
		1	36	21.87	22.47	< 30.00
		36	0	21.81	22.41	< 30.00
		1	37	21.84	22.44	< 30.00
		1	0	21.98	22.58	< 30.00
3542.49	15	18	9	21.60	22.20	< 30.00
		1	1	21.64	22.24	< 30.00
		1	36	21.57	22.17	< 30.00
		36	0	21.58	22.18	< 30.00
		1	37	21.56	22.16	< 30.00
		1	0	21.62	22.22	< 30.00
3460.02	20	25	12	21.57	22.17	< 30.00
		1	1	21.54	22.14	< 30.00
		1	49	21.83	22.43	< 30.00
		50	0	21.55	22.15	< 30.00
		1	50	21.79	22.39	< 30.00
		1	0	21.61	22.21	< 30.00
3500.01	20	25	12	21.97	22.57	< 30.00
		1	1	22.04	22.64	< 30.00
		1	49	21.90	22.50	< 30.00
		50	0	21.73	22.33	< 30.00
		1	50	21.85	22.45	< 30.00
		1	0	21.87	22.47	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3540.00	20	25	12	21.48	22.08	< 30.00
		1	1	21.55	22.15	< 30.00
		1	49	21.61	22.21	< 30.00
		50	0	21.58	22.18	< 30.00
		1	50	21.63	22.23	< 30.00
		1	0	21.70	22.30	< 30.00
3464.00	30	36	78	21.73	22.33	< 30.00
		1	1	21.75	22.35	< 30.00
		1	76	22.07	22.67	< 30.00
		75	0	21.84	22.44	< 30.00
		1	77	22.05	22.65	< 30.00
		1	0	21.69	22.29	< 30.00
3500.01	30	36	78	22.00	22.60	< 30.00
		1	1	22.17	22.77	< 30.00
		1	76	21.90	22.50	< 30.00
		75	0	22.03	22.63	< 30.00
		1	77	21.91	22.51	< 30.00
		1	0	22.16	22.76	< 30.00
3534.99	30	36	78	21.65	22.25	< 30.00
		1	1	21.85	22.45	< 30.00
		1	76	21.65	22.25	< 30.00
		75	0	21.71	22.31	< 30.00
		1	77	21.69	22.29	< 30.00
		1	0	21.82	22.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3470.01	40	50	25	21.77	22.37	< 30.00
		1	1	21.98	22.58	< 30.00
		1	104	22.38	22.98	< 30.00
		100	0	21.91	22.51	< 30.00
		1	105	22.38	22.98	< 30.00
		1	0	21.97	22.57	< 30.00
3500.01	40	50	25	21.94	22.54	< 30.00
		1	1	22.19	22.79	< 30.00
		1	104	21.93	22.53	< 30.00
		100	0	22.08	22.68	< 30.00
		1	105	21.91	22.51	< 30.00
		1	0	22.20	22.80	< 30.00
3529.98	40	50	25	21.69	22.29	< 30.00
		1	1	22.00	22.60	< 30.00
		1	104	21.66	22.26	< 30.00
		100	0	21.80	22.40	< 30.00
		1	105	21.64	22.24	< 30.00
		1	0	21.95	22.55	< 30.00
3475.02	50	64	32	21.70	22.30	< 30.00
		1	1	21.74	22.34	< 30.00
		1	131	22.03	22.63	< 30.00
		128	0	21.66	22.26	< 30.00
		1	132	21.98	22.58	< 30.00
		1	0	21.73	22.33	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	50	64	32	21.75	22.35	< 30.00
		1	1	22.04	22.64	< 30.00
		1	131	21.63	22.23	< 30.00
		128	0	21.80	22.40	< 30.00
		1	132	21.65	22.25	< 30.00
		1	0	22.16	22.76	< 30.00
3525.00	50	64	32	21.48	22.08	< 30.00
		1	1	21.82	22.42	< 30.00
		1	131	21.32	21.92	< 30.00
		128	0	21.57	22.17	< 30.00
		1	132	21.31	21.91	< 30.00
		1	0	21.93	22.53	< 30.00
3480.00	60	81	40	21.82	22.42	< 30.00
		1	1	21.57	22.17	< 30.00
		1	160	21.82	22.42	< 30.00
		162	0	21.67	22.27	< 30.00
		1	161	21.80	22.40	< 30.00
		1	0	21.58	22.18	< 30.00
3500.01	60	81	40	21.86	22.46	< 30.00
		1	1	21.89	22.49	< 30.00
		1	160	21.59	22.19	< 30.00
		162	0	21.77	22.37	< 30.00
		1	161	21.62	22.22	< 30.00
		1	0	21.93	22.53	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3519.99	60	81	40	21.60	22.20	< 30.00
		1	1	21.92	22.52	< 30.00
		1	160	21.48	22.08	< 30.00
		162	0	21.63	22.23	< 30.00
		1	161	21.49	22.09	< 30.00
		1	0	22.04	22.64	< 30.00
3485.01	70	90	45	21.70	22.30	< 30.00
		1	1	21.29	21.89	< 30.00
		1	187	21.41	22.01	< 30.00
		180	0	21.70	22.30	< 30.00
		1	188	21.38	21.98	< 30.00
		1	0	21.36	21.96	< 30.00
3500.01	70	90	45	21.75	22.35	< 30.00
		1	1	21.59	22.19	< 30.00
		1	187	21.34	21.94	< 30.00
		180	0	21.72	22.32	< 30.00
		1	188	21.34	21.94	< 30.00
		1	0	21.64	22.24	< 30.00
3514.98	70	90	45	21.60	22.20	< 30.00
		1	1	21.73	22.33	< 30.00
		1	187	21.22	21.82	< 30.00
		180	0	21.58	22.18	< 30.00
		1	188	21.25	21.85	< 30.00
		1	0	21.81	22.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3490.02	80	108	54	21.73	22.33	< 30.00
		1	1	21.30	21.90	< 30.00
		1	215	21.51	22.11	< 30.00
		216	0	21.63	22.23	< 30.00
		1	216	21.45	22.05	< 30.00
		1	0	21.41	22.01	< 30.00
3500.01	80	108	54	21.77	22.37	< 30.00
		1	1	21.38	21.98	< 30.00
		1	215	21.37	21.97	< 30.00
		216	0	21.65	22.25	< 30.00
		1	216	21.34	21.94	< 30.00
		1	0	21.63	22.23	< 30.00
3510.00	80	108	54	21.66	22.26	< 30.00
		1	1	21.62	22.22	< 30.00
		1	215	21.31	21.91	< 30.00
		216	0	21.60	22.20	< 30.00
		1	216	21.28	21.88	< 30.00
		1	0	21.70	22.30	< 30.00
3495.00	90	120	60	21.67	22.27	< 30.00
		1	1	21.36	21.96	< 30.00
		1	243	21.49	22.09	< 30.00
		243	0	21.62	22.22	< 30.00
		1	244	21.50	22.10	< 30.00
		1	0	21.42	22.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	90	120	60	21.74	22.34	< 30.00
		1	1	21.36	21.96	< 30.00
		1	243	21.42	22.02	< 30.00
		243	0	21.66	22.26	< 30.00
		1	244	21.36	21.96	< 30.00
		1	0	21.53	22.13	< 30.00
3504.99	90	120	60	21.65	22.25	< 30.00
		1	1	21.49	22.09	< 30.00
		1	243	21.47	22.07	< 30.00
		243	0	21.62	22.22	< 30.00
		1	244	21.57	22.17	< 30.00
		1	0	21.83	22.43	< 30.00
3500.01	100	135	67	21.74	22.34	< 30.00
		1	1	21.33	21.93	< 30.00
		1	271	21.43	22.03	< 30.00
		270	0	21.63	22.23	< 30.00
		1	272	21.37	21.97	< 30.00
		1	0	21.52	22.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	HPUE n77/n78_SA (3450 ~ 3550)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3455.01	10	12	6	26.97	27.57	< 30.00
		1	1	26.86	27.46	< 30.00
		1	22	26.79	27.39	< 30.00
		24	0	26.52	27.12	< 30.00
		1	23	23.19	23.79	< 30.00
		1	0	23.40	24.00	< 30.00
3500.01	10	12	6	27.14	27.74	< 30.00
		1	1	27.05	27.65	< 30.00
		1	22	27.03	27.63	< 30.00
		24	0	26.59	27.19	< 30.00
		1	23	23.43	24.03	< 30.00
		1	0	23.50	24.10	< 30.00
3544.98	10	12	6	27.26	27.86	< 30.00
		1	1	27.19	27.79	< 30.00
		1	22	27.11	27.71	< 30.00
		24	0	26.81	27.41	< 30.00
		1	23	23.69	24.29	< 30.00
		1	0	23.73	24.33	< 30.00
3457.50	15	18	9	27.18	27.78	< 30.00
		1	1	27.12	27.72	< 30.00
		1	36	27.03	27.63	< 30.00
		36	0	26.56	27.16	< 30.00
		1	37	23.47	24.07	< 30.00
		1	0	23.49	24.09	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3500.01	15	18	9	27.29	27.89	< 30.00
		1	1	27.22	27.82	< 30.00
		1	36	27.18	27.78	< 30.00
		36	0	26.66	27.26	< 30.00
		1	37	23.71	24.31	< 30.00
		1	0	23.69	24.29	< 30.00
3542.49	15	18	9	27.34	27.94	< 30.00
		1	1	27.27	27.87	< 30.00
		1	36	27.30	27.90	< 30.00
		36	0	26.80	27.40	< 30.00
		1	37	23.70	24.30	< 30.00
		1	0	23.71	24.31	< 30.00
3460.02	20	25	12	27.11	27.71	< 30.00
		1	1	27.06	27.66	< 30.00
		1	49	27.04	27.64	< 30.00
		50	0	26.65	27.25	< 30.00
		1	50	23.64	24.24	< 30.00
		1	0	23.51	24.11	< 30.00
3500.01	20	25	12	27.21	27.81	< 30.00
		1	1	27.23	27.83	< 30.00
		1	49	27.28	27.88	< 30.00
		50	0	26.74	27.34	< 30.00
		1	50	23.71	24.31	< 30.00
		1	0	23.60	24.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3540.00	20	25	12	27.42	28.02	< 30.00
		1	1	27.28	27.88	< 30.00
		1	49	27.28	27.88	< 30.00
		50	0	26.95	27.55	< 30.00
		1	50	23.85	24.45	< 30.00
		1	0	23.88	24.48	< 30.00
3464.00	30	36	78	27.19	27.79	< 30.00
		1	1	27.34	27.94	< 30.00
		1	76	27.33	27.93	< 30.00
		75	0	26.73	27.33	< 30.00
		1	77	23.84	24.44	< 30.00
		1	0	23.84	24.44	< 30.00
3500.01	30	36	78	27.30	27.90	< 30.00
		1	1	27.43	28.03	< 30.00
		1	76	27.37	27.97	< 30.00
		75	0	26.86	27.46	< 30.00
		1	77	23.92	24.52	< 30.00
		1	0	23.76	24.36	< 30.00
3534.99	30	36	78	27.49	28.09	< 30.00
		1	1	27.49	28.09	< 30.00
		1	76	27.40	28.00	< 30.00
		75	0	26.95	27.55	< 30.00
		1	77	23.81	24.41	< 30.00
		1	0	23.88	24.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3470.01	40	50	25	27.20	27.80	< 30.00
		1	1	27.29	27.89	< 30.00
		1	104	27.44	28.04	< 30.00
		100	0	26.79	27.39	< 30.00
		1	105	24.08	24.68	< 30.00
		1	0	23.88	24.48	< 30.00
3500.01	40	50	25	27.42	28.02	< 30.00
		1	1	27.43	28.03	< 30.00
		1	104	27.52	28.12	< 30.00
		100	0	26.85	27.45	< 30.00
		1	105	24.08	24.68	< 30.00
		1	0	23.86	24.46	< 30.00
3529.98	40	50	25	27.51	28.11	< 30.00
		1	1	27.48	28.08	< 30.00
		1	104	27.33	27.93	< 30.00
		100	0	26.90	27.50	< 30.00
		1	105	23.92	24.52	< 30.00
		1	0	24.03	24.63	< 30.00
3475.02	50	64	32	27.01	27.61	< 30.00
		1	1	27.09	27.69	< 30.00
		1	131	27.05	27.65	< 30.00
		128	0	26.55	27.15	< 30.00
		1	132	23.61	24.21	< 30.00
		1	0	23.46	24.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3500.01	50	64	32	27.15	27.75	< 30.00
		1	1	27.09	27.69	< 30.00
		1	131	27.04	27.64	< 30.00
		128	0	26.71	27.31	< 30.00
		1	132	23.68	24.28	< 30.00
		1	0	23.57	24.17	< 30.00
3525.00	50	64	32	27.10	27.70	< 30.00
		1	1	27.11	27.71	< 30.00
		1	131	27.06	27.66	< 30.00
		128	0	26.72	27.32	< 30.00
		1	132	23.62	24.22	< 30.00
		1	0	23.57	24.17	< 30.00
3480.00	60	81	40	27.18	27.78	< 30.00
		1	1	27.01	27.61	< 30.00
		1	160	26.99	27.59	< 30.00
		162	0	26.65	27.25	< 30.00
		1	161	23.34	23.94	< 30.00
		1	0	23.56	24.16	< 30.00
3500.01	60	81	40	27.22	27.82	< 30.00
		1	1	26.91	27.51	< 30.00
		1	160	27.18	27.78	< 30.00
		162	0	26.75	27.35	< 30.00
		1	161	23.63	24.23	< 30.00
		1	0	23.51	24.11	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3519.99	60	81	40	27.17	27.77	< 30.00
		1	1	27.01	27.61	< 30.00
		1	160	27.02	27.62	< 30.00
		162	0	26.66	27.26	< 30.00
		1	161	23.54	24.14	< 30.00
		1	0	23.53	24.13	< 30.00
3485.01	70	90	45	27.02	27.62	< 30.00
		1	1	26.85	27.45	< 30.00
		1	187	26.91	27.51	< 30.00
		180	0	26.53	27.13	< 30.00
		1	188	23.64	24.24	< 30.00
		1	0	23.37	23.97	< 30.00
3500.01	70	90	45	27.01	27.61	< 30.00
		1	1	26.88	27.48	< 30.00
		1	187	27.11	27.71	< 30.00
		180	0	26.56	27.16	< 30.00
		1	188	23.54	24.14	< 30.00
		1	0	23.54	24.14	< 30.00
3514.98	70	90	45	27.15	27.75	< 30.00
		1	1	26.96	27.56	< 30.00
		1	187	26.93	27.53	< 30.00
		180	0	26.69	27.29	< 30.00
		1	188	23.54	24.14	< 30.00
		1	0	23.46	24.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3490.02	80	108	54	27.05	27.65	< 30.00
		1	1	26.87	27.47	< 30.00
		1	215	27.09	27.69	< 30.00
		216	0	26.52	27.12	< 30.00
		1	216	23.52	24.12	< 30.00
		1	0	23.49	24.09	< 30.00
3500.01	80	108	54	27.11	27.71	< 30.00
		1	1	26.83	27.43	< 30.00
		1	215	27.20	27.80	< 30.00
		216	0	26.59	27.19	< 30.00
		1	216	23.50	24.10	< 30.00
		1	0	23.34	23.94	< 30.00
3510.00	80	108	54	27.12	27.72	< 30.00
		1	1	26.96	27.56	< 30.00
		1	215	27.08	27.68	< 30.00
		216	0	26.64	27.24	< 30.00
		1	216	23.39	23.99	< 30.00
		1	0	23.59	24.19	< 30.00
3495.00	90	120	60	27.10	27.70	< 30.00
		1	1	26.95	27.55	< 30.00
		1	243	27.26	27.86	< 30.00
		243	0	26.50	27.10	< 30.00
		1	244	23.62	24.22	< 30.00
		1	0	23.51	24.11	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3500.01	90	120	60	27.19	27.79	< 30.00
		1	1	26.87	27.47	< 30.00
		1	243	27.21	27.81	< 30.00
		243	0	26.59	27.19	< 30.00
		1	244	23.47	24.07	< 30.00
		1	0	23.49	24.09	< 30.00
3504.99	90	120	60	27.16	27.76	< 30.00
		1	1	26.77	27.37	< 30.00
		1	243	27.21	27.81	< 30.00
		243	0	26.65	27.25	< 30.00
		1	244	23.48	24.08	< 30.00
		1	0	23.53	24.13	< 30.00
3500.01	100	135	67	27.21	27.81	< 30.00
		1	1	26.81	27.41	< 30.00
		1	271	27.06	27.66	< 30.00
		270	0	26.57	27.17	< 30.00
		1	272	23.40	24.00	< 30.00
		1	0	23.35	23.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3455.01	10	12	6	26.91	27.51	< 30.00
		1	1	26.91	27.51	< 30.00
		1	22	26.76	27.36	< 30.00
		24	0	25.97	26.57	< 30.00
		1	23	23.30	23.90	< 30.00
		1	0	23.61	24.21	< 30.00
3500.01	10	12	6	27.14	27.74	< 30.00
		1	1	26.99	27.59	< 30.00
		1	22	26.96	27.56	< 30.00
		24	0	26.02	26.62	< 30.00
		1	23	23.40	24.00	< 30.00
		1	0	23.56	24.16	< 30.00
3544.98	10	12	6	27.24	27.84	< 30.00
		1	1	27.13	27.73	< 30.00
		1	22	27.13	27.73	< 30.00
		24	0	26.21	26.81	< 30.00
		1	23	23.54	24.14	< 30.00
		1	0	23.89	24.49	< 30.00
3457.50	15	18	9	27.06	27.66	< 30.00
		1	1	27.26	27.86	< 30.00
		1	36	27.13	27.73	< 30.00
		36	0	26.08	26.68	< 30.00
		1	37	23.50	24.10	< 30.00
		1	0	23.76	24.36	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3500.01	15	18	9	27.19	27.79	< 30.00
		1	1	27.30	27.90	< 30.00
		1	36	27.03	27.63	< 30.00
		36	0	26.17	26.77	< 30.00
		1	37	23.58	24.18	< 30.00
		1	0	23.66	24.26	< 30.00
3542.49	15	18	9	27.39	27.99	< 30.00
		1	1	27.21	27.81	< 30.00
		1	36	27.28	27.88	< 30.00
		36	0	26.31	26.91	< 30.00
		1	37	23.83	24.43	< 30.00
		1	0	23.78	24.38	< 30.00
3460.02	20	25	12	27.13	27.73	< 30.00
		1	1	27.21	27.81	< 30.00
		1	49	26.98	27.58	< 30.00
		50	0	26.17	26.77	< 30.00
		1	50	23.50	24.10	< 30.00
		1	0	23.77	24.37	< 30.00
3500.01	20	25	12	27.24	27.84	< 30.00
		1	1	27.35	27.95	< 30.00
		1	49	27.21	27.81	< 30.00
		50	0	26.18	26.78	< 30.00
		1	50	23.77	24.37	< 30.00
		1	0	23.86	24.46	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3540.00	20	25	12	27.41	28.01	< 30.00
		1	1	27.29	27.89	< 30.00
		1	49	27.29	27.89	< 30.00
		50	0	26.45	27.05	< 30.00
		1	50	23.77	24.37	< 30.00
		1	0	23.91	24.51	< 30.00
3464.00	30	36	78	27.14	27.74	< 30.00
		1	1	27.21	27.81	< 30.00
		1	76	27.17	27.77	< 30.00
		75	0	26.28	26.88	< 30.00
		1	77	23.84	24.44	< 30.00
		1	0	23.66	24.26	< 30.00
3500.01	30	36	78	27.31	27.91	< 30.00
		1	1	27.36	27.96	< 30.00
		1	76	27.36	27.96	< 30.00
		75	0	26.28	26.88	< 30.00
		1	77	23.76	24.36	< 30.00
		1	0	23.90	24.50	< 30.00
3534.99	30	36	78	27.41	28.01	< 30.00
		1	1	27.56	28.16	< 30.00
		1	76	27.48	28.08	< 30.00
		75	0	26.43	27.03	< 30.00
		1	77	23.85	24.45	< 30.00
		1	0	24.01	24.61	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3470.01	40	50	25	27.26	27.86	< 30.00
		1	1	27.38	27.98	< 30.00
		1	104	27.51	28.11	< 30.00
		100	0	26.28	26.88	< 30.00
		1	105	24.04	24.64	< 30.00
		1	0	23.72	24.32	< 30.00
3500.01	40	50	25	27.31	27.91	< 30.00
		1	1	27.43	28.03	< 30.00
		1	104	27.43	28.03	< 30.00
		100	0	26.35	26.95	< 30.00
		1	105	23.99	24.59	< 30.00
		1	0	23.92	24.52	< 30.00
3529.98	40	50	25	27.47	28.07	< 30.00
		1	1	27.55	28.15	< 30.00
		1	104	27.42	28.02	< 30.00
		100	0	26.48	27.08	< 30.00
		1	105	24.08	24.68	< 30.00
		1	0	24.06	24.66	< 30.00
3475.02	50	64	32	26.99	27.59	< 30.00
		1	1	27.15	27.75	< 30.00
		1	131	27.14	27.74	< 30.00
		128	0	26.04	26.64	< 30.00
		1	132	23.54	24.14	< 30.00
		1	0	23.70	24.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3500.01	50	64	32	27.14	27.74	< 30.00
		1	1	27.11	27.71	< 30.00
		1	131	27.15	27.75	< 30.00
		128	0	26.22	26.82	< 30.00
		1	132	23.49	24.09	< 30.00
		1	0	23.62	24.22	< 30.00
3525.00	50	64	32	27.16	27.76	< 30.00
		1	1	27.14	27.74	< 30.00
		1	131	27.00	27.60	< 30.00
		128	0	26.11	26.71	< 30.00
		1	132	23.61	24.21	< 30.00
		1	0	23.53	24.13	< 30.00
3480.00	60	81	40	27.06	27.66	< 30.00
		1	1	27.13	27.73	< 30.00
		1	160	27.07	27.67	< 30.00
		162	0	26.04	26.64	< 30.00
		1	161	23.38	23.98	< 30.00
		1	0	23.41	24.01	< 30.00
3500.01	60	81	40	27.15	27.75	< 30.00
		1	1	26.93	27.53	< 30.00
		1	160	27.11	27.71	< 30.00
		162	0	26.15	26.75	< 30.00
		1	161	23.56	24.16	< 30.00
		1	0	23.68	24.28	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3519.99	60	81	40	27.14	27.74	< 30.00
		1	1	26.94	27.54	< 30.00
		1	160	26.97	27.57	< 30.00
		162	0	26.16	26.76	< 30.00
		1	161	23.47	24.07	< 30.00
		1	0	23.59	24.19	< 30.00
3485.01	70	90	45	27.08	27.68	< 30.00
		1	1	26.85	27.45	< 30.00
		1	187	27.01	27.61	< 30.00
		180	0	26.07	26.67	< 30.00
		1	188	23.58	24.18	< 30.00
		1	0	23.57	24.17	< 30.00
3500.01	70	90	45	27.09	27.69	< 30.00
		1	1	26.84	27.44	< 30.00
		1	187	27.05	27.65	< 30.00
		180	0	26.15	26.75	< 30.00
		1	188	23.67	24.27	< 30.00
		1	0	23.48	24.08	< 30.00
3514.98	70	90	45	27.07	27.67	< 30.00
		1	1	26.99	27.59	< 30.00
		1	187	26.95	27.55	< 30.00
		180	0	26.09	26.69	< 30.00
		1	188	23.48	24.08	< 30.00
		1	0	23.45	24.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3490.02	80	108	54	27.05	27.65	< 30.00
		1	1	26.85	27.45	< 30.00
		1	215	27.04	27.64	< 30.00
		216	0	26.02	26.62	< 30.00
		1	216	23.66	24.26	< 30.00
		1	0	23.53	24.13	< 30.00
3500.01	80	108	54	27.07	27.67	< 30.00
		1	1	26.63	27.23	< 30.00
		1	215	26.96	27.56	< 30.00
		216	0	26.05	26.65	< 30.00
		1	216	23.54	24.14	< 30.00
		1	0	23.59	24.19	< 30.00
3510.00	80	108	54	27.06	27.66	< 30.00
		1	1	26.84	27.44	< 30.00
		1	215	26.95	27.55	< 30.00
		216	0	26.15	26.75	< 30.00
		1	216	23.53	24.13	< 30.00
		1	0	23.55	24.15	< 30.00
3495.00	90	120	60	26.99	27.59	< 30.00
		1	1	26.84	27.44	< 30.00
		1	243	27.19	27.79	< 30.00
		243	0	26.09	26.69	< 30.00
		1	244	23.74	24.34	< 30.00
		1	0	23.35	23.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3500.01	90	120	60	27.11	27.71	< 30.00
		1	1	26.84	27.44	< 30.00
		1	243	27.15	27.75	< 30.00
		243	0	26.11	26.71	< 30.00
		1	244	23.50	24.10	< 30.00
		1	0	23.52	24.12	< 30.00
3504.99	90	120	60	27.08	27.68	< 30.00
		1	1	26.74	27.34	< 30.00
		1	243	27.24	27.84	< 30.00
		243	0	26.17	26.77	< 30.00
		1	244	23.52	24.12	< 30.00
		1	0	23.46	24.06	< 30.00
3500.01	100	135	67	27.17	27.77	< 30.00
		1	1	26.75	27.35	< 30.00
		1	271	26.98	27.58	< 30.00
		270	0	26.06	26.66	< 30.00
		1	272	23.38	23.98	< 30.00
		1	0	23.44	24.04	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3455.01	10	12	6	25.93	26.53	< 30.00
		1	1	25.97	26.57	< 30.00
		1	22	26.00	26.60	< 30.00
		24	0	25.08	25.68	< 30.00
		1	23	23.45	24.05	< 30.00
		1	0	23.55	24.15	< 30.00
3500.01	10	12	6	26.07	26.67	< 30.00
		1	1	26.27	26.87	< 30.00
		1	22	26.19	26.79	< 30.00
		24	0	25.10	25.70	< 30.00
		1	23	23.50	24.10	< 30.00
		1	0	23.59	24.19	< 30.00
3544.98	10	12	6	26.19	26.79	< 30.00
		1	1	26.24	26.84	< 30.00
		1	22	26.37	26.97	< 30.00
		24	0	25.21	25.81	< 30.00
		1	23	23.82	24.42	< 30.00
		1	0	23.94	24.54	< 30.00
3457.50	15	18	9	26.05	26.65	< 30.00
		1	1	26.21	26.81	< 30.00
		1	36	26.15	26.75	< 30.00
		36	0	25.13	25.73	< 30.00
		1	37	23.54	24.14	< 30.00
		1	0	23.70	24.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3500.01	15	18	9	26.28	26.88	< 30.00
		1	1	26.29	26.89	< 30.00
		1	36	26.27	26.87	< 30.00
		36	0	25.12	25.72	< 30.00
		1	37	23.68	24.28	< 30.00
		1	0	23.71	24.31	< 30.00
3542.49	15	18	9	26.24	26.84	< 30.00
		1	1	26.35	26.95	< 30.00
		1	36	26.37	26.97	< 30.00
		36	0	25.33	25.93	< 30.00
		1	37	23.91	24.51	< 30.00
		1	0	23.94	24.54	< 30.00
3460.02	20	25	12	26.05	26.65	< 30.00
		1	1	26.20	26.80	< 30.00
		1	49	26.08	26.68	< 30.00
		50	0	25.09	25.69	< 30.00
		1	50	23.74	24.34	< 30.00
		1	0	23.69	24.29	< 30.00
3500.01	20	25	12	26.21	26.81	< 30.00
		1	1	26.32	26.92	< 30.00
		1	49	26.30	26.90	< 30.00
		50	0	25.15	25.75	< 30.00
		1	50	23.82	24.42	< 30.00
		1	0	23.85	24.45	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3540.00	20	25	12	26.42	27.02	< 30.00
		1	1	26.34	26.94	< 30.00
		1	49	26.39	26.99	< 30.00
		50	0	25.32	25.92	< 30.00
		1	50	23.97	24.57	< 30.00
		1	0	24.12	24.72	< 30.00
3464.00	30	36	78	26.15	26.75	< 30.00
		1	1	26.41	27.01	< 30.00
		1	76	26.47	27.07	< 30.00
		75	0	25.22	25.82	< 30.00
		1	77	23.79	24.39	< 30.00
		1	0	23.88	24.48	< 30.00
3500.01	30	36	78	26.30	26.90	< 30.00
		1	1	26.57	27.17	< 30.00
		1	76	26.61	27.21	< 30.00
		75	0	25.35	25.95	< 30.00
		1	77	23.86	24.46	< 30.00
		1	0	23.96	24.56	< 30.00
3534.99	30	36	78	26.40	27.00	< 30.00
		1	1	26.71	27.31	< 30.00
		1	76	26.47	27.07	< 30.00
		75	0	25.42	26.02	< 30.00
		1	77	23.91	24.51	< 30.00
		1	0	24.09	24.69	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3470.01	40	50	25	26.13	26.73	< 30.00
		1	1	26.27	26.87	< 30.00
		1	104	26.45	27.05	< 30.00
		100	0	25.42	26.02	< 30.00
		1	105	23.98	24.58	< 30.00
		1	0	23.94	24.54	< 30.00
3500.01	40	50	25	26.27	26.87	< 30.00
		1	1	26.58	27.18	< 30.00
		1	104	26.52	27.12	< 30.00
		100	0	25.39	25.99	< 30.00
		1	105	24.04	24.64	< 30.00
		1	0	24.07	24.67	< 30.00
3529.98	40	50	25	26.42	27.02	< 30.00
		1	1	26.46	27.06	< 30.00
		1	104	26.66	27.26	< 30.00
		100	0	25.60	26.20	< 30.00
		1	105	24.04	24.64	< 30.00
		1	0	24.02	24.62	< 30.00
3475.02	50	64	32	25.95	26.55	< 30.00
		1	1	26.17	26.77	< 30.00
		1	131	26.11	26.71	< 30.00
		128	0	25.05	25.65	< 30.00
		1	132	23.48	24.08	< 30.00
		1	0	23.74	24.34	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3500.01	50	64	32	26.11	26.71	< 30.00
		1	1	26.24	26.84	< 30.00
		1	131	26.12	26.72	< 30.00
		128	0	25.04	25.64	< 30.00
		1	132	23.66	24.26	< 30.00
		1	0	23.83	24.43	< 30.00
3525.00	50	64	32	26.12	26.72	< 30.00
		1	1	26.36	26.96	< 30.00
		1	131	26.13	26.73	< 30.00
		128	0	25.20	25.80	< 30.00
		1	132	23.49	24.09	< 30.00
		1	0	23.71	24.31	< 30.00
3480.00	60	81	40	26.02	26.62	< 30.00
		1	1	26.08	26.68	< 30.00
		1	160	26.14	26.74	< 30.00
		162	0	25.04	25.64	< 30.00
		1	161	23.61	24.21	< 30.00
		1	0	23.62	24.22	< 30.00
3500.01	60	81	40	26.09	26.69	< 30.00
		1	1	26.07	26.67	< 30.00
		1	160	26.34	26.94	< 30.00
		162	0	25.14	25.74	< 30.00
		1	161	23.70	24.30	< 30.00
		1	0	23.71	24.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3519.99	60	81	40	26.10	26.70	< 30.00
		1	1	26.17	26.77	< 30.00
		1	160	26.11	26.71	< 30.00
		162	0	25.23	25.83	< 30.00
		1	161	23.66	24.26	< 30.00
		1	0	23.66	24.26	< 30.00
3485.01	70	90	45	26.09	26.69	< 30.00
		1	1	26.03	26.63	< 30.00
		1	187	26.05	26.65	< 30.00
		180	0	25.06	25.66	< 30.00
		1	188	23.80	24.40	< 30.00
		1	0	23.46	24.06	< 30.00
3500.01	70	90	45	26.04	26.64	< 30.00
		1	1	25.87	26.47	< 30.00
		1	187	26.18	26.78	< 30.00
		180	0	25.06	25.66	< 30.00
		1	188	23.68	24.28	< 30.00
		1	0	23.59	24.19	< 30.00
3514.98	70	90	45	26.00	26.60	< 30.00
		1	1	26.10	26.70	< 30.00
		1	187	26.08	26.68	< 30.00
		180	0	25.18	25.78	< 30.00
		1	188	23.51	24.11	< 30.00
		1	0	23.77	24.37	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3490.02	80	108	54	26.10	26.70	< 30.00
		1	1	25.95	26.55	< 30.00
		1	215	26.11	26.71	< 30.00
		216	0	25.03	25.63	< 30.00
		1	216	23.77	24.37	< 30.00
		1	0	23.43	24.03	< 30.00
3500.01	80	108	54	26.09	26.69	< 30.00
		1	1	25.83	26.43	< 30.00
		1	215	26.26	26.86	< 30.00
		216	0	25.11	25.71	< 30.00
		1	216	23.89	24.49	< 30.00
		1	0	23.53	24.13	< 30.00
3510.00	80	108	54	26.13	26.73	< 30.00
		1	1	25.96	26.56	< 30.00
		1	215	26.07	26.67	< 30.00
		216	0	25.14	25.74	< 30.00
		1	216	23.55	24.15	< 30.00
		1	0	23.57	24.17	< 30.00
3495.00	90	120	60	26.04	26.64	< 30.00
		1	1	25.94	26.54	< 30.00
		1	243	26.31	26.91	< 30.00
		243	0	24.98	25.58	< 30.00
		1	244	23.69	24.29	< 30.00
		1	0	23.46	24.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3500.01	90	120	60	26.06	26.66	< 30.00
		1	1	25.95	26.55	< 30.00
		1	243	26.29	26.89	< 30.00
		243	0	25.09	25.69	< 30.00
		1	244	23.69	24.29	< 30.00
		1	0	23.59	24.19	< 30.00
3504.99	90	120	60	26.21	26.81	< 30.00
		1	1	25.94	26.54	< 30.00
		1	243	26.20	26.80	< 30.00
		243	0	25.05	25.65	< 30.00
		1	244	23.67	24.27	< 30.00
		1	0	23.61	24.21	< 30.00
3500.01	100	135	67	26.17	26.77	< 30.00
		1	1	25.81	26.41	< 30.00
		1	271	25.96	26.56	< 30.00
		270	0	25.05	25.65	< 30.00
		1	272	23.60	24.20	< 30.00
		1	0	23.37	23.97	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3455.01	10	12	6	24.51	25.11	< 30.00
		1	1	24.48	25.08	< 30.00
		1	22	24.45	25.05	< 30.00
		24	0	24.50	25.10	< 30.00
		1	23	23.39	23.99	< 30.00
		1	0	23.48	24.08	< 30.00
3500.01	10	12	6	24.65	25.25	< 30.00
		1	1	24.61	25.21	< 30.00
		1	22	24.40	25.00	< 30.00
		24	0	24.67	25.27	< 30.00
		1	23	23.54	24.14	< 30.00
		1	0	23.66	24.26	< 30.00
3544.98	10	12	6	24.77	25.37	< 30.00
		1	1	24.83	25.43	< 30.00
		1	22	24.72	25.32	< 30.00
		24	0	24.80	25.40	< 30.00
		1	23	23.67	24.27	< 30.00
		1	0	24.09	24.69	< 30.00
3457.50	15	18	9	24.59	25.19	< 30.00
		1	1	24.73	25.33	< 30.00
		1	36	24.69	25.29	< 30.00
		36	0	24.60	25.20	< 30.00
		1	37	23.55	24.15	< 30.00
		1	0	23.77	24.37	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3500.01	15	18	9	24.67	25.27	< 30.00
		1	1	24.84	25.44	< 30.00
		1	36	24.63	25.23	< 30.00
		36	0	24.66	25.26	< 30.00
		1	37	23.84	24.44	< 30.00
		1	0	23.78	24.38	< 30.00
3542.49	15	18	9	24.79	25.39	< 30.00
		1	1	24.94	25.54	< 30.00
		1	36	24.83	25.43	< 30.00
		36	0	24.80	25.40	< 30.00
		1	37	23.59	24.19	< 30.00
		1	0	23.83	24.43	< 30.00
3460.02	20	25	12	24.66	25.26	< 30.00
		1	1	24.63	25.23	< 30.00
		1	49	24.62	25.22	< 30.00
		50	0	24.67	25.27	< 30.00
		1	50	23.63	24.23	< 30.00
		1	0	23.85	24.45	< 30.00
3500.01	20	25	12	24.91	25.51	< 30.00
		1	1	24.94	25.54	< 30.00
		1	49	24.92	25.52	< 30.00
		50	0	24.83	25.43	< 30.00
		1	50	23.98	24.58	< 30.00
		1	0	23.70	24.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3540.00	20	25	12	25.09	25.69	< 30.00
		1	1	24.94	25.54	< 30.00
		1	49	24.90	25.50	< 30.00
		50	0	25.02	25.62	< 30.00
		1	50	23.83	24.43	< 30.00
		1	0	24.27	24.87	< 30.00
3464.00	30	36	78	24.79	25.39	< 30.00
		1	1	24.81	25.41	< 30.00
		1	76	24.82	25.42	< 30.00
		75	0	24.86	25.46	< 30.00
		1	77	23.76	24.36	< 30.00
		1	0	23.86	24.46	< 30.00
3500.01	30	36	78	24.86	25.46	< 30.00
		1	1	24.87	25.47	< 30.00
		1	76	24.99	25.59	< 30.00
		75	0	24.90	25.50	< 30.00
		1	77	24.04	24.64	< 30.00
		1	0	24.00	24.60	< 30.00
3534.99	30	36	78	25.05	25.65	< 30.00
		1	1	24.91	25.51	< 30.00
		1	76	24.92	25.52	< 30.00
		75	0	25.00	25.60	< 30.00
		1	77	23.90	24.50	< 30.00
		1	0	24.16	24.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3470.01	40	50	25	24.69	25.29	< 30.00
		1	1	24.86	25.46	< 30.00
		1	104	25.01	25.61	< 30.00
		100	0	24.81	25.41	< 30.00
		1	105	23.93	24.53	< 30.00
		1	0	23.82	24.42	< 30.00
3500.01	40	50	25	24.78	25.38	< 30.00
		1	1	25.04	25.64	< 30.00
		1	104	25.07	25.67	< 30.00
		100	0	24.88	25.48	< 30.00
		1	105	24.02	24.62	< 30.00
		1	0	23.93	24.53	< 30.00
3529.98	40	50	25	24.94	25.54	< 30.00
		1	1	24.92	25.52	< 30.00
		1	104	25.14	25.74	< 30.00
		100	0	25.00	25.60	< 30.00
		1	105	24.01	24.61	< 30.00
		1	0	24.08	24.68	< 30.00
3475.02	50	64	32	24.49	25.09	< 30.00
		1	1	24.64	25.24	< 30.00
		1	131	24.71	25.31	< 30.00
		128	0	24.59	25.19	< 30.00
		1	132	23.49	24.09	< 30.00
		1	0	23.58	24.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3500.01	50	64	32	24.66	25.26	< 30.00
		1	1	24.67	25.27	< 30.00
		1	131	24.79	25.39	< 30.00
		128	0	24.60	25.20	< 30.00
		1	132	23.62	24.22	< 30.00
		1	0	23.72	24.32	< 30.00
3525.00	50	64	32	24.68	25.28	< 30.00
		1	1	24.69	25.29	< 30.00
		1	131	24.65	25.25	< 30.00
		128	0	24.68	25.28	< 30.00
		1	132	23.68	24.28	< 30.00
		1	0	23.74	24.34	< 30.00
3480.00	60	81	40	24.51	25.11	< 30.00
		1	1	24.56	25.16	< 30.00
		1	160	24.64	25.24	< 30.00
		162	0	24.55	25.15	< 30.00
		1	161	23.36	23.96	< 30.00
		1	0	23.50	24.10	< 30.00
3500.01	60	81	40	24.67	25.27	< 30.00
		1	1	24.47	25.07	< 30.00
		1	160	24.85	25.45	< 30.00
		162	0	24.66	25.26	< 30.00
		1	161	23.77	24.37	< 30.00
		1	0	23.69	24.29	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3519.99	60	81	40	24.60	25.20	< 30.00
		1	1	24.74	25.34	< 30.00
		1	160	24.60	25.20	< 30.00
		162	0	24.66	25.26	< 30.00
		1	161	23.51	24.11	< 30.00
		1	0	23.57	24.17	< 30.00
3485.01	70	90	45	24.65	25.25	< 30.00
		1	1	24.51	25.11	< 30.00
		1	187	24.84	25.44	< 30.00
		180	0	24.59	25.19	< 30.00
		1	188	23.45	24.05	< 30.00
		1	0	23.50	24.10	< 30.00
3500.01	70	90	45	24.50	25.10	< 30.00
		1	1	24.53	25.13	< 30.00
		1	187	24.76	25.36	< 30.00
		180	0	24.56	25.16	< 30.00
		1	188	23.67	24.27	< 30.00
		1	0	23.56	24.16	< 30.00
3514.98	70	90	45	24.54	25.14	< 30.00
		1	1	24.50	25.10	< 30.00
		1	187	24.67	25.27	< 30.00
		180	0	24.70	25.30	< 30.00
		1	188	23.48	24.08	< 30.00
		1	0	23.52	24.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3490.02	80	108	54	24.52	25.12	< 30.00
		1	1	24.59	25.19	< 30.00
		1	215	24.65	25.25	< 30.00
		216	0	24.47	25.07	< 30.00
		1	216	23.65	24.25	< 30.00
		1	0	23.60	24.20	< 30.00
3500.01	80	108	54	24.68	25.28	< 30.00
		1	1	24.48	25.08	< 30.00
		1	215	24.76	25.36	< 30.00
		216	0	24.43	25.03	< 30.00
		1	216	23.76	24.36	< 30.00
		1	0	23.48	24.08	< 30.00
3510.00	80	108	54	24.61	25.21	< 30.00
		1	1	24.64	25.24	< 30.00
		1	215	24.54	25.14	< 30.00
		216	0	24.58	25.18	< 30.00
		1	216	23.55	24.15	< 30.00
		1	0	23.55	24.15	< 30.00
3495.00	90	120	60	24.53	25.13	< 30.00
		1	1	24.40	25.00	< 30.00
		1	243	24.89	25.49	< 30.00
		243	0	24.51	25.11	< 30.00
		1	244	23.66	24.26	< 30.00
		1	0	23.54	24.14	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3500.01	90	120	60	24.46	25.06	< 30.00
		1	1	24.50	25.10	< 30.00
		1	243	24.77	25.37	< 30.00
		243	0	24.70	25.30	< 30.00
		1	244	23.63	24.23	< 30.00
		1	0	23.44	24.04	< 30.00
3504.99	90	120	60	24.58	25.18	< 30.00
		1	1	24.31	24.91	< 30.00
		1	243	24.66	25.26	< 30.00
		243	0	24.67	25.27	< 30.00
		1	244	23.54	24.14	< 30.00
		1	0	23.64	24.24	< 30.00
3500.01	100	135	67	24.63	25.23	< 30.00
		1	1	24.28	24.88	< 30.00
		1	271	24.74	25.34	< 30.00
		270	0	24.63	25.23	< 30.00
		1	272	23.47	24.07	< 30.00
		1	0	23.32	23.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3455.01	10	12	6	21.54	22.14	< 30.00
		1	1	21.53	22.13	< 30.00
		1	22	21.63	22.23	< 30.00
		24	0	21.43	22.03	< 30.00
		1	23	21.59	22.19	< 30.00
		1	0	21.55	22.15	< 30.00
3500.01	10	12	6	21.95	22.55	< 30.00
		1	1	22.05	22.65	< 30.00
		1	22	21.97	22.57	< 30.00
		24	0	21.87	22.47	< 30.00
		1	23	21.95	22.55	< 30.00
		1	0	22.09	22.69	< 30.00
3544.98	10	12	6	21.52	22.12	< 30.00
		1	1	21.33	21.93	< 30.00
		1	22	21.34	21.94	< 30.00
		24	0	21.48	22.08	< 30.00
		1	23	21.30	21.90	< 30.00
		1	0	21.40	22.00	< 30.00
3457.50	15	18	9	21.62	22.22	< 30.00
		1	1	21.55	22.15	< 30.00
		1	36	21.63	22.23	< 30.00
		36	0	21.63	22.23	< 30.00
		1	37	21.67	22.27	< 30.00
		1	0	21.46	22.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	15	18	9	21.91	22.51	< 30.00
		1	1	22.17	22.77	< 30.00
		1	36	22.04	22.64	< 30.00
		36	0	21.90	22.50	< 30.00
		1	37	22.06	22.66	< 30.00
		1	0	22.14	22.74	< 30.00
3542.49	15	18	9	21.67	22.27	< 30.00
		1	1	21.63	22.23	< 30.00
		1	36	21.50	22.10	< 30.00
		36	0	21.56	22.16	< 30.00
		1	37	21.54	22.14	< 30.00
		1	0	21.58	22.18	< 30.00
3460.02	20	25	12	21.60	22.20	< 30.00
		1	1	21.73	22.33	< 30.00
		1	49	21.90	22.50	< 30.00
		50	0	21.59	22.19	< 30.00
		1	50	21.92	22.52	< 30.00
		1	0	21.70	22.30	< 30.00
3500.01	20	25	12	21.86	22.46	< 30.00
		1	1	22.17	22.77	< 30.00
		1	49	22.02	22.62	< 30.00
		50	0	21.80	22.40	< 30.00
		1	50	22.00	22.60	< 30.00
		1	0	22.15	22.75	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3540.00	20	25	12	21.60	22.20	< 30.00
		1	1	21.80	22.40	< 30.00
		1	49	21.73	22.33	< 30.00
		50	0	21.58	22.18	< 30.00
		1	50	21.72	22.32	< 30.00
		1	0	21.85	22.45	< 30.00
3464.00	30	36	78	21.81	22.41	< 30.00
		1	1	21.62	22.22	< 30.00
		1	76	21.98	22.58	< 30.00
		75	0	21.82	22.42	< 30.00
		1	77	21.92	22.52	< 30.00
		1	0	21.60	22.20	< 30.00
3500.01	30	36	78	21.97	22.57	< 30.00
		1	1	22.15	22.75	< 30.00
		1	76	21.83	22.43	< 30.00
		75	0	22.07	22.67	< 30.00
		1	77	21.77	22.37	< 30.00
		1	0	22.04	22.64	< 30.00
3534.99	30	36	78	21.60	22.20	< 30.00
		1	1	21.72	22.32	< 30.00
		1	76	21.73	22.33	< 30.00
		75	0	21.70	22.30	< 30.00
		1	77	21.60	22.20	< 30.00
		1	0	21.83	22.43	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3470.01	40	50	25	21.81	22.41	< 30.00
		1	1	21.75	22.35	< 30.00
		1	104	22.18	22.78	< 30.00
		100	0	21.97	22.57	< 30.00
		1	105	21.96	22.56	< 30.00
		1	0	21.65	22.25	< 30.00
3500.01	40	50	25	21.98	22.58	< 30.00
		1	1	22.18	22.78	< 30.00
		1	104	21.92	22.52	< 30.00
		100	0	22.11	22.71	< 30.00
		1	105	21.88	22.48	< 30.00
		1	0	22.22	22.82	< 30.00
3529.98	40	50	25	21.68	22.28	< 30.00
		1	1	21.98	22.58	< 30.00
		1	104	21.61	22.21	< 30.00
		100	0	21.84	22.44	< 30.00
		1	105	21.80	22.40	< 30.00
		1	0	21.98	22.58	< 30.00
3475.02	50	64	32	21.68	22.28	< 30.00
		1	1	21.75	22.35	< 30.00
		1	131	22.00	22.60	< 30.00
		128	0	21.69	22.29	< 30.00
		1	132	22.00	22.60	< 30.00
		1	0	21.73	22.33	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	50	64	32	21.74	22.34	< 30.00
		1	1	22.07	22.67	< 30.00
		1	131	21.76	22.36	< 30.00
		128	0	21.79	22.39	< 30.00
		1	132	21.63	22.23	< 30.00
		1	0	22.13	22.73	< 30.00
3525.00	50	64	32	21.42	22.02	< 30.00
		1	1	21.85	22.45	< 30.00
		1	131	21.35	21.95	< 30.00
		128	0	21.47	22.07	< 30.00
		1	132	21.34	21.94	< 30.00
		1	0	21.97	22.57	< 30.00
3480.00	60	81	40	21.82	22.42	< 30.00
		1	1	21.61	22.21	< 30.00
		1	160	21.80	22.40	< 30.00
		162	0	21.75	22.35	< 30.00
		1	161	21.77	22.37	< 30.00
		1	0	21.62	22.22	< 30.00
3500.01	60	81	40	21.84	22.44	< 30.00
		1	1	21.90	22.50	< 30.00
		1	160	21.66	22.26	< 30.00
		162	0	21.80	22.40	< 30.00
		1	161	21.67	22.27	< 30.00
		1	0	21.91	22.51	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3519.99	60	81	40	21.60	22.20	< 30.00
		1	1	21.97	22.57	< 30.00
		1	160	21.49	22.09	< 30.00
		162	0	21.62	22.22	< 30.00
		1	161	21.46	22.06	< 30.00
		1	0	22.05	22.65	< 30.00
3485.01	70	90	45	21.76	22.36	< 30.00
		1	1	21.31	21.91	< 30.00
		1	187	21.40	22.00	< 30.00
		180	0	21.67	22.27	< 30.00
		1	188	21.50	22.10	< 30.00
		1	0	21.45	22.05	< 30.00
3500.01	70	90	45	21.78	22.38	< 30.00
		1	1	21.59	22.19	< 30.00
		1	187	21.33	21.93	< 30.00
		180	0	21.67	22.27	< 30.00
		1	188	21.29	21.89	< 30.00
		1	0	21.65	22.25	< 30.00
3514.98	70	90	45	21.60	22.20	< 30.00
		1	1	21.73	22.33	< 30.00
		1	187	21.22	21.82	< 30.00
		180	0	21.64	22.24	< 30.00
		1	188	21.25	21.85	< 30.00
		1	0	21.81	22.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3490.02	80	108	54	21.72	22.32	< 30.00
		1	1	21.30	21.90	< 30.00
		1	215	21.43	22.03	< 30.00
		216	0	21.56	22.16	< 30.00
		1	216	21.38	21.98	< 30.00
		1	0	21.39	21.99	< 30.00
3500.01	80	108	54	21.74	22.34	< 30.00
		1	1	21.41	22.01	< 30.00
		1	215	21.36	21.96	< 30.00
		216	0	21.65	22.25	< 30.00
		1	216	21.38	21.98	< 30.00
		1	0	21.59	22.19	< 30.00
3510.00	80	108	54	21.64	22.24	< 30.00
		1	1	21.65	22.25	< 30.00
		1	215	21.29	21.89	< 30.00
		216	0	21.62	22.22	< 30.00
		1	216	21.29	21.89	< 30.00
		1	0	21.70	22.30	< 30.00
3495.00	90	120	60	21.65	22.25	< 30.00
		1	1	21.35	21.95	< 30.00
		1	243	21.52	22.12	< 30.00
		243	0	21.65	22.25	< 30.00
		1	244	21.46	22.06	< 30.00
		1	0	21.45	22.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	90	120	60	21.68	22.28	< 30.00
		1	1	21.35	21.95	< 30.00
		1	243	21.45	22.05	< 30.00
		243	0	21.68	22.28	< 30.00
		1	244	21.39	21.99	< 30.00
		1	0	21.57	22.17	< 30.00
3504.99	90	120	60	21.61	22.21	< 30.00
		1	1	21.46	22.06	< 30.00
		1	243	21.44	22.04	< 30.00
		243	0	21.59	22.19	< 30.00
		1	244	21.44	22.04	< 30.00
		1	0	21.55	22.15	< 30.00
3500.01	100	135	67	21.74	22.34	< 30.00
		1	1	21.33	21.93	< 30.00
		1	271	21.43	22.03	< 30.00
		270	0	21.60	22.20	< 30.00
		1	272	21.36	21.96	< 30.00
		1	0	21.40	22.00	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n77/n78_SA (3700 ~ 3980)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3705.00	10	12	6	24.00	24.60	< 30.00
		1	1	24.03	24.63	< 30.00
		1	22	24.05	24.65	< 30.00
		24	0	24.09	24.69	< 30.00
		1	23	23.88	24.48	< 30.00
		1	0	24.10	24.70	< 30.00
3840.00	10	12	6	24.15	24.75	< 30.00
		1	1	23.98	24.58	< 30.00
		1	22	23.86	24.46	< 30.00
		24	0	23.97	24.57	< 30.00
		1	23	23.92	24.52	< 30.00
		1	0	24.12	24.72	< 30.00
3975.00	10	12	6	24.41	25.01	< 30.00
		1	1	24.45	25.05	< 30.00
		1	22	24.33	24.93	< 30.00
		24	0	24.38	24.98	< 30.00
		1	23	24.33	24.93	< 30.00
		1	0	24.48	25.08	< 30.00
3707.52	15	18	9	24.09	24.69	< 30.00
		1	1	24.00	24.60	< 30.00
		1	36	24.09	24.69	< 30.00
		36	0	24.15	24.75	< 30.00
		1	37	24.08	24.68	< 30.00
		1	0	24.05	24.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	15	18	9	24.37	24.97	< 30.00
		1	1	24.22	24.82	< 30.00
		1	36	24.12	24.72	< 30.00
		36	0	24.35	24.95	< 30.00
		1	37	24.22	24.82	< 30.00
		1	0	24.34	24.94	< 30.00
3972.48	15	18	9	24.50	25.10	< 30.00
		1	1	24.47	25.07	< 30.00
		1	36	24.57	25.17	< 30.00
		36	0	24.67	25.27	< 30.00
		1	37	24.55	25.15	< 30.00
		1	0	24.43	25.03	< 30.00
3710.01	20	25	12	24.00	24.60	< 30.00
		1	1	24.11	24.71	< 30.00
		1	49	24.03	24.63	< 30.00
		50	0	24.07	24.67	< 30.00
		1	50	24.08	24.68	< 30.00
		1	0	24.05	24.65	< 30.00
3840.00	20	25	12	24.38	24.98	< 30.00
		1	1	24.23	24.83	< 30.00
		1	49	24.13	24.73	< 30.00
		50	0	24.26	24.86	< 30.00
		1	50	24.21	24.81	< 30.00
		1	0	24.29	24.89	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3969.99	20	25	12	24.35	24.95	< 30.00
		1	1	24.45	25.05	< 30.00
		1	49	24.54	25.14	< 30.00
		50	0	24.41	25.01	< 30.00
		1	50	24.48	25.08	< 30.00
		1	0	24.41	25.01	< 30.00
3715.02	30	36	78	24.18	24.78	< 30.00
		1	1	24.25	24.85	< 30.00
		1	76	24.04	24.64	< 30.00
		75	0	24.07	24.67	< 30.00
		1	77	24.02	24.62	< 30.00
		1	0	24.12	24.72	< 30.00
3840.00	30	36	78	24.37	24.97	< 30.00
		1	1	24.18	24.78	< 30.00
		1	76	24.19	24.79	< 30.00
		75	0	24.26	24.86	< 30.00
		1	77	24.29	24.89	< 30.00
		1	0	24.41	25.01	< 30.00
3964.98	30	36	78	24.58	25.18	< 30.00
		1	1	24.40	25.00	< 30.00
		1	76	24.60	25.20	< 30.00
		75	0	24.45	25.05	< 30.00
		1	77	24.43	25.03	< 30.00
		1	0	24.43	25.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3720.00	40	50	25	24.22	24.82	< 30.00
		1	1	24.27	24.87	< 30.00
		1	104	23.96	24.56	< 30.00
		100	0	24.15	24.75	< 30.00
		1	105	23.92	24.52	< 30.00
		1	0	24.32	24.92	< 30.00
3840.00	40	50	25	24.31	24.91	< 30.00
		1	1	24.47	25.07	< 30.00
		1	104	24.14	24.74	< 30.00
		100	0	24.30	24.90	< 30.00
		1	105	24.21	24.81	< 30.00
		1	0	24.44	25.04	< 30.00
3960.00	40	50	25	24.51	25.11	< 30.00
		1	1	24.57	25.17	< 30.00
		1	104	24.58	25.18	< 30.00
		100	0	24.54	25.14	< 30.00
		1	105	24.51	25.11	< 30.00
		1	0	24.68	25.28	< 30.00
3725.01	50	64	32	23.82	24.42	< 30.00
		1	1	23.97	24.57	< 30.00
		1	131	23.48	24.08	< 30.00
		128	0	23.92	24.52	< 30.00
		1	132	23.67	24.27	< 30.00
		1	0	24.04	24.64	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	50	64	32	24.16	24.76	< 30.00
		1	1	24.21	24.81	< 30.00
		1	131	23.94	24.54	< 30.00
		128	0	24.09	24.69	< 30.00
		1	132	24.05	24.65	< 30.00
		1	0	24.15	24.75	< 30.00
3954.99	50	64	32	24.39	24.99	< 30.00
		1	1	24.27	24.87	< 30.00
		1	131	24.28	24.88	< 30.00
		128	0	24.36	24.96	< 30.00
		1	132	24.38	24.98	< 30.00
		1	0	24.35	24.95	< 30.00
3730.02	60	81	40	23.86	24.46	< 30.00
		1	1	23.95	24.55	< 30.00
		1	160	23.58	24.18	< 30.00
		162	0	23.71	24.31	< 30.00
		1	161	23.45	24.05	< 30.00
		1	0	24.01	24.61	< 30.00
3840.00	60	81	40	24.11	24.71	< 30.00
		1	1	23.97	24.57	< 30.00
		1	160	23.92	24.52	< 30.00
		162	0	24.05	24.65	< 30.00
		1	161	23.97	24.57	< 30.00
		1	0	24.19	24.79	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3949.98	60	81	40	23.97	24.57	< 30.00
		1	1	23.69	24.29	< 30.00
		1	160	23.85	24.45	< 30.00
		162	0	23.97	24.57	< 30.00
		1	161	23.96	24.56	< 30.00
		1	0	23.91	24.51	< 30.00
3735.00	70	90	45	23.82	24.42	< 30.00
		1	1	24.02	24.62	< 30.00
		1	187	20.51	21.11	< 30.00
		180	0	23.88	24.48	< 30.00
		1	188	23.57	24.17	< 30.00
		1	0	23.87	24.47	< 30.00
3840.00	70	90	45	23.95	24.55	< 30.00
		1	1	23.92	24.52	< 30.00
		1	187	23.57	24.17	< 30.00
		180	0	23.90	24.50	< 30.00
		1	188	23.54	24.14	< 30.00
		1	0	23.94	24.54	< 30.00
3945.00	70	90	45	23.89	24.49	< 30.00
		1	1	23.67	24.27	< 30.00
		1	187	23.71	24.31	< 30.00
		180	0	23.92	24.52	< 30.00
		1	188	23.86	24.46	< 30.00
		1	0	23.72	24.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3740.01	80	108	54	23.81	24.41	< 30.00
		1	1	23.92	24.52	< 30.00
		1	215	23.71	24.31	< 30.00
		216	0	23.69	24.29	< 30.00
		1	216	23.48	24.08	< 30.00
		1	0	23.96	24.56	< 30.00
3840.00	80	108	54	23.95	24.55	< 30.00
		1	1	23.71	24.31	< 30.00
		1	215	23.81	24.41	< 30.00
		216	0	24.01	24.61	< 30.00
		1	216	23.56	24.16	< 30.00
		1	0	23.93	24.53	< 30.00
3939.99	80	108	54	24.03	24.63	< 30.00
		1	1	23.90	24.50	< 30.00
		1	215	23.79	24.39	< 30.00
		216	0	24.00	24.60	< 30.00
		1	216	23.96	24.56	< 30.00
		1	0	23.82	24.42	< 30.00
3745.02	90	120	60	23.91	24.51	< 30.00
		1	1	23.84	24.44	< 30.00
		1	243	23.78	24.38	< 30.00
		243	0	23.80	24.40	< 30.00
		1	244	23.70	24.30	< 30.00
		1	0	23.83	24.43	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	90	120	60	24.04	24.64	< 30.00
		1	1	23.77	24.37	< 30.00
		1	243	23.71	24.31	< 30.00
		243	0	23.99	24.59	< 30.00
		1	244	23.83	24.43	< 30.00
		1	0	23.83	24.43	< 30.00
3934.98	90	120	60	24.03	24.63	< 30.00
		1	1	23.65	24.25	< 30.00
		1	243	23.96	24.56	< 30.00
		243	0	23.96	24.56	< 30.00
		1	244	23.76	24.36	< 30.00
		1	0	23.72	24.32	< 30.00
3750.00	100	135	67	23.69	24.29	< 30.00
		1	1	23.79	24.39	< 30.00
		1	271	23.66	24.26	< 30.00
		270	0	23.80	24.40	< 30.00
		1	272	23.44	24.04	< 30.00
		1	0	23.57	24.17	< 30.00
3840.00	100	135	67	23.96	24.56	< 30.00
		1	1	23.66	24.26	< 30.00
		1	271	23.66	24.26	< 30.00
		270	0	23.92	24.52	< 30.00
		1	272	23.71	24.31	< 30.00
		1	0	23.83	24.43	< 30.00
3930.00	100	135	67	23.98	24.58	< 30.00
		1	1	23.63	24.23	< 30.00
		1	271	24.10	24.70	< 30.00
		270	0	23.99	24.59	< 30.00
		1	272	23.82	24.42	< 30.00
		1	0	23.62	24.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3705.00	10	12	6	24.06	24.66	< 30.00
		1	1	23.95	24.55	< 30.00
		1	22	23.97	24.57	< 30.00
		24	0	23.98	24.58	< 30.00
		1	23	24.03	24.63	< 30.00
		1	0	24.16	24.76	< 30.00
3840.00	10	12	6	24.12	24.72	< 30.00
		1	1	24.01	24.61	< 30.00
		1	22	23.99	24.59	< 30.00
		24	0	24.12	24.72	< 30.00
		1	23	24.11	24.71	< 30.00
		1	0	24.14	24.74	< 30.00
3975.00	10	12	6	24.48	25.08	< 30.00
		1	1	24.38	24.98	< 30.00
		1	22	24.46	25.06	< 30.00
		24	0	24.49	25.09	< 30.00
		1	23	24.39	24.99	< 30.00
		1	0	24.43	25.03	< 30.00
3707.52	15	18	9	24.18	24.78	< 30.00
		1	1	24.16	24.76	< 30.00
		1	36	24.04	24.64	< 30.00
		36	0	24.09	24.69	< 30.00
		1	37	24.24	24.84	< 30.00
		1	0	24.14	24.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	15	18	9	24.22	24.82	< 30.00
		1	1	24.23	24.83	< 30.00
		1	36	24.15	24.75	< 30.00
		36	0	24.25	24.85	< 30.00
		1	37	24.28	24.88	< 30.00
		1	0	24.32	24.92	< 30.00
3972.48	15	18	9	24.47	25.07	< 30.00
		1	1	24.43	25.03	< 30.00
		1	36	24.48	25.08	< 30.00
		36	0	24.46	25.06	< 30.00
		1	37	24.49	25.09	< 30.00
		1	0	24.53	25.13	< 30.00
3710.01	20	25	12	24.19	24.79	< 30.00
		1	1	24.06	24.66	< 30.00
		1	49	24.07	24.67	< 30.00
		50	0	23.99	24.59	< 30.00
		1	50	24.10	24.70	< 30.00
		1	0	23.97	24.57	< 30.00
3840.00	20	25	12	24.35	24.95	< 30.00
		1	1	24.37	24.97	< 30.00
		1	49	24.21	24.81	< 30.00
		50	0	24.24	24.84	< 30.00
		1	50	24.20	24.80	< 30.00
		1	0	24.25	24.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3969.99	20	25	12	24.43	25.03	< 30.00
		1	1	24.57	25.17	< 30.00
		1	49	24.49	25.09	< 30.00
		50	0	24.42	25.02	< 30.00
		1	50	24.53	25.13	< 30.00
		1	0	24.41	25.01	< 30.00
3715.02	30	36	78	24.15	24.75	< 30.00
		1	1	24.26	24.86	< 30.00
		1	76	24.17	24.77	< 30.00
		75	0	24.06	24.66	< 30.00
		1	77	23.93	24.53	< 30.00
		1	0	24.27	24.87	< 30.00
3840.00	30	36	78	24.36	24.96	< 30.00
		1	1	24.33	24.93	< 30.00
		1	76	24.39	24.99	< 30.00
		75	0	24.26	24.86	< 30.00
		1	77	24.23	24.83	< 30.00
		1	0	24.35	24.95	< 30.00
3964.98	30	36	78	24.54	25.14	< 30.00
		1	1	24.52	25.12	< 30.00
		1	76	24.45	25.05	< 30.00
		75	0	24.55	25.15	< 30.00
		1	77	24.48	25.08	< 30.00
		1	0	24.54	25.14	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3720.00	40	50	25	24.09	24.69	< 30.00
		1	1	24.34	24.94	< 30.00
		1	104	23.99	24.59	< 30.00
		100	0	24.17	24.77	< 30.00
		1	105	24.10	24.70	< 30.00
		1	0	24.36	24.96	< 30.00
3840.00	40	50	25	24.36	24.96	< 30.00
		1	1	24.50	25.10	< 30.00
		1	104	24.20	24.80	< 30.00
		100	0	24.28	24.88	< 30.00
		1	105	24.14	24.74	< 30.00
		1	0	24.48	25.08	< 30.00
3960.00	40	50	25	24.46	25.06	< 30.00
		1	1	24.51	25.11	< 30.00
		1	104	24.56	25.16	< 30.00
		100	0	24.56	25.16	< 30.00
		1	105	24.59	25.19	< 30.00
		1	0	24.55	25.15	< 30.00
3725.01	50	64	32	23.90	24.50	< 30.00
		1	1	24.17	24.77	< 30.00
		1	131	23.64	24.24	< 30.00
		128	0	23.85	24.45	< 30.00
		1	132	23.49	24.09	< 30.00
		1	0	23.98	24.58	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	50	64	32	24.10	24.70	< 30.00
		1	1	24.15	24.75	< 30.00
		1	131	24.13	24.73	< 30.00
		128	0	24.06	24.66	< 30.00
		1	132	24.10	24.70	< 30.00
		1	0	24.28	24.88	< 30.00
3954.99	50	64	32	24.45	25.05	< 30.00
		1	1	24.26	24.86	< 30.00
		1	131	24.30	24.90	< 30.00
		128	0	24.33	24.93	< 30.00
		1	132	24.36	24.96	< 30.00
		1	0	24.32	24.92	< 30.00
3730.02	60	81	40	23.77	24.37	< 30.00
		1	1	24.04	24.64	< 30.00
		1	160	23.59	24.19	< 30.00
		162	0	23.74	24.34	< 30.00
		1	161	23.62	24.22	< 30.00
		1	0	24.05	24.65	< 30.00
3840.00	60	81	40	24.17	24.77	< 30.00
		1	1	24.03	24.63	< 30.00
		1	160	24.06	24.66	< 30.00
		162	0	24.02	24.62	< 30.00
		1	161	23.80	24.40	< 30.00
		1	0	24.14	24.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3949.98	60	81	40	23.97	24.57	< 30.00
		1	1	23.77	24.37	< 30.00
		1	160	24.00	24.60	< 30.00
		162	0	24.03	24.63	< 30.00
		1	161	23.92	24.52	< 30.00
		1	0	23.78	24.38	< 30.00
3735.00	70	90	45	23.82	24.42	< 30.00
		1	1	20.85	21.45	< 30.00
		1	187	23.50	24.10	< 30.00
		180	0	20.81	21.41	< 30.00
		1	188	23.67	24.27	< 30.00
		1	0	23.90	24.50	< 30.00
3840.00	70	90	45	23.92	24.52	< 30.00
		1	1	23.83	24.43	< 30.00
		1	187	23.77	24.37	< 30.00
		180	0	23.91	24.51	< 30.00
		1	188	23.59	24.19	< 30.00
		1	0	23.98	24.58	< 30.00
3945.00	70	90	45	23.89	24.49	< 30.00
		1	1	23.72	24.32	< 30.00
		1	187	23.75	24.35	< 30.00
		180	0	23.87	24.47	< 30.00
		1	188	23.69	24.29	< 30.00
		1	0	23.88	24.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3740.01	80	108	54	23.81	24.41	< 30.00
		1	1	23.85	24.45	< 30.00
		1	215	23.65	24.25	< 30.00
		216	0	23.82	24.42	< 30.00
		1	216	23.65	24.25	< 30.00
		1	0	23.82	24.42	< 30.00
3840.00	80	108	54	23.92	24.52	< 30.00
		1	1	23.95	24.55	< 30.00
		1	215	23.73	24.33	< 30.00
		216	0	23.88	24.48	< 30.00
		1	216	23.82	24.42	< 30.00
		1	0	24.08	24.68	< 30.00
3939.99	80	108	54	23.87	24.47	< 30.00
		1	1	23.63	24.23	< 30.00
		1	215	23.92	24.52	< 30.00
		216	0	24.06	24.66	< 30.00
		1	216	23.65	24.25	< 30.00
		1	0	23.78	24.38	< 30.00
3745.02	90	120	60	23.62	24.22	< 30.00
		1	1	23.98	24.58	< 30.00
		1	243	23.79	24.39	< 30.00
		243	0	23.83	24.43	< 30.00
		1	244	23.64	24.24	< 30.00
		1	0	23.89	24.49	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	90	120	60	24.01	24.61	< 30.00
		1	1	23.72	24.32	< 30.00
		1	243	23.85	24.45	< 30.00
		243	0	23.94	24.54	< 30.00
		1	244	23.68	24.28	< 30.00
		1	0	23.88	24.48	< 30.00
3934.98	90	120	60	23.87	24.47	< 30.00
		1	1	23.71	24.31	< 30.00
		1	243	23.89	24.49	< 30.00
		243	0	23.81	24.41	< 30.00
		1	244	24.01	24.61	< 30.00
		1	0	23.69	24.29	< 30.00
3750.00	100	135	67	23.76	24.36	< 30.00
		1	1	23.73	24.33	< 30.00
		1	271	23.74	24.34	< 30.00
		270	0	23.63	24.23	< 30.00
		1	272	23.63	24.23	< 30.00
		1	0	23.64	24.24	< 30.00
3840.00	100	135	67	24.04	24.64	< 30.00
		1	1	23.91	24.51	< 30.00
		1	271	23.69	24.29	< 30.00
		270	0	23.99	24.59	< 30.00
		1	272	23.57	24.17	< 30.00
		1	0	23.89	24.49	< 30.00
3930.00	100	135	67	23.91	24.51	< 30.00
		1	1	23.88	24.48	< 30.00
		1	271	23.85	24.45	< 30.00
		270	0	23.87	24.47	< 30.00
		1	272	23.89	24.49	< 30.00
		1	0	23.71	24.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3705.00	10	12	6	24.04	24.64	< 30.00
		1	1	24.11	24.71	< 30.00
		1	22	24.17	24.77	< 30.00
		24	0	24.00	24.60	< 30.00
		1	23	24.15	24.75	< 30.00
		1	0	24.08	24.68	< 30.00
3840.00	10	12	6	24.02	24.62	< 30.00
		1	1	24.18	24.78	< 30.00
		1	22	24.09	24.69	< 30.00
		24	0	24.09	24.69	< 30.00
		1	23	24.07	24.67	< 30.00
		1	0	24.16	24.76	< 30.00
3975.00	10	12	6	24.29	24.89	< 30.00
		1	1	24.43	25.03	< 30.00
		1	22	24.46	25.06	< 30.00
		24	0	24.51	25.11	< 30.00
		1	23	24.52	25.12	< 30.00
		1	0	24.60	25.20	< 30.00
3707.52	15	18	9	24.05	24.65	< 30.00
		1	1	24.10	24.70	< 30.00
		1	36	24.34	24.94	< 30.00
		36	0	24.14	24.74	< 30.00
		1	37	24.30	24.90	< 30.00
		1	0	24.21	24.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	15	18	9	24.21	24.81	< 30.00
		1	1	24.52	25.12	< 30.00
		1	36	24.35	24.95	< 30.00
		36	0	24.36	24.96	< 30.00
		1	37	24.36	24.96	< 30.00
		1	0	24.42	25.02	< 30.00
3972.48	15	18	9	24.50	25.10	< 30.00
		1	1	24.67	25.27	< 30.00
		1	36	24.60	25.20	< 30.00
		36	0	24.44	25.04	< 30.00
		1	37	24.66	25.26	< 30.00
		1	0	24.74	25.34	< 30.00
3710.01	20	25	12	24.13	24.73	< 30.00
		1	1	24.10	24.70	< 30.00
		1	49	24.24	24.84	< 30.00
		50	0	24.02	24.62	< 30.00
		1	50	24.10	24.70	< 30.00
		1	0	24.10	24.70	< 30.00
3840.00	20	25	12	24.41	25.01	< 30.00
		1	1	24.33	24.93	< 30.00
		1	49	24.34	24.94	< 30.00
		50	0	24.22	24.82	< 30.00
		1	50	24.37	24.97	< 30.00
		1	0	24.46	25.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3969.99	20	25	12	24.48	25.08	< 30.00
		1	1	24.55	25.15	< 30.00
		1	49	24.62	25.22	< 30.00
		50	0	24.44	25.04	< 30.00
		1	50	24.57	25.17	< 30.00
		1	0	24.49	25.09	< 30.00
3715.02	30	36	78	24.12	24.72	< 30.00
		1	1	24.32	24.92	< 30.00
		1	76	24.25	24.85	< 30.00
		75	0	24.21	24.81	< 30.00
		1	77	24.13	24.73	< 30.00
		1	0	24.24	24.84	< 30.00
3840.00	30	36	78	24.32	24.92	< 30.00
		1	1	24.40	25.00	< 30.00
		1	76	24.41	25.01	< 30.00
		75	0	24.40	25.00	< 30.00
		1	77	24.32	24.92	< 30.00
		1	0	24.47	25.07	< 30.00
3964.98	30	36	78	24.62	25.22	< 30.00
		1	1	24.50	25.10	< 30.00
		1	76	24.59	25.19	< 30.00
		75	0	24.59	25.19	< 30.00
		1	77	24.63	25.23	< 30.00
		1	0	24.55	25.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3720.00	40	50	25	24.08	24.68	< 30.00
		1	1	24.49	25.09	< 30.00
		1	104	24.18	24.78	< 30.00
		100	0	24.24	24.84	< 30.00
		1	105	24.05	24.65	< 30.00
		1	0	24.34	24.94	< 30.00
3840.00	40	50	25	24.31	24.91	< 30.00
		1	1	24.56	25.16	< 30.00
		1	104	24.58	25.18	< 30.00
		100	0	24.37	24.97	< 30.00
		1	105	24.46	25.06	< 30.00
		1	0	24.57	25.17	< 30.00
3960.00	40	50	25	24.48	25.08	< 30.00
		1	1	24.56	25.16	< 30.00
		1	104	24.77	25.37	< 30.00
		100	0	24.54	25.14	< 30.00
		1	105	24.72	25.32	< 30.00
		1	0	24.84	25.44	< 30.00
3725.01	50	64	32	23.91	24.51	< 30.00
		1	1	24.15	24.75	< 30.00
		1	131	23.71	24.31	< 30.00
		128	0	23.79	24.39	< 30.00
		1	132	23.71	24.31	< 30.00
		1	0	24.17	24.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	50	64	32	24.16	24.76	< 30.00
		1	1	24.14	24.74	< 30.00
		1	131	24.11	24.71	< 30.00
		128	0	24.03	24.63	< 30.00
		1	132	24.08	24.68	< 30.00
		1	0	24.27	24.87	< 30.00
3954.99	50	64	32	24.39	24.99	< 30.00
		1	1	24.25	24.85	< 30.00
		1	131	24.40	25.00	< 30.00
		128	0	24.36	24.96	< 30.00
		1	132	24.38	24.98	< 30.00
		1	0	24.58	25.18	< 30.00
3730.02	60	81	40	23.84	24.44	< 30.00
		1	1	23.96	24.56	< 30.00
		1	160	23.68	24.28	< 30.00
		162	0	23.88	24.48	< 30.00
		1	161	23.66	24.26	< 30.00
		1	0	24.04	24.64	< 30.00
3840.00	60	81	40	24.01	24.61	< 30.00
		1	1	24.30	24.90	< 30.00
		1	160	24.07	24.67	< 30.00
		162	0	24.13	24.73	< 30.00
		1	161	24.02	24.62	< 30.00
		1	0	24.17	24.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3949.98	60	81	40	24.09	24.69	< 30.00
		1	1	23.82	24.42	< 30.00
		1	160	23.99	24.59	< 30.00
		162	0	24.08	24.68	< 30.00
		1	161	24.19	24.79	< 30.00
		1	0	23.97	24.57	< 30.00
3735.00	70	90	45	20.68	21.28	< 30.00
		1	1	23.97	24.57	< 30.00
		1	187	23.68	24.28	< 30.00
		180	0	23.76	24.36	< 30.00
		1	188	20.15	20.75	< 30.00
		1	0	23.93	24.53	< 30.00
3840.00	70	90	45	23.93	24.53	< 30.00
		1	1	23.97	24.57	< 30.00
		1	187	23.85	24.45	< 30.00
		180	0	23.91	24.51	< 30.00
		1	188	23.67	24.27	< 30.00
		1	0	24.16	24.76	< 30.00
3945.00	70	90	45	24.00	24.60	< 30.00
		1	1	23.86	24.46	< 30.00
		1	187	23.94	24.54	< 30.00
		180	0	24.04	24.64	< 30.00
		1	188	23.91	24.51	< 30.00
		1	0	23.96	24.56	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3740.01	80	108	54	23.76	24.36	< 30.00
		1	1	24.01	24.61	< 30.00
		1	215	23.64	24.24	< 30.00
		216	0	23.76	24.36	< 30.00
		1	216	23.77	24.37	< 30.00
		1	0	24.07	24.67	< 30.00
3840.00	80	108	54	23.99	24.59	< 30.00
		1	1	23.74	24.34	< 30.00
		1	215	23.58	24.18	< 30.00
		216	0	23.97	24.57	< 30.00
		1	216	23.67	24.27	< 30.00
		1	0	23.94	24.54	< 30.00
3939.99	80	108	54	24.05	24.65	< 30.00
		1	1	23.80	24.40	< 30.00
		1	215	24.12	24.72	< 30.00
		216	0	24.02	24.62	< 30.00
		1	216	23.99	24.59	< 30.00
		1	0	23.88	24.48	< 30.00
3745.02	90	120	60	23.64	24.24	< 30.00
		1	1	23.96	24.56	< 30.00
		1	243	23.80	24.40	< 30.00
		243	0	23.67	24.27	< 30.00
		1	244	23.81	24.41	< 30.00
		1	0	23.86	24.46	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	90	120	60	23.94	24.54	< 30.00
		1	1	23.99	24.59	< 30.00
		1	243	23.86	24.46	< 30.00
		243	0	23.94	24.54	< 30.00
		1	244	23.88	24.48	< 30.00
		1	0	23.99	24.59	< 30.00
3934.98	90	120	60	23.91	24.51	< 30.00
		1	1	23.84	24.44	< 30.00
		1	243	24.06	24.66	< 30.00
		243	0	23.85	24.45	< 30.00
		1	244	23.98	24.58	< 30.00
		1	0	23.88	24.48	< 30.00
3750.00	100	135	67	23.65	24.25	< 30.00
		1	1	23.98	24.58	< 30.00
		1	271	23.94	24.54	< 30.00
		270	0	23.77	24.37	< 30.00
		1	272	23.65	24.25	< 30.00
		1	0	23.91	24.51	< 30.00
3840.00	100	135	67	23.99	24.59	< 30.00
		1	1	23.86	24.46	< 30.00
		1	271	23.89	24.49	< 30.00
		270	0	23.97	24.57	< 30.00
		1	272	23.76	24.36	< 30.00
		1	0	23.88	24.48	< 30.00
3930.00	100	135	67	23.92	24.52	< 30.00
		1	1	23.99	24.59	< 30.00
		1	271	24.05	24.65	< 30.00
		270	0	24.00	24.60	< 30.00
		1	272	23.87	24.47	< 30.00
		1	0	23.76	24.36	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3705.00	10	12	6	24.17	24.77	< 30.00
		1	1	24.04	24.64	< 30.00
		1	22	24.21	24.81	< 30.00
		24	0	24.10	24.70	< 30.00
		1	23	24.21	24.81	< 30.00
		1	0	24.11	24.71	< 30.00
3840.00	10	12	6	24.11	24.71	< 30.00
		1	1	24.27	24.87	< 30.00
		1	22	23.98	24.58	< 30.00
		24	0	24.13	24.73	< 30.00
		1	23	24.16	24.76	< 30.00
		1	0	24.27	24.87	< 30.00
3975.00	10	12	6	24.53	25.13	< 30.00
		1	1	24.49	25.09	< 30.00
		1	22	24.49	25.09	< 30.00
		24	0	24.47	25.07	< 30.00
		1	23	24.55	25.15	< 30.00
		1	0	24.55	25.15	< 30.00
3707.52	15	18	9	24.16	24.76	< 30.00
		1	1	24.09	24.69	< 30.00
		1	36	24.29	24.89	< 30.00
		36	0	24.08	24.68	< 30.00
		1	37	24.17	24.77	< 30.00
		1	0	24.25	24.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	15	18	9	24.39	24.99	< 30.00
		1	1	24.41	25.01	< 30.00
		1	36	24.26	24.86	< 30.00
		36	0	24.38	24.98	< 30.00
		1	37	24.22	24.82	< 30.00
		1	0	24.38	24.98	< 30.00
3972.48	15	18	9	24.54	25.14	< 30.00
		1	1	24.61	25.21	< 30.00
		1	36	24.63	25.23	< 30.00
		36	0	24.44	25.04	< 30.00
		1	37	24.69	25.29	< 30.00
		1	0	24.58	25.18	< 30.00
3710.01	20	25	12	24.21	24.81	< 30.00
		1	1	24.08	24.68	< 30.00
		1	49	24.11	24.71	< 30.00
		50	0	24.05	24.65	< 30.00
		1	50	24.17	24.77	< 30.00
		1	0	24.13	24.73	< 30.00
3840.00	20	25	12	24.35	24.95	< 30.00
		1	1	24.33	24.93	< 30.00
		1	49	24.37	24.97	< 30.00
		50	0	24.28	24.88	< 30.00
		1	50	24.22	24.82	< 30.00
		1	0	24.48	25.08	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3969.99	20	25	12	24.52	25.12	< 30.00
		1	1	24.60	25.20	< 30.00
		1	49	24.76	25.36	< 30.00
		50	0	24.48	25.08	< 30.00
		1	50	24.62	25.22	< 30.00
		1	0	24.57	25.17	< 30.00
3715.02	30	36	78	24.24	24.84	< 30.00
		1	1	24.33	24.93	< 30.00
		1	76	24.32	24.92	< 30.00
		75	0	24.13	24.73	< 30.00
		1	77	24.08	24.68	< 30.00
		1	0	24.19	24.79	< 30.00
3840.00	30	36	78	24.39	24.99	< 30.00
		1	1	24.27	24.87	< 30.00
		1	76	24.44	25.04	< 30.00
		75	0	24.37	24.97	< 30.00
		1	77	24.31	24.91	< 30.00
		1	0	24.55	25.15	< 30.00
3964.98	30	36	78	24.62	25.22	< 30.00
		1	1	24.53	25.13	< 30.00
		1	76	24.70	25.30	< 30.00
		75	0	24.51	25.11	< 30.00
		1	77	24.57	25.17	< 30.00
		1	0	24.61	25.21	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3720.00	40	50	25	24.06	24.66	< 30.00
		1	1	24.42	25.02	< 30.00
		1	104	24.23	24.83	< 30.00
		100	0	24.09	24.69	< 30.00
		1	105	24.10	24.70	< 30.00
		1	0	24.39	24.99	< 30.00
3840.00	40	50	25	24.41	25.01	< 30.00
		1	1	24.46	25.06	< 30.00
		1	104	24.37	24.97	< 30.00
		100	0	24.36	24.96	< 30.00
		1	105	24.44	25.04	< 30.00
		1	0	24.64	25.24	< 30.00
3960.00	40	50	25	24.64	25.24	< 30.00
		1	1	24.68	25.28	< 30.00
		1	104	24.69	25.29	< 30.00
		100	0	24.66	25.26	< 30.00
		1	105	24.67	25.27	< 30.00
		1	0	24.66	25.26	< 30.00
3725.01	50	64	32	23.95	24.55	< 30.00
		1	1	24.04	24.64	< 30.00
		1	131	23.78	24.38	< 30.00
		128	0	24.02	24.62	< 30.00
		1	132	23.78	24.38	< 30.00
		1	0	24.12	24.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	50	64	32	24.19	24.79	< 30.00
		1	1	24.20	24.80	< 30.00
		1	131	24.09	24.69	< 30.00
		128	0	24.18	24.78	< 30.00
		1	132	24.06	24.66	< 30.00
		1	0	24.28	24.88	< 30.00
3954.99	50	64	32	24.41	25.01	< 30.00
		1	1	24.44	25.04	< 30.00
		1	131	24.36	24.96	< 30.00
		128	0	24.47	25.07	< 30.00
		1	132	24.43	25.03	< 30.00
		1	0	24.48	25.08	< 30.00
3730.02	60	81	40	23.73	24.33	< 30.00
		1	1	24.11	24.71	< 30.00
		1	160	23.75	24.35	< 30.00
		162	0	23.85	24.45	< 30.00
		1	161	23.73	24.33	< 30.00
		1	0	23.98	24.58	< 30.00
3840.00	60	81	40	24.12	24.72	< 30.00
		1	1	24.18	24.78	< 30.00
		1	160	23.94	24.54	< 30.00
		162	0	24.13	24.73	< 30.00
		1	161	23.98	24.58	< 30.00
		1	0	24.32	24.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3949.98	60	81	40	23.97	24.57	< 30.00
		1	1	23.85	24.45	< 30.00
		1	160	23.96	24.56	< 30.00
		162	0	23.98	24.58	< 30.00
		1	161	24.01	24.61	< 30.00
		1	0	24.01	24.61	< 30.00
3735.00	70	90	45	23.89	24.49	< 30.00
		1	1	23.58	24.18	< 30.00
		1	187	23.66	24.26	< 30.00
		180	0	23.85	24.45	< 30.00
		1	188	23.79	24.39	< 30.00
		1	0	24.23	24.83	< 30.00
3840.00	70	90	45	23.95	24.55	< 30.00
		1	1	23.95	24.55	< 30.00
		1	187	23.93	24.53	< 30.00
		180	0	23.97	24.57	< 30.00
		1	188	24.14	24.74	< 30.00
		1	0	24.42	25.02	< 30.00
3945.00	70	90	45	24.03	24.63	< 30.00
		1	1	23.96	24.56	< 30.00
		1	187	24.10	24.70	< 30.00
		180	0	23.90	24.50	< 30.00
		1	188	23.89	24.49	< 30.00
		1	0	23.92	24.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3740.01	80	108	54	23.84	24.44	< 30.00
		1	1	23.88	24.48	< 30.00
		1	215	23.77	24.37	< 30.00
		216	0	23.76	24.36	< 30.00
		1	216	23.62	24.22	< 30.00
		1	0	23.92	24.52	< 30.00
3840.00	80	108	54	24.00	24.60	< 30.00
		1	1	24.40	25.00	< 30.00
		1	215	23.89	24.49	< 30.00
		216	0	24.03	24.63	< 30.00
		1	216	24.04	24.64	< 30.00
		1	0	24.10	24.70	< 30.00
3939.99	80	108	54	23.93	24.53	< 30.00
		1	1	23.99	24.59	< 30.00
		1	215	24.00	24.60	< 30.00
		216	0	24.00	24.60	< 30.00
		1	216	23.97	24.57	< 30.00
		1	0	24.04	24.64	< 30.00
3745.02	90	120	60	23.78	24.38	< 30.00
		1	1	23.94	24.54	< 30.00
		1	243	23.76	24.36	< 30.00
		243	0	23.67	24.27	< 30.00
		1	244	23.77	24.37	< 30.00
		1	0	23.99	24.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	90	120	60	23.94	24.54	< 30.00
		1	1	23.90	24.50	< 30.00
		1	243	23.93	24.53	< 30.00
		243	0	23.92	24.52	< 30.00
		1	244	23.81	24.41	< 30.00
		1	0	24.05	24.65	< 30.00
3934.98	90	120	60	23.96	24.56	< 30.00
		1	1	23.88	24.48	< 30.00
		1	243	24.17	24.77	< 30.00
		243	0	24.06	24.66	< 30.00
		1	244	23.96	24.56	< 30.00
		1	0	23.84	24.44	< 30.00
3750.00	100	135	67	23.63	24.23	< 30.00
		1	1	23.85	24.45	< 30.00
		1	271	23.76	24.36	< 30.00
		270	0	23.65	24.25	< 30.00
		1	272	23.77	24.37	< 30.00
		1	0	23.73	24.33	< 30.00
3840.00	100	135	67	24.03	24.63	< 30.00
		1	1	23.89	24.49	< 30.00
		1	271	23.82	24.42	< 30.00
		270	0	23.83	24.43	< 30.00
		1	272	23.62	24.22	< 30.00
		1	0	23.98	24.58	< 30.00
3930.00	100	135	67	24.00	24.60	< 30.00
		1	1	23.83	24.43	< 30.00
		1	271	24.02	24.62	< 30.00
		270	0	23.79	24.39	< 30.00
		1	272	23.84	24.44	< 30.00
		1	0	23.71	24.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3705.00	10	12	6	22.12	22.72	< 30.00
		1	1	21.82	22.42	< 30.00
		1	22	21.94	22.54	< 30.00
		24	0	22.01	22.61	< 30.00
		1	23	21.90	22.50	< 30.00
		1	0	21.82	22.42	< 30.00
3840.00	10	12	6	22.35	22.95	< 30.00
		1	1	22.06	22.66	< 30.00
		1	22	22.14	22.74	< 30.00
		24	0	22.28	22.88	< 30.00
		1	23	22.12	22.72	< 30.00
		1	0	22.14	22.74	< 30.00
3975.00	10	12	6	22.25	22.85	< 30.00
		1	1	21.99	22.59	< 30.00
		1	22	22.35	22.95	< 30.00
		24	0	22.18	22.78	< 30.00
		1	23	22.32	22.92	< 30.00
		1	0	22.26	22.86	< 30.00
3707.52	15	18	9	22.02	22.62	< 30.00
		1	1	21.85	22.45	< 30.00
		1	36	22.00	22.60	< 30.00
		36	0	22.08	22.68	< 30.00
		1	37	22.05	22.65	< 30.00
		1	0	21.88	22.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	15	18	9	22.32	22.92	< 30.00
		1	1	22.24	22.84	< 30.00
		1	36	22.28	22.88	< 30.00
		36	0	22.35	22.95	< 30.00
		1	37	22.31	22.91	< 30.00
		1	0	22.40	23.00	< 30.00
3972.48	15	18	9	22.34	22.94	< 30.00
		1	1	22.19	22.79	< 30.00
		1	36	22.25	22.85	< 30.00
		36	0	22.33	22.93	< 30.00
		1	37	22.26	22.86	< 30.00
		1	0	22.19	22.79	< 30.00
3710.01	20	25	12	22.02	22.62	< 30.00
		1	1	22.06	22.66	< 30.00
		1	49	22.26	22.86	< 30.00
		50	0	21.90	22.5	< 30.00
		1	50	22.23	22.83	< 30.00
		1	0	22.16	22.76	< 30.00
3840.00	20	25	12	22.28	22.88	< 30.00
		1	1	22.36	22.96	< 30.00
		1	49	22.50	23.10	< 30.00
		50	0	22.25	22.85	< 30.00
		1	50	22.50	23.10	< 30.00
		1	0	22.38	22.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3969.99	20	25	12	22.04	22.64	< 30.00
		1	1	22.13	22.73	< 30.00
		1	49	22.22	22.82	< 30.00
		50	0	22.00	22.60	< 30.00
		1	50	22.17	22.77	< 30.00
		1	0	22.05	22.65	< 30.00
3715.02	30	36	78	22.05	22.65	< 30.00
		1	1	22.12	22.72	< 30.00
		1	76	22.33	22.93	< 30.00
		75	0	22.07	22.67	< 30.00
		1	77	22.25	22.85	< 30.00
		1	0	22.11	22.71	< 30.00
3840.00	30	36	78	22.25	22.85	< 30.00
		1	1	22.03	22.63	< 30.00
		1	76	22.30	22.90	< 30.00
		75	0	22.35	22.95	< 30.00
		1	77	22.28	22.88	< 30.00
		1	0	22.14	22.74	< 30.00
3964.98	30	36	78	22.05	22.65	< 30.00
		1	1	22.06	22.66	< 30.00
		1	76	22.10	22.70	< 30.00
		75	0	21.89	22.49	< 30.00
		1	77	22.10	22.70	< 30.00
		1	0	21.91	22.51	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3720.00	40	50	25	22.28	22.88	< 30.00
		1	1	22.32	22.92	< 30.00
		1	104	22.22	22.82	< 30.00
		100	0	22.03	22.63	< 30.00
		1	105	22.25	22.85	< 30.00
		1	0	22.36	22.96	< 30.00
3840.00	40	50	25	22.20	22.80	< 30.00
		1	1	22.22	22.82	< 30.00
		1	104	22.25	22.85	< 30.00
		100	0	22.27	22.87	< 30.00
		1	105	22.39	22.99	< 30.00
		1	0	22.25	22.85	< 30.00
3960.00	40	50	25	22.03	22.63	< 30.00
		1	1	22.16	22.76	< 30.00
		1	104	22.26	22.86	< 30.00
		100	0	22.20	22.80	< 30.00
		1	105	22.37	22.97	< 30.00
		1	0	22.32	22.92	< 30.00
3725.01	50	64	32	21.78	22.38	< 30.00
		1	1	21.98	22.58	< 30.00
		1	131	21.85	22.45	< 30.00
		128	0	21.75	22.35	< 30.00
		1	132	21.85	22.45	< 30.00
		1	0	21.97	22.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	50	64	32	22.11	22.71	< 30.00
		1	1	22.02	22.62	< 30.00
		1	131	22.35	22.95	< 30.00
		128	0	21.85	22.45	< 30.00
		1	132	22.36	22.96	< 30.00
		1	0	22.27	22.87	< 30.00
3954.99	50	64	32	21.85	22.45	< 30.00
		1	1	21.95	22.55	< 30.00
		1	131	22.00	22.60	< 30.00
		128	0	21.90	22.50	< 30.00
		1	132	22.05	22.65	< 30.00
		1	0	22.25	22.85	< 30.00
3730.02	60	81	40	21.76	22.36	< 30.00
		1	1	21.90	22.50	< 30.00
		1	160	21.88	22.48	< 30.00
		162	0	21.74	22.34	< 30.00
		1	161	21.85	22.45	< 30.00
		1	0	21.83	22.43	< 30.00
3840.00	60	81	40	22.15	22.75	< 30.00
		1	1	21.70	22.30	< 30.00
		1	160	21.90	22.50	< 30.00
		162	0	22.04	22.64	< 30.00
		1	161	21.90	22.50	< 30.00
		1	0	21.80	22.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3949.98	60	81	40	21.60	22.20	< 30.00
		1	1	21.73	22.33	< 30.00
		1	160	21.52	22.12	< 30.00
		162	0	21.67	22.27	< 30.00
		1	161	21.57	22.17	< 30.00
		1	0	21.76	22.36	< 30.00
3735.00	70	90	45	21.75	22.35	< 30.00
		1	1	21.63	22.23	< 30.00
		1	187	21.89	22.49	< 30.00
		180	0	21.71	22.31	< 30.00
		1	188	21.88	22.48	< 30.00
		1	0	21.82	22.42	< 30.00
3840.00	70	90	45	22.00	22.60	< 30.00
		1	1	21.67	22.27	< 30.00
		1	187	21.80	22.40	< 30.00
		180	0	21.85	22.45	< 30.00
		1	188	22.00	22.60	< 30.00
		1	0	21.97	22.57	< 30.00
3945.00	70	90	45	21.70	22.30	< 30.00
		1	1	21.92	22.52	< 30.00
		1	187	21.72	22.32	< 30.00
		180	0	21.65	22.25	< 30.00
		1	188	21.57	22.17	< 30.00
		1	0	22.00	22.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3740.01	80	108	54	21.50	22.10	< 30.00
		1	1	21.33	21.93	< 30.00
		1	215	21.45	22.05	< 30.00
		216	0	21.47	22.07	< 30.00
		1	216	21.50	22.10	< 30.00
		1	0	21.45	22.05	< 30.00
3840.00	80	108	54	21.74	22.34	< 30.00
		1	1	21.45	22.05	< 30.00
		1	215	21.58	22.18	< 30.00
		216	0	21.64	22.24	< 30.00
		1	216	21.56	22.16	< 30.00
		1	0	21.59	22.19	< 30.00
3939.99	80	108	54	21.45	22.05	< 30.00
		1	1	21.50	22.10	< 30.00
		1	215	21.30	21.90	< 30.00
		216	0	21.42	22.02	< 30.00
		1	216	21.28	21.88	< 30.00
		1	0	21.57	22.17	< 30.00
3745.02	90	120	60	21.50	22.10	< 30.00
		1	1	21.37	21.97	< 30.00
		1	243	21.49	22.09	< 30.00
		243	0	21.50	22.10	< 30.00
		1	244	21.44	22.04	< 30.00
		1	0	21.42	22.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	90	120	60	21.62	22.22	< 30.00
		1	1	21.53	22.13	< 30.00
		1	243	21.63	22.23	< 30.00
		243	0	21.61	22.21	< 30.00
		1	244	21.53	22.13	< 30.00
		1	0	21.70	22.30	< 30.00
3934.98	90	120	60	21.46	22.06	< 30.00
		1	1	21.60	22.20	< 30.00
		1	243	21.40	22.00	< 30.00
		243	0	21.45	22.05	< 30.00
		1	244	21.46	22.06	< 30.00
		1	0	21.65	22.25	< 30.00
3750.00	100	135	67	21.43	22.03	< 30.00
		1	1	21.48	22.08	< 30.00
		1	271	21.50	22.10	< 30.00
		270	0	21.39	21.99	< 30.00
		1	272	21.44	22.04	< 30.00
		1	0	21.56	22.16	< 30.00
3840.00	100	135	67	21.57	22.17	< 30.00
		1	1	21.42	22.02	< 30.00
		1	271	21.46	22.06	< 30.00
		270	0	21.55	22.15	< 30.00
		1	272	21.42	22.02	< 30.00
		1	0	21.66	22.26	< 30.00
3930.00	100	135	67	21.44	22.04	< 30.00
		1	1	21.60	22.20	< 30.00
		1	271	21.59	22.19	< 30.00
		270	0	21.40	22.00	< 30.00
		1	272	21.33	21.93	< 30.00
		1	0	21.65	22.25	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	HPUE n77/n78_SA (3700 ~ 3980)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3705.00	10	12	6	27.11	27.71	< 30.00
		1	1	27.10	27.70	< 30.00
		1	22	27.11	27.71	< 30.00
		24	0	27.11	27.71	< 30.00
		1	23	24.50	25.10	< 30.00
		1	0	24.61	25.21	< 30.00
3840.00	10	12	6	27.26	27.86	< 30.00
		1	1	27.18	27.78	< 30.00
		1	22	27.08	27.68	< 30.00
		24	0	27.17	27.77	< 30.00
		1	23	24.52	25.12	< 30.00
		1	0	24.72	25.32	< 30.00
3975.00	10	12	6	27.63	28.23	< 30.00
		1	1	27.53	28.13	< 30.00
		1	22	27.51	28.11	< 30.00
		24	0	27.49	28.09	< 30.00
		1	23	25.02	25.62	< 30.00
		1	0	25.04	25.64	< 30.00
3707.52	15	18	9	27.21	27.81	< 30.00
		1	1	27.22	27.82	< 30.00
		1	36	27.23	27.83	< 30.00
		36	0	27.24	27.84	< 30.00
		1	37	24.60	25.20	< 30.00
		1	0	24.61	25.21	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	15	18	9	27.46	28.06	< 30.00
		1	1	27.40	28.00	< 30.00
		1	36	27.30	27.90	< 30.00
		36	0	27.37	27.97	< 30.00
		1	37	24.76	25.36	< 30.00
		1	0	24.83	25.43	< 30.00
3972.48	15	18	9	27.53	28.13	< 30.00
		1	1	27.59	28.19	< 30.00
		1	36	27.62	28.22	< 30.00
		36	0	27.59	28.19	< 30.00
		1	37	25.05	25.65	< 30.00
		1	0	24.96	25.56	< 30.00
3710.01	20	25	12	27.17	27.77	< 30.00
		1	1	27.24	27.84	< 30.00
		1	49	27.24	27.84	< 30.00
		50	0	27.15	27.75	< 30.00
		1	50	24.62	25.22	< 30.00
		1	0	24.68	25.28	< 30.00
3840.00	20	25	12	27.38	27.98	< 30.00
		1	1	27.40	28.00	< 30.00
		1	49	27.28	27.88	< 30.00
		50	0	27.36	27.96	< 30.00
		1	50	24.74	25.34	< 30.00
		1	0	24.92	25.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3969.99	20	25	12	27.50	28.10	< 30.00
		1	1	27.56	28.16	< 30.00
		1	49	27.66	28.26	< 30.00
		50	0	27.55	28.15	< 30.00
		1	50	25.00	25.60	< 30.00
		1	0	25.13	25.73	< 30.00
3715.02	30	36	78	27.26	27.86	< 30.00
		1	1	27.29	27.89	< 30.00
		1	76	27.32	27.92	< 30.00
		75	0	27.35	27.95	< 30.00
		1	77	24.64	25.24	< 30.00
		1	0	24.75	25.35	< 30.00
3840.00	30	36	78	27.43	28.03	< 30.00
		1	1	27.32	27.92	< 30.00
		1	76	27.34	27.94	< 30.00
		75	0	27.42	28.02	< 30.00
		1	77	24.83	25.43	< 30.00
		1	0	24.88	25.48	< 30.00
3964.98	30	36	78	27.55	28.15	< 30.00
		1	1	27.53	28.13	< 30.00
		1	76	27.56	28.16	< 30.00
		75	0	27.63	28.23	< 30.00
		1	77	24.98	25.58	< 30.00
		1	0	25.22	25.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3720.00	40	50	25	27.18	27.78	< 30.00
		1	1	27.38	27.98	< 30.00
		1	104	27.10	27.70	< 30.00
		100	0	27.15	27.75	< 30.00
		1	105	24.67	25.27	< 30.00
		1	0	24.89	25.49	< 30.00
3840.00	40	50	25	27.41	28.01	< 30.00
		1	1	27.43	28.03	< 30.00
		1	104	27.37	27.97	< 30.00
		100	0	27.48	28.08	< 30.00
		1	105	24.77	25.37	< 30.00
		1	0	25.08	25.68	< 30.00
3960.00	40	50	25	27.66	28.26	< 30.00
		1	1	27.56	28.16	< 30.00
		1	104	27.70	28.30	< 30.00
		100	0	27.67	28.27	< 30.00
		1	105	25.25	25.85	< 30.00
		1	0	25.15	25.75	< 30.00
3725.01	50	64	32	26.99	27.59	< 30.00
		1	1	27.03	27.63	< 30.00
		1	131	26.71	27.31	< 30.00
		128	0	27.01	27.61	< 30.00
		1	132	24.00	24.60	< 30.00
		1	0	24.59	25.19	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	50	64	32	27.22	27.82	< 30.00
		1	1	27.19	27.79	< 30.00
		1	131	27.12	27.72	< 30.00
		128	0	27.17	27.77	< 30.00
		1	132	24.50	25.10	< 30.00
		1	0	24.79	25.39	< 30.00
3954.99	50	64	32	27.44	28.04	< 30.00
		1	1	27.32	27.92	< 30.00
		1	131	27.44	28.04	< 30.00
		128	0	27.44	28.04	< 30.00
		1	132	24.89	25.49	< 30.00
		1	0	24.89	25.49	< 30.00
3730.02	60	81	40	26.83	27.43	< 30.00
		1	1	27.01	27.61	< 30.00
		1	160	26.57	27.17	< 30.00
		162	0	26.88	27.48	< 30.00
		1	161	24.15	24.75	< 30.00
		1	0	24.44	25.04	< 30.00
3840.00	60	81	40	27.18	27.78	< 30.00
		1	1	27.15	27.75	< 30.00
		1	160	26.97	27.57	< 30.00
		162	0	27.18	27.78	< 30.00
		1	161	24.52	25.12	< 30.00
		1	0	24.66	25.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3949.98	60	81	40	27.11	27.71	< 30.00
		1	1	26.87	27.47	< 30.00
		1	160	27.05	27.65	< 30.00
		162	0	27.16	27.76	< 30.00
		1	161	24.45	25.05	< 30.00
		1	0	24.55	25.15	< 30.00
3735.00	70	90	45	23.91	24.51	< 30.00
		1	1	23.98	24.58	< 30.00
		1	187	23.61	24.21	< 30.00
		180	0	26.92	27.52	< 30.00
		1	188	21.10	21.70	< 30.00
		1	0	24.40	25.00	< 30.00
3840.00	70	90	45	27.01	27.61	< 30.00
		1	1	26.97	27.57	< 30.00
		1	187	26.73	27.33	< 30.00
		180	0	27.04	27.64	< 30.00
		1	188	24.25	24.85	< 30.00
		1	0	24.54	25.14	< 30.00
3945.00	70	90	45	27.04	27.64	< 30.00
		1	1	26.81	27.41	< 30.00
		1	187	26.93	27.53	< 30.00
		180	0	27.11	27.71	< 30.00
		1	188	24.31	24.91	< 30.00
		1	0	24.38	24.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3740.01	80	108	54	26.84	27.44	< 30.00
		1	1	26.87	27.47	< 30.00
		1	215	26.69	27.29	< 30.00
		216	0	26.83	27.43	< 30.00
		1	216	24.17	24.77	< 30.00
		1	0	24.38	24.98	< 30.00
3840.00	80	108	54	27.07	27.67	< 30.00
		1	1	26.91	27.51	< 30.00
		1	215	26.76	27.36	< 30.00
		216	0	27.00	27.60	< 30.00
		1	216	24.20	24.80	< 30.00
		1	0	24.66	25.26	< 30.00
3939.99	80	108	54	27.24	27.84	< 30.00
		1	1	26.83	27.43	< 30.00
		1	215	27.04	27.64	< 30.00
		216	0	27.09	27.69	< 30.00
		1	216	24.49	25.09	< 30.00
		1	0	24.43	25.03	< 30.00
3745.02	90	120	60	26.74	27.34	< 30.00
		1	1	26.93	27.53	< 30.00
		1	243	26.77	27.37	< 30.00
		243	0	26.84	27.44	< 30.00
		1	244	24.29	24.89	< 30.00
		1	0	24.45	25.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	90	120	60	27.15	27.75	< 30.00
		1	1	26.95	27.55	< 30.00
		1	243	26.86	27.46	< 30.00
		243	0	27.05	27.65	< 30.00
		1	244	24.24	24.84	< 30.00
		1	0	24.45	25.05	< 30.00
3934.98	90	120	60	27.02	27.62	< 30.00
		1	1	26.87	27.47	< 30.00
		1	243	27.06	27.66	< 30.00
		243	0	26.96	27.56	< 30.00
		1	244	24.55	25.15	< 30.00
		1	0	24.33	24.93	< 30.00
3750.00	100	135	67	26.80	27.40	< 30.00
		1	1	26.84	27.44	< 30.00
		1	271	26.79	27.39	< 30.00
		270	0	26.82	27.42	< 30.00
		1	272	24.04	24.64	< 30.00
		1	0	24.30	24.90	< 30.00
3840.00	100	135	67	27.14	27.74	< 30.00
		1	1	26.82	27.42	< 30.00
		1	271	26.84	27.44	< 30.00
		270	0	27.08	27.68	< 30.00
		1	272	24.24	24.84	< 30.00
		1	0	24.32	24.92	< 30.00
3930.00	100	135	67	26.97	27.57	< 30.00
		1	1	26.71	27.31	< 30.00
		1	271	27.09	27.69	< 30.00
		270	0	26.97	27.57	< 30.00
		1	272	24.41	25.01	< 30.00
		1	0	24.31	24.91	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3705.00	10	12	6	27.16	27.76	< 30.00
		1	1	27.10	27.70	< 30.00
		1	22	27.14	27.74	< 30.00
		24	0	27.20	27.80	< 30.00
		1	23	24.51	25.11	< 30.00
		1	0	24.55	25.15	< 30.00
3840.00	10	12	6	27.19	27.79	< 30.00
		1	1	27.16	27.76	< 30.00
		1	22	27.06	27.66	< 30.00
		24	0	27.21	27.81	< 30.00
		1	23	24.62	25.22	< 30.00
		1	0	24.74	25.34	< 30.00
3975.00	10	12	6	27.55	28.15	< 30.00
		1	1	27.41	28.01	< 30.00
		1	22	27.47	28.07	< 30.00
		24	0	27.54	28.14	< 30.00
		1	23	24.86	25.46	< 30.00
		1	0	25.07	25.67	< 30.00
3707.52	15	18	9	27.20	27.80	< 30.00
		1	1	27.15	27.75	< 30.00
		1	36	27.13	27.73	< 30.00
		36	0	27.22	27.82	< 30.00
		1	37	24.76	25.36	< 30.00
		1	0	24.87	25.47	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	15	18	9	27.39	27.99	< 30.00
		1	1	27.37	27.97	< 30.00
		1	36	27.27	27.87	< 30.00
		36	0	27.41	28.01	< 30.00
		1	37	24.82	25.42	< 30.00
		1	0	24.87	25.47	< 30.00
3972.48	15	18	9	27.69	28.29	< 30.00
		1	1	27.54	28.14	< 30.00
		1	36	27.59	28.19	< 30.00
		36	0	27.53	28.13	< 30.00
		1	37	25.17	25.77	< 30.00
		1	0	25.10	25.70	< 30.00
3710.01	20	25	12	27.22	27.82	< 30.00
		1	1	27.13	27.73	< 30.00
		1	49	27.07	27.67	< 30.00
		50	0	27.21	27.81	< 30.00
		1	50	24.62	25.22	< 30.00
		1	0	24.62	25.22	< 30.00
3840.00	20	25	12	27.40	28.00	< 30.00
		1	1	27.48	28.08	< 30.00
		1	49	27.27	27.87	< 30.00
		50	0	27.44	28.04	< 30.00
		1	50	24.77	25.37	< 30.00
		1	0	24.97	25.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3969.99	20	25	12	27.52	28.12	< 30.00
		1	1	27.51	28.11	< 30.00
		1	49	27.62	28.22	< 30.00
		50	0	27.58	28.18	< 30.00
		1	50	25.10	25.70	< 30.00
		1	0	25.16	25.76	< 30.00
3715.02	30	36	78	27.18	27.78	< 30.00
		1	1	27.36	27.96	< 30.00
		1	76	27.33	27.93	< 30.00
		75	0	27.27	27.87	< 30.00
		1	77	24.57	25.17	< 30.00
		1	0	24.81	25.41	< 30.00
3840.00	30	36	78	27.36	27.96	< 30.00
		1	1	27.39	27.99	< 30.00
		1	76	27.42	28.02	< 30.00
		75	0	27.35	27.95	< 30.00
		1	77	24.76	25.36	< 30.00
		1	0	24.91	25.51	< 30.00
3964.98	30	36	78	27.58	28.18	< 30.00
		1	1	27.50	28.10	< 30.00
		1	76	27.51	28.11	< 30.00
		75	0	27.56	28.16	< 30.00
		1	77	25.13	25.73	< 30.00
		1	0	25.05	25.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3720.00	40	50	25	27.20	27.80	< 30.00
		1	1	27.46	28.06	< 30.00
		1	104	27.08	27.68	< 30.00
		100	0	27.19	27.79	< 30.00
		1	105	24.42	25.02	< 30.00
		1	0	24.84	25.44	< 30.00
3840.00	40	50	25	27.42	28.02	< 30.00
		1	1	27.39	27.99	< 30.00
		1	104	27.26	27.86	< 30.00
		100	0	27.39	27.99	< 30.00
		1	105	24.92	25.52	< 30.00
		1	0	25.00	25.60	< 30.00
3960.00	40	50	25	27.53	28.13	< 30.00
		1	1	27.53	28.13	< 30.00
		1	104	27.65	28.25	< 30.00
		100	0	27.60	28.20	< 30.00
		1	105	25.28	25.88	< 30.00
		1	0	25.29	25.89	< 30.00
3725.01	50	64	32	26.94	27.54	< 30.00
		1	1	27.03	27.63	< 30.00
		1	131	26.64	27.24	< 30.00
		128	0	26.89	27.49	< 30.00
		1	132	24.05	24.65	< 30.00
		1	0	24.62	25.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	50	64	32	27.24	27.84	< 30.00
		1	1	27.18	27.78	< 30.00
		1	131	27.01	27.61	< 30.00
		128	0	27.13	27.73	< 30.00
		1	132	24.62	25.22	< 30.00
		1	0	24.79	25.39	< 30.00
3954.99	50	64	32	27.37	27.97	< 30.00
		1	1	27.30	27.90	< 30.00
		1	131	27.33	27.93	< 30.00
		128	0	27.38	27.98	< 30.00
		1	132	24.91	25.51	< 30.00
		1	0	24.88	25.48	< 30.00
3730.02	60	81	40	26.88	27.48	< 30.00
		1	1	26.92	27.52	< 30.00
		1	160	26.58	27.18	< 30.00
		162	0	26.86	27.46	< 30.00
		1	161	24.00	24.60	< 30.00
		1	0	24.50	25.10	< 30.00
3840.00	60	81	40	27.10	27.70	< 30.00
		1	1	27.06	27.66	< 30.00
		1	160	26.96	27.56	< 30.00
		162	0	27.12	27.72	< 30.00
		1	161	24.47	25.07	< 30.00
		1	0	24.81	25.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3949.98	60	81	40	27.06	27.66	< 30.00
		1	1	26.98	27.58	< 30.00
		1	160	27.08	27.68	< 30.00
		162	0	27.02	27.62	< 30.00
		1	161	24.54	25.14	< 30.00
		1	0	24.40	25.00	< 30.00
3735.00	70	90	45	26.89	27.49	< 30.00
		1	1	26.89	27.49	< 30.00
		1	187	26.68	27.28	< 30.00
		180	0	-21.60	-21.00	< 30.00
		1	188	20.99	21.59	< 30.00
		1	0	24.53	25.13	< 30.00
3840.00	70	90	45	27.05	27.65	< 30.00
		1	1	26.94	27.54	< 30.00
		1	187	26.71	27.31	< 30.00
		180	0	26.99	27.59	< 30.00
		1	188	23.96	24.56	< 30.00
		1	0	24.52	25.12	< 30.00
3945.00	70	90	45	27.01	27.61	< 30.00
		1	1	26.90	27.50	< 30.00
		1	187	27.04	27.64	< 30.00
		180	0	27.13	27.73	< 30.00
		1	188	24.48	25.08	< 30.00
		1	0	24.63	25.23	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3740.01	80	108	54	26.83	27.43	< 30.00
		1	1	26.88	27.48	< 30.00
		1	215	26.64	27.24	< 30.00
		216	0	26.83	27.43	< 30.00
		1	216	24.14	24.74	< 30.00
		1	0	24.55	25.15	< 30.00
3840.00	80	108	54	27.08	27.68	< 30.00
		1	1	26.88	27.48	< 30.00
		1	215	26.91	27.51	< 30.00
		216	0	27.04	27.64	< 30.00
		1	216	24.22	24.82	< 30.00
		1	0	24.52	25.12	< 30.00
3939.99	80	108	54	27.08	27.68	< 30.00
		1	1	26.80	27.40	< 30.00
		1	215	26.91	27.51	< 30.00
		216	0	27.06	27.66	< 30.00
		1	216	24.42	25.02	< 30.00
		1	0	24.49	25.09	< 30.00
3745.02	90	120	60	26.71	27.31	< 30.00
		1	1	26.91	27.51	< 30.00
		1	243	26.70	27.30	< 30.00
		243	0	26.83	27.43	< 30.00
		1	244	24.36	24.96	< 30.00
		1	0	24.33	24.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	90	120	60	27.06	27.66	< 30.00
		1	1	26.93	27.53	< 30.00
		1	243	26.97	27.57	< 30.00
		243	0	27.02	27.62	< 30.00
		1	244	24.22	24.82	< 30.00
		1	0	24.44	25.04	< 30.00
3934.98	90	120	60	27.05	27.65	< 30.00
		1	1	26.77	27.37	< 30.00
		1	243	27.05	27.65	< 30.00
		243	0	27.02	27.62	< 30.00
		1	244	24.45	25.05	< 30.00
		1	0	24.42	25.02	< 30.00
3750.00	100	135	67	26.73	27.33	< 30.00
		1	1	26.67	27.27	< 30.00
		1	271	26.71	27.31	< 30.00
		270	0	26.75	27.35	< 30.00
		1	272	24.11	24.71	< 30.00
		1	0	24.19	24.79	< 30.00
3840.00	100	135	67	27.06	27.66	< 30.00
		1	1	26.82	27.42	< 30.00
		1	271	26.83	27.43	< 30.00
		270	0	27.02	27.62	< 30.00
		1	272	24.27	24.87	< 30.00
		1	0	24.38	24.98	< 30.00
3930.00	100	135	67	27.00	27.60	< 30.00
		1	1	26.72	27.32	< 30.00
		1	271	27.02	27.62	< 30.00
		270	0	26.87	27.47	< 30.00
		1	272	24.44	25.04	< 30.00
		1	0	24.35	24.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3705.00	10	12	6	27.11	27.71	< 30.00
		1	1	27.17	27.77	< 30.00
		1	22	27.29	27.89	< 30.00
		24	0	26.13	26.73	< 30.00
		1	23	24.63	25.23	< 30.00
		1	0	24.75	25.35	< 30.00
3840.00	10	12	6	27.19	27.79	< 30.00
		1	1	27.41	28.01	< 30.00
		1	22	27.15	27.75	< 30.00
		24	0	26.19	26.79	< 30.00
		1	23	24.83	25.43	< 30.00
		1	0	24.95	25.55	< 30.00
3975.00	10	12	6	27.47	28.07	< 30.00
		1	1	27.51	28.11	< 30.00
		1	22	27.50	28.10	< 30.00
		24	0	26.53	27.13	< 30.00
		1	23	25.00	25.60	< 30.00
		1	0	25.11	25.71	< 30.00
3707.52	15	18	9	27.13	27.73	< 30.00
		1	1	27.44	28.04	< 30.00
		1	36	27.21	27.81	< 30.00
		36	0	26.26	26.86	< 30.00
		1	37	24.64	25.24	< 30.00
		1	0	24.74	25.34	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	15	18	9	27.37	27.97	< 30.00
		1	1	27.45	28.05	< 30.00
		1	36	27.47	28.07	< 30.00
		36	0	26.43	27.03	< 30.00
		1	37	24.88	25.48	< 30.00
		1	0	25.05	25.65	< 30.00
3972.48	15	18	9	27.59	28.19	< 30.00
		1	1	27.62	28.22	< 30.00
		1	36	27.62	28.22	< 30.00
		36	0	26.55	27.15	< 30.00
		1	37	25.23	25.83	< 30.00
		1	0	25.23	25.83	< 30.00
3710.01	20	25	12	27.14	27.74	< 30.00
		1	1	27.24	27.84	< 30.00
		1	49	27.12	27.72	< 30.00
		50	0	26.20	26.80	< 30.00
		1	50	24.82	25.42	< 30.00
		1	0	24.70	25.30	< 30.00
3840.00	20	25	12	27.38	27.98	< 30.00
		1	1	27.63	28.23	< 30.00
		1	49	27.36	27.96	< 30.00
		50	0	26.40	27.00	< 30.00
		1	50	24.88	25.48	< 30.00
		1	0	25.18	25.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3969.99	20	25	12	27.48	28.08	< 30.00
		1	1	27.60	28.20	< 30.00
		1	49	27.64	28.24	< 30.00
		50	0	26.55	27.15	< 30.00
		1	50	25.24	25.84	< 30.00
		1	0	25.18	25.78	< 30.00
3715.02	30	36	78	27.19	27.79	< 30.00
		1	1	27.35	27.95	< 30.00
		1	76	27.22	27.82	< 30.00
		75	0	26.17	26.77	< 30.00
		1	77	24.73	25.33	< 30.00
		1	0	24.83	25.43	< 30.00
3840.00	30	36	78	27.39	27.99	< 30.00
		1	1	27.45	28.05	< 30.00
		1	76	27.39	27.99	< 30.00
		75	0	26.43	27.03	< 30.00
		1	77	24.94	25.54	< 30.00
		1	0	25.07	25.67	< 30.00
3964.98	30	36	78	27.57	28.17	< 30.00
		1	1	27.58	28.18	< 30.00
		1	76	27.62	28.22	< 30.00
		75	0	26.63	27.23	< 30.00
		1	77	25.24	25.84	< 30.00
		1	0	25.17	25.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3720.00	40	50	25	27.17	27.77	< 30.00
		1	1	27.54	28.14	< 30.00
		1	104	27.32	27.92	< 30.00
		100	0	26.24	26.84	< 30.00
		1	105	24.87	25.47	< 30.00
		1	0	24.95	25.55	< 30.00
3840.00	40	50	25	27.39	27.99	< 30.00
		1	1	27.65	28.25	< 30.00
		1	104	27.52	28.12	< 30.00
		100	0	26.44	27.04	< 30.00
		1	105	25.09	25.69	< 30.00
		1	0	25.11	25.71	< 30.00
3960.00	40	50	25	27.58	28.18	< 30.00
		1	1	27.68	28.28	< 30.00
		1	104	27.74	28.34	< 30.00
		100	0	26.73	27.33	< 30.00
		1	105	25.28	25.88	< 30.00
		1	0	25.32	25.92	< 30.00
3725.01	50	64	32	26.95	27.55	< 30.00
		1	1	27.15	27.75	< 30.00
		1	131	26.84	27.44	< 30.00
		128	0	25.98	26.58	< 30.00
		1	132	24.34	24.94	< 30.00
		1	0	24.81	25.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	50	64	32	27.19	27.79	< 30.00
		1	1	27.25	27.85	< 30.00
		1	131	27.20	27.80	< 30.00
		128	0	26.20	26.80	< 30.00
		1	132	24.73	25.33	< 30.00
		1	0	24.85	25.45	< 30.00
3954.99	50	64	32	27.43	28.03	< 30.00
		1	1	27.30	27.90	< 30.00
		1	131	27.47	28.07	< 30.00
		128	0	26.38	26.98	< 30.00
		1	132	24.97	25.57	< 30.00
		1	0	25.15	25.75	< 30.00
3730.02	60	81	40	26.86	27.46	< 30.00
		1	1	27.09	27.69	< 30.00
		1	160	26.68	27.28	< 30.00
		162	0	25.94	26.54	< 30.00
		1	161	24.15	24.75	< 30.00
		1	0	24.52	25.12	< 30.00
3840.00	60	81	40	27.13	27.73	< 30.00
		1	1	27.21	27.81	< 30.00
		1	160	27.03	27.63	< 30.00
		162	0	26.20	26.80	< 30.00
		1	161	24.54	25.14	< 30.00
		1	0	24.80	25.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3949.98	60	81	40	27.06	27.66	< 30.00
		1	1	26.93	27.53	< 30.00
		1	160	27.12	27.72	< 30.00
		162	0	26.00	26.60	< 30.00
		1	161	24.46	25.06	< 30.00
		1	0	24.47	25.07	< 30.00
3735.00	70	90	45	26.81	27.41	< 30.00
		1	1	26.97	27.57	< 30.00
		1	187	26.67	27.27	< 30.00
		180	0	25.92	26.52	< 30.00
		1	188	24.23	24.83	< 30.00
		1	0	-23.48	-22.88	< 30.00
3840.00	70	90	45	27.05	27.65	< 30.00
		1	1	27.02	27.62	< 30.00
		1	187	26.78	27.38	< 30.00
		180	0	26.07	26.67	< 30.00
		1	188	24.38	24.98	< 30.00
		1	0	24.59	25.19	< 30.00
3945.00	70	90	45	27.08	27.68	< 30.00
		1	1	26.95	27.55	< 30.00
		1	187	27.03	27.63	< 30.00
		180	0	26.11	26.71	< 30.00
		1	188	24.55	25.15	< 30.00
		1	0	24.68	25.28	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3740.01	80	108	54	26.87	27.47	< 30.00
		1	1	26.98	27.58	< 30.00
		1	215	26.81	27.41	< 30.00
		216	0	25.83	26.43	< 30.00
		1	216	24.19	24.79	< 30.00
		1	0	24.49	25.09	< 30.00
3840.00	80	108	54	27.14	27.74	< 30.00
		1	1	26.96	27.56	< 30.00
		1	215	26.84	27.44	< 30.00
		216	0	26.03	26.63	< 30.00
		1	216	24.31	24.91	< 30.00
		1	0	24.73	25.33	< 30.00
3939.99	80	108	54	27.10	27.70	< 30.00
		1	1	26.88	27.48	< 30.00
		1	215	26.99	27.59	< 30.00
		216	0	26.14	26.74	< 30.00
		1	216	24.39	24.99	< 30.00
		1	0	24.58	25.18	< 30.00
3745.02	90	120	60	26.83	27.43	< 30.00
		1	1	27.02	27.62	< 30.00
		1	243	26.78	27.38	< 30.00
		243	0	25.91	26.51	< 30.00
		1	244	24.20	24.80	< 30.00
		1	0	24.44	25.04	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	90	120	60	27.08	27.68	< 30.00
		1	1	27.05	27.65	< 30.00
		1	243	27.01	27.61	< 30.00
		243	0	26.06	26.66	< 30.00
		1	244	24.26	24.86	< 30.00
		1	0	24.63	25.23	< 30.00
3934.98	90	120	60	27.05	27.65	< 30.00
		1	1	26.93	27.53	< 30.00
		1	243	27.03	27.63	< 30.00
		243	0	25.89	26.49	< 30.00
		1	244	24.38	24.98	< 30.00
		1	0	24.46	25.06	< 30.00
3750.00	100	135	67	26.77	27.37	< 30.00
		1	1	26.77	27.37	< 30.00
		1	271	26.88	27.48	< 30.00
		270	0	25.76	26.36	< 30.00
		1	272	24.06	24.66	< 30.00
		1	0	24.23	24.83	< 30.00
3840.00	100	135	67	27.09	27.69	< 30.00
		1	1	26.99	27.59	< 30.00
		1	271	26.90	27.50	< 30.00
		270	0	26.00	26.60	< 30.00
		1	272	24.24	24.84	< 30.00
		1	0	24.50	25.10	< 30.00
3930.00	100	135	67	27.03	27.63	< 30.00
		1	1	26.88	27.48	< 30.00
		1	271	27.04	27.64	< 30.00
		270	0	25.94	26.54	< 30.00
		1	272	24.43	25.03	< 30.00
		1	0	24.32	24.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3705.00	10	12	6	25.54	26.14	< 30.00
		1	1	25.61	26.21	< 30.00
		1	22	25.70	26.30	< 30.00
		24	0	25.67	26.27	< 30.00
		1	23	24.74	25.34	< 30.00
		1	0	24.56	25.16	< 30.00
3840.00	10	12	6	25.74	26.34	< 30.00
		1	1	25.79	26.39	< 30.00
		1	22	25.69	26.29	< 30.00
		24	0	25.76	26.36	< 30.00
		1	23	24.69	25.29	< 30.00
		1	0	24.81	25.41	< 30.00
3975.00	10	12	6	26.10	26.70	< 30.00
		1	1	26.05	26.65	< 30.00
		1	22	26.16	26.76	< 30.00
		24	0	26.13	26.73	< 30.00
		1	23	25.15	25.75	< 30.00
		1	0	25.17	25.77	< 30.00
3707.52	15	18	9	25.70	26.30	< 30.00
		1	1	25.75	26.35	< 30.00
		1	36	25.64	26.24	< 30.00
		36	0	25.71	26.31	< 30.00
		1	37	24.78	25.38	< 30.00
		1	0	24.78	25.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	15	18	9	25.89	26.49	< 30.00
		1	1	26.12	26.72	< 30.00
		1	36	25.97	26.57	< 30.00
		36	0	25.89	26.49	< 30.00
		1	37	25.08	25.68	< 30.00
		1	0	25.16	25.76	< 30.00
3972.48	15	18	9	26.02	26.62	< 30.00
		1	1	26.09	26.69	< 30.00
		1	36	26.11	26.71	< 30.00
		36	0	26.04	26.64	< 30.00
		1	37	25.19	25.79	< 30.00
		1	0	25.06	25.66	< 30.00
3710.01	20	25	12	25.73	26.33	< 30.00
		1	1	25.60	26.20	< 30.00
		1	49	25.80	26.40	< 30.00
		50	0	25.66	26.26	< 30.00
		1	50	24.75	25.35	< 30.00
		1	0	24.66	25.26	< 30.00
3840.00	20	25	12	26.02	26.62	< 30.00
		1	1	25.93	26.53	< 30.00
		1	49	25.73	26.33	< 30.00
		50	0	25.98	26.58	< 30.00
		1	50	24.83	25.43	< 30.00
		1	0	24.93	25.53	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3969.99	20	25	12	26.11	26.71	< 30.00
		1	1	26.07	26.67	< 30.00
		1	49	26.21	26.81	< 30.00
		50	0	26.07	26.67	< 30.00
		1	50	25.19	25.79	< 30.00
		1	0	25.14	25.74	< 30.00
3715.02	30	36	78	25.76	26.36	< 30.00
		1	1	25.65	26.25	< 30.00
		1	76	25.73	26.33	< 30.00
		75	0	25.74	26.34	< 30.00
		1	77	24.87	25.47	< 30.00
		1	0	24.88	25.48	< 30.00
3840.00	30	36	78	26.03	26.63	< 30.00
		1	1	26.02	26.62	< 30.00
		1	76	25.97	26.57	< 30.00
		75	0	25.90	26.50	< 30.00
		1	77	24.79	25.39	< 30.00
		1	0	25.14	25.74	< 30.00
3964.98	30	36	78	26.07	26.67	< 30.00
		1	1	26.14	26.74	< 30.00
		1	76	26.10	26.70	< 30.00
		75	0	26.21	26.81	< 30.00
		1	77	25.10	25.70	< 30.00
		1	0	25.42	26.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3720.00	40	50	25	25.69	26.29	< 30.00
		1	1	26.10	26.70	< 30.00
		1	104	25.84	26.44	< 30.00
		100	0	25.62	26.22	< 30.00
		1	105	24.72	25.32	< 30.00
		1	0	24.91	25.51	< 30.00
3840.00	40	50	25	25.99	26.59	< 30.00
		1	1	26.15	26.75	< 30.00
		1	104	25.94	26.54	< 30.00
		100	0	25.93	26.53	< 30.00
		1	105	24.94	25.54	< 30.00
		1	0	25.08	25.68	< 30.00
3960.00	40	50	25	26.11	26.71	< 30.00
		1	1	26.15	26.75	< 30.00
		1	104	26.24	26.84	< 30.00
		100	0	26.06	26.66	< 30.00
		1	105	25.23	25.83	< 30.00
		1	0	25.26	25.86	< 30.00
3725.01	50	64	32	25.58	26.18	< 30.00
		1	1	25.60	26.20	< 30.00
		1	131	25.31	25.91	< 30.00
		128	0	25.45	26.05	< 30.00
		1	132	24.28	24.88	< 30.00
		1	0	24.65	25.25	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	50	64	32	25.81	26.41	< 30.00
		1	1	25.70	26.30	< 30.00
		1	131	25.46	26.06	< 30.00
		128	0	25.75	26.35	< 30.00
		1	132	24.68	25.28	< 30.00
		1	0	24.90	25.50	< 30.00
3954.99	50	64	32	25.91	26.51	< 30.00
		1	1	26.02	26.62	< 30.00
		1	131	26.02	26.62	< 30.00
		128	0	25.95	26.55	< 30.00
		1	132	25.02	25.62	< 30.00
		1	0	24.90	25.50	< 30.00
3730.02	60	81	40	25.32	25.92	< 30.00
		1	1	25.35	25.95	< 30.00
		1	160	25.16	25.76	< 30.00
		162	0	25.47	26.07	< 30.00
		1	161	24.09	24.69	< 30.00
		1	0	24.47	25.07	< 30.00
3840.00	60	81	40	25.61	26.21	< 30.00
		1	1	25.67	26.27	< 30.00
		1	160	25.50	26.10	< 30.00
		162	0	25.71	26.31	< 30.00
		1	161	24.69	25.29	< 30.00
		1	0	24.77	25.37	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3949.98	60	81	40	25.53	26.13	< 30.00
		1	1	25.48	26.08	< 30.00
		1	160	25.62	26.22	< 30.00
		162	0	25.52	26.12	< 30.00
		1	161	24.51	25.11	< 30.00
		1	0	24.69	25.29	< 30.00
3735.00	70	90	45	-23.48	-22.88	< 30.00
		1	1	25.36	25.96	< 30.00
		1	187	22.14	22.74	< 30.00
		180	0	25.38	25.98	< 30.00
		1	188	24.36	24.96	< 30.00
		1	0	24.72	25.32	< 30.00
3840.00	70	90	45	25.56	26.16	< 30.00
		1	1	25.48	26.08	< 30.00
		1	187	25.27	25.87	< 30.00
		180	0	25.47	26.07	< 30.00
		1	188	24.26	24.86	< 30.00
		1	0	24.76	25.36	< 30.00
3945.00	70	90	45	25.62	26.22	< 30.00
		1	1	25.51	26.11	< 30.00
		1	187	25.60	26.20	< 30.00
		180	0	25.63	26.23	< 30.00
		1	188	24.55	25.15	< 30.00
		1	0	24.60	25.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3740.01	80	108	54	25.25	25.85	< 30.00
		1	1	25.54	26.14	< 30.00
		1	215	25.29	25.89	< 30.00
		216	0	25.27	25.87	< 30.00
		1	216	24.23	24.83	< 30.00
		1	0	24.62	25.22	< 30.00
3840.00	80	108	54	25.64	26.24	< 30.00
		1	1	25.60	26.20	< 30.00
		1	215	25.30	25.90	< 30.00
		216	0	25.55	26.15	< 30.00
		1	216	24.37	24.97	< 30.00
		1	0	24.76	25.36	< 30.00
3939.99	80	108	54	25.70	26.30	< 30.00
		1	1	25.44	26.04	< 30.00
		1	215	25.46	26.06	< 30.00
		216	0	25.56	26.16	< 30.00
		1	216	24.55	25.15	< 30.00
		1	0	24.44	25.04	< 30.00
3745.02	90	120	60	25.29	25.89	< 30.00
		1	1	25.48	26.08	< 30.00
		1	243	25.37	25.97	< 30.00
		243	0	25.35	25.95	< 30.00
		1	244	24.33	24.93	< 30.00
		1	0	24.42	25.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	90	120	60	25.64	26.24	< 30.00
		1	1	25.58	26.18	< 30.00
		1	243	25.50	26.10	< 30.00
		243	0	25.61	26.21	< 30.00
		1	244	24.24	24.84	< 30.00
		1	0	24.67	25.27	< 30.00
3934.98	90	120	60	25.44	26.04	< 30.00
		1	1	25.50	26.10	< 30.00
		1	243	25.52	26.12	< 30.00
		243	0	25.43	26.03	< 30.00
		1	244	24.56	25.16	< 30.00
		1	0	24.42	25.02	< 30.00
3750.00	100	135	67	25.29	25.89	< 30.00
		1	1	25.25	25.85	< 30.00
		1	271	25.30	25.90	< 30.00
		270	0	25.25	25.85	< 30.00
		1	272	24.16	24.76	< 30.00
		1	0	24.18	24.78	< 30.00
3840.00	100	135	67	25.61	26.21	< 30.00
		1	1	25.44	26.04	< 30.00
		1	271	25.47	26.07	< 30.00
		270	0	25.60	26.20	< 30.00
		1	272	24.22	24.82	< 30.00
		1	0	24.64	25.24	< 30.00
3930.00	100	135	67	25.44	26.04	< 30.00
		1	1	25.33	25.93	< 30.00
		1	271	25.45	26.05	< 30.00
		270	0	25.43	26.03	< 30.00
		1	272	24.50	25.10	< 30.00
		1	0	24.37	24.97	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3705.00	10	12	6	21.51	22.11	< 30.00
		1	1	21.43	22.03	< 30.00
		1	22	21.50	22.10	< 30.00
		24	0	21.39	21.99	< 30.00
		1	23	21.52	22.12	< 30.00
		1	0	21.42	22.02	< 30.00
3840.00	10	12	6	21.56	22.16	< 30.00
		1	1	21.73	22.33	< 30.00
		1	22	21.70	22.30	< 30.00
		24	0	21.59	22.19	< 30.00
		1	23	21.68	22.28	< 30.00
		1	0	21.71	22.31	< 30.00
3975.00	10	12	6	21.69	22.29	< 30.00
		1	1	21.60	22.20	< 30.00
		1	22	21.77	22.37	< 30.00
		24	0	21.56	22.16	< 30.00
		1	23	21.75	22.35	< 30.00
		1	0	21.68	22.28	< 30.00
3707.52	15	18	9	21.55	22.15	< 30.00
		1	1	21.62	22.22	< 30.00
		1	36	21.72	22.32	< 30.00
		36	0	21.45	22.05	< 30.00
		1	37	21.72	22.32	< 30.00
		1	0	21.62	22.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	15	18	9	21.85	22.45	< 30.00
		1	1	21.93	22.53	< 30.00
		1	36	21.98	22.58	< 30.00
		36	0	21.79	22.39	< 30.00
		1	37	22.00	22.60	< 30.00
		1	0	21.92	22.52	< 30.00
3972.48	15	18	9	21.43	22.03	< 30.00
		1	1	21.38	21.98	< 30.00
		1	36	21.56	22.16	< 30.00
		36	0	21.43	22.03	< 30.00
		1	37	21.54	22.14	< 30.00
		1	0	21.40	22.00	< 30.00
3710.01	20	25	12	21.33	21.93	< 30.00
		1	1	21.18	21.78	< 30.00
		1	49	21.22	21.82	< 30.00
		50	0	21.31	21.91	< 30.00
		1	50	21.20	21.80	< 30.00
		1	0	21.15	21.75	< 30.00
3840.00	20	25	12	21.66	22.26	< 30.00
		1	1	21.32	21.92	< 30.00
		1	49	21.44	22.04	< 30.00
		50	0	21.62	22.22	< 30.00
		1	50	21.42	22.02	< 30.00
		1	0	21.30	21.90	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3969.99	20	25	12	21.47	22.07	< 30.00
		1	1	21.22	21.82	< 30.00
		1	49	21.38	21.98	< 30.00
		50	0	21.39	21.99	< 30.00
		1	50	21.45	22.05	< 30.00
		1	0	21.25	21.85	< 30.00
3715.02	30	36	78	21.39	21.99	< 30.00
		1	1	21.22	21.82	< 30.00
		1	76	21.20	21.80	< 30.00
		75	0	21.43	22.03	< 30.00
		1	77	21.22	21.82	< 30.00
		1	0	21.23	21.83	< 30.00
3840.00	30	36	78	21.64	22.24	< 30.00
		1	1	21.39	21.99	< 30.00
		1	76	21.62	22.22	< 30.00
		75	0	21.69	22.29	< 30.00
		1	77	21.56	22.16	< 30.00
		1	0	21.40	22.00	< 30.00
3964.98	30	36	78	21.51	22.11	< 30.00
		1	1	21.35	21.95	< 30.00
		1	76	21.44	22.04	< 30.00
		75	0	21.55	22.15	< 30.00
		1	77	21.46	22.06	< 30.00
		1	0	21.50	22.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3720.00	40	50	25	21.47	22.07	< 30.00
		1	1	21.45	22.05	< 30.00
		1	104	21.42	22.02	< 30.00
		100	0	21.52	22.12	< 30.00
		1	105	21.43	22.03	< 30.00
		1	0	21.50	22.10	< 30.00
3840.00	40	50	25	21.72	22.32	< 30.00
		1	1	21.49	22.09	< 30.00
		1	104	21.65	22.25	< 30.00
		100	0	21.75	22.35	< 30.00
		1	105	21.63	22.23	< 30.00
		1	0	21.60	22.20	< 30.00
3960.00	40	50	25	21.47	22.07	< 30.00
		1	1	21.50	22.10	< 30.00
		1	104	21.55	22.15	< 30.00
		100	0	21.58	22.18	< 30.00
		1	105	21.53	22.13	< 30.00
		1	0	21.66	22.26	< 30.00
3725.01	50	64	32	21.28	21.88	< 30.00
		1	1	21.14	21.74	< 30.00
		1	131	21.08	21.68	< 30.00
		128	0	21.36	21.96	< 30.00
		1	132	21.04	21.64	< 30.00
		1	0	21.20	21.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	50	64	32	21.50	22.10	< 30.00
		1	1	21.32	21.92	< 30.00
		1	131	21.62	22.22	< 30.00
		128	0	21.53	22.13	< 30.00
		1	132	21.64	22.24	< 30.00
		1	0	21.43	22.03	< 30.00
3954.99	50	64	32	21.34	21.94	< 30.00
		1	1	21.42	22.02	< 30.00
		1	131	21.42	22.02	< 30.00
		128	0	21.39	21.99	< 30.00
		1	132	21.46	22.06	< 30.00
		1	0	21.57	22.17	< 30.00
3730.02	60	81	40	21.27	21.87	< 30.00
		1	1	21.08	21.68	< 30.00
		1	160	21.10	21.70	< 30.00
		162	0	21.26	21.86	< 30.00
		1	161	21.08	21.68	< 30.00
		1	0	21.10	21.70	< 30.00
3840.00	60	81	40	21.57	22.17	< 30.00
		1	1	21.14	21.74	< 30.00
		1	160	21.30	21.90	< 30.00
		162	0	21.54	22.14	< 30.00
		1	161	21.36	21.96	< 30.00
		1	0	21.22	21.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3949.98	60	81	40	21.16	21.76	< 30.00
		1	1	21.25	21.85	< 30.00
		1	160	21.05	21.65	< 30.00
		162	0	21.17	21.77	< 30.00
		1	161	20.98	21.58	< 30.00
		1	0	21.20	21.80	< 30.00
3735.00	70	90	45	21.22	21.82	< 30.00
		1	1	21.20	21.80	< 30.00
		1	187	21.25	21.85	< 30.00
		180	0	21.15	21.75	< 30.00
		1	188	21.21	21.81	< 30.00
		1	0	21.30	21.90	< 30.00
3840.00	70	90	45	21.36	21.96	< 30.00
		1	1	21.22	21.82	< 30.00
		1	187	21.44	22.04	< 30.00
		180	0	21.36	21.96	< 30.00
		1	188	21.42	22.02	< 30.00
		1	0	21.46	22.06	< 30.00
3945.00	70	90	45	21.18	21.78	< 30.00
		1	1	21.20	21.80	< 30.00
		1	187	20.96	21.56	< 30.00
		180	0	21.16	21.76	< 30.00
		1	188	20.96	21.56	< 30.00
		1	0	21.30	21.90	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3740.01	80	108	54	21.24	21.84	< 30.00
		1	1	21.22	21.82	< 30.00
		1	215	21.30	21.90	< 30.00
		216	0	21.19	21.79	< 30.00
		1	216	21.28	21.88	< 30.00
		1	0	21.36	21.96	< 30.00
3840.00	80	108	54	21.38	21.98	< 30.00
		1	1	21.28	21.88	< 30.00
		1	215	21.40	22.00	< 30.00
		216	0	21.33	21.93	< 30.00
		1	216	21.45	22.05	< 30.00
		1	0	21.65	22.25	< 30.00
3939.99	80	108	54	21.18	21.78	< 30.00
		1	1	21.43	22.03	< 30.00
		1	215	21.20	21.80	< 30.00
		216	0	21.20	21.80	< 30.00
		1	216	21.23	21.83	< 30.00
		1	0	21.54	22.14	< 30.00
3745.02	90	120	60	21.14	21.74	< 30.00
		1	1	21.11	21.71	< 30.00
		1	243	21.13	21.73	< 30.00
		243	0	21.22	21.82	< 30.00
		1	244	21.19	21.79	< 30.00
		1	0	21.15	21.75	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	90	120	60	21.33	21.93	< 30.00
		1	1	21.46	22.06	< 30.00
		1	243	21.57	22.17	< 30.00
		243	0	21.37	21.97	< 30.00
		1	244	21.53	22.13	< 30.00
		1	0	21.66	22.26	< 30.00
3934.98	90	120	60	21.21	21.81	< 30.00
		1	1	21.50	22.10	< 30.00
		1	243	21.30	21.90	< 30.00
		243	0	21.23	21.83	< 30.00
		1	244	21.31	21.91	< 30.00
		1	0	21.54	22.14	< 30.00
3750.00	100	135	67	21.30	21.90	< 30.00
		1	1	21.37	21.97	< 30.00
		1	271	21.38	21.98	< 30.00
		270	0	21.30	21.90	< 30.00
		1	272	21.33	21.93	< 30.00
		1	0	21.45	22.05	< 30.00
3840.00	100	135	67	21.50	22.10	< 30.00
		1	1	21.36	21.96	< 30.00
		1	271	21.47	22.07	< 30.00
		270	0	21.54	22.14	< 30.00
		1	272	21.41	22.01	< 30.00
		1	0	21.54	22.14	< 30.00
3930.00	100	135	67	21.44	22.04	< 30.00
		1	1	21.57	22.17	< 30.00
		1	271	21.39	21.99	< 30.00
		270	0	21.40	22.00	< 30.00
		1	272	21.31	21.91	< 30.00
		1	0	21.67	22.27	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n66_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1712.5	5	12	6	23.56	24.93	< 30.00
		1	1	23.47	24.84	< 30.00
		1	23	23.53	24.90	< 30.00
		25	0	22.99	24.36	< 30.00
		1	24	23.05	24.42	< 30.00
		1	0	22.91	24.28	< 30.00
1745.0	5	12	6	23.38	24.75	< 30.00
		1	1	23.23	24.60	< 30.00
		1	23	23.37	24.74	< 30.00
		25	0	22.89	24.26	< 30.00
		1	24	22.83	24.20	< 30.00
		1	0	22.74	24.11	< 30.00
1777.5	5	12	6	23.47	24.84	< 30.00
		1	1	23.43	24.80	< 30.00
		1	23	23.40	24.77	< 30.00
		25	0	23.04	24.41	< 30.00
		1	24	22.97	24.34	< 30.00
		1	0	22.84	24.21	< 30.00
1715.0	10	25	12	23.53	24.90	< 30.00
		1	1	23.41	24.78	< 30.00
		1	50	23.35	24.72	< 30.00
		50	0	22.97	24.34	< 30.00
		1	51	22.83	24.20	< 30.00
		1	0	22.86	24.23	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1745.0	10	25	12	23.43	24.80	< 30.00
		1	1	23.41	24.78	< 30.00
		1	50	23.33	24.70	< 30.00
		50	0	22.93	24.30	< 30.00
		1	51	22.86	24.23	< 30.00
		1	0	22.77	24.14	< 30.00
1775.0	10	25	12	23.46	24.83	< 30.00
		1	1	23.33	24.70	< 30.00
		1	50	23.41	24.78	< 30.00
		50	0	22.96	24.33	< 30.00
		1	51	22.91	24.28	< 30.00
		1	0	22.86	24.23	< 30.00
1717.5	15	36	18	23.50	24.87	< 30.00
		1	1	23.36	24.73	< 30.00
		1	77	23.51	24.88	< 30.00
		75	0	23.02	24.39	< 30.00
		1	78	22.98	24.35	< 30.00
		1	0	22.88	24.25	< 30.00
1745.0	15	36	18	23.54	24.91	< 30.00
		1	1	23.41	24.78	< 30.00
		1	77	23.47	24.84	< 30.00
		75	0	23.11	24.48	< 30.00
		1	78	23.01	24.38	< 30.00
		1	0	22.97	24.34	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1772.5	15	36	18	23.65	25.02	< 30.00
		1	1	23.50	24.87	< 30.00
		1	77	23.48	24.85	< 30.00
		75	0	23.11	24.48	< 30.00
		1	78	23.03	24.40	< 30.00
		1	0	22.90	24.27	< 30.00
1720.0	20	50	25	23.61	24.98	< 30.00
		1	1	23.44	24.81	< 30.00
		1	104	23.47	24.84	< 30.00
		100	0	23.01	24.38	< 30.00
		1	105	23.03	24.40	< 30.00
		1	0	22.96	24.33	< 30.00
1745.0	20	50	25	23.54	24.91	< 30.00
		1	1	23.44	24.81	< 30.00
		1	104	23.51	24.88	< 30.00
		100	0	23.07	24.44	< 30.00
		1	105	23.05	24.42	< 30.00
		1	0	22.95	24.32	< 30.00
1770.0	20	50	25	23.67	25.04	< 30.00
		1	1	23.50	24.87	< 30.00
		1	104	23.56	24.93	< 30.00
		100	0	23.20	24.57	< 30.00
		1	105	23.03	24.40	< 30.00
		1	0	22.93	24.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1725.0	30	80	40	23.59	24.96	< 30.00
		1	1	23.58	24.95	< 30.00
		1	158	23.40	24.77	< 30.00
		160	0	23.22	24.59	< 30.00
		1	159	22.91	24.28	< 30.00
		1	0	23.02	24.39	< 30.00
1745.0	30	80	40	23.63	25.00	< 30.00
		1	1	23.40	24.77	< 30.00
		1	158	23.57	24.94	< 30.00
		160	0	23.21	24.58	< 30.00
		1	159	22.92	24.29	< 30.00
		1	0	22.99	24.36	< 30.00
1765.0	30	80	40	23.60	24.97	< 30.00
		1	1	23.49	24.86	< 30.00
		1	158	23.49	24.86	< 30.00
		160	0	23.05	24.42	< 30.00
		1	159	22.97	24.34	< 30.00
		1	0	22.94	24.31	< 30.00
1730.0	40	108	54	23.67	25.04	< 30.00
		1	1	23.59	24.96	< 30.00
		1	214	23.56	24.93	< 30.00
		216	0	23.13	24.50	< 30.00
		1	215	22.89	24.26	< 30.00
		1	0	23.02	24.39	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1745.0	40	108	54	23.61	24.98	< 30.00
		1	1	23.56	24.93	< 30.00
		1	214	23.46	24.83	< 30.00
		216	0	23.10	24.47	< 30.00
		1	215	22.97	24.34	< 30.00
		1	0	22.97	24.34	< 30.00
1760.0	40	108	54	23.64	25.01	< 30.00
		1	1	23.50	24.87	< 30.00
		1	214	23.52	24.89	< 30.00
		216	0	23.15	24.52	< 30.00
		1	215	22.97	24.34	< 30.00
		1	0	22.86	24.23	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1712.5	5	12	6	23.57	24.94	< 30.00
		1	1	23.59	24.96	< 30.00
		1	23	23.56	24.93	< 30.00
		25	0	22.56	23.93	< 30.00
		1	24	22.57	23.94	< 30.00
		1	0	22.39	23.76	< 30.00
1745.0	5	12	6	23.38	24.75	< 30.00
		1	1	23.47	24.84	< 30.00
		1	23	23.61	24.98	< 30.00
		25	0	22.35	23.72	< 30.00
		1	24	22.42	23.79	< 30.00
		1	0	22.30	23.67	< 30.00
1777.5	5	12	6	23.55	24.92	< 30.00
		1	1	23.75	25.12	< 30.00
		1	23	23.72	25.09	< 30.00
		25	0	22.50	23.87	< 30.00
		1	24	22.40	23.77	< 30.00
		1	0	22.44	23.81	< 30.00
1715.0	10	25	12	23.45	24.82	< 30.00
		1	1	23.65	25.02	< 30.00
		1	50	23.55	24.92	< 30.00
		50	0	22.50	23.87	< 30.00
		1	51	22.50	23.87	< 30.00
		1	0	22.30	23.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1745.0	10	25	12	23.34	24.71	< 30.00
		1	1	23.44	24.81	< 30.00
		1	50	23.49	24.86	< 30.00
		50	0	22.38	23.75	< 30.00
		1	51	22.45	23.82	< 30.00
		1	0	22.42	23.79	< 30.00
1775.0	10	25	12	23.47	24.84	< 30.00
		1	1	23.56	24.93	< 30.00
		1	50	23.73	25.10	< 30.00
		50	0	22.51	23.88	< 30.00
		1	51	22.71	24.08	< 30.00
		1	0	22.49	23.86	< 30.00
1717.5	15	36	18	23.53	24.90	< 30.00
		1	1	23.64	25.01	< 30.00
		1	77	23.78	25.15	< 30.00
		75	0	22.57	23.94	< 30.00
		1	78	22.71	24.08	< 30.00
		1	0	22.60	23.97	< 30.00
1745.0	15	36	18	23.54	24.91	< 30.00
		1	1	23.66	25.03	< 30.00
		1	77	23.79	25.16	< 30.00
		75	0	22.65	24.02	< 30.00
		1	78	22.70	24.07	< 30.00
		1	0	22.65	24.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1772.5	15	36	18	23.61	24.98	< 30.00
		1	1	23.75	25.12	< 30.00
		1	77	23.79	25.16	< 30.00
		75	0	22.56	23.93	< 30.00
		1	78	22.79	24.16	< 30.00
		1	0	22.61	23.98	< 30.00
1720.0	20	50	25	23.59	24.96	< 30.00
		1	1	23.66	25.03	< 30.00
		1	104	23.81	25.18	< 30.00
		100	0	22.57	23.94	< 30.00
		1	105	22.63	24.00	< 30.00
		1	0	22.68	24.05	< 30.00
1745.0	20	50	25	23.56	24.93	< 30.00
		1	1	23.74	25.11	< 30.00
		1	104	23.74	25.11	< 30.00
		100	0	22.62	23.99	< 30.00
		1	105	22.70	24.07	< 30.00
		1	0	22.76	24.13	< 30.00
1770.0	20	50	25	23.67	25.04	< 30.00
		1	1	23.76	25.13	< 30.00
		1	104	23.67	25.04	< 30.00
		100	0	22.55	23.92	< 30.00
		1	105	22.78	24.15	< 30.00
		1	0	22.59	23.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1725.0	30	80	40	23.64	25.01	< 30.00
		1	1	23.72	25.09	< 30.00
		1	158	23.75	25.12	< 30.00
		160	0	22.63	24.00	< 30.00
		1	159	22.64	24.01	< 30.00
		1	0	22.64	24.01	< 30.00
1745.0	30	80	40	23.65	25.02	< 30.00
		1	1	23.66	25.03	< 30.00
		1	158	23.79	25.16	< 30.00
		160	0	22.58	23.95	< 30.00
		1	159	22.59	23.96	< 30.00
		1	0	22.68	24.05	< 30.00
1765.0	30	80	40	23.64	25.01	< 30.00
		1	1	23.85	25.22	< 30.00
		1	158	23.74	25.11	< 30.00
		160	0	22.58	23.95	< 30.00
		1	159	22.69	24.06	< 30.00
		1	0	22.59	23.96	< 30.00
1730.0	40	108	54	23.69	25.06	< 30.00
		1	1	23.82	25.19	< 30.00
		1	214	23.80	25.17	< 30.00
		216	0	22.65	24.02	< 30.00
		1	215	22.60	23.97	< 30.00
		1	0	22.71	24.08	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1745.0	40	108	54	23.65	25.02	< 30.00
		1	1	23.80	25.17	< 30.00
		1	214	23.71	25.08	< 30.00
		216	0	22.70	24.07	< 30.00
		1	215	22.57	23.94	< 30.00
		1	0	22.65	24.02	< 30.00
1760.0	40	108	54	23.64	25.01	< 30.00
		1	1	23.73	25.10	< 30.00
		1	214	23.80	25.17	< 30.00
		216	0	22.59	23.96	< 30.00
		1	215	22.61	23.98	< 30.00
		1	0	22.54	23.91	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1712.5	5	12	6	22.48	23.85	< 30.00
		1	1	22.52	23.89	< 30.00
		1	23	22.44	23.81	< 30.00
		25	0	21.45	22.82	< 30.00
		1	24	21.68	23.05	< 30.00
		1	0	21.59	22.96	< 30.00
1745.0	5	12	6	22.26	23.63	< 30.00
		1	1	22.65	24.02	< 30.00
		1	23	22.63	24.00	< 30.00
		25	0	21.36	22.73	< 30.00
		1	24	21.33	22.70	< 30.00
		1	0	21.31	22.68	< 30.00
1777.5	5	12	6	22.25	23.62	< 30.00
		1	1	22.57	23.94	< 30.00
		1	23	22.67	24.04	< 30.00
		25	0	21.44	22.81	< 30.00
		1	24	21.33	22.70	< 30.00
		1	0	21.27	22.64	< 30.00
1715.0	10	25	12	22.44	23.81	< 30.00
		1	1	22.29	23.66	< 30.00
		1	50	22.43	23.80	< 30.00
		50	0	21.49	22.86	< 30.00
		1	51	21.62	22.99	< 30.00
		1	0	21.53	22.90	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1745.0	10	25	12	22.43	23.80	< 30.00
		1	1	22.59	23.96	< 30.00
		1	50	22.67	24.04	< 30.00
		50	0	21.41	22.78	< 30.00
		1	51	21.25	22.62	< 30.00
		1	0	21.24	22.61	< 30.00
1775.0	10	25	12	22.49	23.86	< 30.00
		1	1	22.70	24.07	< 30.00
		1	50	22.73	24.10	< 30.00
		50	0	21.33	22.70	< 30.00
		1	51	21.55	22.92	< 30.00
		1	0	21.59	22.96	< 30.00
1717.5	15	36	18	22.47	23.84	< 30.00
		1	1	22.71	24.08	< 30.00
		1	77	22.85	24.22	< 30.00
		75	0	21.49	22.86	< 30.00
		1	78	21.72	23.09	< 30.00
		1	0	21.60	22.97	< 30.00
1745.0	15	36	18	22.57	23.94	< 30.00
		1	1	22.68	24.05	< 30.00
		1	77	22.68	24.05	< 30.00
		75	0	21.66	23.03	< 30.00
		1	78	21.38	22.75	< 30.00
		1	0	21.35	22.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1772.5	15	36	18	22.58	23.95	< 30.00
		1	1	22.63	24.00	< 30.00
		1	77	22.80	24.17	< 30.00
		75	0	21.61	22.98	< 30.00
		1	78	21.42	22.79	< 30.00
		1	0	21.33	22.70	< 30.00
1720.0	20	50	25	22.45	23.82	< 30.00
		1	1	22.75	24.12	< 30.00
		1	104	22.89	24.26	< 30.00
		100	0	21.57	22.94	< 30.00
		1	105	21.71	23.08	< 30.00
		1	0	21.66	23.03	< 30.00
1745.0	20	50	25	22.61	23.98	< 30.00
		1	1	22.76	24.13	< 30.00
		1	104	22.70	24.07	< 30.00
		100	0	21.68	23.05	< 30.00
		1	105	21.46	22.83	< 30.00
		1	0	21.51	22.88	< 30.00
1770.0	20	50	25	22.51	23.88	< 30.00
		1	1	22.73	24.10	< 30.00
		1	104	22.86	24.23	< 30.00
		100	0	21.63	23.00	< 30.00
		1	105	21.56	22.93	< 30.00
		1	0	21.40	22.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1725.0	30	80	40	22.60	23.97	< 30.00
		1	1	22.85	24.22	< 30.00
		1	158	22.81	24.18	< 30.00
		160	0	21.63	23.00	< 30.00
		1	159	21.70	23.07	< 30.00
		1	0	21.62	22.99	< 30.00
1745.0	30	80	40	22.70	24.07	< 30.00
		1	1	22.78	24.15	< 30.00
		1	158	22.69	24.06	< 30.00
		160	0	21.61	22.98	< 30.00
		1	159	21.41	22.78	< 30.00
		1	0	21.51	22.88	< 30.00
1765.0	30	80	40	22.61	23.98	< 30.00
		1	1	22.83	24.20	< 30.00
		1	158	22.81	24.18	< 30.00
		160	0	21.68	23.05	< 30.00
		1	159	21.77	23.14	< 30.00
		1	0	21.57	22.94	< 30.00
1730.0	40	108	54	22.69	24.06	< 30.00
		1	1	22.94	24.31	< 30.00
		1	214	22.78	24.15	< 30.00
		216	0	21.66	23.03	< 30.00
		1	215	21.57	22.94	< 30.00
		1	0	21.70	23.07	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1745.0	40	108	54	22.65	24.02	< 30.00
		1	1	22.80	24.17	< 30.00
		1	214	22.78	24.15	< 30.00
		216	0	21.57	22.94	< 30.00
		1	215	21.45	22.82	< 30.00
		1	0	21.47	22.84	< 30.00
1760.0	40	108	54	22.58	23.95	< 30.00
		1	1	22.75	24.12	< 30.00
		1	214	22.84	24.21	< 30.00
		216	0	21.62	22.99	< 30.00
		1	215	21.54	22.91	< 30.00
		1	0	21.32	22.69	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1712.5	5	12	6	21.09	22.46	< 30.00
		1	1	20.55	21.92	< 30.00
		1	23	20.49	21.86	< 30.00
		25	0	21.00	22.37	< 30.00
		1	24	20.79	22.16	< 30.00
		1	0	20.82	22.19	< 30.00
1745.0	5	12	6	20.96	22.33	< 30.00
		1	1	21.11	22.48	< 30.00
		1	23	21.12	22.49	< 30.00
		25	0	21.01	22.38	< 30.00
		1	24	21.13	22.50	< 30.00
		1	0	21.12	22.49	< 30.00
1777.5	5	12	6	21.00	22.37	< 30.00
		1	1	21.07	22.44	< 30.00
		1	23	21.20	22.57	< 30.00
		25	0	20.99	22.36	< 30.00
		1	24	21.13	22.50	< 30.00
		1	0	21.17	22.54	< 30.00
1715.0	10	25	12	20.98	22.35	< 30.00
		1	1	21.00	22.37	< 30.00
		1	50	21.03	22.40	< 30.00
		50	0	20.97	22.34	< 30.00
		1	51	20.96	22.33	< 30.00
		1	0	20.97	22.34	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1745.0	10	25	12	20.98	22.35	< 30.00
		1	1	21.21	22.58	< 30.00
		1	50	21.23	22.60	< 30.00
		50	0	20.95	22.32	< 30.00
		1	51	21.20	22.57	< 30.00
		1	0	21.20	22.57	< 30.00
1775.0	10	25	12	21.06	22.43	< 30.00
		1	1	20.96	22.33	< 30.00
		1	50	20.91	22.28	< 30.00
		50	0	20.84	22.21	< 30.00
		1	51	20.84	22.21	< 30.00
		1	0	20.77	22.14	< 30.00
1717.5	15	36	18	20.99	22.36	< 30.00
		1	1	20.89	22.26	< 30.00
		1	77	20.89	22.26	< 30.00
		75	0	21.11	22.48	< 30.00
		1	78	21.03	22.40	< 30.00
		1	0	20.89	22.26	< 30.00
1745.0	15	36	18	21.08	22.45	< 30.00
		1	1	21.21	22.58	< 30.00
		1	77	21.22	22.59	< 30.00
		75	0	20.97	22.34	< 30.00
		1	78	21.23	22.60	< 30.00
		1	0	21.23	22.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1772.5	15	36	18	21.05	22.42	< 30.00
		1	1	20.99	22.36	< 30.00
		1	77	21.17	22.54	< 30.00
		75	0	21.11	22.48	< 30.00
		1	78	21.07	22.44	< 30.00
		1	0	21.00	22.37	< 30.00
1720.0	20	50	25	21.08	22.45	< 30.00
		1	1	20.94	22.31	< 30.00
		1	104	21.04	22.41	< 30.00
		100	0	21.04	22.41	< 30.00
		1	105	21.14	22.51	< 30.00
		1	0	20.94	22.31	< 30.00
1745.0	20	50	25	21.13	22.50	< 30.00
		1	1	21.26	22.63	< 30.00
		1	104	21.28	22.65	< 30.00
		100	0	21.05	22.42	< 30.00
		1	105	21.27	22.64	< 30.00
		1	0	21.28	22.65	< 30.00
1770.0	20	50	25	21.04	22.41	< 30.00
		1	1	21.27	22.64	< 30.00
		1	104	21.36	22.73	< 30.00
		100	0	21.08	22.45	< 30.00
		1	105	21.45	22.82	< 30.00
		1	0	21.24	22.61	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1725.0	30	80	40	21.11	22.48	< 30.00
		1	1	21.03	22.40	< 30.00
		1	158	20.98	22.35	< 30.00
		160	0	21.11	22.48	< 30.00
		1	159	20.95	22.32	< 30.00
		1	0	20.88	22.25	< 30.00
1745.0	30	80	40	20.96	22.33	< 30.00
		1	1	21.33	22.70	< 30.00
		1	158	21.24	22.61	< 30.00
		160	0	21.01	22.38	< 30.00
		1	159	21.22	22.59	< 30.00
		1	0	21.29	22.66	< 30.00
1765.0	30	80	40	21.09	22.46	< 30.00
		1	1	21.13	22.50	< 30.00
		1	158	21.29	22.66	< 30.00
		160	0	21.05	22.42	< 30.00
		1	159	21.31	22.68	< 30.00
		1	0	21.11	22.48	< 30.00
1730.0	40	108	54	21.10	22.47	< 30.00
		1	1	21.39	22.76	< 30.00
		1	214	21.14	22.51	< 30.00
		216	0	21.16	22.53	< 30.00
		1	215	21.25	22.62	< 30.00
		1	0	21.24	22.61	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1745.0	40	108	54	21.03	22.40	< 30.00
		1	1	21.34	22.71	< 30.00
		1	214	21.32	22.69	< 30.00
		216	0	21.06	22.43	< 30.00
		1	215	21.16	22.53	< 30.00
		1	0	21.30	22.67	< 30.00
1760.0	40	108	54	21.15	22.52	< 30.00
		1	1	21.24	22.61	< 30.00
		1	214	21.34	22.71	< 30.00
		216	0	21.10	22.47	< 30.00
		1	215	21.34	22.71	< 30.00
		1	0	21.23	22.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1712.5	5	12	6	18.89	20.26	< 30.00
		1	1	18.71	20.08	< 30.00
		1	23	18.70	20.07	< 30.00
		25	0	18.84	20.21	< 30.00
		1	24	18.60	19.97	< 30.00
		1	0	18.57	19.94	< 30.00
1745.0	5	12	6	18.76	20.13	< 30.00
		1	1	18.52	19.89	< 30.00
		1	23	18.52	19.89	< 30.00
		25	0	18.79	20.16	< 30.00
		1	24	18.51	19.88	< 30.00
		1	0	18.43	19.80	< 30.00
1777.5	5	12	6	18.95	20.32	< 30.00
		1	1	18.66	20.03	< 30.00
		1	23	18.67	20.04	< 30.00
		25	0	18.90	20.27	< 30.00
		1	24	18.59	19.96	< 30.00
		1	0	18.53	19.90	< 30.00
1715.0	10	25	12	18.87	20.24	< 30.00
		1	1	18.62	19.99	< 30.00
		1	50	18.54	19.91	< 30.00
		50	0	18.89	20.26	< 30.00
		1	51	18.46	19.83	< 30.00
		1	0	18.49	19.86	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1745.0	10	25	12	18.81	20.18	< 30.00
		1	1	18.51	19.88	< 30.00
		1	50	18.47	19.84	< 30.00
		50	0	18.85	20.22	< 30.00
		1	51	18.46	19.83	< 30.00
		1	0	18.50	19.87	< 30.00
1775.0	10	25	12	18.92	20.29	< 30.00
		1	1	18.61	19.98	< 30.00
		1	50	18.67	20.04	< 30.00
		50	0	18.94	20.31	< 30.00
		1	51	18.66	20.03	< 30.00
		1	0	18.58	19.95	< 30.00
1717.5	15	36	18	18.94	20.31	< 30.00
		1	1	18.56	19.93	< 30.00
		1	77	18.75	20.12	< 30.00
		75	0	18.99	20.36	< 30.00
		1	78	18.76	20.13	< 30.00
		1	0	18.64	20.01	< 30.00
1745.0	15	36	18	18.96	20.33	< 30.00
		1	1	18.64	20.01	< 30.00
		1	77	18.73	20.10	< 30.00
		75	0	19.04	20.41	< 30.00
		1	78	18.75	20.12	< 30.00
		1	0	18.64	20.01	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1772.5	15	36	18	19.02	20.39	< 30.00
		1	1	18.59	19.96	< 30.00
		1	77	18.71	20.08	< 30.00
		75	0	19.10	20.47	< 30.00
		1	78	18.70	20.07	< 30.00
		1	0	18.51	19.88	< 30.00
1720.0	20	50	25	19.00	20.37	< 30.00
		1	1	18.64	20.01	< 30.00
		1	104	18.68	20.05	< 30.00
		100	0	19.01	20.38	< 30.00
		1	105	18.75	20.12	< 30.00
		1	0	18.67	20.04	< 30.00
1745.0	20	50	25	18.97	20.34	< 30.00
		1	1	18.69	20.06	< 30.00
		1	104	18.67	20.04	< 30.00
		100	0	19.02	20.39	< 30.00
		1	105	18.65	20.02	< 30.00
		1	0	18.59	19.96	< 30.00
1770.0	20	50	25	19.05	20.42	< 30.00
		1	1	18.63	20.00	< 30.00
		1	104	18.66	20.03	< 30.00
		100	0	19.10	20.47	< 30.00
		1	105	18.75	20.12	< 30.00
		1	0	18.71	20.08	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1725.0	30	80	40	19.04	20.41	< 30.00
		1	1	18.72	20.09	< 30.00
		1	158	18.86	20.23	< 30.00
		160	0	19.14	20.51	< 30.00
		1	159	18.80	20.17	< 30.00
		1	0	18.66	20.03	< 30.00
1745.0	30	80	40	19.07	20.44	< 30.00
		1	1	18.60	19.97	< 30.00
		1	158	18.87	20.24	< 30.00
		160	0	19.09	20.46	< 30.00
		1	159	18.76	20.13	< 30.00
		1	0	18.68	20.05	< 30.00
1765.0	30	80	40	19.10	20.47	< 30.00
		1	1	18.78	20.15	< 30.00
		1	158	18.87	20.24	< 30.00
		160	0	19.12	20.49	< 30.00
		1	159	18.89	20.26	< 30.00
		1	0	18.73	20.10	< 30.00
1730.0	40	108	54	19.03	20.40	< 30.00
		1	1	18.73	20.10	< 30.00
		1	214	18.83	20.20	< 30.00
		216	0	19.08	20.45	< 30.00
		1	215	18.81	20.18	< 30.00
		1	0	18.62	19.99	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1745.0	40	108	54	19.05	20.42	< 30.00
		1	1	18.72	20.09	< 30.00
		1	214	18.83	20.20	< 30.00
		216	0	19.06	20.43	< 30.00
		1	215	18.76	20.13	< 30.00
		1	0	18.66	20.03	< 30.00
1760.0	40	108	54	19.12	20.49	< 30.00
		1	1	18.65	20.02	< 30.00
		1	214	18.85	20.22	< 30.00
		216	0	19.14	20.51	< 30.00
		1	215	18.87	20.24	< 30.00
		1	0	18.66	20.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n71_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
665.5	5	12	6	23.17	18.42	< 34.77
		1	1	23.04	18.29	< 34.77
		1	23	23.14	18.39	< 34.77
		25	0	22.65	17.90	< 34.77
		1	24	22.49	17.74	< 34.77
		1	0	22.62	17.87	< 34.77
680.5	5	12	6	23.21	18.46	< 34.77
		1	1	22.99	18.24	< 34.77
		1	23	23.04	18.29	< 34.77
		25	0	22.58	17.83	< 34.77
		1	24	22.52	17.77	< 34.77
		1	0	22.43	17.68	< 34.77
695.5	5	12	6	23.16	18.41	< 34.77
		1	1	23.11	18.36	< 34.77
		1	23	22.96	18.21	< 34.77
		25	0	22.61	17.86	< 34.77
		1	24	22.41	17.66	< 34.77
		1	0	22.57	17.82	< 34.77
668.0	10	25	12	23.05	18.30	< 34.77
		1	1	23.02	18.27	< 34.77
		1	50	23.03	18.28	< 34.77
		50	0	22.54	17.79	< 34.77
		1	51	22.52	17.77	< 34.77
		1	0	22.54	17.79	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
680.5	10	25	12	23.23	18.48	< 34.77
		1	1	23.01	18.26	< 34.77
		1	50	23.03	18.28	< 34.77
		50	0	22.57	17.82	< 34.77
		1	51	22.61	17.86	< 34.77
		1	0	22.52	17.77	< 34.77
693.0	10	25	12	23.20	18.45	< 34.77
		1	1	23.14	18.39	< 34.77
		1	50	23.02	18.27	< 34.77
		50	0	22.56	17.81	< 34.77
		1	51	22.46	17.71	< 34.77
		1	0	22.58	17.83	< 34.77
670.5	15	36	18	23.24	18.49	< 34.77
		1	1	23.12	18.37	< 34.77
		1	77	23.22	18.47	< 34.77
		75	0	22.77	18.02	< 34.77
		1	78	22.74	17.99	< 34.77
		1	0	22.61	17.86	< 34.77
680.5	15	36	18	23.32	18.57	< 34.77
		1	1	23.10	18.35	< 34.77
		1	77	23.11	18.36	< 34.77
		75	0	22.73	17.98	< 34.77
		1	78	22.54	17.79	< 34.77
		1	0	22.71	17.96	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
690.5	15	36	18	23.18	18.43	< 34.77
		1	1	23.18	18.43	< 34.77
		1	77	23.03	18.28	< 34.77
		75	0	22.57	17.82	< 34.77
		1	78	22.38	17.63	< 34.77
		1	0	22.79	18.04	< 34.77
673.0	20	50	25	23.22	18.47	< 34.77
		1	1	23.11	18.36	< 34.77
		1	104	23.19	18.44	< 34.77
		100	0	22.74	17.99	< 34.77
		1	105	22.66	17.91	< 34.77
		1	0	22.68	17.93	< 34.77
680.5	20	50	25	23.26	18.51	< 34.77
		1	1	23.18	18.43	< 34.77
		1	104	23.06	18.31	< 34.77
		100	0	22.78	18.03	< 34.77
		1	105	22.54	17.79	< 34.77
		1	0	22.74	17.99	< 34.77
688.0	20	50	25	23.17	18.42	< 34.77
		1	1	23.24	18.49	< 34.77
		1	104	23.08	18.33	< 34.77
		100	0	22.64	17.89	< 34.77
		1	105	22.42	17.67	< 34.77
		1	0	22.76	18.01	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
665.5	5	12	6	23.08	18.33	< 34.77
		1	1	23.00	18.25	< 34.77
		1	23	22.97	18.22	< 34.77
		25	0	22.08	17.33	< 34.77
		1	24	22.07	17.32	< 34.77
		1	0	22.01	17.26	< 34.77
680.5	5	12	6	23.20	18.45	< 34.77
		1	1	23.25	18.50	< 34.77
		1	23	23.14	18.39	< 34.77
		25	0	22.05	17.30	< 34.77
		1	24	22.15	17.40	< 34.77
		1	0	22.04	17.29	< 34.77
695.5	5	12	6	23.20	18.45	< 34.77
		1	1	23.19	18.44	< 34.77
		1	23	23.21	18.46	< 34.77
		25	0	22.15	17.40	< 34.77
		1	24	22.00	17.25	< 34.77
		1	0	22.05	17.30	< 34.77
668.0	10	25	12	23.15	18.40	< 34.77
		1	1	23.28	18.53	< 34.77
		1	50	23.12	18.37	< 34.77
		50	0	21.98	17.23	< 34.77
		1	51	22.13	17.38	< 34.77
		1	0	22.18	17.43	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
680.5	10	25	12	23.06	18.31	< 34.77
		1	1	23.20	18.45	< 34.77
		1	50	23.21	18.46	< 34.77
		50	0	22.06	17.31	< 34.77
		1	51	22.11	17.36	< 34.77
		1	0	22.17	17.42	< 34.77
693.0	10	25	12	23.09	18.34	< 34.77
		1	1	23.31	18.56	< 34.77
		1	50	23.17	18.42	< 34.77
		50	0	22.04	17.29	< 34.77
		1	51	22.07	17.32	< 34.77
		1	0	22.18	17.43	< 34.77
670.5	15	36	18	23.22	18.47	< 34.77
		1	1	23.40	18.65	< 34.77
		1	77	23.21	18.46	< 34.77
		75	0	22.12	17.37	< 34.77
		1	78	22.33	17.58	< 34.77
		1	0	22.30	17.55	< 34.77
680.5	15	36	18	23.22	18.47	< 34.77
		1	1	23.29	18.54	< 34.77
		1	77	23.31	18.56	< 34.77
		75	0	22.30	17.55	< 34.77
		1	78	22.09	17.34	< 34.77
		1	0	22.41	17.66	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
690.5	15	36	18	23.15	18.40	< 34.77
		1	1	23.31	18.56	< 34.77
		1	77	23.08	18.33	< 34.77
		75	0	22.13	17.38	< 34.77
		1	78	22.01	17.26	< 34.77
		1	0	22.32	17.57	< 34.77
673.0	20	50	25	23.24	18.49	< 34.77
		1	1	23.26	18.51	< 34.77
		1	104	23.26	18.51	< 34.77
		100	0	22.27	17.52	< 34.77
		1	105	22.31	17.56	< 34.77
		1	0	22.46	17.71	< 34.77
680.5	20	50	25	23.27	18.52	< 34.77
		1	1	23.18	18.43	< 34.77
		1	104	23.27	18.52	< 34.77
		100	0	22.26	17.51	< 34.77
		1	105	22.15	17.40	< 34.77
		1	0	22.39	17.64	< 34.77
688.0	20	50	25	23.17	18.42	< 34.77
		1	1	23.39	18.64	< 34.77
		1	104	23.12	18.37	< 34.77
		100	0	22.10	17.35	< 34.77
		1	105	22.08	17.33	< 34.77
		1	0	22.35	17.60	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
665.5	5	12	6	22.05	17.30	< 34.77
		1	1	22.09	17.34	< 34.77
		1	23	22.51	17.76	< 34.77
		25	0	20.99	16.24	< 34.77
		1	24	20.98	16.23	< 34.77
		1	0	21.24	16.49	< 34.77
680.5	5	12	6	21.96	17.21	< 34.77
		1	1	22.21	17.46	< 34.77
		1	23	22.29	17.54	< 34.77
		25	0	21.01	16.26	< 34.77
		1	24	20.97	16.22	< 34.77
		1	0	20.88	16.13	< 34.77
695.5	5	12	6	21.97	17.22	< 34.77
		1	1	22.20	17.45	< 34.77
		1	23	22.17	17.42	< 34.77
		25	0	21.02	16.27	< 34.77
		1	24	20.92	16.17	< 34.77
		1	0	20.87	16.12	< 34.77
668.0	10	25	12	22.02	17.27	< 34.77
		1	1	21.96	17.21	< 34.77
		1	50	21.98	17.23	< 34.77
		50	0	21.01	16.26	< 34.77
		1	51	21.16	16.41	< 34.77
		1	0	21.23	16.48	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
680.5	10	25	12	22.04	17.29	< 34.77
		1	1	22.30	17.55	< 34.77
		1	50	22.35	17.60	< 34.77
		50	0	21.05	16.30	< 34.77
		1	51	21.06	16.31	< 34.77
		1	0	20.94	16.19	< 34.77
693.0	10	25	12	22.03	17.28	< 34.77
		1	1	22.28	17.53	< 34.77
		1	50	22.30	17.55	< 34.77
		50	0	21.09	16.34	< 34.77
		1	51	21.00	16.25	< 34.77
		1	0	21.08	16.33	< 34.77
670.5	15	36	18	22.10	17.35	< 34.77
		1	1	22.42	17.67	< 34.77
		1	77	22.44	17.69	< 34.77
		75	0	21.15	16.40	< 34.77
		1	78	21.33	16.58	< 34.77
		1	0	21.31	16.56	< 34.77
680.5	15	36	18	22.22	17.47	< 34.77
		1	1	22.39	17.64	< 34.77
		1	77	22.30	17.55	< 34.77
		75	0	21.25	16.50	< 34.77
		1	78	20.96	16.21	< 34.77
		1	0	21.15	16.40	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
690.5	15	36	18	22.15	17.40	< 34.77
		1	1	22.39	17.64	< 34.77
		1	77	22.22	17.47	< 34.77
		75	0	21.06	16.31	< 34.77
		1	78	20.80	16.05	< 34.77
		1	0	21.02	16.27	< 34.77
673.0	20	50	25	22.22	17.47	< 34.77
		1	1	22.32	17.57	< 34.77
		1	104	22.48	17.73	< 34.77
		100	0	21.29	16.54	< 34.77
		1	105	21.20	16.45	< 34.77
		1	0	21.04	16.29	< 34.77
680.5	20	50	25	22.27	17.52	< 34.77
		1	1	22.28	17.53	< 34.77
		1	104	22.37	17.62	< 34.77
		100	0	21.28	16.53	< 34.77
		1	105	20.90	16.15	< 34.77
		1	0	21.04	16.29	< 34.77
688.0	20	50	25	22.15	17.40	< 34.77
		1	1	22.36	17.61	< 34.77
		1	104	22.17	17.42	< 34.77
		100	0	21.19	16.44	< 34.77
		1	105	20.94	16.19	< 34.77
		1	0	21.20	16.45	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
665.5	5	12	6	20.78	16.03	< 34.77
		1	1	20.57	15.82	< 34.77
		1	23	20.40	15.65	< 34.77
		25	0	20.61	15.86	< 34.77
		1	24	20.36	15.61	< 34.77
		1	0	20.57	15.82	< 34.77
680.5	5	12	6	20.63	15.88	< 34.77
		1	1	20.70	15.95	< 34.77
		1	23	20.78	16.03	< 34.77
		25	0	20.58	15.83	< 34.77
		1	24	20.81	16.06	< 34.77
		1	0	20.72	15.97	< 34.77
695.5	5	12	6	20.61	15.86	< 34.77
		1	1	20.50	15.75	< 34.77
		1	23	20.51	15.76	< 34.77
		25	0	20.68	15.93	< 34.77
		1	24	20.49	15.74	< 34.77
		1	0	20.43	15.68	< 34.77
668.0	10	25	12	20.53	15.78	< 34.77
		1	1	20.68	15.93	< 34.77
		1	50	20.59	15.84	< 34.77
		50	0	20.56	15.81	< 34.77
		1	51	20.63	15.88	< 34.77
		1	0	20.67	15.92	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
680.5	10	25	12	20.62	15.87	< 34.77
		1	1	20.86	16.11	< 34.77
		1	50	20.89	16.14	< 34.77
		50	0	20.58	15.83	< 34.77
		1	51	20.86	16.11	< 34.77
		1	0	20.85	16.10	< 34.77
693.0	10	25	12	20.69	15.94	< 34.77
		1	1	20.77	16.02	< 34.77
		1	50	20.83	16.08	< 34.77
		50	0	20.61	15.86	< 34.77
		1	51	20.82	16.07	< 34.77
		1	0	20.99	16.24	< 34.77
670.5	15	36	18	20.62	15.87	< 34.77
		1	1	20.61	15.86	< 34.77
		1	77	20.65	15.90	< 34.77
		75	0	20.69	15.94	< 34.77
		1	78	20.57	15.82	< 34.77
		1	0	20.69	15.94	< 34.77
680.5	15	36	18	20.80	16.05	< 34.77
		1	1	20.92	16.17	< 34.77
		1	77	20.87	16.12	< 34.77
		75	0	20.78	16.03	< 34.77
		1	78	20.84	16.09	< 34.77
		1	0	21.00	16.25	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
690.5	15	36	18	20.67	15.92	< 34.77
		1	1	21.01	16.26	< 34.77
		1	77	20.76	16.01	< 34.77
		75	0	20.67	15.92	< 34.77
		1	78	20.75	16.00	< 34.77
		1	0	20.99	16.24	< 34.77
673.0	20	50	25	20.72	15.97	< 34.77
		1	1	20.89	16.14	< 34.77
		1	104	21.01	16.26	< 34.77
		100	0	20.74	15.99	< 34.77
		1	105	20.94	16.19	< 34.77
		1	0	21.05	16.30	< 34.77
680.5	20	50	25	20.86	16.11	< 34.77
		1	1	20.58	15.83	< 34.77
		1	104	20.80	16.05	< 34.77
		100	0	20.76	16.01	< 34.77
		1	105	20.56	15.81	< 34.77
		1	0	20.76	16.01	< 34.77
688.0	20	50	25	20.70	15.95	< 34.77
		1	1	21.02	16.27	< 34.77
		1	104	20.72	15.97	< 34.77
		100	0	20.67	15.92	< 34.77
		1	105	20.70	15.95	< 34.77
		1	0	21.03	16.28	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
665.5	5	12	6	18.52	13.77	< 34.77
		1	1	18.23	13.48	< 34.77
		1	23	18.04	13.29	< 34.77
		25	0	18.44	13.69	< 34.77
		1	24	18.10	13.35	< 34.77
		1	0	18.16	13.41	< 34.77
680.5	5	12	6	18.54	13.79	< 34.77
		1	1	18.22	13.47	< 34.77
		1	23	18.25	13.50	< 34.77
		25	0	18.58	13.83	< 34.77
		1	24	18.29	13.54	< 34.77
		1	0	18.21	13.46	< 34.77
695.5	5	12	6	18.54	13.79	< 34.77
		1	1	18.12	13.37	< 34.77
		1	23	18.16	13.41	< 34.77
		25	0	18.57	13.82	< 34.77
		1	24	18.15	13.40	< 34.77
		1	0	18.19	13.44	< 34.77
668.0	10	25	12	18.53	13.78	< 34.77
		1	1	18.14	13.39	< 34.77
		1	50	18.12	13.37	< 34.77
		50	0	18.51	13.76	< 34.77
		1	51	18.12	13.37	< 34.77
		1	0	18.19	13.44	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
680.5	10	25	12	18.58	13.83	< 34.77
		1	1	18.16	13.41	< 34.77
		1	50	18.23	13.48	< 34.77
		50	0	18.46	13.71	< 34.77
		1	51	18.20	13.45	< 34.77
		1	0	18.31	13.56	< 34.77
693.0	10	25	12	18.45	13.70	< 34.77
		1	1	18.27	13.52	< 34.77
		1	50	18.19	13.44	< 34.77
		50	0	18.47	13.72	< 34.77
		1	51	18.12	13.37	< 34.77
		1	0	18.31	13.56	< 34.77
670.5	15	36	18	18.73	13.98	< 34.77
		1	1	18.37	13.62	< 34.77
		1	77	18.51	13.76	< 34.77
		75	0	18.71	13.96	< 34.77
		1	78	18.53	13.78	< 34.77
		1	0	18.43	13.68	< 34.77
680.5	15	36	18	18.69	13.94	< 34.77
		1	1	18.25	13.50	< 34.77
		1	77	18.31	13.56	< 34.77
		75	0	18.66	13.91	< 34.77
		1	78	18.33	13.58	< 34.77
		1	0	18.42	13.67	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
690.5	15	36	18	18.67	13.92	< 34.77
		1	1	18.37	13.62	< 34.77
		1	77	18.10	13.35	< 34.77
		75	0	18.56	13.81	< 34.77
		1	78	18.10	13.35	< 34.77
		1	0	18.52	13.77	< 34.77
673.0	20	50	25	18.72	13.97	< 34.77
		1	1	18.30	13.55	< 34.77
		1	104	18.48	13.73	< 34.77
		100	0	18.75	14.00	< 34.77
		1	105	18.50	13.75	< 34.77
		1	0	18.42	13.67	< 34.77
680.5	20	50	25	18.74	13.99	< 34.77
		1	1	18.32	13.57	< 34.77
		1	104	18.34	13.59	< 34.77
		100	0	18.74	13.99	< 34.77
		1	105	18.31	13.56	< 34.77
		1	0	18.41	13.66	< 34.77
688.0	20	50	25	18.58	13.83	< 34.77
		1	1	18.45	13.70	< 34.77
		1	104	18.29	13.54	< 34.77
		100	0	18.67	13.92	< 34.77
		1	105	18.18	13.43	< 34.77
		1	0	18.41	13.66	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-18	Test Band	n38_UL MIMO

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2575.0	10	12	6	19.42	19.39	22.42	24.22	< 33.01
		1	1	19.55	19.56	22.57	24.37	< 33.01
		1	22	19.62	19.66	22.65	24.45	< 33.01
		24	0	19.52	19.55	22.55	24.35	< 33.01
		1	0	19.10	19.14	22.13	23.93	< 33.01
		1	23	19.00	19.13	22.08	23.88	< 33.01
2595.0	10	12	6	19.60	19.62	22.62	24.42	< 33.01
		1	1	19.65	19.56	22.62	24.42	< 33.01
		1	22	19.69	19.56	22.64	24.44	< 33.01
		24	0	19.72	19.60	22.67	24.47	< 33.01
		1	0	19.06	19.07	22.08	23.88	< 33.01
		1	23	19.13	19.07	22.11	23.91	< 33.01
2615.0	10	12	6	19.39	19.63	22.52	24.32	< 33.01
		1	1	19.43	19.64	22.55	24.35	< 33.01
		1	22	19.48	19.74	22.62	24.42	< 33.01
		24	0	19.35	19.58	22.48	24.28	< 33.01
		1	0	18.90	19.07	22.00	23.80	< 33.01
		1	23	18.93	19.25	22.10	23.90	< 33.01
2577.5	15	19	9	19.64	19.65	22.66	24.46	< 33.01
		1	1	19.59	19.69	22.65	24.45	< 33.01
		1	36	19.90	19.94	22.93	24.73	< 33.01
		38	0	19.66	19.76	22.72	24.52	< 33.01
		1	0	19.13	19.25	22.20	24.00	< 33.01
		1	37	19.39	19.29	22.35	24.15	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2595.0	15	19	9	19.58	19.75	22.68	24.48	< 33.01
		1	1	19.80	19.63	22.73	24.53	< 33.01
		1	36	19.79	19.85	22.83	24.63	< 33.01
		38	0	19.57	19.81	22.70	24.50	< 33.01
		1	0	19.11	19.15	22.14	23.94	< 33.01
		1	37	19.27	19.18	22.24	24.04	< 33.01
2612.5	15	19	9	19.42	19.76	22.60	24.40	< 33.01
		1	1	19.61	19.84	22.74	24.54	< 33.01
		1	36	19.56	20.01	22.80	24.60	< 33.01
		38	0	19.47	19.78	22.64	24.44	< 33.01
		1	0	19.00	19.13	22.08	23.88	< 33.01
		1	37	19.06	19.38	22.23	24.03	< 33.01
2580.0	20	25	12	19.64	19.70	22.68	24.48	< 33.01
		1	1	19.66	19.60	22.64	24.44	< 33.01
		1	49	19.89	19.78	22.85	24.65	< 33.01
		51	0	19.54	19.74	22.65	24.45	< 33.01
		1	0	19.08	19.20	22.15	23.95	< 33.01
		1	50	19.22	19.19	22.22	24.02	< 33.01
2595.0	20	25	12	19.73	19.75	22.75	24.55	< 33.01
		1	1	19.80	19.84	22.83	24.63	< 33.01
		1	49	19.55	19.83	22.70	24.50	< 33.01
		51	0	19.59	19.77	22.69	24.49	< 33.01
		1	0	19.16	19.21	22.20	24.00	< 33.01
		1	50	19.25	19.25	22.26	24.06	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2610.0	20	25	12	19.45	19.84	22.66	24.46	< 33.01
		1	1	19.53	19.77	22.66	24.46	< 33.01
		1	49	19.63	19.77	22.71	24.51	< 33.01
		51	0	19.45	19.80	22.64	24.44	< 33.01
		1	0	19.26	19.27	22.28	24.08	< 33.01
		1	50	18.91	19.33	22.14	23.94	< 33.01
2585.0	30	36	79	19.67	19.69	22.69	24.49	< 33.01
		1	1	19.60	19.65	22.64	24.44	< 33.01
		1	76	19.86	20.11	23.00	24.80	< 33.01
		78	0	19.67	19.74	22.72	24.52	< 33.01
		1	0	19.36	19.18	22.28	24.08	< 33.01
		1	77	19.35	19.38	22.38	24.18	< 33.01
2595.0	30	36	79	19.68	19.69	22.70	24.50	< 33.01
		1	1	19.78	19.73	22.77	24.57	< 33.01
		1	76	19.50	20.08	22.81	24.61	< 33.01
		78	0	19.56	19.76	22.67	24.47	< 33.01
		1	0	19.33	19.12	22.24	24.04	< 33.01
		1	77	19.39	19.21	22.31	24.11	< 33.01
2605.0	30	36	79	19.58	19.72	22.66	24.46	< 33.01
		1	1	19.75	19.78	22.78	24.58	< 33.01
		1	76	19.59	19.82	22.72	24.52	< 33.01
		78	0	19.70	19.79	22.76	24.56	< 33.01
		1	0	19.40	19.30	22.36	24.16	< 33.01
		1	77	19.05	19.37	22.22	24.02	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2590.0	40	53	26	19.68	19.75	22.73	24.53	< 33.01
		1	1	19.66	19.56	22.62	24.42	< 33.01
		1	104	19.74	19.81	22.79	24.59	< 33.01
		106	0	19.58	19.75	22.68	24.48	< 33.01
		1	0	19.36	19.23	22.31	24.11	< 33.01
		1	105	19.02	19.31	22.18	23.98	< 33.01
2595.0	40	53	26	19.67	19.77	22.73	24.53	< 33.01
		1	1	19.62	19.70	22.67	24.47	< 33.01
		1	104	19.54	20.15	22.87	24.67	< 33.01
		106	0	19.58	19.77	22.69	24.49	< 33.01
		1	0	19.35	19.24	22.31	24.11	< 33.01
		1	105	19.12	19.32	22.23	24.03	< 33.01
2600.0	40	53	26	19.57	19.79	22.69	24.49	< 33.01
		1	1	19.80	19.61	22.72	24.52	< 33.01
		1	104	19.42	19.76	22.60	24.40	< 33.01
		106	0	19.59	19.84	22.73	24.53	< 33.01
		1	0	19.38	19.30	22.35	24.15	< 33.01
		1	105	19.06	19.42	22.25	24.05	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2575.0	10	12	6	19.53	19.52	22.54	24.34	< 33.01
		1	1	19.39	19.31	22.36	24.16	< 33.01
		1	22	19.64	19.43	22.55	24.35	< 33.01
		24	0	19.39	19.57	22.49	24.29	< 33.01
		1	0	18.90	18.72	21.82	23.62	< 33.01
		1	23	19.03	18.79	21.92	23.72	< 33.01
2595.0	10	12	6	19.72	19.65	22.70	24.50	< 33.01
		1	1	19.71	19.52	22.63	24.43	< 33.01
		1	22	19.54	19.55	22.56	24.36	< 33.01
		24	0	19.72	19.68	22.71	24.51	< 33.01
		1	0	19.01	19.22	22.13	23.93	< 33.01
		1	23	19.06	19.30	22.19	23.99	< 33.01
2615.0	10	12	6	19.42	19.73	22.59	24.39	< 33.01
		1	1	19.37	19.32	22.36	24.16	< 33.01
		1	22	19.34	19.72	22.54	24.34	< 33.01
		24	0	19.45	19.69	22.58	24.38	< 33.01
		1	0	18.89	19.29	22.10	23.90	< 33.01
		1	23	18.79	19.23	22.03	23.83	< 33.01
2577.5	15	19	9	19.58	19.64	22.62	24.42	< 33.01
		1	1	19.49	19.38	22.45	24.25	< 33.01
		1	36	19.76	19.95	22.87	24.67	< 33.01
		38	0	19.56	19.66	22.62	24.42	< 33.01
		1	0	19.00	19.28	22.15	23.95	< 33.01
		1	37	19.25	19.22	22.25	24.05	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2595.0	15	19	9	19.70	19.74	22.73	24.53	< 33.01
		1	1	19.85	19.47	22.67	24.47	< 33.01
		1	36	19.73	19.67	22.71	24.51	< 33.01
		38	0	19.70	19.78	22.75	24.55	< 33.01
		1	0	19.11	19.17	22.15	23.95	< 33.01
		1	37	19.21	19.36	22.30	24.10	< 33.01
2612.5	15	19	9	19.36	19.79	22.59	24.39	< 33.01
		1	1	19.67	19.65	22.67	24.47	< 33.01
		1	36	19.51	19.69	22.61	24.41	< 33.01
		38	0	19.34	19.85	22.61	24.41	< 33.01
		1	0	19.16	19.17	22.18	23.98	< 33.01
		1	37	18.91	19.19	22.06	23.86	< 33.01
2580.0	20	25	12	19.58	19.80	22.70	24.50	< 33.01
		1	1	19.54	19.78	22.67	24.47	< 33.01
		1	49	19.74	19.85	22.81	24.61	< 33.01
		51	0	19.59	19.81	22.71	24.51	< 33.01
		1	0	19.15	19.16	22.17	23.97	< 33.01
		1	50	19.38	19.15	22.28	24.08	< 33.01
2595.0	20	25	12	19.72	19.88	22.81	24.61	< 33.01
		1	1	19.66	19.70	22.69	24.49	< 33.01
		1	49	19.52	19.80	22.67	24.47	< 33.01
		51	0	19.71	19.74	22.74	24.54	< 33.01
		1	0	19.21	19.26	22.25	24.05	< 33.01
		1	50	19.15	19.24	22.21	24.01	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2610.0	20	25	12	19.46	19.85	22.67	24.47	< 33.01
		1	1	19.81	19.89	22.86	24.66	< 33.01
		1	49	19.39	19.94	22.68	24.48	< 33.01
		51	0	19.41	19.86	22.65	24.45	< 33.01
		1	0	19.20	19.09	22.16	23.96	< 33.01
		1	50	18.94	19.11	22.04	23.84	< 33.01
2585.0	30	36	79	19.77	19.72	22.76	24.56	< 33.01
		1	1	19.56	19.57	22.58	24.38	< 33.01
		1	76	19.73	19.75	22.75	24.55	< 33.01
		78	0	19.71	19.75	22.74	24.54	< 33.01
		1	0	19.22	19.13	22.19	23.99	< 33.01
		1	77	19.40	19.42	22.42	24.22	< 33.01
2595.0	30	36	79	19.73	19.77	22.76	24.56	< 33.01
		1	1	19.62	19.66	22.65	24.45	< 33.01
		1	76	19.66	19.96	22.82	24.62	< 33.01
		78	0	19.64	19.81	22.74	24.54	< 33.01
		1	0	19.15	19.41	22.29	24.09	< 33.01
		1	77	19.19	19.59	22.40	24.20	< 33.01
2605.0	30	36	79	19.67	19.79	22.74	24.54	< 33.01
		1	1	19.79	19.71	22.76	24.56	< 33.01
		1	76	19.49	20.02	22.77	24.57	< 33.01
		78	0	19.66	19.85	22.77	24.57	< 33.01
		1	0	19.25	19.18	22.23	24.03	< 33.01
		1	77	18.84	19.44	22.16	23.96	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2590.0	40	53	26	19.76	19.82	22.80	24.60	< 33.01
		1	1	19.75	19.84	22.81	24.61	< 33.01
		1	104	19.61	19.45	22.54	24.34	< 33.01
		106	0	19.64	19.74	22.70	24.50	< 33.01
		1	0	19.23	19.14	22.20	24.00	< 33.01
		1	105	19.18	19.39	22.30	24.10	< 33.01
2595.0	40	53	26	19.74	19.87	22.82	24.62	< 33.01
		1	1	19.90	19.88	22.90	24.70	< 33.01
		1	104	19.80	19.81	22.82	24.62	< 33.01
		106	0	19.59	19.83	22.72	24.52	< 33.01
		1	0	19.15	19.34	22.26	24.06	< 33.01
		1	105	19.11	19.45	22.29	24.09	< 33.01
2600.0	40	53	26	19.69	19.90	22.81	24.61	< 33.01
		1	1	19.87	19.85	22.87	24.67	< 33.01
		1	104	19.50	20.05	22.79	24.59	< 33.01
		106	0	19.57	19.77	22.68	24.48	< 33.01
		1	0	19.36	19.31	22.35	24.15	< 33.01
		1	105	18.86	19.32	22.11	23.91	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2575.0	10	12	6	18.95	19.00	21.99	23.79	< 33.01
		1	1	19.00	18.97	22.00	23.80	< 33.01
		1	22	19.11	18.96	22.05	23.85	< 33.01
		24	0	19.00	19.07	22.05	23.85	< 33.01
		1	0	19.03	19.00	22.03	23.83	< 33.01
		1	23	18.91	19.05	21.99	23.79	< 33.01
2595.0	10	12	6	19.20	19.17	22.20	24.00	< 33.01
		1	1	19.20	19.16	22.19	23.99	< 33.01
		1	22	19.23	19.14	22.20	24.00	< 33.01
		24	0	19.19	19.23	22.22	24.02	< 33.01
		1	0	19.26	19.10	22.19	23.99	< 33.01
		1	23	19.15	19.17	22.17	23.97	< 33.01
2615.0	10	12	6	18.91	19.20	22.07	23.87	< 33.01
		1	1	19.08	19.09	22.10	23.90	< 33.01
		1	22	18.91	19.12	22.03	23.83	< 33.01
		24	0	18.96	19.24	22.11	23.91	< 33.01
		1	0	19.08	18.99	22.05	23.85	< 33.01
		1	23	18.92	19.10	22.02	23.82	< 33.01
2577.5	15	19	9	19.19	19.15	22.18	23.98	< 33.01
		1	1	19.19	19.13	22.17	23.97	< 33.01
		1	36	19.33	19.23	22.29	24.09	< 33.01
		38	0	19.09	19.32	22.22	24.02	< 33.01
		1	0	19.13	19.21	22.18	23.98	< 33.01
		1	37	19.33	19.31	22.33	24.13	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2595.0	15	19	9	19.15	19.31	22.24	24.04	< 33.01
		1	1	19.33	19.10	22.23	24.03	< 33.01
		1	36	19.18	19.35	22.28	24.08	< 33.01
		38	0	19.19	19.38	22.30	24.10	< 33.01
		1	0	19.31	19.35	22.34	24.14	< 33.01
		1	37	19.23	19.37	22.31	24.11	< 33.01
2612.5	15	19	9	18.93	19.35	22.16	23.96	< 33.01
		1	1	19.19	19.35	22.28	24.08	< 33.01
		1	36	18.99	19.31	22.16	23.96	< 33.01
		38	0	18.95	19.35	22.16	23.96	< 33.01
		1	0	19.18	19.35	22.28	24.08	< 33.01
		1	37	19.00	19.17	22.10	23.90	< 33.01
2580.0	20	25	12	19.12	19.23	22.19	23.99	< 33.01
		1	1	19.02	19.34	22.19	23.99	< 33.01
		1	49	19.15	19.12	22.15	23.95	< 33.01
		51	0	19.19	19.35	22.28	24.08	< 33.01
		1	0	19.07	19.45	22.27	24.07	< 33.01
		1	50	19.22	19.41	22.33	24.13	< 33.01
2595.0	20	25	12	19.15	19.30	22.24	24.04	< 33.01
		1	1	19.24	19.17	22.22	24.02	< 33.01
		1	49	19.12	19.29	22.22	24.02	< 33.01
		51	0	19.27	19.33	22.31	24.11	< 33.01
		1	0	19.32	19.18	22.26	24.06	< 33.01
		1	50	19.28	19.37	22.34	24.14	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2610.0	20	25	12	18.96	19.22	22.10	23.90	< 33.01
		1	1	19.17	19.50	22.35	24.15	< 33.01
		1	49	18.88	19.23	22.07	23.87	< 33.01
		51	0	18.96	19.37	22.18	23.98	< 33.01
		1	0	19.15	19.22	22.20	24.00	< 33.01
		1	50	18.86	19.53	22.22	24.02	< 33.01
2585.0	30	36	79	19.24	19.12	22.19	23.99	< 33.01
		1	1	19.17	19.19	22.19	23.99	< 33.01
		1	76	19.37	19.39	22.39	24.19	< 33.01
		78	0	19.20	19.27	22.25	24.05	< 33.01
		1	0	19.27	19.18	22.24	24.04	< 33.01
		1	77	19.39	19.46	22.44	24.24	< 33.01
2595.0	30	36	79	19.25	19.32	22.30	24.10	< 33.01
		1	1	19.08	19.14	22.12	23.92	< 33.01
		1	76	19.27	19.39	22.34	24.14	< 33.01
		78	0	19.15	19.25	22.21	24.01	< 33.01
		1	0	19.30	19.22	22.27	24.07	< 33.01
		1	77	19.26	19.37	22.33	24.13	< 33.01
2605.0	30	36	79	19.26	19.34	22.31	24.11	< 33.01
		1	1	19.38	19.21	22.31	24.11	< 33.01
		1	76	19.06	19.36	22.22	24.02	< 33.01
		78	0	19.15	19.29	22.23	24.03	< 33.01
		1	0	19.42	19.20	22.32	24.12	< 33.01
		1	77	19.07	19.32	22.21	24.01	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2590.0	40	53	26	19.17	19.29	22.24	24.04	< 33.01
		1	1	19.15	19.07	22.12	23.92	< 33.01
		1	104	19.28	19.32	22.31	24.11	< 33.01
		106	0	19.20	19.29	22.26	24.06	< 33.01
		1	0	19.36	19.13	22.26	24.06	< 33.01
		1	105	19.30	19.46	22.39	24.19	< 33.01
2595.0	40	53	26	19.18	19.31	22.26	24.06	< 33.01
		1	1	19.18	19.17	22.19	23.99	< 33.01
		1	104	19.20	19.37	22.30	24.10	< 33.01
		106	0	19.16	19.32	22.25	24.05	< 33.01
		1	0	19.41	19.28	22.36	24.16	< 33.01
		1	105	19.33	19.30	22.33	24.13	< 33.01
2600.0	40	53	26	19.19	19.35	22.28	24.08	< 33.01
		1	1	19.37	19.07	22.23	24.03	< 33.01
		1	104	19.10	19.37	22.25	24.05	< 33.01
		106	0	19.15	19.27	22.22	24.02	< 33.01
		1	0	19.43	19.22	22.34	24.14	< 33.01
		1	105	19.22	19.31	22.28	24.08	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2575.0	10	12	6	16.00	15.98	19.00	20.80	< 33.01
		1	1	15.73	16.14	18.95	20.75	< 33.01
		1	22	15.82	16.04	18.94	20.74	< 33.01
		24	0	16.00	16.03	19.03	20.83	< 33.01
		1	0	15.86	15.95	18.92	20.72	< 33.01
		1	23	15.95	16.19	19.08	20.88	< 33.01
2595.0	10	12	6	16.14	16.10	19.13	20.93	< 33.01
		1	1	15.76	16.12	18.95	20.75	< 33.01
		1	22	16.04	16.07	19.07	20.87	< 33.01
		24	0	16.16	16.12	19.15	20.95	< 33.01
		1	0	15.81	16.16	19.00	20.80	< 33.01
		1	23	16.08	15.93	19.02	20.82	< 33.01
2615.0	10	12	6	15.92	16.01	18.98	20.78	< 33.01
		1	1	15.82	16.22	19.03	20.83	< 33.01
		1	22	15.81	16.16	19.00	20.80	< 33.01
		24	0	15.91	16.16	19.05	20.85	< 33.01
		1	0	15.94	16.11	19.04	20.84	< 33.01
		1	23	15.58	16.21	18.92	20.72	< 33.01
2577.5	15	19	9	16.10	16.26	19.19	20.99	< 33.01
		1	1	16.20	16.21	19.22	21.02	< 33.01
		1	36	16.09	16.44	19.28	21.08	< 33.01
		38	0	16.15	16.26	19.22	21.02	< 33.01
		1	0	15.94	16.05	19.01	20.81	< 33.01
		1	37	16.20	16.16	19.19	20.99	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2595.0	15	19	9	16.18	16.42	19.31	21.11	< 33.01
		1	1	16.29	16.48	19.40	21.20	< 33.01
		1	36	16.06	16.44	19.26	21.06	< 33.01
		38	0	16.24	16.38	19.32	21.12	< 33.01
		1	0	16.15	16.34	19.26	21.06	< 33.01
		1	37	16.17	16.16	19.18	20.98	< 33.01
2612.5	15	19	9	15.96	16.41	19.20	21.00	< 33.01
		1	1	16.05	16.18	19.13	20.93	< 33.01
		1	36	15.67	16.55	19.14	20.94	< 33.01
		38	0	16.01	16.40	19.22	21.02	< 33.01
		1	0	15.85	16.43	19.16	20.96	< 33.01
		1	37	15.91	16.50	19.23	21.03	< 33.01
2580.0	20	25	12	16.08	16.36	19.23	21.03	< 33.01
		1	1	15.79	16.10	18.96	20.76	< 33.01
		1	49	15.95	16.34	19.16	20.96	< 33.01
		51	0	16.08	16.36	19.23	21.03	< 33.01
		1	0	15.77	16.20	19.00	20.80	< 33.01
		1	50	16.03	16.39	19.22	21.02	< 33.01
2595.0	20	25	12	16.19	16.39	19.30	21.10	< 33.01
		1	1	16.15	16.14	19.16	20.96	< 33.01
		1	49	15.96	16.32	19.15	20.95	< 33.01
		51	0	16.20	16.29	19.26	21.06	< 33.01
		1	0	15.94	16.41	19.19	20.99	< 33.01
		1	50	16.01	16.22	19.13	20.93	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2610.0	20	25	12	15.93	16.38	19.17	20.97	< 33.01
		1	1	15.85	16.38	19.13	20.93	< 33.01
		1	49	15.90	16.42	19.18	20.98	< 33.01
		51	0	15.93	16.42	19.19	20.99	< 33.01
		1	0	16.11	16.20	19.17	20.97	< 33.01
		1	50	15.69	16.23	18.98	20.78	< 33.01
2585.0	30	36	79	16.24	16.21	19.24	21.04	< 33.01
		1	1	15.93	16.13	19.04	20.84	< 33.01
		1	76	16.31	16.51	19.42	21.22	< 33.01
		78	0	16.22	16.19	19.22	21.02	< 33.01
		1	0	15.70	16.40	19.07	20.87	< 33.01
		1	77	16.26	16.34	19.31	21.11	< 33.01
2595.0	30	36	79	16.18	16.26	19.23	21.03	< 33.01
		1	1	16.06	16.20	19.14	20.94	< 33.01
		1	76	15.82	16.30	19.08	20.88	< 33.01
		78	0	16.16	16.38	19.28	21.08	< 33.01
		1	0	16.00	16.39	19.21	21.01	< 33.01
		1	77	15.89	16.46	19.19	20.99	< 33.01
2605.0	30	36	79	16.15	16.28	19.23	21.03	< 33.01
		1	1	16.13	16.48	19.32	21.12	< 33.01
		1	76	15.74	16.43	19.11	20.91	< 33.01
		78	0	16.10	16.38	19.25	21.05	< 33.01
		1	0	16.35	16.11	19.24	21.04	< 33.01
		1	77	15.85	16.31	19.10	20.90	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2590.0	40	53	26	16.29	16.41	19.36	21.16	< 33.01
		1	1	15.93	16.06	19.01	20.81	< 33.01
		1	104	15.84	16.25	19.06	20.86	< 33.01
		106	0	16.12	16.32	19.23	21.03	< 33.01
		1	0	16.05	16.23	19.15	20.95	< 33.01
		1	105	15.76	16.49	19.15	20.95	< 33.01
2595.0	40	53	26	16.27	16.30	19.30	21.10	< 33.01
		1	1	15.91	16.39	19.17	20.97	< 33.01
		1	104	15.98	16.41	19.21	21.01	< 33.01
		106	0	16.16	16.31	19.25	21.05	< 33.01
		1	0	15.97	16.39	19.20	21.00	< 33.01
		1	105	15.90	16.33	19.13	20.93	< 33.01
2600.0	40	53	26	16.21	16.29	19.26	21.06	< 33.01
		1	1	16.06	16.18	19.13	20.93	< 33.01
		1	104	15.68	16.43	19.08	20.88	< 33.01
		106	0	16.12	16.37	19.26	21.06	< 33.01
		1	0	16.27	16.18	19.24	21.04	< 33.01
		1	105	15.86	16.47	19.19	20.99	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-18	Test Band	n38_UL MIMO_HPUE

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2575.0	10	12	6	21.26	20.97	24.13	25.93	< 33.01
		1	1	21.13	21.00	24.08	25.88	< 33.01
		1	22	21.24	21.40	24.33	26.13	< 33.01
		24	0	19.78	19.66	22.73	24.53	< 33.01
		1	0	19.17	19.15	22.17	23.97	< 33.01
		1	23	19.42	19.06	22.25	24.05	< 33.01
2595.0	10	12	6	21.42	21.26	24.35	26.15	< 33.01
		1	1	21.34	21.28	24.32	26.12	< 33.01
		1	22	21.50	21.24	24.38	26.18	< 33.01
		24	0	19.92	19.72	22.83	24.63	< 33.01
		1	0	19.30	19.34	22.33	24.13	< 33.01
		1	23	19.31	19.28	22.31	24.11	< 33.01
2615.0	10	12	6	21.02	21.23	24.14	25.94	< 33.01
		1	1	21.20	21.30	24.26	26.06	< 33.01
		1	22	21.04	21.31	24.19	25.99	< 33.01
		24	0	19.50	19.75	22.64	24.44	< 33.01
		1	0	19.09	19.31	22.21	24.01	< 33.01
		1	23	18.96	19.12	22.05	23.85	< 33.01
2577.5	15	19	9	21.42	21.26	24.35	26.15	< 33.01
		1	1	21.52	21.41	24.48	26.28	< 33.01
		1	36	21.71	21.37	24.55	26.35	< 33.01
		38	0	19.98	19.87	22.94	24.74	< 33.01
		1	0	19.53	19.38	22.47	24.27	< 33.01
		1	37	19.76	19.27	22.53	24.33	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2595.0	15	19	9	21.43	21.32	24.39	26.19	< 33.01
		1	1	21.70	21.24	24.49	26.29	< 33.01
		1	36	21.49	21.46	24.49	26.29	< 33.01
		38	0	19.95	19.96	22.97	24.77	< 33.01
		1	0	19.66	19.39	22.54	24.34	< 33.01
		1	37	19.44	19.25	22.36	24.16	< 33.01
2612.5	15	19	9	21.09	21.33	24.22	26.02	< 33.01
		1	1	21.36	21.27	24.33	26.13	< 33.01
		1	36	21.23	21.29	24.27	26.07	< 33.01
		38	0	19.54	19.86	22.71	24.51	< 33.01
		1	0	19.40	19.31	22.37	24.17	< 33.01
		1	37	19.13	19.47	22.31	24.11	< 33.01
2580.0	20	25	12	21.50	21.37	24.45	26.25	< 33.01
		1	1	21.53	21.26	24.41	26.21	< 33.01
		1	49	21.55	21.45	24.51	26.31	< 33.01
		51	0	19.97	19.87	22.93	24.73	< 33.01
		1	0	19.55	19.29	22.43	24.23	< 33.01
		1	50	19.77	19.29	22.55	24.35	< 33.01
2595.0	20	25	12	21.55	21.43	24.50	26.30	< 33.01
		1	1	21.74	21.32	24.55	26.35	< 33.01
		1	49	21.51	21.31	24.42	26.22	< 33.01
		51	0	20.00	19.85	22.94	24.74	< 33.01
		1	0	19.55	19.30	22.44	24.24	< 33.01
		1	50	19.40	19.43	22.43	24.23	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2610.0	20	25	12	21.23	21.46	24.36	26.16	< 33.01
		1	1	21.42	21.31	24.38	26.18	< 33.01
		1	49	21.09	21.42	24.27	26.07	< 33.01
		51	0	19.62	19.90	22.77	24.57	< 33.01
		1	0	19.29	19.33	22.32	24.12	< 33.01
		1	50	19.16	19.52	22.35	24.15	< 33.01
2585.0	30	36	79	21.52	21.32	24.43	26.23	< 33.01
		1	1	21.67	21.21	24.46	26.26	< 33.01
		1	76	21.62	21.58	24.61	26.41	< 33.01
		78	0	20.09	19.80	22.96	24.76	< 33.01
		1	0	19.61	19.35	22.49	24.29	< 33.01
		1	77	19.75	19.48	22.63	24.43	< 33.01
2595.0	30	36	79	21.37	21.33	24.36	26.16	< 33.01
		1	1	21.64	21.51	24.59	26.39	< 33.01
		1	76	21.46	21.61	24.55	26.35	< 33.01
		78	0	19.90	19.86	22.89	24.69	< 33.01
		1	0	19.58	19.43	22.52	24.32	< 33.01
		1	77	19.32	19.34	22.34	24.14	< 33.01
2605.0	30	36	79	21.39	21.39	24.40	26.20	< 33.01
		1	1	21.65	21.37	24.52	26.32	< 33.01
		1	76	21.42	21.43	24.44	26.24	< 33.01
		78	0	19.91	19.92	22.93	24.73	< 33.01
		1	0	19.87	19.50	22.70	24.50	< 33.01
		1	77	19.28	19.58	22.44	24.24	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2590.0	40	53	26	21.53	21.36	24.46	26.26	< 33.01
		1	1	21.50	21.17	24.35	26.15	< 33.01
		1	104	21.41	21.37	24.40	26.20	< 33.01
		106	0	19.96	19.86	22.92	24.72	< 33.01
		1	0	19.75	19.33	22.56	24.36	< 33.01
		1	105	19.41	19.42	22.43	24.23	< 33.01
2595.0	40	53	26	21.46	21.38	24.43	26.23	< 33.01
		1	1	21.73	21.30	24.53	26.33	< 33.01
		1	104	21.31	21.48	24.41	26.21	< 33.01
		106	0	19.95	19.91	22.94	24.74	< 33.01
		1	0	19.62	19.35	22.50	24.30	< 33.01
		1	105	19.29	19.40	22.36	24.16	< 33.01
2600.0	40	53	26	21.46	21.36	24.42	26.22	< 33.01
		1	1	21.67	21.23	24.47	26.27	< 33.01
		1	104	21.34	21.51	24.44	26.24	< 33.01
		106	0	19.91	19.86	22.90	24.70	< 33.01
		1	0	19.82	19.41	22.63	24.43	< 33.01
		1	105	19.17	19.44	22.32	24.12	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2575.0	10	12	6	20.65	20.69	23.68	25.48	< 33.01
		1	1	20.53	20.79	23.67	25.47	< 33.01
		1	22	20.53	20.97	23.77	25.57	< 33.01
		24	0	19.74	19.69	22.73	24.53	< 33.01
		1	0	19.21	19.16	22.20	24.00	< 33.01
		1	23	18.90	19.28	22.10	23.90	< 33.01
2595.0	10	12	6	20.73	20.87	23.81	25.61	< 33.01
		1	1	20.66	20.89	23.79	25.59	< 33.01
		1	22	20.61	20.85	23.74	25.54	< 33.01
		24	0	19.67	19.78	22.74	24.54	< 33.01
		1	0	19.14	19.30	22.23	24.03	< 33.01
		1	23	19.34	19.27	22.32	24.12	< 33.01
2615.0	10	12	6	20.85	20.43	23.66	25.46	< 33.01
		1	1	20.81	20.57	23.70	25.50	< 33.01
		1	22	20.93	20.55	23.75	25.55	< 33.01
		24	0	19.87	19.46	22.68	24.48	< 33.01
		1	0	19.24	19.07	22.17	23.97	< 33.01
		1	23	19.15	18.95	22.06	23.86	< 33.01
2577.5	15	19	9	20.75	20.93	23.85	25.65	< 33.01
		1	1	20.82	20.88	23.86	25.66	< 33.01
		1	36	20.89	21.09	24.00	25.80	< 33.01
		38	0	19.92	19.92	22.93	24.73	< 33.01
		1	0	19.50	19.26	22.39	24.19	< 33.01
		1	37	19.34	19.50	22.43	24.23	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2595.0	15	19	9	20.82	20.95	23.90	25.70	< 33.01
		1	1	20.82	21.15	24.00	25.80	< 33.01
		1	36	20.91	20.81	23.87	25.67	< 33.01
		38	0	19.94	19.93	22.95	24.75	< 33.01
		1	0	19.50	19.41	22.47	24.27	< 33.01
		1	37	19.64	19.30	22.48	24.28	< 33.01
2612.5	15	19	9	20.78	20.53	23.67	25.47	< 33.01
		1	1	20.84	20.80	23.83	25.63	< 33.01
		1	36	20.88	20.54	23.72	25.52	< 33.01
		38	0	19.87	19.60	22.75	24.55	< 33.01
		1	0	19.50	19.20	22.36	24.16	< 33.01
		1	37	19.59	19.14	22.38	24.18	< 33.01
2580.0	20	25	12	20.93	20.97	23.96	25.76	< 33.01
		1	1	20.56	20.84	23.71	25.51	< 33.01
		1	49	20.81	20.96	23.90	25.70	< 33.01
		51	0	19.94	20.00	22.98	24.78	< 33.01
		1	0	19.27	19.39	22.34	24.14	< 33.01
		1	50	19.24	19.59	22.43	24.23	< 33.01
2595.0	20	25	12	20.97	21.05	24.02	25.82	< 33.01
		1	1	20.64	20.98	23.82	25.62	< 33.01
		1	49	20.66	20.77	23.73	25.53	< 33.01
		51	0	19.90	19.85	22.89	24.69	< 33.01
		1	0	19.39	19.64	22.53	24.33	< 33.01
		1	50	19.53	19.29	22.42	24.22	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2610.0	20	25	12	20.93	20.61	23.78	25.58	< 33.01
		1	1	20.71	20.81	23.77	25.57	< 33.01
		1	49	20.78	20.44	23.62	25.42	< 33.01
		51	0	19.88	19.69	22.80	24.60	< 33.01
		1	0	19.39	19.40	22.41	24.21	< 33.01
		1	50	19.41	18.98	22.21	24.01	< 33.01
2585.0	30	36	79	20.82	21.16	24.00	25.80	< 33.01
		1	1	20.69	21.03	23.87	25.67	< 33.01
		1	76	20.99	21.11	24.06	25.86	< 33.01
		78	0	19.94	20.04	23.00	24.80	< 33.01
		1	0	19.46	19.44	22.46	24.26	< 33.01
		1	77	19.58	19.60	22.60	24.40	< 33.01
2595.0	30	36	79	20.85	21.05	23.96	25.76	< 33.01
		1	1	20.85	21.12	24.00	25.80	< 33.01
		1	76	20.94	21.01	23.99	25.79	< 33.01
		78	0	19.83	19.98	22.92	24.72	< 33.01
		1	0	19.53	19.70	22.63	24.43	< 33.01
		1	77	19.28	19.32	22.31	24.11	< 33.01
2605.0	30	36	79	20.91	20.94	23.94	25.74	< 33.01
		1	1	20.85	21.13	24.00	25.80	< 33.01
		1	76	20.97	20.76	23.88	25.68	< 33.01
		78	0	19.87	19.88	22.89	24.69	< 33.01
		1	0	19.50	19.63	22.58	24.38	< 33.01
		1	77	19.36	19.21	22.30	24.10	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2590.0	40	53	26	20.93	21.11	24.03	25.83	< 33.01
		1	1	20.74	20.94	23.85	25.65	< 33.01
		1	104	20.90	20.82	23.87	25.67	< 33.01
		106	0	19.86	20.01	22.95	24.75	< 33.01
		1	0	19.26	19.63	22.46	24.26	< 33.01
		1	105	19.44	19.47	22.47	24.27	< 33.01
2595.0	40	53	26	20.92	21.09	24.02	25.82	< 33.01
		1	1	20.88	20.98	23.94	25.74	< 33.01
		1	104	21.04	20.78	23.92	25.72	< 33.01
		106	0	19.93	19.94	22.95	24.75	< 33.01
		1	0	19.45	19.69	22.58	24.38	< 33.01
		1	105	19.46	19.21	22.35	24.15	< 33.01
2600.0	40	53	26	20.98	21.07	24.04	25.84	< 33.01
		1	1	20.74	21.20	23.99	25.79	< 33.01
		1	104	20.94	20.65	23.81	25.61	< 33.01
		106	0	19.88	19.99	22.95	24.75	< 33.01
		1	0	19.39	19.80	22.61	24.41	< 33.01
		1	105	19.39	19.16	22.29	24.09	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2575.0	10	12	6	19.25	19.13	22.20	24.00	< 33.01
		1	1	19.32	19.17	22.26	24.06	< 33.01
		1	22	19.43	19.10	22.28	24.08	< 33.01
		24	0	19.27	19.20	22.25	24.05	< 33.01
		1	0	19.25	18.97	22.12	23.92	< 33.01
		1	23	19.43	19.10	22.28	24.08	< 33.01
2595.0	10	12	6	19.38	19.23	22.32	24.12	< 33.01
		1	1	19.42	19.02	22.23	24.03	< 33.01
		1	22	19.41	19.16	22.30	24.10	< 33.01
		24	0	19.38	19.21	22.31	24.11	< 33.01
		1	0	19.53	19.13	22.34	24.14	< 33.01
		1	23	19.34	19.20	22.28	24.08	< 33.01
2615.0	10	12	6	18.95	19.33	22.15	23.95	< 33.01
		1	1	19.09	19.34	22.23	24.03	< 33.01
		1	22	19.02	19.35	22.20	24.00	< 33.01
		24	0	18.97	19.39	22.20	24.00	< 33.01
		1	0	19.20	19.33	22.28	24.08	< 33.01
		1	23	18.94	19.26	22.11	23.91	< 33.01
2577.5	15	19	9	19.51	19.35	22.44	24.24	< 33.01
		1	1	19.55	19.33	22.45	24.25	< 33.01
		1	36	19.52	19.43	22.49	24.29	< 33.01
		38	0	19.42	19.40	22.42	24.22	< 33.01
		1	0	19.47	19.31	22.40	24.20	< 33.01
		1	37	19.62	19.33	22.49	24.29	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2595.0	15	19	9	19.46	19.39	22.44	24.24	< 33.01
		1	1	19.61	19.49	22.56	24.36	< 33.01
		1	36	19.37	19.49	22.44	24.24	< 33.01
		38	0	19.47	19.47	22.48	24.28	< 33.01
		1	0	19.58	19.54	22.57	24.37	< 33.01
		1	37	19.41	19.61	22.52	24.32	< 33.01
2612.5	15	19	9	19.01	19.47	22.26	24.06	< 33.01
		1	1	19.34	19.32	22.34	24.14	< 33.01
		1	36	19.11	19.34	22.24	24.04	< 33.01
		38	0	19.05	19.43	22.25	24.05	< 33.01
		1	0	19.32	19.29	22.32	24.12	< 33.01
		1	37	19.05	19.46	22.27	24.07	< 33.01
2580.0	20	25	12	19.45	19.38	22.43	24.23	< 33.01
		1	1	19.67	19.28	22.49	24.29	< 33.01
		1	49	19.65	19.53	22.60	24.40	< 33.01
		51	0	19.52	19.37	22.46	24.26	< 33.01
		1	0	19.56	19.23	22.41	24.21	< 33.01
		1	50	19.69	19.21	22.47	24.27	< 33.01
2595.0	20	25	12	19.45	19.40	22.44	24.24	< 33.01
		1	1	19.67	19.44	22.57	24.37	< 33.01
		1	49	19.46	19.32	22.40	24.20	< 33.01
		51	0	19.50	19.41	22.47	24.27	< 33.01
		1	0	19.73	19.40	22.58	24.38	< 33.01
		1	50	19.36	19.45	22.42	24.22	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2610.0	20	25	12	19.12	19.43	22.29	24.09	< 33.01
		1	1	19.46	19.24	22.36	24.16	< 33.01
		1	49	19.15	19.35	22.26	24.06	< 33.01
		51	0	19.25	19.47	22.37	24.17	< 33.01
		1	0	19.42	19.37	22.41	24.21	< 33.01
		1	50	19.16	19.47	22.33	24.13	< 33.01
2585.0	30	36	79	19.67	19.31	22.50	24.30	< 33.01
		1	1	19.54	19.21	22.39	24.19	< 33.01
		1	76	19.69	19.40	22.56	24.36	< 33.01
		78	0	19.58	19.35	22.48	24.28	< 33.01
		1	0	19.67	19.39	22.54	24.34	< 33.01
		1	77	19.60	19.37	22.50	24.30	< 33.01
2595.0	30	36	79	19.48	19.43	22.47	24.27	< 33.01
		1	1	19.54	19.24	22.40	24.20	< 33.01
		1	76	19.46	19.38	22.43	24.23	< 33.01
		78	0	19.48	19.36	22.43	24.23	< 33.01
		1	0	19.76	19.41	22.60	24.40	< 33.01
		1	77	19.44	19.50	22.48	24.28	< 33.01
2605.0	30	36	79	19.48	19.38	22.44	24.24	< 33.01
		1	1	19.62	19.41	22.53	24.33	< 33.01
		1	76	19.29	19.54	22.43	24.23	< 33.01
		78	0	19.36	19.42	22.40	24.20	< 33.01
		1	0	19.82	19.32	22.59	24.39	< 33.01
		1	77	19.16	19.52	22.35	24.15	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2590.0	40	53	26	19.55	19.49	22.53	24.33	< 33.01
		1	1	19.63	19.15	22.41	24.21	< 33.01
		1	104	19.45	19.31	22.39	24.19	< 33.01
		106	0	19.47	19.41	22.45	24.25	< 33.01
		1	0	19.69	19.41	22.56	24.36	< 33.01
		1	105	19.41	19.33	22.38	24.18	< 33.01
2595.0	40	53	26	19.52	19.51	22.53	24.33	< 33.01
		1	1	19.60	19.59	22.61	24.41	< 33.01
		1	104	19.29	19.40	22.36	24.16	< 33.01
		106	0	19.42	19.42	22.43	24.23	< 33.01
		1	0	19.78	19.31	22.56	24.36	< 33.01
		1	105	19.41	19.45	22.44	24.24	< 33.01
2600.0	40	53	26	19.40	19.45	22.44	24.24	< 33.01
		1	1	19.83	19.35	22.61	24.41	< 33.01
		1	104	19.15	19.34	22.26	24.06	< 33.01
		106	0	19.47	19.39	22.44	24.24	< 33.01
		1	0	19.95	19.39	22.69	24.49	< 33.01
		1	105	19.41	19.34	22.39	24.19	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2575.0	10	12	6	16.22	16.09	19.17	20.97	< 33.01
		1	1	15.92	16.15	19.05	20.85	< 33.01
		1	22	16.03	16.04	19.05	20.85	< 33.01
		24	0	16.28	16.24	19.27	21.07	< 33.01
		1	0	15.92	16.05	19.00	20.80	< 33.01
		1	23	16.01	16.02	19.03	20.83	< 33.01
2595.0	10	12	6	16.44	16.15	19.31	21.11	< 33.01
		1	1	16.06	16.34	19.21	21.01	< 33.01
		1	22	16.03	16.24	19.15	20.95	< 33.01
		24	0	16.33	16.20	19.28	21.08	< 33.01
		1	0	16.23	15.98	19.12	20.92	< 33.01
		1	23	16.04	16.26	19.16	20.96	< 33.01
2615.0	10	12	6	16.04	16.18	19.12	20.92	< 33.01
		1	1	15.97	16.37	19.18	20.98	< 33.01
		1	22	15.84	16.33	19.10	20.90	< 33.01
		24	0	15.93	16.31	19.13	20.93	< 33.01
		1	0	16.08	16.12	19.11	20.91	< 33.01
		1	23	15.56	16.08	18.84	20.64	< 33.01
2577.5	15	19	9	16.53	16.28	19.42	21.22	< 33.01
		1	1	16.45	16.39	19.43	21.23	< 33.01
		1	36	16.15	16.51	19.34	21.14	< 33.01
		38	0	16.55	16.35	19.46	21.26	< 33.01
		1	0	16.28	16.40	19.35	21.15	< 33.01
		1	37	16.58	16.40	19.50	21.30	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2595.0	15	19	9	16.48	16.52	19.51	21.31	< 33.01
		1	1	16.48	16.48	19.49	21.29	< 33.01
		1	36	16.33	16.39	19.37	21.17	< 33.01
		38	0	16.49	16.49	19.50	21.30	< 33.01
		1	0	16.53	16.31	19.43	21.23	< 33.01
		1	37	16.27	16.40	19.35	21.15	< 33.01
2612.5	15	19	9	16.12	16.46	19.30	21.10	< 33.01
		1	1	15.97	16.27	19.13	20.93	< 33.01
		1	36	15.96	16.37	19.18	20.98	< 33.01
		38	0	16.10	16.52	19.33	21.13	< 33.01
		1	0	16.00	16.43	19.23	21.03	< 33.01
		1	37	15.96	16.47	19.23	21.03	< 33.01
2580.0	20	25	12	16.52	16.45	19.50	21.30	< 33.01
		1	1	16.49	16.19	19.35	21.15	< 33.01
		1	49	16.44	16.33	19.40	21.20	< 33.01
		51	0	16.55	16.40	19.49	21.29	< 33.01
		1	0	16.35	16.35	19.36	21.16	< 33.01
		1	50	16.51	16.42	19.48	21.28	< 33.01
2595.0	20	25	12	16.51	16.35	19.44	21.24	< 33.01
		1	1	16.63	16.18	19.42	21.22	< 33.01
		1	49	16.25	16.32	19.30	21.10	< 33.01
		51	0	16.52	16.50	19.52	21.32	< 33.01
		1	0	16.30	17.55	19.98	21.78	< 33.01
		1	50	16.38	16.41	19.41	21.21	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2610.0	20	25	12	16.19	16.49	19.35	21.15	< 33.01
		1	1	16.24	16.33	19.30	21.10	< 33.01
		1	49	15.74	16.28	19.03	20.83	< 33.01
		51	0	16.18	16.50	19.35	21.15	< 33.01
		1	0	16.17	16.30	19.25	21.05	< 33.01
		1	50	16.01	16.44	19.24	21.04	< 33.01
2585.0	30	36	79	16.67	16.31	19.50	21.30	< 33.01
		1	1	16.27	16.23	19.26	21.06	< 33.01
		1	76	16.42	16.35	19.40	21.20	< 33.01
		78	0	16.53	16.41	19.48	21.28	< 33.01
		1	0	16.20	16.21	19.22	21.02	< 33.01
		1	77	16.28	16.38	19.34	21.14	< 33.01
2595.0	30	36	79	16.49	16.36	19.44	21.24	< 33.01
		1	1	16.18	16.30	19.25	21.05	< 33.01
		1	76	16.20	16.48	19.35	21.15	< 33.01
		78	0	16.50	16.49	19.51	21.31	< 33.01
		1	0	16.25	16.48	19.38	21.18	< 33.01
		1	77	15.96	16.37	19.18	20.98	< 33.01
2605.0	30	36	79	16.34	16.41	19.39	21.19	< 33.01
		1	1	16.34	16.29	19.33	21.13	< 33.01
		1	76	15.92	16.37	19.16	20.96	< 33.01
		78	0	16.33	16.41	19.38	21.18	< 33.01
		1	0	16.42	16.48	19.46	21.26	< 33.01
		1	77	15.88	16.35	19.13	20.93	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2590.0	40	53	26	16.56	16.41	19.50	21.30	< 33.01
		1	1	16.31	16.45	19.39	21.19	< 33.01
		1	104	16.25	16.38	19.33	21.13	< 33.01
		106	0	16.51	16.46	19.50	21.30	< 33.01
		1	0	16.17	16.28	19.24	21.04	< 33.01
		1	105	16.33	16.41	19.38	21.18	< 33.01
2595.0	40	53	26	16.49	16.39	19.45	21.25	< 33.01
		1	1	16.40	16.53	19.48	21.28	< 33.01
		1	104	16.27	16.65	19.47	21.27	< 33.01
		106	0	16.41	16.53	19.48	21.28	< 33.01
		1	0	16.46	16.57	19.53	21.33	< 33.01
		1	105	16.06	16.63	19.36	21.16	< 33.01
2600.0	40	53	26	16.42	16.43	19.44	21.24	< 33.01
		1	1	16.33	16.37	19.36	21.16	< 33.01
		1	104	15.93	16.66	19.32	21.12	< 33.01
		106	0	16.43	16.46	19.46	21.26	< 33.01
		1	0	16.39	16.52	19.47	21.27	< 33.01
		1	105	15.94	16.60	19.29	21.09	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-18	Test Band	n41_UL MIMO

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2506.02	20	25	12	19.47	19.99	22.75	24.35	< 33.01
		1	1	19.41	19.94	22.69	24.29	< 33.01
		1	49	19.57	19.92	22.76	24.36	< 33.01
		51	0	19.43	20.06	22.77	24.37	< 33.01
		1	0	19.10	19.55	22.34	23.94	< 33.01
		1	50	18.97	19.51	22.26	23.86	< 33.01
2592.99	20	25	12	19.64	19.91	22.79	24.39	< 33.01
		1	1	19.81	20.03	22.93	24.53	< 33.01
		1	49	19.54	19.89	22.73	24.33	< 33.01
		51	0	19.72	19.89	22.82	24.42	< 33.01
		1	0	19.37	19.43	22.41	24.01	< 33.01
		1	50	19.10	19.41	22.27	23.87	< 33.01
2679.99	20	25	12	19.34	19.86	22.62	24.22	< 33.01
		1	1	19.37	19.97	22.69	24.29	< 33.01
		1	49	19.36	19.87	22.63	24.23	< 33.01
		51	0	19.35	19.96	22.68	24.28	< 33.01
		1	0	19.07	19.47	22.28	23.88	< 33.01
		1	50	19.00	19.42	22.23	23.83	< 33.01
2511.0	30	36	79	19.30	19.98	22.66	24.26	< 33.01
		1	1	19.40	19.98	22.71	24.31	< 33.01
		1	76	19.59	20.20	22.92	24.52	< 33.01
		78	0	19.34	19.95	22.67	24.27	< 33.01
		1	0	18.94	19.46	22.22	23.82	< 33.01
		1	77	18.94	19.55	22.27	23.87	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2592.99	30	36	79	19.69	19.77	22.74	24.34	< 33.01
		1	1	19.74	19.72	22.74	24.34	< 33.01
		1	76	19.64	19.90	22.78	24.38	< 33.01
		78	0	19.66	19.83	22.76	24.36	< 33.01
		1	0	19.11	19.57	22.36	23.96	< 33.01
		1	77	19.13	19.81	22.49	24.09	< 33.01
2674.98	30	36	79	19.40	19.98	22.71	24.31	< 33.01
		1	1	19.38	19.93	22.67	24.27	< 33.01
		1	76	19.65	20.02	22.85	24.45	< 33.01
		78	0	19.40	19.96	22.70	24.30	< 33.01
		1	0	19.02	19.77	22.42	24.02	< 33.01
		1	77	18.93	19.49	22.23	23.83	< 33.01
2516.01	40	53	26	19.35	19.94	22.67	24.27	< 33.01
		1	1	19.35	19.91	22.65	24.25	< 33.01
		1	104	19.41	19.96	22.70	24.30	< 33.01
		106	0	19.29	19.97	22.65	24.25	< 33.01
		1	0	19.16	19.38	22.28	23.88	< 33.01
		1	105	18.75	19.47	22.14	23.74	< 33.01
2592.99	40	53	26	19.63	19.77	22.71	24.31	< 33.01
		1	1	19.78	19.78	22.79	24.39	< 33.01
		1	104	19.48	19.78	22.64	24.24	< 33.01
		106	0	19.63	19.71	22.68	24.28	< 33.01
		1	0	19.17	19.21	22.20	23.80	< 33.01
		1	105	19.02	19.34	22.19	23.79	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2670.0	40	53	26	19.42	19.92	22.69	24.29	< 33.01
		1	1	19.47	19.78	22.64	24.24	< 33.01
		1	104	19.77	19.98	22.89	24.49	< 33.01
		106	0	19.47	19.91	22.71	24.31	< 33.01
		1	0	19.04	19.42	22.24	23.84	< 33.01
		1	105	19.04	19.85	22.47	24.07	< 33.01
2521.02	50	67	33	19.19	19.81	22.52	24.12	< 33.01
		1	1	19.42	20.03	22.75	24.35	< 33.01
		1	131	19.18	19.90	22.57	24.17	< 33.01
		133	0	19.17	19.81	22.51	24.11	< 33.01
		1	0	19.01	19.42	22.23	23.83	< 33.01
		1	132	18.80	19.49	22.17	23.77	< 33.01
2592.99	50	67	33	19.60	19.74	22.68	24.28	< 33.01
		1	1	19.56	19.77	22.68	24.28	< 33.01
		1	131	19.28	19.88	22.60	24.20	< 33.01
		133	0	19.50	19.74	22.63	24.23	< 33.01
		1	0	19.17	19.32	22.26	23.86	< 33.01
		1	132	19.09	19.34	22.23	23.83	< 33.01
2664.99	50	67	33	19.30	19.93	22.64	24.24	< 33.01
		1	1	19.18	19.72	22.47	24.07	< 33.01
		1	131	19.50	20.09	22.82	24.42	< 33.01
		133	0	19.29	19.83	22.58	24.18	< 33.01
		1	0	18.87	19.37	22.14	23.74	< 33.01
		1	132	18.88	19.48	22.20	23.80	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2526.00	60	81	40	19.23	19.81	22.54	24.14	< 33.01
		1	1	19.30	19.71	22.52	24.12	< 33.01
		1	131	19.26	19.52	22.40	24.00	< 33.01
		128	0	19.20	19.77	22.50	24.10	< 33.01
		1	0	19.12	19.17	22.16	23.76	< 33.01
		1	132	18.80	19.07	21.95	23.55	< 33.01
2592.99	60	81	40	19.60	19.80	22.71	24.31	< 33.01
		1	1	19.41	19.78	22.61	24.21	< 33.01
		1	131	19.19	19.75	22.49	24.09	< 33.01
		128	0	19.53	19.77	22.66	24.26	< 33.01
		1	0	19.02	19.34	22.19	23.79	< 33.01
		1	132	18.79	19.20	22.01	23.61	< 33.01
2659.98	60	81	40	19.29	19.85	22.59	24.19	< 33.01
		1	1	19.16	19.66	22.43	24.03	< 33.01
		1	131	19.38	19.82	22.62	24.22	< 33.01
		128	0	19.27	19.92	22.62	24.22	< 33.01
		1	0	18.94	19.36	22.17	23.77	< 33.01
		1	132	18.84	19.40	22.14	23.74	< 33.01
2531.01	70	95	47	19.15	19.62	22.40	24.00	< 33.01
		1	1	19.21	19.57	22.40	24.00	< 33.01
		1	187	19.12	19.71	22.44	24.04	< 33.01
		189	0	19.18	19.51	22.36	23.96	< 33.01
		1	0	18.89	19.18	22.05	23.65	< 33.01
		1	188	18.50	18.89	21.71	23.31	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2592.99	70	95	47	19.39	19.45	22.43	24.03	< 33.01
		1	1	19.35	19.70	22.54	24.14	< 33.01
		1	187	18.95	19.55	22.27	23.87	< 33.01
		189	0	19.31	19.55	22.44	24.04	< 33.01
		1	0	18.94	19.21	22.09	23.69	< 33.01
		1	188	18.53	18.97	21.77	23.37	< 33.01
2655.00	70	95	47	19.17	19.65	22.43	24.03	< 33.01
		1	1	19.15	19.56	22.37	23.97	< 33.01
		1	187	19.09	19.73	22.43	24.03	< 33.01
		189	0	19.13	19.68	22.42	24.02	< 33.01
		1	0	18.72	19.05	21.90	23.50	< 33.01
		1	188	18.72	19.16	21.96	23.56	< 33.01
2536.02	80	109	54	19.06	19.61	22.35	23.95	< 33.01
		1	1	19.30	19.56	22.44	24.04	< 33.01
		1	215	19.38	19.55	22.48	24.08	< 33.01
		217	0	19.09	19.52	22.32	23.92	< 33.01
		1	0	19.21	18.98	22.11	23.71	< 33.01
		1	216	18.93	19.00	21.98	23.58	< 33.01
2592.99	80	109	54	19.41	19.63	22.53	24.13	< 33.01
		1	1	19.29	19.78	22.55	24.15	< 33.01
		1	215	18.84	19.60	22.25	23.85	< 33.01
		217	0	19.23	19.59	22.42	24.02	< 33.01
		1	0	18.90	19.02	21.97	23.57	< 33.01
		1	216	18.61	19.05	21.85	23.45	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2649.99	80	109	54	19.15	19.74	22.47	24.07	< 33.01
		1	1	19.16	19.55	22.37	23.97	< 33.01
		1	215	19.18	19.74	22.48	24.08	< 33.01
		217	0	19.18	19.71	22.46	24.06	< 33.01
		1	0	19.01	19.16	22.10	23.70	< 33.01
		1	216	18.78	19.22	22.02	23.62	< 33.01
2541.02	90	123	61	19.03	19.56	22.31	23.91	< 33.01
		1	1	19.30	19.72	22.53	24.13	< 33.01
		1	243	19.70	19.74	22.73	24.33	< 33.01
		245	0	19.07	19.52	22.31	23.91	< 33.01
		1	0	18.96	19.01	22.00	23.60	< 33.01
		1	244	18.89	18.99	21.95	23.55	< 33.01
2592.99	90	123	61	19.40	19.57	22.50	24.10	< 33.01
		1	1	19.46	20.29	22.91	24.51	< 33.01
		1	243	19.14	19.71	22.44	24.04	< 33.01
		245	0	19.31	19.59	22.46	24.06	< 33.01
		1	0	18.97	19.05	22.02	23.62	< 33.01
		1	244	18.61	19.14	21.89	23.49	< 33.01
2664.98	90	123	61	19.08	19.82	22.48	24.08	< 33.01
		1	1	19.54	19.60	22.58	24.18	< 33.01
		1	243	19.48	19.94	22.73	24.33	< 33.01
		245	0	19.13	19.82	22.50	24.10	< 33.01
		1	0	19.11	19.18	22.16	23.76	< 33.01
		1	244	18.75	19.19	21.99	23.59	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2546.01	100	137	68	19.11	19.57	22.36	23.96	< 33.01
		1	1	19.18	19.60	22.41	24.01	< 33.01
		1	271	19.59	19.67	22.64	24.24	< 33.01
		273	0	19.11	19.70	22.43	24.03	< 33.01
		1	0	18.92	18.90	21.92	23.52	< 33.01
		1	272	18.90	18.93	21.93	23.53	< 33.01
2592.99	100	137	68	19.47	19.67	22.58	24.18	< 33.01
		1	1	19.56	19.78	22.68	24.28	< 33.01
		1	271	19.17	19.90	22.56	24.16	< 33.01
		273	0	19.46	19.65	22.57	24.17	< 33.01
		1	0	18.80	18.94	21.88	23.48	< 33.01
		1	272	18.55	19.20	21.90	23.50	< 33.01
2640.00	100	137	68	19.13	19.60	22.38	23.98	< 33.01
		1	1	19.57	19.71	22.65	24.25	< 33.01
		1	271	19.39	19.88	22.65	24.25	< 33.01
		273	0	19.23	19.86	22.57	24.17	< 33.01
		1	0	19.13	18.87	22.01	23.61	< 33.01
		1	272	18.59	19.09	21.86	23.46	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2506.02	20	25	12	19.40	20.04	22.74	24.34	< 33.01
		1	1	19.41	20.11	22.78	24.38	< 33.01
		1	49	19.45	20.19	22.85	24.45	< 33.01
		51	0	19.43	20.09	22.78	24.38	< 33.01
		1	0	18.99	19.40	22.21	23.81	< 33.01
		1	50	18.99	19.41	22.22	23.82	< 33.01
2592.99	20	25	12	19.71	19.91	22.82	24.42	< 33.01
		1	1	19.84	19.97	22.92	24.52	< 33.01
		1	49	19.68	19.92	22.81	24.41	< 33.01
		51	0	19.68	19.86	22.78	24.38	< 33.01
		1	0	19.11	19.50	22.32	23.92	< 33.01
		1	50	19.15	19.49	22.33	23.93	< 33.01
2679.99	20	25	12	19.30	20.02	22.69	24.29	< 33.01
		1	1	19.41	20.03	22.74	24.34	< 33.01
		1	49	19.43	19.86	22.66	24.26	< 33.01
		51	0	19.33	19.96	22.67	24.27	< 33.01
		1	0	18.93	19.34	22.15	23.75	< 33.01
		1	50	18.91	19.22	22.08	23.68	< 33.01
2511.0	30	36	79	19.36	19.92	22.66	24.26	< 33.01
		1	1	19.46	19.63	22.56	24.16	< 33.01
		1	76	19.44	20.18	22.84	24.44	< 33.01
		78	0	19.31	20.01	22.68	24.28	< 33.01
		1	0	18.97	19.63	22.32	23.92	< 33.01
		1	77	18.79	19.42	22.13	23.73	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2592.99	30	36	79	19.77	19.81	22.80	24.40	< 33.01
		1	1	19.59	19.46	22.54	24.14	< 33.01
		1	76	19.58	19.96	22.78	24.38	< 33.01
		78	0	19.63	19.73	22.69	24.29	< 33.01
		1	0	19.06	19.29	22.19	23.79	< 33.01
		1	77	19.33	19.65	22.50	24.10	< 33.01
2674.98	30	36	79	19.46	19.90	22.70	24.30	< 33.01
		1	1	19.26	19.93	22.62	24.22	< 33.01
		1	76	19.49	20.10	22.82	24.42	< 33.01
		78	0	19.48	19.95	22.73	24.33	< 33.01
		1	0	18.85	19.51	22.20	23.80	< 33.01
		1	77	18.87	19.37	22.14	23.74	< 33.01
2516.01	40	53	26	19.45	19.97	22.73	24.33	< 33.01
		1	1	19.54	19.84	22.70	24.30	< 33.01
		1	104	19.64	19.81	22.74	24.34	< 33.01
		106	0	19.39	20.00	22.72	24.32	< 33.01
		1	0	19.11	19.31	22.22	23.82	< 33.01
		1	105	18.87	19.25	22.07	23.67	< 33.01
2592.99	40	53	26	19.68	19.71	22.71	24.31	< 33.01
		1	1	19.72	19.86	22.80	24.40	< 33.01
		1	104	19.64	19.78	22.72	24.32	< 33.01
		106	0	19.63	19.68	22.67	24.27	< 33.01
		1	0	19.33	19.18	22.27	23.87	< 33.01
		1	105	19.14	19.22	22.19	23.79	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2670.0	40	53	26	19.55	20.03	22.81	24.41	< 33.01
		1	1	19.61	19.84	22.74	24.34	< 33.01
		1	104	19.74	19.94	22.85	24.45	< 33.01
		106	0	19.47	19.98	22.74	24.34	< 33.01
		1	0	18.98	19.43	22.22	23.82	< 33.01
		1	105	19.07	19.52	22.31	23.91	< 33.01
2521.02	50	67	33	19.27	19.80	22.55	24.15	< 33.01
		1	1	19.43	19.75	22.60	24.20	< 33.01
		1	131	19.17	19.64	22.42	24.02	< 33.01
		133	0	19.25	19.90	22.60	24.20	< 33.01
		1	0	19.02	19.46	22.26	23.86	< 33.01
		1	132	18.65	19.45	22.08	23.68	< 33.01
2592.99	50	67	33	19.57	19.78	22.69	24.29	< 33.01
		1	1	19.56	19.94	22.76	24.36	< 33.01
		1	131	19.50	19.92	22.73	24.33	< 33.01
		133	0	19.47	19.77	22.63	24.23	< 33.01
		1	0	18.94	19.61	22.30	23.90	< 33.01
		1	132	18.89	19.25	22.08	23.68	< 33.01
2664.99	50	67	33	19.36	19.86	22.63	24.23	< 33.01
		1	1	19.42	19.92	22.69	24.29	< 33.01
		1	131	19.27	19.88	22.60	24.20	< 33.01
		133	0	19.33	19.96	22.67	24.27	< 33.01
		1	0	18.86	19.27	22.08	23.68	< 33.01
		1	132	18.87	19.37	22.14	23.74	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2526.00	60	81	40	19.31	19.88	22.61	24.21	< 33.01
		1	1	19.18	19.88	22.55	24.15	< 33.01
		1	131	19.13	19.32	22.24	23.84	< 33.01
		128	0	19.25	19.81	22.55	24.15	< 33.01
		1	0	18.95	19.07	22.02	23.62	< 33.01
		1	132	18.60	19.05	21.84	23.44	< 33.01
2592.99	60	81	40	19.63	19.86	22.76	24.36	< 33.01
		1	1	19.45	19.58	22.53	24.13	< 33.01
		1	131	19.23	19.79	22.53	24.13	< 33.01
		128	0	19.51	19.83	22.68	24.28	< 33.01
		1	0	18.86	19.43	22.16	23.76	< 33.01
		1	132	18.78	19.27	22.04	23.64	< 33.01
2659.98	60	81	40	19.37	19.86	22.63	24.23	< 33.01
		1	1	19.07	19.60	22.35	23.95	< 33.01
		1	131	19.25	19.78	22.53	24.13	< 33.01
		128	0	19.26	19.86	22.58	24.18	< 33.01
		1	0	18.91	19.41	22.18	23.78	< 33.01
		1	132	18.74	19.47	22.13	23.73	< 33.01
2531.01	70	95	47	19.11	19.73	22.44	24.04	< 33.01
		1	1	19.25	19.45	22.36	23.96	< 33.01
		1	187	19.18	19.51	22.36	23.96	< 33.01
		189	0	19.10	19.50	22.31	23.91	< 33.01
		1	0	19.13	18.92	22.04	23.64	< 33.01
		1	188	18.76	18.62	21.70	23.30	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2592.99	70	95	47	19.49	19.48	22.50	24.10	< 33.01
		1	1	19.61	19.52	22.58	24.18	< 33.01
		1	187	19.02	19.39	22.22	23.82	< 33.01
		189	0	19.32	19.59	22.47	24.07	< 33.01
		1	0	18.96	18.67	21.83	23.43	< 33.01
		1	188	18.44	18.58	21.52	23.12	< 33.01
2655.00	70	95	47	19.19	19.64	22.43	24.03	< 33.01
		1	1	19.25	19.51	22.39	23.99	< 33.01
		1	187	19.23	19.62	22.44	24.04	< 33.01
		189	0	19.13	19.80	22.49	24.09	< 33.01
		1	0	18.79	18.98	21.90	23.50	< 33.01
		1	188	18.77	19.40	22.11	23.71	< 33.01
2536.02	80	109	54	19.12	19.66	22.41	24.01	< 33.01
		1	1	19.08	19.73	22.43	24.03	< 33.01
		1	215	19.13	19.57	22.37	23.97	< 33.01
		217	0	19.04	19.56	22.32	23.92	< 33.01
		1	0	19.11	18.96	22.05	23.65	< 33.01
		1	216	18.66	18.87	21.78	23.38	< 33.01
2592.99	80	109	54	19.38	19.61	22.51	24.11	< 33.01
		1	1	19.35	19.83	22.61	24.21	< 33.01
		1	215	18.95	19.34	22.16	23.76	< 33.01
		217	0	19.28	19.56	22.43	24.03	< 33.01
		1	0	18.80	19.05	21.94	23.54	< 33.01
		1	216	18.43	19.05	21.76	23.36	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2649.99	80	109	54	19.20	19.77	22.50	24.10	< 33.01
		1	1	19.15	19.35	22.26	23.86	< 33.01
		1	215	19.11	19.95	22.56	24.16	< 33.01
		217	0	19.13	19.77	22.47	24.07	< 33.01
		1	0	19.06	19.13	22.11	23.71	< 33.01
		1	216	18.64	19.32	22.00	23.60	< 33.01
2541.02	90	123	61	19.10	19.62	22.38	23.98	< 33.01
		1	1	19.41	19.67	22.55	24.15	< 33.01
		1	243	19.58	19.67	22.64	24.24	< 33.01
		245	0	19.06	19.58	22.34	23.94	< 33.01
		1	0	18.85	19.10	21.99	23.59	< 33.01
		1	244	18.88	19.10	22.00	23.60	< 33.01
2592.99	90	123	61	19.42	19.64	22.54	24.14	< 33.01
		1	1	19.50	19.89	22.71	24.31	< 33.01
		1	243	19.11	19.80	22.48	24.08	< 33.01
		245	0	19.31	19.57	22.45	24.05	< 33.01
		1	0	18.88	19.02	21.96	23.56	< 33.01
		1	244	18.52	18.99	21.77	23.37	< 33.01
2664.98	90	123	61	19.08	19.79	22.46	24.06	< 33.01
		1	1	19.68	19.46	22.58	24.18	< 33.01
		1	243	19.68	19.85	22.78	24.38	< 33.01
		245	0	19.14	19.79	22.49	24.09	< 33.01
		1	0	19.00	19.09	22.06	23.66	< 33.01
		1	244	18.85	19.30	22.09	23.69	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2546.01	100	137	68	18.98	19.63	22.33	23.93	< 33.01
		1	1	19.14	19.56	22.37	23.97	< 33.01
		1	271	19.35	19.60	22.49	24.09	< 33.01
		273	0	19.26	19.64	22.46	24.06	< 33.01
		1	0	18.82	18.95	21.90	23.50	< 33.01
		1	272	18.71	18.97	21.85	23.45	< 33.01
2592.99	100	137	68	19.42	19.64	22.54	24.14	< 33.01
		1	1	19.67	19.79	22.74	24.34	< 33.01
		1	271	19.18	19.81	22.52	24.12	< 33.01
		273	0	19.25	19.71	22.50	24.10	< 33.01
		1	0	18.80	19.03	21.93	23.53	< 33.01
		1	272	18.46	19.11	21.81	23.41	< 33.01
2640.00	100	137	68	19.09	19.75	22.44	24.04	< 33.01
		1	1	19.55	19.65	22.61	24.21	< 33.01
		1	271	19.57	19.94	22.77	24.37	< 33.01
		273	0	19.12	19.70	22.43	24.03	< 33.01
		1	0	18.97	19.21	22.10	23.70	< 33.01
		1	272	18.53	19.17	21.87	23.47	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2506.02	20	25	12	18.92	19.60	22.28	23.88	< 33.01
		1	1	19.02	19.71	22.39	23.99	< 33.01
		1	49	18.98	19.66	22.34	23.94	< 33.01
		51	0	18.96	19.63	22.32	23.92	< 33.01
		1	0	18.88	19.45	22.18	23.78	< 33.01
		1	50	18.99	19.62	22.33	23.93	< 33.01
2592.99	20	25	12	19.17	19.44	22.32	23.92	< 33.01
		1	1	19.31	19.34	22.34	23.94	< 33.01
		1	49	19.26	19.50	22.39	23.99	< 33.01
		51	0	19.33	19.43	22.39	23.99	< 33.01
		1	0	19.25	19.31	22.29	23.89	< 33.01
		1	50	19.25	19.50	22.39	23.99	< 33.01
2679.99	20	25	12	18.79	19.43	22.13	23.73	< 33.01
		1	1	18.95	19.60	22.30	23.90	< 33.01
		1	49	18.94	19.32	22.14	23.74	< 33.01
		51	0	18.90	19.53	22.24	23.84	< 33.01
		1	0	19.03	19.28	22.17	23.77	< 33.01
		1	50	18.95	19.58	22.29	23.89	< 33.01
2511.0	30	36	79	18.85	19.48	22.19	23.79	< 33.01
		1	1	19.19	19.49	22.35	23.95	< 33.01
		1	76	18.97	19.45	22.23	23.83	< 33.01
		78	0	18.88	19.43	22.17	23.77	< 33.01
		1	0	18.99	19.29	22.15	23.75	< 33.01
		1	77	18.87	19.53	22.22	23.82	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2592.99	30	36	79	19.27	19.34	22.32	23.92	< 33.01
		1	1	19.17	19.32	22.26	23.86	< 33.01
		1	76	19.22	19.59	22.42	24.02	< 33.01
		78	0	19.14	19.26	22.21	23.81	< 33.01
		1	0	19.22	19.26	22.25	23.85	< 33.01
		1	77	19.19	19.35	22.28	23.88	< 33.01
2674.98	30	36	79	18.95	19.43	22.21	23.81	< 33.01
		1	1	18.99	19.46	22.24	23.84	< 33.01
		1	76	19.09	19.62	22.37	23.97	< 33.01
		78	0	18.94	19.49	22.23	23.83	< 33.01
		1	0	19.05	19.45	22.26	23.86	< 33.01
		1	77	19.08	19.49	22.30	23.90	< 33.01
2516.01	40	53	26	18.91	19.51	22.23	23.83	< 33.01
		1	1	18.85	19.83	22.38	23.98	< 33.01
		1	104	18.81	19.30	22.07	23.67	< 33.01
		106	0	18.86	19.47	22.19	23.79	< 33.01
		1	0	19.02	19.53	22.29	23.89	< 33.01
		1	105	18.74	19.78	22.30	23.90	< 33.01
2592.99	40	53	26	19.14	19.25	22.21	23.81	< 33.01
		1	1	19.25	19.05	22.16	23.76	< 33.01
		1	104	19.03	19.47	22.27	23.87	< 33.01
		106	0	19.12	19.25	22.20	23.80	< 33.01
		1	0	19.17	19.56	22.38	23.98	< 33.01
		1	105	19.14	19.48	22.32	23.92	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2670.0	40	53	26	18.94	19.52	22.25	23.85	< 33.01
		1	1	18.95	19.53	22.26	23.86	< 33.01
		1	104	19.12	19.43	22.29	23.89	< 33.01
		106	0	18.92	19.42	22.19	23.79	< 33.01
		1	0	19.11	19.52	22.33	23.93	< 33.01
		1	105	19.26	19.41	22.35	23.95	< 33.01
2521.02	50	67	33	18.82	19.44	22.15	23.75	< 33.01
		1	1	18.90	19.21	22.07	23.67	< 33.01
		1	131	18.70	19.30	22.02	23.62	< 33.01
		133	0	18.74	19.30	22.04	23.64	< 33.01
		1	0	18.90	19.73	22.35	23.95	< 33.01
		1	132	18.66	19.40	22.06	23.66	< 33.01
2592.99	50	67	33	19.07	19.30	22.20	23.80	< 33.01
		1	1	19.07	19.41	22.25	23.85	< 33.01
		1	131	18.92	19.47	22.21	23.81	< 33.01
		133	0	19.07	19.21	22.15	23.75	< 33.01
		1	0	19.15	19.36	22.27	23.87	< 33.01
		1	132	18.94	19.29	22.13	23.73	< 33.01
2664.99	50	67	33	18.86	19.40	22.15	23.75	< 33.01
		1	1	18.75	19.37	22.08	23.68	< 33.01
		1	131	18.83	19.66	22.28	23.88	< 33.01
		133	0	18.80	19.36	22.10	23.70	< 33.01
		1	0	18.87	19.46	22.19	23.79	< 33.01
		1	132	18.88	19.34	22.13	23.73	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2526.00	60	81	40	18.81	19.38	22.11	23.71	< 33.01
		1	1	18.86	19.09	21.99	23.59	< 33.01
		1	131	18.77	19.33	22.07	23.67	< 33.01
		128	0	18.74	19.29	22.03	23.63	< 33.01
		1	0	19.06	19.42	22.25	23.85	< 33.01
		1	132	18.70	19.30	22.02	23.62	< 33.01
2592.99	60	81	40	19.11	19.29	22.21	23.81	< 33.01
		1	1	19.13	19.29	22.22	23.82	< 33.01
		1	131	18.88	19.30	22.11	23.71	< 33.01
		128	0	19.00	19.21	22.12	23.72	< 33.01
		1	0	19.00	18.99	22.01	23.61	< 33.01
		1	132	18.82	19.08	21.96	23.56	< 33.01
2659.98	60	81	40	18.87	19.38	22.14	23.74	< 33.01
		1	1	18.69	19.20	21.96	23.56	< 33.01
		1	131	18.83	19.40	22.13	23.73	< 33.01
		128	0	18.73	19.41	22.09	23.69	< 33.01
		1	0	18.84	19.28	22.08	23.68	< 33.01
		1	132	18.77	19.26	22.03	23.63	< 33.01
2531.01	70	95	47	19.12	19.63	22.39	23.99	< 33.01
		1	1	19.40	19.93	22.68	24.28	< 33.01
		1	187	19.75	19.10	22.45	24.05	< 33.01
		189	0	19.08	19.45	22.28	23.88	< 33.01
		1	0	18.72	18.95	21.85	23.45	< 33.01
		1	188	18.41	18.83	21.64	23.24	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2592.99	70	95	47	19.52	19.63	22.59	24.19	< 33.01
		1	1	19.50	19.36	22.44	24.04	< 33.01
		1	187	19.09	19.47	22.29	23.89	< 33.01
		189	0	19.36	19.51	22.45	24.05	< 33.01
		1	0	18.63	19.45	22.07	23.67	< 33.01
		1	188	18.14	18.76	21.47	23.07	< 33.01
2655.00	70	95	47	19.25	19.60	22.44	24.04	< 33.01
		1	1	19.36	19.58	22.48	24.08	< 33.01
		1	187	19.26	19.76	22.53	24.13	< 33.01
		189	0	19.19	19.66	22.44	24.04	< 33.01
		1	0	18.94	19.16	22.06	23.66	< 33.01
		1	188	18.91	19.25	22.09	23.69	< 33.01
2536.02	80	109	54	18.62	19.12	21.89	23.49	< 33.01
		1	1	18.79	19.19	22.00	23.60	< 33.01
		1	215	18.86	18.85	21.87	23.47	< 33.01
		217	0	18.54	19.12	21.85	23.45	< 33.01
		1	0	18.87	19.06	21.98	23.58	< 33.01
		1	216	18.84	18.93	21.90	23.50	< 33.01
2592.99	80	109	54	18.87	19.14	22.02	23.62	< 33.01
		1	1	18.95	19.16	22.07	23.67	< 33.01
		1	215	18.71	19.05	21.89	23.49	< 33.01
		217	0	18.83	19.15	22.00	23.60	< 33.01
		1	0	18.91	19.63	22.30	23.90	< 33.01
		1	216	18.62	18.87	21.76	23.36	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2649.99	80	109	54	18.65	19.34	22.02	23.62	< 33.01
		1	1	18.81	18.92	21.88	23.48	< 33.01
		1	215	18.79	19.10	21.96	23.56	< 33.01
		217	0	18.76	19.33	22.06	23.66	< 33.01
		1	0	19.09	19.01	22.06	23.66	< 33.01
		1	216	18.78	19.14	21.97	23.57	< 33.01
2541.02	90	123	61	18.57	19.11	21.86	23.46	< 33.01
		1	1	18.99	19.16	22.09	23.69	< 33.01
		1	243	19.02	19.14	22.09	23.69	< 33.01
		245	0	18.63	19.10	21.88	23.48	< 33.01
		1	0	19.11	18.97	22.05	23.65	< 33.01
		1	244	18.98	19.04	22.02	23.62	< 33.01
2592.99	90	123	61	18.98	19.14	22.07	23.67	< 33.01
		1	1	19.00	19.11	22.07	23.67	< 33.01
		1	243	18.79	19.04	21.93	23.53	< 33.01
		245	0	18.81	19.12	21.98	23.58	< 33.01
		1	0	18.88	19.09	22.00	23.60	< 33.01
		1	244	18.54	19.10	21.84	23.44	< 33.01
2664.98	90	123	61	18.57	19.26	21.94	23.54	< 33.01
		1	1	19.13	19.15	22.15	23.75	< 33.01
		1	243	19.07	19.21	22.15	23.75	< 33.01
		245	0	18.66	19.25	21.98	23.58	< 33.01
		1	0	19.14	19.05	22.11	23.71	< 33.01
		1	244	18.92	19.21	22.08	23.68	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2546.01	100	137	68	18.62	19.10	21.88	23.48	< 33.01
		1	1	18.79	19.21	22.02	23.62	< 33.01
		1	271	19.05	19.16	22.12	23.72	< 33.01
		273	0	18.66	19.19	21.94	23.54	< 33.01
		1	0	19.01	19.06	22.05	23.65	< 33.01
		1	272	19.10	18.87	22.00	23.60	< 33.01
2592.99	100	137	68	18.95	19.17	22.07	23.67	< 33.01
		1	1	19.18	19.37	22.29	23.89	< 33.01
		1	271	18.82	19.02	21.93	23.53	< 33.01
		273	0	18.71	19.16	21.95	23.55	< 33.01
		1	0	19.00	19.00	22.01	23.61	< 33.01
		1	272	18.69	18.96	21.84	23.44	< 33.01
2640.00	100	137	68	18.65	19.27	21.98	23.58	< 33.01
		1	1	18.99	19.02	22.02	23.62	< 33.01
		1	271	19.05	19.26	22.17	23.77	< 33.01
		273	0	18.71	19.25	22.00	23.60	< 33.01
		1	0	19.27	18.91	22.10	23.70	< 33.01
		1	272	18.71	18.98	21.86	23.46	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2506.02	20	25	12	15.82	16.62	19.25	20.85	< 33.01
		1	1	15.59	16.72	19.20	20.80	< 33.01
		1	49	15.94	16.48	19.23	20.83	< 33.01
		51	0	15.94	16.61	19.30	20.90	< 33.01
		1	0	15.99	16.70	19.37	20.97	< 33.01
		1	50	15.82	16.46	19.16	20.76	< 33.01
2592.99	20	25	12	16.20	16.39	19.31	20.91	< 33.01
		1	1	16.00	16.30	19.16	20.76	< 33.01
		1	49	15.76	16.49	19.15	20.75	< 33.01
		51	0	16.28	16.34	19.32	20.92	< 33.01
		1	0	15.94	16.41	19.19	20.79	< 33.01
		1	50	15.72	16.43	19.10	20.70	< 33.01
2679.99	20	25	12	15.82	16.48	19.17	20.77	< 33.01
		1	1	15.89	16.50	19.22	20.82	< 33.01
		1	49	15.79	16.59	19.22	20.82	< 33.01
		51	0	15.80	16.46	19.15	20.75	< 33.01
		1	0	15.86	16.50	19.20	20.80	< 33.01
		1	50	15.81	16.47	19.16	20.76	< 33.01
2511.0	30	36	79	15.81	16.53	19.20	20.80	< 33.01
		1	1	15.56	16.60	19.12	20.72	< 33.01
		1	76	15.77	16.77	19.31	20.91	< 33.01
		78	0	15.87	16.65	19.29	20.89	< 33.01
		1	0	15.81	16.66	19.27	20.87	< 33.01
		1	77	15.74	16.72	19.27	20.87	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2592.99	30	36	79	16.20	16.24	19.23	20.83	< 33.01
		1	1	15.84	16.42	19.15	20.75	< 33.01
		1	76	15.72	16.58	19.18	20.78	< 33.01
		78	0	16.14	16.42	19.29	20.89	< 33.01
		1	0	16.09	16.25	19.18	20.78	< 33.01
		1	77	16.18	16.51	19.36	20.96	< 33.01
2674.98	30	36	79	15.95	16.57	19.28	20.88	< 33.01
		1	1	15.85	16.48	19.19	20.79	< 33.01
		1	76	15.72	16.80	19.30	20.90	< 33.01
		78	0	15.90	16.56	19.25	20.85	< 33.01
		1	0	15.60	16.34	19.00	20.60	< 33.01
		1	77	15.65	16.55	19.13	20.73	< 33.01
2516.01	40	53	26	15.82	16.56	19.22	20.82	< 33.01
		1	1	15.46	16.61	19.08	20.68	< 33.01
		1	104	15.51	16.71	19.16	20.76	< 33.01
		106	0	15.83	16.68	19.29	20.89	< 33.01
		1	0	15.70	16.66	19.22	20.82	< 33.01
		1	105	15.82	16.55	19.21	20.81	< 33.01
2592.99	40	53	26	16.16	16.32	19.25	20.85	< 33.01
		1	1	16.15	16.29	19.23	20.83	< 33.01
		1	104	15.78	16.36	19.09	20.69	< 33.01
		106	0	16.10	16.31	19.22	20.82	< 33.01
		1	0	16.21	16.16	19.20	20.80	< 33.01
		1	105	15.77	16.46	19.14	20.74	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2670.0	40	53	26	15.89	16.48	19.21	20.81	< 33.01
		1	1	15.77	16.48	19.15	20.75	< 33.01
		1	104	16.03	16.70	19.39	20.99	< 33.01
		106	0	15.98	16.48	19.25	20.85	< 33.01
		1	0	15.65	16.52	19.12	20.72	< 33.01
		1	105	15.91	16.93	19.46	21.06	< 33.01
2521.02	50	67	33	15.67	16.57	19.15	20.75	< 33.01
		1	1	15.64	16.59	19.15	20.75	< 33.01
		1	131	15.41	16.32	18.90	20.50	< 33.01
		133	0	15.71	16.37	19.06	20.66	< 33.01
		1	0	15.73	16.32	19.05	20.65	< 33.01
		1	132	15.64	16.45	19.07	20.67	< 33.01
2592.99	50	67	33	16.09	16.34	19.23	20.83	< 33.01
		1	1	15.79	16.46	19.15	20.75	< 33.01
		1	131	15.53	16.84	19.24	20.84	< 33.01
		133	0	15.99	16.36	19.19	20.79	< 33.01
		1	0	15.76	16.10	18.94	20.54	< 33.01
		1	132	15.80	16.43	19.14	20.74	< 33.01
2664.99	50	67	33	15.80	16.54	19.20	20.80	< 33.01
		1	1	15.41	16.26	18.87	20.47	< 33.01
		1	131	15.76	16.42	19.11	20.71	< 33.01
		133	0	15.71	16.46	19.11	20.71	< 33.01
		1	0	15.79	16.24	19.03	20.63	< 33.01
		1	132	15.81	16.42	19.14	20.74	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2526.00	60	81	40	15.80	16.50	19.17	20.77	< 33.01
		1	1	15.49	16.47	19.02	20.62	< 33.01
		1	131	15.53	16.28	18.93	20.53	< 33.01
		128	0	15.72	16.41	19.09	20.69	< 33.01
		1	0	15.78	16.04	18.92	20.52	< 33.01
		1	132	15.57	16.41	19.02	20.62	< 33.01
2592.99	60	81	40	16.14	16.40	19.28	20.88	< 33.01
		1	1	16.22	16.37	19.31	20.91	< 33.01
		1	131	15.76	16.23	19.01	20.61	< 33.01
		128	0	16.03	16.37	19.21	20.81	< 33.01
		1	0	16.02	16.34	19.19	20.79	< 33.01
		1	132	15.42	16.12	18.79	20.39	< 33.01
2659.98	60	81	40	15.85	16.50	19.20	20.80	< 33.01
		1	1	15.44	16.18	18.84	20.44	< 33.01
		1	131	15.45	16.58	19.06	20.66	< 33.01
		128	0	15.84	16.36	19.12	20.72	< 33.01
		1	0	15.43	16.43	18.97	20.57	< 33.01
		1	132	15.29	16.31	18.84	20.44	< 33.01
2531.01	70	95	47	17.58	18.30	20.97	22.57	< 33.01
		1	1	17.65	18.03	20.85	22.45	< 33.01
		1	187	17.77	18.29	21.05	22.65	< 33.01
		189	0	17.58	18.01	20.81	22.41	< 33.01
		1	0	17.82	18.04	20.94	22.54	< 33.01
		1	188	17.45	17.89	20.69	22.29	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2592.99	70	95	47	18.03	18.06	21.06	22.66	< 33.01
		1	1	17.91	18.06	21.00	22.60	< 33.01
		1	187	17.40	18.11	20.78	22.38	< 33.01
		189	0	17.83	18.06	20.96	22.56	< 33.01
		1	0	17.90	18.05	20.99	22.59	< 33.01
		1	188	17.45	18.02	20.75	22.35	< 33.01
2655.00	70	95	47	17.66	18.21	20.95	22.55	< 33.01
		1	1	17.47	18.21	20.87	22.47	< 33.01
		1	187	17.55	18.06	20.82	22.42	< 33.01
		189	0	17.76	18.19	20.99	22.59	< 33.01
		1	0	17.65	18.15	20.92	22.52	< 33.01
		1	188	17.47	18.32	20.93	22.53	< 33.01
2536.02	80	109	54	15.48	16.25	18.89	20.49	< 33.01
		1	1	15.65	16.03	18.85	20.45	< 33.01
		1	215	15.45	16.16	18.83	20.43	< 33.01
		217	0	15.56	16.16	18.88	20.48	< 33.01
		1	0	15.54	16.18	18.88	20.48	< 33.01
		1	216	15.32	15.97	18.67	20.27	< 33.01
2592.99	80	109	54	15.96	16.31	19.15	20.75	< 33.01
		1	1	15.40	16.06	18.75	20.35	< 33.01
		1	215	15.21	16.21	18.75	20.35	< 33.01
		217	0	15.77	16.20	19.00	20.60	< 33.01
		1	0	15.67	16.24	18.97	20.57	< 33.01
		1	216	15.39	16.01	18.72	20.32	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2649.99	80	109	54	15.67	16.30	19.01	20.61	< 33.01
		1	1	15.39	16.27	18.86	20.46	< 33.01
		1	215	15.65	16.35	19.02	20.62	< 33.01
		217	0	15.70	16.30	19.02	20.62	< 33.01
		1	0	15.94	16.19	19.08	20.68	< 33.01
		1	216	15.47	16.55	19.05	20.65	< 33.01
2541.02	90	123	61	15.51	16.29	18.93	20.53	< 33.01
		1	1	15.70	16.39	19.07	20.67	< 33.01
		1	243	15.41	16.29	18.88	20.48	< 33.01
		245	0	15.85	16.21	19.04	20.64	< 33.01
		1	0	15.79	16.23	19.03	20.63	< 33.01
		1	244	15.67	16.29	19.00	20.60	< 33.01
2592.99	90	123	61	15.87	16.21	19.05	20.65	< 33.01
		1	1	15.99	16.32	19.17	20.77	< 33.01
		1	243	15.35	16.33	18.88	20.48	< 33.01
		245	0	15.80	16.16	18.99	20.59	< 33.01
		1	0	15.69	16.22	18.97	20.57	< 33.01
		1	244	15.56	16.14	18.87	20.47	< 33.01
2664.98	90	123	61	15.57	16.30	18.96	20.56	< 33.01
		1	1	15.56	16.09	18.84	20.44	< 33.01
		1	243	15.82	16.40	19.13	20.73	< 33.01
		245	0	15.63	16.32	19.00	20.60	< 33.01
		1	0	16.02	16.21	19.13	20.73	< 33.01
		1	244	15.62	16.33	19.00	20.60	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2546.01	100	137	68	15.53	16.36	18.98	20.58	< 33.01
		1	1	15.46	16.37	18.95	20.55	< 33.01
		1	271	15.79	16.36	19.09	20.69	< 33.01
		273	0	15.63	16.67	19.19	20.79	< 33.01
		1	0	15.67	16.30	19.01	20.61	< 33.01
		1	272	15.67	15.99	18.84	20.44	< 33.01
2592.99	100	137	68	15.92	16.24	19.09	20.69	< 33.01
		1	1	15.69	16.50	19.12	20.72	< 33.01
		1	271	15.53	16.28	18.93	20.53	< 33.01
		273	0	15.80	16.19	19.01	20.61	< 33.01
		1	0	15.49	15.88	18.70	20.30	< 33.01
		1	272	15.18	16.05	18.65	20.25	< 33.01
2640.00	100	137	68	15.63	16.28	18.98	20.58	< 33.01
		1	1	15.76	16.11	18.95	20.55	< 33.01
		1	271	15.56	16.37	18.99	20.59	< 33.01
		273	0	15.70	16.30	19.02	20.62	< 33.01
		1	0	15.84	15.91	18.89	20.49	< 33.01
		1	272	15.45	16.46	18.99	20.59	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-18 ~ 2023-03-06	Test Band	HPUE n41_UL MIMO

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT OFDM BPSK								
2506.02	20	25	12	26.12	25.46	28.81	30.41	< 33.01
		1	1	26.03	25.35	28.71	30.31	< 33.01
		1	49	26.09	25.56	28.84	30.44	< 33.01
		51	0	24.67	24.04	27.38	28.98	< 33.01
		1	0	20.04	19.49	22.78	24.38	< 33.01
		1	50	20.18	19.56	22.89	24.49	< 33.01
2592.99	20	25	12	26.39	25.67	29.06	30.66	< 33.01
		1	1	26.32	25.55	28.96	30.56	< 33.01
		1	49	26.42	25.65	29.06	30.66	< 33.01
		51	0	24.81	24.16	27.51	29.11	< 33.01
		1	0	20.48	19.47	23.01	24.61	< 33.01
		1	50	20.33	19.65	23.01	24.61	< 33.01
2679.99	20	25	12	26.26	25.45	28.88	30.48	< 33.01
		1	1	26.29	25.45	28.90	30.50	< 33.01
		1	49	26.28	25.44	28.89	30.49	< 33.01
		51	0	24.80	24.05	27.45	29.05	< 33.01
		1	0	20.28	19.44	22.89	24.49	< 33.01
		1	50	20.25	19.49	22.90	24.50	< 33.01
2511.0	30	36	79	26.10	25.61	28.87	30.47	< 33.01
		1	1	26.00	25.35	28.70	30.30	< 33.01
		1	76	26.22	25.57	28.92	30.52	< 33.01
		78	0	24.63	24.12	27.39	28.99	< 33.01
		1	0	20.15	19.61	22.90	24.50	< 33.01
		1	77	20.19	19.64	22.93	24.53	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT OFDM BPSK								
2592.99	30	36	79	26.42	25.58	29.03	30.63	< 33.01
		1	1	26.47	25.48	29.01	30.61	< 33.01
		1	76	26.40	25.78	29.11	30.71	< 33.01
		78	0	24.89	24.22	27.58	29.18	< 33.01
		1	0	20.42	19.50	22.99	24.59	< 33.01
		1	77	20.41	19.75	23.10	24.70	< 33.01
2674.98	30	36	79	26.40	25.61	29.03	30.63	< 33.01
		1	1	26.29	25.48	28.91	30.51	< 33.01
		1	76	26.39	25.69	29.06	30.66	< 33.01
		78	0	24.93	24.15	27.57	29.17	< 33.01
		1	0	20.43	19.45	22.98	24.58	< 33.01
		1	77	20.44	19.67	23.08	24.68	< 33.01
2516.01	40	53	26	26.17	25.60	28.90	30.50	< 33.01
		1	1	26.08	25.52	28.82	30.42	< 33.01
		1	104	26.24	25.07	28.70	30.30	< 33.01
		106	0	24.71	24.18	27.46	29.06	< 33.01
		1	0	20.29	19.66	23.00	24.60	< 33.01
		1	105	20.23	19.68	22.97	24.57	< 33.01
2592.99	40	53	26	26.36	25.51	28.97	30.57	< 33.01
		1	1	26.36	25.49	28.96	30.56	< 33.01
		1	104	26.35	25.70	29.05	30.65	< 33.01
		106	0	24.84	24.11	27.50	29.10	< 33.01
		1	0	20.41	19.54	23.01	24.61	< 33.01
		1	105	20.29	19.70	23.02	24.62	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT OFDM BPSK								
2670.0	40	53	26	26.37	25.51	28.97	30.57	< 33.01
		1	1	26.30	25.38	28.87	30.47	< 33.01
		1	104	26.38	25.67	29.05	30.65	< 33.01
		106	0	24.86	24.14	27.53	29.13	< 33.01
		1	0	20.47	19.53	23.04	24.64	< 33.01
		1	105	20.49	19.79	23.16	24.76	< 33.01
2521.02	50	67	33	26.28	25.68	29.00	30.60	< 33.01
		1	1	25.99	25.47	28.75	30.35	< 33.01
		1	131	26.04	25.52	28.80	30.40	< 33.01
		133	0	24.76	24.04	27.43	29.03	< 33.01
		1	0	20.22	19.47	22.87	24.47	< 33.01
		1	132	20.09	19.43	22.78	24.38	< 33.01
2592.99	50	67	33	26.43	25.61	29.05	30.65	< 33.01
		1	1	26.31	25.49	28.93	30.53	< 33.01
		1	131	26.24	25.72	29.00	30.60	< 33.01
		133	0	24.90	24.22	27.58	29.18	< 33.01
		1	0	20.33	19.64	23.01	24.61	< 33.01
		1	132	20.44	19.96	23.22	24.82	< 33.01
2664.99	50	67	33	26.36	25.53	28.98	30.58	< 33.01
		1	1	26.16	25.24	28.73	30.33	< 33.01
		1	131	26.35	25.65	29.02	30.62	< 33.01
		133	0	24.85	24.02	27.47	29.07	< 33.01
		1	0	20.25	19.42	22.87	24.47	< 33.01
		1	132	20.45	19.66	23.08	24.68	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT OFDM BPSK								
2526.00	60	81	40	26.68	25.73	29.24	30.84	< 33.01
		1	1	26.39	25.46	28.96	30.56	< 33.01
		1	131	26.61	25.67	29.18	30.78	< 33.01
		128	0	25.22	24.21	27.75	29.35	< 33.01
		1	0	20.71	19.66	23.23	24.83	< 33.01
		1	132	20.62	19.59	23.15	24.75	< 33.01
2592.99	60	81	40	26.40	25.62	29.04	30.64	< 33.01
		1	1	26.92	25.54	29.29	30.89	< 33.01
		1	131	26.95	25.98	29.50	31.10	< 33.01
		128	0	25.60	24.26	27.99	29.59	< 33.01
		1	0	20.96	19.66	23.37	24.97	< 33.01
		1	132	20.95	19.88	23.46	25.06	< 33.01
2659.98	60	81	40	26.37	25.55	28.99	30.59	< 33.01
		1	1	26.79	25.58	29.24	30.84	< 33.01
		1	131	26.28	25.62	28.97	30.57	< 33.01
		128	0	25.57	24.25	27.97	29.57	< 33.01
		1	0	21.07	19.60	23.41	25.01	< 33.01
		1	132	21.07	19.83	23.50	25.10	< 33.01
2531.01	70	95	47	26.43	25.42	28.96	30.56	< 33.01
		1	1	26.27	25.25	28.80	30.40	< 33.01
		1	187	26.33	25.48	28.94	30.54	< 33.01
		189	0	24.92	23.98	27.49	29.09	< 33.01
		1	0	20.45	19.40	22.97	24.57	< 33.01
		1	188	20.43	19.47	22.99	24.59	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT OFDM BPSK								
2592.99	70	95	47	26.88	25.56	29.28	30.88	< 33.01
		1	1	26.81	25.38	29.16	30.76	< 33.01
		1	187	26.94	25.76	29.40	31.00	< 33.01
		189	0	20.80	19.46	23.19	24.79	< 33.01
		1	0	20.87	19.39	23.20	24.80	< 33.01
		1	188	20.91	19.73	23.37	24.97	< 33.01
2655.00	70	95	47	26.82	25.56	29.25	30.85	< 33.01
		1	1	26.57	25.45	29.06	30.66	< 33.01
		1	187	27.06	25.71	29.45	31.05	< 33.01
		189	0	25.36	24.19	27.82	29.42	< 33.01
		1	0	20.97	19.49	23.30	24.90	< 33.01
		1	188	21.01	19.79	23.45	25.05	< 33.01
2536.02	80	109	54	26.40	25.46	28.97	30.57	< 33.01
		1	1	26.20	25.18	28.73	30.33	< 33.01
		1	215	26.53	25.45	29.03	30.63	< 33.01
		217	0	24.87	23.95	27.44	29.04	< 33.01
		1	0	20.44	19.35	22.94	24.54	< 33.01
		1	216	20.54	19.61	23.11	24.71	< 33.01
2592.99	80	109	54	26.87	25.64	29.31	30.91	< 33.01
		1	1	26.74	25.22	29.06	30.66	< 33.01
		1	215	26.81	25.67	29.29	30.89	< 33.01
		217	0	25.37	24.01	27.75	29.35	< 33.01
		1	0	20.76	19.27	23.09	24.69	< 33.01
		1	216	20.82	19.63	23.28	24.88	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT OFDM BPSK								
2649.99	80	109	54	26.74	25.46	29.16	30.76	< 33.01
		1	1	26.35	25.20	28.82	30.42	< 33.01
		1	215	26.91	25.62	29.32	30.92	< 33.01
		217	0	25.19	24.00	27.65	29.25	< 33.01
		1	0	20.77	19.37	23.14	24.74	< 33.01
		1	216	21.01	19.68	23.41	25.01	< 33.01
2541.02	90	123	61	26.40	25.33	28.91	30.51	< 33.01
		1	1	26.16	25.19	28.71	30.31	< 33.01
		1	243	26.66	25.58	29.16	30.76	< 33.01
		245	0	24.93	23.82	27.42	29.02	< 33.01
		1	0	20.53	19.39	23.01	24.61	< 33.01
		1	244	20.65	19.52	23.13	24.73	< 33.01
2592.99	90	123	61	26.81	25.51	29.22	30.82	< 33.01
		1	1	26.75	25.18	29.05	30.65	< 33.01
		1	243	26.95	25.65	29.36	30.96	< 33.01
		245	0	25.37	24.15	27.81	29.41	< 33.01
		1	0	20.77	19.21	23.07	24.67	< 33.01
		1	244	20.99	19.91	23.49	25.09	< 33.01
2664.98	90	123	61	26.69	25.38	29.09	30.69	< 33.01
		1	1	26.46	25.15	28.86	30.46	< 33.01
		1	243	26.90	25.65	29.33	30.93	< 33.01
		245	0	25.24	23.91	27.64	29.24	< 33.01
		1	0	20.79	19.20	23.08	24.68	< 33.01
		1	244	21.01	19.69	23.41	25.01	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT OFDM BPSK								
2546.01	100	137	68	26.32	25.26	28.83	30.43	< 33.01
		1	1	26.15	24.94	28.60	30.20	< 33.01
		1	271	26.56	25.45	29.05	30.65	< 33.01
		273	0	24.86	23.73	27.34	28.94	< 33.01
		1	0	22.92	19.14	24.44	26.04	< 33.01
		1	272	20.51	19.57	23.08	24.68	< 33.01
2592.99	100	137	68	25.18	24.07	27.67	29.27	< 33.01
		1	1	26.71	25.21	29.03	30.63	< 33.01
		1	271	26.93	25.62	29.33	30.93	< 33.01
		273	0	25.18	23.98	27.63	29.23	< 33.01
		1	0	20.68	19.32	23.06	24.66	< 33.01
		1	272	20.92	19.73	23.38	24.98	< 33.01
2640.00	100	137	68	26.78	25.44	29.17	30.77	< 33.01
		1	1	26.59	25.11	28.92	30.52	< 33.01
		1	271	26.98	25.74	29.41	31.01	< 33.01
		273	0	25.19	23.95	27.62	29.22	< 33.01
		1	0	20.85	19.22	23.12	24.72	< 33.01
		1	272	21.01	19.78	23.45	25.05	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2506.02	20	25	12	24.17	24.57	27.38	28.98	< 33.01
		1	1	24.16	24.47	27.33	28.93	< 33.01
		1	49	24.21	24.67	27.46	29.06	< 33.01
		51	0	21.50	22.12	24.83	26.43	< 33.01
		1	0	19.16	19.50	22.34	23.94	< 33.01
		1	50	19.25	19.54	22.41	24.01	< 33.01
2592.99	20	25	12	24.46	24.29	27.39	28.99	< 33.01
		1	1	24.67	24.50	27.60	29.20	< 33.01
		1	49	24.57	24.55	27.57	29.17	< 33.01
		51	0	21.81	21.91	24.87	26.47	< 33.01
		1	0	19.48	19.36	22.43	24.03	< 33.01
		1	50	19.44	19.46	22.46	24.06	< 33.01
2679.99	20	25	12	24.03	24.47	27.27	28.87	< 33.01
		1	1	24.12	24.52	27.33	28.93	< 33.01
		1	49	24.20	24.44	27.33	28.93	< 33.01
		51	0	21.51	22.10	24.83	26.43	< 33.01
		1	0	19.27	19.45	22.37	23.97	< 33.01
		1	50	19.30	19.58	22.45	24.05	< 33.01
2511.0	30	36	79	24.09	24.56	27.34	28.94	< 33.01
		1	1	24.03	24.13	27.09	28.69	< 33.01
		1	76	24.25	24.50	27.39	28.99	< 33.01
		78	0	21.60	22.11	24.87	26.47	< 33.01
		1	0	19.53	19.88	22.72	24.32	< 33.01
		1	77	19.09	19.73	22.43	24.03	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2592.99	30	36	79	24.36	24.33	27.36	28.96	< 33.01
		1	1	24.61	24.16	27.40	29.00	< 33.01
		1	76	24.42	24.35	27.40	29.00	< 33.01
		78	0	21.88	21.82	24.86	26.46	< 33.01
		1	0	19.49	19.28	22.40	24.00	< 33.01
		1	77	19.56	19.49	22.54	24.14	< 33.01
2674.98	30	36	79	24.08	24.58	27.35	28.95	< 33.01
		1	1	24.06	24.81	27.46	29.06	< 33.01
		1	76	24.30	24.87	27.60	29.20	< 33.01
		78	0	21.71	22.14	24.94	26.54	< 33.01
		1	0	19.17	19.86	22.54	24.14	< 33.01
		1	77	19.30	19.61	22.47	24.07	< 33.01
2516.01	40	53	26	24.11	24.54	27.34	28.94	< 33.01
		1	1	24.10	24.50	27.31	28.91	< 33.01
		1	104	24.01	24.46	27.25	28.85	< 33.01
		106	0	21.60	22.13	24.88	26.48	< 33.01
		1	0	19.42	19.66	22.55	24.15	< 33.01
		1	105	18.94	19.61	22.30	23.90	< 33.01
2592.99	40	53	26	24.38	24.31	27.36	28.96	< 33.01
		1	1	24.55	24.25	27.41	29.01	< 33.01
		1	104	24.31	24.58	27.46	29.06	< 33.01
		106	0	21.89	21.83	24.87	26.47	< 33.01
		1	0	19.32	19.37	22.36	23.96	< 33.01
		1	105	19.26	19.56	22.42	24.02	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2670.0	40	53	26	24.03	24.59	27.33	28.93	< 33.01
		1	1	24.05	24.48	27.28	28.88	< 33.01
		1	104	24.41	24.68	27.56	29.16	< 33.01
		106	0	21.52	22.09	24.82	26.42	< 33.01
		1	0	19.15	19.68	22.43	24.03	< 33.01
		1	105	19.43	19.67	22.56	24.16	< 33.01
2521.02	50	67	33	23.96	24.53	27.26	28.86	< 33.01
		1	1	24.13	24.34	27.25	28.85	< 33.01
		1	131	24.05	24.78	27.44	29.04	< 33.01
		133	0	21.45	22.00	24.74	26.34	< 33.01
		1	0	19.34	19.41	22.39	23.99	< 33.01
		1	132	18.98	19.64	22.33	23.93	< 33.01
2592.99	50	67	33	24.34	24.39	27.38	28.98	< 33.01
		1	1	24.46	24.26	27.37	28.97	< 33.01
		1	131	23.97	24.48	27.24	28.84	< 33.01
		133	0	21.80	21.93	24.88	26.48	< 33.01
		1	0	19.43	19.47	22.46	24.06	< 33.01
		1	132	19.01	19.52	22.28	23.88	< 33.01
2664.99	50	67	33	24.05	24.63	27.36	28.96	< 33.01
		1	1	23.98	24.53	27.27	28.87	< 33.01
		1	131	24.46	24.45	27.47	29.07	< 33.01
		133	0	21.54	22.06	24.82	26.42	< 33.01
		1	0	19.13	19.48	22.32	23.92	< 33.01
		1	132	19.20	19.71	22.47	24.07	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2526.00	60	81	40	23.98	24.52	27.27	28.87	< 33.01
		1	1	24.16	24.24	27.21	28.81	< 33.01
		1	131	23.79	24.38	27.11	28.71	< 33.01
		128	0	21.46	21.99	24.74	26.34	< 33.01
		1	0	19.33	19.41	22.38	23.98	< 33.01
		1	132	19.08	19.23	22.17	23.77	< 33.01
2592.99	60	81	40	24.36	24.38	27.38	28.98	< 33.01
		1	1	24.39	24.58	27.50	29.10	< 33.01
		1	131	24.00	24.70	27.37	28.97	< 33.01
		128	0	21.72	21.96	24.85	26.45	< 33.01
		1	0	19.56	19.43	22.51	24.11	< 33.01
		1	132	18.91	19.51	22.23	23.83	< 33.01
2659.98	60	81	40	24.02	24.57	27.31	28.91	< 33.01
		1	1	23.82	24.86	27.38	28.98	< 33.01
		1	131	23.88	24.52	27.22	28.82	< 33.01
		128	0	21.57	22.06	24.83	26.43	< 33.01
		1	0	19.08	19.59	22.35	23.95	< 33.01
		1	132	18.99	19.58	22.31	23.91	< 33.01
2531.01	70	95	47	24.03	24.58	27.32	28.92	< 33.01
		1	1	24.16	24.35	27.27	28.87	< 33.01
		1	187	23.85	24.40	27.14	28.74	< 33.01
		189	0	21.51	22.10	24.83	26.43	< 33.01
		1	0	19.41	19.37	22.40	24.00	< 33.01
		1	188	19.00	19.45	22.24	23.84	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2592.99	70	95	47	24.32	24.31	27.33	28.93	< 33.01
		1	1	24.42	23.69	27.08	28.68	< 33.01
		1	187	24.26	24.05	27.17	28.77	< 33.01
		189	0	21.79	21.80	24.81	26.41	< 33.01
		1	0	19.50	19.41	22.47	24.07	< 33.01
		1	188	19.28	19.23	22.27	23.87	< 33.01
2655.00	70	95	47	24.08	24.33	27.22	28.82	< 33.01
		1	1	24.37	24.25	27.32	28.92	< 33.01
		1	187	24.16	24.13	27.16	28.76	< 33.01
		189	0	21.64	21.88	24.77	26.37	< 33.01
		1	0	19.60	19.24	22.43	24.03	< 33.01
		1	188	19.17	19.18	22.19	23.79	< 33.01
2536.02	80	109	54	23.74	24.31	27.04	28.64	< 33.01
		1	1	24.02	24.17	27.11	28.71	< 33.01
		1	215	24.03	24.04	27.05	28.65	< 33.01
		217	0	21.34	21.93	24.66	26.26	< 33.01
		1	0	19.19	19.24	22.23	23.83	< 33.01
		1	216	18.93	19.13	22.04	23.64	< 33.01
2592.99	80	109	54	24.13	24.27	27.21	28.81	< 33.01
		1	1	24.15	24.40	27.29	28.89	< 33.01
		1	215	23.58	24.22	26.92	28.52	< 33.01
		217	0	21.53	21.71	24.63	26.23	< 33.01
		1	0	19.16	19.27	22.23	23.83	< 33.01
		1	216	18.76	19.30	22.05	23.65	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2649.99	80	109	54	23.82	24.35	27.10	28.70	< 33.01
		1	1	23.93	24.28	27.12	28.72	< 33.01
		1	215	23.87	24.43	27.17	28.77	< 33.01
		217	0	21.30	21.87	24.60	26.20	< 33.01
		1	0	19.32	19.33	22.34	23.94	< 33.01
		1	216	19.07	19.44	22.27	23.87	< 33.01
2541.02	90	123	61	23.82	24.31	27.08	28.68	< 33.01
		1	1	23.94	24.22	27.09	28.69	< 33.01
		1	243	24.24	24.33	27.30	28.90	< 33.01
		245	0	21.38	21.74	24.57	26.17	< 33.01
		1	0	19.36	19.70	22.54	24.14	< 33.01
		1	244	19.10	19.17	22.15	23.75	< 33.01
2592.99	90	123	61	24.17	24.27	27.23	28.83	< 33.01
		1	1	24.03	24.42	27.24	28.84	< 33.01
		1	243	23.67	24.28	27.00	28.60	< 33.01
		245	0	21.54	21.83	24.70	26.30	< 33.01
		1	0	19.02	19.30	22.17	23.77	< 33.01
		1	244	18.64	19.68	22.20	23.80	< 33.01
2664.98	90	123	61	23.76	24.38	27.09	28.69	< 33.01
		1	1	24.14	24.27	27.22	28.82	< 33.01
		1	243	24.24	24.33	27.30	28.90	< 33.01
		245	0	21.31	21.87	24.61	26.21	< 33.01
		1	0	19.23	19.29	22.27	23.87	< 33.01
		1	244	19.06	19.47	22.28	23.88	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2546.01	100	137	68	23.78	24.19	27.00	28.60	< 33.01
		1	1	23.98	24.10	27.05	28.65	< 33.01
		1	271	24.25	24.24	27.26	28.86	< 33.01
		273	0	21.45	21.86	24.67	26.27	< 33.01
		1	0	19.17	19.17	22.18	23.78	< 33.01
		1	272	19.09	19.10	22.11	23.71	< 33.01
2592.99	100	137	68	24.18	24.24	27.22	28.82	< 33.01
		1	1	24.29	24.16	27.24	28.84	< 33.01
		1	271	23.92	24.29	27.12	28.72	< 33.01
		273	0	21.48	21.75	24.63	26.23	< 33.01
		1	0	19.20	19.27	22.25	23.85	< 33.01
		1	272	18.60	19.22	21.93	23.53	< 33.01
2640.00	100	137	68	23.87	24.29	27.10	28.70	< 33.01
		1	1	24.34	24.19	27.28	28.88	< 33.01
		1	271	23.98	24.57	27.30	28.90	< 33.01
		273	0	21.48	21.92	24.72	26.32	< 33.01
		1	0	19.18	19.53	22.37	23.97	< 33.01
		1	272	18.99	19.19	22.10	23.70	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2506.02	20	25	12	23.59	24.02	26.82	28.42	< 33.01
		1	1	23.51	24.14	26.85	28.45	< 33.01
		1	49	23.37	23.92	26.66	28.26	< 33.01
		51	0	21.63	22.07	24.87	26.47	< 33.01
		1	0	19.24	19.57	22.42	24.02	< 33.01
		1	50	19.06	19.73	22.42	24.02	< 33.01
2592.99	20	25	12	23.78	23.92	26.86	28.46	< 33.01
		1	1	24.03	24.13	27.09	28.69	< 33.01
		1	49	24.00	23.89	26.96	28.56	< 33.01
		51	0	21.96	21.89	24.94	26.54	< 33.01
		1	0	19.40	19.22	22.32	23.92	< 33.01
		1	50	19.28	19.50	22.40	24.00	< 33.01
2679.99	20	25	12	23.45	24.08	26.79	28.39	< 33.01
		1	1	23.57	23.89	26.74	28.34	< 33.01
		1	49	23.25	23.98	26.64	28.24	< 33.01
		51	0	21.46	22.07	24.79	26.39	< 33.01
		1	0	19.14	19.37	22.27	23.87	< 33.01
		1	50	18.95	19.48	22.23	23.83	< 33.01
2511.0	30	36	79	23.64	24.12	26.90	28.50	< 33.01
		1	1	23.54	23.82	26.69	28.29	< 33.01
		1	76	23.60	23.99	26.81	28.41	< 33.01
		78	0	21.57	22.05	24.83	26.43	< 33.01
		1	0	19.25	19.40	22.34	23.94	< 33.01
		1	77	19.03	19.46	22.26	23.86	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2592.99	30	36	79	23.93	23.82	26.89	28.49	< 33.01
		1	1	24.05	24.01	27.04	28.64	< 33.01
		1	76	23.99	23.84	26.93	28.53	< 33.01
		78	0	21.86	21.80	24.84	26.44	< 33.01
		1	0	19.36	19.45	22.42	24.02	< 33.01
		1	77	19.30	19.70	22.51	24.11	< 33.01
2674.98	30	36	79	23.64	24.10	26.89	28.49	< 33.01
		1	1	23.56	24.05	26.82	28.42	< 33.01
		1	76	23.70	24.19	26.96	28.56	< 33.01
		78	0	21.68	22.10	24.91	26.51	< 33.01
		1	0	19.36	19.38	22.38	23.98	< 33.01
		1	77	19.25	19.52	22.40	24.00	< 33.01
2516.01	40	53	26	23.56	24.12	26.86	28.46	< 33.01
		1	1	23.50	23.92	26.73	28.33	< 33.01
		1	104	23.30	24.17	26.77	28.37	< 33.01
		106	0	21.58	22.13	24.87	26.47	< 33.01
		1	0	19.14	19.41	22.29	23.89	< 33.01
		1	105	19.18	19.49	22.35	23.95	< 33.01
2592.99	40	53	26	23.93	23.90	26.93	28.53	< 33.01
		1	1	24.07	23.99	27.04	28.64	< 33.01
		1	104	23.80	24.00	26.91	28.51	< 33.01
		106	0	21.89	21.89	24.90	26.50	< 33.01
		1	0	19.35	19.45	22.41	24.01	< 33.01
		1	105	19.24	19.65	22.46	24.06	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2670.0	40	53	26	23.61	24.27	26.96	28.56	< 33.01
		1	1	23.34	23.94	26.66	28.26	< 33.01
		1	104	23.76	24.32	27.06	28.66	< 33.01
		106	0	21.61	22.15	24.90	26.50	< 33.01
		1	0	19.22	19.41	22.33	23.93	< 33.01
		1	105	19.15	19.49	22.33	23.93	< 33.01
2521.02	50	67	33	23.53	24.05	26.81	28.41	< 33.01
		1	1	23.51	24.20	26.88	28.48	< 33.01
		1	131	23.29	24.23	26.80	28.40	< 33.01
		133	0	21.40	22.04	24.74	26.34	< 33.01
		1	0	19.31	19.34	22.34	23.94	< 33.01
		1	132	18.97	19.35	22.17	23.77	< 33.01
2592.99	50	67	33	23.88	23.88	26.89	28.49	< 33.01
		1	1	23.69	24.01	26.86	28.46	< 33.01
		1	131	23.35	24.39	26.91	28.51	< 33.01
		133	0	21.77	21.95	24.87	26.47	< 33.01
		1	0	19.31	19.36	22.35	23.95	< 33.01
		1	132	18.94	19.75	22.37	23.97	< 33.01
2664.99	50	67	33	23.62	24.05	26.85	28.45	< 33.01
		1	1	23.33	23.81	26.59	28.19	< 33.01
		1	131	23.58	24.21	26.92	28.52	< 33.01
		133	0	21.52	22.06	24.81	26.41	< 33.01
		1	0	18.88	19.50	22.21	23.81	< 33.01
		1	132	19.03	19.62	22.35	23.95	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2526.00	60	81	40	23.58	24.04	26.83	28.43	< 33.01
		1	1	23.63	23.89	26.77	28.37	< 33.01
		1	131	23.36	23.91	26.65	28.25	< 33.01
		128	0	21.51	22.00	24.77	26.37	< 33.01
		1	0	19.33	19.53	22.44	24.04	< 33.01
		1	132	18.88	19.81	22.38	23.98	< 33.01
2592.99	60	81	40	23.85	23.97	26.92	28.52	< 33.01
		1	1	23.82	24.00	26.92	28.52	< 33.01
		1	131	23.45	24.06	26.78	28.38	< 33.01
		128	0	21.71	21.97	24.85	26.45	< 33.01
		1	0	19.18	19.55	22.38	23.98	< 33.01
		1	132	18.89	19.57	22.25	23.85	< 33.01
2659.98	60	81	40	23.56	24.14	26.87	28.47	< 33.01
		1	1	23.32	23.83	26.59	28.19	< 33.01
		1	131	23.36	23.97	26.69	28.29	< 33.01
		128	0	21.45	22.11	24.80	26.40	< 33.01
		1	0	18.95	19.55	22.27	23.87	< 33.01
		1	132	19.01	19.36	22.20	23.80	< 33.01
2531.01	70	95	47	23.50	24.14	26.84	28.44	< 33.01
		1	1	23.96	24.01	27.00	28.60	< 33.01
		1	187	23.60	24.17	26.90	28.50	< 33.01
		189	0	21.56	22.06	24.83	26.43	< 33.01
		1	0	19.56	19.80	22.69	24.29	< 33.01
		1	188	19.05	19.70	22.40	24.00	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2592.99	70	95	47	23.75	23.84	26.81	28.41	< 33.01
		1	1	22.06	22.04	25.06	26.66	< 33.01
		1	187	24.13	23.98	27.07	28.67	< 33.01
		189	0	21.85	21.81	24.84	26.44	< 33.01
		1	0	19.57	19.90	22.75	24.35	< 33.01
		1	188	19.40	19.50	22.46	24.06	< 33.01
2655.00	70	95	47	23.55	23.92	26.75	28.35	< 33.01
		1	1	21.14	23.84	25.71	27.31	< 33.01
		1	187	23.89	23.94	26.93	28.53	< 33.01
		189	0	21.61	21.81	24.72	26.32	< 33.01
		1	0	19.72	19.65	22.70	24.30	< 33.01
		1	188	19.25	19.80	22.54	24.14	< 33.01
2536.02	80	109	54	23.21	23.81	26.53	28.13	< 33.01
		1	1	23.32	23.78	26.57	28.17	< 33.01
		1	215	23.54	23.66	26.61	28.21	< 33.01
		217	0	21.30	21.96	24.65	26.25	< 33.01
		1	0	19.14	19.46	22.31	23.91	< 33.01
		1	216	19.07	19.53	22.32	23.92	< 33.01
2592.99	80	109	54	23.61	23.79	26.71	28.31	< 33.01
		1	1	23.67	23.93	26.81	28.41	< 33.01
		1	215	23.13	23.82	26.50	28.10	< 33.01
		217	0	21.50	21.76	24.64	26.24	< 33.01
		1	0	19.00	19.49	22.26	23.86	< 33.01
		1	216	18.56	19.62	22.13	23.73	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2649.99	80	109	54	23.33	23.88	26.62	28.22	< 33.01
		1	1	23.44	23.77	26.62	28.22	< 33.01
		1	215	23.39	23.85	26.64	28.24	< 33.01
		217	0	21.26	21.91	24.61	26.21	< 33.01
		1	0	19.18	19.31	22.26	23.86	< 33.01
		1	216	18.97	19.13	22.06	23.66	< 33.01
2541.02	90	123	61	23.30	23.79	26.56	28.16	< 33.01
		1	1	23.38	23.59	26.50	28.10	< 33.01
		1	243	23.66	23.73	26.71	28.31	< 33.01
		245	0	21.35	21.77	24.58	26.18	< 33.01
		1	0	19.33	19.30	22.33	23.93	< 33.01
		1	244	18.89	19.33	22.13	23.73	< 33.01
2592.99	90	123	61	23.76	23.76	26.77	28.37	< 33.01
		1	1	23.77	23.65	26.72	28.32	< 33.01
		1	243	23.26	23.81	26.55	28.15	< 33.01
		245	0	21.53	21.77	24.66	26.26	< 33.01
		1	0	19.20	19.09	22.16	23.76	< 33.01
		1	244	18.81	19.36	22.10	23.70	< 33.01
2664.98	90	123	61	23.30	23.93	26.64	28.24	< 33.01
		1	1	23.45	23.87	26.68	28.28	< 33.01
		1	243	23.67	23.95	26.82	28.42	< 33.01
		245	0	21.41	21.93	24.69	26.29	< 33.01
		1	0	19.41	19.06	22.25	23.85	< 33.01
		1	244	18.88	19.24	22.07	23.67	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2546.01	100	137	68	23.25	23.80	26.54	28.14	< 33.01
		1	1	23.36	23.98	26.69	28.29	< 33.01
		1	271	23.50	23.87	26.70	28.30	< 33.01
		273	0	21.41	21.80	24.62	26.22	< 33.01
		1	0	19.14	19.35	22.26	23.86	< 33.01
		1	272	19.11	19.17	22.15	23.75	< 33.01
2592.99	100	137	68	23.59	23.78	26.70	28.30	< 33.01
		1	1	23.87	23.93	26.91	28.51	< 33.01
		1	271	23.40	23.66	26.54	28.14	< 33.01
		273	0	21.55	21.81	24.69	26.29	< 33.01
		1	0	19.15	19.03	22.10	23.70	< 33.01
		1	272	18.68	19.47	22.10	23.70	< 33.01
2640.00	100	137	68	23.33	23.95	26.66	28.26	< 33.01
		1	1	23.91	23.79	26.86	28.46	< 33.01
		1	271	23.53	23.83	26.69	28.29	< 33.01
		273	0	21.44	21.90	24.69	26.29	< 33.01
		1	0	19.33	18.79	22.08	23.68	< 33.01
		1	272	18.71	19.07	21.90	23.50	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2506.02	20	25	12	21.58	21.86	24.73	26.33	< 33.01
		1	1	21.81	21.90	24.87	26.47	< 33.01
		1	49	21.79	22.04	24.93	26.53	< 33.01
		51	0	21.21	21.61	24.42	26.02	< 33.01
		1	0	19.09	19.39	22.25	23.85	< 33.01
		1	50	18.96	19.62	22.31	23.91	< 33.01
2592.99	20	25	12	21.83	21.81	24.83	26.43	< 33.01
		1	1	22.40	21.92	25.18	26.78	< 33.01
		1	49	22.18	22.07	25.14	26.74	< 33.01
		51	0	21.53	21.44	24.50	26.10	< 33.01
		1	0	19.58	19.51	22.56	24.16	< 33.01
		1	50	19.59	19.55	22.58	24.18	< 33.01
2679.99	20	25	12	21.42	22.00	24.73	26.33	< 33.01
		1	1	21.78	22.02	24.91	26.51	< 33.01
		1	49	21.61	22.06	24.85	26.45	< 33.01
		51	0	21.02	21.57	24.31	25.91	< 33.01
		1	0	19.30	19.45	22.39	23.99	< 33.01
		1	50	19.38	19.60	22.50	24.10	< 33.01
2511.0	30	36	79	21.55	22.08	24.83	26.43	< 33.01
		1	1	21.65	21.79	24.73	26.33	< 33.01
		1	76	21.54	22.00	24.79	26.39	< 33.01
		78	0	21.07	21.62	24.36	25.96	< 33.01
		1	0	19.31	19.48	22.41	24.01	< 33.01
		1	77	19.11	19.59	22.37	23.97	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2592.99	30	36	79	21.88	21.86	24.88	26.48	< 33.01
		1	1	21.94	21.78	24.87	26.47	< 33.01
		1	76	21.96	21.95	24.97	26.57	< 33.01
		78	0	21.39	21.35	24.38	25.98	< 33.01
		1	0	19.49	19.43	22.47	24.07	< 33.01
		1	77	19.45	19.50	22.49	24.09	< 33.01
2674.98	30	36	79	21.68	22.12	24.92	26.52	< 33.01
		1	1	21.66	21.95	24.82	26.42	< 33.01
		1	76	21.81	22.11	24.97	26.57	< 33.01
		78	0	21.15	21.64	24.41	26.01	< 33.01
		1	0	19.36	19.63	22.51	24.11	< 33.01
		1	77	19.39	19.56	22.49	24.09	< 33.01
2516.01	40	53	26	21.53	22.06	24.81	26.41	< 33.01
		1	1	21.83	22.00	24.93	26.53	< 33.01
		1	104	21.72	22.24	25.00	26.60	< 33.01
		106	0	20.99	21.62	24.33	25.93	< 33.01
		1	0	19.36	19.54	22.46	24.06	< 33.01
		1	105	19.15	19.61	22.40	24.00	< 33.01
2592.99	40	53	26	21.88	21.94	24.92	26.52	< 33.01
		1	1	22.11	21.87	25.00	26.60	< 33.01
		1	104	21.76	22.24	25.02	26.62	< 33.01
		106	0	21.39	21.42	24.42	26.02	< 33.01
		1	0	19.74	19.48	22.62	24.22	< 33.01
		1	105	19.37	19.79	22.60	24.20	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2670.0	40	53	26	21.60	22.15	24.89	26.49	< 33.01
		1	1	21.67	22.05	24.87	26.47	< 33.01
		1	104	21.80	22.26	25.05	26.65	< 33.01
		106	0	21.09	21.65	24.39	25.99	< 33.01
		1	0	19.27	19.57	22.43	24.03	< 33.01
		1	105	19.45	19.54	22.51	24.11	< 33.01
2521.02	50	67	33	21.50	22.07	24.80	26.40	< 33.01
		1	1	21.72	21.94	24.84	26.44	< 33.01
		1	131	21.34	22.02	24.70	26.30	< 33.01
		133	0	21.00	21.55	24.29	25.89	< 33.01
		1	0	19.39	19.44	22.43	24.03	< 33.01
		1	132	18.98	19.47	22.24	23.84	< 33.01
2592.99	50	67	33	21.76	21.89	24.84	26.44	< 33.01
		1	1	22.10	21.97	25.05	26.65	< 33.01
		1	131	21.79	22.08	24.95	26.55	< 33.01
		133	0	21.27	21.52	24.41	26.01	< 33.01
		1	0	19.50	19.86	22.69	24.29	< 33.01
		1	132	19.12	19.59	22.37	23.97	< 33.01
2664.99	50	67	33	21.53	22.15	24.86	26.46	< 33.01
		1	1	21.57	21.94	24.77	26.37	< 33.01
		1	131	21.58	22.09	24.85	26.45	< 33.01
		133	0	21.02	21.54	24.30	25.90	< 33.01
		1	0	19.17	19.47	22.33	23.93	< 33.01
		1	132	19.14	19.55	22.36	23.96	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2526.00	60	81	40	21.53	22.05	24.81	26.41	< 33.01
		1	1	21.59	21.84	24.73	26.33	< 33.01
		1	131	21.36	21.72	24.55	26.15	< 33.01
		128	0	21.00	21.61	24.33	25.93	< 33.01
		1	0	19.28	19.35	22.33	23.93	< 33.01
		1	132	19.02	19.38	22.21	23.81	< 33.01
2592.99	60	81	40	21.91	21.90	24.92	26.52	< 33.01
		1	1	21.73	21.82	24.79	26.39	< 33.01
		1	131	21.47	21.83	24.66	26.26	< 33.01
		128	0	21.20	21.45	24.34	25.94	< 33.01
		1	0	19.25	19.68	22.48	24.08	< 33.01
		1	132	19.02	19.26	22.15	23.75	< 33.01
2659.98	60	81	40	21.55	22.12	24.85	26.45	< 33.01
		1	1	21.31	21.76	24.55	26.15	< 33.01
		1	131	21.55	21.93	24.75	26.35	< 33.01
		128	0	20.97	21.58	24.30	25.90	< 33.01
		1	0	19.04	19.37	22.22	23.82	< 33.01
		1	132	19.01	19.54	22.29	23.89	< 33.01
2531.01	70	95	47	21.54	22.12	24.85	26.45	< 33.01
		1	1	21.80	22.01	24.92	26.52	< 33.01
		1	187	21.38	21.84	24.63	26.23	< 33.01
		189	0	21.09	21.59	24.36	25.96	< 33.01
		1	0	19.36	19.51	22.45	24.05	< 33.01
		1	188	18.95	19.57	22.28	23.88	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2592.99	70	95	47	21.73	21.81	24.78	26.38	< 33.01
		1	1	22.07	22.37	25.23	26.83	< 33.01
		1	187	21.76	21.43	24.61	26.21	< 33.01
		189	0	21.28	21.34	24.32	25.92	< 33.01
		1	0	19.40	19.63	22.53	24.13	< 33.01
		1	188	18.24	19.27	21.80	23.40	< 33.01
2655.00	70	95	47	21.56	21.89	24.74	26.34	< 33.01
		1	1	21.96	21.85	24.92	26.52	< 33.01
		1	187	21.55	21.75	24.66	26.26	< 33.01
		189	0	21.09	21.42	24.27	25.87	< 33.01
		1	0	19.52	19.32	22.43	24.03	< 33.01
		1	188	19.22	19.34	22.29	23.89	< 33.01
2536.02	80	109	54	21.19	21.88	24.56	26.16	< 33.01
		1	1	21.76	21.90	24.84	26.44	< 33.01
		1	215	21.80	21.85	24.84	26.44	< 33.01
		217	0	20.83	21.22	24.04	25.64	< 33.01
		1	0	19.11	19.35	22.24	23.84	< 33.01
		1	216	19.15	19.27	22.22	23.82	< 33.01
2592.99	80	109	54	21.69	21.78	24.75	26.35	< 33.01
		1	1	21.62	21.91	24.78	26.38	< 33.01
		1	215	21.17	21.82	24.52	26.12	< 33.01
		217	0	21.05	21.27	24.17	25.77	< 33.01
		1	0	19.20	19.12	22.17	23.77	< 33.01
		1	216	18.76	19.28	22.04	23.64	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2649.99	80	109	54	21.33	21.91	24.64	26.24	< 33.01
		1	1	21.44	21.81	24.64	26.24	< 33.01
		1	215	21.42	21.91	24.68	26.28	< 33.01
		217	0	20.82	21.52	24.19	25.79	< 33.01
		1	0	19.36	19.29	22.34	23.94	< 33.01
		1	216	19.18	19.30	22.25	23.85	< 33.01
2541.02	90	123	61	21.36	21.75	24.57	26.17	< 33.01
		1	1	21.69	21.94	24.83	26.43	< 33.01
		1	243	21.88	22.09	25.00	26.60	< 33.01
		245	0	20.86	21.19	24.04	25.64	< 33.01
		1	0	19.25	19.30	22.29	23.89	< 33.01
		1	244	19.28	19.38	22.34	23.94	< 33.01
2592.99	90	123	61	21.72	21.78	24.76	26.36	< 33.01
		1	1	21.62	21.83	24.74	26.34	< 33.01
		1	243	21.32	21.80	24.58	26.18	< 33.01
		245	0	21.06	21.36	24.22	25.82	< 33.01
		1	0	19.28	19.25	22.28	23.88	< 33.01
		1	244	18.87	19.17	22.03	23.63	< 33.01
2664.98	90	123	61	21.34	22.01	24.70	26.30	< 33.01
		1	1	21.83	21.83	24.84	26.44	< 33.01
		1	243	21.67	22.36	25.04	26.64	< 33.01
		245	0	20.86	21.40	24.15	25.75	< 33.01
		1	0	19.52	19.60	22.57	24.17	< 33.01
		1	244	19.10	19.32	22.22	23.82	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2546.01	100	137	68	21.34	21.74	24.55	26.15	< 33.01
		1	1	21.59	21.79	24.70	26.30	< 33.01
		1	271	21.43	21.87	24.67	26.27	< 33.01
		273	0	20.92	21.38	24.17	25.77	< 33.01
		1	0	19.27	19.20	22.25	23.85	< 33.01
		1	272	19.18	19.21	22.21	23.81	< 33.01
2592.99	100	137	68	21.70	21.83	24.78	26.38	< 33.01
		1	1	21.76	21.99	24.89	26.49	< 33.01
		1	271	21.32	21.85	24.60	26.20	< 33.01
		273	0	21.15	21.30	24.24	25.84	< 33.01
		1	0	19.35	19.52	22.45	24.05	< 33.01
		1	272	19.04	19.20	22.13	23.73	< 33.01
2640.00	100	137	68	21.35	21.96	24.68	26.28	< 33.01
		1	1	21.96	21.67	24.83	26.43	< 33.01
		1	271	21.78	22.00	24.90	26.50	< 33.01
		273	0	20.94	21.39	24.18	25.78	< 33.01
		1	0	19.57	19.07	22.34	23.94	< 33.01
		1	272	19.07	19.54	22.32	23.92	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2506.02	20	25	12	18.12	18.51	21.33	22.93	< 33.01
		1	1	17.95	18.39	21.19	22.79	< 33.01
		1	49	17.92	18.65	21.31	22.91	< 33.01
		51	0	18.20	18.62	21.43	23.03	< 33.01
		1	0	18.09	18.57	21.35	22.95	< 33.01
		1	50	17.96	18.70	21.36	22.96	< 33.01
2592.99	20	25	12	18.48	18.32	21.41	23.01	< 33.01
		1	1	18.29	18.41	21.36	22.96	< 33.01
		1	49	18.39	18.61	21.51	23.11	< 33.01
		51	0	18.54	18.41	21.49	23.09	< 33.01
		1	0	18.43	18.26	21.36	22.96	< 33.01
		1	50	18.13	18.34	21.25	22.85	< 33.01
2679.99	20	25	12	18.10	18.51	21.32	22.92	< 33.01
		1	1	18.13	18.74	21.46	23.06	< 33.01
		1	49	18.10	18.68	21.41	23.01	< 33.01
		51	0	18.11	18.53	21.34	22.94	< 33.01
		1	0	17.89	18.55	21.24	22.84	< 33.01
		1	50	18.06	18.61	21.35	22.95	< 33.01
2511.0	30	36	79	18.09	18.53	21.33	22.93	< 33.01
		1	1	17.95	18.51	21.25	22.85	< 33.01
		1	76	17.79	18.89	21.39	22.99	< 33.01
		78	0	18.11	18.66	21.40	23.00	< 33.01
		1	0	18.44	18.62	21.54	23.14	< 33.01
		1	77	17.81	18.80	21.34	22.94	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2592.99	30	36	79	18.45	18.30	21.39	22.99	< 33.01
		1	1	18.12	18.51	21.33	22.93	< 33.01
		1	76	18.34	18.55	21.46	23.06	< 33.01
		78	0	18.41	18.40	21.42	23.02	< 33.01
		1	0	18.17	18.43	21.31	22.91	< 33.01
		1	77	17.91	18.60	21.28	22.88	< 33.01
2674.98	30	36	79	18.14	18.53	21.35	22.95	< 33.01
		1	1	18.07	18.55	21.33	22.93	< 33.01
		1	76	18.20	18.75	21.49	23.09	< 33.01
		78	0	18.17	18.76	21.49	23.09	< 33.01
		1	0	17.99	18.42	21.22	22.82	< 33.01
		1	77	17.91	18.80	21.39	22.99	< 33.01
2516.01	40	53	26	18.05	18.57	21.33	22.93	< 33.01
		1	1	17.89	18.48	21.21	22.81	< 33.01
		1	104	17.82	18.75	21.32	22.92	< 33.01
		106	0	18.10	18.65	21.39	22.99	< 33.01
		1	0	18.38	18.43	21.42	23.02	< 33.01
		1	105	17.77	18.79	21.32	22.92	< 33.01
2592.99	40	53	26	18.41	18.40	21.42	23.02	< 33.01
		1	1	18.09	18.51	21.32	22.92	< 33.01
		1	104	18.22	18.58	21.41	23.01	< 33.01
		106	0	18.33	18.44	21.40	23.00	< 33.01
		1	0	18.22	18.44	21.34	22.94	< 33.01
		1	105	18.01	18.69	21.37	22.97	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2670.0	40	53	26	18.10	18.60	21.37	22.97	< 33.01
		1	1	17.94	18.51	21.24	22.84	< 33.01
		1	104	17.88	18.79	21.37	22.97	< 33.01
		106	0	18.06	18.65	21.38	22.98	< 33.01
		1	0	17.94	18.75	21.37	22.97	< 33.01
		1	105	18.29	18.70	21.51	23.11	< 33.01
2521.02	50	67	33	17.97	18.59	21.30	22.90	< 33.01
		1	1	18.06	18.66	21.38	22.98	< 33.01
		1	131	17.76	18.65	21.24	22.84	< 33.01
		133	0	17.97	18.59	21.30	22.90	< 33.01
		1	0	18.01	18.58	21.31	22.91	< 33.01
		1	132	17.77	18.47	21.14	22.74	< 33.01
2592.99	50	67	33	18.32	18.50	21.42	23.02	< 33.01
		1	1	18.28	18.70	21.51	23.11	< 33.01
		1	131	17.96	18.56	21.28	22.88	< 33.01
		133	0	18.27	18.54	21.42	23.02	< 33.01
		1	0	18.06	18.68	21.39	22.99	< 33.01
		1	132	17.72	18.63	21.21	22.81	< 33.01
2664.99	50	67	33	18.04	18.56	21.32	22.92	< 33.01
		1	1	17.85	18.39	21.14	22.74	< 33.01
		1	131	17.56	18.75	21.21	22.81	< 33.01
		133	0	18.06	18.62	21.36	22.96	< 33.01
		1	0	17.94	18.52	21.25	22.85	< 33.01
		1	132	18.01	18.64	21.35	22.95	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2526.00	60	81	40	18.04	18.60	21.34	22.94	< 33.01
		1	1	18.18	18.38	21.29	22.89	< 33.01
		1	131	17.77	18.58	21.20	22.80	< 33.01
		128	0	18.13	18.53	21.34	22.94	< 33.01
		1	0	18.33	18.51	21.43	23.03	< 33.01
		1	132	17.66	18.48	21.10	22.70	< 33.01
2592.99	60	81	40	18.40	18.43	21.43	23.03	< 33.01
		1	1	17.91	18.34	21.14	22.74	< 33.01
		1	131	17.99	18.24	21.13	22.73	< 33.01
		128	0	18.26	18.42	21.35	22.95	< 33.01
		1	0	18.00	18.36	21.19	22.79	< 33.01
		1	132	17.87	18.25	21.07	22.67	< 33.01
2659.98	60	81	40	18.04	18.67	21.38	22.98	< 33.01
		1	1	17.37	18.30	20.87	22.47	< 33.01
		1	131	17.67	18.48	21.10	22.70	< 33.01
		128	0	17.99	18.59	21.31	22.91	< 33.01
		1	0	17.79	18.64	21.25	22.85	< 33.01
		1	132	17.91	18.52	21.24	22.84	< 33.01
2531.01	70	95	47	17.98	18.62	21.32	22.92	< 33.01
		1	1	18.33	18.06	21.21	22.81	< 33.01
		1	187	18.02	18.60	21.33	22.93	< 33.01
		189	0	18.07	18.55	21.33	22.93	< 33.01
		1	0	18.56	18.42	21.50	23.10	< 33.01
		1	188	18.11	18.65	21.40	23.00	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2592.99	70	95	47	18.27	18.37	21.33	22.93	< 33.01
		1	1	18.62	18.33	21.49	23.09	< 33.01
		1	187	18.53	18.27	21.41	23.01	< 33.01
		189	0	18.34	18.36	21.36	22.96	< 33.01
		1	0	18.46	18.48	21.48	23.08	< 33.01
		1	188	18.46	18.14	21.31	22.91	< 33.01
2655.00	70	95	47	18.06	18.47	21.28	22.88	< 33.01
		1	1	18.49	17.85	21.19	22.79	< 33.01
		1	187	18.22	18.40	21.32	22.92	< 33.01
		189	0	18.16	18.37	21.28	22.88	< 33.01
		1	0	18.62	18.38	21.51	23.11	< 33.01
		1	188	18.30	18.27	21.30	22.90	< 33.01
2536.02	80	109	54	17.72	18.36	21.06	22.66	< 33.01
		1	1	17.65	18.33	21.01	22.61	< 33.01
		1	215	17.82	18.22	21.03	22.63	< 33.01
		217	0	17.73	18.27	21.02	22.62	< 33.01
		1	0	18.03	18.36	21.21	22.81	< 33.01
		1	216	17.91	18.11	21.02	22.62	< 33.01
2592.99	80	109	54	18.16	18.27	21.23	22.83	< 33.01
		1	1	17.77	18.05	20.92	22.52	< 33.01
		1	215	17.47	18.20	20.86	22.46	< 33.01
		217	0	18.18	18.28	21.24	22.84	< 33.01
		1	0	17.71	18.45	21.11	22.71	< 33.01
		1	216	17.28	18.47	20.93	22.53	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2649.99	80	109	54	17.82	18.39	21.12	22.72	< 33.01
		1	1	17.54	18.32	20.96	22.56	< 33.01
		1	215	17.94	18.48	21.23	22.83	< 33.01
		217	0	17.80	18.51	21.18	22.78	< 33.01
		1	0	18.12	18.39	21.27	22.87	< 33.01
		1	216	17.91	18.44	21.19	22.79	< 33.01
2541.02	90	123	61	17.81	18.33	21.09	22.69	< 33.01
		1	1	17.78	18.29	21.05	22.65	< 33.01
		1	243	18.06	18.27	21.18	22.78	< 33.01
		245	0	17.89	18.23	21.07	22.67	< 33.01
		1	0	18.02	18.29	21.17	22.77	< 33.01
		1	244	17.84	18.20	21.03	22.63	< 33.01
2592.99	90	123	61	18.19	18.47	21.34	22.94	< 33.01
		1	1	18.21	18.60	21.42	23.02	< 33.01
		1	243	17.67	18.33	21.02	22.62	< 33.01
		245	0	18.08	18.36	21.23	22.83	< 33.01
		1	0	18.09	18.46	21.29	22.89	< 33.01
		1	244	17.36	18.29	20.86	22.46	< 33.01
2664.98	90	123	61	17.85	18.36	21.12	22.72	< 33.01
		1	1	17.64	18.41	21.05	22.65	< 33.01
		1	243	17.90	18.25	21.09	22.69	< 33.01
		245	0	17.96	18.42	21.21	22.81	< 33.01
		1	0	18.03	18.34	21.20	22.80	< 33.01
		1	244	17.97	18.57	21.29	22.89	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2546.01	100	137	68	17.87	18.29	21.10	22.70	< 33.01
		1	1	17.85	18.43	21.16	22.76	< 33.01
		1	271	17.98	18.32	21.16	22.76	< 33.01
		273	0	17.89	18.44	21.18	22.78	< 33.01
		1	0	18.01	18.11	21.07	22.67	< 33.01
		1	272	18.04	18.11	21.09	22.69	< 33.01
2592.99	100	137	68	18.17	18.53	21.36	22.96	< 33.01
		1	1	17.75	18.19	20.99	22.59	< 33.01
		1	271	17.78	18.26	21.04	22.64	< 33.01
		273	0	18.02	18.39	21.22	22.82	< 33.01
		1	0	18.26	18.71	21.50	23.10	< 33.01
		1	272	17.62	18.23	20.95	22.55	< 33.01
2640.00	100	137	68	17.90	18.35	21.14	22.74	< 33.01
		1	1	18.01	18.12	21.08	22.68	< 33.01
		1	271	18.01	18.43	21.24	22.84	< 33.01
		273	0	17.94	18.40	21.19	22.79	< 33.01
		1	0	18.35	18.07	21.22	22.82	< 33.01
		1	272	17.74	18.29	21.03	22.63	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-18	Test Band	n77/n78_UL MIMO (3450 ~ 3550MHz)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3455.00	10	12	6	21.93	21.41	24.69	25.29	< 30.00
		1	1	21.47	20.83	24.17	24.77	< 30.00
		1	22	21.34	20.83	24.10	24.70	< 30.00
		24	0	21.83	21.47	24.66	25.26	< 30.00
		1	0	21.84	21.31	24.59	25.19	< 30.00
		1	23	21.95	21.66	24.82	25.42	< 30.00
3500.01	10	12	6	21.87	21.38	24.64	25.24	< 30.00
		1	1	21.59	20.96	24.30	24.90	< 30.00
		1	22	21.50	20.87	24.21	24.81	< 30.00
		24	0	21.90	21.46	24.70	25.30	< 30.00
		1	0	22.04	21.40	24.74	25.34	< 30.00
		1	23	21.94	21.35	24.67	25.27	< 30.00
3544.98	10	12	6	21.26	21.56	24.42	25.02	< 30.00
		1	1	20.94	21.18	24.07	24.67	< 30.00
		1	22	20.92	21.01	23.98	24.58	< 30.00
		24	0	21.34	21.63	24.50	25.10	< 30.00
		1	0	21.39	21.55	24.48	25.08	< 30.00
		1	23	21.47	21.80	24.65	25.25	< 30.00
3457.50	15	19	9	21.92	21.42	24.69	25.29	< 30.00
		1	1	21.66	20.97	24.34	24.94	< 30.00
		1	36	21.60	21.05	24.34	24.94	< 30.00
		38	0	22.03	21.48	24.77	25.37	< 30.00
		1	0	22.04	21.40	24.74	25.34	< 30.00
		1	37	22.02	21.43	24.75	25.35	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3500.01	15	19	9	22.01	21.53	24.79	25.39	< 30.00
		1	1	21.50	21.07	24.30	24.90	< 30.00
		1	36	21.34	20.95	24.16	24.76	< 30.00
		38	0	21.95	21.43	24.71	25.31	< 30.00
		1	0	22.16	21.54	24.87	25.47	< 30.00
		1	37	21.84	21.52	24.69	25.29	< 30.00
3542.49	15	19	9	21.42	21.72	24.58	25.18	< 30.00
		1	1	20.98	21.27	24.14	24.74	< 30.00
		1	36	20.92	21.06	24.00	24.60	< 30.00
		38	0	21.34	21.66	24.51	25.11	< 30.00
		1	0	21.41	21.71	24.57	25.17	< 30.00
		1	37	21.37	21.81	24.61	25.21	< 30.00
3460.02	20	25	12	21.93	21.42	24.69	25.29	< 30.00
		1	1	21.63	20.90	24.29	24.89	< 30.00
		1	49	21.54	20.94	24.26	24.86	< 30.00
		51	0	21.93	21.48	24.72	25.32	< 30.00
		1	0	21.97	21.44	24.72	25.32	< 30.00
		1	50	21.98	21.55	24.78	25.38	< 30.00
3500.01	20	25	12	21.90	21.51	24.72	25.32	< 30.00
		1	1	21.54	21.01	24.29	24.89	< 30.00
		1	49	21.37	21.08	24.24	24.84	< 30.00
		51	0	22.02	21.45	24.75	25.35	< 30.00
		1	0	22.07	21.39	24.75	25.35	< 30.00
		1	50	21.92	21.62	24.78	25.38	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3540.00	20	25	12	21.19	21.71	24.47	25.07	< 30.00
		1	1	21.05	21.32	24.20	24.80	< 30.00
		1	49	20.92	21.09	24.02	24.62	< 30.00
		51	0	21.30	21.84	24.59	25.19	< 30.00
		1	0	21.42	21.63	24.54	25.14	< 30.00
		1	50	21.32	21.73	24.54	25.14	< 30.00
3465.00	30	36	79	22.06	21.51	24.80	25.40	< 30.00
		1	1	21.75	21.10	24.45	25.05	< 30.00
		1	76	21.72	21.14	24.45	25.05	< 30.00
		78	0	22.03	21.41	24.74	25.34	< 30.00
		1	0	22.08	21.54	24.83	25.43	< 30.00
		1	77	22.17	21.70	24.95	25.55	< 30.00
3500.01	30	36	79	22.01	21.63	24.83	25.43	< 30.00
		1	1	21.61	21.21	24.42	25.02	< 30.00
		1	76	21.33	21.23	24.29	24.89	< 30.00
		78	0	22.01	21.67	24.85	25.45	< 30.00
		1	0	22.23	21.48	24.88	25.48	< 30.00
		1	77	21.97	21.68	24.84	25.44	< 30.00
3534.99	30	36	79	21.61	21.77	24.70	25.30	< 30.00
		1	1	21.37	21.21	24.30	24.90	< 30.00
		1	76	20.97	21.18	24.09	24.69	< 30.00
		78	0	21.60	21.70	24.66	25.26	< 30.00
		1	0	21.94	22.01	24.99	25.59	< 30.00
		1	77	21.51	22.03	24.79	25.39	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3470.01	40	53	26	22.04	21.53	24.80	25.40	< 30.00
		1	1	21.60	21.13	24.38	24.98	< 30.00
		1	104	21.54	21.19	24.38	24.98	< 30.00
		106	0	22.00	21.56	24.80	25.40	< 30.00
		1	0	22.11	21.82	24.98	25.58	< 30.00
		1	105	22.18	21.56	24.89	25.49	< 30.00
3500.01	40	53	26	21.99	21.63	24.82	25.42	< 30.00
		1	1	21.96	21.21	24.61	25.21	< 30.00
		1	104	21.42	21.40	24.42	25.02	< 30.00
		106	0	22.07	21.61	24.86	25.46	< 30.00
		1	0	22.20	21.63	24.93	25.53	< 30.00
		1	105	22.15	21.92	25.05	25.65	< 30.00
3529.98	40	53	26	21.70	21.75	24.74	25.34	< 30.00
		1	1	21.62	21.26	24.45	25.05	< 30.00
		1	104	21.33	21.31	24.33	24.93	< 30.00
		106	0	21.62	21.79	24.72	25.32	< 30.00
		1	0	21.91	21.64	24.79	25.39	< 30.00
		1	105	21.60	21.92	24.77	25.37	< 30.00
3475.02	50	67	33	21.87	21.38	24.64	25.24	< 30.00
		1	1	21.49	20.88	24.21	24.81	< 30.00
		1	131	21.53	20.72	24.15	24.75	< 30.00
		133	0	21.77	21.34	24.57	25.17	< 30.00
		1	0	21.99	21.38	24.71	25.31	< 30.00
		1	132	21.94	21.35	24.67	25.27	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3500.01	50	67	33	21.67	21.35	24.52	25.12	< 30.00
		1	1	21.37	20.97	24.18	24.78	< 30.00
		1	131	21.22	20.93	24.09	24.69	< 30.00
		133	0	21.68	21.36	24.53	25.13	< 30.00
		1	0	21.92	21.82	24.88	25.48	< 30.00
		1	132	21.43	21.50	24.48	25.08	< 30.00
3525.00	50	67	33	21.41	21.52	24.48	25.08	< 30.00
		1	1	21.59	20.98	24.31	24.91	< 30.00
		1	131	20.57	20.95	23.77	24.37	< 30.00
		133	0	21.38	21.46	24.43	25.03	< 30.00
		1	0	21.97	21.31	24.66	25.26	< 30.00
		1	132	21.33	21.47	24.41	25.01	< 30.00
3480.00	60	81	40	21.79	21.33	24.58	25.18	< 30.00
		1	1	21.41	20.84	24.14	24.74	< 30.00
		1	131	21.22	20.73	23.99	24.59	< 30.00
		128	0	21.89	21.40	24.66	25.26	< 30.00
		1	0	21.87	21.16	24.54	25.14	< 30.00
		1	132	21.67	21.37	24.53	25.13	< 30.00
3500.01	60	81	40	21.77	21.40	24.60	25.20	< 30.00
		1	1	21.16	20.72	23.96	24.56	< 30.00
		1	131	20.91	21.01	23.97	24.57	< 30.00
		128	0	21.84	21.41	24.64	25.24	< 30.00
		1	0	21.77	21.33	24.57	25.17	< 30.00
		1	132	21.27	21.37	24.33	24.93	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3519.99	60	81	40	21.57	21.51	24.55	25.15	< 30.00
		1	1	21.42	20.98	24.22	24.82	< 30.00
		1	131	20.75	20.95	23.86	24.46	< 30.00
		128	0	21.61	21.54	24.59	25.19	< 30.00
		1	0	21.99	21.29	24.66	25.26	< 30.00
		1	132	21.36	21.40	24.39	24.99	< 30.00
3485.01	70	95	47	20.54	19.84	23.21	23.81	< 30.00
		1	1	20.24	19.85	23.06	23.66	< 30.00
		1	187	20.37	19.80	23.10	23.70	< 30.00
		189	0	20.42	19.79	23.13	23.73	< 30.00
		1	0	19.89	19.43	22.68	23.28	< 30.00
		1	188	19.90	19.40	22.67	23.27	< 30.00
3500.01	70	95	47	20.22	19.73	22.99	23.59	< 30.00
		1	1	20.55	19.25	22.96	23.56	< 30.00
		1	187	20.42	19.62	23.05	23.65	< 30.00
		189	0	20.25	19.68	22.98	23.58	< 30.00
		1	0	19.84	18.91	22.41	23.01	< 30.00
		1	188	19.59	19.11	22.37	22.97	< 30.00
3514.98	70	95	47	20.17	19.67	22.94	23.54	< 30.00
		1	1	20.22	19.37	22.83	23.43	< 30.00
		1	187	19.68	19.45	22.58	23.18	< 30.00
		189	0	20.21	19.63	22.94	23.54	< 30.00
		1	0	19.68	18.96	22.35	22.95	< 30.00
		1	188	19.28	19.18	22.24	22.84	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3490.02	80	109	54	21.71	21.33	24.53	25.13	< 30.00
		1	1	21.39	20.99	24.20	24.80	< 30.00
		1	215	20.90	20.97	23.95	24.55	< 30.00
		217	0	21.78	21.33	24.57	25.17	< 30.00
		1	0	21.61	21.12	24.38	24.98	< 30.00
		1	216	21.42	21.47	24.46	25.06	< 30.00
3500.01	80	109	54	21.56	21.34	24.46	25.06	< 30.00
		1	1	21.46	20.78	24.14	24.74	< 30.00
		1	215	20.72	21.01	23.88	24.48	< 30.00
		217	0	21.69	21.31	24.51	25.11	< 30.00
		1	0	21.73	21.10	24.44	25.04	< 30.00
		1	216	21.18	21.50	24.35	24.95	< 30.00
3510.00	80	109	54	21.54	21.34	24.45	25.05	< 30.00
		1	1	21.03	20.83	23.94	24.54	< 30.00
		1	215	20.79	20.95	23.88	24.48	< 30.00
		217	0	21.56	21.34	24.46	25.06	< 30.00
		1	0	21.51	21.22	24.38	24.98	< 30.00
		1	216	21.19	21.48	24.35	24.95	< 30.00
3495.00	90	123	61	21.57	21.27	24.43	25.03	< 30.00
		1	1	21.59	20.77	24.21	24.81	< 30.00
		1	243	20.61	21.19	23.92	24.52	< 30.00
		245	0	21.79	21.32	24.57	25.17	< 30.00
		1	0	21.71	21.08	24.42	25.02	< 30.00
		1	244	21.24	21.67	24.47	25.07	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3500.01	90	123	61	21.57	21.36	24.48	25.08	< 30.00
		1	1	21.30	20.65	24.00	24.60	< 30.00
		1	243	20.69	21.09	23.90	24.50	< 30.00
		245	0	21.76	21.31	24.55	25.15	< 30.00
		1	0	21.72	21.12	24.44	25.04	< 30.00
		1	244	21.06	21.62	24.36	24.96	< 30.00
3504.99	90	123	61	21.58	21.36	24.48	25.08	< 30.00
		1	1	21.22	20.79	24.02	24.62	< 30.00
		1	243	20.63	20.98	23.82	24.42	< 30.00
		245	0	21.70	21.29	24.51	25.11	< 30.00
		1	0	21.79	21.17	24.50	25.10	< 30.00
		1	244	21.26	21.84	24.57	25.17	< 30.00
3500.01	100	137	68	21.55	21.34	24.46	25.06	< 30.00
		1	1	21.21	20.56	23.91	24.51	< 30.00
		1	271	20.67	21.00	23.85	24.45	< 30.00
		273	0	21.67	21.29	24.49	25.09	< 30.00
		1	0	21.74	21.07	24.43	25.03	< 30.00
		1	272	21.45	21.55	24.51	25.11	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3455.00	10	12	6	21.77	21.34	24.57	25.17	< 30.00
		1	1	21.40	20.73	24.09	24.69	< 30.00
		1	22	21.37	20.98	24.19	24.79	< 30.00
		24	0	21.91	21.30	24.63	25.23	< 30.00
		1	0	21.94	21.41	24.69	25.29	< 30.00
		1	23	22.02	21.09	24.59	25.19	< 30.00
3500.01	10	12	6	21.85	21.41	24.65	25.25	< 30.00
		1	1	21.59	20.82	24.23	24.83	< 30.00
		1	22	21.29	20.80	24.06	24.66	< 30.00
		24	0	22.03	21.49	24.78	25.38	< 30.00
		1	0	21.99	21.51	24.77	25.37	< 30.00
		1	23	21.83	21.32	24.59	25.19	< 30.00
3544.98	10	12	6	21.40	21.62	24.52	25.12	< 30.00
		1	1	20.95	21.01	23.99	24.59	< 30.00
		1	22	20.80	20.95	23.89	24.49	< 30.00
		24	0	21.30	21.69	24.51	25.11	< 30.00
		1	0	21.32	21.78	24.57	25.17	< 30.00
		1	23	21.37	21.45	24.42	25.02	< 30.00
3457.50	15	19	9	21.89	21.52	24.72	25.32	< 30.00
		1	1	21.50	21.10	24.31	24.91	< 30.00
		1	36	21.34	20.89	24.13	24.73	< 30.00
		38	0	21.95	21.42	24.70	25.30	< 30.00
		1	0	22.07	21.55	24.83	25.43	< 30.00
		1	37	22.07	21.70	24.90	25.50	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3500.01	15	19	9	21.90	21.60	24.76	25.36	< 30.00
		1	1	21.54	21.26	24.41	25.01	< 30.00
		1	36	21.30	21.15	24.24	24.84	< 30.00
		38	0	21.95	21.48	24.73	25.33	< 30.00
		1	0	21.99	21.64	24.83	25.43	< 30.00
		1	37	21.93	21.33	24.65	25.25	< 30.00
3542.49	15	19	9	21.43	21.73	24.59	25.19	< 30.00
		1	1	20.97	21.36	24.18	24.78	< 30.00
		1	36	20.95	21.30	24.14	24.74	< 30.00
		38	0	21.31	21.69	24.51	25.11	< 30.00
		1	0	21.35	21.50	24.44	25.04	< 30.00
		1	37	21.32	21.45	24.40	25.00	< 30.00
3460.02	20	25	12	21.92	21.45	24.70	25.30	< 30.00
		1	1	21.62	20.83	24.25	24.85	< 30.00
		1	49	21.44	20.85	24.17	24.77	< 30.00
		51	0	21.90	21.42	24.68	25.28	< 30.00
		1	0	22.02	21.64	24.84	25.44	< 30.00
		1	50	21.99	21.44	24.73	25.33	< 30.00
3500.01	20	25	12	21.87	21.49	24.69	25.29	< 30.00
		1	1	21.58	20.93	24.28	24.88	< 30.00
		1	49	21.34	21.01	24.19	24.79	< 30.00
		51	0	21.95	21.62	24.80	25.40	< 30.00
		1	0	22.06	21.62	24.86	25.46	< 30.00
		1	50	22.17	21.62	24.91	25.51	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3540.00	20	25	12	21.35	21.76	24.57	25.17	< 30.00
		1	1	20.99	21.13	24.07	24.67	< 30.00
		1	49	21.16	21.05	24.12	24.72	< 30.00
		51	0	21.28	21.74	24.53	25.13	< 30.00
		1	0	21.57	21.74	24.67	25.27	< 30.00
		1	50	21.47	21.57	24.53	25.13	< 30.00
3465.00	30	36	79	21.95	21.47	24.73	25.33	< 30.00
		1	1	21.69	21.04	24.39	24.99	< 30.00
		1	76	21.61	20.81	24.24	24.84	< 30.00
		78	0	21.90	21.45	24.69	25.29	< 30.00
		1	0	21.99	21.31	24.67	25.27	< 30.00
		1	77	21.92	21.52	24.73	25.33	< 30.00
3500.01	30	36	79	21.96	21.64	24.81	25.41	< 30.00
		1	1	21.75	21.32	24.55	25.15	< 30.00
		1	76	21.39	21.34	24.38	24.98	< 30.00
		78	0	22.13	21.58	24.87	25.47	< 30.00
		1	0	21.97	21.75	24.87	25.47	< 30.00
		1	77	21.78	21.55	24.68	25.28	< 30.00
3534.99	30	36	79	21.58	21.77	24.69	25.29	< 30.00
		1	1	21.27	21.34	24.32	24.92	< 30.00
		1	76	20.95	21.48	24.23	24.83	< 30.00
		78	0	21.53	21.79	24.67	25.27	< 30.00
		1	0	21.97	21.60	24.80	25.40	< 30.00
		1	77	21.57	21.89	24.74	25.34	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3470.01	40	53	26	22.05	21.62	24.85	25.45	< 30.00
		1	1	21.75	21.11	24.45	25.05	< 30.00
		1	104	21.63	21.22	24.44	25.04	< 30.00
		106	0	21.98	21.64	24.82	25.42	< 30.00
		1	0	22.38	21.60	25.02	25.62	< 30.00
		1	105	22.08	21.68	24.89	25.49	< 30.00
3500.01	40	53	26	22.01	21.63	24.83	25.43	< 30.00
		1	1	21.73	21.04	24.41	25.01	< 30.00
		1	104	21.49	21.21	24.36	24.96	< 30.00
		106	0	22.13	21.80	24.98	25.58	< 30.00
		1	0	22.09	21.63	24.88	25.48	< 30.00
		1	105	22.12	22.01	25.08	25.68	< 30.00
3529.98	40	53	26	21.64	21.76	24.71	25.31	< 30.00
		1	1	21.44	21.32	24.39	24.99	< 30.00
		1	104	21.03	21.28	24.17	24.77	< 30.00
		106	0	21.69	21.88	24.80	25.40	< 30.00
		1	0	22.15	21.66	24.92	25.52	< 30.00
		1	105	21.85	21.96	24.92	25.52	< 30.00
3475.02	50	67	33	21.79	21.44	24.63	25.23	< 30.00
		1	1	21.55	21.29	24.43	25.03	< 30.00
		1	131	21.38	21.16	24.28	24.88	< 30.00
		133	0	21.83	21.35	24.61	25.21	< 30.00
		1	0	21.88	21.60	24.75	25.35	< 30.00
		1	132	21.78	21.42	24.61	25.21	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3500.01	50	67	33	21.73	21.40	24.58	25.18	< 30.00
		1	1	21.46	20.87	24.19	24.79	< 30.00
		1	131	21.14	20.88	24.02	24.62	< 30.00
		133	0	21.77	21.32	24.56	25.16	< 30.00
		1	0	21.87	21.79	24.84	25.44	< 30.00
		1	132	21.59	21.36	24.49	25.09	< 30.00
3525.00	50	67	33	21.47	21.48	24.49	25.09	< 30.00
		1	1	21.58	20.96	24.29	24.89	< 30.00
		1	131	20.69	21.03	23.87	24.47	< 30.00
		133	0	21.41	21.50	24.47	25.07	< 30.00
		1	0	22.13	21.59	24.88	25.48	< 30.00
		1	132	21.16	21.59	24.39	24.99	< 30.00
3480.00	60	81	40	21.82	21.40	24.63	25.23	< 30.00
		1	1	21.36	20.74	24.07	24.67	< 30.00
		1	131	21.26	20.83	24.06	24.66	< 30.00
		128	0	21.91	21.45	24.70	25.30	< 30.00
		1	0	22.36	21.44	24.93	25.53	< 30.00
		1	132	21.71	21.34	24.54	25.14	< 30.00
3500.01	60	81	40	21.65	21.41	24.54	25.14	< 30.00
		1	1	21.20	21.06	24.14	24.74	< 30.00
		1	131	20.76	21.00	23.89	24.49	< 30.00
		128	0	21.89	21.42	24.67	25.27	< 30.00
		1	0	21.80	21.67	24.75	25.35	< 30.00
		1	132	21.50	21.90	24.71	25.31	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3519.99	60	81	40	21.57	21.52	24.56	25.16	< 30.00
		1	1	21.42	20.69	24.08	24.68	< 30.00
		1	131	20.75	21.29	24.04	24.64	< 30.00
		128	0	21.53	21.50	24.53	25.13	< 30.00
		1	0	21.85	21.06	24.48	25.08	< 30.00
		1	132	21.87	21.80	24.85	25.45	< 30.00
3485.01	70	95	47	20.50	19.83	23.19	23.79	< 30.00
		1	1	20.57	20.23	23.41	24.01	< 30.00
		1	187	20.64	20.27	23.47	24.07	< 30.00
		189	0	20.38	19.85	23.13	23.73	< 30.00
		1	0	20.08	19.30	22.72	23.32	< 30.00
		1	188	20.09	19.29	22.72	23.32	< 30.00
3500.01	70	95	47	20.29	19.77	23.05	23.65	< 30.00
		1	1	20.54	19.68	23.14	23.74	< 30.00
		1	187	20.36	19.92	23.16	23.76	< 30.00
		189	0	20.25	19.70	22.99	23.59	< 30.00
		1	0	19.96	19.18	22.60	23.20	< 30.00
		1	188	19.68	19.26	22.49	23.09	< 30.00
3514.98	70	95	47	20.12	19.70	22.93	23.53	< 30.00
		1	1	20.50	19.70	23.13	23.73	< 30.00
		1	187	20.16	19.90	23.04	23.64	< 30.00
		189	0	20.16	19.65	22.92	23.52	< 30.00
		1	0	19.96	19.28	22.64	23.24	< 30.00
		1	188	19.38	19.47	22.44	23.04	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3490.02	80	109	54	21.65	21.29	24.48	25.08	< 30.00
		1	1	21.43	20.65	24.07	24.67	< 30.00
		1	215	21.09	20.80	23.96	24.56	< 30.00
		217	0	21.85	21.24	24.57	25.17	< 30.00
		1	0	21.76	21.30	24.55	25.15	< 30.00
		1	216	21.47	21.62	24.56	25.16	< 30.00
3500.01	80	109	54	21.64	21.34	24.50	25.10	< 30.00
		1	1	21.15	20.87	24.02	24.62	< 30.00
		1	215	20.48	20.78	23.64	24.24	< 30.00
		217	0	21.69	21.35	24.53	25.13	< 30.00
		1	0	21.75	21.11	24.45	25.05	< 30.00
		1	216	21.15	21.66	24.42	25.02	< 30.00
3510.00	80	109	54	21.53	21.34	24.45	25.05	< 30.00
		1	1	21.27	20.63	23.97	24.57	< 30.00
		1	215	20.73	20.82	23.79	24.39	< 30.00
		217	0	21.58	21.32	24.46	25.06	< 30.00
		1	0	21.77	21.42	24.61	25.21	< 30.00
		1	216	21.04	21.52	24.30	24.90	< 30.00
3495.00	90	123	61	21.63	21.35	24.50	25.10	< 30.00
		1	1	21.15	20.68	23.93	24.53	< 30.00
		1	243	20.57	20.81	23.70	24.30	< 30.00
		245	0	21.71	21.35	24.54	25.14	< 30.00
		1	0	21.71	21.18	24.46	25.06	< 30.00
		1	244	21.16	21.68	24.44	25.04	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3500.01	90	123	61	21.58	21.38	24.49	25.09	< 30.00
		1	1	21.40	20.74	24.09	24.69	< 30.00
		1	243	20.97	20.96	23.98	24.58	< 30.00
		245	0	21.71	21.38	24.56	25.16	< 30.00
		1	0	21.81	21.48	24.66	25.26	< 30.00
		1	244	21.15	21.53	24.35	24.95	< 30.00
3504.99	90	123	61	21.58	21.39	24.50	25.10	< 30.00
		1	1	21.27	20.60	23.96	24.56	< 30.00
		1	243	20.79	20.86	23.84	24.44	< 30.00
		245	0	21.66	21.38	24.53	25.13	< 30.00
		1	0	21.73	21.30	24.53	25.13	< 30.00
		1	244	21.28	21.51	24.41	25.01	< 30.00
3500.01	100	137	68	21.61	21.33	24.48	25.08	< 30.00
		1	1	21.20	20.62	23.93	24.53	< 30.00
		1	271	20.72	20.86	23.80	24.40	< 30.00
		273	0	21.68	21.30	24.50	25.10	< 30.00
		1	0	21.68	21.11	24.41	25.01	< 30.00
		1	272	21.20	21.68	24.46	25.06	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3455.00	10	12	6	21.33	20.87	24.12	24.72	< 30.00
		1	1	21.65	20.79	24.25	24.85	< 30.00
		1	22	21.54	20.86	24.22	24.82	< 30.00
		24	0	21.26	20.77	24.03	24.63	< 30.00
		1	0	21.93	20.84	24.43	25.03	< 30.00
		1	23	21.68	20.83	24.29	24.89	< 30.00
3500.01	10	12	6	21.34	20.95	24.16	24.76	< 30.00
		1	1	21.54	21.16	24.36	24.96	< 30.00
		1	22	21.34	20.72	24.05	24.65	< 30.00
		24	0	21.44	20.93	24.20	24.80	< 30.00
		1	0	21.41	21.04	24.24	24.84	< 30.00
		1	23	21.27	20.68	24.00	24.60	< 30.00
3544.98	10	12	6	20.77	21.12	23.96	24.56	< 30.00
		1	1	20.85	21.21	24.04	24.64	< 30.00
		1	22	20.83	21.11	23.98	24.58	< 30.00
		24	0	20.80	21.20	24.01	24.61	< 30.00
		1	0	20.90	20.96	23.94	24.54	< 30.00
		1	23	20.83	20.82	23.84	24.44	< 30.00
3457.50	15	19	9	21.45	21.03	24.26	24.86	< 30.00
		1	1	21.62	20.83	24.25	24.85	< 30.00
		1	36	21.44	21.00	24.24	24.84	< 30.00
		38	0	21.43	21.03	24.24	24.84	< 30.00
		1	0	21.59	20.93	24.28	24.88	< 30.00
		1	37	21.56	21.10	24.35	24.95	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3500.01	15	19	9	21.48	21.07	24.29	24.89	< 30.00
		1	1	21.71	20.96	24.36	24.96	< 30.00
		1	36	21.38	20.94	24.18	24.78	< 30.00
		38	0	21.38	21.08	24.24	24.84	< 30.00
		1	0	21.67	21.01	24.36	24.96	< 30.00
		1	37	21.44	21.07	24.27	24.87	< 30.00
3542.49	15	19	9	20.92	21.27	24.11	24.71	< 30.00
		1	1	20.95	21.33	24.15	24.75	< 30.00
		1	36	20.94	21.19	24.08	24.68	< 30.00
		38	0	20.74	21.23	24.00	24.60	< 30.00
		1	0	21.03	21.21	24.13	24.73	< 30.00
		1	37	21.18	21.40	24.30	24.90	< 30.00
3460.02	20	25	12	21.50	21.00	24.27	24.87	< 30.00
		1	1	21.76	20.76	24.30	24.90	< 30.00
		1	49	21.34	21.10	24.23	24.83	< 30.00
		51	0	21.36	21.06	24.22	24.82	< 30.00
		1	0	21.71	21.15	24.45	25.05	< 30.00
		1	50	21.48	20.81	24.17	24.77	< 30.00
3500.01	20	25	12	21.49	21.05	24.29	24.89	< 30.00
		1	1	21.59	20.88	24.26	24.86	< 30.00
		1	49	21.40	21.05	24.24	24.84	< 30.00
		51	0	21.35	21.05	24.21	24.81	< 30.00
		1	0	21.65	20.82	24.27	24.87	< 30.00
		1	50	21.33	21.02	24.19	24.79	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3540.00	20	25	12	20.92	21.25	24.10	24.70	< 30.00
		1	1	21.04	21.03	24.05	24.65	< 30.00
		1	49	20.97	21.33	24.16	24.76	< 30.00
		51	0	20.76	21.23	24.01	24.61	< 30.00
		1	0	21.11	21.18	24.16	24.76	< 30.00
		1	50	20.95	21.56	24.28	24.88	< 30.00
3465.00	30	36	79	21.54	21.00	24.29	24.89	< 30.00
		1	1	21.93	21.12	24.55	25.15	< 30.00
		1	76	21.79	21.45	24.63	25.23	< 30.00
		78	0	21.45	20.99	24.24	24.84	< 30.00
		1	0	22.00	21.25	24.65	25.25	< 30.00
		1	77	21.86	21.27	24.59	25.19	< 30.00
3500.01	30	36	79	21.54	21.08	24.33	24.93	< 30.00
		1	1	22.10	21.39	24.77	25.37	< 30.00
		1	76	21.73	21.36	24.56	25.16	< 30.00
		78	0	21.52	21.13	24.34	24.94	< 30.00
		1	0	21.83	21.17	24.52	25.12	< 30.00
		1	77	21.72	21.30	24.53	25.13	< 30.00
3534.99	30	36	79	21.04	21.22	24.14	24.74	< 30.00
		1	1	21.50	21.63	24.58	25.18	< 30.00
		1	76	21.37	21.49	24.44	25.04	< 30.00
		78	0	20.98	21.32	24.16	24.76	< 30.00
		1	0	21.60	21.58	24.60	25.20	< 30.00
		1	77	21.21	21.46	24.35	24.95	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3470.01	40	53	26	21.57	21.07	24.34	24.94	< 30.00
		1	1	22.06	21.11	24.62	25.22	< 30.00
		1	104	21.71	21.04	24.40	25.00	< 30.00
		106	0	21.51	21.08	24.31	24.91	< 30.00
		1	0	21.74	21.09	24.44	25.04	< 30.00
		1	105	21.67	21.05	24.38	24.98	< 30.00
3500.01	40	53	26	21.56	21.10	24.35	24.95	< 30.00
		1	1	21.83	21.16	24.52	25.12	< 30.00
		1	104	21.34	21.53	24.45	25.05	< 30.00
		106	0	21.55	21.13	24.36	24.96	< 30.00
		1	0	21.79	21.04	24.44	25.04	< 30.00
		1	105	21.43	21.40	24.43	25.03	< 30.00
3529.98	40	53	26	21.17	21.23	24.21	24.81	< 30.00
		1	1	21.62	21.19	24.42	25.02	< 30.00
		1	104	20.99	21.31	24.16	24.76	< 30.00
		106	0	21.10	21.35	24.24	24.84	< 30.00
		1	0	21.70	21.07	24.41	25.01	< 30.00
		1	105	21.34	21.22	24.29	24.89	< 30.00
3475.02	50	67	33	21.35	20.96	24.17	24.77	< 30.00
		1	1	22.06	21.06	24.60	25.20	< 30.00
		1	131	21.60	21.02	24.33	24.93	< 30.00
		133	0	21.37	20.90	24.15	24.75	< 30.00
		1	0	21.98	20.93	24.50	25.10	< 30.00
		1	132	21.54	20.73	24.16	24.76	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3500.01	50	67	33	21.24	20.86	24.06	24.66	< 30.00
		1	1	21.52	21.06	24.31	24.91	< 30.00
		1	131	20.91	21.11	24.02	24.62	< 30.00
		133	0	21.35	20.92	24.15	24.75	< 30.00
		1	0	21.40	21.08	24.25	24.85	< 30.00
		1	132	21.03	21.12	24.09	24.69	< 30.00
3525.00	50	67	33	20.90	21.01	23.97	24.57	< 30.00
		1	1	21.58	20.84	24.24	24.84	< 30.00
		1	131	20.61	21.12	23.88	24.48	< 30.00
		133	0	20.88	21.03	23.97	24.57	< 30.00
		1	0	21.41	21.07	24.25	24.85	< 30.00
		1	132	20.58	21.01	23.81	24.41	< 30.00
3480.00	60	81	40	21.37	20.89	24.15	24.75	< 30.00
		1	1	21.51	21.28	24.41	25.01	< 30.00
		1	131	21.12	20.91	24.03	24.63	< 30.00
		128	0	21.40	20.94	24.19	24.79	< 30.00
		1	0	21.32	20.69	24.03	24.63	< 30.00
		1	132	21.26	21.03	24.16	24.76	< 30.00
3500.01	60	81	40	21.23	20.86	24.06	24.66	< 30.00
		1	1	21.76	20.84	24.33	24.93	< 30.00
		1	131	21.21	21.09	24.16	24.76	< 30.00
		128	0	21.34	20.88	24.13	24.73	< 30.00
		1	0	21.63	21.01	24.34	24.94	< 30.00
		1	132	21.09	21.05	24.08	24.68	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3519.99	60	81	40	21.06	20.99	24.04	24.64	< 30.00
		1	1	21.80	21.23	24.53	25.13	< 30.00
		1	131	21.02	20.95	24.00	24.60	< 30.00
		128	0	21.08	21.02	24.06	24.66	< 30.00
		1	0	21.74	20.89	24.35	24.95	< 30.00
		1	132	21.32	21.27	24.31	24.91	< 30.00
3485.01	70	95	47	20.54	19.78	23.19	23.79	< 30.00
		1	1	20.12	19.96	23.05	23.65	< 30.00
		1	187	20.04	19.93	23.00	23.60	< 30.00
		189	0	20.38	19.81	23.11	23.71	< 30.00
		1	0	19.84	19.46	22.66	23.26	< 30.00
		1	188	19.70	19.43	22.58	23.18	< 30.00
3500.01	70	95	47	20.27	19.70	23.00	23.60	< 30.00
		1	1	20.50	19.83	23.19	23.79	< 30.00
		1	187	20.34	20.03	23.20	23.80	< 30.00
		189	0	20.27	19.73	23.02	23.62	< 30.00
		1	0	20.25	19.35	22.83	23.43	< 30.00
		1	188	20.09	19.50	22.82	23.42	< 30.00
3514.98	70	95	47	20.10	19.65	22.89	23.49	< 30.00
		1	1	20.15	19.52	22.86	23.46	< 30.00
		1	187	19.86	19.70	22.79	23.39	< 30.00
		189	0	20.17	19.64	22.92	23.52	< 30.00
		1	0	20.05	19.12	22.62	23.22	< 30.00
		1	188	19.52	19.22	22.38	22.98	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3490.02	80	109	54	21.23	20.77	24.02	24.62	< 30.00
		1	1	21.34	20.71	24.05	24.65	< 30.00
		1	215	20.85	21.06	23.97	24.57	< 30.00
		217	0	21.19	20.75	23.99	24.59	< 30.00
		1	0	21.31	20.78	24.06	24.66	< 30.00
		1	216	20.87	20.94	23.92	24.52	< 30.00
3500.01	80	109	54	21.14	20.83	24.00	24.60	< 30.00
		1	1	21.28	20.77	24.04	24.64	< 30.00
		1	215	20.78	20.97	23.89	24.49	< 30.00
		217	0	21.18	20.90	24.05	24.65	< 30.00
		1	0	21.38	21.09	24.25	24.85	< 30.00
		1	216	20.59	21.23	23.93	24.53	< 30.00
3510.00	80	109	54	21.03	20.84	23.95	24.55	< 30.00
		1	1	21.30	20.70	24.02	24.62	< 30.00
		1	215	20.66	20.79	23.74	24.34	< 30.00
		217	0	21.14	20.91	24.04	24.64	< 30.00
		1	0	21.27	20.53	23.93	24.53	< 30.00
		1	216	20.66	21.41	24.06	24.66	< 30.00
3495.00	90	123	61	21.17	20.86	24.03	24.63	< 30.00
		1	1	21.58	20.72	24.18	24.78	< 30.00
		1	243	20.73	20.89	23.82	24.42	< 30.00
		245	0	21.25	20.74	24.01	24.61	< 30.00
		1	0	21.33	20.71	24.04	24.64	< 30.00
		1	244	20.95	21.40	24.19	24.79	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3500.01	90	123	61	21.14	20.81	23.99	24.59	< 30.00
		1	1	21.26	20.86	24.07	24.67	< 30.00
		1	243	20.72	20.99	23.87	24.47	< 30.00
		245	0	21.28	20.89	24.10	24.70	< 30.00
		1	0	21.22	20.67	23.96	24.56	< 30.00
		1	244	20.74	20.87	23.82	24.42	< 30.00
3504.99	90	123	61	21.06	20.84	23.96	24.56	< 30.00
		1	1	21.10	20.82	23.97	24.57	< 30.00
		1	243	20.75	20.76	23.77	24.37	< 30.00
		245	0	21.18	20.91	24.06	24.66	< 30.00
		1	0	21.26	20.60	23.95	24.55	< 30.00
		1	244	20.74	20.75	23.76	24.36	< 30.00
3500.01	100	137	68	21.07	20.88	23.99	24.59	< 30.00
		1	1	21.43	20.67	24.08	24.68	< 30.00
		1	271	20.67	20.95	23.82	24.42	< 30.00
		273	0	21.25	20.81	24.05	24.65	< 30.00
		1	0	21.31	20.88	24.11	24.71	< 30.00
		1	272	20.80	21.01	23.92	24.52	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3455.00	10	12	6	18.31	17.81	21.08	21.68	< 30.00
		1	1	18.54	17.81	21.20	21.80	< 30.00
		1	22	18.02	17.79	20.92	21.52	< 30.00
		24	0	18.26	17.65	20.98	21.58	< 30.00
		1	0	18.30	17.65	21.00	21.60	< 30.00
		1	23	18.27	17.75	21.03	21.63	< 30.00
3500.01	10	12	6	18.38	17.93	21.17	21.77	< 30.00
		1	1	18.38	17.91	21.16	21.76	< 30.00
		1	22	18.32	17.76	21.06	21.66	< 30.00
		24	0	18.41	17.79	21.12	21.72	< 30.00
		1	0	18.41	17.90	21.17	21.77	< 30.00
		1	23	18.31	17.87	21.11	21.71	< 30.00
3544.98	10	12	6	17.77	18.08	20.94	21.54	< 30.00
		1	1	17.53	18.11	20.84	21.44	< 30.00
		1	22	17.77	18.12	20.96	21.56	< 30.00
		24	0	17.79	18.02	20.92	21.52	< 30.00
		1	0	17.81	18.06	20.95	21.55	< 30.00
		1	23	17.79	18.05	20.93	21.53	< 30.00
3457.50	15	19	9	18.45	17.99	21.24	21.84	< 30.00
		1	1	18.45	18.01	21.25	21.85	< 30.00
		1	36	18.22	17.84	21.04	21.64	< 30.00
		38	0	18.50	17.96	21.25	21.85	< 30.00
		1	0	18.42	18.04	21.24	21.84	< 30.00
		1	37	18.33	17.89	21.13	21.73	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3500.01	15	19	9	18.45	17.97	21.23	21.83	< 30.00
		1	1	18.21	18.07	21.15	21.75	< 30.00
		1	36	18.01	17.93	20.98	21.58	< 30.00
		38	0	18.51	18.10	21.32	21.92	< 30.00
		1	0	18.30	18.08	21.20	21.80	< 30.00
		1	37	18.29	17.90	21.11	21.71	< 30.00
3542.49	15	19	9	17.82	18.25	21.05	21.65	< 30.00
		1	1	17.84	18.41	21.14	21.74	< 30.00
		1	36	17.65	18.16	20.92	21.52	< 30.00
		38	0	17.77	18.23	21.02	21.62	< 30.00
		1	0	17.66	18.23	20.96	21.56	< 30.00
		1	37	17.68	18.21	20.96	21.56	< 30.00
3460.02	20	25	12	18.44	17.99	21.23	21.83	< 30.00
		1	1	18.54	17.81	21.20	21.80	< 30.00
		1	49	18.27	18.05	21.17	21.77	< 30.00
		51	0	18.38	17.91	21.16	21.76	< 30.00
		1	0	18.29	18.10	21.21	21.81	< 30.00
		1	50	18.14	17.98	21.07	21.67	< 30.00
3500.01	20	25	12	18.54	18.00	21.29	21.89	< 30.00
		1	1	18.67	17.93	21.33	21.93	< 30.00
		1	49	18.20	18.05	21.14	21.74	< 30.00
		51	0	18.39	17.98	21.20	21.80	< 30.00
		1	0	18.42	17.94	21.20	21.80	< 30.00
		1	50	18.48	18.06	21.29	21.89	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3540.00	20	25	12	17.91	18.27	21.10	21.70	< 30.00
		1	1	18.12	18.23	21.19	21.79	< 30.00
		1	49	17.55	18.23	20.91	21.51	< 30.00
		51	0	17.88	18.34	21.13	21.73	< 30.00
		1	0	17.73	18.15	20.96	21.56	< 30.00
		1	50	17.87	18.24	21.07	21.67	< 30.00
3465.00	30	36	79	18.50	17.93	21.23	21.83	< 30.00
		1	1	18.31	17.98	21.16	21.76	< 30.00
		1	76	18.36	18.01	21.20	21.80	< 30.00
		78	0	18.46	17.91	21.20	21.80	< 30.00
		1	0	18.39	17.98	21.20	21.80	< 30.00
		1	77	18.46	18.01	21.25	21.85	< 30.00
3500.01	30	36	79	18.51	18.12	21.33	21.93	< 30.00
		1	1	18.39	18.24	21.33	21.93	< 30.00
		1	76	18.09	18.24	21.18	21.78	< 30.00
		78	0	18.60	17.98	21.31	21.91	< 30.00
		1	0	18.22	18.05	21.15	21.75	< 30.00
		1	77	17.92	18.09	21.02	21.62	< 30.00
3534.99	30	36	79	18.10	18.27	21.20	21.80	< 30.00
		1	1	18.16	18.17	21.18	21.78	< 30.00
		1	76	17.99	18.28	21.15	21.75	< 30.00
		78	0	18.04	18.22	21.14	21.74	< 30.00
		1	0	18.43	18.30	21.38	21.98	< 30.00
		1	77	17.55	18.19	20.89	21.49	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3470.01	40	53	26	18.55	18.09	21.34	21.94	< 30.00
		1	1	18.75	17.97	21.39	21.99	< 30.00
		1	104	18.42	18.10	21.27	21.87	< 30.00
		106	0	18.56	17.91	21.26	21.86	< 30.00
		1	0	18.27	17.98	21.14	21.74	< 30.00
		1	105	18.51	18.14	21.34	21.94	< 30.00
3500.01	40	53	26	18.53	18.25	21.40	22.00	< 30.00
		1	1	18.36	18.13	21.26	21.86	< 30.00
		1	104	18.37	18.48	21.44	22.04	< 30.00
		106	0	18.59	18.10	21.36	21.96	< 30.00
		1	0	18.33	18.07	21.21	21.81	< 30.00
		1	105	18.29	18.20	21.26	21.86	< 30.00
3529.98	40	53	26	18.10	18.27	21.20	21.80	< 30.00
		1	1	18.61	18.30	21.47	22.07	< 30.00
		1	104	18.00	18.50	21.27	21.87	< 30.00
		106	0	18.10	18.29	21.21	21.81	< 30.00
		1	0	18.09	17.96	21.04	21.64	< 30.00
		1	105	17.68	18.50	21.12	21.72	< 30.00
3475.02	50	67	33	18.39	17.85	21.14	21.74	< 30.00
		1	1	18.27	17.99	21.14	21.74	< 30.00
		1	131	18.34	17.63	21.01	21.61	< 30.00
		133	0	18.30	17.86	21.10	21.70	< 30.00
		1	0	18.07	17.92	21.01	21.61	< 30.00
		1	132	18.12	17.79	20.97	21.57	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3500.01	50	67	33	18.22	17.87	21.06	21.66	< 30.00
		1	1	18.46	17.87	21.19	21.79	< 30.00
		1	131	18.00	17.85	20.94	21.54	< 30.00
		133	0	18.23	17.91	21.08	21.68	< 30.00
		1	0	17.96	17.96	20.97	21.57	< 30.00
		1	132	17.45	17.97	20.73	21.33	< 30.00
3525.00	50	67	33	17.90	18.00	20.96	21.56	< 30.00
		1	1	18.28	18.00	21.15	21.75	< 30.00
		1	131	17.46	17.99	20.74	21.34	< 30.00
		133	0	17.92	18.08	21.01	21.61	< 30.00
		1	0	18.30	17.84	21.09	21.69	< 30.00
		1	132	17.31	17.84	20.59	21.19	< 30.00
3480.00	60	81	40	18.43	17.91	21.19	21.79	< 30.00
		1	1	18.55	17.85	21.22	21.82	< 30.00
		1	131	18.16	17.76	20.97	21.57	< 30.00
		128	0	18.42	17.92	21.19	21.79	< 30.00
		1	0	17.90	17.77	20.85	21.45	< 30.00
		1	132	17.80	17.64	20.73	21.33	< 30.00
3500.01	60	81	40	18.25	17.99	21.13	21.73	< 30.00
		1	1	18.37	17.95	21.18	21.78	< 30.00
		1	131	17.39	18.07	20.75	21.35	< 30.00
		128	0	18.31	17.94	21.14	21.74	< 30.00
		1	0	17.94	17.75	20.86	21.46	< 30.00
		1	132	17.74	17.98	20.87	21.47	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3519.99	60	81	40	18.17	18.07	21.13	21.73	< 30.00
		1	1	18.20	17.84	21.03	21.63	< 30.00
		1	131	17.75	17.85	20.81	21.41	< 30.00
		128	0	18.09	18.01	21.06	21.66	< 30.00
		1	0	18.19	17.89	21.05	21.65	< 30.00
		1	132	18.23	18.06	21.16	21.76	< 30.00
3485.01	70	95	47	19.04	18.36	21.72	22.32	< 30.00
		1	1	18.55	18.77	21.67	22.27	< 30.00
		1	187	18.43	18.86	21.66	22.26	< 30.00
		189	0	18.95	18.37	21.68	22.28	< 30.00
		1	0	18.42	18.80	21.62	22.22	< 30.00
		1	188	18.56	18.73	21.66	22.26	< 30.00
3500.01	70	95	47	20.28	19.70	23.01	23.61	< 30.00
		1	1	20.10	19.85	22.99	23.59	< 30.00
		1	187	19.86	20.02	22.95	23.55	< 30.00
		189	0	20.18	19.70	22.96	23.56	< 30.00
		1	0	19.68	19.33	22.52	23.12	< 30.00
		1	188	19.52	19.45	22.50	23.10	< 30.00
3514.98	70	95	47	18.65	18.13	21.41	22.01	< 30.00
		1	1	18.95	17.59	21.33	21.93	< 30.00
		1	187	18.66	17.96	21.33	21.93	< 30.00
		189	0	18.67	18.16	21.43	22.03	< 30.00
		1	0	19.11	17.66	21.46	22.06	< 30.00
		1	188	18.57	17.94	21.28	21.88	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3490.02	80	109	54	18.12	17.83	20.99	21.59	< 30.00
		1	1	18.49	17.72	21.13	21.73	< 30.00
		1	215	17.93	17.93	20.94	21.54	< 30.00
		217	0	18.18	17.72	20.97	21.57	< 30.00
		1	0	18.13	17.67	20.92	21.52	< 30.00
		1	216	17.03	17.88	20.49	21.09	< 30.00
3500.01	80	109	54	17.89	17.96	20.94	21.54	< 30.00
		1	1	18.42	17.88	21.17	21.77	< 30.00
		1	215	17.83	17.94	20.90	21.50	< 30.00
		217	0	18.20	17.90	21.06	21.66	< 30.00
		1	0	17.85	17.56	20.72	21.32	< 30.00
		1	216	17.63	17.88	20.77	21.37	< 30.00
3510.00	80	109	54	17.98	17.87	20.94	21.54	< 30.00
		1	1	18.29	17.64	20.99	21.59	< 30.00
		1	215	17.45	17.96	20.72	21.32	< 30.00
		217	0	18.06	17.81	20.95	21.55	< 30.00
		1	0	17.84	17.53	20.70	21.30	< 30.00
		1	216	17.53	17.84	20.70	21.30	< 30.00
3495.00	90	123	61	18.13	17.75	20.95	21.55	< 30.00
		1	1	18.20	17.56	20.90	21.50	< 30.00
		1	243	17.56	17.84	20.71	21.31	< 30.00
		245	0	18.23	17.76	21.01	21.61	< 30.00
		1	0	17.80	17.65	20.74	21.34	< 30.00
		1	244	17.81	18.05	20.94	21.54	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3500.01	90	123	61	18.14	17.85	21.01	21.61	< 30.00
		1	1	17.92	17.78	20.86	21.46	< 30.00
		1	243	17.52	17.94	20.75	21.35	< 30.00
		245	0	18.20	17.79	21.01	21.61	< 30.00
		1	0	17.81	17.62	20.73	21.33	< 30.00
		1	244	17.58	17.96	20.78	21.38	< 30.00
3504.99	90	123	61	18.08	17.80	20.95	21.55	< 30.00
		1	1	18.14	17.73	20.95	21.55	< 30.00
		1	243	17.45	18.00	20.74	21.34	< 30.00
		245	0	18.10	17.71	20.92	21.52	< 30.00
		1	0	17.84	17.70	20.78	21.38	< 30.00
		1	244	17.53	18.01	20.79	21.39	< 30.00
3500.01	100	137	68	18.05	17.89	20.98	21.58	< 30.00
		1	1	18.13	17.57	20.87	21.47	< 30.00
		1	271	17.22	17.78	20.52	21.12	< 30.00
		273	0	18.23	17.84	21.05	21.65	< 30.00
		1	0	18.06	17.63	20.86	21.46	< 30.00
		1	272	17.79	17.79	20.80	21.40	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-18 ~ 2023-03-06	Test Band	HPUE n77/n78_UL MIMO (3450 ~ 3550MHz)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3455.00	10	12	6	26.27	25.43	28.88	29.48	< 30.00
		1	1	26.18	25.09	28.68	29.28	< 30.00
		1	22	26.34	25.19	28.81	29.41	< 30.00
		24	0	24.77	23.83	27.34	27.94	< 30.00
		1	0	20.44	19.49	23.00	23.60	< 30.00
		1	23	20.22	19.41	22.84	23.44	< 30.00
3500.01	10	12	6	26.35	25.49	28.95	29.55	< 30.00
		1	1	26.45	25.63	29.07	29.67	< 30.00
		1	22	26.41	25.56	29.02	29.62	< 30.00
		24	0	24.94	23.99	27.50	28.10	< 30.00
		1	0	20.57	19.44	23.05	23.65	< 30.00
		1	23	20.34	19.46	22.93	23.53	< 30.00
3544.98	10	12	6	26.11	24.74	28.49	29.09	< 30.00
		1	1	26.15	25.02	28.63	29.23	< 30.00
		1	22	26.22	24.87	28.61	29.21	< 30.00
		24	0	24.70	24.14	27.44	28.04	< 30.00
		1	0	20.30	19.50	22.93	23.53	< 30.00
		1	23	20.02	19.62	22.83	23.43	< 30.00
3457.50	15	19	9	26.47	25.51	29.03	29.63	< 30.00
		1	1	26.33	25.69	29.03	29.63	< 30.00
		1	36	26.50	25.79	29.17	29.77	< 30.00
		38	0	25.01	23.95	27.52	28.12	< 30.00
		1	0	20.53	19.50	23.06	23.66	< 30.00
		1	37	20.47	19.71	23.12	23.72	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3500.01	15	19	9	26.55	25.41	29.03	29.63	< 30.00
		1	1	26.38	25.67	29.05	29.65	< 30.00
		1	36	26.43	25.50	29.00	29.60	< 30.00
		38	0	24.94	24.01	27.51	28.11	< 30.00
		1	0	20.64	19.54	23.14	23.74	< 30.00
		1	37	20.33	19.83	23.10	23.70	< 30.00
3542.49	15	19	9	26.18	24.98	28.63	29.23	< 30.00
		1	1	26.19	25.00	28.65	29.25	< 30.00
		1	36	26.24	24.80	28.59	29.19	< 30.00
		38	0	24.77	24.14	27.48	28.08	< 30.00
		1	0	20.28	19.88	23.09	23.69	< 30.00
		1	37	20.18	19.62	22.92	23.52	< 30.00
3460.02	20	25	12	26.54	25.65	29.13	29.73	< 30.00
		1	1	26.62	25.52	29.12	29.72	< 30.00
		1	49	26.46	25.48	29.01	29.61	< 30.00
		51	0	25.05	24.09	27.61	28.21	< 30.00
		1	0	20.51	19.48	23.04	23.64	< 30.00
		1	50	20.56	19.78	23.20	23.80	< 30.00
3500.01	20	25	12	26.40	25.53	29.00	29.60	< 30.00
		1	1	26.33	25.60	28.99	29.59	< 30.00
		1	49	26.43	25.21	28.87	29.47	< 30.00
		51	0	24.98	24.13	27.59	28.19	< 30.00
		1	0	20.70	19.47	23.14	23.74	< 30.00
		1	50	20.64	19.80	23.25	23.85	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3540.00	20	25	12	26.23	24.86	28.61	29.21	< 30.00
		1	1	26.27	24.88	28.64	29.24	< 30.00
		1	49	26.17	24.67	28.49	29.09	< 30.00
		51	0	24.75	24.17	27.48	28.08	< 30.00
		1	0	20.13	19.80	22.98	23.58	< 30.00
		1	50	20.32	19.82	23.09	23.69	< 30.00
3465.00	30	36	79	26.38	25.59	29.01	29.61	< 30.00
		1	1	26.61	25.55	29.12	29.72	< 30.00
		1	76	26.36	25.38	28.91	29.51	< 30.00
		78	0	25.03	24.17	27.63	28.23	< 30.00
		1	0	20.57	19.64	23.14	23.74	< 30.00
		1	77	20.40	19.65	23.05	23.65	< 30.00
3500.01	30	36	79	26.50	25.65	29.11	29.71	< 30.00
		1	1	26.70	25.63	29.21	29.81	< 30.00
		1	76	26.53	25.62	29.11	29.71	< 30.00
		78	0	25.09	24.26	27.71	28.31	< 30.00
		1	0	20.59	19.89	23.26	23.86	< 30.00
		1	77	20.45	19.94	23.21	23.81	< 30.00
3534.99	30	36	79	26.26	25.23	28.79	29.39	< 30.00
		1	1	26.43	25.46	28.98	29.58	< 30.00
		1	76	26.22	25.08	28.70	29.30	< 30.00
		78	0	24.96	24.30	27.65	28.25	< 30.00
		1	0	20.48	20.08	23.29	23.89	< 30.00
		1	77	20.47	19.91	23.21	23.81	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3470.01	40	53	26	26.49	25.62	29.09	29.69	< 30.00
		1	1	26.64	25.70	29.21	29.81	< 30.00
		1	104	26.46	25.82	29.16	29.76	< 30.00
		106	0	25.02	24.22	27.65	28.25	< 30.00
		1	0	20.67	19.76	23.25	23.85	< 30.00
		1	105	20.40	19.98	23.21	23.81	< 30.00
3500.01	40	53	26	26.57	25.72	29.18	29.78	< 30.00
		1	1	26.68	25.82	29.28	29.88	< 30.00
		1	104	26.49	25.42	29.00	29.60	< 30.00
		106	0	25.15	24.23	27.72	28.32	< 30.00
		1	0	20.90	19.82	23.40	24.00	< 30.00
		1	105	20.70	19.89	23.32	23.92	< 30.00
3529.98	40	53	26	26.34	25.28	28.85	29.45	< 30.00
		1	1	26.55	25.83	29.22	29.82	< 30.00
		1	104	26.23	24.95	28.65	29.25	< 30.00
		106	0	24.99	24.35	27.69	28.29	< 30.00
		1	0	20.82	20.09	23.48	24.08	< 30.00
		1	105	20.62	19.93	23.30	23.90	< 30.00
3475.02	50	67	33	26.36	25.41	28.92	29.52	< 30.00
		1	1	26.48	25.65	29.10	29.70	< 30.00
		1	131	26.24	25.43	28.86	29.46	< 30.00
		133	0	24.94	23.96	27.49	28.09	< 30.00
		1	0	20.57	19.63	23.14	23.74	< 30.00
		1	132	20.26	19.62	22.96	23.56	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3500.01	50	67	33	26.37	25.50	28.97	29.57	< 30.00
		1	1	26.65	25.84	29.27	29.87	< 30.00
		1	131	25.97	25.18	28.60	29.20	< 30.00
		133	0	24.92	24.05	27.52	28.12	< 30.00
		1	0	20.71	19.86	23.32	23.92	< 30.00
		1	132	20.19	19.33	22.79	23.39	< 30.00
3525.00	50	67	33	26.22	25.46	28.87	29.47	< 30.00
		1	1	26.36	25.74	29.07	29.67	< 30.00
		1	131	25.89	25.05	28.50	29.10	< 30.00
		133	0	24.80	24.09	27.47	28.07	< 30.00
		1	0	20.79	19.74	23.31	23.91	< 30.00
		1	132	20.24	19.41	22.86	23.46	< 30.00
3480.00	60	81	40	26.45	25.56	29.04	29.64	< 30.00
		1	1	26.42	25.69	29.08	29.68	< 30.00
		1	131	26.16	25.20	28.72	29.32	< 30.00
		128	0	24.90	24.08	27.52	28.12	< 30.00
		1	0	20.71	19.71	23.25	23.85	< 30.00
		1	132	20.28	19.38	22.86	23.46	< 30.00
3500.01	60	81	40	26.40	25.53	29.00	29.60	< 30.00
		1	1	26.62	25.43	29.08	29.68	< 30.00
		1	131	26.16	25.20	28.72	29.32	< 30.00
		128	0	24.89	24.03	27.49	28.09	< 30.00
		1	0	20.64	19.54	23.14	23.74	< 30.00
		1	132	20.10	19.29	22.72	23.32	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3519.99	60	81	40	26.26	25.45	28.88	29.48	< 30.00
		1	1	26.65	25.65	29.19	29.79	< 30.00
		1	131	25.80	25.08	28.47	29.07	< 30.00
		128	0	24.81	24.04	27.45	28.05	< 30.00
		1	0	20.66	19.50	23.13	23.73	< 30.00
		1	132	20.06	19.57	22.83	23.43	< 30.00
3485.01	70	95	47	26.21	25.40	28.83	29.43	< 30.00
		1	1	26.44	25.26	28.90	29.50	< 30.00
		1	187	25.83	24.98	28.44	29.04	< 30.00
		189	0	24.81	23.94	27.41	28.01	< 30.00
		1	0	20.40	19.39	22.93	23.53	< 30.00
		1	188	20.18	19.30	22.77	23.37	< 30.00
3500.01	70	95	47	26.36	25.44	28.93	29.53	< 30.00
		1	1	26.29	25.58	28.96	29.56	< 30.00
		1	187	26.02	25.31	28.69	29.29	< 30.00
		189	0	24.92	23.94	27.47	28.07	< 30.00
		1	0	20.65	19.67	23.20	23.80	< 30.00
		1	188	20.08	19.54	22.83	23.43	< 30.00
3514.98	70	95	47	26.25	25.39	28.85	29.45	< 30.00
		1	1	26.38	25.66	29.05	29.65	< 30.00
		1	187	26.07	25.29	28.71	29.31	< 30.00
		189	0	24.78	23.94	27.39	27.99	< 30.00
		1	0	20.67	19.60	23.18	23.78	< 30.00
		1	188	20.01	19.49	22.77	23.37	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3490.02	80	109	54	26.32	25.52	28.95	29.55	< 30.00
		1	1	26.40	25.43	28.95	29.55	< 30.00
		1	215	25.83	25.14	28.51	29.11	< 30.00
		217	0	24.71	23.91	27.34	27.94	< 30.00
		1	0	20.75	19.33	23.11	23.71	< 30.00
		1	216	20.21	19.42	22.84	23.44	< 30.00
3500.01	80	109	54	26.33	25.35	28.88	29.48	< 30.00
		1	1	26.50	25.31	28.96	29.56	< 30.00
		1	215	25.84	25.19	28.54	29.14	< 30.00
		217	0	24.80	23.91	27.39	27.99	< 30.00
		1	0	20.86	19.71	23.33	23.93	< 30.00
		1	216	20.08	19.50	22.81	23.41	< 30.00
3510.00	80	109	54	26.25	25.50	28.90	29.50	< 30.00
		1	1	26.24	25.25	28.78	29.38	< 30.00
		1	215	25.70	25.21	28.47	29.07	< 30.00
		217	0	24.72	23.94	27.36	27.96	< 30.00
		1	0	20.61	19.76	23.22	23.82	< 30.00
		1	216	20.00	19.36	22.70	23.30	< 30.00
3495.00	90	123	61	26.20	25.39	28.82	29.42	< 30.00
		1	1	26.40	25.15	28.83	29.43	< 30.00
		1	243	25.83	25.27	28.57	29.17	< 30.00
		245	0	24.83	23.91	27.40	28.00	< 30.00
		1	0	20.56	19.78	23.20	23.80	< 30.00
		1	244	20.06	19.36	22.73	23.33	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3500.01	90	123	61	26.38	25.42	28.94	29.54	< 30.00
		1	1	26.58	25.17	28.94	29.54	< 30.00
		1	243	26.03	24.10	28.18	28.78	< 30.00
		245	0	24.66	23.88	27.30	27.90	< 30.00
		1	0	20.66	19.57	23.16	23.76	< 30.00
		1	244	20.09	19.52	22.82	23.42	< 30.00
3504.99	90	123	61	26.34	25.47	28.94	29.54	< 30.00
		1	1	26.31	25.61	28.98	29.58	< 30.00
		1	243	25.93	25.09	28.54	29.14	< 30.00
		245	0	24.82	23.98	27.43	28.03	< 30.00
		1	0	20.75	19.89	23.35	23.95	< 30.00
		1	244	19.91	19.51	22.72	23.32	< 30.00
3500.01	100	137	68	26.35	25.41	28.92	29.52	< 30.00
		1	1	26.54	25.46	29.04	29.64	< 30.00
		1	271	25.94	25.10	28.55	29.15	< 30.00
		273	0	24.82	23.91	27.40	28.00	< 30.00
		1	0	20.67	19.87	23.30	23.90	< 30.00
		1	272	20.06	19.55	22.82	23.42	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3455.00	10	12	6	24.52	24.35	27.45	28.05	< 30.00
		1	1	24.46	24.36	27.42	28.02	< 30.00
		1	22	24.49	24.40	27.46	28.06	< 30.00
		24	0	22.00	22.00	25.01	25.61	< 30.00
		1	0	19.49	19.49	22.50	23.10	< 30.00
		1	23	19.32	19.43	22.39	22.99	< 30.00
3500.01	10	12	6	24.60	24.57	27.60	28.20	< 30.00
		1	1	24.50	24.33	27.43	28.03	< 30.00
		1	22	24.59	24.54	27.58	28.18	< 30.00
		24	0	22.10	22.09	25.11	25.71	< 30.00
		1	0	19.53	19.61	22.58	23.18	< 30.00
		1	23	19.59	19.68	22.65	23.25	< 30.00
3544.98	10	12	6	24.53	23.90	27.24	27.84	< 30.00
		1	1	24.42	24.32	27.38	27.98	< 30.00
		1	22	24.54	24.23	27.40	28.00	< 30.00
		24	0	22.01	22.19	25.11	25.71	< 30.00
		1	0	19.40	19.71	22.57	23.17	< 30.00
		1	23	19.40	19.68	22.55	23.15	< 30.00
3457.50	15	19	9	24.59	24.06	27.34	27.94	< 30.00
		1	1	25.12	23.88	27.55	28.15	< 30.00
		1	36	24.74	24.16	27.47	28.07	< 30.00
		38	0	22.18	21.70	24.96	25.56	< 30.00
		1	0	19.90	19.21	22.58	23.18	< 30.00
		1	37	19.81	19.28	22.56	23.16	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3500.01	15	19	9	24.66	24.07	27.39	27.99	< 30.00
		1	1	24.78	23.87	27.36	27.96	< 30.00
		1	36	24.54	24.01	27.29	27.89	< 30.00
		38	0	22.14	21.61	24.89	25.49	< 30.00
		1	0	19.90	19.18	22.57	23.17	< 30.00
		1	37	19.77	19.22	22.51	23.11	< 30.00
3542.49	15	19	9	24.05	23.40	26.75	27.35	< 30.00
		1	1	24.31	23.76	27.05	27.65	< 30.00
		1	36	24.06	23.75	26.92	27.52	< 30.00
		38	0	21.48	21.95	24.73	25.33	< 30.00
		1	0	19.36	19.52	22.45	23.05	< 30.00
		1	37	19.30	19.50	22.41	23.01	< 30.00
3460.02	20	25	12	24.60	24.21	27.42	28.02	< 30.00
		1	1	24.85	24.17	27.53	28.13	< 30.00
		1	49	24.86	24.12	27.52	28.12	< 30.00
		51	0	22.13	21.65	24.91	25.51	< 30.00
		1	0	19.99	19.24	22.64	23.24	< 30.00
		1	50	19.80	19.23	22.53	23.13	< 30.00
3500.01	20	25	12	24.64	23.98	27.33	27.93	< 30.00
		1	1	24.86	24.04	27.48	28.08	< 30.00
		1	49	24.50	24.01	27.27	27.87	< 30.00
		51	0	22.07	21.65	24.88	25.48	< 30.00
		1	0	20.10	19.16	22.67	23.27	< 30.00
		1	50	19.75	19.22	22.50	23.10	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3540.00	20	25	12	24.05	23.63	26.86	27.46	< 30.00
		1	1	24.18	23.50	26.86	27.46	< 30.00
		1	49	24.19	23.44	26.84	27.44	< 30.00
		51	0	21.58	21.99	24.80	25.40	< 30.00
		1	0	19.58	19.53	22.57	23.17	< 30.00
		1	50	19.22	19.40	22.32	22.92	< 30.00
3465.00	30	36	79	24.78	24.15	27.49	28.09	< 30.00
		1	1	24.98	24.38	27.70	28.30	< 30.00
		1	76	24.65	24.39	27.53	28.13	< 30.00
		78	0	22.20	21.62	24.93	25.53	< 30.00
		1	0	20.02	19.10	22.59	23.19	< 30.00
		1	77	19.83	19.19	22.53	23.13	< 30.00
3500.01	30	36	79	24.74	24.20	27.49	28.09	< 30.00
		1	1	25.09	23.87	27.53	28.13	< 30.00
		1	76	24.74	24.46	27.61	28.21	< 30.00
		78	0	22.28	21.79	25.05	25.65	< 30.00
		1	0	20.21	19.50	22.88	23.48	< 30.00
		1	77	19.75	19.41	22.59	23.19	< 30.00
3534.99	30	36	79	24.21	24.15	27.19	27.79	< 30.00
		1	1	24.58	24.08	27.35	27.95	< 30.00
		1	76	24.28	24.10	27.20	27.80	< 30.00
		78	0	21.76	22.03	24.91	25.51	< 30.00
		1	0	19.66	19.51	22.60	23.20	< 30.00
		1	77	19.43	19.87	22.67	23.27	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3470.01	40	53	26	24.70	24.16	27.45	28.05	< 30.00
		1	1	24.70	24.29	27.51	28.11	< 30.00
		1	104	24.91	24.31	27.63	28.23	< 30.00
		106	0	22.30	21.71	25.03	25.63	< 30.00
		1	0	20.09	19.41	22.77	23.37	< 30.00
		1	105	20.17	19.21	22.73	23.33	< 30.00
3500.01	40	53	26	24.79	24.19	27.51	28.11	< 30.00
		1	1	24.84	24.00	27.45	28.05	< 30.00
		1	104	24.45	24.60	27.54	28.14	< 30.00
		106	0	22.26	21.79	25.04	25.64	< 30.00
		1	0	20.11	19.42	22.79	23.39	< 30.00
		1	105	19.81	19.54	22.69	23.29	< 30.00
3529.98	40	53	26	24.24	23.75	27.01	27.61	< 30.00
		1	1	24.79	24.43	27.62	28.22	< 30.00
		1	104	24.21	24.06	27.15	27.75	< 30.00
		106	0	21.79	21.99	24.90	25.50	< 30.00
		1	0	19.91	19.68	22.81	23.41	< 30.00
		1	105	19.18	19.68	22.45	23.05	< 30.00
3475.02	50	67	33	24.52	23.98	27.27	27.87	< 30.00
		1	1	24.87	24.07	27.50	28.10	< 30.00
		1	131	24.68	24.00	27.36	27.96	< 30.00
		133	0	22.07	21.48	24.80	25.40	< 30.00
		1	0	19.96	19.27	22.64	23.24	< 30.00
		1	132	19.63	18.99	22.33	22.93	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3500.01	50	67	33	24.47	23.96	27.23	27.83	< 30.00
		1	1	24.73	23.98	27.38	27.98	< 30.00
		1	131	24.20	24.21	27.22	27.82	< 30.00
		133	0	21.93	21.45	24.71	25.31	< 30.00
		1	0	19.57	19.08	22.34	22.94	< 30.00
		1	132	19.51	19.17	22.35	22.95	< 30.00
3525.00	50	67	33	24.08	23.90	27.00	27.60	< 30.00
		1	1	24.48	24.02	27.27	27.87	< 30.00
		1	131	23.96	23.88	26.93	27.53	< 30.00
		133	0	21.66	21.69	24.69	25.29	< 30.00
		1	0	19.81	19.18	22.52	23.12	< 30.00
		1	132	18.80	19.59	22.22	22.82	< 30.00
3480.00	60	81	40	24.54	24.04	27.31	27.91	< 30.00
		1	1	24.74	24.31	27.54	28.14	< 30.00
		1	131	24.46	23.90	27.20	27.80	< 30.00
		128	0	22.02	21.56	24.81	25.41	< 30.00
		1	0	19.76	19.22	22.51	23.11	< 30.00
		1	132	19.47	18.96	22.23	22.83	< 30.00
3500.01	60	81	40	24.47	24.05	27.28	27.88	< 30.00
		1	1	24.58	23.91	27.27	27.87	< 30.00
		1	131	23.93	24.24	27.10	27.70	< 30.00
		128	0	21.97	21.52	24.76	25.36	< 30.00
		1	0	19.64	19.01	22.35	22.95	< 30.00
		1	132	19.16	19.14	22.16	22.76	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3519.99	60	81	40	24.27	23.88	27.09	27.69	< 30.00
		1	1	24.62	23.86	27.27	27.87	< 30.00
		1	131	23.69	23.79	26.75	27.35	< 30.00
		128	0	21.76	21.67	24.73	25.33	< 30.00
		1	0	19.66	19.08	22.39	22.99	< 30.00
		1	132	18.89	19.35	22.14	22.74	< 30.00
3485.01	70	95	47	24.41	24.41	27.42	28.02	< 30.00
		1	1	24.39	24.41	27.41	28.01	< 30.00
		1	187	24.37	24.33	27.36	27.96	< 30.00
		189	0	21.96	21.91	24.95	25.55	< 30.00
		1	0	19.71	19.64	22.69	23.29	< 30.00
		1	188	19.22	19.33	22.29	22.89	< 30.00
3500.01	70	95	47	24.51	24.50	27.52	28.12	< 30.00
		1	1	24.63	24.28	27.47	28.07	< 30.00
		1	187	24.31	24.27	27.30	27.90	< 30.00
		189	0	21.96	22.04	25.01	25.61	< 30.00
		1	0	19.70	19.53	22.63	23.23	< 30.00
		1	188	19.22	19.42	22.33	22.93	< 30.00
3514.98	70	95	47	24.51	24.49	27.51	28.11	< 30.00
		1	1	24.47	24.37	27.43	28.03	< 30.00
		1	187	24.57	24.31	27.45	28.05	< 30.00
		189	0	22.07	22.08	25.09	25.69	< 30.00
		1	0	19.85	19.77	22.82	23.42	< 30.00
		1	188	19.45	19.55	22.51	23.11	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3490.02	80	109	54	24.46	23.92	27.21	27.81	< 30.00
		1	1	24.37	23.68	27.05	27.65	< 30.00
		1	215	24.06	24.01	27.05	27.65	< 30.00
		217	0	21.87	21.45	24.68	25.28	< 30.00
		1	0	19.62	19.35	22.50	23.10	< 30.00
		1	216	18.96	19.18	22.08	22.68	< 30.00
3500.01	80	109	54	24.39	23.93	27.18	27.78	< 30.00
		1	1	24.50	24.06	27.30	27.90	< 30.00
		1	215	24.08	24.19	27.15	27.75	< 30.00
		217	0	21.81	21.46	24.65	25.25	< 30.00
		1	0	19.89	19.05	22.50	23.10	< 30.00
		1	216	18.88	19.12	22.01	22.61	< 30.00
3510.00	80	109	54	24.28	23.95	27.13	27.73	< 30.00
		1	1	24.57	23.63	27.14	27.74	< 30.00
		1	215	23.93	24.18	27.07	27.67	< 30.00
		217	0	21.67	21.55	24.62	25.22	< 30.00
		1	0	19.93	19.01	22.50	23.10	< 30.00
		1	216	19.00	19.23	22.13	22.73	< 30.00
3495.00	90	123	61	24.41	23.86	27.15	27.75	< 30.00
		1	1	24.47	23.87	27.19	27.79	< 30.00
		1	243	23.92	24.26	27.10	27.70	< 30.00
		245	0	21.87	21.58	24.74	25.34	< 30.00
		1	0	19.66	18.99	22.35	22.95	< 30.00
		1	244	19.24	19.31	22.29	22.89	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3500.01	90	123	61	24.44	23.91	27.19	27.79	< 30.00
		1	1	24.65	23.82	27.27	27.87	< 30.00
		1	243	24.09	24.12	27.12	27.72	< 30.00
		245	0	21.81	21.56	24.70	25.30	< 30.00
		1	0	19.61	19.04	22.34	22.94	< 30.00
		1	244	18.94	19.25	22.11	22.71	< 30.00
3504.99	90	123	61	24.36	23.94	27.17	27.77	< 30.00
		1	1	24.50	23.82	27.18	27.78	< 30.00
		1	243	24.10	24.32	27.22	27.82	< 30.00
		245	0	21.70	21.50	24.61	25.21	< 30.00
		1	0	19.53	19.06	22.31	22.91	< 30.00
		1	244	18.85	19.20	22.04	22.64	< 30.00
3500.01	100	137	68	24.45	24.33	27.40	28.00	< 30.00
		1	1	24.70	24.47	27.60	28.20	< 30.00
		1	271	24.41	24.39	27.41	28.01	< 30.00
		273	0	21.99	21.91	24.96	25.56	< 30.00
		1	0	19.44	19.50	22.48	23.08	< 30.00
		1	272	19.58	19.35	22.48	23.08	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3455.00	10	12	6	24.06	23.89	26.99	27.59	< 30.00
		1	1	23.87	23.92	26.91	27.51	< 30.00
		1	22	23.78	23.87	26.84	27.44	< 30.00
		24	0	21.92	21.99	24.97	25.57	< 30.00
		1	0	19.49	19.46	22.49	23.09	< 30.00
		1	23	19.33	19.52	22.44	23.04	< 30.00
3500.01	10	12	6	24.13	24.15	27.15	27.75	< 30.00
		1	1	24.13	24.62	27.39	27.99	< 30.00
		1	22	24.15	24.96	27.58	28.18	< 30.00
		24	0	22.04	22.03	25.05	25.65	< 30.00
		1	0	19.33	19.42	22.39	22.99	< 30.00
		1	23	19.27	19.33	22.31	22.91	< 30.00
3544.98	10	12	6	24.05	23.59	26.84	27.44	< 30.00
		1	1	23.81	23.83	26.83	27.43	< 30.00
		1	22	23.90	23.86	26.89	27.49	< 30.00
		24	0	21.95	22.13	25.05	25.65	< 30.00
		1	0	19.15	19.62	22.40	23.00	< 30.00
		1	23	19.59	19.55	22.58	23.18	< 30.00
3457.50	15	19	9	24.17	23.60	26.90	27.50	< 30.00
		1	1	24.21	23.59	26.92	27.52	< 30.00
		1	36	24.31	23.54	26.95	27.55	< 30.00
		38	0	22.20	21.79	25.01	25.61	< 30.00
		1	0	19.88	19.29	22.61	23.21	< 30.00
		1	37	19.81	19.26	22.55	23.15	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3500.01	15	19	9	24.11	23.63	26.89	27.49	< 30.00
		1	1	24.30	23.69	27.02	27.62	< 30.00
		1	36	24.03	23.45	26.76	27.36	< 30.00
		38	0	22.11	21.65	24.90	25.50	< 30.00
		1	0	19.84	19.23	22.56	23.16	< 30.00
		1	37	19.62	19.23	22.44	23.04	< 30.00
3542.49	15	19	9	23.50	22.95	26.24	26.84	< 30.00
		1	1	23.71	23.23	26.49	27.09	< 30.00
		1	36	23.54	23.02	26.30	26.90	< 30.00
		38	0	21.51	21.92	24.73	25.33	< 30.00
		1	0	19.14	19.46	22.31	22.91	< 30.00
		1	37	19.29	19.37	22.34	22.94	< 30.00
3460.02	20	25	12	24.13	23.68	26.92	27.52	< 30.00
		1	1	24.26	23.49	26.90	27.50	< 30.00
		1	49	24.15	23.46	26.83	27.43	< 30.00
		51	0	22.14	21.68	24.93	25.53	< 30.00
		1	0	19.81	19.12	22.49	23.09	< 30.00
		1	50	19.79	19.14	22.49	23.09	< 30.00
3500.01	20	25	12	24.15	23.67	26.93	27.53	< 30.00
		1	1	24.15	23.79	26.98	27.58	< 30.00
		1	49	23.87	23.38	26.64	27.24	< 30.00
		51	0	22.10	21.70	24.91	25.51	< 30.00
		1	0	19.79	19.37	22.60	23.20	< 30.00
		1	50	19.59	19.48	22.55	23.15	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3540.00	20	25	12	23.54	22.99	26.28	26.88	< 30.00
		1	1	23.62	23.02	26.34	26.94	< 30.00
		1	49	23.55	22.83	26.22	26.82	< 30.00
		51	0	21.60	21.97	24.80	25.40	< 30.00
		1	0	19.23	19.52	22.39	22.99	< 30.00
		1	50	19.07	19.37	22.23	22.83	< 30.00
3465.00	30	36	79	24.23	23.58	26.93	27.53	< 30.00
		1	1	24.23	23.62	26.95	27.55	< 30.00
		1	76	24.23	23.63	26.95	27.55	< 30.00
		78	0	22.20	21.62	24.93	25.53	< 30.00
		1	0	19.87	19.37	22.64	23.24	< 30.00
		1	77	19.83	19.16	22.52	23.12	< 30.00
3500.01	30	36	79	24.25	23.77	27.03	27.63	< 30.00
		1	1	24.24	23.68	26.98	27.58	< 30.00
		1	76	24.18	23.72	26.97	27.57	< 30.00
		78	0	22.24	21.82	25.05	25.65	< 30.00
		1	0	19.92	19.49	22.72	23.32	< 30.00
		1	77	19.71	19.19	22.47	23.07	< 30.00
3534.99	30	36	79	23.78	23.36	26.59	27.19	< 30.00
		1	1	24.09	23.25	26.70	27.30	< 30.00
		1	76	23.74	23.16	26.47	27.07	< 30.00
		78	0	21.77	21.96	24.88	25.48	< 30.00
		1	0	19.43	19.56	22.51	23.11	< 30.00
		1	77	19.13	19.52	22.34	22.94	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3470.01	40	53	26	24.26	23.71	27.00	27.60	< 30.00
		1	1	24.32	23.91	27.13	27.73	< 30.00
		1	104	24.13	23.70	26.93	27.53	< 30.00
		106	0	22.32	21.74	25.05	25.65	< 30.00
		1	0	20.08	19.48	22.80	23.40	< 30.00
		1	105	19.80	19.47	22.65	23.25	< 30.00
3500.01	40	53	26	24.28	23.75	27.03	27.63	< 30.00
		1	1	24.27	23.69	27.00	27.60	< 30.00
		1	104	24.24	23.67	26.97	27.57	< 30.00
		106	0	22.24	21.83	25.05	25.65	< 30.00
		1	0	19.89	19.16	22.55	23.15	< 30.00
		1	105	19.80	19.42	22.62	23.22	< 30.00
3529.98	40	53	26	23.86	23.37	26.63	27.23	< 30.00
		1	1	23.97	23.68	26.84	27.44	< 30.00
		1	104	23.75	23.59	26.68	27.28	< 30.00
		106	0	21.87	21.95	24.92	25.52	< 30.00
		1	0	19.74	19.27	22.52	23.12	< 30.00
		1	105	19.27	19.40	22.35	22.95	< 30.00
3475.02	50	67	33	24.03	23.41	26.74	27.34	< 30.00
		1	1	24.28	23.51	26.92	27.52	< 30.00
		1	131	24.14	23.30	26.75	27.35	< 30.00
		133	0	22.08	21.63	24.87	25.47	< 30.00
		1	0	19.82	19.47	22.66	23.26	< 30.00
		1	132	19.63	18.79	22.24	22.84	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3500.01	50	67	33	23.98	23.40	26.71	27.31	< 30.00
		1	1	23.96	23.58	26.78	27.38	< 30.00
		1	131	23.70	23.75	26.74	27.34	< 30.00
		133	0	21.92	21.64	24.79	25.39	< 30.00
		1	0	19.57	19.03	22.32	22.92	< 30.00
		1	132	19.00	19.42	22.23	22.83	< 30.00
3525.00	50	67	33	23.68	23.43	26.57	27.17	< 30.00
		1	1	24.28	23.65	26.99	27.59	< 30.00
		1	131	23.40	23.42	26.42	27.02	< 30.00
		133	0	21.66	21.70	24.69	25.29	< 30.00
		1	0	19.57	19.41	22.50	23.10	< 30.00
		1	132	19.01	19.46	22.25	22.85	< 30.00
3480.00	60	81	40	24.10	23.53	26.83	27.43	< 30.00
		1	1	23.98	23.61	26.81	27.41	< 30.00
		1	131	24.09	23.73	26.92	27.52	< 30.00
		128	0	22.12	21.57	24.86	25.46	< 30.00
		1	0	19.84	19.02	22.46	23.06	< 30.00
		1	132	19.37	18.98	22.19	22.79	< 30.00
3500.01	60	81	40	24.06	23.54	26.82	27.42	< 30.00
		1	1	24.06	23.35	26.73	27.33	< 30.00
		1	131	23.89	23.39	26.66	27.26	< 30.00
		128	0	22.01	21.56	24.80	25.40	< 30.00
		1	0	19.48	18.97	22.24	22.84	< 30.00
		1	132	18.97	19.27	22.13	22.73	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3519.99	60	81	40	23.73	23.57	26.66	27.26	< 30.00
		1	1	24.07	23.51	26.81	27.41	< 30.00
		1	131	23.40	23.30	26.36	26.96	< 30.00
		128	0	21.69	21.72	24.72	25.32	< 30.00
		1	0	19.63	19.25	22.45	23.05	< 30.00
		1	132	18.92	19.06	22.00	22.60	< 30.00
3485.01	70	95	47	23.89	23.94	26.93	27.53	< 30.00
		1	1	23.70	23.72	26.72	27.32	< 30.00
		1	187	23.56	23.76	26.67	27.27	< 30.00
		189	0	21.95	21.90	24.94	25.54	< 30.00
		1	0	19.48	19.35	22.43	23.03	< 30.00
		1	188	18.74	19.32	22.05	22.65	< 30.00
3500.01	70	95	47	24.09	24.00	27.06	27.66	< 30.00
		1	1	24.18	24.10	27.15	27.75	< 30.00
		1	187	23.84	23.78	26.82	27.42	< 30.00
		189	0	21.98	21.97	24.99	25.59	< 30.00
		1	0	19.83	19.50	22.68	23.28	< 30.00
		1	188	19.04	19.37	22.22	22.82	< 30.00
3514.98	70	95	47	24.09	24.08	27.10	27.70	< 30.00
		1	1	23.95	24.10	27.04	27.64	< 30.00
		1	187	23.82	23.80	26.82	27.42	< 30.00
		189	0	22.06	22.06	25.07	25.67	< 30.00
		1	0	19.41	19.56	22.50	23.10	< 30.00
		1	188	18.90	19.35	22.14	22.74	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3490.02	80	109	54	24.01	23.43	26.74	27.34	< 30.00
		1	1	23.72	23.46	26.60	27.20	< 30.00
		1	215	23.73	23.64	26.70	27.30	< 30.00
		217	0	21.96	21.43	24.71	25.31	< 30.00
		1	0	19.67	18.98	22.35	22.95	< 30.00
		1	216	19.10	19.06	22.09	22.69	< 30.00
3500.01	80	109	54	23.91	23.44	26.69	27.29	< 30.00
		1	1	23.95	23.37	26.68	27.28	< 30.00
		1	215	23.30	23.61	26.47	27.07	< 30.00
		217	0	21.81	21.48	24.66	25.26	< 30.00
		1	0	19.71	18.94	22.35	22.95	< 30.00
		1	216	18.91	19.24	22.09	22.69	< 30.00
3510.00	80	109	54	23.85	23.51	26.69	27.29	< 30.00
		1	1	23.92	23.46	26.71	27.31	< 30.00
		1	215	23.30	23.63	26.48	27.08	< 30.00
		217	0	21.68	21.47	24.59	25.19	< 30.00
		1	0	19.49	19.02	22.27	22.87	< 30.00
		1	216	18.91	19.25	22.09	22.69	< 30.00
3495.00	90	123	61	23.96	23.50	26.75	27.35	< 30.00
		1	1	23.93	23.58	26.77	27.37	< 30.00
		1	243	23.40	23.52	26.47	27.07	< 30.00
		245	0	21.89	21.50	24.71	25.31	< 30.00
		1	0	19.65	18.91	22.31	22.91	< 30.00
		1	244	18.95	19.36	22.17	22.77	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3500.01	90	123	61	23.87	23.51	26.70	27.30	< 30.00
		1	1	23.78	23.39	26.60	27.20	< 30.00
		1	243	23.35	23.55	26.46	27.06	< 30.00
		245	0	21.77	21.52	24.66	25.26	< 30.00
		1	0	19.55	18.88	22.24	22.84	< 30.00
		1	244	18.74	19.47	22.13	22.73	< 30.00
3504.99	90	123	61	23.89	23.57	26.74	27.34	< 30.00
		1	1	24.44	23.43	26.97	27.57	< 30.00
		1	243	23.45	23.48	26.48	27.08	< 30.00
		245	0	21.76	21.54	24.66	25.26	< 30.00
		1	0	19.63	18.96	22.32	22.92	< 30.00
		1	244	19.14	19.35	22.26	22.86	< 30.00
3500.01	100	137	68	23.97	23.94	26.97	27.57	< 30.00
		1	1	23.85	24.10	26.99	27.59	< 30.00
		1	271	23.65	23.87	26.77	27.37	< 30.00
		273	0	21.93	21.95	24.95	25.55	< 30.00
		1	0	19.35	19.24	22.31	22.91	< 30.00
		1	272	19.10	19.22	22.17	22.77	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3455.00	10	12	6	22.12	22.08	25.11	25.71	< 30.00
		1	1	21.98	21.44	24.73	25.33	< 30.00
		1	22	21.96	21.58	24.78	25.38	< 30.00
		24	0	21.55	21.39	24.48	25.08	< 30.00
		1	0	19.44	19.15	22.31	22.91	< 30.00
		1	23	19.41	19.14	22.29	22.89	< 30.00
3500.01	10	12	6	22.16	22.22	25.20	25.80	< 30.00
		1	1	22.06	21.58	24.84	25.44	< 30.00
		1	22	22.05	21.65	24.86	25.46	< 30.00
		24	0	21.58	21.50	24.55	25.15	< 30.00
		1	0	19.55	19.19	22.38	22.98	< 30.00
		1	23	19.55	19.12	22.35	22.95	< 30.00
3544.98	10	12	6	22.06	22.13	25.11	25.71	< 30.00
		1	1	22.03	21.89	24.97	25.57	< 30.00
		1	22	22.08	21.85	24.98	25.58	< 30.00
		24	0	21.54	21.59	24.58	25.18	< 30.00
		1	0	19.54	19.37	22.47	23.07	< 30.00
		1	23	19.49	19.15	22.33	22.93	< 30.00
3457.50	15	19	9	22.19	21.77	25.00	25.60	< 30.00
		1	1	22.36	21.63	25.02	25.62	< 30.00
		1	36	22.31	21.56	24.96	25.56	< 30.00
		38	0	21.74	21.28	24.53	25.13	< 30.00
		1	0	20.01	19.20	22.63	23.23	< 30.00
		1	37	19.70	19.14	22.44	23.04	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3500.01	15	19	9	22.14	21.66	24.92	25.52	< 30.00
		1	1	22.32	21.63	25.00	25.60	< 30.00
		1	36	22.13	21.69	24.93	25.53	< 30.00
		38	0	21.72	21.20	24.48	25.08	< 30.00
		1	0	19.93	19.17	22.58	23.18	< 30.00
		1	37	19.67	19.04	22.38	22.98	< 30.00
3542.49	15	19	9	21.50	21.55	24.54	25.14	< 30.00
		1	1	21.68	21.95	24.83	25.43	< 30.00
		1	36	21.57	21.97	24.78	25.38	< 30.00
		38	0	21.06	21.36	24.22	24.82	< 30.00
		1	0	19.28	19.62	22.46	23.06	< 30.00
		1	37	19.20	19.48	22.35	22.95	< 30.00
3460.02	20	25	12	22.04	21.67	24.87	25.47	< 30.00
		1	1	22.16	21.62	24.91	25.51	< 30.00
		1	49	22.26	21.75	25.02	25.62	< 30.00
		51	0	21.67	21.16	24.43	25.03	< 30.00
		1	0	19.93	19.23	22.60	23.20	< 30.00
		1	50	19.93	19.15	22.57	23.17	< 30.00
3500.01	20	25	12	22.05	21.66	24.87	25.47	< 30.00
		1	1	22.50	21.61	25.09	25.69	< 30.00
		1	49	22.25	21.62	24.96	25.56	< 30.00
		51	0	21.78	21.11	24.47	25.07	< 30.00
		1	0	19.95	19.39	22.69	23.29	< 30.00
		1	50	19.75	19.09	22.44	23.04	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3540.00	20	25	12	21.49	21.60	24.56	25.16	< 30.00
		1	1	22.00	21.93	24.98	25.58	< 30.00
		1	49	21.62	21.88	24.76	25.36	< 30.00
		51	0	21.08	21.38	24.24	24.84	< 30.00
		1	0	19.51	19.54	22.54	23.14	< 30.00
		1	50	19.42	19.73	22.59	23.19	< 30.00
3465.00	30	36	79	22.16	21.64	24.92	25.52	< 30.00
		1	1	22.24	21.69	24.98	25.58	< 30.00
		1	76	22.20	21.72	24.98	25.58	< 30.00
		78	0	21.66	21.16	24.43	25.03	< 30.00
		1	0	20.08	19.29	22.71	23.31	< 30.00
		1	77	19.98	19.50	22.76	23.36	< 30.00
3500.01	30	36	79	22.23	21.78	25.02	25.62	< 30.00
		1	1	22.40	21.70	25.07	25.67	< 30.00
		1	76	22.38	22.01	25.21	25.81	< 30.00
		78	0	21.71	21.26	24.50	25.10	< 30.00
		1	0	20.07	19.32	22.72	23.32	< 30.00
		1	77	19.85	19.51	22.69	23.29	< 30.00
3534.99	30	36	79	21.78	21.88	24.84	25.44	< 30.00
		1	1	22.26	22.16	25.22	25.82	< 30.00
		1	76	21.84	22.12	24.99	25.59	< 30.00
		78	0	21.27	21.52	24.41	25.01	< 30.00
		1	0	19.98	19.68	22.84	23.44	< 30.00
		1	77	19.41	19.59	22.51	23.11	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3470.01	40	53	26	22.19	21.64	24.93	25.53	< 30.00
		1	1	22.22	21.76	25.01	25.61	< 30.00
		1	104	22.55	21.85	25.22	25.82	< 30.00
		106	0	21.79	21.19	24.51	25.11	< 30.00
		1	0	20.20	19.50	22.87	23.47	< 30.00
		1	105	19.95	19.34	22.67	23.27	< 30.00
3500.01	40	53	26	22.27	21.76	25.03	25.63	< 30.00
		1	1	22.54	21.85	25.22	25.82	< 30.00
		1	104	22.48	22.13	25.32	25.92	< 30.00
		106	0	21.76	21.31	24.55	25.15	< 30.00
		1	0	20.28	19.52	22.93	23.53	< 30.00
		1	105	19.87	19.75	22.82	23.42	< 30.00
3529.98	40	53	26	21.80	21.90	24.86	25.46	< 30.00
		1	1	22.45	21.84	25.17	25.77	< 30.00
		1	104	21.86	22.10	24.99	25.59	< 30.00
		106	0	21.36	21.54	24.46	25.06	< 30.00
		1	0	19.91	19.35	22.65	23.25	< 30.00
		1	105	19.33	19.70	22.53	23.13	< 30.00
3475.02	50	67	33	22.06	21.56	24.83	25.43	< 30.00
		1	1	22.41	21.44	24.96	25.56	< 30.00
		1	131	22.10	21.68	24.91	25.51	< 30.00
		133	0	21.55	21.10	24.34	24.94	< 30.00
		1	0	19.99	19.24	22.64	23.24	< 30.00
		1	132	19.57	19.24	22.42	23.02	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3500.01	50	67	33	22.01	21.58	24.81	25.41	< 30.00
		1	1	22.38	21.57	25.00	25.60	< 30.00
		1	131	21.88	22.04	24.97	25.57	< 30.00
		133	0	21.44	21.05	24.26	24.86	< 30.00
		1	0	19.89	19.02	22.49	23.09	< 30.00
		1	132	19.37	19.12	22.26	22.86	< 30.00
3525.00	50	67	33	21.67	21.83	24.76	25.36	< 30.00
		1	1	22.37	21.62	25.02	25.62	< 30.00
		1	131	21.52	21.65	24.60	25.20	< 30.00
		133	0	21.14	21.04	24.10	24.70	< 30.00
		1	0	19.95	19.13	22.57	23.17	< 30.00
		1	132	19.19	19.26	22.24	22.84	< 30.00
3480.00	60	81	40	22.06	21.55	24.82	25.42	< 30.00
		1	1	21.97	21.53	24.77	25.37	< 30.00
		1	131	22.26	21.47	24.89	25.49	< 30.00
		128	0	21.60	21.03	24.33	24.93	< 30.00
		1	0	20.11	19.38	22.77	23.37	< 30.00
		1	132	19.67	19.23	22.47	23.07	< 30.00
3500.01	60	81	40	22.06	21.49	24.79	25.39	< 30.00
		1	1	22.42	21.64	25.06	25.66	< 30.00
		1	131	21.66	21.91	24.80	25.40	< 30.00
		128	0	21.39	21.04	24.23	24.83	< 30.00
		1	0	19.66	19.22	22.46	23.06	< 30.00
		1	132	19.13	19.37	22.26	22.86	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3519.99	60	81	40	21.85	21.69	24.78	25.38	< 30.00
		1	1	22.34	21.71	25.05	25.65	< 30.00
		1	131	21.46	21.80	24.64	25.24	< 30.00
		128	0	21.22	21.20	24.22	24.82	< 30.00
		1	0	19.95	19.29	22.64	23.24	< 30.00
		1	132	19.23	19.30	22.28	22.88	< 30.00
3485.01	70	95	47	21.93	21.98	24.97	25.57	< 30.00
		1	1	21.88	21.72	24.81	25.41	< 30.00
		1	187	21.64	21.46	24.56	25.16	< 30.00
		189	0	21.36	21.46	24.42	25.02	< 30.00
		1	0	19.58	19.34	22.47	23.07	< 30.00
		1	188	19.28	19.11	22.21	22.81	< 30.00
3500.01	70	95	47	21.95	22.00	24.99	25.59	< 30.00
		1	1	22.05	21.96	25.02	25.62	< 30.00
		1	187	21.59	21.30	24.46	25.06	< 30.00
		189	0	21.51	21.50	24.52	25.12	< 30.00
		1	0	19.65	19.14	22.41	23.01	< 30.00
		1	188	19.36	19.06	22.22	22.82	< 30.00
3514.98	70	95	47	21.97	21.95	24.97	25.57	< 30.00
		1	1	22.00	21.62	24.82	25.42	< 30.00
		1	187	21.74	21.56	24.66	25.26	< 30.00
		189	0	21.54	21.67	24.62	25.22	< 30.00
		1	0	19.74	19.46	22.61	23.21	< 30.00
		1	188	19.23	19.11	22.18	22.78	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3490.02	80	109	54	21.99	21.38	24.71	25.31	< 30.00
		1	1	21.91	21.30	24.63	25.23	< 30.00
		1	215	21.48	21.58	24.54	25.14	< 30.00
		217	0	21.45	20.93	24.21	24.81	< 30.00
		1	0	19.72	18.87	22.33	22.93	< 30.00
		1	216	19.11	19.60	22.37	22.97	< 30.00
3500.01	80	109	54	21.95	21.47	24.73	25.33	< 30.00
		1	1	21.98	21.32	24.67	25.27	< 30.00
		1	215	21.40	22.02	24.73	25.33	< 30.00
		217	0	21.36	20.95	24.17	24.77	< 30.00
		1	0	19.76	18.95	22.38	22.98	< 30.00
		1	216	18.85	19.10	21.99	22.59	< 30.00
3510.00	80	109	54	21.82	21.58	24.71	25.31	< 30.00
		1	1	22.05	21.21	24.66	25.26	< 30.00
		1	215	21.18	21.50	24.35	24.95	< 30.00
		217	0	21.23	21.06	24.16	24.76	< 30.00
		1	0	19.61	18.82	22.24	22.84	< 30.00
		1	216	18.99	19.13	22.07	22.67	< 30.00
3495.00	90	123	61	21.98	21.51	24.76	25.36	< 30.00
		1	1	22.22	21.45	24.86	25.46	< 30.00
		1	243	21.10	21.88	24.52	25.12	< 30.00
		245	0	21.36	20.85	24.12	24.72	< 30.00
		1	0	19.49	18.88	22.21	22.81	< 30.00
		1	244	19.07	19.21	22.15	22.75	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3500.01	90	123	61	21.93	21.47	24.72	25.32	< 30.00
		1	1	21.82	21.25	24.55	25.15	< 30.00
		1	243	21.39	21.62	24.52	25.12	< 30.00
		245	0	21.36	20.96	24.17	24.77	< 30.00
		1	0	19.55	18.89	22.24	22.84	< 30.00
		1	244	19.05	18.99	22.03	22.63	< 30.00
3504.99	90	123	61	21.90	21.58	24.75	25.35	< 30.00
		1	1	22.05	21.39	24.74	25.34	< 30.00
		1	243	21.68	22.01	24.86	25.46	< 30.00
		245	0	21.28	20.99	24.15	24.75	< 30.00
		1	0	19.74	18.85	22.33	22.93	< 30.00
		1	244	19.17	19.07	22.13	22.73	< 30.00
3500.01	100	137	68	21.94	21.90	24.93	25.53	< 30.00
		1	1	21.79	21.53	24.67	25.27	< 30.00
		1	271	21.58	21.23	24.42	25.02	< 30.00
		273	0	21.49	21.47	24.49	25.09	< 30.00
		1	0	19.36	19.21	22.30	22.90	< 30.00
		1	272	19.26	19.07	22.18	22.78	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3455.00	10	12	6	18.59	18.46	21.54	22.14	< 30.00
		1	1	18.59	18.31	21.46	22.06	< 30.00
		1	22	18.65	18.53	21.60	22.20	< 30.00
		24	0	18.56	18.44	21.51	22.11	< 30.00
		1	0	18.60	18.33	21.48	22.08	< 30.00
		1	23	18.57	18.34	21.47	22.07	< 30.00
3500.01	10	12	6	18.62	18.71	21.68	22.28	< 30.00
		1	1	18.66	18.51	21.60	22.20	< 30.00
		1	22	18.69	18.54	21.63	22.23	< 30.00
		24	0	18.70	18.57	21.65	22.25	< 30.00
		1	0	18.73	18.65	21.70	22.30	< 30.00
		1	23	18.57	18.58	21.59	22.19	< 30.00
3544.98	10	12	6	18.71	18.70	21.72	22.32	< 30.00
		1	1	18.71	18.63	21.68	22.28	< 30.00
		1	22	18.66	18.61	21.65	22.25	< 30.00
		24	0	18.69	18.66	21.69	22.29	< 30.00
		1	0	18.67	18.61	21.65	22.25	< 30.00
		1	23	18.65	18.60	21.64	22.24	< 30.00
3457.50	15	19	9	18.76	18.26	21.53	22.13	< 30.00
		1	1	18.62	18.11	21.38	21.98	< 30.00
		1	36	18.67	18.13	21.42	22.02	< 30.00
		38	0	18.76	18.26	21.53	22.13	< 30.00
		1	0	18.76	18.33	21.56	22.16	< 30.00
		1	37	18.57	18.28	21.44	22.04	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3500.01	15	19	9	18.81	18.13	21.49	22.09	< 30.00
		1	1	18.83	18.23	21.55	22.15	< 30.00
		1	36	18.69	18.29	21.50	22.10	< 30.00
		38	0	18.79	18.14	21.49	22.09	< 30.00
		1	0	18.71	18.19	21.47	22.07	< 30.00
		1	37	18.48	18.20	21.35	21.95	< 30.00
3542.49	15	19	9	18.03	18.49	21.28	21.88	< 30.00
		1	1	18.13	18.48	21.32	21.92	< 30.00
		1	36	17.67	18.71	21.23	21.83	< 30.00
		38	0	18.11	18.41	21.27	21.87	< 30.00
		1	0	18.21	18.54	21.39	21.99	< 30.00
		1	37	18.09	18.44	21.28	21.88	< 30.00
3460.02	20	25	12	18.69	18.16	21.44	22.04	< 30.00
		1	1	18.76	18.10	21.45	22.05	< 30.00
		1	49	18.68	18.12	21.42	22.02	< 30.00
		51	0	18.70	18.21	21.47	22.07	< 30.00
		1	0	18.48	18.28	21.39	21.99	< 30.00
		1	50	18.53	18.02	21.29	21.89	< 30.00
3500.01	20	25	12	18.72	18.17	21.46	22.06	< 30.00
		1	1	18.84	18.06	21.48	22.08	< 30.00
		1	49	18.86	18.07	21.49	22.09	< 30.00
		51	0	18.68	18.29	21.50	22.10	< 30.00
		1	0	18.88	18.24	21.58	22.18	< 30.00
		1	50	18.78	18.05	21.44	22.04	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3540.00	20	25	12	18.01	18.33	21.18	21.78	< 30.00
		1	1	17.68	18.25	20.98	21.58	< 30.00
		1	49	17.78	18.71	21.28	21.88	< 30.00
		51	0	18.15	18.37	21.27	21.87	< 30.00
		1	0	18.07	18.54	21.32	21.92	< 30.00
		1	50	17.92	18.26	21.10	21.70	< 30.00
3465.00	30	36	79	18.70	18.10	21.42	22.02	< 30.00
		1	1	18.76	18.35	21.57	22.17	< 30.00
		1	76	18.61	18.26	21.45	22.05	< 30.00
		78	0	18.78	18.18	21.50	22.10	< 30.00
		1	0	18.71	18.28	21.51	22.11	< 30.00
		1	77	19.16	18.34	21.78	22.38	< 30.00
3500.01	30	36	79	18.96	18.25	21.63	22.23	< 30.00
		1	1	18.75	18.14	21.47	22.07	< 30.00
		1	76	18.80	18.52	21.67	22.27	< 30.00
		78	0	18.82	18.38	21.62	22.22	< 30.00
		1	0	18.91	18.24	21.60	22.20	< 30.00
		1	77	18.56	18.56	21.57	22.17	< 30.00
3534.99	30	36	79	18.24	18.56	21.41	22.01	< 30.00
		1	1	18.11	18.60	21.37	21.97	< 30.00
		1	76	17.61	18.68	21.19	21.79	< 30.00
		78	0	18.36	18.56	21.47	22.07	< 30.00
		1	0	18.33	18.68	21.52	22.12	< 30.00
		1	77	17.61	18.50	21.09	21.69	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3470.01	40	53	26	18.79	18.11	21.47	22.07	< 30.00
		1	1	18.61	18.41	21.52	22.12	< 30.00
		1	104	18.81	18.16	21.51	22.11	< 30.00
		106	0	18.93	18.16	21.57	22.17	< 30.00
		1	0	18.92	18.54	21.74	22.34	< 30.00
		1	105	18.93	18.40	21.68	22.28	< 30.00
3500.01	40	53	26	18.84	18.27	21.57	22.17	< 30.00
		1	1	18.65	18.30	21.49	22.09	< 30.00
		1	104	18.75	18.23	21.51	22.11	< 30.00
		106	0	18.92	18.31	21.64	22.24	< 30.00
		1	0	18.93	18.48	21.72	22.32	< 30.00
		1	105	18.23	18.58	21.42	22.02	< 30.00
3529.98	40	53	26	18.46	18.51	21.50	22.10	< 30.00
		1	1	18.85	18.48	21.68	22.28	< 30.00
		1	104	17.77	18.52	21.17	21.77	< 30.00
		106	0	18.52	18.57	21.56	22.16	< 30.00
		1	0	18.92	18.59	21.77	22.37	< 30.00
		1	105	17.88	18.53	21.23	21.83	< 30.00
3475.02	50	67	33	18.64	18.09	21.38	21.98	< 30.00
		1	1	18.66	17.98	21.34	21.94	< 30.00
		1	131	18.39	18.11	21.26	21.86	< 30.00
		133	0	18.78	18.03	21.43	22.03	< 30.00
		1	0	18.74	18.23	21.50	22.10	< 30.00
		1	132	18.40	17.93	21.18	21.78	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3500.01	50	67	33	18.58	18.11	21.36	21.96	< 30.00
		1	1	18.61	18.27	21.45	22.05	< 30.00
		1	131	17.78	18.33	21.07	21.67	< 30.00
		133	0	18.47	18.05	21.28	21.88	< 30.00
		1	0	18.50	18.07	21.30	21.90	< 30.00
		1	132	18.10	18.29	21.21	21.81	< 30.00
3525.00	50	67	33	18.20	18.25	21.24	21.84	< 30.00
		1	1	18.57	18.12	21.36	21.96	< 30.00
		1	131	17.91	18.11	21.02	21.62	< 30.00
		133	0	18.21	18.22	21.23	21.83	< 30.00
		1	0	18.67	18.24	21.47	22.07	< 30.00
		1	132	17.71	18.24	20.99	21.59	< 30.00
3480.00	60	81	40	18.66	18.21	21.45	22.05	< 30.00
		1	1	18.57	18.08	21.34	21.94	< 30.00
		1	131	18.21	18.07	21.15	21.75	< 30.00
		128	0	18.62	18.08	21.37	21.97	< 30.00
		1	0	18.62	18.28	21.46	22.06	< 30.00
		1	132	18.22	18.05	21.15	21.75	< 30.00
3500.01	60	81	40	18.60	18.13	21.38	21.98	< 30.00
		1	1	18.63	17.93	21.30	21.90	< 30.00
		1	131	17.92	18.37	21.16	21.76	< 30.00
		128	0	18.57	18.12	21.36	21.96	< 30.00
		1	0	18.21	18.16	21.20	21.80	< 30.00
		1	132	17.86	18.35	21.12	21.72	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3519.99	60	81	40	18.39	18.26	21.34	21.94	< 30.00
		1	1	18.48	17.96	21.24	21.84	< 30.00
		1	131	17.94	18.25	21.11	21.71	< 30.00
		128	0	18.30	18.29	21.31	21.91	< 30.00
		1	0	18.71	18.08	21.42	22.02	< 30.00
		1	132	17.89	18.35	21.14	21.74	< 30.00
3485.01	70	95	47	18.41	18.48	21.46	22.06	< 30.00
		1	1	18.96	18.46	21.73	22.33	< 30.00
		1	187	18.54	18.56	21.56	22.16	< 30.00
		189	0	18.46	18.48	21.48	22.08	< 30.00
		1	0	18.76	18.59	21.69	22.29	< 30.00
		1	188	18.55	18.41	21.49	22.09	< 30.00
3500.01	70	95	47	18.55	18.48	21.53	22.13	< 30.00
		1	1	18.67	18.35	21.52	22.12	< 30.00
		1	187	18.33	18.44	21.40	22.00	< 30.00
		189	0	18.47	18.52	21.51	22.11	< 30.00
		1	0	18.86	18.58	21.73	22.33	< 30.00
		1	188	18.42	18.36	21.40	22.00	< 30.00
3514.98	70	95	47	18.55	18.58	21.58	22.18	< 30.00
		1	1	18.69	18.43	21.57	22.17	< 30.00
		1	187	18.43	18.31	21.38	21.98	< 30.00
		189	0	18.52	18.65	21.60	22.20	< 30.00
		1	0	18.85	18.51	21.69	22.29	< 30.00
		1	188	18.31	18.38	21.36	21.96	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3490.02	80	109	54	18.52	17.86	21.21	21.81	< 30.00
		1	1	18.43	17.94	21.20	21.80	< 30.00
		1	215	18.08	18.34	21.22	21.82	< 30.00
		217	0	18.63	17.90	21.29	21.89	< 30.00
		1	0	18.81	17.84	21.36	21.96	< 30.00
		1	216	17.87	18.18	21.04	21.64	< 30.00
3500.01	80	109	54	18.54	17.97	21.27	21.87	< 30.00
		1	1	18.22	17.85	21.05	21.65	< 30.00
		1	215	17.77	18.20	21.00	21.60	< 30.00
		217	0	18.47	18.02	21.26	21.86	< 30.00
		1	0	18.32	18.16	21.25	21.85	< 30.00
		1	216	17.67	18.13	20.92	21.52	< 30.00
3510.00	80	109	54	18.42	17.98	21.22	21.82	< 30.00
		1	1	17.83	17.83	20.84	21.44	< 30.00
		1	215	17.86	18.10	20.99	21.59	< 30.00
		217	0	18.33	18.07	21.21	21.81	< 30.00
		1	0	18.29	18.04	21.18	21.78	< 30.00
		1	216	17.88	18.31	21.11	21.71	< 30.00
3495.00	90	123	61	18.56	17.91	21.26	21.86	< 30.00
		1	1	18.27	18.03	21.16	21.76	< 30.00
		1	243	17.82	18.24	21.05	21.65	< 30.00
		245	0	18.48	17.93	21.22	21.82	< 30.00
		1	0	18.61	18.01	21.33	21.93	< 30.00
		1	244	17.77	18.10	20.95	21.55	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3500.01	90	123	61	18.55	17.88	21.24	21.84	< 30.00
		1	1	18.56	18.03	21.31	21.91	< 30.00
		1	243	17.72	18.34	21.05	21.65	< 30.00
		245	0	18.38	18.04	21.22	21.82	< 30.00
		1	0	18.52	18.00	21.28	21.88	< 30.00
		1	244	17.76	18.10	20.94	21.54	< 30.00
3504.99	90	123	61	18.41	17.99	21.22	21.82	< 30.00
		1	1	18.18	17.78	20.99	21.59	< 30.00
		1	243	18.13	18.24	21.20	21.80	< 30.00
		245	0	18.32	18.00	21.17	21.77	< 30.00
		1	0	18.25	17.92	21.10	21.70	< 30.00
		1	244	17.83	18.26	21.06	21.66	< 30.00
3500.01	100	137	68	18.57	18.42	21.51	22.11	< 30.00
		1	1	18.49	18.42	21.47	22.07	< 30.00
		1	271	18.47	18.27	21.38	21.98	< 30.00
		273	0	18.49	18.49	21.50	22.10	< 30.00
		1	0	18.57	18.61	21.60	22.20	< 30.00
		1	272	18.58	18.31	21.46	22.06	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-18	Test Band	n77/n78_UL MIMO (3700 ~ 3980MHz)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3705.00	10	12	6	19.71	19.74	22.74	23.34	< 30.00
		1	1	19.70	19.85	22.79	23.39	< 30.00
		1	22	19.66	19.63	22.66	23.26	< 30.00
		24	0	19.66	19.66	22.67	23.27	< 30.00
		1	0	19.04	19.19	22.13	22.73	< 30.00
		1	23	19.30	19.15	22.24	22.84	< 30.00
3840.00	10	12	6	19.84	20.07	22.97	23.57	< 30.00
		1	1	19.94	20.01	22.99	23.59	< 30.00
		1	22	19.68	20.10	22.91	23.51	< 30.00
		24	0	19.73	20.00	22.88	23.48	< 30.00
		1	0	19.40	19.58	22.50	23.10	< 30.00
		1	23	19.48	19.57	22.54	23.14	< 30.00
3975.00	10	12	6	19.77	19.49	22.64	23.24	< 30.00
		1	1	19.89	19.33	22.63	23.23	< 30.00
		1	22	19.92	19.78	22.86	23.46	< 30.00
		24	0	19.88	19.51	22.71	23.31	< 30.00
		1	0	19.33	18.97	22.16	22.76	< 30.00
		1	23	19.60	18.86	22.26	22.86	< 30.00
3707.52	15	19	9	19.81	19.85	22.84	23.44	< 30.00
		1	1	19.79	19.64	22.73	23.33	< 30.00
		1	36	19.92	19.71	22.83	23.43	< 30.00
		38	0	19.70	19.85	22.79	23.39	< 30.00
		1	0	19.26	19.27	22.28	22.88	< 30.00
		1	37	19.36	19.14	22.26	22.86	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3840.00	15	19	9	20.15	20.14	23.16	23.76	< 30.00
		1	1	20.13	20.22	23.19	23.79	< 30.00
		1	36	20.15	20.23	23.20	23.80	< 30.00
		38	0	20.17	20.23	23.21	23.81	< 30.00
		1	0	19.78	19.68	22.74	23.34	< 30.00
		1	37	19.75	19.90	22.84	23.44	< 30.00
3972.48	15	19	9	20.03	19.53	22.80	23.40	< 30.00
		1	1	20.06	19.69	22.89	23.49	< 30.00
		1	36	20.01	19.58	22.81	23.41	< 30.00
		38	0	19.96	19.57	22.78	23.38	< 30.00
		1	0	19.59	19.26	22.44	23.04	< 30.00
		1	37	19.64	19.11	22.39	22.99	< 30.00
3710.01	20	25	12	19.83	19.76	22.81	23.41	< 30.00
		1	1	19.86	19.85	22.87	23.47	< 30.00
		1	49	19.97	19.61	22.80	23.40	< 30.00
		51	0	19.81	19.78	22.81	23.41	< 30.00
		1	0	19.42	19.33	22.39	22.99	< 30.00
		1	50	19.47	19.32	22.41	23.01	< 30.00
3840.00	20	25	12	20.10	20.31	23.22	23.82	< 30.00
		1	1	20.05	19.99	23.03	23.63	< 30.00
		1	49	20.17	20.19	23.19	23.79	< 30.00
		51	0	20.10	20.19	23.16	23.76	< 30.00
		1	0	19.73	19.78	22.77	23.37	< 30.00
		1	50	19.64	19.75	22.71	23.31	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3969.99	20	25	12	19.98	19.64	22.82	23.42	< 30.00
		1	1	20.03	19.73	22.89	23.49	< 30.00
		1	49	20.02	19.57	22.81	23.41	< 30.00
		51	0	20.02	19.65	22.85	23.45	< 30.00
		1	0	19.83	19.19	22.53	23.13	< 30.00
		1	50	19.58	19.06	22.34	22.94	< 30.00
3715.02	30	36	79	19.82	19.80	22.82	23.42	< 30.00
		1	1	19.74	19.83	22.80	23.40	< 30.00
		1	76	20.03	20.04	23.05	23.65	< 30.00
		78	0	19.84	19.85	22.86	23.46	< 30.00
		1	0	19.28	19.51	22.41	23.01	< 30.00
		1	77	19.52	19.34	22.44	23.04	< 30.00
3840.00	30	36	79	20.04	20.21	23.14	23.74	< 30.00
		1	1	19.88	20.00	22.95	23.55	< 30.00
		1	76	20.18	20.27	23.24	23.84	< 30.00
		78	0	20.16	20.23	23.21	23.81	< 30.00
		1	0	19.57	19.79	22.69	23.29	< 30.00
		1	77	19.61	19.97	22.80	23.40	< 30.00
3964.98	30	36	79	20.13	19.61	22.89	23.49	< 30.00
		1	1	20.23	19.81	23.04	23.64	< 30.00
		1	76	20.02	19.94	22.99	23.59	< 30.00
		78	0	19.94	19.69	22.83	23.43	< 30.00
		1	0	19.72	19.49	22.62	23.22	< 30.00
		1	77	19.59	19.48	22.55	23.15	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3720.00	40	53	26	19.89	19.83	22.87	23.47	< 30.00
		1	1	20.04	19.80	22.93	23.53	< 30.00
		1	104	20.18	19.81	23.01	23.61	< 30.00
		106	0	19.89	19.83	22.87	23.47	< 30.00
		1	0	19.78	19.58	22.69	23.29	< 30.00
		1	105	19.74	19.34	22.55	23.15	< 30.00
3840.00	40	53	26	20.05	20.24	23.16	23.76	< 30.00
		1	1	20.19	20.43	23.32	23.92	< 30.00
		1	104	20.10	20.23	23.18	23.78	< 30.00
		106	0	20.06	20.17	23.13	23.73	< 30.00
		1	0	19.75	19.87	22.82	23.42	< 30.00
		1	105	19.52	20.07	22.81	23.41	< 30.00
3960.00	40	53	26	20.05	19.76	22.92	23.52	< 30.00
		1	1	20.17	19.94	23.07	23.67	< 30.00
		1	104	20.16	19.63	22.91	23.51	< 30.00
		106	0	20.08	19.75	22.93	23.53	< 30.00
		1	0	19.84	19.65	22.76	23.36	< 30.00
		1	105	19.58	19.15	22.38	22.98	< 30.00
3720.00	50	67	33	19.74	19.58	22.67	23.27	< 30.00
		1	1	19.78	19.62	22.71	23.31	< 30.00
		1	131	19.73	19.45	22.60	23.20	< 30.00
		133	0	19.69	19.69	22.70	23.30	< 30.00
		1	0	19.22	19.30	22.27	22.87	< 30.00
		1	132	19.16	19.14	22.16	22.76	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3840.00	50	67	33	19.86	20.03	22.96	23.56	< 30.00
		1	1	19.74	19.75	22.76	23.36	< 30.00
		1	131	19.95	20.05	23.01	23.61	< 30.00
		133	0	19.91	20.06	23.00	23.60	< 30.00
		1	0	19.56	19.36	22.47	23.07	< 30.00
		1	132	19.92	19.47	22.71	23.31	< 30.00
3954.99	50	67	33	19.88	19.62	22.76	23.36	< 30.00
		1	1	20.04	19.76	22.91	23.51	< 30.00
		1	131	20.12	19.50	22.83	23.43	< 30.00
		133	0	19.82	19.58	22.71	23.31	< 30.00
		1	0	19.53	19.48	22.52	23.12	< 30.00
		1	132	19.68	18.94	22.34	22.94	< 30.00
3730.02	60	81	40	19.72	19.56	22.65	23.25	< 30.00
		1	1	19.68	19.53	22.62	23.22	< 30.00
		1	131	19.50	19.63	22.58	23.18	< 30.00
		128	0	19.67	19.60	22.65	23.25	< 30.00
		1	0	19.09	19.12	22.12	22.72	< 30.00
		1	132	18.92	18.91	21.93	22.53	< 30.00
3840.00	60	81	40	19.88	20.17	23.04	23.64	< 30.00
		1	1	19.74	19.87	22.82	23.42	< 30.00
		1	131	19.99	19.88	22.95	23.55	< 30.00
		128	0	19.92	20.03	22.99	23.59	< 30.00
		1	0	19.52	19.42	22.48	23.08	< 30.00
		1	132	19.53	19.36	22.46	23.06	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3949.98	60	81	40	19.68	19.64	22.67	23.27	< 30.00
		1	1	19.47	19.97	22.74	23.34	< 30.00
		1	131	19.47	19.23	22.36	22.96	< 30.00
		128	0	19.56	19.60	22.59	23.19	< 30.00
		1	0	19.03	19.31	22.18	22.78	< 30.00
		1	132	19.22	18.85	22.05	22.65	< 30.00
3735.00	70	95	47	19.39	19.81	22.62	23.22	< 30.00
		1	1	19.74	19.70	22.73	23.33	< 30.00
		1	187	19.47	19.37	22.43	23.03	< 30.00
		189	0	19.59	19.70	22.66	23.26	< 30.00
		1	0	19.27	19.36	22.33	22.93	< 30.00
		1	188	19.07	19.05	22.07	22.67	< 30.00
3840.00	70	95	47	19.87	19.82	22.86	23.46	< 30.00
		1	1	19.56	19.55	22.57	23.17	< 30.00
		1	187	19.50	19.53	22.53	23.13	< 30.00
		189	0	19.83	19.73	22.79	23.39	< 30.00
		1	0	19.25	19.20	22.24	22.84	< 30.00
		1	188	19.17	19.14	22.17	22.77	< 30.00
3945.00	70	95	47	19.56	19.78	22.68	23.28	< 30.00
		1	1	1.75	19.79	19.86	20.46	< 30.00
		1	187	19.40	19.47	22.45	23.05	< 30.00
		189	0	19.61	19.73	22.68	23.28	< 30.00
		1	0	19.24	19.42	22.34	22.94	< 30.00
		1	188	19.09	19.08	22.10	22.70	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3740.01	80	109	54	19.60	19.54	22.58	23.18	< 30.00
		1	1	19.48	19.53	22.52	23.12	< 30.00
		1	215	19.37	19.52	22.46	23.06	< 30.00
		217	0	19.53	19.55	22.55	23.15	< 30.00
		1	0	18.97	19.19	22.09	22.69	< 30.00
		1	216	18.88	19.01	21.96	22.56	< 30.00
3840.00	80	109	54	19.70	19.92	22.82	23.42	< 30.00
		1	1	19.69	19.75	22.73	23.33	< 30.00
		1	215	19.86	19.74	22.81	23.41	< 30.00
		217	0	19.74	19.81	22.79	23.39	< 30.00
		1	0	19.39	19.29	22.35	22.95	< 30.00
		1	216	19.13	19.45	22.30	22.90	< 30.00
3939.99	80	109	54	19.60	19.61	22.62	23.22	< 30.00
		1	1	19.41	19.56	22.50	23.10	< 30.00
		1	215	19.41	19.19	22.31	22.91	< 30.00
		217	0	19.45	19.53	22.50	23.10	< 30.00
		1	0	19.12	19.23	22.19	22.79	< 30.00
		1	216	18.92	18.67	21.81	22.41	< 30.00
3745.02	90	123	61	19.58	19.48	22.54	23.14	< 30.00
		1	1	19.54	19.51	22.54	23.14	< 30.00
		1	243	19.63	19.94	22.80	23.40	< 30.00
		245	0	19.57	19.52	22.56	23.16	< 30.00
		1	0	18.81	19.19	22.01	22.61	< 30.00
		1	244	18.88	19.06	21.98	22.58	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3840.00	90	123	61	19.79	19.90	22.86	23.46	< 30.00
		1	1	19.61	19.77	22.70	23.30	< 30.00
		1	243	19.83	19.60	22.73	23.33	< 30.00
		245	0	19.75	19.70	22.74	23.34	< 30.00
		1	0	19.30	19.27	22.30	22.90	< 30.00
		1	244	19.20	19.10	22.16	22.76	< 30.00
3934.98	90	123	61	19.59	19.59	22.60	23.20	< 30.00
		1	1	19.51	19.48	22.51	23.11	< 30.00
		1	243	19.47	19.41	22.45	23.05	< 30.00
		245	0	19.57	19.50	22.55	23.15	< 30.00
		1	0	19.24	19.07	22.17	22.77	< 30.00
		1	244	18.95	18.62	21.80	22.40	< 30.00
3750.00	100	137	68	19.56	19.49	22.54	23.14	< 30.00
		1	1	19.51	19.44	22.49	23.09	< 30.00
		1	271	19.72	19.66	22.70	23.30	< 30.00
		273	0	19.56	19.46	22.52	23.12	< 30.00
		1	0	18.85	19.22	22.05	22.65	< 30.00
		1	272	19.00	19.03	22.03	22.63	< 30.00
3840.00	100	137	68	19.85	19.93	22.90	23.50	< 30.00
		1	1	19.72	19.38	22.56	23.16	< 30.00
		1	271	19.82	19.76	22.80	23.40	< 30.00
		273	0	19.79	19.72	22.77	23.37	< 30.00
		1	0	19.16	19.15	22.17	22.77	< 30.00
		1	272	18.95	18.98	21.98	22.58	< 30.00
3930.00	100	137	68	19.57	19.61	22.60	23.20	< 30.00
		1	1	19.54	19.58	22.57	23.17	< 30.00
		1	271	19.74	19.24	22.51	23.11	< 30.00
		273	0	19.51	19.56	22.55	23.15	< 30.00
		1	0	19.18	18.90	22.05	22.65	< 30.00
		1	272	18.89	18.51	21.71	22.31	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3705.00	10	12	6	19.71	19.78	22.76	23.36	< 30.00
		1	1	19.58	19.66	22.63	23.23	< 30.00
		1	22	19.85	19.74	22.81	23.41	< 30.00
		24	0	19.69	19.73	22.72	23.32	< 30.00
		1	0	19.06	19.15	22.12	22.72	< 30.00
		1	23	19.26	19.07	22.18	22.78	< 30.00
3840.00	10	12	6	19.86	20.04	22.96	23.56	< 30.00
		1	1	19.73	20.06	22.91	23.51	< 30.00
		1	22	19.88	19.93	22.92	23.52	< 30.00
		24	0	19.85	20.04	22.96	23.56	< 30.00
		1	0	19.02	19.35	22.20	22.80	< 30.00
		1	23	19.38	19.42	22.41	23.01	< 30.00
3975.00	10	12	6	19.98	19.51	22.76	23.36	< 30.00
		1	1	19.91	19.45	22.70	23.30	< 30.00
		1	22	19.86	19.48	22.68	23.28	< 30.00
		24	0	19.89	19.39	22.66	23.26	< 30.00
		1	0	19.60	18.86	22.26	22.86	< 30.00
		1	23	19.59	19.00	22.32	22.92	< 30.00
3707.52	15	19	9	19.69	19.79	22.75	23.35	< 30.00
		1	1	19.65	19.67	22.67	23.27	< 30.00
		1	36	19.73	20.09	22.92	23.52	< 30.00
		38	0	19.72	19.86	22.80	23.40	< 30.00
		1	0	19.14	19.38	22.27	22.87	< 30.00
		1	37	19.38	19.33	22.37	22.97	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3840.00	15	19	9	20.04	20.23	23.15	23.75	< 30.00
		1	1	19.95	19.90	22.94	23.54	< 30.00
		1	36	20.12	20.36	23.25	23.85	< 30.00
		38	0	20.09	20.25	23.18	23.78	< 30.00
		1	0	19.53	19.69	22.62	23.22	< 30.00
		1	37	19.68	19.85	22.78	23.38	< 30.00
3972.48	15	19	9	19.92	19.61	22.78	23.38	< 30.00
		1	1	20.05	19.41	22.75	23.35	< 30.00
		1	36	19.89	19.40	22.66	23.26	< 30.00
		38	0	20.01	19.60	22.82	23.42	< 30.00
		1	0	19.58	19.05	22.33	22.93	< 30.00
		1	37	19.39	19.21	22.31	22.91	< 30.00
3710.01	20	25	12	19.76	19.90	22.84	23.44	< 30.00
		1	1	19.70	19.84	22.78	23.38	< 30.00
		1	49	20.02	19.92	22.98	23.58	< 30.00
		51	0	19.74	19.85	22.81	23.41	< 30.00
		1	0	19.30	19.19	22.26	22.86	< 30.00
		1	50	19.44	19.10	22.28	22.88	< 30.00
3840.00	20	25	12	20.04	20.26	23.16	23.76	< 30.00
		1	1	19.91	20.15	23.04	23.64	< 30.00
		1	49	20.09	20.29	23.20	23.80	< 30.00
		51	0	20.13	20.25	23.20	23.80	< 30.00
		1	0	19.59	19.68	22.65	23.25	< 30.00
		1	50	19.68	19.77	22.74	23.34	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3969.99	20	25	12	19.91	19.61	22.77	23.37	< 30.00
		1	1	20.08	19.78	22.94	23.54	< 30.00
		1	49	19.94	19.63	22.80	23.40	< 30.00
		51	0	19.97	19.54	22.77	23.37	< 30.00
		1	0	19.68	19.21	22.46	23.06	< 30.00
		1	50	19.44	19.15	22.31	22.91	< 30.00
3715.02	30	36	79	19.96	19.83	22.91	23.51	< 30.00
		1	1	19.97	19.61	22.80	23.40	< 30.00
		1	76	20.18	20.01	23.11	23.71	< 30.00
		78	0	19.96	19.81	22.90	23.50	< 30.00
		1	0	19.28	19.19	22.25	22.85	< 30.00
		1	77	19.53	19.00	22.28	22.88	< 30.00
3840.00	30	36	79	20.18	20.27	23.24	23.84	< 30.00
		1	1	20.00	20.18	23.10	23.70	< 30.00
		1	76	19.97	20.23	23.11	23.71	< 30.00
		78	0	20.09	20.20	23.16	23.76	< 30.00
		1	0	19.65	19.83	22.75	23.35	< 30.00
		1	77	19.51	19.63	22.58	23.18	< 30.00
3964.98	30	36	79	20.03	19.69	22.87	23.47	< 30.00
		1	1	20.12	19.73	22.94	23.54	< 30.00
		1	76	20.02	19.60	22.83	23.43	< 30.00
		78	0	19.97	19.74	22.87	23.47	< 30.00
		1	0	19.65	19.27	22.47	23.07	< 30.00
		1	77	19.51	19.27	22.40	23.00	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3720.00	40	53	26	19.97	19.83	22.91	23.51	< 30.00
		1	1	20.09	19.86	22.99	23.59	< 30.00
		1	104	19.96	19.80	22.89	23.49	< 30.00
		106	0	19.94	19.85	22.91	23.51	< 30.00
		1	0	19.46	19.59	22.54	23.14	< 30.00
		1	105	19.71	19.39	22.56	23.16	< 30.00
3840.00	40	53	26	20.12	20.31	23.23	23.83	< 30.00
		1	1	20.11	20.29	23.21	23.81	< 30.00
		1	104	20.21	20.33	23.28	23.88	< 30.00
		106	0	20.13	20.21	23.18	23.78	< 30.00
		1	0	19.59	19.77	22.69	23.29	< 30.00
		1	105	19.65	19.68	22.68	23.28	< 30.00
3960.00	40	53	26	20.11	19.79	22.96	23.56	< 30.00
		1	1	20.08	19.70	22.90	23.50	< 30.00
		1	104	20.10	19.87	23.00	23.60	< 30.00
		106	0	20.07	19.78	22.94	23.54	< 30.00
		1	0	19.81	19.55	22.69	23.29	< 30.00
		1	105	19.67	19.10	22.40	23.00	< 30.00
3720.00	50	67	33	19.78	19.63	22.72	23.32	< 30.00
		1	1	19.75	19.73	22.75	23.35	< 30.00
		1	131	19.57	19.55	22.57	23.17	< 30.00
		133	0	19.73	19.59	22.67	23.27	< 30.00
		1	0	19.02	19.21	22.13	22.73	< 30.00
		1	132	19.06	18.97	22.03	22.63	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3840.00	50	67	33	19.95	20.07	23.02	23.62	< 30.00
		1	1	19.80	19.88	22.85	23.45	< 30.00
		1	131	19.99	19.87	22.94	23.54	< 30.00
		133	0	19.85	20.03	22.95	23.55	< 30.00
		1	0	19.50	19.56	22.54	23.14	< 30.00
		1	132	19.62	19.52	22.58	23.18	< 30.00
3954.99	50	67	33	19.96	19.60	22.79	23.39	< 30.00
		1	1	19.85	19.97	22.92	23.52	< 30.00
		1	131	20.15	19.54	22.87	23.47	< 30.00
		133	0	19.85	19.68	22.78	23.38	< 30.00
		1	0	19.45	19.26	22.37	22.97	< 30.00
		1	132	19.52	18.80	22.19	22.79	< 30.00
3730.02	60	81	40	19.78	19.62	22.71	23.31	< 30.00
		1	1	19.73	19.78	22.77	23.37	< 30.00
		1	131	19.55	19.74	22.66	23.26	< 30.00
		128	0	19.68	19.65	22.68	23.28	< 30.00
		1	0	19.12	18.98	22.06	22.66	< 30.00
		1	132	18.86	19.26	22.07	22.67	< 30.00
3840.00	60	81	40	19.97	20.05	23.02	23.62	< 30.00
		1	1	19.94	19.69	22.83	23.43	< 30.00
		1	131	19.86	19.92	22.90	23.50	< 30.00
		128	0	19.87	19.96	22.93	23.53	< 30.00
		1	0	19.51	19.40	22.47	23.07	< 30.00
		1	132	19.37	19.28	22.34	22.94	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3949.98	60	81	40	19.71	19.66	22.70	23.30	< 30.00
		1	1	19.48	20.03	22.77	23.37	< 30.00
		1	131	19.37	19.29	22.34	22.94	< 30.00
		128	0	19.55	19.54	22.56	23.16	< 30.00
		1	0	19.02	19.45	22.25	22.85	< 30.00
		1	132	18.94	18.77	21.87	22.47	< 30.00
3735.00	70	95	47	19.55	19.77	22.67	23.27	< 30.00
		1	1	20.08	20.11	23.11	23.71	< 30.00
		1	187	19.92	19.77	22.86	23.46	< 30.00
		189	0	19.68	19.73	22.72	23.32	< 30.00
		1	0	20.04	20.11	23.09	23.69	< 30.00
		1	188	19.17	19.46	22.33	22.93	< 30.00
3840.00	70	95	47	19.90	19.79	22.86	23.46	< 30.00
		1	1	19.91	19.94	22.94	23.54	< 30.00
		1	187	20.04	19.80	22.93	23.53	< 30.00
		189	0	19.88	19.75	22.83	23.43	< 30.00
		1	0	19.48	19.57	22.54	23.14	< 30.00
		1	188	19.21	19.56	22.40	23.00	< 30.00
3945.00	70	95	47	19.56	19.77	22.68	23.28	< 30.00
		1	1	20.07	20.08	23.09	23.69	< 30.00
		1	187	19.90	19.82	22.87	23.47	< 30.00
		189	0	19.62	19.75	22.70	23.30	< 30.00
		1	0	19.53	19.79	22.67	23.27	< 30.00
		1	188	19.19	19.36	22.29	22.89	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3740.01	80	109	54	19.63	19.52	22.59	23.19	< 30.00
		1	1	19.36	19.63	22.51	23.11	< 30.00
		1	215	19.57	19.76	22.68	23.28	< 30.00
		217	0	19.54	19.57	22.57	23.17	< 30.00
		1	0	19.18	19.02	22.11	22.71	< 30.00
		1	216	18.91	18.99	21.96	22.56	< 30.00
3840.00	80	109	54	19.72	19.97	22.86	23.46	< 30.00
		1	1	19.62	19.56	22.60	23.20	< 30.00
		1	215	19.90	19.80	22.86	23.46	< 30.00
		217	0	19.77	19.75	22.77	23.37	< 30.00
		1	0	19.43	19.23	22.34	22.94	< 30.00
		1	216	19.25	18.99	22.13	22.73	< 30.00
3939.99	80	109	54	19.67	19.58	22.64	23.24	< 30.00
		1	1	19.51	19.61	22.57	23.17	< 30.00
		1	215	19.47	19.23	22.36	22.96	< 30.00
		217	0	19.48	19.36	22.43	23.03	< 30.00
		1	0	19.10	19.43	22.28	22.88	< 30.00
		1	216	18.91	18.80	21.87	22.47	< 30.00
3745.02	90	123	61	19.64	19.62	22.64	23.24	< 30.00
		1	1	19.56	19.54	22.56	23.16	< 30.00
		1	243	19.42	19.84	22.65	23.25	< 30.00
		245	0	19.53	19.54	22.55	23.15	< 30.00
		1	0	19.03	18.97	22.01	22.61	< 30.00
		1	244	19.08	19.02	22.06	22.66	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3840.00	90	123	61	19.81	19.95	22.89	23.49	< 30.00
		1	1	19.55	19.73	22.65	23.25	< 30.00
		1	243	19.61	19.60	22.62	23.22	< 30.00
		245	0	19.72	19.77	22.76	23.36	< 30.00
		1	0	19.19	19.11	22.16	22.76	< 30.00
		1	244	19.21	18.91	22.07	22.67	< 30.00
3934.98	90	123	61	19.62	19.61	22.63	23.23	< 30.00
		1	1	19.55	19.68	22.63	23.23	< 30.00
		1	243	19.74	19.23	22.50	23.10	< 30.00
		245	0	19.60	19.53	22.58	23.18	< 30.00
		1	0	18.97	19.32	22.16	22.76	< 30.00
		1	244	19.10	18.87	22.00	22.60	< 30.00
3750.00	100	137	68	19.52	19.54	22.54	23.14	< 30.00
		1	1	19.52	19.54	22.54	23.14	< 30.00
		1	271	19.38	19.78	22.59	23.19	< 30.00
		273	0	19.61	19.50	22.57	23.17	< 30.00
		1	0	18.99	18.91	21.96	22.56	< 30.00
		1	272	18.94	18.80	21.88	22.48	< 30.00
3840.00	100	137	68	19.84	19.91	22.89	23.49	< 30.00
		1	1	19.51	19.68	22.61	23.21	< 30.00
		1	271	19.58	19.69	22.65	23.25	< 30.00
		273	0	19.74	19.76	22.76	23.36	< 30.00
		1	0	19.20	19.06	22.14	22.74	< 30.00
		1	272	19.12	19.10	22.12	22.72	< 30.00
3930.00	100	137	68	19.63	19.66	22.66	23.26	< 30.00
		1	1	19.88	19.67	22.79	23.39	< 30.00
		1	271	19.43	19.10	22.28	22.88	< 30.00
		273	0	19.62	19.57	22.61	23.21	< 30.00
		1	0	19.23	19.01	22.13	22.73	< 30.00
		1	272	19.01	18.64	21.84	22.44	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3705.00	10	12	6	19.33	19.07	22.21	22.81	< 30.00
		1	1	18.96	19.12	22.05	22.65	< 30.00
		1	22	19.23	18.99	22.12	22.72	< 30.00
		24	0	19.23	19.25	22.25	22.85	< 30.00
		1	0	19.18	19.10	22.15	22.75	< 30.00
		1	23	19.30	18.92	22.12	22.72	< 30.00
3840.00	10	12	6	19.36	19.51	22.45	23.05	< 30.00
		1	1	19.46	19.76	22.62	23.22	< 30.00
		1	22	19.23	19.52	22.39	22.99	< 30.00
		24	0	19.31	19.57	22.45	23.05	< 30.00
		1	0	19.57	19.36	22.48	23.08	< 30.00
		1	23	19.55	19.67	22.62	23.22	< 30.00
3975.00	10	12	6	19.41	18.90	22.17	22.77	< 30.00
		1	1	19.38	18.95	22.18	22.78	< 30.00
		1	22	19.33	19.04	22.20	22.80	< 30.00
		24	0	19.37	19.04	22.22	22.82	< 30.00
		1	0	19.47	18.68	22.10	22.70	< 30.00
		1	23	19.36	18.77	22.09	22.69	< 30.00
3707.52	15	19	9	19.26	19.33	22.31	22.91	< 30.00
		1	1	19.63	19.47	22.56	23.16	< 30.00
		1	36	19.62	19.47	22.56	23.16	< 30.00
		38	0	19.22	19.36	22.30	22.90	< 30.00
		1	0	19.67	19.55	22.62	23.22	< 30.00
		1	37	19.58	19.51	22.56	23.16	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3840.00	15	19	9	19.64	19.70	22.68	23.28	< 30.00
		1	1	19.63	19.75	22.70	23.30	< 30.00
		1	36	19.55	19.90	22.74	23.34	< 30.00
		38	0	19.59	19.83	22.72	23.32	< 30.00
		1	0	19.66	19.72	22.70	23.30	< 30.00
		1	37	19.75	19.71	22.74	23.34	< 30.00
3972.48	15	19	9	19.45	19.16	22.32	22.92	< 30.00
		1	1	19.72	19.21	22.48	23.08	< 30.00
		1	36	19.49	19.21	22.36	22.96	< 30.00
		38	0	19.41	19.17	22.30	22.90	< 30.00
		1	0	19.64	19.07	22.37	22.97	< 30.00
		1	37	19.68	19.05	22.39	22.99	< 30.00
3710.01	20	25	12	19.24	19.35	22.31	22.91	< 30.00
		1	1	19.37	19.47	22.43	23.03	< 30.00
		1	49	19.42	19.13	22.29	22.89	< 30.00
		51	0	19.37	19.36	22.38	22.98	< 30.00
		1	0	19.21	19.52	22.38	22.98	< 30.00
		1	50	19.40	19.20	22.31	22.91	< 30.00
3840.00	20	25	12	19.51	19.77	22.65	23.25	< 30.00
		1	1	19.58	19.64	22.62	23.22	< 30.00
		1	49	19.75	19.64	22.71	23.31	< 30.00
		51	0	19.67	19.74	22.72	23.32	< 30.00
		1	0	19.72	19.66	22.70	23.30	< 30.00
		1	50	19.86	19.69	22.79	23.39	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3969.99	20	25	12	19.47	19.12	22.31	22.91	< 30.00
		1	1	19.67	19.24	22.47	23.07	< 30.00
		1	49	19.61	19.10	22.37	22.97	< 30.00
		51	0	19.59	19.14	22.38	22.98	< 30.00
		1	0	19.87	19.19	22.55	23.15	< 30.00
		1	50	19.65	19.16	22.42	23.02	< 30.00
3715.02	30	36	79	19.42	19.29	22.37	22.97	< 30.00
		1	1	19.73	19.55	22.65	23.25	< 30.00
		1	76	19.78	19.39	22.60	23.20	< 30.00
		78	0	19.32	19.37	22.36	22.96	< 30.00
		1	0	19.52	19.67	22.61	23.21	< 30.00
		1	77	19.76	19.50	22.64	23.24	< 30.00
3840.00	30	36	79	19.63	19.69	22.67	23.27	< 30.00
		1	1	19.74	19.82	22.79	23.39	< 30.00
		1	76	20.06	19.92	23.00	23.60	< 30.00
		78	0	19.55	19.75	22.66	23.26	< 30.00
		1	0	19.87	19.82	22.86	23.46	< 30.00
		1	77	19.82	19.90	22.87	23.47	< 30.00
3964.98	30	36	79	19.53	19.18	22.37	22.97	< 30.00
		1	1	19.80	19.40	22.61	23.21	< 30.00
		1	76	19.47	19.17	22.33	22.93	< 30.00
		78	0	19.49	19.21	22.36	22.96	< 30.00
		1	0	19.73	19.38	22.57	23.17	< 30.00
		1	77	19.51	19.25	22.39	22.99	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3720.00	40	53	26	19.40	19.31	22.37	22.97	< 30.00
		1	1	19.67	19.41	22.55	23.15	< 30.00
		1	104	19.62	19.33	22.49	23.09	< 30.00
		106	0	19.43	19.37	22.41	23.01	< 30.00
		1	0	19.63	19.62	22.64	23.24	< 30.00
		1	105	19.53	19.28	22.42	23.02	< 30.00
3840.00	40	53	26	19.55	19.79	22.68	23.28	< 30.00
		1	1	19.58	19.77	22.69	23.29	< 30.00
		1	104	19.70	19.69	22.71	23.31	< 30.00
		106	0	19.59	19.62	22.62	23.22	< 30.00
		1	0	19.85	19.73	22.80	23.40	< 30.00
		1	105	19.62	19.75	22.70	23.30	< 30.00
3960.00	40	53	26	19.50	19.20	22.36	22.96	< 30.00
		1	1	19.76	19.46	22.62	23.22	< 30.00
		1	104	19.64	19.08	22.38	22.98	< 30.00
		106	0	19.57	19.27	22.43	23.03	< 30.00
		1	0	19.87	19.52	22.71	23.31	< 30.00
		1	105	19.59	19.07	22.35	22.95	< 30.00
3720.00	50	67	33	19.30	19.14	22.23	22.83	< 30.00
		1	1	19.23	19.24	22.25	22.85	< 30.00
		1	131	18.98	19.16	22.08	22.68	< 30.00
		133	0	19.02	19.04	22.04	22.64	< 30.00
		1	0	19.18	19.42	22.31	22.91	< 30.00
		1	132	18.99	18.85	21.93	22.53	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3840.00	50	67	33	19.48	19.62	22.56	23.16	< 30.00
		1	1	19.45	19.39	22.43	23.03	< 30.00
		1	131	19.75	19.43	22.60	23.20	< 30.00
		133	0	19.35	19.50	22.44	23.04	< 30.00
		1	0	19.51	19.76	22.65	23.25	< 30.00
		1	132	19.56	19.44	22.51	23.11	< 30.00
3954.99	50	67	33	19.43	19.19	22.32	22.92	< 30.00
		1	1	19.32	19.40	22.37	22.97	< 30.00
		1	131	19.33	19.06	22.21	22.81	< 30.00
		133	0	19.36	19.17	22.28	22.88	< 30.00
		1	0	19.35	19.35	22.36	22.96	< 30.00
		1	132	19.27	18.87	22.08	22.68	< 30.00
3730.02	60	81	40	19.19	19.07	22.14	22.74	< 30.00
		1	1	19.28	19.35	22.33	22.93	< 30.00
		1	131	19.29	19.22	22.27	22.87	< 30.00
		128	0	19.17	19.03	22.11	22.71	< 30.00
		1	0	19.31	19.42	22.38	22.98	< 30.00
		1	132	19.17	19.44	22.32	22.92	< 30.00
3840.00	60	81	40	19.42	19.55	22.50	23.10	< 30.00
		1	1	19.24	19.17	22.22	22.82	< 30.00
		1	131	19.66	19.33	22.51	23.11	< 30.00
		128	0	19.43	19.44	22.45	23.05	< 30.00
		1	0	19.45	19.36	22.42	23.02	< 30.00
		1	132	19.40	19.29	22.36	22.96	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3949.98	60	81	40	19.16	19.09	22.14	22.74	< 30.00
		1	1	19.09	19.39	22.25	22.85	< 30.00
		1	131	18.97	18.77	21.88	22.48	< 30.00
		128	0	19.11	19.01	22.07	22.67	< 30.00
		1	0	19.08	19.35	22.23	22.83	< 30.00
		1	132	18.99	18.68	21.85	22.45	< 30.00
3735.00	70	95	47	19.53	19.74	22.65	23.25	< 30.00
		1	1	19.66	20.00	22.84	23.44	< 30.00
		1	187	19.57	19.50	22.55	23.15	< 30.00
		189	0	19.64	19.75	22.71	23.31	< 30.00
		1	0	19.62	19.50	22.57	23.17	< 30.00
		1	188	19.26	19.17	22.23	22.83	< 30.00
3840.00	70	95	47	19.90	19.79	22.86	23.46	< 30.00
		1	1	19.53	19.83	22.69	23.29	< 30.00
		1	187	19.64	19.70	22.68	23.28	< 30.00
		189	0	19.83	19.75	22.80	23.40	< 30.00
		1	0	19.61	19.31	22.47	23.07	< 30.00
		1	188	19.41	19.25	22.34	22.94	< 30.00
3945.00	70	95	47	19.57	19.76	22.68	23.28	< 30.00
		1	1	19.75	20.00	22.89	23.49	< 30.00
		1	187	19.67	19.61	22.65	23.25	< 30.00
		189	0	19.65	19.73	22.70	23.30	< 30.00
		1	0	19.56	19.53	22.56	23.16	< 30.00
		1	188	19.34	19.20	22.28	22.88	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3740.01	80	109	54	19.16	19.14	22.16	22.76	< 30.00
		1	1	19.05	19.21	22.14	22.74	< 30.00
		1	215	18.86	18.98	21.93	22.53	< 30.00
		217	0	19.06	19.06	22.07	22.67	< 30.00
		1	0	19.03	18.99	22.02	22.62	< 30.00
		1	216	18.78	18.90	21.85	22.45	< 30.00
3840.00	80	109	54	19.32	19.48	22.41	23.01	< 30.00
		1	1	19.10	19.60	22.37	22.97	< 30.00
		1	215	19.05	19.03	22.05	22.65	< 30.00
		217	0	19.29	19.24	22.28	22.88	< 30.00
		1	0	19.38	19.20	22.30	22.90	< 30.00
		1	216	19.12	18.94	22.04	22.64	< 30.00
3939.99	80	109	54	19.16	19.09	22.14	22.74	< 30.00
		1	1	19.09	19.11	22.11	22.71	< 30.00
		1	215	18.98	18.63	21.82	22.42	< 30.00
		217	0	19.05	18.99	22.03	22.63	< 30.00
		1	0	19.02	19.04	22.04	22.64	< 30.00
		1	216	18.96	18.58	21.78	22.38	< 30.00
3745.02	90	123	61	19.10	19.10	22.11	22.71	< 30.00
		1	1	18.97	18.99	21.99	22.59	< 30.00
		1	243	19.05	19.34	22.21	22.81	< 30.00
		245	0	19.11	19.02	22.08	22.68	< 30.00
		1	0	18.88	19.28	22.09	22.69	< 30.00
		1	244	19.00	19.22	22.12	22.72	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3840.00	90	123	61	19.24	19.49	22.38	22.98	< 30.00
		1	1	19.13	19.21	22.18	22.78	< 30.00
		1	243	19.17	19.37	22.28	22.88	< 30.00
		245	0	19.30	19.22	22.27	22.87	< 30.00
		1	0	19.27	19.09	22.19	22.79	< 30.00
		1	244	19.18	19.00	22.10	22.70	< 30.00
3934.98	90	123	61	19.15	19.21	22.19	22.79	< 30.00
		1	1	19.18	19.05	22.13	22.73	< 30.00
		1	243	19.11	18.78	21.96	22.56	< 30.00
		245	0	19.11	18.96	22.05	22.65	< 30.00
		1	0	19.11	19.02	22.08	22.68	< 30.00
		1	244	19.05	18.68	21.88	22.48	< 30.00
3750.00	100	137	68	19.09	19.07	22.09	22.69	< 30.00
		1	1	18.99	19.18	22.10	22.70	< 30.00
		1	271	19.00	19.02	22.02	22.62	< 30.00
		273	0	19.09	19.01	22.06	22.66	< 30.00
		1	0	18.86	18.95	21.92	22.52	< 30.00
		1	272	18.94	19.02	21.99	22.59	< 30.00
3840.00	100	137	68	19.33	19.47	22.41	23.01	< 30.00
		1	1	19.06	18.85	21.97	22.57	< 30.00
		1	271	19.05	19.58	22.33	22.93	< 30.00
		273	0	19.31	19.26	22.30	22.90	< 30.00
		1	0	19.12	18.95	22.05	22.65	< 30.00
		1	272	18.98	19.15	22.08	22.68	< 30.00
3930.00	100	137	68	19.22	19.13	22.19	22.79	< 30.00
		1	1	19.26	19.23	22.26	22.86	< 30.00
		1	271	19.14	18.60	21.89	22.49	< 30.00
		273	0	19.12	19.08	22.11	22.71	< 30.00
		1	0	19.10	19.24	22.18	22.78	< 30.00
		1	272	19.05	18.53	21.81	22.41	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3705.00	10	12	6	16.35	16.11	19.24	19.84	< 30.00
		1	1	16.26	16.14	19.21	19.81	< 30.00
		1	22	16.66	16.33	19.51	20.11	< 30.00
		24	0	16.23	16.26	19.26	19.86	< 30.00
		1	0	16.20	16.10	19.16	19.76	< 30.00
		1	23	16.08	16.38	19.24	19.84	< 30.00
3840.00	10	12	6	16.46	16.67	19.58	20.18	< 30.00
		1	1	16.38	16.55	19.48	20.08	< 30.00
		1	22	16.30	16.42	19.37	19.97	< 30.00
		24	0	16.38	16.48	19.44	20.04	< 30.00
		1	0	16.46	16.74	19.61	20.21	< 30.00
		1	23	16.18	16.33	19.27	19.87	< 30.00
3975.00	10	12	6	16.46	15.79	19.15	19.75	< 30.00
		1	1	16.40	15.75	19.10	19.70	< 30.00
		1	22	16.41	15.84	19.14	19.74	< 30.00
		24	0	16.43	15.88	19.17	19.77	< 30.00
		1	0	16.40	15.76	19.10	19.70	< 30.00
		1	23	16.16	15.81	19.00	19.60	< 30.00
3707.52	15	19	9	16.29	16.38	19.35	19.95	< 30.00
		1	1	16.02	16.33	19.19	19.79	< 30.00
		1	36	16.08	16.23	19.17	19.77	< 30.00
		38	0	16.26	16.33	19.31	19.91	< 30.00
		1	0	15.98	16.41	19.21	19.81	< 30.00
		1	37	16.29	16.19	19.25	19.85	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3840.00	15	19	9	16.57	16.73	19.66	20.26	< 30.00
		1	1	16.27	16.65	19.47	20.07	< 30.00
		1	36	16.23	16.85	19.56	20.16	< 30.00
		38	0	16.69	16.73	19.72	20.32	< 30.00
		1	0	16.60	16.72	19.67	20.27	< 30.00
		1	37	16.63	16.61	19.63	20.23	< 30.00
3972.48	15	19	9	16.50	16.13	19.33	19.93	< 30.00
		1	1	16.51	16.17	19.35	19.95	< 30.00
		1	36	16.20	16.31	19.27	19.87	< 30.00
		38	0	16.58	16.09	19.35	19.95	< 30.00
		1	0	16.40	16.15	19.29	19.89	< 30.00
		1	37	16.21	16.20	19.22	19.82	< 30.00
3710.01	20	25	12	16.25	16.34	19.31	19.91	< 30.00
		1	1	15.86	16.20	19.04	19.64	< 30.00
		1	49	16.07	16.22	19.16	19.76	< 30.00
		51	0	16.31	16.29	19.31	19.91	< 30.00
		1	0	16.15	16.37	19.27	19.87	< 30.00
		1	50	16.02	16.21	19.13	19.73	< 30.00
3840.00	20	25	12	16.64	16.72	19.69	20.29	< 30.00
		1	1	16.47	16.45	19.47	20.07	< 30.00
		1	49	16.75	16.58	19.68	20.28	< 30.00
		51	0	16.66	16.81	19.75	20.35	< 30.00
		1	0	16.50	16.73	19.63	20.23	< 30.00
		1	50	16.53	16.58	19.57	20.17	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3969.99	20	25	12	16.59	16.20	19.41	20.01	< 30.00
		1	1	16.25	16.03	19.15	19.75	< 30.00
		1	49	16.34	15.99	19.18	19.78	< 30.00
		51	0	16.55	16.14	19.36	19.96	< 30.00
		1	0	16.64	16.11	19.39	19.99	< 30.00
		1	50	16.17	16.05	19.12	19.72	< 30.00
3715.02	30	36	79	16.39	16.24	19.33	19.93	< 30.00
		1	1	16.29	16.20	19.26	19.86	< 30.00
		1	76	16.36	16.32	19.35	19.95	< 30.00
		78	0	16.41	16.34	19.39	19.99	< 30.00
		1	0	16.05	18.42	20.41	21.01	< 30.00
		1	77	16.25	16.29	19.28	19.88	< 30.00
3840.00	30	36	79	16.64	16.70	19.68	20.28	< 30.00
		1	1	16.23	16.63	19.44	20.04	< 30.00
		1	76	16.65	16.65	19.66	20.26	< 30.00
		78	0	16.60	16.68	19.65	20.25	< 30.00
		1	0	16.22	16.61	19.43	20.03	< 30.00
		1	77	16.17	16.75	19.48	20.08	< 30.00
3964.98	30	36	79	16.59	16.17	19.40	20.00	< 30.00
		1	1	16.44	16.35	19.41	20.01	< 30.00
		1	76	16.16	16.22	19.20	19.80	< 30.00
		78	0	16.47	16.30	19.40	20.00	< 30.00
		1	0	16.42	16.44	19.44	20.04	< 30.00
		1	77	16.39	16.17	19.29	19.89	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3720.00	40	53	26	16.44	16.29	19.38	19.98	< 30.00
		1	1	16.28	16.39	19.35	19.95	< 30.00
		1	104	16.46	16.30	19.39	19.99	< 30.00
		106	0	16.37	16.32	19.36	19.96	< 30.00
		1	0	16.27	16.49	19.39	19.99	< 30.00
		1	105	16.39	16.40	19.41	20.01	< 30.00
3840.00	40	53	26	16.73	16.61	19.68	20.28	< 30.00
		1	1	16.46	16.58	19.53	20.13	< 30.00
		1	104	16.51	16.86	19.70	20.30	< 30.00
		106	0	16.64	16.64	19.65	20.25	< 30.00
		1	0	16.77	16.66	19.73	20.33	< 30.00
		1	105	16.57	16.70	19.65	20.25	< 30.00
3960.00	40	53	26	16.62	16.09	19.37	19.97	< 30.00
		1	1	16.82	16.36	19.61	20.21	< 30.00
		1	104	16.30	16.23	19.28	19.88	< 30.00
		106	0	16.53	16.35	19.45	20.05	< 30.00
		1	0	16.74	16.37	19.57	20.17	< 30.00
		1	105	16.40	16.38	19.40	20.00	< 30.00
3720.00	50	67	33	16.31	16.11	19.22	19.82	< 30.00
		1	1	15.91	16.03	18.98	19.58	< 30.00
		1	131	15.85	15.95	18.91	19.51	< 30.00
		133	0	16.28	16.08	19.19	19.79	< 30.00
		1	0	15.90	16.16	19.04	19.64	< 30.00
		1	132	15.71	15.92	18.83	19.43	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3840.00	50	67	33	16.37	16.54	19.47	20.07	< 30.00
		1	1	15.92	16.42	19.19	19.79	< 30.00
		1	131	16.50	16.52	19.52	20.12	< 30.00
		133	0	16.38	16.47	19.44	20.04	< 30.00
		1	0	15.91	16.59	19.27	19.87	< 30.00
		1	132	16.17	16.45	19.32	19.92	< 30.00
3954.99	50	67	33	16.35	16.13	19.25	19.85	< 30.00
		1	1	16.35	16.28	19.33	19.93	< 30.00
		1	131	16.02	16.03	19.04	19.64	< 30.00
		133	0	16.36	16.15	19.27	19.87	< 30.00
		1	0	16.51	16.44	19.49	20.09	< 30.00
		1	132	16.19	15.93	19.07	19.67	< 30.00
3730.02	60	81	40	16.22	16.09	19.17	19.77	< 30.00
		1	1	15.89	16.01	18.96	19.56	< 30.00
		1	131	15.87	16.05	18.97	19.57	< 30.00
		128	0	16.14	16.08	19.12	19.72	< 30.00
		1	0	16.06	16.12	19.10	19.70	< 30.00
		1	132	15.75	16.05	18.91	19.51	< 30.00
3840.00	60	81	40	16.38	16.53	19.47	20.07	< 30.00
		1	1	16.33	16.26	19.31	19.91	< 30.00
		1	131	16.16	16.20	19.19	19.79	< 30.00
		128	0	16.43	16.45	19.45	20.05	< 30.00
		1	0	16.30	16.32	19.32	19.92	< 30.00
		1	132	16.35	16.35	19.36	19.96	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3949.98	60	81	40	16.17	16.04	19.12	19.72	< 30.00
		1	1	16.00	16.28	19.15	19.75	< 30.00
		1	131	15.62	15.79	18.72	19.32	< 30.00
		128	0	16.10	16.05	19.09	19.69	< 30.00
		1	0	15.75	16.34	19.07	19.67	< 30.00
		1	132	15.90	15.60	18.76	19.36	< 30.00
3735.00	70	95	47	18.13	18.27	21.21	21.81	< 30.00
		1	1	18.40	18.03	21.23	21.83	< 30.00
		1	187	18.36	17.96	21.17	21.77	< 30.00
		189	0	18.12	18.22	21.18	21.78	< 30.00
		1	0	18.45	18.03	21.26	21.86	< 30.00
		1	188	18.50	17.98	21.26	21.86	< 30.00
3840.00	70	95	47	18.44	18.32	21.39	21.99	< 30.00
		1	1	18.47	17.76	21.14	21.74	< 30.00
		1	187	18.42	17.90	21.18	21.78	< 30.00
		189	0	18.37	18.25	21.32	21.92	< 30.00
		1	0	18.70	17.82	21.29	21.89	< 30.00
		1	188	18.53	17.84	21.21	21.81	< 30.00
3945.00	70	95	47	18.09	18.33	21.22	21.82	< 30.00
		1	1	18.57	18.10	21.35	21.95	< 30.00
		1	187	18.45	17.73	21.12	21.72	< 30.00
		189	0	18.10	18.22	21.17	21.77	< 30.00
		1	0	18.54	18.02	21.30	21.90	< 30.00
		1	188	18.45	17.79	21.14	21.74	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3740.01	80	109	54	16.16	16.03	19.11	19.71	< 30.00
		1	1	16.06	16.12	19.10	19.70	< 30.00
		1	215	15.81	16.10	18.97	19.57	< 30.00
		217	0	16.10	16.03	19.08	19.68	< 30.00
		1	0	16.02	16.07	19.06	19.66	< 30.00
		1	216	15.58	16.04	18.83	19.43	< 30.00
3840.00	80	109	54	16.35	16.40	19.39	19.99	< 30.00
		1	1	15.68	16.02	18.86	19.46	< 30.00
		1	215	15.74	16.11	18.94	19.54	< 30.00
		217	0	16.31	16.26	19.30	19.90	< 30.00
		1	0	16.00	16.37	19.20	19.80	< 30.00
		1	216	15.81	16.00	18.92	19.52	< 30.00
3939.99	80	109	54	16.18	16.04	19.12	19.72	< 30.00
		1	1	16.00	15.97	19.00	19.60	< 30.00
		1	215	15.74	15.60	18.68	19.28	< 30.00
		217	0	15.99	16.06	19.04	19.64	< 30.00
		1	0	15.73	16.18	18.97	19.57	< 30.00
		1	216	15.70	15.54	18.63	19.23	< 30.00
3745.02	90	123	61	15.96	16.01	19.00	19.60	< 30.00
		1	1	15.81	16.20	19.02	19.62	< 30.00
		1	243	15.95	16.14	19.06	19.66	< 30.00
		245	0	16.07	16.10	19.10	19.70	< 30.00
		1	0	15.65	16.15	18.92	19.52	< 30.00
		1	244	15.70	15.92	18.82	19.42	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3840.00	90	123	61	16.29	16.33	19.32	19.92	< 30.00
		1	1	16.06	16.05	19.07	19.67	< 30.00
		1	243	15.94	16.07	19.02	19.62	< 30.00
		245	0	16.24	16.26	19.26	19.86	< 30.00
		1	0	15.71	16.08	18.91	19.51	< 30.00
		1	244	15.95	16.05	19.01	19.61	< 30.00
3934.98	90	123	61	16.17	16.14	19.17	19.77	< 30.00
		1	1	15.75	16.16	18.97	19.57	< 30.00
		1	243	15.71	15.73	18.73	19.33	< 30.00
		245	0	16.03	16.00	19.03	19.63	< 30.00
		1	0	15.75	15.88	18.83	19.43	< 30.00
		1	244	15.73	15.65	18.70	19.30	< 30.00
3750.00	100	137	68	16.07	16.05	19.07	19.67	< 30.00
		1	1	15.84	16.08	18.97	19.57	< 30.00
		1	271	16.07	15.96	19.03	19.63	< 30.00
		273	0	16.05	15.99	19.03	19.63	< 30.00
		1	0	15.45	15.86	18.67	19.27	< 30.00
		1	272	15.74	15.76	18.76	19.36	< 30.00
3840.00	100	137	68	16.32	16.37	19.36	19.96	< 30.00
		1	1	15.42	16.00	18.73	19.33	< 30.00
		1	271	16.15	16.01	19.09	19.69	< 30.00
		273	0	16.27	16.25	19.27	19.87	< 30.00
		1	0	16.39	16.11	19.26	19.86	< 30.00
		1	272	15.93	15.86	18.91	19.51	< 30.00
3930.00	100	137	68	16.09	16.13	19.12	19.72	< 30.00
		1	1	16.14	16.01	19.09	19.69	< 30.00
		1	271	16.00	15.69	18.86	19.46	< 30.00
		273	0	16.15	16.07	19.12	19.72	< 30.00
		1	0	16.25	15.86	19.07	19.67	< 30.00
		1	272	15.82	15.18	18.52	19.12	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-18 ~ 2023-03-06	Test Band	HPUE n77/n78_UL MIMO (3700 ~ 3980MHz)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3705.00	10	12	6	26.11	25.40	28.78	29.38	< 30.00
		1	1	25.95	25.27	28.63	29.23	< 30.00
		1	22	26.18	25.33	28.79	29.39	< 30.00
		24	0	24.67	23.82	27.28	27.88	< 30.00
		1	0	20.12	19.40	22.79	23.39	< 30.00
		1	23	20.05	19.39	22.74	23.34	< 30.00
3840.00	10	12	6	26.41	25.65	29.06	29.66	< 30.00
		1	1	26.33	25.71	29.04	29.64	< 30.00
		1	22	26.34	25.74	29.06	29.66	< 30.00
		24	0	24.85	24.24	27.57	28.17	< 30.00
		1	0	20.19	19.64	22.93	23.53	< 30.00
		1	23	20.37	19.69	23.05	23.65	< 30.00
3975.00	10	12	6	26.52	25.41	29.01	29.61	< 30.00
		1	1	26.50	25.26	28.93	29.53	< 30.00
		1	22	26.58	25.30	29.00	29.60	< 30.00
		24	0	25.08	23.95	27.56	28.16	< 30.00
		1	0	20.68	19.42	23.11	23.71	< 30.00
		1	23	20.48	19.47	23.01	23.61	< 30.00
3707.52	15	19	9	25.94	25.25	28.62	29.22	< 30.00
		1	1	25.92	25.10	28.54	29.14	< 30.00
		1	36	25.91	25.21	28.58	29.18	< 30.00
		38	0	24.51	23.72	27.14	27.74	< 30.00
		1	0	20.06	19.24	22.68	23.28	< 30.00
		1	37	20.09	19.26	22.71	23.31	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3840.00	15	19	9	26.58	25.81	29.22	29.82	< 30.00
		1	1	26.46	25.88	29.19	29.79	< 30.00
		1	36	26.65	25.90	29.30	29.90	< 30.00
		38	0	25.05	24.36	27.73	28.33	< 30.00
		1	0	20.45	19.89	23.19	23.79	< 30.00
		1	37	20.47	19.70	23.11	23.71	< 30.00
3972.48	15	19	9	26.60	25.57	29.13	29.73	< 30.00
		1	1	26.63	25.54	29.13	29.73	< 30.00
		1	36	26.49	25.59	29.07	29.67	< 30.00
		38	0	25.17	24.11	27.68	28.28	< 30.00
		1	0	20.67	19.53	23.15	23.75	< 30.00
		1	37	20.59	19.45	23.07	23.67	< 30.00
3710.01	20	25	12	26.26	25.37	28.85	29.45	< 30.00
		1	1	26.30	25.43	28.90	29.50	< 30.00
		1	49	26.16	25.41	28.81	29.41	< 30.00
		51	0	24.78	23.90	27.37	27.97	< 30.00
		1	0	20.26	19.41	22.87	23.47	< 30.00
		1	50	20.19	19.52	22.88	23.48	< 30.00
3840.00	20	25	12	26.50	25.85	29.20	29.80	< 30.00
		1	1	26.51	25.93	29.24	29.84	< 30.00
		1	49	26.62	25.96	29.31	29.91	< 30.00
		51	0	25.13	24.43	27.80	28.40	< 30.00
		1	0	20.58	19.97	23.30	23.90	< 30.00
		1	50	20.56	19.75	23.18	23.78	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3969.99	20	25	12	26.57	25.32	29.00	29.60	< 30.00
		1	1	26.64	25.58	29.15	29.75	< 30.00
		1	49	26.63	25.68	29.19	29.79	< 30.00
		51	0	25.18	24.10	27.68	28.28	< 30.00
		1	0	20.57	19.76	23.19	23.79	< 30.00
		1	50	20.46	19.69	23.10	23.70	< 30.00
3715.02	30	36	79	26.31	25.63	28.99	29.59	< 30.00
		1	1	26.23	25.42	28.85	29.45	< 30.00
		1	76	26.28	25.67	29.00	29.60	< 30.00
		78	0	24.87	24.16	27.54	28.14	< 30.00
		1	0	20.40	19.77	23.11	23.71	< 30.00
		1	77	20.30	19.65	23.00	23.60	< 30.00
3840.00	30	36	79	26.55	25.89	29.24	29.84	< 30.00
		1	1	26.48	26.02	29.27	29.87	< 30.00
		1	76	26.66	25.76	29.24	29.84	< 30.00
		78	0	25.08	24.50	27.81	28.41	< 30.00
		1	0	20.67	20.14	23.42	24.02	< 30.00
		1	77	20.52	19.88	23.22	23.82	< 30.00
3964.98	30	36	79	26.64	25.59	29.16	29.76	< 30.00
		1	1	26.52	25.76	29.17	29.77	< 30.00
		1	76	26.60	25.54	29.11	29.71	< 30.00
		78	0	25.14	24.16	27.69	28.29	< 30.00
		1	0	20.68	19.84	23.29	23.89	< 30.00
		1	77	20.65	19.49	23.12	23.72	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3720.00	40	53	26	26.36	25.59	29.00	29.60	< 30.00
		1	1	26.35	25.64	29.02	29.62	< 30.00
		1	104	26.28	25.67	29.00	29.60	< 30.00
		106	0	24.92	24.14	27.56	28.16	< 30.00
		1	0	20.45	19.94	23.21	23.81	< 30.00
		1	105	20.43	19.64	23.06	23.66	< 30.00
3840.00	40	53	26	26.62	25.97	29.32	29.92	< 30.00
		1	1	26.51	26.02	29.28	29.88	< 30.00
		1	104	26.67	25.89	29.31	29.91	< 30.00
		106	0	25.12	24.44	27.80	28.40	< 30.00
		1	0	20.64	20.27	23.47	24.07	< 30.00
		1	105	20.76	19.76	23.30	23.90	< 30.00
3960.00	40	53	26	26.69	25.71	29.24	29.84	< 30.00
		1	1	26.60	25.51	29.10	29.70	< 30.00
		1	104	26.77	25.72	29.29	29.89	< 30.00
		106	0	25.18	24.26	27.75	28.35	< 30.00
		1	0	20.87	19.90	23.42	24.02	< 30.00
		1	105	20.80	19.93	23.40	24.00	< 30.00
3720.00	50	67	33	26.21	25.32	28.80	29.40	< 30.00
		1	1	26.23	25.30	28.80	29.40	< 30.00
		1	131	25.99	25.30	28.67	29.27	< 30.00
		133	0	24.70	23.85	27.31	27.91	< 30.00
		1	0	20.18	19.43	22.83	23.43	< 30.00
		1	132	20.10	19.49	22.82	23.42	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3840.00	50	67	33	26.49	25.82	29.18	29.78	< 30.00
		1	1	26.24	25.85	29.06	29.66	< 30.00
		1	131	26.46	25.74	29.13	29.73	< 30.00
		133	0	25.03	24.34	27.71	28.31	< 30.00
		1	0	20.50	19.86	23.20	23.80	< 30.00
		1	132	20.55	19.88	23.24	23.84	< 30.00
3954.99	50	67	33	26.53	25.54	29.07	29.67	< 30.00
		1	1	26.40	25.34	28.91	29.51	< 30.00
		1	131	26.39	25.55	29.00	29.60	< 30.00
		133	0	25.04	24.05	27.58	28.18	< 30.00
		1	0	20.72	19.72	23.26	23.86	< 30.00
		1	132	20.50	19.51	23.04	23.64	< 30.00
3730.02	60	81	40	26.10	25.31	28.73	29.33	< 30.00
		1	1	26.18	25.33	28.79	29.39	< 30.00
		1	131	26.01	25.38	28.72	29.32	< 30.00
		128	0	24.65	23.97	27.33	27.93	< 30.00
		1	0	20.24	19.41	22.86	23.46	< 30.00
		1	132	20.13	19.61	22.89	23.49	< 30.00
3840.00	60	81	40	26.51	25.83	29.19	29.79	< 30.00
		1	1	26.23	25.64	28.96	29.56	< 30.00
		1	131	26.47	25.46	29.00	29.60	< 30.00
		128	0	25.09	24.30	27.72	28.32	< 30.00
		1	0	20.43	20.04	23.25	23.85	< 30.00
		1	132	20.45	19.54	23.03	23.63	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3949.98	60	81	40	26.39	25.61	29.03	29.63	< 30.00
		1	1	26.48	25.42	28.99	29.59	< 30.00
		1	131	26.15	25.56	28.88	29.48	< 30.00
		128	0	24.87	24.04	27.49	28.09	< 30.00
		1	0	20.56	19.68	23.15	23.75	< 30.00
		1	132	20.05	19.45	22.77	23.37	< 30.00
3735.00	70	95	47	26.07	25.47	28.79	29.39	< 30.00
		1	1	26.11	25.13	28.66	29.26	< 30.00
		1	187	26.08	25.36	28.75	29.35	< 30.00
		189	0	24.60	23.97	27.31	27.91	< 30.00
		1	0	20.09	19.39	22.76	23.36	< 30.00
		1	188	20.24	19.47	22.88	23.48	< 30.00
3840.00	70	95	47	26.39	25.67	29.06	29.66	< 30.00
		1	1	26.04	25.74	28.90	29.50	< 30.00
		1	187	26.20	25.39	28.82	29.42	< 30.00
		189	0	24.90	24.17	27.56	28.16	< 30.00
		1	0	20.30	19.88	23.11	23.71	< 30.00
		1	188	20.18	19.47	22.85	23.45	< 30.00
3945.00	70	95	47	26.26	25.44	28.88	29.48	< 30.00
		1	1	26.43	25.31	28.92	29.52	< 30.00
		1	187	26.03	25.16	28.63	29.23	< 30.00
		189	0	24.76	23.95	27.38	27.98	< 30.00
		1	0	20.57	19.28	22.98	23.58	< 30.00
		1	188	20.20	19.40	22.83	23.43	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3740.01	80	109	54	26.12	25.44	28.80	29.40	< 30.00
		1	1	26.11	25.27	28.72	29.32	< 30.00
		1	215	26.27	25.40	28.87	29.47	< 30.00
		217	0	24.71	23.94	27.35	27.95	< 30.00
		1	0	20.02	19.25	22.66	23.26	< 30.00
		1	216	20.19	19.45	22.85	23.45	< 30.00
3840.00	80	109	54	26.49	25.79	29.16	29.76	< 30.00
		1	1	26.06	25.68	28.88	29.48	< 30.00
		1	215	26.34	25.40	28.91	29.51	< 30.00
		217	0	25.78	24.21	28.08	28.68	< 30.00
		1	0	20.40	19.85	23.14	23.74	< 30.00
		1	216	20.42	19.26	22.89	23.49	< 30.00
3939.99	80	109	54	26.37	25.45	28.94	29.54	< 30.00
		1	1	26.43	25.32	28.92	29.52	< 30.00
		1	215	26.05	25.20	28.66	29.26	< 30.00
		217	0	24.85	23.96	27.44	28.04	< 30.00
		1	0	20.69	19.54	23.16	23.76	< 30.00
		1	216	20.12	19.30	22.74	23.34	< 30.00
3745.02	90	123	61	26.11	25.55	28.85	29.45	< 30.00
		1	1	25.96	25.13	28.58	29.18	< 30.00
		1	243	26.32	25.66	29.01	29.61	< 30.00
		245	0	24.61	24.00	27.33	27.93	< 30.00
		1	0	20.06	19.37	22.74	23.34	< 30.00
		1	244	20.36	19.61	23.01	23.61	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT OFDM BPSK								
3840.00	90	123	61	26.44	25.71	29.10	29.70	< 30.00
		1	1	26.02	25.61	28.83	29.43	< 30.00
		1	243	26.40	25.36	28.92	29.52	< 30.00
		245	0	24.81	24.09	27.48	28.08	< 30.00
		1	0	20.45	19.70	23.10	23.70	< 30.00
		1	244	20.47	19.66	23.09	23.69	< 30.00
3934.98	90	123	61	26.37	25.33	28.89	29.49	< 30.00
		1	1	26.41	25.44	28.96	29.56	< 30.00
		1	243	26.12	25.19	28.69	29.29	< 30.00
		245	0	24.89	23.80	27.39	27.99	< 30.00
		1	0	20.68	19.29	23.05	23.65	< 30.00
		1	244	20.14	19.42	22.81	23.41	< 30.00
3750.00	100	137	68	26.17	25.51	28.86	29.46	< 30.00
		1	1	25.95	25.25	28.62	29.22	< 30.00
		1	271	26.35	25.63	29.02	29.62	< 30.00
		273	0	24.60	24.02	27.33	27.93	< 30.00
		1	0	20.14	19.35	22.77	23.37	< 30.00
		1	272	20.40	19.62	23.04	23.64	< 30.00
3840.00	100	137	68	26.49	25.77	29.16	29.76	< 30.00
		1	1	25.95	25.62	28.80	29.40	< 30.00
		1	271	26.20	25.53	28.89	29.49	< 30.00
		273	0	24.75	24.17	27.48	28.08	< 30.00
		1	0	20.40	19.68	23.07	23.67	< 30.00
		1	272	20.36	19.48	22.95	23.55	< 30.00
3930.00	100	137	68	26.48	25.49	29.02	29.62	< 30.00
		1	1	26.53	25.29	28.96	29.56	< 30.00
		1	271	26.30	25.33	28.85	29.45	< 30.00
		273	0	24.94	23.88	27.45	28.05	< 30.00
		1	0	20.79	19.28	23.11	23.71	< 30.00
		1	272	20.35	19.31	22.87	23.47	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3705.00	10	12	6	24.83	24.71	27.78	28.38	< 30.00
		1	1	24.67	24.69	27.69	28.29	< 30.00
		1	22	24.99	24.86	27.94	28.54	< 30.00
		24	0	22.34	22.20	25.28	25.88	< 30.00
		1	0	19.90	19.63	22.78	23.38	< 30.00
		1	23	20.14	19.66	22.92	23.52	< 30.00
3840.00	10	12	6	24.94	25.18	28.07	28.67	< 30.00
		1	1	25.09	25.08	28.10	28.70	< 30.00
		1	22	25.19	25.06	28.14	28.74	< 30.00
		24	0	22.45	22.57	25.52	26.12	< 30.00
		1	0	20.35	20.15	23.26	23.86	< 30.00
		1	23	19.99	20.18	23.10	23.70	< 30.00
3975.00	10	12	6	25.21	24.59	27.92	28.52	< 30.00
		1	1	25.09	24.55	27.84	28.44	< 30.00
		1	22	25.22	24.54	27.90	28.50	< 30.00
		24	0	22.78	22.14	25.48	26.08	< 30.00
		1	0	20.22	19.60	22.93	23.53	< 30.00
		1	23	20.32	19.58	22.98	23.58	< 30.00
3707.52	15	19	9	24.83	24.74	27.80	28.40	< 30.00
		1	1	24.90	24.80	27.86	28.46	< 30.00
		1	36	25.13	24.86	28.01	28.61	< 30.00
		38	0	22.45	22.37	25.42	26.02	< 30.00
		1	0	19.85	19.82	22.85	23.45	< 30.00
		1	37	20.20	19.77	23.00	23.60	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3840.00	15	19	9	25.31	25.24	28.29	28.89	< 30.00
		1	1	25.00	25.26	28.14	28.74	< 30.00
		1	36	25.30	25.15	28.24	28.84	< 30.00
		38	0	22.70	22.80	25.76	26.36	< 30.00
		1	0	20.42	20.38	23.41	24.01	< 30.00
		1	37	20.58	20.42	23.51	24.11	< 30.00
3972.48	15	19	9	25.13	24.62	27.89	28.49	< 30.00
		1	1	25.41	24.52	28.00	28.60	< 30.00
		1	36	25.25	24.88	28.08	28.68	< 30.00
		38	0	22.69	22.12	25.42	26.02	< 30.00
		1	0	20.50	19.58	23.07	23.67	< 30.00
		1	37	20.29	19.98	23.15	23.75	< 30.00
3710.01	20	25	12	24.82	24.80	27.82	28.42	< 30.00
		1	1	24.62	24.77	27.71	28.31	< 30.00
		1	49	24.97	24.54	27.77	28.37	< 30.00
		51	0	22.38	22.18	25.29	25.89	< 30.00
		1	0	19.91	19.86	22.90	23.50	< 30.00
		1	50	20.18	19.66	22.94	23.54	< 30.00
3840.00	20	25	12	25.06	25.01	28.05	28.65	< 30.00
		1	1	24.93	25.04	28.00	28.60	< 30.00
		1	49	25.13	25.10	28.13	28.73	< 30.00
		51	0	22.69	22.63	25.67	26.27	< 30.00
		1	0	20.20	20.15	23.19	23.79	< 30.00
		1	50	20.37	20.22	23.31	23.91	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3969.99	20	25	12	25.10	24.55	27.84	28.44	< 30.00
		1	1	25.10	24.44	27.79	28.39	< 30.00
		1	49	25.21	24.53	27.89	28.49	< 30.00
		51	0	22.56	22.01	25.30	25.90	< 30.00
		1	0	20.42	19.81	23.14	23.74	< 30.00
		1	50	20.18	19.67	22.94	23.54	< 30.00
3715.02	30	36	79	24.83	24.71	27.78	28.38	< 30.00
		1	1	24.90	24.72	27.82	28.42	< 30.00
		1	76	25.29	24.62	27.98	28.58	< 30.00
		78	0	22.28	22.18	25.24	25.84	< 30.00
		1	0	20.01	19.73	22.88	23.48	< 30.00
		1	77	20.28	19.64	22.98	23.58	< 30.00
3840.00	30	36	79	25.07	25.13	28.11	28.71	< 30.00
		1	1	25.20	24.88	28.05	28.65	< 30.00
		1	76	25.26	25.31	28.30	28.90	< 30.00
		78	0	22.66	22.60	25.64	26.24	< 30.00
		1	0	20.28	20.37	23.34	23.94	< 30.00
		1	77	20.30	20.21	23.27	23.87	< 30.00
3964.98	30	36	79	25.11	24.56	27.85	28.45	< 30.00
		1	1	25.38	24.71	28.07	28.67	< 30.00
		1	76	25.04	24.81	27.94	28.54	< 30.00
		78	0	22.73	22.10	25.44	26.04	< 30.00
		1	0	20.52	19.87	23.22	23.82	< 30.00
		1	77	20.15	19.50	22.85	23.45	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3720.00	40	53	26	24.91	24.59	27.76	28.36	< 30.00
		1	1	25.07	24.76	27.93	28.53	< 30.00
		1	104	24.98	24.75	27.88	28.48	< 30.00
		106	0	22.38	22.20	25.30	25.90	< 30.00
		1	0	19.83	19.94	22.90	23.50	< 30.00
		1	105	20.17	19.70	22.95	23.55	< 30.00
3840.00	40	53	26	25.03	25.04	28.05	28.65	< 30.00
		1	1	25.10	25.28	28.20	28.80	< 30.00
		1	104	25.25	24.93	28.10	28.70	< 30.00
		106	0	22.57	22.58	25.59	26.19	< 30.00
		1	0	20.35	20.22	23.30	23.90	< 30.00
		1	105	20.24	20.30	23.28	23.88	< 30.00
3960.00	40	53	26	25.05	24.53	27.81	28.41	< 30.00
		1	1	25.17	25.02	28.11	28.71	< 30.00
		1	104	25.30	24.56	27.96	28.56	< 30.00
		106	0	22.62	22.10	25.38	25.98	< 30.00
		1	0	20.37	20.01	23.20	23.80	< 30.00
		1	105	20.13	19.69	22.93	23.53	< 30.00
3720.00	50	67	33	24.68	24.51	27.61	28.21	< 30.00
		1	1	24.56	24.44	27.51	28.11	< 30.00
		1	131	24.61	24.29	27.46	28.06	< 30.00
		133	0	22.14	21.91	25.04	25.64	< 30.00
		1	0	19.66	19.54	22.61	23.21	< 30.00
		1	132	19.74	19.58	22.67	23.27	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3840.00	50	67	33	24.84	24.88	27.87	28.47	< 30.00
		1	1	24.90	24.56	27.74	28.34	< 30.00
		1	131	24.99	24.91	27.96	28.56	< 30.00
		133	0	22.38	22.44	25.42	26.02	< 30.00
		1	0	19.83	19.83	22.84	23.44	< 30.00
		1	132	19.90	20.00	22.96	23.56	< 30.00
3954.99	50	67	33	24.89	24.45	27.69	28.29	< 30.00
		1	1	24.79	24.48	27.65	28.25	< 30.00
		1	131	24.70	24.30	27.51	28.11	< 30.00
		133	0	22.34	21.90	25.14	25.74	< 30.00
		1	0	19.83	19.76	22.81	23.41	< 30.00
		1	132	20.18	19.49	22.86	23.46	< 30.00
3730.02	60	81	40	24.62	24.37	27.51	28.11	< 30.00
		1	1	24.53	24.43	27.49	28.09	< 30.00
		1	131	24.40	24.33	27.38	27.98	< 30.00
		128	0	22.09	21.90	25.01	25.61	< 30.00
		1	0	19.49	19.73	22.62	23.22	< 30.00
		1	132	19.31	19.33	22.33	22.93	< 30.00
3840.00	60	81	40	24.76	24.88	27.83	28.43	< 30.00
		1	1	24.66	24.49	27.59	28.19	< 30.00
		1	131	24.80	24.74	27.78	28.38	< 30.00
		128	0	22.35	22.36	25.37	25.97	< 30.00
		1	0	19.71	20.03	22.88	23.48	< 30.00
		1	132	19.83	19.63	22.74	23.34	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3949.98	60	81	40	24.56	24.39	27.49	28.09	< 30.00
		1	1	24.45	24.67	27.57	28.17	< 30.00
		1	131	24.53	24.21	27.38	27.98	< 30.00
		128	0	22.01	21.91	24.97	25.57	< 30.00
		1	0	19.42	19.59	22.52	23.12	< 30.00
		1	132	19.33	19.15	22.25	22.85	< 30.00
3735.00	70	95	47	23.87	24.28	27.09	27.69	< 30.00
		1	1	23.89	24.26	27.09	27.69	< 30.00
		1	187	23.93	24.30	27.13	27.73	< 30.00
		189	0	21.37	21.79	24.60	25.20	< 30.00
		1	0	18.85	19.37	22.13	22.73	< 30.00
		1	188	18.79	19.12	21.97	22.57	< 30.00
3840.00	70	95	47	24.20	24.31	27.27	27.87	< 30.00
		1	1	22.99	23.27	26.14	26.74	< 30.00
		1	187	23.08	23.29	26.20	26.80	< 30.00
		189	0	20.65	20.83	23.75	24.35	< 30.00
		1	0	18.20	18.23	21.23	21.83	< 30.00
		1	188	17.98	18.13	21.07	21.67	< 30.00
3945.00	70	95	47	23.97	24.32	27.16	27.76	< 30.00
		1	1	24.16	24.52	27.35	27.95	< 30.00
		1	187	24.04	24.26	27.16	27.76	< 30.00
		189	0	21.48	21.78	24.64	25.24	< 30.00
		1	0	19.26	19.40	22.34	22.94	< 30.00
		1	188	18.95	19.07	22.02	22.62	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3740.01	80	109	54	24.44	24.28	27.37	27.97	< 30.00
		1	1	24.37	24.47	27.43	28.03	< 30.00
		1	215	24.19	24.41	27.31	27.91	< 30.00
		217	0	21.92	21.77	24.86	25.46	< 30.00
		1	0	19.50	19.45	22.49	23.09	< 30.00
		1	216	19.43	19.33	22.39	22.99	< 30.00
3840.00	80	109	54	24.73	24.69	27.72	28.32	< 30.00
		1	1	24.58	24.30	27.45	28.05	< 30.00
		1	215	24.66	24.41	27.55	28.15	< 30.00
		217	0	22.13	21.98	25.07	25.67	< 30.00
		1	0	19.60	19.61	22.62	23.22	< 30.00
		1	216	19.77	19.46	22.63	23.23	< 30.00
3939.99	80	109	54	24.59	24.29	27.45	28.05	< 30.00
		1	1	24.48	24.27	27.39	27.99	< 30.00
		1	215	24.48	24.12	27.31	27.91	< 30.00
		217	0	21.97	21.78	24.89	25.49	< 30.00
		1	0	19.51	19.49	22.51	23.11	< 30.00
		1	216	19.33	19.01	22.18	22.78	< 30.00
3745.02	90	123	61	24.46	24.25	27.37	27.97	< 30.00
		1	1	24.34	24.34	27.35	27.95	< 30.00
		1	243	24.15	24.52	27.35	27.95	< 30.00
		245	0	21.93	21.80	24.88	25.48	< 30.00
		1	0	19.61	19.38	22.51	23.11	< 30.00
		1	244	19.52	19.46	22.50	23.10	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
3840.00	90	123	61	24.66	24.68	27.68	28.28	< 30.00
		1	1	24.35	24.32	27.35	27.95	< 30.00
		1	243	24.66	24.44	27.56	28.16	< 30.00
		245	0	22.17	22.02	25.11	25.71	< 30.00
		1	0	19.61	19.49	22.56	23.16	< 30.00
		1	244	19.64	19.41	22.54	23.14	< 30.00
3934.98	90	123	61	24.50	24.30	27.41	28.01	< 30.00
		1	1	24.55	24.35	27.46	28.06	< 30.00
		1	243	24.68	23.87	27.30	27.90	< 30.00
		245	0	21.88	21.81	24.86	25.46	< 30.00
		1	0	19.40	19.36	22.39	22.99	< 30.00
		1	244	19.55	18.93	22.26	22.86	< 30.00
3750.00	100	137	68	24.42	24.23	27.34	27.94	< 30.00
		1	1	24.26	24.12	27.20	27.80	< 30.00
		1	271	24.31	24.20	27.27	27.87	< 30.00
		273	0	21.90	21.77	24.85	25.45	< 30.00
		1	0	19.35	19.24	22.31	22.91	< 30.00
		1	272	19.26	19.20	22.24	22.84	< 30.00
3840.00	100	137	68	24.66	24.66	27.67	28.27	< 30.00
		1	1	24.38	24.30	27.35	27.95	< 30.00
		1	271	24.51	24.41	27.47	28.07	< 30.00
		273	0	22.13	22.04	25.10	25.70	< 30.00
		1	0	19.61	19.31	22.47	23.07	< 30.00
		1	272	19.53	19.39	22.47	23.07	< 30.00
3930.00	100	137	68	24.46	24.32	27.40	28.00	< 30.00
		1	1	24.62	24.29	27.47	28.07	< 30.00
		1	271	24.27	23.91	27.10	27.70	< 30.00
		273	0	21.92	21.75	24.85	25.45	< 30.00
		1	0	19.38	19.46	22.43	23.03	< 30.00
		1	272	19.21	18.90	22.07	22.67	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3705.00	10	12	6	24.30	24.35	27.34	27.94	< 30.00
		1	1	24.33	24.35	27.35	27.95	< 30.00
		1	22	24.47	24.23	27.36	27.96	< 30.00
		24	0	22.37	22.28	25.34	25.94	< 30.00
		1	0	19.90	19.65	22.79	23.39	< 30.00
		1	23	19.87	19.63	22.76	23.36	< 30.00
3840.00	10	12	6	24.61	24.79	27.71	28.31	< 30.00
		1	1	24.62	24.68	27.66	28.26	< 30.00
		1	22	24.66	24.83	27.76	28.36	< 30.00
		24	0	22.63	22.72	25.69	26.29	< 30.00
		1	0	19.95	20.48	23.23	23.83	< 30.00
		1	23	20.04	20.38	23.22	23.82	< 30.00
3975.00	10	12	6	24.68	24.12	27.42	28.02	< 30.00
		1	1	24.52	24.18	27.36	27.96	< 30.00
		1	22	24.57	24.21	27.40	28.00	< 30.00
		24	0	22.68	22.06	25.39	25.99	< 30.00
		1	0	20.19	19.86	23.04	23.64	< 30.00
		1	23	20.15	19.42	22.81	23.41	< 30.00
3707.52	15	19	9	24.34	24.31	27.34	27.94	< 30.00
		1	1	24.36	24.27	27.33	27.93	< 30.00
		1	36	24.49	24.44	27.48	28.08	< 30.00
		38	0	22.39	22.36	25.39	25.99	< 30.00
		1	0	19.98	19.99	23.00	23.60	< 30.00
		1	37	19.93	19.71	22.83	23.43	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3840.00	15	19	9	24.71	24.73	27.73	28.33	< 30.00
		1	1	24.60	24.91	27.77	28.37	< 30.00
		1	36	24.77	24.89	27.84	28.44	< 30.00
		38	0	22.70	22.73	25.73	26.33	< 30.00
		1	0	20.21	20.22	23.23	23.83	< 30.00
		1	37	20.20	20.45	23.34	23.94	< 30.00
3972.48	15	19	9	24.65	24.07	27.38	27.98	< 30.00
		1	1	24.74	24.15	27.47	28.07	< 30.00
		1	36	24.62	24.15	27.40	28.00	< 30.00
		38	0	22.61	22.10	25.37	25.97	< 30.00
		1	0	20.43	19.66	23.07	23.67	< 30.00
		1	37	20.23	19.71	22.99	23.59	< 30.00
3710.01	20	25	12	24.14	24.22	27.19	27.79	< 30.00
		1	1	24.28	24.41	27.36	27.96	< 30.00
		1	49	24.56	24.04	27.32	27.92	< 30.00
		51	0	22.22	22.26	25.25	25.85	< 30.00
		1	0	19.83	20.00	22.93	23.53	< 30.00
		1	50	19.90	19.80	22.86	23.46	< 30.00
3840.00	20	25	12	24.61	24.69	27.66	28.26	< 30.00
		1	1	24.60	24.59	27.61	28.21	< 30.00
		1	49	24.72	24.80	27.77	28.37	< 30.00
		51	0	22.71	22.72	25.73	26.33	< 30.00
		1	0	20.06	20.00	23.04	23.64	< 30.00
		1	50	20.32	20.30	23.32	23.92	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3969.99	20	25	12	24.53	24.02	27.29	27.89	< 30.00
		1	1	24.64	24.14	27.41	28.01	< 30.00
		1	49	24.66	24.08	27.39	27.99	< 30.00
		51	0	22.60	22.08	25.36	25.96	< 30.00
		1	0	20.34	19.71	23.05	23.65	< 30.00
		1	50	19.96	19.38	22.69	23.29	< 30.00
3715.02	30	36	79	24.40	24.25	27.34	27.94	< 30.00
		1	1	24.11	24.21	27.17	27.77	< 30.00
		1	76	24.66	24.17	27.43	28.03	< 30.00
		78	0	22.31	22.23	25.28	25.88	< 30.00
		1	0	19.78	19.63	22.72	23.32	< 30.00
		1	77	20.01	19.72	22.88	23.48	< 30.00
3840.00	30	36	79	24.68	24.61	27.66	28.26	< 30.00
		1	1	24.44	24.61	27.54	28.14	< 30.00
		1	76	24.78	24.70	27.75	28.35	< 30.00
		78	0	22.65	22.63	25.65	26.25	< 30.00
		1	0	20.13	20.05	23.10	23.70	< 30.00
		1	77	20.27	19.96	23.13	23.73	< 30.00
3964.98	30	36	79	24.71	24.02	27.39	27.99	< 30.00
		1	1	24.75	24.09	27.44	28.04	< 30.00
		1	76	24.65	24.10	27.39	27.99	< 30.00
		78	0	22.73	22.04	25.41	26.01	< 30.00
		1	0	20.54	19.73	23.16	23.76	< 30.00
		1	77	19.91	19.51	22.72	23.32	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3720.00	40	53	26	24.36	24.25	27.32	27.92	< 30.00
		1	1	24.34	24.43	27.40	28.00	< 30.00
		1	104	24.65	24.12	27.40	28.00	< 30.00
		106	0	22.33	22.11	25.23	25.83	< 30.00
		1	0	20.02	20.08	23.06	23.66	< 30.00
		1	105	20.19	19.85	23.03	23.63	< 30.00
3840.00	40	53	26	24.65	24.65	27.66	28.26	< 30.00
		1	1	24.65	24.63	27.65	28.25	< 30.00
		1	104	24.66	24.45	27.57	28.17	< 30.00
		106	0	22.63	22.61	25.63	26.23	< 30.00
		1	0	20.25	20.34	23.31	23.91	< 30.00
		1	105	20.20	19.91	23.07	23.67	< 30.00
3960.00	40	53	26	24.63	24.17	27.42	28.02	< 30.00
		1	1	24.70	24.22	27.48	28.08	< 30.00
		1	104	24.64	23.96	27.32	27.92	< 30.00
		106	0	22.66	22.13	25.41	26.01	< 30.00
		1	0	20.26	20.05	23.17	23.77	< 30.00
		1	105	20.15	19.79	22.98	23.58	< 30.00
3720.00	50	67	33	24.15	23.90	27.04	27.64	< 30.00
		1	1	23.96	24.18	27.08	27.68	< 30.00
		1	131	23.81	23.87	26.85	27.45	< 30.00
		133	0	22.16	21.99	25.09	25.69	< 30.00
		1	0	19.33	19.74	22.55	23.15	< 30.00
		1	132	19.41	19.56	22.50	23.10	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3840.00	50	67	33	24.45	24.44	27.46	28.06	< 30.00
		1	1	24.19	24.31	27.26	27.86	< 30.00
		1	131	24.26	24.39	27.34	27.94	< 30.00
		133	0	22.39	22.41	25.41	26.01	< 30.00
		1	0	19.85	19.67	22.77	23.37	< 30.00
		1	132	19.89	19.99	22.95	23.55	< 30.00
3954.99	50	67	33	24.41	23.83	27.14	27.74	< 30.00
		1	1	24.16	24.14	27.16	27.76	< 30.00
		1	131	24.32	23.72	27.04	27.64	< 30.00
		133	0	22.34	21.99	25.18	25.78	< 30.00
		1	0	19.74	19.77	22.77	23.37	< 30.00
		1	132	19.78	19.43	22.62	23.22	< 30.00
3730.02	60	81	40	24.16	23.94	27.06	27.66	< 30.00
		1	1	23.92	23.91	26.93	27.53	< 30.00
		1	131	24.01	24.16	27.10	27.70	< 30.00
		128	0	22.01	21.92	24.98	25.58	< 30.00
		1	0	19.45	19.55	22.51	23.11	< 30.00
		1	132	19.60	19.53	22.58	23.18	< 30.00
3840.00	60	81	40	24.29	24.34	27.33	27.93	< 30.00
		1	1	23.96	24.25	27.12	27.72	< 30.00
		1	131	24.18	24.33	27.27	27.87	< 30.00
		128	0	22.36	22.38	25.38	25.98	< 30.00
		1	0	19.69	19.90	22.81	23.41	< 30.00
		1	132	19.87	19.50	22.70	23.30	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3949.98	60	81	40	24.09	24.00	27.06	27.66	< 30.00
		1	1	23.87	24.29	27.10	27.70	< 30.00
		1	131	23.77	23.51	26.65	27.25	< 30.00
		128	0	22.05	21.85	24.96	25.56	< 30.00
		1	0	19.40	19.65	22.54	23.14	< 30.00
		1	132	19.36	19.16	22.27	22.87	< 30.00
3735.00	70	95	47	23.45	23.83	26.65	27.25	< 30.00
		1	1	23.43	23.77	26.61	27.21	< 30.00
		1	187	23.59	23.85	26.73	27.33	< 30.00
		189	0	21.36	21.78	24.59	25.19	< 30.00
		1	0	19.02	19.52	22.29	22.89	< 30.00
		1	188	19.04	19.39	22.23	22.83	< 30.00
3840.00	70	95	47	23.62	23.85	26.75	27.35	< 30.00
		1	1	22.55	22.68	25.63	26.23	< 30.00
		1	187	22.65	22.69	25.68	26.28	< 30.00
		189	0	20.68	20.83	23.77	24.37	< 30.00
		1	0	18.34	18.50	21.43	22.03	< 30.00
		1	188	18.07	18.44	21.27	21.87	< 30.00
3945.00	70	95	47	23.40	23.78	26.60	27.20	< 30.00
		1	1	23.80	23.98	26.90	27.50	< 30.00
		1	187	23.66	23.65	26.67	27.27	< 30.00
		189	0	21.57	21.80	24.70	25.30	< 30.00
		1	0	19.38	19.62	22.51	23.11	< 30.00
		1	188	19.00	19.40	22.21	22.81	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3740.01	80	109	54	23.98	23.80	26.90	27.50	< 30.00
		1	1	23.87	24.01	26.95	27.55	< 30.00
		1	215	23.71	23.89	26.81	27.41	< 30.00
		217	0	21.91	21.79	24.86	25.46	< 30.00
		1	0	19.37	19.59	22.49	23.09	< 30.00
		1	216	19.32	19.35	22.35	22.95	< 30.00
3840.00	80	109	54	24.18	24.23	27.22	27.82	< 30.00
		1	1	23.93	24.16	27.06	27.66	< 30.00
		1	215	24.12	23.95	27.05	27.65	< 30.00
		217	0	22.13	22.08	25.12	25.72	< 30.00
		1	0	19.98	19.52	22.77	23.37	< 30.00
		1	216	19.61	19.18	22.41	23.01	< 30.00
3939.99	80	109	54	24.00	23.81	26.92	27.52	< 30.00
		1	1	24.01	23.99	27.01	27.61	< 30.00
		1	215	23.92	23.58	26.76	27.36	< 30.00
		217	0	21.97	21.77	24.88	25.48	< 30.00
		1	0	19.39	19.67	22.54	23.14	< 30.00
		1	216	19.33	18.78	22.07	22.67	< 30.00
3745.02	90	123	61	24.02	23.87	26.96	27.56	< 30.00
		1	1	23.73	23.73	26.74	27.34	< 30.00
		1	243	23.76	24.09	26.94	27.54	< 30.00
		245	0	21.99	21.72	24.87	25.47	< 30.00
		1	0	19.26	19.47	22.38	22.98	< 30.00
		1	244	19.39	19.27	22.34	22.94	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 16QAM								
3840.00	90	123	61	24.18	24.23	27.22	27.82	< 30.00
		1	1	23.78	23.89	26.85	27.45	< 30.00
		1	243	23.98	24.17	27.09	27.69	< 30.00
		245	0	22.11	22.06	25.10	25.70	< 30.00
		1	0	19.57	19.71	22.65	23.25	< 30.00
		1	244	19.52	19.52	22.53	23.13	< 30.00
3934.98	90	123	61	24.00	23.91	26.97	27.57	< 30.00
		1	1	24.15	24.03	27.10	27.70	< 30.00
		1	243	23.98	23.48	26.75	27.35	< 30.00
		245	0	21.98	21.77	24.89	25.49	< 30.00
		1	0	19.84	19.34	22.61	23.21	< 30.00
		1	244	19.47	18.94	22.22	22.82	< 30.00
3750.00	100	137	68	23.98	23.79	26.90	27.50	< 30.00
		1	1	23.70	23.90	26.81	27.41	< 30.00
		1	271	23.94	23.69	26.83	27.43	< 30.00
		273	0	21.94	21.80	24.88	25.48	< 30.00
		1	0	19.37	19.34	22.37	22.97	< 30.00
		1	272	19.42	19.41	22.43	23.03	< 30.00
3840.00	100	137	68	24.12	24.13	27.14	27.74	< 30.00
		1	1	23.88	23.65	26.78	27.38	< 30.00
		1	271	24.01	23.93	26.98	27.58	< 30.00
		273	0	22.14	21.94	25.05	25.65	< 30.00
		1	0	19.44	19.52	22.49	23.09	< 30.00
		1	272	19.34	19.37	22.37	22.97	< 30.00
3930.00	100	137	68	23.92	23.86	26.90	27.50	< 30.00
		1	1	23.84	24.03	26.95	27.55	< 30.00
		1	271	23.78	23.36	26.59	27.19	< 30.00
		273	0	21.96	21.79	24.89	25.49	< 30.00
		1	0	19.44	19.28	22.37	22.97	< 30.00
		1	272	19.23	18.73	22.00	22.60	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3705.00	10	12	6	22.33	22.34	25.35	25.95	< 30.00
		1	1	22.13	22.21	25.18	25.78	< 30.00
		1	22	22.08	22.26	25.18	25.78	< 30.00
		24	0	21.90	21.89	24.91	25.51	< 30.00
		1	0	19.98	19.65	22.83	23.43	< 30.00
		1	23	20.05	19.68	22.88	23.48	< 30.00
3840.00	10	12	6	22.62	22.65	25.65	26.25	< 30.00
		1	1	22.71	22.67	25.70	26.30	< 30.00
		1	22	22.94	22.58	25.77	26.37	< 30.00
		24	0	22.04	22.31	25.19	25.79	< 30.00
		1	0	20.16	20.24	23.21	23.81	< 30.00
		1	23	20.23	20.29	23.27	23.87	< 30.00
3975.00	10	12	6	22.74	22.16	25.47	26.07	< 30.00
		1	1	22.94	22.20	25.60	26.20	< 30.00
		1	22	22.98	22.27	25.65	26.25	< 30.00
		24	0	22.08	21.72	24.91	25.51	< 30.00
		1	0	20.45	19.86	23.18	23.78	< 30.00
		1	23	20.46	19.76	23.13	23.73	< 30.00
3707.52	15	19	9	22.38	22.34	25.37	25.97	< 30.00
		1	1	22.55	22.29	25.43	26.03	< 30.00
		1	36	22.64	22.34	25.50	26.10	< 30.00
		38	0	21.91	21.83	24.88	25.48	< 30.00
		1	0	20.07	19.80	22.95	23.55	< 30.00
		1	37	20.10	19.80	22.96	23.56	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3840.00	15	19	9	22.77	22.80	25.80	26.40	< 30.00
		1	1	22.88	22.65	25.78	26.38	< 30.00
		1	36	22.87	22.74	25.82	26.42	< 30.00
		38	0	22.23	22.28	25.27	25.87	< 30.00
		1	0	20.42	20.36	23.40	24.00	< 30.00
		1	37	20.43	20.24	23.35	23.95	< 30.00
3972.48	15	19	9	22.69	22.08	25.41	26.01	< 30.00
		1	1	22.84	22.05	25.47	26.07	< 30.00
		1	36	22.75	22.20	25.49	26.09	< 30.00
		38	0	22.13	21.60	24.88	25.48	< 30.00
		1	0	20.29	19.46	22.91	23.51	< 30.00
		1	37	20.23	19.74	23.00	23.60	< 30.00
3710.01	20	25	12	22.16	22.18	25.18	25.78	< 30.00
		1	1	22.29	22.10	25.21	25.81	< 30.00
		1	49	22.43	22.17	25.31	25.91	< 30.00
		51	0	21.76	21.74	24.76	25.36	< 30.00
		1	0	19.91	19.81	22.87	23.47	< 30.00
		1	50	20.11	19.76	22.95	23.55	< 30.00
3840.00	20	25	12	22.59	22.71	25.66	26.26	< 30.00
		1	1	22.70	22.70	25.71	26.31	< 30.00
		1	49	22.75	22.63	25.70	26.30	< 30.00
		51	0	22.24	22.22	25.24	25.84	< 30.00
		1	0	20.34	20.13	23.25	23.85	< 30.00
		1	50	20.23	19.99	23.12	23.72	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3969.99	20	25	12	22.65	22.06	25.38	25.98	< 30.00
		1	1	22.71	22.24	25.49	26.09	< 30.00
		1	49	22.69	22.06	25.40	26.00	< 30.00
		51	0	22.07	21.61	24.86	25.46	< 30.00
		1	0	20.45	19.55	23.03	23.63	< 30.00
		1	50	20.25	19.58	22.94	23.54	< 30.00
3715.02	30	36	79	22.35	22.18	25.28	25.88	< 30.00
		1	1	22.26	22.01	25.15	25.75	< 30.00
		1	76	22.68	22.40	25.55	26.15	< 30.00
		78	0	21.87	21.70	24.80	25.40	< 30.00
		1	0	19.95	19.96	22.97	23.57	< 30.00
		1	77	20.11	19.69	22.92	23.52	< 30.00
3840.00	30	36	79	22.63	22.66	25.66	26.26	< 30.00
		1	1	22.62	22.31	25.48	26.08	< 30.00
		1	76	22.65	22.50	25.59	26.19	< 30.00
		78	0	22.16	22.11	25.15	25.75	< 30.00
		1	0	20.44	20.15	23.31	23.91	< 30.00
		1	77	20.41	20.23	23.33	23.93	< 30.00
3964.98	30	36	79	22.69	22.02	25.38	25.98	< 30.00
		1	1	22.96	22.15	25.58	26.18	< 30.00
		1	76	22.61	22.03	25.34	25.94	< 30.00
		78	0	22.19	21.53	24.88	25.48	< 30.00
		1	0	20.58	19.68	23.16	23.76	< 30.00
		1	77	19.98	19.37	22.70	23.30	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3720.00	40	53	26	22.39	22.16	25.29	25.89	< 30.00
		1	1	22.43	22.36	25.41	26.01	< 30.00
		1	104	22.61	22.17	25.41	26.01	< 30.00
		106	0	21.82	21.71	24.78	25.38	< 30.00
		1	0	19.97	19.84	22.92	23.52	< 30.00
		1	105	20.10	19.73	22.93	23.53	< 30.00
3840.00	40	53	26	22.58	22.58	25.59	26.19	< 30.00
		1	1	22.81	22.66	25.75	26.35	< 30.00
		1	104	22.64	22.63	25.65	26.25	< 30.00
		106	0	22.11	22.09	25.11	25.71	< 30.00
		1	0	20.43	20.22	23.34	23.94	< 30.00
		1	105	20.26	19.88	23.08	23.68	< 30.00
3960.00	40	53	26	22.60	22.15	25.39	25.99	< 30.00
		1	1	22.80	22.32	25.58	26.18	< 30.00
		1	104	22.68	22.03	25.38	25.98	< 30.00
		106	0	22.10	21.65	24.89	25.49	< 30.00
		1	0	20.47	19.93	23.22	23.82	< 30.00
		1	105	20.30	19.59	22.97	23.57	< 30.00
3720.00	50	67	33	22.12	21.90	25.02	25.62	< 30.00
		1	1	22.37	22.07	25.23	25.83	< 30.00
		1	131	21.81	21.83	24.83	25.43	< 30.00
		133	0	21.67	21.48	24.59	25.19	< 30.00
		1	0	19.68	19.75	22.73	23.33	< 30.00
		1	132	19.65	19.38	22.53	23.13	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3840.00	50	67	33	22.39	22.52	25.47	26.07	< 30.00
		1	1	22.58	22.23	25.42	26.02	< 30.00
		1	131	22.66	22.18	25.44	26.04	< 30.00
		133	0	21.83	21.89	24.87	25.47	< 30.00
		1	0	20.04	19.80	22.93	23.53	< 30.00
		1	132	20.12	19.87	23.01	23.61	< 30.00
3954.99	50	67	33	22.40	21.97	25.20	25.80	< 30.00
		1	1	22.52	22.16	25.35	25.95	< 30.00
		1	131	22.51	21.84	25.20	25.80	< 30.00
		133	0	21.80	21.46	24.64	25.24	< 30.00
		1	0	20.11	19.79	22.96	23.56	< 30.00
		1	132	19.85	19.40	22.64	23.24	< 30.00
3730.02	60	81	40	22.03	21.83	24.94	25.54	< 30.00
		1	1	22.09	22.06	25.09	25.69	< 30.00
		1	131	22.14	21.98	25.07	25.67	< 30.00
		128	0	21.50	21.41	24.47	25.07	< 30.00
		1	0	19.72	19.78	22.76	23.36	< 30.00
		1	132	19.49	19.50	22.51	23.11	< 30.00
3840.00	60	81	40	22.33	22.35	25.35	25.95	< 30.00
		1	1	22.24	22.22	25.24	25.84	< 30.00
		1	131	22.42	22.36	25.40	26.00	< 30.00
		128	0	21.76	21.87	24.83	25.43	< 30.00
		1	0	19.86	19.94	22.91	23.51	< 30.00
		1	132	19.97	19.81	22.90	23.50	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3949.98	60	81	40	22.16	21.87	25.03	25.63	< 30.00
		1	1	22.08	22.16	25.13	25.73	< 30.00
		1	131	22.07	21.63	24.87	25.47	< 30.00
		128	0	21.53	21.35	24.45	25.05	< 30.00
		1	0	19.64	19.44	22.55	23.15	< 30.00
		1	132	19.56	19.09	22.34	22.94	< 30.00
3735.00	70	95	47	21.40	21.75	24.59	25.19	< 30.00
		1	1	21.34	21.98	24.68	25.28	< 30.00
		1	187	21.53	21.88	24.72	25.32	< 30.00
		189	0	20.86	21.31	24.10	24.70	< 30.00
		1	0	18.89	19.55	22.24	22.84	< 30.00
		1	188	18.93	19.39	22.18	22.78	< 30.00
3840.00	70	95	47	21.68	21.87	24.79	25.39	< 30.00
		1	1	21.12	21.77	24.47	25.07	< 30.00
		1	187	20.58	20.78	23.69	24.29	< 30.00
		189	0	20.19	20.31	23.26	23.86	< 30.00
		1	0	18.16	18.43	21.31	21.91	< 30.00
		1	188	18.00	18.40	21.21	21.81	< 30.00
3945.00	70	95	47	21.46	21.81	24.65	25.25	< 30.00
		1	1	21.85	22.39	25.14	25.74	< 30.00
		1	187	21.56	21.67	24.63	25.23	< 30.00
		189	0	20.98	21.32	24.16	24.76	< 30.00
		1	0	19.22	19.63	22.44	23.04	< 30.00
		1	188	19.03	19.28	22.17	22.77	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3740.01	80	109	54	22.08	21.83	24.97	25.57	< 30.00
		1	1	21.56	21.94	24.76	25.36	< 30.00
		1	215	21.56	22.08	24.84	25.44	< 30.00
		217	0	21.44	21.30	24.38	24.98	< 30.00
		1	0	19.58	19.40	22.50	23.10	< 30.00
		1	216	19.51	19.37	22.45	23.05	< 30.00
3840.00	80	109	54	22.23	22.33	25.29	25.89	< 30.00
		1	1	22.19	21.99	25.10	25.70	< 30.00
		1	215	22.22	22.08	25.16	25.76	< 30.00
		217	0	21.68	21.59	24.65	25.25	< 30.00
		1	0	19.93	19.53	22.74	23.34	< 30.00
		1	216	19.68	19.48	22.59	23.19	< 30.00
3939.99	80	109	54	22.09	21.89	25.00	25.60	< 30.00
		1	1	22.10	21.81	24.97	25.57	< 30.00
		1	215	21.91	21.38	24.66	25.26	< 30.00
		217	0	21.53	21.33	24.44	25.04	< 30.00
		1	0	19.65	19.46	22.57	23.17	< 30.00
		1	216	19.53	19.16	22.36	22.96	< 30.00
3745.02	90	123	61	21.95	21.86	24.92	25.52	< 30.00
		1	1	21.62	22.02	24.83	25.43	< 30.00
		1	243	21.68	21.95	24.83	25.43	< 30.00
		245	0	21.47	21.28	24.39	24.99	< 30.00
		1	0	19.39	19.29	22.35	22.95	< 30.00
		1	244	19.28	19.47	22.39	22.99	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 64QAM								
3840.00	90	123	61	22.18	22.18	25.19	25.79	< 30.00
		1	1	22.23	21.88	25.07	25.67	< 30.00
		1	243	22.13	22.04	25.10	25.70	< 30.00
		245	0	21.72	21.51	24.63	25.23	< 30.00
		1	0	19.92	19.50	22.73	23.33	< 30.00
		1	244	19.72	19.33	22.54	23.14	< 30.00
3934.98	90	123	61	22.00	21.83	24.93	25.53	< 30.00
		1	1	22.11	21.94	25.04	25.64	< 30.00
		1	243	21.95	21.43	24.71	25.31	< 30.00
		245	0	21.48	21.22	24.36	24.96	< 30.00
		1	0	19.74	19.13	22.46	23.06	< 30.00
		1	244	19.29	18.76	22.04	22.64	< 30.00
3750.00	100	137	68	21.86	21.82	24.85	25.45	< 30.00
		1	1	21.90	22.27	25.10	25.70	< 30.00
		1	271	21.92	22.01	24.98	25.58	< 30.00
		273	0	21.26	21.31	24.30	24.90	< 30.00
		1	0	19.42	19.52	22.48	23.08	< 30.00
		1	272	19.28	19.29	22.30	22.90	< 30.00
3840.00	100	137	68	22.17	22.13	25.16	25.76	< 30.00
		1	1	22.06	21.89	24.99	25.59	< 30.00
		1	271	22.18	21.97	25.09	25.69	< 30.00
		273	0	21.63	21.55	24.60	25.20	< 30.00
		1	0	19.70	19.26	22.50	23.10	< 30.00
		1	272	19.69	19.20	22.46	23.06	< 30.00
3930.00	100	137	68	21.97	21.95	24.97	25.57	< 30.00
		1	1	22.12	22.14	25.14	25.74	< 30.00
		1	271	22.05	21.84	24.96	25.56	< 30.00
		273	0	21.43	21.32	24.39	24.99	< 30.00
		1	0	19.63	19.11	22.39	22.99	< 30.00
		1	272	19.45	18.77	22.13	22.73	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3705.00	10	12	6	18.89	18.69	21.80	22.40	< 30.00
		1	1	18.69	18.68	21.70	22.30	< 30.00
		1	22	18.72	18.69	21.72	22.32	< 30.00
		24	0	18.94	18.76	21.86	22.46	< 30.00
		1	0	18.76	18.69	21.74	22.34	< 30.00
		1	23	18.69	18.79	21.75	22.35	< 30.00
3840.00	10	12	6	19.08	18.98	22.04	22.64	< 30.00
		1	1	18.73	19.16	21.96	22.56	< 30.00
		1	22	19.07	19.14	22.12	22.72	< 30.00
		24	0	19.12	19.24	22.19	22.79	< 30.00
		1	0	19.04	19.09	22.08	22.68	< 30.00
		1	23	19.00	19.14	22.08	22.68	< 30.00
3975.00	10	12	6	19.19	18.53	21.88	22.48	< 30.00
		1	1	18.90	18.42	21.68	22.28	< 30.00
		1	22	19.28	18.61	21.97	22.57	< 30.00
		24	0	19.15	18.63	21.91	22.51	< 30.00
		1	0	19.07	18.69	21.89	22.49	< 30.00
		1	23	18.94	18.60	21.78	22.38	< 30.00
3707.52	15	19	9	18.80	18.87	21.85	22.45	< 30.00
		1	1	18.62	18.85	21.75	22.35	< 30.00
		1	36	18.97	18.83	21.91	22.51	< 30.00
		38	0	18.84	18.82	21.84	22.44	< 30.00
		1	0	18.60	18.87	21.75	22.35	< 30.00
		1	37	18.89	18.91	21.91	22.51	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3840.00	15	19	9	19.30	19.31	22.32	22.92	< 30.00
		1	1	18.80	19.40	22.12	22.72	< 30.00
		1	36	19.07	19.11	22.10	22.70	< 30.00
		38	0	19.32	19.24	22.29	22.89	< 30.00
		1	0	19.20	19.26	22.24	22.84	< 30.00
		1	37	18.87	19.42	22.16	22.76	< 30.00
3972.48	15	19	9	19.22	18.66	21.96	22.56	< 30.00
		1	1	19.05	18.71	21.89	22.49	< 30.00
		1	36	19.11	18.77	21.95	22.55	< 30.00
		38	0	19.23	18.57	21.92	22.52	< 30.00
		1	0	19.22	18.86	22.05	22.65	< 30.00
		1	37	19.15	18.71	21.95	22.55	< 30.00
3710.01	20	25	12	18.76	18.75	21.77	22.37	< 30.00
		1	1	18.64	18.62	21.64	22.24	< 30.00
		1	49	18.62	18.58	21.61	22.21	< 30.00
		51	0	18.81	18.77	21.80	22.40	< 30.00
		1	0	18.77	18.69	21.74	22.34	< 30.00
		1	50	18.97	18.69	21.84	22.44	< 30.00
3840.00	20	25	12	19.28	19.16	22.23	22.83	< 30.00
		1	1	18.77	19.22	22.01	22.61	< 30.00
		1	49	18.96	19.41	22.20	22.80	< 30.00
		51	0	19.20	19.21	22.22	22.82	< 30.00
		1	0	18.98	19.20	22.10	22.70	< 30.00
		1	50	18.84	19.39	22.13	22.73	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3969.99	20	25	12	19.16	18.61	21.90	22.50	< 30.00
		1	1	19.01	18.56	21.80	22.40	< 30.00
		1	49	19.10	18.45	21.80	22.40	< 30.00
		51	0	19.17	18.64	21.92	22.52	< 30.00
		1	0	19.07	18.68	21.89	22.49	< 30.00
		1	50	18.72	18.64	21.69	22.29	< 30.00
3715.02	30	36	79	18.94	18.67	21.82	22.42	< 30.00
		1	1	18.77	18.73	21.76	22.36	< 30.00
		1	76	18.89	18.66	21.79	22.39	< 30.00
		78	0	18.95	18.76	21.87	22.47	< 30.00
		1	0	18.93	18.84	21.90	22.50	< 30.00
		1	77	18.94	18.57	21.77	22.37	< 30.00
3840.00	30	36	79	19.21	19.03	22.13	22.73	< 30.00
		1	1	18.84	18.97	21.92	22.52	< 30.00
		1	76	18.98	19.34	22.17	22.77	< 30.00
		78	0	19.17	19.12	22.16	22.76	< 30.00
		1	0	19.14	19.11	22.14	22.74	< 30.00
		1	77	19.07	18.91	22.00	22.60	< 30.00
3964.98	30	36	79	19.21	18.59	21.92	22.52	< 30.00
		1	1	19.04	18.66	21.86	22.46	< 30.00
		1	76	18.77	18.74	21.77	22.37	< 30.00
		78	0	19.26	18.62	21.96	22.56	< 30.00
		1	0	19.28	18.88	22.09	22.69	< 30.00
		1	77	18.86	18.60	21.74	22.34	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3720.00	40	53	26	18.96	18.68	21.83	22.43	< 30.00
		1	1	18.67	18.87	21.78	22.38	< 30.00
		1	104	18.96	18.71	21.85	22.45	< 30.00
		106	0	18.89	18.69	21.80	22.40	< 30.00
		1	0	18.80	18.85	21.84	22.44	< 30.00
		1	105	18.98	18.73	21.87	22.47	< 30.00
3840.00	40	53	26	19.22	19.10	22.17	22.77	< 30.00
		1	1	18.85	19.17	22.02	22.62	< 30.00
		1	104	19.03	19.13	22.09	22.69	< 30.00
		106	0	19.13	19.12	22.14	22.74	< 30.00
		1	0	19.32	19.03	22.19	22.79	< 30.00
		1	105	18.68	19.18	21.95	22.55	< 30.00
3960.00	40	53	26	19.15	18.54	21.87	22.47	< 30.00
		1	1	18.93	19.03	21.99	22.59	< 30.00
		1	104	18.91	18.68	21.81	22.41	< 30.00
		106	0	19.11	18.61	21.88	22.48	< 30.00
		1	0	19.24	18.77	22.02	22.62	< 30.00
		1	105	19.01	18.53	21.79	22.39	< 30.00
3720.00	50	67	33	18.66	18.45	21.57	22.17	< 30.00
		1	1	18.47	18.51	21.50	22.10	< 30.00
		1	131	18.28	18.30	21.30	21.90	< 30.00
		133	0	18.64	18.37	21.52	22.12	< 30.00
		1	0	18.35	18.68	21.53	22.13	< 30.00
		1	132	18.30	18.50	21.41	22.01	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3840.00	50	67	33	18.99	18.94	21.98	22.58	< 30.00
		1	1	18.68	18.65	21.68	22.28	< 30.00
		1	131	18.71	18.90	21.82	22.42	< 30.00
		133	0	18.92	18.86	21.90	22.50	< 30.00
		1	0	18.88	18.76	21.83	22.43	< 30.00
		1	132	19.10	18.78	21.95	22.55	< 30.00
3954.99	50	67	33	18.93	18.47	21.72	22.32	< 30.00
		1	1	18.37	18.76	21.58	22.18	< 30.00
		1	131	18.63	18.24	21.45	22.05	< 30.00
		133	0	18.94	18.47	21.72	22.32	< 30.00
		1	0	18.62	18.80	21.72	22.32	< 30.00
		1	132	18.57	18.39	21.49	22.09	< 30.00
3730.02	60	81	40	18.67	18.42	21.56	22.16	< 30.00
		1	1	18.27	18.50	21.40	22.00	< 30.00
		1	131	18.26	18.28	21.28	21.88	< 30.00
		128	0	18.62	18.39	21.52	22.12	< 30.00
		1	0	18.36	18.39	21.39	21.99	< 30.00
		1	132	18.34	18.63	21.50	22.10	< 30.00
3840.00	60	81	40	18.87	18.93	21.91	22.51	< 30.00
		1	1	18.21	18.32	21.28	21.88	< 30.00
		1	131	18.41	18.65	21.54	22.14	< 30.00
		128	0	18.90	18.83	21.88	22.48	< 30.00
		1	0	18.61	18.70	21.67	22.27	< 30.00
		1	132	18.80	18.69	21.76	22.36	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3949.98	60	81	40	18.62	18.42	21.53	22.13	< 30.00
		1	1	17.99	18.64	21.34	21.94	< 30.00
		1	131	18.23	18.26	21.26	21.86	< 30.00
		128	0	18.65	18.38	21.53	22.13	< 30.00
		1	0	18.25	18.59	21.43	22.03	< 30.00
		1	132	18.20	18.07	21.15	21.75	< 30.00
3735.00	70	95	47	17.88	18.33	21.12	21.72	< 30.00
		1	1	17.89	18.50	21.22	21.82	< 30.00
		1	187	17.80	18.13	20.98	21.58	< 30.00
		189	0	17.86	18.28	21.09	21.69	< 30.00
		1	0	17.94	18.32	21.14	21.74	< 30.00
		1	188	18.00	18.23	21.13	21.73	< 30.00
3840.00	70	95	47	18.20	18.33	21.28	21.88	< 30.00
		1	1	18.47	17.88	21.20	21.80	< 30.00
		1	187	17.28	17.24	20.27	20.87	< 30.00
		189	0	17.15	17.33	20.25	20.85	< 30.00
		1	0	17.38	17.26	20.33	20.93	< 30.00
		1	188	17.28	17.23	20.27	20.87	< 30.00
3945.00	70	95	47	17.94	18.35	21.16	21.76	< 30.00
		1	1	18.45	18.11	21.29	21.89	< 30.00
		1	187	18.06	18.05	21.07	21.67	< 30.00
		189	0	17.96	18.26	21.12	21.72	< 30.00
		1	0	18.33	18.42	21.39	21.99	< 30.00
		1	188	18.26	18.17	21.23	21.83	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3740.01	80	109	54	18.57	18.40	21.50	22.10	< 30.00
		1	1	18.26	18.28	21.28	21.88	< 30.00
		1	215	18.14	18.10	21.13	21.73	< 30.00
		217	0	18.50	18.37	21.45	22.05	< 30.00
		1	0	18.23	18.42	21.34	21.94	< 30.00
		1	216	18.06	18.40	21.24	21.84	< 30.00
3840.00	80	109	54	18.73	18.75	21.75	22.35	< 30.00
		1	1	18.39	18.21	21.31	21.91	< 30.00
		1	215	18.41	18.24	21.34	21.94	< 30.00
		217	0	18.75	18.70	21.74	22.34	< 30.00
		1	0	18.74	18.43	21.60	22.20	< 30.00
		1	216	18.66	18.19	21.44	22.04	< 30.00
3939.99	80	109	54	18.62	18.35	21.50	22.10	< 30.00
		1	1	18.08	18.42	21.26	21.86	< 30.00
		1	215	18.16	18.14	21.16	21.76	< 30.00
		217	0	18.51	18.28	21.41	22.01	< 30.00
		1	0	18.36	18.44	21.41	22.01	< 30.00
		1	216	18.45	18.12	21.30	21.90	< 30.00
3745.02	90	123	61	18.44	18.30	21.38	21.98	< 30.00
		1	1	18.25	18.32	21.30	21.90	< 30.00
		1	243	18.40	18.45	21.44	22.04	< 30.00
		245	0	18.40	18.30	21.36	21.96	< 30.00
		1	0	17.97	18.35	21.17	21.77	< 30.00
		1	244	18.21	18.27	21.25	21.85	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM 256QAM								
3840.00	90	123	61	18.69	18.60	21.66	22.26	< 30.00
		1	1	18.38	18.38	21.39	21.99	< 30.00
		1	243	18.30	18.49	21.41	22.01	< 30.00
		245	0	18.70	18.60	21.66	22.26	< 30.00
		1	0	18.52	18.37	21.46	22.06	< 30.00
		1	244	18.56	18.40	21.49	22.09	< 30.00
3934.98	90	123	61	18.64	18.41	21.54	22.14	< 30.00
		1	1	17.95	18.55	21.27	21.87	< 30.00
		1	243	18.60	17.96	21.30	21.90	< 30.00
		245	0	18.45	18.36	21.42	22.02	< 30.00
		1	0	18.26	18.32	21.30	21.90	< 30.00
		1	244	18.35	17.98	21.18	21.78	< 30.00
3750.00	100	137	68	18.40	18.34	21.38	21.98	< 30.00
		1	1	18.03	18.31	21.18	21.78	< 30.00
		1	271	18.20	18.39	21.31	21.91	< 30.00
		273	0	18.39	18.34	21.38	21.98	< 30.00
		1	0	17.85	18.11	20.99	21.59	< 30.00
		1	272	18.04	18.19	21.13	21.73	< 30.00
3840.00	100	137	68	18.65	18.70	21.69	22.29	< 30.00
		1	1	18.51	18.46	21.50	22.10	< 30.00
		1	271	18.61	18.48	21.56	22.16	< 30.00
		273	0	18.65	18.48	21.58	22.18	< 30.00
		1	0	18.42	18.35	21.40	22.00	< 30.00
		1	272	18.19	18.47	21.34	21.94	< 30.00
3930.00	100	137	68	18.50	18.46	21.49	22.09	< 30.00
		1	1	18.15	18.36	21.27	21.87	< 30.00
		1	271	17.82	17.77	20.81	21.41	< 30.00
		273	0	18.50	18.36	21.44	22.04	< 30.00
		1	0	18.29	18.05	21.18	21.78	< 30.00
		1	272	18.23	17.85	21.05	21.65	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								