


Report No.: SUCR240600021203

Rev.:

347 of 440 Page:

#### 802.11g\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4824	52.47	30.70	-42.66	40.51	74.00	33.49	Horizontal			
2	7236	50.05	36.38	-38.44	47.99	74.00	26.01	Horizontal			
3	9648	47.99	38.09	-34.71	51.37	74.00	22.63	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




SUCR240600021203 Report No.:

Rev.:

348 of 440 Page:

#### 802.11g\_Channel 1



Data List										
Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
4824	54.26	30.70	-42.66	42.30	74.00	31.70	Vertical			
7236	49.89	36.38	-38.44	47.83	74.00	26.17	Vertical			
9648	48.08	38.09	-34.71	51.46	74.00	22.54	Vertical			
	Frequency [MHz] 4824 7236	Frequency [MHz] Reading [dBμV]  4824 54.26  7236 49.89	Frequency [MHz]         Reading [dBμV]         AF[dB/m]           4824         54.26         30.70           7236         49.89         36.38	Frequency [MHz]         Reading [dBμV]         AF[dB/m]         Factor [dB]           4824         54.26         30.70         -42.66           7236         49.89         36.38         -38.44	Frequency [MHz]         Reading [dBμV]         AF[dB/m]         Factor [dB]         Level [dBμV/m]           4824         54.26         30.70         -42.66         42.30           7236         49.89         36.38         -38.44         47.83	Frequency [MHz]         Reading [dBμV]         AF[dB/m]         Factor [dB]         Level [dBμV/m]         Limit [dBμV/m]           4824         54.26         30.70         -42.66         42.30         74.00           7236         49.89         36.38         -38.44         47.83         74.00	Frequency [MHz]         Reading [dBμV]         AF[dB/m]         Factor [dB]         Level [dBμV/m]         Limit [dBμV/m]         Margin [dB]           4824         54.26         30.70         -42.66         42.30         74.00         31.70           7236         49.89         36.38         -38.44         47.83         74.00         26.17			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




SUCR240600021203 Report No.:

Rev.:

349 of 440 Page:

#### 802.11g\_Channel 6



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4874	52.27	30.74	-42.55	40.46	74.00	33.54	Horizontal			
2	7311	50.56	36.42	-38.34	48.64	74.00	25.36	Horizontal			
3	9748	48.80	38.30	-35.42	51.68	74.00	22.32	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

350 of 440 Page:

#### 802.11g\_Channel 6



Data List										
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4874	53.48	30.74	-42.55	41.67	74.00	32.33	Vertical		
2	7311	50.14	36.42	-38.34	48.22	74.00	25.78	Vertical		
3	9748	48.67	38.30	-35.42	51.55	74.00	22.45	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




SUCR240600021203 Report No.:

Rev.:

351 of 440 Page:

#### 802.11g\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4924	52.64	30.95	-42.42	41.17	74.00	32.83	Horizontal			
2	7386	50.44	36.64	-38.07	49.01	74.00	24.99	Horizontal			
3	9848	48.29	38.21	-34.84	51.66	74.00	22.34	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

352 of 440 Page:

#### 802.11g\_Channel 11



Data List										
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4924	52.09	30.95	-42.42	40.62	74.00	33.38	Vertical		
2	7386	49.54	36.64	-38.07	48.11	74.00	25.89	Vertical		
3	9848	47.43	38.21	-34.84	50.80	74.00	23.20	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021203

Rev.:

353 of 440 Page:

#### 802.11n20\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4824	53.20	30.70	-42.66	41.24	74.00	32.76	Horizontal			
2	7236	49.66	36.38	-38.44	47.60	74.00	26.40	Horizontal			
3	9648	50.28	38.09	-34.71	53.66	74.00	20.34	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




SUCR240600021203 Report No.:

Rev.:

354 of 440 Page:

#### 802.11n20\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4824	53.05	30.70	-42.66	41.09	74.00	32.91	Vertical			
2	7236	50.21	36.38	-38.44	48.15	74.00	25.85	Vertical			
3	9648	46.96	38.09	-34.71	50.34	74.00	23.66	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

355 of 440 Page:

#### 802.11n20\_Channel 6



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4874	52.31	30.74	-42.55	40.50	74.00	33.50	Horizontal			
2	7311	49.88	36.42	-38.34	47.96	74.00	26.04	Horizontal			
3	9748	47.71	38.30	-35.42	50.59	74.00	23.41	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

356 of 440 Page:

#### 802.11n20\_Channel 6



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4874	53.42	30.74	-42.55	41.61	74.00	32.39	Vertical		
2	7311	50.09	36.42	-38.34	48.17	74.00	25.83	Vertical		
3	9748	47.55	38.30	-35.42	50.43	74.00	23.57	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

357 of 440 Page:

#### 802.11n20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4924	52.26	30.95	-42.42	40.79	74.00	33.21	Horizontal			
2	7386	49.14	36.64	-38.07	47.71	74.00	26.29	Horizontal			
3	9848	47.82	38.21	-34.84	51.19	74.00	22.81	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

358 of 440 Page:

#### 802.11n20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4924	52.70	30.95	-42.42	41.23	74.00	32.77	Vertical			
2	7386	49.54	36.64	-38.07	48.11	74.00	25.89	Vertical			
3	9848	48.03	38.21	-34.84	51.40	74.00	22.60	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

359 of 440 Page:

#### 802.11n40\_Channel 3



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4844	52.56	30.62	-42.68	40.50	74.00	33.50	Horizontal			
2	7266	50.36	36.33	-38.48	48.21	74.00	25.79	Horizontal			
3	9688	47.93	38.18	-35.19	50.92	74.00	23.08	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

360 of 440 Page:

#### 802.11n40\_Channel 3



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4844	54.22	30.62	-42.68	42.16	74.00	31.84	Vertical			
2	7266	50.06	36.33	-38.48	47.91	74.00	26.09	Vertical			
3	9688	47.84	38.18	-35.19	50.83	74.00	23.17	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




SUCR240600021203 Report No.:

Rev.:

361 of 440 Page:

#### 802.11n40\_Channel 6



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4874	51.77	30.74	-42.55	39.96	74.00	34.04	Horizontal			
2	7311	49.32	36.42	-38.34	47.40	74.00	26.60	Horizontal			
3	9748	47.58	38.30	-35.42	50.46	74.00	23.54	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

362 of 440 Page:

#### 802.11n40\_Channel 6



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4874	52.52	30.74	-42.55	40.71	74.00	33.29	Vertical			
2	7311	50.30	36.42	-38.34	48.38	74.00	25.62	Vertical			
3	9748	48.57	38.30	-35.42	51.45	74.00	22.55	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

363 of 440 Page:

#### 802.11n40 Channel 9



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4904	52.95	30.91	-42.41	41.45	74.00	32.55	Horizontal			
2	7356	49.70	36.52	-38.19	48.03	74.00	25.97	Horizontal			
3	9808	49.20	38.45	-34.94	52.71	74.00	21.29	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




SUCR240600021203 Report No.:

Rev.:

364 of 440 Page:

#### 802.11n40\_Channel 9



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4904	52.91	30.91	-42.41	41.41	74.00	32.59	Vertical			
2	7356	49.94	36.52	-38.19	48.27	74.00	25.73	Vertical			
3	9808	47.58	38.45	-34.94	51.09	74.00	22.91	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

365 of 440 Page:

#### 802.11ax20\_Channel 1



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4824	52.63	30.70	-42.66	40.67	74.00	33.33	Horizontal		
2	7236	50.42	36.38	-38.44	48.36	74.00	25.64	Horizontal		
3	9648	48.06	38.09	-34.71	51.44	74.00	22.56	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

366 of 440 Page:

#### 802.11ax20\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4824	51.79	30.70	-42.66	39.83	74.00	34.17	Vertical			
2	7236	51.33	36.38	-38.44	49.27	74.00	24.73	Vertical			
3	9648	49.42	38.09	-34.71	52.80	74.00	21.20	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

367 of 440 Page:

#### 802.11ax20\_Channel 6



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4874	53.40	30.74	-42.55	41.59	74.00	32.41	Horizontal			
2	7311	50.83	36.42	-38.34	48.91	74.00	25.09	Horizontal			
3	9748	48.59	38.30	-35.42	51.47	74.00	22.53	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

368 of 440 Page:

#### 802.11ax20\_Channel 6



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4874	52.30	30.74	-42.55	40.49	74.00	33.51	Vertical			
2	7311	50.28	36.42	-38.34	48.36	74.00	25.64	Vertical			
3	9748	47.63	38.30	-35.42	50.51	74.00	23.49	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

369 of 440 Page:

#### 802.11ax20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4924	51.93	30.95	-42.42	40.46	74.00	33.54	Horizontal			
2	7386	50.19	36.64	-38.07	48.76	74.00	25.24	Horizontal			
3	9848	48.27	38.21	-34.84	51.64	74.00	22.36	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

370 of 440 Page:

#### 802.11ax20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4924	53.07	30.95	-42.42	41.60	74.00	32.40	Vertical			
2	7386	48.92	36.64	-38.07	47.49	74.00	26.51	Vertical			
3	9848	49.56	38.21	-34.84	52.93	74.00	21.07	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

371 of 440 Page:

#### 802.11ax40\_Channel 3



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4844	51.99	30.62	-42.68	39.93	74.00	34.07	Horizontal			
2	7266	51.57	36.33	-38.48	49.42	74.00	24.58	Horizontal			
3	9688	47.46	38.18	-35.19	50.45	74.00	23.55	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

372 of 440 Page:

#### 802.11ax40\_Channel 3



Data List									
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	4844	51.91	30.62	-42.68	39.85	74.00	34.15	Vertical	
2	7266	50.65	36.33	-38.48	48.50	74.00	25.50	Vertical	
3	9688	47.14	38.18	-35.19	50.13	74.00	23.87	Vertical	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

373 of 440 Page:

#### 802.11ax40\_Channel 6



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4874	52.63	30.74	-42.55	40.82	74.00	33.18	Horizontal		
2	7311	50.58	36.42	-38.34	48.66	74.00	25.34	Horizontal		
3	9748	49.09	38.30	-35.42	51.97	74.00	22.03	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

374 of 440 Page:

#### 802.11ax40\_Channel 6



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4874	52.39	30.74	-42.55	40.58	74.00	33.42	Vertical		
2	7311	50.89	36.42	-38.34	48.97	74.00	25.03	Vertical		
3	9748	47.49	38.30	-35.42	50.37	74.00	23.63	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

375 of 440 Page:

#### 802.11ax40\_Channel 9



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4904	52.61	30.91	-42.41	41.11	74.00	32.89	Horizontal			
2	7356	48.76	36.52	-38.19	47.09	74.00	26.91	Horizontal			
3	9808	47.30	38.45	-34.94	50.81	74.00	23.19	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.: 01

376 of 440 Page:

#### 802.11ax40 Channel 9



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4904	51.85	30.91	-42.41	40.35	74.00	33.65	Vertical		
2	7356	49.64	36.52	-38.19	47.97	74.00	26.03	Vertical		
3	9808	48.05	38.45	-34.94	51.56	74.00	22.44	Vertical		

#### Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

377 of 440 Page:

# Restricted bands around fundamental frequency

802.11b Channel 1



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2356.8234	47.00	27.57	-17.39	57.18	74.00	16.82	Horizontal		
2	2380.6853	47.74	27.48	-17.29	57.93	74.00	16.07	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

378 of 440 Page:

#### 802.11b\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2369.0545	24.78	27.52	-17.34	34.96	54.00	19.04	Horizontal			
2	2385.2626	25.24	27.46	-17.27	35.43	54.00	18.57	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

379 of 440 Page:

#### 802.11b\_Channel 1



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2369.4297	47.47	27.52	-17.34	57.65	74.00	16.35	Vertical		
2	2387.5888	47.26	27.45	-17.26	57.45	74.00	16.55	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

380 of 440 Page:

#### 802.11b\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2367.4787	24.86	27.53	-17.35	35.04	54.00	18.96	Vertical			
2	2385.2626	26.48	27.46	-17.27	36.67	54.00	17.33	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

381 of 440 Page:

#### 802.11b\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2489.1446	47.32	27.76	-17.18	57.90	74.00	16.10	Horizontal			
2	2495.5478	47.41	27.78	-17.22	57.97	74.00	16.03	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

382 of 440 Page:

#### 802.11b\_Channel 11



Data Li	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2486.8934	26.50	27.75	-17.17	37.08	54.00	16.92	Horizontal		
2	2491.2456	25.00	27.76	-17.19	35.57	54.00	18.43	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

383 of 440 Page:

#### 802.11b\_Channel 11



Data L	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2487.4437	47.80	27.75	-17.17	58.38	74.00	15.62	Vertical
2	2496.9485	47.76	27.79	-17.23	58.32	74.00	15.68	Vertical

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

384 of 440 Page:

#### 802.11b\_Channel 11



Data L	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2486.8934	26.77	27.75	-17.17	37.35	54.00	16.65	Vertical
2	2491.5958	25.02	27.77	-17.20	35.59	54.00	18.41	Vertical

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

385 of 440 Page:

### 802.11g\_Channel 1



Data L	.ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2387.3637	52.50	27.45	-17.26	62.69	74.00	11.31	Horizontal
2	2389.6148	54.44	27.44	-17.25	64.63	74.00	9.37	Horizontal

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

386 of 440 Page:

### 802.11g\_Channel 1



Data Li	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2383.8369	28.15	27.46	-17.28	38.33	54.00	15.67	Horizontal
2	2389.915	31.40	27.44	-17.25	41.59	54.00	12.41	Horizontal

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

387 of 440 Page:

#### 802.11g\_Channel 1



Data L	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2386.8384	54.07	27.45	-17.27	64.25	74.00	9.75	Vertical
2	2389.4647	56.40	27.44	-17.25	66.59	74.00	7.41	Vertical

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

388 of 440 Page:

### 802.11g\_Channel 1



Data L	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2386.013	31.42	27.46	-17.27	41.61	54.00	12.39	Vertical
2	2389.915	33.80	27.44	-17.25	43.99	54.00	10.01	Vertical

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

389 of 440 Page:

#### 802.11g\_Channel 11



Data L	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2483.7419	54.22	27.73	-17.15	64.80	74.00	9.20	Horizontal
2	2484.7424	52.35	27.74	-17.15	62.94	74.00	11.06	Horizontal

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

390 of 440 Page:

#### 802.11g\_Channel 11



Data Li	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2483.7419	32.24	27.73	-17.15	42.82	54.00	11.18	Horizontal
2	2488.044	28.39	27.75	-17.17	38.97	54.00	15.03	Horizontal

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

391 of 440 Page:

#### 802.11g\_Channel 11



Data L	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2483.6418	53.44	27.73	-17.15	64.02	74.00	9.98	Vertical
2	2484.7424	53.28	27.74	-17.15	63.87	74.00	10.13	Vertical

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

392 of 440 Page:

#### 802.11g\_Channel 11



[МНZ]         [авµV]         с         з         [ав]         [авµV/m]         [авµV/m]         [авµV/m]         [авµV/m]         [авµV/m]         [авµV/m]         [авµV/m]         1         2483.8919         33.28         27.74         -17.15         43.87         54.00         10.13         Vertical	Data L	ist							
	NO.		•	AF[dB/m]					Polarity
2 2407 4426 20 40 27 75 47 47 40 00 54 00 42 02 Vertical	1	2483.8919	33.28	27.74	-17.15	43.87	54.00	10.13	Vertical
2 2407.1430 30.40 27.73 -17.17 40.98 54.00 13.02 Vertical	2	2487.1436	30.40	27.75	-17.17	40.98	54.00	13.02	Vertical

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

393 of 440 Page:

#### 802.11n20\_Channel 1



Data L	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2388.2641	52.41	27.45	-17.26	62.60	74.00	11.40	Horizontal
2	2389.3897	52.55	27.44	-17.25	62.74	74.00	11.26	Horizontal

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

394 of 440 Page:

#### 802.11n20\_Channel 1



Data L	ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2385.3377	28.55	27.46	-17.27	38.74	54.00	15.26	Horizontal
2	2389.7649	31.09	27.44	-17.25	41.28	54.00	12.72	Horizontal

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

395 of 440 Page:

#### 802.11n20\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2387.0635	52.59	27.45	-17.26	62.78	74.00	11.22	Vertical			
2	2388.9395	55.96	27.44	-17.26	66.14	74.00	7.86	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

396 of 440 Page:

#### 802.11n20\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2385.0375	29.66	27.46	-17.27	39.85	54.00	14.15	Vertical			
2	2389.2396	33.48	27.44	-17.26	43.66	54.00	10.34	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

397 of 440 Page:

#### 802.11n20\_Channel 11



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2484.7424	50.85	27.74	-17.15	61.44	74.00	12.56	Horizontal			
2	2486.3932	48.88	27.75	-17.16	59.47	74.00	14.53	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

398 of 440 Page:

#### 802.11n20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.7419	32.32	27.73	-17.15	42.90	54.00	11.10	Horizontal			
2	2487.8939	29.27	27.75	-17.17	39.85	54.00	14.15	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

399 of 440 Page:

#### 802.11n20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2485.0925	53.38	27.74	-17.15	63.97	74.00	10.03	Vertical			
2	2485.7429	51.75	27.74	-17.16	62.33	74.00	11.67	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

400 of 440 Page:

#### 802.11n20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.7919	33.10	27.74	-17.15	43.69	54.00	10.31	Vertical			
2	2486.6933	30.52	27.75	-17.16	41.11	54.00	12.89	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




SUCR240600021203 Report No.:

Rev.:

401 of 440 Page:

#### 802.11n40 Channel 3



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2388.9845	54.86	27.44	-17.26	65.04	74.00	8.96	Horizontal			
2	2485.0775	40.73	27.74	-17.15	51.32	74.00	22.68	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

402 of 440 Page:

#### 802.11n40\_Channel 3



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2389.4597	33.47	27.44	-17.25	43.66	54.00	10.34	Horizontal			
2	2483.6518	28.71	27.73	-17.15	39.29	54.00	14.71	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

403 of 440 Page:

#### 802.11n40 Channel 3



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2387.7489	59.22	27.45	-17.26	69.41	74.00	4.59	Vertical			
2	2484.3172	40.08	27.74	-17.15	50.67	74.00	23.33	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

404 of 440 Page:

#### 802.11n40\_Channel 3



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2389.935	38.81	27.44	-17.25	49.00	54.00	5.00	Vertical			
2	2486.5983	27.75	27.75	-17.16	38.34	54.00	15.66	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

405 of 440 Page:

#### 802.11n40 Channel 9



Data I	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2389.6498	40.80	27.44	-17.25	50.99	74.00	23.01	Horizontal			
2	2483.7469	58.25	27.73	-17.15	68.83	74.00	5.17	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

406 of 440 Page:

#### 802.11n40\_Channel 9



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2389.5548	28.07	27.44	-17.25	38.26	54.00	15.74	Horizontal			
2	2484.032	37.21	27.74	-17.15	47.80	54.00	6.20	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

407 of 440 Page:

#### 802.11n40 Channel 9



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2388.4142	42.69	27.45	-17.26	52.88	74.00	21.12	Vertical			
2	2484.9825	56.83	27.74	-17.15	67.42	74.00	6.58	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

408 of 440 Page:

#### 802.11n40\_Channel 9



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2387.8439	26.64	27.45	-17.26	36.83	54.00	17.17	Vertical			
2	2483.7469	37.21	27.73	-17.15	47.79	54.00	6.21	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

409 of 440 Page:

#### 802.11ax20\_Channel 1



Data I	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2387.0635	49.30	27.45	-17.26	59.49	74.00	14.51	Horizontal			
2	2389.99	52.11	27.44	-17.25	62.30	74.00	11.70	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

410 of 440 Page:

#### 802.11ax20\_Channel 1



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2385.7879	28.41	27.46	-17.27	38.60	54.00	15.40	Horizontal			
2	2389.99	31.01	27.44	-17.25	41.20	54.00	12.80	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




SUCR240600021203 Report No.:

Rev.:

411 of 440 Page:

#### 802.11ax20\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2386.3882	48.20	27.45	-17.27	58.38	74.00	15.62	Vertical			
2	2388.5643	51.10	27.45	-17.26	61.29	74.00	12.71	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

412 of 440 Page:

### 802.11ax20\_Channel 1



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2385.5628	30.60	27.46	-17.27	40.79	54.00	13.21	Vertical			
2	2389.7649	33.43	27.44	-17.25	43.62	54.00	10.38	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

413 of 440 Page:

#### 802.11ax20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.5418	52.58	27.73	-17.14	63.17	74.00	10.83	Horizontal			
2	2485.6428	49.21	27.74	-17.16	59.79	74.00	14.21	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

414 of 440 Page:

#### 802.11ax20\_Channel 11



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.6418	30.74	27.73	-17.15	41.32	54.00	12.68	Horizontal			
2	2488.4942	26.93	27.75	-17.18	37.50	54.00	16.50	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

415 of 440 Page:

### 802.11ax20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2484.7924	52.61	27.74	-17.15	63.20	74.00	10.80	Vertical			
2	2485.3927	50.66	27.74	-17.16	61.24	74.00	12.76	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

416 of 440 Page:

#### 802.11ax20\_Channel 11



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.6918	32.67	27.73	-17.15	43.25	54.00	10.75	Vertical			
2	2487.6438	28.71	27.75	-17.17	39.29	54.00	14.71	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

417 of 440 Page:

#### 802.11ax40\_Channel 3



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2387.8439	54.29	27.45	-17.26	64.48	74.00	9.52	Horizontal			
2	2486.2181	40.20	27.74	-17.16	50.78	74.00	23.22	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

418 of 440 Page:

#### 802.11ax40\_Channel 3



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2389.6498	33.84	27.44	-17.25	44.03	54.00	9.97	Horizontal			
2	2484.6023	29.25	27.74	-17.15	39.84	54.00	14.16	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

419 of 440 Page:

### 802.11ax40\_Channel 3



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2387.8439	56.57	27.45	-17.26	66.76	74.00	7.24	Vertical			
2	2484.9825	40.89	27.74	-17.15	51.48	74.00	22.52	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

420 of 440 Page:

#### 802.11ax40\_Channel 3



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2388.034	37.76	27.45	-17.26	47.95	54.00	6.05	Vertical			
2	2483.7469	27.92	27.73	-17.15	38.50	54.00	15.50	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

421 of 440 Page:

#### 802.11ax40\_Channel 9



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2389.0795	41.69	27.44	-17.26	51.87	74.00	22.13	Horizontal			
2	2483.7469	54.86	27.73	-17.15	65.44	74.00	8.56	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

422 of 440 Page:

#### 802.11ax40\_Channel 9



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2388.7944	28.43	27.44	-17.26	38.61	54.00	15.39	Horizontal			
2	2483.7469	36.20	27.73	-17.15	46.78	54.00	7.22	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

423 of 440 Page:

#### 802.11ax40\_Channel 9



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2389.7449	42.62	27.44	-17.25	52.81	74.00	21.19	Vertical			
2	2485.6478	54.64	27.74	-17.16	65.22	74.00	8.78	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

424 of 440 Page:

#### 802.11ax40\_Channel 9



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2384.8974	27.87	27.46	-17.27	38.06	54.00	15.94	Vertical			
2	2484.1271	37.65	27.74	-17.15	48.24	54.00	5.76	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

425 of 440 Page:

#### 802.11ax20\_Channel 1 26 rru 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2370.9305	48.17	27.52	-17.33	58.36	74.00	15.64	Horizontal			
2	2387.4387	47.38	27.45	-17.26	57.57	74.00	16.43	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

426 of 440 Page:

### 802.11ax20\_Channel 1 26 rru 0



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2368.9795	24.68	27.52	-17.34	34.86	54.00	19.14	Horizontal			
2	2386.6883	24.82	27.45	-17.27	35.00	54.00	19.00	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

427 of 440 Page:

#### 802.11ax20\_Channel 1 26 rru 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2374.6073	47.59	27.50	-17.32	57.77	74.00	16.23	Vertical			
2	2385.938	46.44	27.46	-17.27	56.63	74.00	17.37	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

428 of 440 Page:

#### 802.11ax20\_Channel 1 26 rru 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2379.4847	24.82	27.48	-17.30	35.00	54.00	19.00	Vertical			
2	2386.3132	25.07	27.45	-17.27	35.25	54.00	18.75	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

429 of 440 Page:

#### 802.11ax20\_Channel 1 26 rru 8



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2320.8054	48.62	27.31	-17.48	58.45	74.00	15.55	Horizontal			
2	2385.4877	47.34	27.46	-17.27	57.53	74.00	16.47	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

430 of 440 Page:

#### 802.11ax20\_Channel 1 26 rru 8



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2370.3302	24.67	27.52	-17.33	34.86	54.00	19.14	Horizontal			
2	2386.5383	25.23	27.45	-17.27	35.41	54.00	18.59	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

431 of 440 Page:

#### 802.11ax20\_Channel 1 26 rru 8



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2377.1586	46.73	27.49	-17.31	56.91	74.00	17.09	Vertical			
2	2385.7129	46.81	27.46	-17.27	57.00	74.00	17.00	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

432 of 440 Page:

#### 802.11ax20\_Channel 1 26 rru 8



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2370.2551	24.67	27.52	-17.33	34.86	54.00	19.14	Vertical			
2	2386.6133	26.25	27.45	-17.27	36.43	54.00	17.57	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

433 of 440 Page:

#### 802.11ax40\_Channel 9 242 rru 61



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2387.1786	38.17	27.45	-17.26	48.36	74.00	25.64	Horizontal			
2	2489.4497	38.37	27.76	-17.18	48.95	74.00	25.05	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

434 of 440 Page:

#### 802.11ax40\_Channel 9 242 rru 61



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2384.042	26.88	27.46	-17.28	37.06	54.00	16.94	Horizontal			
2	2485.1726	27.48	27.74	-17.16	38.06	54.00	15.94	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

435 of 440 Page:

#### 802.11ax40\_Channel 9 242 rru 61



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2382.7114	39.58	27.47	-17.28	49.77	74.00	24.23	Vertical			
2	2484.032	40.29	27.74	-17.15	50.88	74.00	23.12	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

436 of 440 Page:

#### 802.11ax40\_Channel 9 242 rru 61



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2384.6123	27.85	27.46	-17.27	38.04	54.00	15.96	Vertical			
2	2484.1271	28.72	27.74	-17.15	39.31	54.00	14.69	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

437 of 440 Page:

#### 802.11ax40\_Channel 9 242 rru 62



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2381.5708	39.59	27.47	-17.29	49.77	74.00	24.23	Horizontal			
2	2484.6023	39.48	27.74	-17.15	50.07	74.00	23.93	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

438 of 440 Page:

#### 802.11ax40\_Channel 9 242 rru 62



Data L	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity				
1	2385.0875	27.00	27.46	-17.27	37.19	54.00	16.81	Horizontal				
2	2483.6518	28.58	27.73	-17.15	39.16	54.00	14.84	Horizontal				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.:

439 of 440 Page:

#### 802.11ax40\_Channel 9 242 rru 62



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2354.1021	39.52	27.58	-17.40	49.70	74.00	24.30	Vertical			
2	2483.8419	41.17	27.74	-17.15	51.76	74.00	22.24	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021203

Rev.: 01

440 of 440 Page:

#### 802.11ax40 Channel 9 242 rru 62



Data L	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity				
1	2384.1371	27.65	27.46	-17.28	37.83	54.00	16.17	Vertical				
2	2484.032	30.21	27.74	-17.15	40.80	54.00	13.20	Vertical				

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

2) Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d