

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.800	38.81	-17.05	74.0	35.19	Peak	238.00	300	Horizontal	Pass
1**	1593.800	28.82	-17.05	54.0	25.18	AV	238.00	300	Horizontal	Pass
2	4348.000	50.16	-3.02	74.0	23.84	Peak	332.00	400	Horizontal	Pass
2**	4348.000	40.87	-3.02	54.0	13.13	AV	332.00	400	Horizontal	Pass
3	5298.800	109.06	-2.32	--	--	Peak	21.00	150	Horizontal	N/A
3**	5298.800	102.11	-2.32	--	--	AV	21.00	150	Horizontal	N/A
4	7374.038	48.86	-3.75	74.0	25.14	Peak	107.00	100	Horizontal	Pass
4**	7374.038	40.29	-3.75	54.0	13.71	AV	107.00	100	Horizontal	Pass
5	12220.425	50.93	1.23	74.0	23.07	Peak	76.00	200	Horizontal	Pass
5**	12220.425	41.65	1.23	54.0	12.35	AV	76.00	200	Horizontal	Pass
6	15893.175	55.88	0.20	74.0	18.12	Peak	67.00	200	Horizontal	Pass
6**	15893.175	45.98	0.20	54.0	8.02	AV	67.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.300	38.67	-17.27	74.0	35.33	Peak	250.00	100	Vertical	Pass
1**	1436.300	28.80	-17.27	54.0	25.20	AV	250.00	100	Vertical	Pass
2	4381.400	50.31	-3.01	74.0	23.69	Peak	199.00	100	Vertical	Pass
2**	4381.400	41.38	-3.01	54.0	12.62	AV	199.00	100	Vertical	Pass
3	5298.000	105.34	-2.34	--	--	Peak	2.00	150	Vertical	N/A
3**	5298.000	97.52	-2.34	--	--	AV	2.00	150	Vertical	N/A
4	7359.375	48.68	-4.07	74.0	25.32	Peak	190.00	200	Vertical	Pass
4**	7359.375	39.58	-4.07	54.0	14.42	AV	190.00	200	Vertical	Pass
5	10941.912	51.29	-0.09	74.0	22.71	Peak	360.00	150	Vertical	Pass
5**	10941.912	41.99	-0.09	54.0	12.01	AV	360.00	150	Vertical	Pass
6	15903.150	55.65	0.32	74.0	18.35	Peak	83.00	100	Vertical	Pass
6**	15903.150	45.49	0.32	54.0	8.51	AV	83.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.900	39.25	-16.97	74.0	34.75	Peak	204.00	400	Horizontal	Pass
1**	1455.900	29.78	-16.97	54.0	24.22	AV	204.00	400	Horizontal	Pass
2	4385.000	50.12	-2.95	74.0	23.88	Peak	255.00	400	Horizontal	Pass
2**	4385.000	41.59	-2.95	54.0	12.41	AV	255.00	400	Horizontal	Pass
3	5317.800	109.25	-2.16	--	--	Peak	26.00	200	Horizontal	N/A
3**	5317.800	102.34	-2.16	--	--	AV	26.00	200	Horizontal	N/A
4	7336.375	50.09	-3.43	74.0	23.91	Peak	238.00	400	Horizontal	Pass
4**	7336.375	40.60	-3.43	54.0	13.40	AV	238.00	400	Horizontal	Pass
5	10913.450	51.19	0.19	74.0	22.81	Peak	0.00	150	Horizontal	Pass
5**	10913.450	42.00	0.19	54.0	12.00	AV	0.00	150	Horizontal	Pass
6	15967.200	55.71	0.31	74.0	18.29	Peak	67.00	400	Horizontal	Pass
6**	15967.200	46.89	0.31	54.0	7.11	AV	67.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.600	38.92	-17.35	74.0	35.08	Peak	268.00	100	Vertical	Pass
1**	1604.600	28.72	-17.35	54.0	25.28	AV	268.00	100	Vertical	Pass
2	4371.200	49.13	-2.96	74.0	24.87	Peak	166.00	300	Vertical	Pass
2**	4371.200	40.49	-2.96	54.0	13.51	AV	166.00	300	Vertical	Pass
3	5318.400	105.36	-2.11	--	--	Peak	0.00	100	Vertical	N/A
3**	5318.400	97.77	-2.11	--	--	AV	0.00	100	Vertical	N/A
4	7336.663	49.38	-3.46	74.0	24.62	Peak	109.00	300	Vertical	Pass
4**	7336.663	39.36	-3.46	54.0	14.64	AV	109.00	300	Vertical	Pass
5	11225.675	50.95	-0.23	74.0	23.05	Peak	77.00	200	Vertical	Pass
5**	11225.675	41.59	-0.23	54.0	12.41	AV	77.00	200	Vertical	Pass
6	15965.625	56.11	0.25	74.0	17.89	Peak	66.00	300	Vertical	Pass
6**	15965.625	45.64	0.25	54.0	8.36	AV	66.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.100	39.06	-17.22	74.0	34.94	Peak	78.00	300	Horizontal	Pass
1**	1588.100	29.33	-17.22	54.0	24.67	AV	78.00	300	Horizontal	Pass
2	4381.400	50.50	-3.01	74.0	23.50	Peak	230.00	300	Horizontal	Pass
2**	4381.400	40.45	-3.01	54.0	13.55	AV	230.00	300	Horizontal	Pass
3	5255.600	108.42	-1.85	--	--	Peak	2.00	100	Horizontal	N/A
3**	5255.600	100.90	-1.85	--	--	AV	2.00	100	Horizontal	N/A
4	7373.175	48.82	-3.78	74.0	25.18	Peak	0.00	300	Horizontal	Pass
4**	7373.175	40.13	-3.78	54.0	13.87	AV	0.00	300	Horizontal	Pass
5	11934.937	50.82	1.69	74.0	23.18	Peak	123.00	100	Horizontal	Pass
5**	11934.937	41.49	1.69	54.0	12.51	AV	123.00	100	Horizontal	Pass
6	15782.138	53.83	1.65	74.0	20.17	Peak	66.00	400	Horizontal	Pass
6**	15782.138	44.93	1.65	54.0	9.07	AV	66.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.900	39.16	-17.24	74.0	34.84	Peak	250.00	200	Vertical	Pass
1**	1501.900	29.19	-17.24	54.0	24.81	AV	250.00	200	Vertical	Pass
2	4369.000	50.07	-2.71	74.0	23.93	Peak	360.00	400	Vertical	Pass
2**	4369.000	41.11	-2.71	54.0	12.89	AV	360.00	400	Vertical	Pass
3	5258.400	104.09	-2.05	--	--	Peak	7.00	200	Vertical	N/A
3**	5258.400	96.26	-2.05	--	--	AV	7.00	200	Vertical	N/A
4	7363.400	48.88	-4.01	74.0	25.12	Peak	0.00	300	Vertical	Pass
4**	7363.400	40.16	-4.01	54.0	13.84	AV	0.00	300	Vertical	Pass
5	11315.662	51.53	0.47	74.0	22.47	Peak	323.00	200	Vertical	Pass
5**	11315.662	41.50	0.47	54.0	12.50	AV	323.00	200	Vertical	Pass
6	15785.287	55.45	1.81	74.0	18.55	Peak	61.00	300	Vertical	Pass
6**	15785.287	45.17	1.81	54.0	8.83	AV	61.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.100	38.44	-17.37	74.0	35.56	Peak	240.00	100	Horizontal	Pass
1**	1549.100	28.86	-17.37	54.0	25.14	AV	240.00	100	Horizontal	Pass
2	4311.000	49.68	-4.06	74.0	24.32	Peak	122.00	300	Horizontal	Pass
2**	4311.000	40.30	-4.06	54.0	13.70	AV	122.00	300	Horizontal	Pass
3	5301.800	108.84	-2.55	--	--	Peak	0.00	200	Horizontal	N/A
3**	5301.800	100.95	-2.55	--	--	AV	0.00	200	Horizontal	N/A
4	7360.237	49.52	-4.04	74.0	24.48	Peak	78.00	300	Horizontal	Pass
4**	7360.237	39.72	-4.04	54.0	14.28	AV	78.00	300	Horizontal	Pass
5	10932.712	50.79	0.03	74.0	23.21	Peak	360.00	200	Horizontal	Pass
5**	10932.712	41.88	0.03	54.0	12.12	AV	360.00	200	Horizontal	Pass
6	15902.888	55.41	0.31	74.0	18.59	Peak	66.00	200	Horizontal	Pass
6**	15902.888	45.93	0.31	54.0	8.07	AV	66.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.500	38.48	-17.34	74.0	35.52	Peak	246.00	200	Vertical	Pass
1**	1602.500	28.68	-17.34	54.0	25.32	AV	246.00	200	Vertical	Pass
2	4376.200	50.01	-2.94	74.0	23.99	Peak	332.00	100	Vertical	Pass
2**	4376.200	41.01	-2.94	54.0	12.99	AV	332.00	100	Vertical	Pass
3	5296.000	104.41	-2.26	--	--	Peak	1.00	100	Vertical	N/A
3**	5296.000	97.19	-2.26	--	--	AV	1.00	100	Vertical	N/A
4	7351.612	48.78	-3.85	74.0	25.22	Peak	241.00	400	Vertical	Pass
4**	7351.612	39.83	-3.85	54.0	14.17	AV	241.00	400	Vertical	Pass
5	10945.075	51.82	-0.13	74.0	22.18	Peak	127.00	200	Vertical	Pass
5**	10945.075	42.76	-0.13	54.0	11.24	AV	127.00	200	Vertical	Pass
6	15897.900	55.44	0.24	74.0	18.56	Peak	85.00	200	Vertical	Pass
6**	15897.900	45.55	0.24	54.0	8.45	AV	85.00	200	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.200	38.67	-17.37	74.0	35.33	Peak	162.00	200	Horizontal	Pass
1**	1589.200	28.19	-17.37	54.0	25.81	AV	162.00	200	Horizontal	Pass
2	4355.600	50.12	-2.62	74.0	23.88	Peak	158.00	200	Horizontal	Pass
2**	4355.600	40.33	-2.62	54.0	13.67	AV	158.00	200	Horizontal	Pass
3	5317.800	109.14	-2.16	--	--	Peak	5.00	200	Horizontal	N/A
3**	5317.800	101.85	-2.16	--	--	AV	5.00	200	Horizontal	N/A
4	7383.525	49.34	-3.85	74.0	24.66	Peak	205.00	100	Horizontal	Pass
4**	7383.525	39.78	-3.85	54.0	14.22	AV	205.00	100	Horizontal	Pass
5	10914.888	51.33	0.20	74.0	22.67	Peak	360.00	100	Horizontal	Pass
5**	10914.888	41.86	0.20	54.0	12.14	AV	360.00	100	Horizontal	Pass
6	15962.474	55.42	0.18	74.0	18.58	Peak	67.00	400	Horizontal	Pass
6**	15962.474	45.49	0.18	54.0	8.51	AV	67.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.500	39.03	-17.56	74.0	34.97	Peak	134.00	300	Vertical	Pass
1**	1611.500	28.76	-17.56	54.0	25.24	AV	134.00	300	Vertical	Pass
2	4365.200	50.33	-2.85	74.0	23.67	Peak	84.00	300	Vertical	Pass
2**	4365.200	40.51	-2.85	54.0	13.49	AV	84.00	300	Vertical	Pass
3	5318.800	105.32	-2.08	--	--	Peak	360.00	200	Vertical	N/A
3**	5318.800	98.68	-2.08	--	--	AV	360.00	200	Vertical	N/A
4	7340.687	49.09	-3.57	74.0	24.91	Peak	12.00	200	Vertical	Pass
4**	7340.687	39.77	-3.57	54.0	14.23	AV	12.00	200	Vertical	Pass
5	11221.650	51.10	-0.21	74.0	22.90	Peak	269.00	150	Vertical	Pass
5**	11221.650	42.20	-0.21	54.0	11.80	AV	269.00	150	Vertical	Pass
6	15968.250	55.34	0.35	74.0	18.66	Peak	67.00	400	Vertical	Pass
6**	15968.250	45.59	0.35	54.0	8.41	AV	67.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.000	39.54	-17.20	74.0	34.46	Peak	83.00	300	Horizontal	Pass
1**	1623.000	29.00	-17.20	54.0	25.00	AV	83.00	300	Horizontal	Pass
2	4242.000	50.13	-4.69	74.0	23.87	Peak	299.00	100	Horizontal	Pass
2**	4242.000	39.62	-4.69	54.0	14.38	AV	299.00	100	Horizontal	Pass
3	5267.600	103.93	-2.33	--	--	Peak	353.00	150	Horizontal	N/A
3**	5267.600	96.19	-2.33	--	--	AV	353.00	150	Horizontal	N/A
4	7364.550	48.79	-4.02	74.0	25.21	Peak	227.00	100	Horizontal	Pass
4**	7364.550	39.88	-4.02	54.0	14.12	AV	227.00	100	Horizontal	Pass
5	10932.712	51.16	0.03	74.0	22.84	Peak	128.00	150	Horizontal	Pass
5**	10932.712	42.07	0.03	54.0	11.93	AV	128.00	150	Horizontal	Pass
6	15851.700	53.24	1.28	74.0	20.76	Peak	156.00	300	Horizontal	Pass
6**	15851.700	44.93	1.28	54.0	9.07	AV	156.00	300	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.500	38.53	-17.33	74.0	35.47	Peak	309.00	100	Vertical	Pass
1**	1472.500	28.66	-17.33	54.0	25.34	AV	309.00	100	Vertical	Pass
2	4382.000	49.91	-3.00	74.0	24.09	Peak	360.00	100	Vertical	Pass
2**	4382.000	41.15	-3.00	54.0	12.85	AV	360.00	100	Vertical	Pass
3	5273.400	99.20	-2.04	--	--	Peak	0.00	200	Vertical	N/A
3**	5273.400	92.24	-2.04	--	--	AV	0.00	200	Vertical	N/A
4	7666.713	49.11	-2.39	74.0	24.89	Peak	352.00	400	Vertical	Pass
4**	7666.713	39.77	-2.39	54.0	14.23	AV	352.00	400	Vertical	Pass
5	10912.874	51.10	0.18	74.0	22.90	Peak	78.00	100	Vertical	Pass
5**	10912.874	41.62	0.18	54.0	12.38	AV	78.00	100	Vertical	Pass
6	15814.425	54.06	2.07	74.0	19.94	Peak	49.00	100	Vertical	Pass
6**	15814.425	44.81	2.07	54.0	9.19	AV	49.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.200	38.50	-17.36	74.0	35.50	Peak	338.00	400	Horizontal	Pass
1**	1488.200	29.03	-17.36	54.0	24.97	AV	338.00	400	Horizontal	Pass
2	4273.400	50.55	-3.52	74.0	23.45	Peak	46.00	200	Horizontal	Pass
2**	4273.400	40.34	-3.52	54.0	13.66	AV	46.00	200	Horizontal	Pass
3	5301.800	104.24	-2.55	--	--	Peak	4.00	200	Horizontal	N/A
3**	5301.800	96.84	-2.55	--	--	AV	4.00	200	Horizontal	N/A
4	7371.737	48.66	-3.87	74.0	25.34	Peak	60.00	400	Horizontal	Pass
4**	7371.737	41.13	-3.87	54.0	12.87	AV	60.00	400	Horizontal	Pass
5	10917.474	51.59	0.22	74.0	22.41	Peak	92.00	100	Horizontal	Pass
5**	10917.474	41.62	0.22	54.0	12.38	AV	92.00	100	Horizontal	Pass
6	15853.537	53.05	1.23	74.0	20.95	Peak	254.00	400	Horizontal	Pass
6**	15853.537	44.88	1.23	54.0	9.12	AV	254.00	400	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.900	38.42	-16.83	74.0	35.58	Peak	360.00	100	Vertical	Pass
1**	1438.900	29.65	-16.83	54.0	24.35	AV	360.00	100	Vertical	Pass
2	4381.000	50.13	-3.01	74.0	23.87	Peak	18.00	200	Vertical	Pass
2**	4381.000	41.35	-3.01	54.0	12.65	AV	18.00	200	Vertical	Pass
3	5318.600	99.66	-2.09	--	--	Peak	0.00	100	Vertical	N/A
3**	5318.600	92.21	-2.09	--	--	AV	0.00	100	Vertical	N/A
4	7365.125	50.05	-4.02	74.0	23.95	Peak	144.00	300	Vertical	Pass
4**	7365.125	40.10	-4.02	54.0	13.90	AV	144.00	300	Vertical	Pass
5	10900.513	50.99	0.16	74.0	23.01	Peak	12.00	200	Vertical	Pass
5**	10900.513	41.40	0.16	54.0	12.60	AV	12.00	200	Vertical	Pass
6	15850.125	53.62	1.33	74.0	20.38	Peak	232.00	300	Vertical	Pass
6**	15850.125	44.80	1.33	54.0	9.20	AV	232.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.000	38.39	-17.35	74.0	35.61	Peak	175.00	200	Horizontal	Pass
1**	1549.000	28.51	-17.35	54.0	25.49	AV	175.00	200	Horizontal	Pass
2	4372.800	49.72	-3.16	74.0	24.28	Peak	112.00	300	Horizontal	Pass
2**	4372.800	40.32	-3.16	54.0	13.68	AV	112.00	300	Horizontal	Pass
3	5256.200	109.07	-1.83	--	--	Peak	349.00	200	Horizontal	N/A
3**	5256.200	101.54	-1.83	--	--	AV	349.00	200	Horizontal	N/A
4	7374.038	48.96	-3.75	74.0	25.04	Peak	125.00	300	Horizontal	Pass
4**	7374.038	41.18	-3.75	54.0	12.82	AV	125.00	300	Horizontal	Pass
5	10930.125	50.99	0.09	74.0	23.01	Peak	76.00	200	Horizontal	Pass
5**	10930.125	42.27	0.09	54.0	11.73	AV	76.00	200	Horizontal	Pass
6	15849.338	53.28	1.34	74.0	20.72	Peak	0.00	400	Horizontal	Pass
6**	15849.338	45.05	1.34	54.0	8.95	AV	0.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.000	39.53	-17.53	74.0	34.47	Peak	27.00	100	Vertical	Pass
1**	1567.000	28.73	-17.53	54.0	25.27	AV	27.00	100	Vertical	Pass
2	4358.800	49.83	-2.69	74.0	24.17	Peak	248.00	200	Vertical	Pass
2**	4358.800	40.99	-2.69	54.0	13.01	AV	248.00	200	Vertical	Pass
3	5261.600	104.37	-2.01	--	--	Peak	0.00	150	Vertical	N/A
3**	5261.600	96.61	-2.01	--	--	AV	0.00	150	Vertical	N/A
4	7373.175	49.42	-3.78	74.0	24.58	Peak	0.00	400	Vertical	Pass
4**	7373.175	39.43	-3.78	54.0	14.57	AV	0.00	400	Vertical	Pass
5	10947.951	51.10	-0.21	74.0	22.90	Peak	144.00	100	Vertical	Pass
5**	10947.951	41.33	-0.21	54.0	12.67	AV	144.00	100	Vertical	Pass
6	15785.813	54.74	1.84	74.0	19.26	Peak	85.00	400	Vertical	Pass
6**	15785.813	44.97	1.84	54.0	9.03	AV	85.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.200	38.60	-17.25	74.0	35.40	Peak	230.00	200	Horizontal	Pass
1**	1436.200	29.09	-17.25	54.0	24.91	AV	230.00	200	Horizontal	Pass
2	4366.600	50.48	-2.99	74.0	23.52	Peak	0.00	100	Horizontal	Pass
2**	4366.600	41.51	-2.99	54.0	12.49	AV	0.00	100	Horizontal	Pass
3	5298.200	108.90	-2.34	--	--	Peak	346.00	100	Horizontal	N/A
3**	5298.200	101.32	-2.34	--	--	AV	346.00	100	Horizontal	N/A
4	7355.350	48.77	-4.03	74.0	25.23	Peak	228.00	400	Horizontal	Pass
4**	7355.350	40.39	-4.03	54.0	13.61	AV	228.00	400	Horizontal	Pass
5	10935.012	51.81	-0.01	74.0	22.19	Peak	0.00	200	Horizontal	Pass
5**	10935.012	42.17	-0.01	54.0	11.83	AV	0.00	200	Horizontal	Pass
6	16083.225	54.12	1.57	74.0	19.88	Peak	343.00	100	Horizontal	Pass
6**	16083.225	43.80	1.57	54.0	10.20	AV	343.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.300	38.65	-17.37	74.0	35.35	Peak	189.00	200	Vertical	Pass
1**	1504.300	29.12	-17.37	54.0	24.88	AV	189.00	200	Vertical	Pass
2	4392.000	50.42	-3.32	74.0	23.58	Peak	293.00	100	Vertical	Pass
2**	4392.000	40.54	-3.32	54.0	13.46	AV	293.00	100	Vertical	Pass
3	5295.800	105.30	-2.25	--	--	Peak	7.00	100	Vertical	N/A
3**	5295.800	98.01	-2.25	--	--	AV	7.00	100	Vertical	N/A
4	7376.050	49.05	-3.74	74.0	24.95	Peak	37.00	200	Vertical	Pass
4**	7376.050	40.67	-3.74	54.0	13.33	AV	37.00	200	Vertical	Pass
5	11831.437	51.17	1.18	74.0	22.83	Peak	106.00	150	Vertical	Pass
5**	11831.437	41.44	1.18	54.0	12.56	AV	106.00	150	Vertical	Pass
6	15892.388	56.04	0.20	74.0	17.96	Peak	69.00	100	Vertical	Pass
6**	15892.388	44.40	0.20	54.0	9.60	AV	69.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.600	38.46	-17.22	74.0	35.54	Peak	224.00	100	Horizontal	Pass
1**	1534.600	29.33	-17.22	54.0	24.67	AV	224.00	100	Horizontal	Pass
2	4383.800	49.95	-2.88	74.0	24.05	Peak	133.00	300	Horizontal	Pass
2**	4383.800	42.06	-2.88	54.0	11.94	AV	133.00	300	Horizontal	Pass
3	5317.000	109.19	-2.23	--	--	Peak	0.00	200	Horizontal	N/A
3**	5317.000	101.60	-2.23	--	--	AV	0.00	200	Horizontal	N/A
4	7351.325	48.99	-3.86	74.0	25.01	Peak	334.00	100	Horizontal	Pass
4**	7351.325	40.30	-3.86	54.0	13.70	AV	334.00	100	Horizontal	Pass
5	12209.500	51.27	1.00	74.0	22.73	Peak	122.00	150	Horizontal	Pass
5**	12209.500	41.80	1.00	54.0	12.20	AV	122.00	150	Horizontal	Pass
6	15848.287	54.09	1.34	74.0	19.91	Peak	92.00	400	Horizontal	Pass
6**	15848.287	44.42	1.34	54.0	9.58	AV	92.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.400	39.56	-17.28	74.0	34.44	Peak	8.00	400	Vertical	Pass
1**	1538.400	29.16	-17.28	54.0	24.84	AV	8.00	400	Vertical	Pass
2	4284.600	49.76	-3.11	74.0	24.24	Peak	159.00	300	Vertical	Pass
2**	4284.600	40.78	-3.11	54.0	13.22	AV	159.00	300	Vertical	Pass
3	5322.200	105.42	-2.26	--	--	Peak	1.00	200	Vertical	N/A
3**	5322.200	97.37	-2.26	--	--	AV	1.00	200	Vertical	N/A
4	7376.625	48.96	-3.73	74.0	25.04	Peak	231.00	100	Vertical	Pass
4**	7376.625	40.69	-3.73	54.0	13.31	AV	231.00	100	Vertical	Pass
5	10908.849	52.18	0.17	74.0	21.82	Peak	213.00	200	Vertical	Pass
5**	10908.849	41.72	0.17	54.0	12.28	AV	213.00	200	Vertical	Pass
6	15964.575	55.24	0.22	74.0	18.76	Peak	74.00	100	Vertical	Pass
6**	15964.575	44.75	0.22	54.0	9.25	AV	74.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.400	38.93	-17.07	74.0	35.07	Peak	245.00	300	Horizontal	Pass
1**	1593.400	29.78	-17.07	54.0	24.22	AV	245.00	300	Horizontal	Pass
2	4379.000	49.99	-2.96	74.0	24.01	Peak	29.00	400	Horizontal	Pass
2**	4379.000	41.33	-2.96	54.0	12.67	AV	29.00	400	Horizontal	Pass
3	5273.800	106.47	-2.06	--	--	Peak	18.00	100	Horizontal	N/A
3**	5273.800	98.64	-2.06	--	--	AV	18.00	100	Horizontal	N/A
4	7371.737	48.88	-3.87	74.0	25.12	Peak	13.00	400	Horizontal	Pass
4**	7371.737	40.30	-3.87	54.0	13.70	AV	13.00	400	Horizontal	Pass
5	10920.637	51.26	0.23	74.0	22.74	Peak	360.00	150	Horizontal	Pass
5**	10920.637	42.12	0.23	54.0	11.88	AV	360.00	150	Horizontal	Pass
6	15832.537	55.09	1.47	74.0	18.91	Peak	53.00	200	Horizontal	Pass
6**	15832.537	46.33	1.47	54.0	7.67	AV	53.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.400	38.97	-17.25	74.0	35.03	Peak	267.00	100	Vertical	Pass
1**	1506.400	29.34	-17.25	54.0	24.66	AV	267.00	100	Vertical	Pass
2	4382.800	50.00	-2.95	74.0	24.00	Peak	40.00	100	Vertical	Pass
2**	4382.800	41.51	-2.95	54.0	12.49	AV	40.00	100	Vertical	Pass
3	5272.200	101.45	-2.00	--	--	Peak	0.00	100	Vertical	N/A
3**	5272.200	93.70	-2.00	--	--	AV	0.00	100	Vertical	N/A
4	7374.900	49.27	-3.74	74.0	24.73	Peak	339.00	300	Vertical	Pass
4**	7374.900	40.13	-3.74	54.0	13.87	AV	339.00	300	Vertical	Pass
5	11211.300	51.16	-0.21	74.0	22.84	Peak	267.00	200	Vertical	Pass
5**	11211.300	42.37	-0.21	54.0	11.63	AV	267.00	200	Vertical	Pass
6	15813.375	55.55	2.09	74.0	18.45	Peak	50.00	200	Vertical	Pass
6**	15813.375	45.97	2.09	54.0	8.03	AV	50.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.400	39.03	-17.50	74.0	34.97	Peak	64.00	200	Horizontal	Pass
1**	1528.400	29.12	-17.50	54.0	24.88	AV	64.00	200	Horizontal	Pass
2	4377.000	50.20	-2.89	74.0	23.80	Peak	283.00	300	Horizontal	Pass
2**	4377.000	41.53	-2.89	54.0	12.47	AV	283.00	300	Horizontal	Pass
3	5313.200	106.30	-2.02	--	--	Peak	1.00	100	Horizontal	N/A
3**	5313.200	98.39	-2.02	--	--	AV	1.00	100	Horizontal	N/A
4	7377.487	50.45	-3.72	74.0	23.55	Peak	230.00	400	Horizontal	Pass
4**	7377.487	40.32	-3.72	54.0	13.68	AV	230.00	400	Horizontal	Pass
5	10944.213	51.12	-0.12	74.0	22.88	Peak	105.00	150	Horizontal	Pass
5**	10944.213	43.00	-0.12	54.0	11.00	AV	105.00	150	Horizontal	Pass
6	15840.675	53.62	1.44	74.0	20.38	Peak	49.00	400	Horizontal	Pass
6**	15840.675	44.43	1.44	54.0	9.57	AV	49.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.600	38.43	-17.04	74.0	35.57	Peak	120.00	200	Vertical	Pass
1**	1552.600	29.46	-17.04	54.0	24.54	AV	120.00	200	Vertical	Pass
2	4381.400	50.28	-3.01	74.0	23.72	Peak	330.00	300	Vertical	Pass
2**	4381.400	40.98	-3.01	54.0	13.02	AV	330.00	300	Vertical	Pass
3	5314.400	102.57	-2.01	--	--	Peak	5.00	200	Vertical	N/A
3**	5314.400	94.92	-2.01	--	--	AV	5.00	200	Vertical	N/A
4	7669.300	48.92	-2.21	74.0	25.08	Peak	178.00	200	Vertical	Pass
4**	7669.300	39.94	-2.21	54.0	14.06	AV	178.00	200	Vertical	Pass
5	10944.213	51.22	-0.12	74.0	22.78	Peak	244.00	200	Vertical	Pass
5**	10944.213	41.70	-0.12	54.0	12.30	AV	244.00	200	Vertical	Pass
6	15829.913	53.46	1.50	74.0	20.54	Peak	57.00	200	Vertical	Pass
6**	15829.913	44.27	1.50	54.0	9.73	AV	57.00	200	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	39.73	-17.02	74.0	34.27	Peak	53.00	200	Horizontal	Pass
1**	1438.100	29.54	-17.02	54.0	24.46	AV	53.00	200	Horizontal	Pass
2	4680.400	56.58	-1.81	74.0	17.42	Peak	12.00	100	Horizontal	Pass
2**	4680.400	46.82	-1.81	54.0	7.18	AV	12.00	100	Horizontal	Pass
3	5272.400	103.66	-2.00	--	--	Peak	343.00	150	Horizontal	N/A
3**	5272.400	95.69	-2.00	--	--	AV	343.00	150	Horizontal	N/A
4	7364.550	49.49	-4.02	74.0	24.51	Peak	357.00	100	Horizontal	Pass
4**	7364.550	40.96	-4.02	54.0	13.04	AV	357.00	100	Horizontal	Pass
5	11032.475	51.10	-0.60	74.0	22.90	Peak	51.00	100	Horizontal	Pass
5**	11032.475	41.32	-0.60	54.0	12.68	AV	51.00	100	Horizontal	Pass
6	15842.775	53.69	1.40	74.0	20.31	Peak	154.00	100	Horizontal	Pass
6**	15842.775	44.39	1.40	54.0	9.61	AV	154.00	100	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1451.800	38.75	-17.21	74.0	35.25	Peak	317.00	200	Vertical	Pass
1**	1451.800	29.64	-17.21	54.0	24.36	AV	317.00	200	Vertical	Pass
2	4379.600	49.53	-3.01	74.0	24.47	Peak	14.00	300	Vertical	Pass
2**	4379.600	41.22	-3.01	54.0	12.78	AV	14.00	300	Vertical	Pass
3	5314.200	99.38	-2.01	--	--	Peak	353.00	100	Vertical	N/A
3**	5314.200	92.17	-2.01	--	--	AV	353.00	100	Vertical	N/A
4	7351.612	49.33	-3.85	74.0	24.67	Peak	313.00	200	Vertical	Pass
4**	7351.612	40.52	-3.85	54.0	13.48	AV	313.00	200	Vertical	Pass
5	12213.526	51.31	1.14	74.0	22.69	Peak	153.00	150	Vertical	Pass
5**	12213.526	42.32	1.14	54.0	11.68	AV	153.00	150	Vertical	Pass
6	15834.637	54.35	1.45	74.0	19.65	Peak	0.00	400	Vertical	Pass
6**	15834.637	44.69	1.45	54.0	9.31	AV	0.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.000	38.85	-17.27	74.0	35.15	Peak	140.00	400	Horizontal	Pass
1**	1591.000	28.94	-17.27	54.0	25.06	AV	140.00	400	Horizontal	Pass
2	4362.800	50.45	-2.63	74.0	23.55	Peak	169.00	300	Horizontal	Pass
2**	4362.800	40.65	-2.63	54.0	13.35	AV	169.00	300	Horizontal	Pass
3	5498.000	108.08	-1.34	--	--	Peak	75.00	100	Horizontal	N/A
3**	5498.000	101.74	-1.34	--	--	AV	75.00	100	Horizontal	N/A
4	7343.275	49.81	-3.59	74.0	24.19	Peak	147.00	300	Horizontal	Pass
4**	7343.275	40.53	-3.59	54.0	13.47	AV	147.00	300	Horizontal	Pass
5	11595.975	51.33	-0.14	74.0	22.67	Peak	190.00	200	Horizontal	Pass
5**	11595.975	42.95	-0.14	54.0	11.05	AV	190.00	200	Horizontal	Pass
6	15841.724	53.61	1.42	74.0	20.39	Peak	361.00	100	Horizontal	Pass
6**	15841.724	44.71	1.42	54.0	9.29	AV	361.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.200	38.69	-17.35	74.0	35.31	Peak	114.00	400	Vertical	Pass
1**	1478.200	29.56	-17.35	54.0	24.44	AV	114.00	400	Vertical	Pass
2	4201.800	49.95	-4.55	74.0	24.05	Peak	214.00	200	Vertical	Pass
2**	4201.800	40.08	-4.55	54.0	13.92	AV	214.00	200	Vertical	Pass
3	5497.400	106.61	-1.33	--	--	Peak	36.00	150	Vertical	N/A
3**	5497.400	99.56	-1.33	--	--	AV	36.00	150	Vertical	N/A
4	7358.800	49.90	-4.09	74.0	24.10	Peak	155.00	200	Vertical	Pass
4**	7358.800	40.13	-4.09	54.0	13.87	AV	155.00	200	Vertical	Pass
5	10623.938	50.95	-1.19	74.0	23.05	Peak	93.00	150	Vertical	Pass
5**	10623.938	41.25	-1.19	54.0	12.75	AV	93.00	150	Vertical	Pass
6	16102.651	53.33	1.08	74.0	20.67	Peak	165.00	200	Vertical	Pass
6**	16102.651	44.41	1.08	54.0	9.59	AV	165.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.100	38.85	-17.25	74.0	35.15	Peak	239.00	200	Horizontal	Pass
1**	1443.100	29.37	-17.25	54.0	24.63	AV	239.00	200	Horizontal	Pass
2	4378.000	50.46	-2.88	74.0	23.54	Peak	194.00	300	Horizontal	Pass
2**	4378.000	41.00	-2.88	54.0	13.00	AV	194.00	300	Horizontal	Pass
3	5581.200	108.69	-1.10	--	--	Peak	72.00	150	Horizontal	N/A
3**	5581.200	100.59	-1.10	--	--	AV	72.00	150	Horizontal	N/A
4	7371.163	48.98	-3.92	74.0	25.02	Peak	321.00	300	Horizontal	Pass
4**	7371.163	40.07	-3.92	54.0	13.93	AV	321.00	300	Horizontal	Pass
5	12323.350	51.45	1.42	74.0	22.55	Peak	321.00	200	Horizontal	Pass
5**	12323.350	40.75	1.42	54.0	13.25	AV	321.00	200	Horizontal	Pass
6	15848.287	53.74	1.34	74.0	20.26	Peak	293.00	200	Horizontal	Pass
6**	15848.287	44.82	1.34	54.0	9.18	AV	293.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.200	38.55	-17.27	74.0	35.45	Peak	142.00	300	Vertical	Pass
1**	1584.200	30.00	-17.27	54.0	24.00	AV	142.00	300	Vertical	Pass
2	4393.600	50.12	-3.34	74.0	23.88	Peak	51.00	300	Vertical	Pass
2**	4393.600	40.88	-3.34	54.0	13.12	AV	51.00	300	Vertical	Pass
3	5575.600	105.93	-0.65	--	--	Peak	9.00	100	Vertical	N/A
3**	5575.600	98.86	-0.65	--	--	AV	9.00	100	Vertical	N/A
4	7680.225	48.80	-2.65	74.0	25.20	Peak	361.00	100	Vertical	Pass
4**	7680.225	39.36	-2.65	54.0	14.64	AV	361.00	100	Vertical	Pass
5	10943.638	50.99	-0.11	74.0	23.01	Peak	154.00	100	Vertical	Pass
5**	10943.638	42.21	-0.11	54.0	11.79	AV	154.00	100	Vertical	Pass
6	15837.787	53.56	1.45	74.0	20.44	Peak	361.00	200	Vertical	Pass
6**	15837.787	44.36	1.45	54.0	9.64	AV	361.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.600	38.93	-17.13	74.0	35.07	Peak	298.00	200	Horizontal	Pass
1**	1526.600	29.43	-17.13	54.0	24.57	AV	298.00	200	Horizontal	Pass
2	4272.400	49.79	-3.59	74.0	24.21	Peak	9.00	200	Horizontal	Pass
2**	4272.400	40.71	-3.59	54.0	13.29	AV	9.00	200	Horizontal	Pass
3	5698.400	109.54	-0.84	--	--	Peak	76.00	150	Horizontal	N/A
3**	5698.400	102.28	-0.84	--	--	AV	76.00	150	Horizontal	N/A
4	7371.450	49.43	-3.89	74.0	24.57	Peak	322.00	200	Horizontal	Pass
4**	7371.450	40.93	-3.89	54.0	13.07	AV	322.00	200	Horizontal	Pass
5	12223.588	50.50	1.28	74.0	23.50	Peak	301.00	100	Horizontal	Pass
5**	12223.588	41.66	1.28	54.0	12.34	AV	301.00	100	Horizontal	Pass
6	15821.776	53.99	1.79	74.0	20.01	Peak	310.00	200	Horizontal	Pass
6**	15821.776	43.97	1.79	54.0	10.03	AV	310.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.100	39.30	-17.37	74.0	34.70	Peak	343.00	300	Vertical	Pass
1**	1549.100	28.94	-17.37	54.0	25.06	AV	343.00	300	Vertical	Pass
2	4368.800	50.33	-2.75	74.0	23.67	Peak	320.00	200	Vertical	Pass
2**	4368.800	41.34	-2.75	54.0	12.66	AV	320.00	200	Vertical	Pass
3	5697.000	105.63	-0.83	--	--	Peak	360.00	150	Vertical	N/A
3**	5697.000	98.08	-0.83	--	--	AV	360.00	150	Vertical	N/A
4	7351.325	49.35	-3.86	74.0	24.65	Peak	259.00	300	Vertical	Pass
4**	7351.325	40.17	-3.86	54.0	13.83	AV	259.00	300	Vertical	Pass
5	12697.675	50.04	0.84	74.0	23.96	Peak	280.00	100	Vertical	Pass
5**	12697.675	41.19	0.84	54.0	12.81	AV	280.00	100	Vertical	Pass
6	15848.025	53.92	1.35	74.0	20.08	Peak	243.00	400	Vertical	Pass
6**	15848.025	44.81	1.35	54.0	9.19	AV	243.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.000	38.59	-17.22	74.0	35.41	Peak	360.00	400	Horizontal	Pass
1**	1585.000	29.39	-17.22	54.0	24.61	AV	360.00	400	Horizontal	Pass
2	4383.600	49.63	-2.90	74.0	24.37	Peak	198.00	300	Horizontal	Pass
2**	4383.600	41.31	-2.90	54.0	12.69	AV	198.00	300	Horizontal	Pass
3	5498.000	107.68	-1.34	--	--	Peak	77.00	150	Horizontal	N/A
3**	5498.000	100.30	-1.34	--	--	AV	77.00	150	Horizontal	N/A
4	7372.600	48.96	-3.82	74.0	25.04	Peak	255.00	400	Horizontal	Pass
4**	7372.600	40.87	-3.82	54.0	13.13	AV	255.00	400	Horizontal	Pass
5	11214.463	51.66	-0.19	74.0	22.34	Peak	1.00	150	Horizontal	Pass
5**	11214.463	41.69	-0.19	54.0	12.31	AV	1.00	150	Horizontal	Pass
6	16098.975	54.23	1.23	74.0	19.77	Peak	246.00	400	Horizontal	Pass
6**	16098.975	44.49	1.23	54.0	9.51	AV	246.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.100	38.99	-17.18	74.0	35.01	Peak	28.00	100	Vertical	Pass
1**	1454.100	29.11	-17.18	54.0	24.89	AV	28.00	100	Vertical	Pass
2	4389.000	49.92	-3.09	74.0	24.08	Peak	109.00	200	Vertical	Pass
2**	4389.000	40.57	-3.09	54.0	13.43	AV	109.00	200	Vertical	Pass
3	5495.400	106.02	-1.67	--	--	Peak	361.00	200	Vertical	N/A
3**	5495.400	98.14	-1.67	--	--	AV	361.00	200	Vertical	N/A
4	7355.350	48.92	-4.03	74.0	25.08	Peak	257.00	400	Vertical	Pass
4**	7355.350	40.17	-4.03	54.0	13.83	AV	257.00	400	Vertical	Pass
5	12317.025	50.32	1.41	74.0	23.68	Peak	279.00	100	Vertical	Pass
5**	12317.025	41.17	1.41	54.0	12.83	AV	279.00	100	Vertical	Pass
6	15833.326	53.78	1.47	74.0	20.22	Peak	361.00	100	Vertical	Pass
6**	15833.326	45.16	1.47	54.0	8.84	AV	361.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.400	38.64	-17.34	74.0	35.36	Peak	136.00	100	Horizontal	Pass
1**	1520.400	29.28	-17.34	54.0	24.72	AV	136.00	100	Horizontal	Pass
2	4379.800	50.03	-3.03	74.0	23.97	Peak	358.00	300	Horizontal	Pass
2**	4379.800	41.49	-3.03	54.0	12.51	AV	358.00	300	Horizontal	Pass
3	5582.400	108.22	-1.16	--	--	Peak	80.00	150	Horizontal	N/A
3**	5582.400	100.76	-1.16	--	--	AV	80.00	150	Horizontal	N/A
4	7375.187	48.84	-3.74	74.0	25.16	Peak	173.00	200	Horizontal	Pass
4**	7375.187	41.13	-3.74	54.0	12.87	AV	173.00	200	Horizontal	Pass
5	10941.050	51.42	-0.08	74.0	22.58	Peak	109.00	100	Horizontal	Pass
5**	10941.050	42.26	-0.08	54.0	11.74	AV	109.00	100	Horizontal	Pass
6	16123.125	53.48	0.73	74.0	20.52	Peak	193.00	100	Horizontal	Pass
6**	16123.125	43.47	0.73	54.0	10.53	AV	193.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.800	39.09	-17.33	74.0	34.91	Peak	140.00	100	Vertical	Pass
1**	1445.800	30.30	-17.33	54.0	23.70	AV	140.00	100	Vertical	Pass
2	4381.400	50.18	-3.01	74.0	23.82	Peak	169.00	300	Vertical	Pass
2**	4381.400	41.26	-3.01	54.0	12.74	AV	169.00	300	Vertical	Pass
3	5576.200	106.06	-0.69	--	--	Peak	361.00	150	Vertical	N/A
3**	5576.200	98.93	-0.69	--	--	AV	361.00	150	Vertical	N/A
4	7371.737	48.71	-3.87	74.0	25.29	Peak	283.00	300	Vertical	Pass
4**	7371.737	40.22	-3.87	54.0	13.78	AV	283.00	300	Vertical	Pass
5	10916.612	51.31	0.21	74.0	22.69	Peak	117.00	150	Vertical	Pass
5**	10916.612	41.87	0.21	54.0	12.13	AV	117.00	150	Vertical	Pass
6	15838.838	53.09	1.45	74.0	20.91	Peak	361.00	200	Vertical	Pass
6**	15838.838	44.38	1.45	54.0	9.62	AV	361.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.500	38.87	-17.27	74.0	35.13	Peak	209.00	300	Horizontal	Pass
1**	1625.500	29.19	-17.27	54.0	24.81	AV	209.00	300	Horizontal	Pass
2	4381.200	50.02	-3.01	74.0	23.98	Peak	104.00	100	Horizontal	Pass
2**	4381.200	41.43	-3.01	54.0	12.57	AV	104.00	100	Horizontal	Pass
3	5701.000	108.81	-0.86	--	--	Peak	90.00	200	Horizontal	N/A
3**	5701.000	101.27	-0.86	--	--	AV	90.00	200	Horizontal	N/A
4	7377.487	49.26	-3.72	74.0	24.74	Peak	216.00	300	Horizontal	Pass
4**	7377.487	40.18	-3.72	54.0	13.82	AV	216.00	300	Horizontal	Pass
5	10948.813	51.00	-0.23	74.0	23.00	Peak	322.00	100	Horizontal	Pass
5**	10948.813	41.83	-0.23	54.0	12.17	AV	322.00	100	Horizontal	Pass
6	15832.013	53.53	1.48	74.0	20.47	Peak	344.00	100	Horizontal	Pass
6**	15832.013	44.02	1.48	54.0	9.98	AV	344.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.300	38.91	-17.22	74.0	35.09	Peak	1.00	400	Vertical	Pass
1**	1534.300	29.10	-17.22	54.0	24.90	AV	1.00	400	Vertical	Pass
2	4375.400	50.14	-2.99	74.0	23.86	Peak	9.00	100	Vertical	Pass
2**	4375.400	40.66	-2.99	54.0	13.34	AV	9.00	100	Vertical	Pass
3	5699.000	105.77	-0.87	--	--	Peak	361.00	150	Vertical	N/A
3**	5699.000	98.89	-0.87	--	--	AV	361.00	150	Vertical	N/A
4	7362.250	49.01	-4.01	74.0	24.99	Peak	360.00	400	Vertical	Pass
4**	7362.250	40.26	-4.01	54.0	13.74	AV	360.00	400	Vertical	Pass
5	12567.151	50.46	1.71	74.0	23.54	Peak	87.00	150	Vertical	Pass
5**	12567.151	40.93	1.71	54.0	13.07	AV	87.00	150	Vertical	Pass
6	15847.500	53.74	1.35	74.0	20.26	Peak	48.00	300	Vertical	Pass
6**	15847.500	44.37	1.35	54.0	9.63	AV	48.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.400	38.56	-17.27	74.0	35.44	Peak	66.00	100	Horizontal	Pass
1**	1608.400	28.96	-17.27	54.0	25.04	AV	66.00	100	Horizontal	Pass
2	4359.200	50.51	-2.68	74.0	23.49	Peak	38.00	400	Horizontal	Pass
2**	4359.200	41.05	-2.68	54.0	12.95	AV	38.00	400	Horizontal	Pass
3	5502.600	103.28	-1.45	--	--	Peak	66.00	100	Horizontal	N/A
3**	5502.600	95.21	-1.45	--	--	AV	66.00	100	Horizontal	N/A
4	7369.150	48.77	-4.09	74.0	25.23	Peak	258.00	200	Horizontal	Pass
4**	7369.150	40.55	-4.09	54.0	13.45	AV	258.00	200	Horizontal	Pass
5	12332.550	50.95	1.38	74.0	23.05	Peak	258.00	150	Horizontal	Pass
5**	12332.550	41.10	1.38	54.0	12.90	AV	258.00	150	Horizontal	Pass
6	15841.463	54.01	1.42	74.0	19.99	Peak	20.00	300	Horizontal	Pass
6**	15841.463	44.05	1.42	54.0	9.95	AV	20.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.900	39.31	-17.38	74.0	34.69	Peak	202.00	100	Vertical	Pass
1**	1504.900	28.90	-17.38	54.0	25.10	AV	202.00	100	Vertical	Pass
2	4357.000	50.33	-2.45	74.0	23.67	Peak	127.00	100	Vertical	Pass
2**	4357.000	41.14	-2.45	54.0	12.86	AV	127.00	100	Vertical	Pass
3	5502.800	101.16	-1.47	--	--	Peak	361.00	200	Vertical	N/A
3**	5502.800	93.13	-1.47	--	--	AV	361.00	200	Vertical	N/A
4	7390.712	49.31	-4.03	74.0	24.69	Peak	218.00	300	Vertical	Pass
4**	7390.712	38.97	-4.03	54.0	15.03	AV	218.00	300	Vertical	Pass
5	10928.975	50.63	0.10	74.0	23.37	Peak	324.00	200	Vertical	Pass
5**	10928.975	42.81	0.10	54.0	11.19	AV	324.00	200	Vertical	Pass
6	15824.137	53.52	1.68	74.0	20.48	Peak	167.00	300	Vertical	Pass
6**	15824.137	44.03	1.68	54.0	9.97	AV	167.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.000	38.57	-17.13	74.0	35.43	Peak	196.00	100	Horizontal	Pass
1**	1554.000	29.07	-17.13	54.0	24.93	AV	196.00	100	Horizontal	Pass
2	4355.800	50.31	-2.56	74.0	23.69	Peak	132.00	400	Horizontal	Pass
2**	4355.800	40.68	-2.56	54.0	13.32	AV	132.00	400	Horizontal	Pass
3	5594.400	104.43	-1.62	--	--	Peak	78.00	150	Horizontal	N/A
3**	5594.400	95.94	-1.62	--	--	AV	78.00	150	Horizontal	N/A
4	7380.650	49.05	-3.65	74.0	24.95	Peak	23.00	400	Horizontal	Pass
4**	7380.650	39.92	-3.65	54.0	14.08	AV	23.00	400	Horizontal	Pass
5	12699.400	50.77	0.84	74.0	23.23	Peak	23.00	100	Horizontal	Pass
5**	12699.400	42.06	0.84	54.0	11.94	AV	23.00	100	Horizontal	Pass
6	15829.387	53.11	1.51	74.0	20.89	Peak	44.00	400	Horizontal	Pass
6**	15829.387	44.95	1.51	54.0	9.05	AV	44.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.100	38.72	-17.40	74.0	35.28	Peak	271.00	200	Vertical	Pass
1**	1580.100	29.12	-17.40	54.0	24.88	AV	271.00	200	Vertical	Pass
2	4352.800	50.50	-3.12	74.0	23.50	Peak	152.00	200	Vertical	Pass
2**	4352.800	40.30	-3.12	54.0	13.70	AV	152.00	200	Vertical	Pass
3	5582.000	101.88	-1.14	--	--	Peak	359.00	100	Vertical	N/A
3**	5582.000	93.40	-1.14	--	--	AV	359.00	100	Vertical	N/A
4	7357.938	49.75	-4.11	74.0	24.25	Peak	56.00	100	Vertical	Pass
4**	7357.938	39.72	-4.11	54.0	14.28	AV	56.00	100	Vertical	Pass
5	12219.850	50.67	1.22	74.0	23.33	Peak	39.00	100	Vertical	Pass
5**	12219.850	41.58	1.22	54.0	12.42	AV	39.00	100	Vertical	Pass
6	15850.912	53.89	1.31	74.0	20.11	Peak	234.00	300	Vertical	Pass
6**	15850.912	45.47	1.31	54.0	8.53	AV	234.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.900	38.59	-17.33	74.0	35.41	Peak	80.00	200	Horizontal	Pass
1**	1548.900	29.39	-17.33	54.0	24.61	AV	80.00	200	Horizontal	Pass
2	4385.800	50.38	-3.01	74.0	23.62	Peak	354.00	100	Horizontal	Pass
2**	4385.800	40.98	-3.01	54.0	13.02	AV	354.00	100	Horizontal	Pass
3	5661.000	103.99	-1.12	--	--	Peak	76.00	200	Horizontal	N/A
3**	5661.000	96.66	-1.12	--	--	AV	76.00	200	Horizontal	N/A
4	7378.638	48.94	-3.68	74.0	25.06	Peak	278.00	200	Horizontal	Pass
4**	7378.638	39.74	-3.68	54.0	14.26	AV	278.00	200	Horizontal	Pass
5	10951.687	51.34	-0.29	74.0	22.66	Peak	343.00	150	Horizontal	Pass
5**	10951.687	42.39	-0.29	54.0	11.61	AV	343.00	150	Horizontal	Pass
6	15833.062	53.78	1.47	74.0	20.22	Peak	146.00	300	Horizontal	Pass
6**	15833.062	44.43	1.47	54.0	9.57	AV	146.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.300	38.67	-17.26	74.0	35.33	Peak	270.00	200	Vertical	Pass
1**	1506.300	29.04	-17.26	54.0	24.96	AV	270.00	200	Vertical	Pass
2	4365.200	49.99	-2.85	74.0	24.01	Peak	123.00	300	Vertical	Pass
2**	4365.200	40.80	-2.85	54.0	13.20	AV	123.00	300	Vertical	Pass
3	5667.600	100.91	-1.05	--	--	Peak	149.00	100	Vertical	N/A
3**	5667.600	92.56	-1.05	--	--	AV	149.00	100	Vertical	N/A
4	7371.737	49.50	-3.87	74.0	24.50	Peak	360.00	300	Vertical	Pass
4**	7371.737	40.35	-3.87	54.0	13.65	AV	360.00	300	Vertical	Pass
5	11936.950	51.50	1.69	74.0	22.50	Peak	68.00	100	Vertical	Pass
5**	11936.950	41.39	1.69	54.0	12.61	AV	68.00	100	Vertical	Pass
6	15820.463	53.13	1.85	74.0	20.87	Peak	360.00	100	Vertical	Pass
6**	15820.463	45.01	1.85	54.0	8.99	AV	360.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.800	38.85	-17.03	74.0	35.15	Peak	261.00	400	Horizontal	Pass
1**	1525.800	30.15	-17.03	54.0	23.85	AV	261.00	400	Horizontal	Pass
2	4230.800	49.69	-4.93	74.0	24.31	Peak	265.00	100	Horizontal	Pass
2**	4230.800	40.24	-4.93	54.0	13.76	AV	265.00	100	Horizontal	Pass
3	5504.000	107.84	-1.58	--	--	Peak	72.00	200	Horizontal	N/A
3**	5504.000	100.40	-1.58	--	--	AV	72.00	200	Horizontal	N/A
4	7373.463	49.39	-3.77	74.0	24.61	Peak	193.00	100	Horizontal	Pass
4**	7373.463	40.04	-3.77	54.0	13.96	AV	193.00	100	Horizontal	Pass
5	11223.950	51.25	-0.22	74.0	22.75	Peak	323.00	150	Horizontal	Pass
5**	11223.950	41.47	-0.22	54.0	12.53	AV	323.00	150	Horizontal	Pass
6	15829.913	53.13	1.50	74.0	20.87	Peak	247.00	200	Horizontal	Pass
6**	15829.913	44.47	1.50	54.0	9.53	AV	247.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.500	39.74	-17.31	74.0	34.26	Peak	129.00	200	Vertical	Pass
1**	1537.500	29.16	-17.31	54.0	24.84	AV	129.00	200	Vertical	Pass
2	4377.000	50.35	-2.89	74.0	23.65	Peak	8.00	200	Vertical	Pass
2**	4377.000	41.50	-2.89	54.0	12.50	AV	8.00	200	Vertical	Pass
3	5502.200	106.69	-1.42	--	--	Peak	361.00	100	Vertical	N/A
3**	5502.200	99.54	-1.42	--	--	AV	361.00	100	Vertical	N/A
4	7466.038	48.55	-3.79	74.0	25.45	Peak	256.00	300	Vertical	Pass
4**	7466.038	39.75	-3.79	54.0	14.25	AV	256.00	300	Vertical	Pass
5	11225.675	50.75	-0.23	74.0	23.25	Peak	235.00	200	Vertical	Pass
5**	11225.675	42.14	-0.23	54.0	11.86	AV	235.00	200	Vertical	Pass
6	16098.975	53.52	1.23	74.0	20.48	Peak	349.00	400	Vertical	Pass
6**	16098.975	44.56	1.23	54.0	9.44	AV	349.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.200	38.87	-17.51	74.0	35.13	Peak	297.00	200	Horizontal	Pass
1**	1576.200	28.85	-17.51	54.0	25.15	AV	297.00	200	Horizontal	Pass
2	4386.800	49.88	-3.01	74.0	24.12	Peak	177.00	400	Horizontal	Pass
2**	4386.800	41.94	-3.01	54.0	12.06	AV	177.00	400	Horizontal	Pass
3	5576.600	107.18	-0.70	--	--	Peak	81.00	200	Horizontal	N/A
3**	5576.600	100.32	-0.70	--	--	AV	81.00	200	Horizontal	N/A
4	7382.375	49.94	-3.83	74.0	24.06	Peak	81.00	400	Horizontal	Pass
4**	7382.375	40.53	-3.83	54.0	13.47	AV	81.00	400	Horizontal	Pass
5	10938.750	50.53	-0.05	74.0	23.47	Peak	167.00	100	Horizontal	Pass
5**	10938.750	42.27	-0.05	54.0	11.73	AV	167.00	100	Horizontal	Pass
6	15826.237	53.76	1.60	74.0	20.24	Peak	45.00	300	Horizontal	Pass
6**	15826.237	43.86	1.60	54.0	10.14	AV	45.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.500	38.88	-17.27	74.0	35.12	Peak	177.00	300	Vertical	Pass
1**	1507.500	29.29	-17.27	54.0	24.71	AV	177.00	300	Vertical	Pass
2	4382.600	50.41	-2.96	74.0	23.59	Peak	130.00	100	Vertical	Pass
2**	4382.600	41.47	-2.96	54.0	12.53	AV	130.00	100	Vertical	Pass
3	5577.800	106.77	-0.74	--	--	Peak	361.00	150	Vertical	N/A
3**	5577.800	99.15	-0.74	--	--	AV	361.00	150	Vertical	N/A
4	7367.138	49.33	-4.02	74.0	24.67	Peak	1.00	400	Vertical	Pass
4**	7367.138	39.87	-4.02	54.0	14.13	AV	1.00	400	Vertical	Pass
5	10907.987	51.24	0.17	74.0	22.76	Peak	18.00	150	Vertical	Pass
5**	10907.987	41.83	0.17	54.0	12.17	AV	18.00	150	Vertical	Pass
6	15830.438	53.72	1.49	74.0	20.28	Peak	118.00	100	Vertical	Pass
6**	15830.438	44.66	1.49	54.0	9.34	AV	118.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.800	38.45	-17.39	74.0	35.55	Peak	350.00	400	Horizontal	Pass
1**	1504.800	29.26	-17.39	54.0	24.74	AV	350.00	400	Horizontal	Pass
2	4326.200	50.32	-3.60	74.0	23.68	Peak	295.00	100	Horizontal	Pass
2**	4326.200	40.43	-3.60	54.0	13.57	AV	295.00	100	Horizontal	Pass
3	5696.800	109.00	-0.85	--	--	Peak	78.00	100	Horizontal	N/A
3**	5696.800	101.54	-0.85	--	--	AV	78.00	100	Horizontal	N/A
4	7351.612	49.28	-3.85	74.0	24.72	Peak	85.00	300	Horizontal	Pass
4**	7351.612	40.25	-3.85	54.0	13.75	AV	85.00	300	Horizontal	Pass
5	11604.025	53.18	-0.01	74.0	20.82	Peak	190.00	150	Horizontal	Pass
5**	11604.025	42.01	-0.01	54.0	11.99	AV	190.00	150	Horizontal	Pass
6	15832.800	53.82	1.47	74.0	20.18	Peak	293.00	200	Horizontal	Pass
6**	15832.800	45.12	1.47	54.0	8.88	AV	293.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.500	39.24	-17.38	74.0	34.76	Peak	1.00	200	Vertical	Pass
1**	1580.500	29.39	-17.38	54.0	24.61	AV	1.00	200	Vertical	Pass
2	4360.800	50.36	-2.64	74.0	23.64	Peak	9.00	200	Vertical	Pass
2**	4360.800	40.69	-2.64	54.0	13.31	AV	9.00	200	Vertical	Pass
3	5698.200	106.17	-0.84	--	--	Peak	312.00	200	Vertical	N/A
3**	5698.200	97.75	-0.84	--	--	AV	312.00	200	Vertical	N/A
4	7370.588	49.29	-3.99	74.0	24.71	Peak	61.00	400	Vertical	Pass
4**	7370.588	40.29	-3.99	54.0	13.71	AV	61.00	400	Vertical	Pass
5	11215.037	50.75	-0.19	74.0	23.25	Peak	129.00	200	Vertical	Pass
5**	11215.037	42.07	-0.19	54.0	11.93	AV	129.00	200	Vertical	Pass
6	15847.500	53.63	1.35	74.0	20.37	Peak	1.00	200	Vertical	Pass
6**	15847.500	45.26	1.35	54.0	8.74	AV	1.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.300	38.73	-17.34	74.0	35.27	Peak	360.00	400	Horizontal	Pass
1**	1601.300	29.41	-17.34	54.0	24.59	AV	360.00	400	Horizontal	Pass
2	4367.800	50.01	-2.91	74.0	23.99	Peak	359.00	400	Horizontal	Pass
2**	4367.800	40.26	-2.91	54.0	13.74	AV	359.00	400	Horizontal	Pass
3	5498.400	104.63	-1.35	--	--	Peak	70.00	200	Horizontal	N/A
3**	5498.400	96.93	-1.35	--	--	AV	70.00	200	Horizontal	N/A
4	7379.212	49.17	-3.65	74.0	24.83	Peak	361.00	300	Horizontal	Pass
4**	7379.212	40.51	-3.65	54.0	13.49	AV	361.00	300	Horizontal	Pass
5	12614.300	51.63	1.88	74.0	22.37	Peak	348.00	150	Horizontal	Pass
5**	12614.300	40.59	1.88	54.0	13.41	AV	348.00	150	Horizontal	Pass
6	16095.300	54.01	1.32	74.0	19.99	Peak	18.00	400	Horizontal	Pass
6**	16095.300	44.68	1.32	54.0	9.32	AV	18.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.800	39.06	-17.28	74.0	34.94	Peak	260.00	100	Vertical	Pass
1**	1478.800	29.01	-17.28	54.0	24.99	AV	260.00	100	Vertical	Pass
2	4386.400	50.25	-3.03	74.0	23.75	Peak	361.00	300	Vertical	Pass
2**	4386.400	40.89	-3.03	54.0	13.11	AV	361.00	300	Vertical	Pass
3	5502.200	103.11	-1.42	--	--	Peak	1.00	150	Vertical	N/A
3**	5502.200	95.75	-1.42	--	--	AV	1.00	150	Vertical	N/A
4	7372.888	49.43	-3.80	74.0	24.57	Peak	1.00	200	Vertical	Pass
4**	7372.888	41.29	-3.80	54.0	12.71	AV	1.00	200	Vertical	Pass
5	10946.513	51.46	-0.17	74.0	22.54	Peak	85.00	200	Vertical	Pass
5**	10946.513	42.11	-0.17	54.0	11.89	AV	85.00	200	Vertical	Pass
6	15845.925	53.78	1.36	74.0	20.22	Peak	321.00	300	Vertical	Pass
6**	15845.925	44.14	1.36	54.0	9.86	AV	321.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.300	38.57	-17.30	74.0	35.43	Peak	173.00	200	Horizontal	Pass
1**	1527.300	28.88	-17.30	54.0	25.12	AV	173.00	200	Horizontal	Pass
2	4384.400	50.65	-2.90	74.0	23.35	Peak	269.00	100	Horizontal	Pass
2**	4384.400	42.27	-2.90	54.0	11.73	AV	269.00	100	Horizontal	Pass
3	5588.400	105.15	-0.92	--	--	Peak	79.00	200	Horizontal	N/A
3**	5588.400	97.24	-0.92	--	--	AV	79.00	200	Horizontal	N/A
4	7380.938	49.02	-3.68	74.0	24.98	Peak	361.00	200	Horizontal	Pass
4**	7380.938	40.39	-3.68	54.0	13.61	AV	361.00	200	Horizontal	Pass
5	11209.287	51.43	-0.22	74.0	22.57	Peak	361.00	100	Horizontal	Pass
5**	11209.287	42.12	-0.22	54.0	11.88	AV	361.00	100	Horizontal	Pass
6	15849.338	53.56	1.34	74.0	20.44	Peak	330.00	200	Horizontal	Pass
6**	15849.338	44.06	1.34	54.0	9.94	AV	330.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.400	38.80	-17.34	74.0	35.20	Peak	293.00	100	Vertical	Pass
1**	1602.400	29.61	-17.34	54.0	24.39	AV	293.00	100	Vertical	Pass
2	4378.800	49.86	-2.95	74.0	24.14	Peak	147.00	400	Vertical	Pass
2**	4378.800	41.17	-2.95	54.0	12.83	AV	147.00	400	Vertical	Pass
3	5596.800	102.40	-1.62	--	--	Peak	361.00	100	Vertical	N/A
3**	5596.800	94.97	-1.62	--	--	AV	361.00	100	Vertical	N/A
4	7375.475	48.82	-3.74	74.0	25.18	Peak	239.00	300	Vertical	Pass
4**	7375.475	40.85	-3.74	54.0	13.15	AV	239.00	300	Vertical	Pass
5	10939.325	51.77	-0.06	74.0	22.23	Peak	27.00	100	Vertical	Pass
5**	10939.325	41.99	-0.06	54.0	12.01	AV	27.00	100	Vertical	Pass
6	15829.650	53.95	1.51	74.0	20.05	Peak	328.00	100	Vertical	Pass
6**	15829.650	44.36	1.51	54.0	9.64	AV	328.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.100	38.92	-16.88	74.0	35.08	Peak	242.00	400	Horizontal	Pass
1**	1439.100	29.28	-16.88	54.0	24.72	AV	242.00	400	Horizontal	Pass
2	4388.400	49.76	-2.96	74.0	24.24	Peak	298.00	400	Horizontal	Pass
2**	4388.400	41.32	-2.96	54.0	12.68	AV	298.00	400	Horizontal	Pass
3	5663.600	105.40	-1.19	--	--	Peak	79.00	200	Horizontal	N/A
3**	5663.600	97.60	-1.19	--	--	AV	79.00	200	Horizontal	N/A
4	7352.187	49.17	-3.84	74.0	24.83	Peak	248.00	300	Horizontal	Pass
4**	7352.187	40.28	-3.84	54.0	13.72	AV	248.00	300	Horizontal	Pass
5	10942.488	51.34	-0.09	74.0	22.66	Peak	288.00	150	Horizontal	Pass
5**	10942.488	42.06	-0.09	54.0	11.94	AV	288.00	150	Horizontal	Pass
6	16091.888	53.31	1.39	74.0	20.69	Peak	123.00	100	Horizontal	Pass
6**	16091.888	44.14	1.39	54.0	9.86	AV	123.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.100	38.70	-17.41	74.0	35.30	Peak	360.00	300	Vertical	Pass
1**	1599.100	28.83	-17.41	54.0	25.17	AV	360.00	300	Vertical	Pass
2	4386.400	51.05	-3.03	74.0	22.95	Peak	9.00	400	Vertical	Pass
2**	4386.400	41.18	-3.03	54.0	12.82	AV	9.00	400	Vertical	Pass
3	5662.600	103.25	-1.20	--	--	Peak	353.00	200	Vertical	N/A
3**	5662.600	95.11	-1.20	--	--	AV	353.00	200	Vertical	N/A
4	7386.687	49.86	-3.94	74.0	24.14	Peak	213.00	100	Vertical	Pass
4**	7386.687	39.29	-3.94	54.0	14.71	AV	213.00	100	Vertical	Pass
5	11525.537	51.29	-0.50	74.0	22.71	Peak	320.00	200	Vertical	Pass
5**	11525.537	41.01	-0.50	54.0	12.99	AV	320.00	200	Vertical	Pass
6	15838.576	53.29	1.45	74.0	20.71	Peak	195.00	100	Vertical	Pass
6**	15838.576	44.66	1.45	54.0	9.34	AV	195.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.700	38.71	-17.23	74.0	35.29	Peak	194.00	400	Horizontal	Pass
1**	1501.700	29.78	-17.23	54.0	24.22	AV	194.00	400	Horizontal	Pass
2	4390.000	50.70	-3.31	74.0	23.30	Peak	49.00	300	Horizontal	Pass
2**	4390.000	41.71	-3.31	54.0	12.29	AV	49.00	300	Horizontal	Pass
3	5511.600	101.76	-1.85	--	--	Peak	76.00	150	Horizontal	N/A
3**	5511.600	93.50	-1.85	--	--	AV	76.00	150	Horizontal	N/A
4	7362.825	49.41	-4.01	74.0	24.59	Peak	257.00	400	Horizontal	Pass
4**	7362.825	40.24	-4.01	54.0	13.76	AV	257.00	400	Horizontal	Pass
5	10914.600	51.14	0.19	74.0	22.86	Peak	62.00	100	Horizontal	Pass
5**	10914.600	42.38	0.19	54.0	11.62	AV	62.00	100	Horizontal	Pass
6	15848.813	53.63	1.34	74.0	20.37	Peak	120.00	200	Horizontal	Pass
6**	15848.813	44.31	1.34	54.0	9.69	AV	120.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.500	39.47	-17.45	74.0	34.53	Peak	36.00	400	Vertical	Pass
1**	1598.500	30.09	-17.45	54.0	23.91	AV	36.00	400	Vertical	Pass
2	4387.200	50.88	-2.99	74.0	23.12	Peak	118.00	300	Vertical	Pass
2**	4387.200	41.07	-2.99	54.0	12.93	AV	118.00	300	Vertical	Pass
3	5544.600	100.51	-1.17	--	--	Peak	9.00	200	Vertical	N/A
3**	5544.600	92.85	-1.17	--	--	AV	9.00	200	Vertical	N/A
4	7355.350	49.41	-4.03	74.0	24.59	Peak	47.00	300	Vertical	Pass
4**	7355.350	39.94	-4.03	54.0	14.06	AV	47.00	300	Vertical	Pass
5	11215.037	51.34	-0.19	74.0	22.66	Peak	88.00	150	Vertical	Pass
5**	11215.037	42.67	-0.19	54.0	11.33	AV	88.00	150	Vertical	Pass
6	16106.849	53.53	0.90	74.0	20.47	Peak	176.00	400	Vertical	Pass
6**	16106.849	43.94	0.90	54.0	10.06	AV	176.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.800	38.78	-17.33	74.0	35.22	Peak	158.00	200	Horizontal	Pass
1**	1445.800	29.62	-17.33	54.0	24.38	AV	158.00	200	Horizontal	Pass
2	4364.600	50.09	-2.80	74.0	23.91	Peak	137.00	100	Horizontal	Pass
2**	4364.600	40.97	-2.80	54.0	13.03	AV	137.00	100	Horizontal	Pass
3	5627.800	102.97	-2.00	--	--	Peak	69.00	150	Horizontal	N/A
3**	5627.800	94.81	-2.00	--	--	AV	69.00	150	Horizontal	N/A
4	7381.513	48.81	-3.74	74.0	25.19	Peak	11.00	200	Horizontal	Pass
4**	7381.513	40.62	-3.74	54.0	13.38	AV	11.00	200	Horizontal	Pass
5	10906.838	51.53	0.17	74.0	22.47	Peak	77.00	100	Horizontal	Pass
5**	10906.838	42.12	0.17	54.0	11.88	AV	77.00	100	Horizontal	Pass
6	15844.612	53.54	1.37	74.0	20.46	Peak	230.00	300	Horizontal	Pass
6**	15844.612	45.04	1.37	54.0	8.96	AV	230.00	300	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.700	39.18	-17.06	74.0	34.82	Peak	360.00	400	Vertical	Pass
1**	1593.700	29.35	-17.06	54.0	24.65	AV	360.00	400	Vertical	Pass
2	4380.000	50.47	-3.03	74.0	23.53	Peak	78.00	200	Vertical	Pass
2**	4380.000	41.79	-3.03	54.0	12.21	AV	78.00	200	Vertical	Pass
3	5588.200	99.78	-0.91	--	--	Peak	360.00	200	Vertical	N/A
3**	5588.200	92.65	-0.91	--	--	AV	360.00	200	Vertical	N/A
4	7366.275	49.30	-4.02	74.0	24.70	Peak	96.00	400	Vertical	Pass
4**	7366.275	40.83	-4.02	54.0	13.17	AV	96.00	400	Vertical	Pass
5	10943.062	51.85	-0.10	74.0	22.15	Peak	361.00	100	Vertical	Pass
5**	10943.062	42.17	-0.10	54.0	11.83	AV	361.00	100	Vertical	Pass
6	15631.200	54.06	1.67	74.0	19.94	Peak	356.00	300	Vertical	Pass
6**	15631.200	42.83	1.67	54.0	11.17	AV	356.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.700	39.05	-17.44	74.0	34.95	Peak	334.00	200	Horizontal	Pass
1**	1562.700	28.83	-17.44	54.0	25.17	AV	334.00	200	Horizontal	Pass
2	4385.600	50.23	-3.00	74.0	23.77	Peak	360.00	400	Horizontal	Pass
2**	4385.600	40.70	-3.00	54.0	13.30	AV	360.00	400	Horizontal	Pass
3	5740.400	108.46	-0.94	--	--	Peak	80.00	150	Horizontal	N/A
3**	5740.400	100.68	-0.94	--	--	AV	80.00	150	Horizontal	N/A
4	7350.175	49.29	-3.87	74.0	24.71	Peak	24.00	100	Horizontal	Pass
4**	7350.175	39.67	-3.87	54.0	14.33	AV	24.00	100	Horizontal	Pass
5	10912.300	51.13	0.18	74.0	22.87	Peak	24.00	200	Horizontal	Pass
5**	10912.300	42.61	0.18	54.0	11.39	AV	24.00	200	Horizontal	Pass
6	16096.874	53.52	1.28	74.0	20.48	Peak	19.00	200	Horizontal	Pass
6**	16096.874	46.63	1.28	54.0	7.37	AV	19.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.400	38.85	-17.39	74.0	35.15	Peak	166.00	300	Vertical	Pass
1**	1557.400	29.40	-17.39	54.0	24.60	AV	166.00	300	Vertical	Pass
2	4286.200	50.61	-3.48	74.0	23.39	Peak	56.00	100	Vertical	Pass
2**	4286.200	40.52	-3.48	54.0	13.48	AV	56.00	100	Vertical	Pass
3	5743.800	105.21	-1.17	--	--	Peak	355.00	100	Vertical	N/A
3**	5743.800	97.53	-1.17	--	--	AV	355.00	100	Vertical	N/A
4	7351.900	49.00	-3.85	74.0	25.00	Peak	141.00	200	Vertical	Pass
4**	7351.900	40.05	-3.85	54.0	13.95	AV	141.00	200	Vertical	Pass
5	10916.901	52.08	0.21	74.0	21.92	Peak	221.00	150	Vertical	Pass
5**	10916.901	41.85	0.21	54.0	12.15	AV	221.00	150	Vertical	Pass
6	15837.787	53.43	1.45	74.0	20.57	Peak	360.00	200	Vertical	Pass
6**	15837.787	44.02	1.45	54.0	9.98	AV	360.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	39.27	-17.19	74.0	34.73	Peak	141.00	200	Horizontal	Pass
1**	1499.800	29.71	-17.19	54.0	24.29	AV	141.00	200	Horizontal	Pass
2	4376.200	50.09	-2.94	74.0	23.91	Peak	25.00	400	Horizontal	Pass
2**	4376.200	41.61	-2.94	54.0	12.39	AV	25.00	400	Horizontal	Pass
3	5781.600	108.83	-0.84	--	--	Peak	68.00	150	Horizontal	N/A
3**	5781.600	101.95	-0.84	--	--	AV	68.00	150	Horizontal	N/A
4	7363.975	49.42	-4.01	74.0	24.58	Peak	8.00	200	Horizontal	Pass
4**	7363.975	40.27	-4.01	54.0	13.73	AV	8.00	200	Horizontal	Pass
5	11218.487	51.70	-0.20	74.0	22.30	Peak	254.00	200	Horizontal	Pass
5**	11218.487	42.44	-0.20	54.0	11.56	AV	254.00	200	Horizontal	Pass
6	16092.151	54.07	1.39	74.0	19.93	Peak	121.00	100	Horizontal	Pass
6**	16092.151	44.82	1.39	54.0	9.18	AV	121.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.300	38.75	-17.22	74.0	35.25	Peak	265.00	300	Vertical	Pass
1**	1533.300	29.24	-17.22	54.0	24.76	AV	265.00	300	Vertical	Pass
2	4372.000	50.02	-3.06	74.0	23.98	Peak	338.00	400	Vertical	Pass
2**	4372.000	41.62	-3.06	54.0	12.38	AV	338.00	400	Vertical	Pass
3	5782.000	104.83	-0.88	--	--	Peak	352.00	100	Vertical	N/A
3**	5782.000	97.30	-0.88	--	--	AV	352.00	100	Vertical	N/A
4	7336.663	49.36	-3.46	74.0	24.64	Peak	321.00	400	Vertical	Pass
4**	7336.663	40.32	-3.46	54.0	13.68	AV	321.00	400	Vertical	Pass
5	10925.525	51.26	0.15	74.0	22.74	Peak	1.00	100	Vertical	Pass
5**	10925.525	42.13	0.15	54.0	11.87	AV	1.00	100	Vertical	Pass
6	15833.850	53.64	1.46	74.0	20.36	Peak	36.00	300	Vertical	Pass
6**	15833.850	44.91	1.46	54.0	9.09	AV	36.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.300	38.86	-17.32	74.0	35.14	Peak	171.00	300	Horizontal	Pass
1**	1537.300	29.05	-17.32	54.0	24.95	AV	171.00	300	Horizontal	Pass
2	4379.400	49.60	-3.00	74.0	24.40	Peak	36.00	300	Horizontal	Pass
2**	4379.400	41.10	-3.00	54.0	12.90	AV	36.00	300	Horizontal	Pass
3	5826.600	108.68	-1.45	--	--	Peak	78.00	150	Horizontal	N/A
3**	5826.600	101.41	-1.45	--	--	AV	78.00	150	Horizontal	N/A
4	7353.050	49.22	-3.87	74.0	24.78	Peak	-1.00	300	Horizontal	Pass
4**	7353.050	39.99	-3.87	54.0	14.01	AV	-1.00	300	Horizontal	Pass
5	10918.912	51.31	0.23	74.0	22.69	Peak	-1.00	150	Horizontal	Pass
5**	10918.912	41.88	0.23	54.0	12.12	AV	-1.00	150	Horizontal	Pass
6	15832.800	53.01	1.47	74.0	20.99	Peak	197.00	100	Horizontal	Pass
6**	15832.800	44.32	1.47	54.0	9.68	AV	197.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.900	38.97	-17.18	74.0	35.03	Peak	289.00	400	Vertical	Pass
1**	1585.900	29.89	-17.18	54.0	24.11	AV	289.00	400	Vertical	Pass
2	4381.400	50.15	-3.01	74.0	23.85	Peak	107.00	200	Vertical	Pass
2**	4381.400	41.75	-3.01	54.0	12.25	AV	107.00	200	Vertical	Pass
3	5824.000	104.27	-1.54	--	--	Peak	358.00	150	Vertical	N/A
3**	5824.000	97.05	-1.54	--	--	AV	358.00	150	Vertical	N/A
4	7374.900	48.83	-3.74	74.0	25.17	Peak	74.00	400	Vertical	Pass
4**	7374.900	40.46	-3.74	54.0	13.54	AV	74.00	400	Vertical	Pass
5	11219.063	51.34	-0.20	74.0	22.66	Peak	-1.00	100	Vertical	Pass
5**	11219.063	42.98	-0.20	54.0	11.02	AV	-1.00	100	Vertical	Pass
6	15841.724	53.91	1.42	74.0	20.09	Peak	98.00	200	Vertical	Pass
6**	15841.724	44.15	1.42	54.0	9.85	AV	98.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.300	38.93	-17.25	74.0	35.07	Peak	258.00	300	Horizontal	Pass
1**	1502.300	29.19	-17.25	54.0	24.81	AV	258.00	300	Horizontal	Pass
2	4362.000	49.90	-2.63	74.0	24.10	Peak	258.00	300	Horizontal	Pass
2**	4362.000	40.86	-2.63	54.0	13.14	AV	258.00	300	Horizontal	Pass
3	5743.800	108.51	-1.17	--	--	Peak	77.00	100	Horizontal	N/A
3**	5743.800	100.53	-1.17	--	--	AV	77.00	100	Horizontal	N/A
4	7351.037	49.18	-3.86	74.0	24.82	Peak	46.00	400	Horizontal	Pass
4**	7351.037	40.26	-3.86	54.0	13.74	AV	46.00	400	Horizontal	Pass
5	11613.225	50.78	-0.07	74.0	23.22	Peak	151.00	150	Horizontal	Pass
5**	11613.225	41.41	-0.07	54.0	12.59	AV	151.00	150	Horizontal	Pass
6	16125.225	53.14	0.81	74.0	20.86	Peak	196.00	400	Horizontal	Pass
6**	16125.225	44.15	0.81	54.0	9.85	AV	196.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.000	39.27	-17.44	74.0	34.73	Peak	182.00	400	Vertical	Pass
1**	1617.000	29.21	-17.44	54.0	24.79	AV	182.00	400	Vertical	Pass
2	4370.200	49.85	-2.83	74.0	24.15	Peak	289.00	400	Vertical	Pass
2**	4370.200	40.89	-2.83	54.0	13.11	AV	289.00	400	Vertical	Pass
3	5744.000	105.03	-1.17	--	--	Peak	358.00	200	Vertical	N/A
3**	5744.000	98.26	-1.17	--	--	AV	358.00	200	Vertical	N/A
4	7381.225	49.49	-3.71	74.0	24.51	Peak	298.00	200	Vertical	Pass
4**	7381.225	40.31	-3.71	54.0	13.69	AV	298.00	200	Vertical	Pass
5	10921.787	51.59	0.21	74.0	22.41	Peak	101.00	100	Vertical	Pass
5**	10921.787	42.21	0.21	54.0	11.79	AV	101.00	100	Vertical	Pass
6	16080.338	53.23	1.63	74.0	20.77	Peak	173.00	300	Vertical	Pass
6**	16080.338	44.03	1.63	54.0	9.97	AV	173.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.300	38.60	-17.34	74.0	35.40	Peak	295.00	200	Horizontal	Pass
1**	1560.300	28.90	-17.34	54.0	25.10	AV	295.00	200	Horizontal	Pass
2	4378.200	49.67	-2.90	74.0	24.33	Peak	36.00	100	Horizontal	Pass
2**	4378.200	41.57	-2.90	54.0	12.43	AV	36.00	100	Horizontal	Pass
3	5787.400	109.06	-1.20	--	--	Peak	91.00	150	Horizontal	N/A
3**	5787.400	102.20	-1.20	--	--	AV	91.00	150	Horizontal	N/A
4	7349.025	48.92	-3.86	74.0	25.08	Peak	1.00	400	Horizontal	Pass
4**	7349.025	40.52	-3.86	54.0	13.48	AV	1.00	400	Horizontal	Pass
5	10941.625	50.87	-0.08	74.0	23.13	Peak	322.00	150	Horizontal	Pass
5**	10941.625	41.73	-0.08	54.0	12.27	AV	322.00	150	Horizontal	Pass
6	15846.974	53.76	1.35	74.0	20.24	Peak	176.00	200	Horizontal	Pass
6**	15846.974	44.28	1.35	54.0	9.72	AV	176.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.000	40.07	-17.42	74.0	33.93	Peak	360.00	300	Vertical	Pass
1**	1599.000	29.29	-17.42	54.0	24.71	AV	360.00	300	Vertical	Pass
2	4362.200	50.20	-2.63	74.0	23.80	Peak	118.00	200	Vertical	Pass
2**	4362.200	40.94	-2.63	54.0	13.06	AV	118.00	200	Vertical	Pass
3	5787.600	104.76	-1.26	--	--	Peak	357.00	100	Vertical	N/A
3**	5787.600	97.45	-1.26	--	--	AV	357.00	100	Vertical	N/A
4	7374.325	49.19	-3.75	74.0	24.81	Peak	107.00	100	Vertical	Pass
4**	7374.325	40.87	-3.75	54.0	13.13	AV	107.00	100	Vertical	Pass
5	12587.850	51.82	1.64	74.0	22.18	Peak	36.00	200	Vertical	Pass
5**	12587.850	40.91	1.64	54.0	13.09	AV	36.00	200	Vertical	Pass
6	15837.000	53.95	1.45	74.0	20.05	Peak	173.00	200	Vertical	Pass
6**	15837.000	44.71	1.45	54.0	9.29	AV	173.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.300	39.35	-17.37	74.0	34.65	Peak	360.00	100	Horizontal	Pass
1**	1484.300	28.57	-17.37	54.0	25.43	AV	360.00	100	Horizontal	Pass
2	4383.600	49.77	-2.90	74.0	24.23	Peak	37.00	100	Horizontal	Pass
2**	4383.600	41.72	-2.90	54.0	12.28	AV	37.00	100	Horizontal	Pass
3	5827.600	108.21	-1.35	--	--	Peak	86.00	200	Horizontal	N/A
3**	5827.600	100.63	-1.35	--	--	AV	86.00	200	Horizontal	N/A
4	7351.612	48.93	-3.85	74.0	25.07	Peak	81.00	300	Horizontal	Pass
4**	7351.612	39.80	-3.85	54.0	14.20	AV	81.00	300	Horizontal	Pass
5	11215.325	51.47	-0.19	74.0	22.53	Peak	278.00	100	Horizontal	Pass
5**	11215.325	42.10	-0.19	54.0	11.90	AV	278.00	100	Horizontal	Pass
6	16085.325	53.38	1.52	74.0	20.62	Peak	224.00	400	Horizontal	Pass
6**	16085.325	43.84	1.52	54.0	10.16	AV	224.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.600	38.43	-17.25	74.0	35.57	Peak	327.00	300	Vertical	Pass
1**	1584.600	29.92	-17.25	54.0	24.08	AV	327.00	300	Vertical	Pass
2	4377.800	49.94	-2.86	74.0	24.06	Peak	228.00	100	Vertical	Pass
2**	4377.800	40.90	-2.86	54.0	13.10	AV	228.00	100	Vertical	Pass
3	5828.200	104.57	-1.28	--	--	Peak	36.00	100	Vertical	N/A
3**	5828.200	95.93	-1.28	--	--	AV	36.00	100	Vertical	N/A
4	7670.737	49.25	-2.48	74.0	24.75	Peak	300.00	200	Vertical	Pass
4**	7670.737	39.77	-2.48	54.0	14.23	AV	300.00	200	Vertical	Pass
5	11422.900	50.89	-0.09	74.0	23.11	Peak	213.00	100	Vertical	Pass
5**	11422.900	40.83	-0.09	54.0	13.17	AV	213.00	100	Vertical	Pass
6	15844.350	53.57	1.38	74.0	20.43	Peak	324.00	200	Vertical	Pass
6**	15844.350	44.61	1.38	54.0	9.39	AV	324.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.300	39.17	-17.22	74.0	34.83	Peak	142.00	100	Horizontal	Pass
1**	1492.300	29.45	-17.22	54.0	24.55	AV	142.00	100	Horizontal	Pass
2	4376.800	50.23	-2.90	74.0	23.77	Peak	359.00	400	Horizontal	Pass
2**	4376.800	41.26	-2.90	54.0	12.74	AV	359.00	400	Horizontal	Pass
3	5746.800	102.75	-1.38	--	--	Peak	256.00	100	Horizontal	N/A
3**	5746.800	95.16	-1.38	--	--	AV	256.00	100	Horizontal	N/A
4	7340.975	49.90	-3.60	74.0	24.10	Peak	36.00	200	Horizontal	Pass
4**	7340.975	39.55	-3.60	54.0	14.45	AV	36.00	200	Horizontal	Pass
5	10928.687	51.85	0.11	74.0	22.15	Peak	36.00	200	Horizontal	Pass
5**	10928.687	41.67	0.11	54.0	12.33	AV	36.00	200	Horizontal	Pass
6	15843.562	53.50	1.39	74.0	20.50	Peak	149.00	200	Horizontal	Pass
6**	15843.562	44.69	1.39	54.0	9.31	AV	149.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.100	38.78	-17.00	74.0	35.22	Peak	69.00	100	Vertical	Pass
1**	1552.100	29.76	-17.00	54.0	24.24	AV	69.00	100	Vertical	Pass
2	4359.600	50.01	-2.67	74.0	23.99	Peak	291.00	300	Vertical	Pass
2**	4359.600	41.24	-2.67	54.0	12.76	AV	291.00	300	Vertical	Pass
3	5757.800	100.25	-1.19	--	90.75	--	191.00	100	Vertical	N/A
3**	5757.800	92.19	-1.19	--	-92.19	--	191.00	100	Vertical	N/A
4	7352.187	49.07	-3.84	74.0	24.93	Peak	107.00	300	Vertical	Pass
4**	7352.187	40.47	-3.84	54.0	13.53	AV	107.00	300	Vertical	Pass
5	10945.075	51.01	-0.13	74.0	22.99	Peak	1.00	100	Vertical	Pass
5**	10945.075	43.43	-0.13	54.0	10.57	AV	1.00	100	Vertical	Pass
6	15837.787	53.04	1.45	74.0	20.96	Peak	257.00	400	Vertical	Pass
6**	15837.787	44.63	1.45	54.0	9.37	AV	257.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.500	39.26	-17.19	74.0	34.74	Peak	77.00	200	Horizontal	Pass
1**	1585.500	29.30	-17.19	54.0	24.70	AV	77.00	200	Horizontal	Pass
2	4283.400	50.28	-3.21	74.0	23.72	Peak	360.00	300	Horizontal	Pass
2**	4283.400	41.40	-3.21	54.0	12.60	AV	360.00	300	Horizontal	Pass
3	5785.800	103.14	-1.01	--	--	Peak	261.00	200	Horizontal	N/A
3**	5785.800	95.58	-1.01	--	--	AV	261.00	200	Horizontal	N/A
4	7375.763	49.56	-3.74	74.0	24.44	Peak	-1.00	100	Horizontal	Pass
4**	7375.763	40.49	-3.74	54.0	13.51	AV	-1.00	100	Horizontal	Pass
5	11224.813	51.74	-0.22	74.0	22.26	Peak	72.00	150	Horizontal	Pass
5**	11224.813	42.15	-0.22	54.0	11.85	AV	72.00	150	Horizontal	Pass
6	16080.338	53.06	1.63	74.0	20.94	Peak	128.00	400	Horizontal	Pass
6**	16080.338	44.21	1.63	54.0	9.79	AV	128.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	38.77	-17.20	74.0	35.23	Peak	67.00	100	Vertical	Pass
1**	1500.500	29.36	-17.20	54.0	24.64	AV	67.00	100	Vertical	Pass
2	4379.800	50.15	-3.03	74.0	23.85	Peak	157.00	200	Vertical	Pass
2**	4379.800	40.94	-3.03	54.0	13.06	AV	157.00	200	Vertical	Pass
3	5803.000	99.83	-1.37	--	84.17	--	184.00	150	Vertical	N/A
3**	5803.000	91.44	-1.37	--	-91.44	--	184.00	150	Vertical	N/A
4	7361.388	49.33	-4.01	74.0	24.67	Peak	36.00	400	Vertical	Pass
4**	7361.388	40.38	-4.01	54.0	13.62	AV	36.00	400	Vertical	Pass
5	12217.263	51.66	1.20	74.0	22.34	Peak	4.00	150	Vertical	Pass
5**	12217.263	42.42	1.20	54.0	11.58	AV	4.00	150	Vertical	Pass
6	16093.987	53.34	1.35	74.0	20.66	Peak	210.00	200	Vertical	Pass
6**	16093.987	44.50	1.35	54.0	9.50	AV	210.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.200	38.68	-17.22	74.0	35.32	Peak	142.00	300	Horizontal	Pass
1**	1501.200	30.37	-17.22	54.0	23.63	AV	142.00	300	Horizontal	Pass
2	4362.200	49.99	-2.63	74.0	24.01	Peak	99.00	200	Horizontal	Pass
2**	4362.200	41.65	-2.63	54.0	12.35	AV	99.00	200	Horizontal	Pass
3	5741.400	108.27	-1.17	--	--	Peak	261.00	100	Horizontal	N/A
3**	5741.400	100.27	-1.17	--	--	AV	261.00	100	Horizontal	N/A
4	7376.337	49.66	-3.74	74.0	24.34	Peak	67.00	400	Horizontal	Pass
4**	7376.337	40.15	-3.74	54.0	13.85	AV	67.00	400	Horizontal	Pass
5	10938.174	50.99	-0.04	74.0	23.01	Peak	1.00	150	Horizontal	Pass
5**	10938.174	43.01	-0.04	54.0	10.99	AV	1.00	150	Horizontal	Pass
6	16099.500	53.37	1.21	74.0	20.63	Peak	347.00	100	Horizontal	Pass
6**	16099.500	43.93	1.21	54.0	10.07	AV	347.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.400	38.85	-17.45	74.0	35.15	Peak	48.00	200	Vertical	Pass
1**	1606.400	29.23	-17.45	54.0	24.77	AV	48.00	200	Vertical	Pass
2	4382.400	50.51	-2.97	74.0	23.49	Peak	24.00	200	Vertical	Pass
2**	4382.400	41.28	-2.97	54.0	12.72	AV	24.00	200	Vertical	Pass
3	5746.400	104.77	-1.33	--	83.23	--	188.00	150	Vertical	N/A
3**	5746.400	97.78	-1.33	--	-97.78	--	188.00	150	Vertical	N/A
4	7348.450	49.62	-3.85	74.0	24.38	Peak	36.00	100	Vertical	Pass
4**	7348.450	40.16	-3.85	54.0	13.84	AV	36.00	100	Vertical	Pass
5	10930.987	51.28	0.07	74.0	22.72	Peak	296.00	200	Vertical	Pass
5**	10930.987	42.38	0.07	54.0	11.62	AV	296.00	200	Vertical	Pass
6	15835.162	53.72	1.45	74.0	20.28	Peak	284.00	300	Vertical	Pass
6**	15835.162	44.74	1.45	54.0	9.26	AV	284.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.700	38.96	-17.36	74.0	35.04	Peak	173.00	200	Horizontal	Pass
1**	1573.700	29.26	-17.36	54.0	24.74	AV	173.00	200	Horizontal	Pass
2	4272.400	50.59	-3.59	74.0	23.41	Peak	281.00	300	Horizontal	Pass
2**	4272.400	39.70	-3.59	54.0	14.30	AV	281.00	300	Horizontal	Pass
3	5786.600	108.68	-0.95	--	--	Peak	266.00	150	Horizontal	N/A
3**	5786.600	100.59	-0.95	--	--	AV	266.00	150	Horizontal	N/A
4	7367.425	49.44	-4.02	74.0	24.56	Peak	36.00	400	Horizontal	Pass
4**	7367.425	40.14	-4.02	54.0	13.86	AV	36.00	400	Horizontal	Pass
5	10939.612	51.84	-0.06	74.0	22.16	Peak	36.00	200	Horizontal	Pass
5**	10939.612	42.78	-0.06	54.0	11.22	AV	36.00	200	Horizontal	Pass
6	16095.825	53.59	1.30	74.0	20.41	Peak	267.00	200	Horizontal	Pass
6**	16095.825	44.17	1.30	54.0	9.83	AV	267.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.700	38.87	-17.38	74.0	35.13	Peak	54.00	400	Vertical	Pass
1**	1609.700	28.90	-17.38	54.0	25.10	AV	54.00	400	Vertical	Pass
2	4380.200	50.11	-3.02	74.0	23.89	Peak	338.00	100	Vertical	Pass
2**	4380.200	41.57	-3.02	54.0	12.43	AV	338.00	100	Vertical	Pass
3	5782.000	104.56	-0.88	--	71.44	--	176.00	100	Vertical	N/A
3**	5782.000	97.91	-0.88	--	-97.91	--	176.00	100	Vertical	N/A
4	7377.775	49.52	-3.71	74.0	24.48	Peak	194.00	400	Vertical	Pass
4**	7377.775	40.29	-3.71	54.0	13.71	AV	194.00	400	Vertical	Pass
5	12223.588	52.27	1.28	74.0	21.73	Peak	318.00	200	Vertical	Pass
5**	12223.588	41.95	1.28	54.0	12.05	AV	318.00	200	Vertical	Pass
6	16096.349	52.94	1.29	74.0	21.06	Peak	79.00	300	Vertical	Pass
6**	16096.349	44.07	1.29	54.0	9.93	AV	79.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.400	39.27	-16.95	74.0	34.73	Peak	52.00	300	Horizontal	Pass
1**	1439.400	29.30	-16.95	54.0	24.70	AV	52.00	300	Horizontal	Pass
2	4357.000	50.17	-2.45	74.0	23.83	Peak	12.00	200	Horizontal	Pass
2**	4357.000	41.45	-2.45	54.0	12.55	AV	12.00	200	Horizontal	Pass
3	5827.800	107.11	-1.32	--	--	Peak	262.00	100	Horizontal	N/A
3**	5827.800	99.91	-1.32	--	--	AV	262.00	100	Horizontal	N/A
4	7370.875	48.87	-3.96	74.0	25.13	Peak	110.00	200	Horizontal	Pass
4**	7370.875	40.84	-3.96	54.0	13.16	AV	110.00	200	Horizontal	Pass
5	10924.662	51.75	0.16	74.0	22.25	Peak	-1.00	150	Horizontal	Pass
5**	10924.662	41.97	0.16	54.0	12.03	AV	-1.00	150	Horizontal	Pass
6	16112.888	53.15	0.72	74.0	20.85	Peak	77.00	200	Horizontal	Pass
6**	16112.888	44.03	0.72	54.0	9.97	AV	77.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.900	38.87	-17.45	74.0	35.13	Peak	171.00	400	Vertical	Pass
1**	1597.900	29.19	-17.45	54.0	24.81	AV	171.00	400	Vertical	Pass
2	4366.800	50.36	-3.01	74.0	23.64	Peak	125.00	400	Vertical	Pass
2**	4366.800	41.73	-3.01	54.0	12.27	AV	125.00	400	Vertical	Pass
3	5829.400	103.44	-1.16	--	--	Peak	155.00	150	Vertical	N/A
3**	5829.400	96.08	-1.16	--	--	AV	155.00	150	Vertical	N/A
4	7355.062	48.87	-4.00	74.0	25.13	Peak	45.00	100	Vertical	Pass
4**	7355.062	39.93	-4.00	54.0	14.07	AV	45.00	100	Vertical	Pass
5	11201.526	51.38	-0.27	74.0	22.62	Peak	264.00	200	Vertical	Pass
5**	11201.526	41.98	-0.27	54.0	12.02	AV	264.00	200	Vertical	Pass
6	15836.213	53.95	1.45	74.0	20.05	Peak	0.00	300	Vertical	Pass
6**	15836.213	44.33	1.45	54.0	9.67	AV	0.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.300	38.82	-17.22	74.0	35.18	Peak	17.00	400	Horizontal	Pass
1**	1483.300	29.16	-17.22	54.0	24.84	AV	17.00	400	Horizontal	Pass
2	4379.000	50.72	-2.96	74.0	23.28	Peak	36.00	200	Horizontal	Pass
2**	4379.000	41.78	-2.96	54.0	12.22	AV	36.00	200	Horizontal	Pass
3	5748.000	104.87	-1.54	--	--	Peak	268.00	150	Horizontal	N/A
3**	5748.000	96.49	-1.54	--	--	AV	268.00	150	Horizontal	N/A
4	7334.938	49.29	-3.40	74.0	24.71	Peak	341.00	100	Horizontal	Pass
4**	7334.938	39.84	-3.40	54.0	14.16	AV	341.00	100	Horizontal	Pass
5	11604.888	50.98	0.00	74.0	23.02	Peak	23.00	150	Horizontal	Pass
5**	11604.888	40.98	0.00	54.0	13.02	AV	23.00	150	Horizontal	Pass
6	15842.250	54.11	1.41	74.0	19.89	Peak	-1.00	400	Horizontal	Pass
6**	15842.250	44.78	1.41	54.0	9.22	AV	-1.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.100	39.09	-17.35	74.0	34.91	Peak	346.00	300	Vertical	Pass
1**	1488.100	28.81	-17.35	54.0	25.19	AV	346.00	300	Vertical	Pass
2	4300.800	49.98	-4.24	74.0	24.02	Peak	0.00	200	Vertical	Pass
2**	4300.800	40.68	-4.24	54.0	13.32	AV	0.00	200	Vertical	Pass
3	5752.200	102.19	-1.11	--	--	Peak	189.00	200	Vertical	N/A
3**	5752.200	93.71	-1.11	--	--	AV	189.00	200	Vertical	N/A
4	7369.438	49.77	-4.10	74.0	24.23	Peak	236.00	300	Vertical	Pass
4**	7369.438	39.90	-4.10	54.0	14.10	AV	236.00	300	Vertical	Pass
5	10912.300	51.48	0.18	74.0	22.52	Peak	338.00	150	Vertical	Pass
5**	10912.300	42.31	0.18	54.0	11.69	AV	338.00	150	Vertical	Pass
6	16107.900	53.04	0.86	74.0	20.96	Peak	135.00	200	Vertical	Pass
6**	16107.900	44.19	0.86	54.0	9.81	AV	135.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.500	39.16	-17.22	74.0	34.84	Peak	71.00	200	Horizontal	Pass
1**	1495.500	29.90	-17.22	54.0	24.10	AV	71.00	200	Horizontal	Pass
2	4383.600	50.27	-2.90	74.0	23.73	Peak	288.00	400	Horizontal	Pass
2**	4383.600	40.46	-2.90	54.0	13.54	AV	288.00	400	Horizontal	Pass
3	5798.200	105.12	-1.56	--	--	Peak	260.00	100	Horizontal	N/A
3**	5798.200	97.43	-1.56	--	--	AV	260.00	100	Horizontal	N/A
4	7361.962	48.95	-4.01	74.0	25.05	Peak	36.00	200	Horizontal	Pass
4**	7361.962	39.96	-4.01	54.0	14.04	AV	36.00	200	Horizontal	Pass
5	10943.062	51.45	-0.10	74.0	22.55	Peak	286.00	200	Horizontal	Pass
5**	10943.062	42.79	-0.10	54.0	11.21	AV	286.00	200	Horizontal	Pass
6	15838.050	53.07	1.45	74.0	20.93	Peak	256.00	400	Horizontal	Pass
6**	15838.050	44.81	1.45	54.0	9.19	AV	256.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.100	38.79	-17.21	74.0	35.21	Peak	245.00	400	Vertical	Pass
1**	1540.100	29.79	-17.21	54.0	24.21	AV	245.00	400	Vertical	Pass
2	4386.600	49.88	-3.02	74.0	24.12	Peak	288.00	100	Vertical	Pass
2**	4386.600	41.36	-3.02	54.0	12.64	AV	288.00	100	Vertical	Pass
3	5797.600	101.93	-1.51	--	--	Peak	194.00	200	Vertical	N/A
3**	5797.600	93.53	-1.51	--	--	AV	194.00	200	Vertical	N/A
4	7358.800	49.38	-4.09	74.0	24.62	Peak	289.00	300	Vertical	Pass
4**	7358.800	40.29	-4.09	54.0	13.71	AV	289.00	300	Vertical	Pass
5	11220.213	51.35	-0.21	74.0	22.65	Peak	54.00	150	Vertical	Pass
5**	11220.213	43.65	-0.21	54.0	10.35	AV	54.00	150	Vertical	Pass
6	15831.224	53.63	1.48	74.0	20.37	Peak	36.00	100	Vertical	Pass
6**	15831.224	44.54	1.48	54.0	9.46	AV	36.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	39.01	-17.24	74.0	34.99	Peak	96.00	100	Horizontal	Pass
1**	1495.800	29.42	-17.24	54.0	24.58	AV	96.00	100	Horizontal	Pass
2	4378.000	50.79	-2.88	74.0	23.21	Peak	36.00	200	Horizontal	Pass
2**	4378.000	41.44	-2.88	54.0	12.56	AV	36.00	200	Horizontal	Pass
3	5751.800	101.95	-1.14	--	--	Peak	275.00	200	Horizontal	N/A
3**	5751.800	94.62	-1.14	--	--	AV	275.00	200	Horizontal	N/A
4	7363.400	49.34	-4.01	74.0	24.66	Peak	36.00	100	Horizontal	Pass
4**	7363.400	40.57	-4.01	54.0	13.43	AV	36.00	100	Horizontal	Pass
5	12688.187	51.14	0.84	74.0	22.86	Peak	36.00	200	Horizontal	Pass
5**	12688.187	41.06	0.84	54.0	12.94	AV	36.00	200	Horizontal	Pass
6	16103.700	53.27	1.04	74.0	20.73	Peak	176.00	100	Horizontal	Pass
6**	16103.700	44.29	1.04	54.0	9.71	AV	176.00	100	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.600	38.58	-17.36	74.0	35.42	Peak	146.00	200	Vertical	Pass
1**	1609.600	29.40	-17.36	54.0	24.60	AV	146.00	200	Vertical	Pass
2	4367.400	49.67	-2.97	74.0	24.33	Peak	139.00	100	Vertical	Pass
2**	4367.400	40.92	-2.97	54.0	13.08	AV	139.00	100	Vertical	Pass
3	5797.200	99.18	-1.47	--	--	Peak	178.00	150	Vertical	N/A
3**	5797.200	90.40	-1.47	--	--	AV	178.00	150	Vertical	N/A
4	7353.050	49.34	-3.87	74.0	24.66	Peak	36.00	200	Vertical	Pass
4**	7353.050	40.24	-3.87	54.0	13.76	AV	36.00	200	Vertical	Pass
5	10929.549	51.09	0.09	74.0	22.91	Peak	36.00	150	Vertical	Pass
5**	10929.549	42.52	0.09	54.0	11.48	AV	36.00	150	Vertical	Pass
6	15850.912	53.55	1.31	74.0	20.45	Peak	188.00	400	Vertical	Pass
6**	15850.912	44.19	1.31	54.0	9.81	AV	188.00	400	Vertical	Pass

MIMO

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.800	38.97	-17.38	74.0	35.03	Peak	175.00	400	Horizontal	Pass
1**	1612.800	30.23	-17.38	54.0	23.77	AV	175.00	400	Horizontal	Pass
2	4387.400	49.89	-2.98	74.0	24.11	Peak	136.00	300	Horizontal	Pass
2**	4387.400	40.54	-2.98	54.0	13.46	AV	136.00	300	Horizontal	Pass
3	5182.200	107.19	-1.72	--	--	Peak	34.00	200	Horizontal	N/A
3**	5182.200	100.03	-1.72	--	--	AV	34.00	200	Horizontal	N/A
4	7462.013	48.94	-3.65	74.0	25.06	Peak	126.00	400	Horizontal	Pass
4**	7462.013	39.32	-3.65	54.0	14.68	AV	126.00	400	Horizontal	Pass
5	10930.125	51.27	0.09	74.0	22.73	Peak	260.00	200	Horizontal	Pass
5**	10930.125	41.81	0.09	54.0	12.19	AV	260.00	200	Horizontal	Pass
6	16085.588	53.52	1.52	74.0	20.48	Peak	172.00	200	Horizontal	Pass
6**	16085.588	43.73	1.52	54.0	10.27	AV	172.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.500	39.26	-17.28	74.0	34.74	Peak	99.00	400	Vertical	Pass
1**	1468.500	29.98	-17.28	54.0	24.02	AV	99.00	400	Vertical	Pass
2	4364.600	49.72	-2.80	74.0	24.28	Peak	115.00	400	Vertical	Pass
2**	4364.600	41.60	-2.80	54.0	12.40	AV	115.00	400	Vertical	Pass
3	5182.600	106.08	-1.74	--	--	Peak	7.00	200	Vertical	N/A
3**	5182.600	98.74	-1.74	--	--	AV	7.00	200	Vertical	N/A
4	7376.337	49.69	-3.74	74.0	24.31	Peak	109.00	400	Vertical	Pass
4**	7376.337	41.11	-3.74	54.0	12.89	AV	109.00	400	Vertical	Pass
5	10917.188	51.09	0.21	74.0	22.91	Peak	70.00	150	Vertical	Pass
5**	10917.188	42.09	0.21	54.0	11.91	AV	70.00	150	Vertical	Pass
6	15819.675	52.93	1.89	74.0	21.07	Peak	13.00	200	Vertical	Pass
6**	15819.675	44.37	1.89	54.0	9.63	AV	13.00	200	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.800	39.11	-17.30	74.0	34.89	Peak	247.00	400	Horizontal	Pass
1**	1590.800	28.81	-17.30	54.0	25.19	AV	247.00	400	Horizontal	Pass
2	4367.400	50.00	-2.97	74.0	24.00	Peak	113.00	400	Horizontal	Pass
2**	4367.400	41.22	-2.97	54.0	12.78	AV	113.00	400	Horizontal	Pass
3	5221.600	107.82	-2.62	--	--	Peak	17.00	100	Horizontal	N/A
3**	5221.600	99.89	-2.62	--	--	AV	17.00	100	Horizontal	N/A
4	7364.550	49.60	-4.02	74.0	24.40	Peak	109.00	200	Horizontal	Pass
4**	7364.550	40.46	-4.02	54.0	13.54	AV	109.00	200	Horizontal	Pass
5	12223.875	51.89	1.29	74.0	22.11	Peak	360.00	100	Horizontal	Pass
5**	12223.875	42.21	1.29	54.0	11.79	AV	360.00	100	Horizontal	Pass
6	15844.088	53.24	1.38	74.0	20.76	Peak	0.00	400	Horizontal	Pass
6**	15844.088	44.96	1.38	54.0	9.04	AV	0.00	400	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.600	38.74	-17.35	74.0	35.26	Peak	325.00	200	Vertical	Pass
1**	1490.600	29.71	-17.35	54.0	24.29	AV	325.00	200	Vertical	Pass
2	4398.400	50.49	-3.99	74.0	23.51	Peak	2.00	400	Vertical	Pass
2**	4398.400	39.75	-3.99	54.0	14.25	AV	2.00	400	Vertical	Pass
3	5217.600	106.49	-2.58	--	--	Peak	137.00	100	Vertical	N/A
3**	5217.600	99.09	-2.58	--	--	AV	137.00	100	Vertical	N/A
4	7376.337	49.72	-3.74	74.0	24.28	Peak	91.00	300	Vertical	Pass
4**	7376.337	40.52	-3.74	54.0	13.48	AV	91.00	300	Vertical	Pass
5	10924.375	51.45	0.17	74.0	22.55	Peak	69.00	200	Vertical	Pass
5**	10924.375	41.89	0.17	54.0	12.11	AV	69.00	200	Vertical	Pass
6	15823.088	53.37	1.73	74.0	20.63	Peak	171.00	100	Vertical	Pass
6**	15823.088	43.95	1.73	54.0	10.05	AV	171.00	100	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.000	39.13	-17.21	74.0	34.87	Peak	358.00	300	Horizontal	Pass
1**	1525.000	29.96	-17.21	54.0	24.04	AV	358.00	300	Horizontal	Pass
2	4358.000	49.40	-2.61	74.0	24.60	Peak	110.00	100	Horizontal	Pass
2**	4358.000	42.22	-2.61	54.0	11.78	AV	110.00	100	Horizontal	Pass
3	5239.000	107.30	-1.88	--	--	Peak	16.00	150	Horizontal	N/A
3**	5239.000	99.87	-1.88	--	--	AV	16.00	150	Horizontal	N/A
4	7368.000	49.51	-4.04	74.0	24.49	Peak	203.00	100	Horizontal	Pass
4**	7368.000	40.19	-4.04	54.0	13.81	AV	203.00	100	Horizontal	Pass
5	10936.450	51.21	-0.03	74.0	22.79	Peak	259.00	150	Horizontal	Pass
5**	10936.450	42.61	-0.03	54.0	11.39	AV	259.00	150	Horizontal	Pass
6	15843.562	54.15	1.39	74.0	19.85	Peak	0.00	300	Horizontal	Pass
6**	15843.562	44.21	1.39	54.0	9.79	AV	0.00	300	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.700	38.96	-17.01	74.0	35.04	Peak	26.00	200	Vertical	Pass
1**	1439.700	29.30	-17.01	54.0	24.70	AV	26.00	200	Vertical	Pass
2	4359.800	50.25	-2.66	74.0	23.75	Peak	225.00	200	Vertical	Pass
2**	4359.800	41.17	-2.66	54.0	12.83	AV	225.00	200	Vertical	Pass
3	5245.000	106.73	-1.78	--	--	Peak	0.00	100	Vertical	N/A
3**	5245.000	99.95	-1.78	--	--	AV	0.00	100	Vertical	N/A
4	7373.750	49.11	-3.75	74.0	24.89	Peak	214.00	300	Vertical	Pass
4**	7373.750	40.59	-3.75	54.0	13.41	AV	214.00	300	Vertical	Pass
5	12214.674	51.88	1.17	74.0	22.12	Peak	70.00	150	Vertical	Pass
5**	12214.674	41.41	1.17	54.0	12.59	AV	70.00	150	Vertical	Pass
6	16090.050	53.57	1.43	74.0	20.43	Peak	63.00	300	Vertical	Pass
6**	16090.050	44.38	1.43	54.0	9.62	AV	63.00	300	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.800	38.57	-17.06	74.0	35.43	Peak	167.00	300	Horizontal	Pass
1**	1552.800	29.91	-17.06	54.0	24.09	AV	167.00	300	Horizontal	Pass
2	4369.400	50.03	-2.72	74.0	23.97	Peak	343.00	100	Horizontal	Pass
2**	4369.400	40.69	-2.72	54.0	13.31	AV	343.00	100	Horizontal	Pass
3	5183.000	106.88	-1.75	--	--	Peak	360.00	100	Horizontal	N/A
3**	5183.000	100.13	-1.75	--	--	AV	360.00	100	Horizontal	N/A
4	7671.025	49.00	-2.53	74.0	25.00	Peak	154.00	300	Horizontal	Pass
4**	7671.025	39.67	-2.53	54.0	14.33	AV	154.00	300	Horizontal	Pass
5	11212.450	51.29	-0.20	74.0	22.71	Peak	12.00	100	Horizontal	Pass
5**	11212.450	41.98	-0.20	54.0	12.02	AV	12.00	100	Horizontal	Pass
6	15838.050	53.05	1.45	74.0	20.95	Peak	346.00	400	Horizontal	Pass
6**	15838.050	44.37	1.45	54.0	9.63	AV	346.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.200	38.81	-17.21	74.0	35.19	Peak	327.00	200	Vertical	Pass
1**	1556.200	29.35	-17.21	54.0	24.65	AV	327.00	200	Vertical	Pass
2	4286.400	50.14	-3.53	74.0	23.86	Peak	0.00	300	Vertical	Pass
2**	4286.400	40.53	-3.53	54.0	13.47	AV	0.00	300	Vertical	Pass
3	5182.200	104.92	-1.72	--	--	Peak	1.00	100	Vertical	N/A
3**	5182.200	97.74	-1.72	--	--	AV	1.00	100	Vertical	N/A
4	7361.100	49.03	-4.01	74.0	24.97	Peak	316.00	100	Vertical	Pass
4**	7361.100	40.95	-4.01	54.0	13.05	AV	316.00	100	Vertical	Pass
5	10926.963	52.31	0.13	74.0	21.69	Peak	219.00	200	Vertical	Pass
5**	10926.963	42.39	0.13	54.0	11.61	AV	219.00	200	Vertical	Pass
6	15817.312	54.19	1.97	74.0	19.81	Peak	215.00	300	Vertical	Pass
6**	15817.312	44.10	1.97	54.0	9.90	AV	215.00	300	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.600	39.44	-17.26	74.0	34.56	Peak	20.00	100	Horizontal	Pass
1**	1442.600	29.45	-17.26	54.0	24.55	AV	20.00	100	Horizontal	Pass
2	4348.600	49.90	-3.03	74.0	24.10	Peak	13.00	400	Horizontal	Pass
2**	4348.600	41.23	-3.03	54.0	12.77	AV	13.00	400	Horizontal	Pass
3	5215.600	107.79	-2.33	--	--	Peak	24.00	100	Horizontal	N/A
3**	5215.600	101.02	-2.33	--	--	AV	24.00	100	Horizontal	N/A
4	7380.938	50.02	-3.68	74.0	23.98	Peak	280.00	300	Horizontal	Pass
4**	7380.938	40.23	-3.68	54.0	13.77	AV	280.00	300	Horizontal	Pass
5	10931.849	51.30	0.05	74.0	22.70	Peak	48.00	100	Horizontal	Pass
5**	10931.849	41.92	0.05	54.0	12.08	AV	48.00	100	Horizontal	Pass
6	15843.299	53.49	1.39	74.0	20.51	Peak	0.00	400	Horizontal	Pass
6**	15843.299	44.81	1.39	54.0	9.19	AV	0.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	38.95	-17.24	74.0	35.05	Peak	263.00	200	Vertical	Pass
1**	1495.800	29.16	-17.24	54.0	24.84	AV	263.00	200	Vertical	Pass
2	4358.600	50.47	-2.69	74.0	23.53	Peak	47.00	100	Vertical	Pass
2**	4358.600	41.17	-2.69	54.0	12.83	AV	47.00	100	Vertical	Pass
3	5217.000	106.56	-2.47	--	--	Peak	2.00	200	Vertical	N/A
3**	5217.000	99.54	-2.47	--	--	AV	2.00	200	Vertical	N/A
4	7462.875	49.68	-3.60	74.0	24.32	Peak	206.00	300	Vertical	Pass
4**	7462.875	40.37	-3.60	54.0	13.63	AV	206.00	300	Vertical	Pass
5	12217.263	51.56	1.20	74.0	22.44	Peak	171.00	200	Vertical	Pass
5**	12217.263	42.38	1.20	54.0	11.62	AV	171.00	200	Vertical	Pass
6	16079.813	53.56	1.64	74.0	20.44	Peak	302.00	100	Vertical	Pass
6**	16079.813	44.13	1.64	54.0	9.87	AV	302.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.300	38.60	-17.01	74.0	35.40	Peak	272.00	200	Horizontal	Pass
1**	1552.300	29.27	-17.01	54.0	24.73	AV	272.00	200	Horizontal	Pass
2	4356.400	50.48	-2.36	74.0	23.52	Peak	333.00	100	Horizontal	Pass
2**	4356.400	41.01	-2.36	54.0	12.99	AV	333.00	100	Horizontal	Pass
3	5235.400	108.61	-1.92	--	--	Peak	22.00	100	Horizontal	N/A
3**	5235.400	100.54	-1.92	--	--	AV	22.00	100	Horizontal	N/A
4	7382.950	49.29	-3.84	74.0	24.71	Peak	60.00	100	Horizontal	Pass
4**	7382.950	40.20	-3.84	54.0	13.80	AV	60.00	100	Horizontal	Pass
5	11219.063	51.81	-0.20	74.0	22.19	Peak	155.00	100	Horizontal	Pass
5**	11219.063	42.67	-0.20	54.0	11.33	AV	155.00	100	Horizontal	Pass
6	15832.275	53.42	1.48	74.0	20.58	Peak	190.00	100	Horizontal	Pass
6**	15832.275	44.27	1.48	54.0	9.73	AV	190.00	100	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.300	39.03	-16.97	74.0	34.97	Peak	165.00	300	Vertical	Pass
1**	1438.300	30.36	-16.97	54.0	23.64	AV	165.00	300	Vertical	Pass
2	4201.800	50.50	-4.55	74.0	23.50	Peak	72.00	200	Vertical	Pass
2**	4201.800	39.53	-4.55	54.0	14.47	AV	72.00	200	Vertical	Pass
3	5242.600	106.98	-1.91	--	--	Peak	10.00	100	Vertical	N/A
3**	5242.600	99.14	-1.91	--	--	AV	10.00	100	Vertical	N/A
4	7341.550	49.82	-3.65	74.0	24.18	Peak	300.00	300	Vertical	Pass
4**	7341.550	40.18	-3.65	54.0	13.82	AV	300.00	300	Vertical	Pass
5	10923.513	51.38	0.18	74.0	22.62	Peak	360.00	100	Vertical	Pass
5**	10923.513	41.95	0.18	54.0	12.05	AV	360.00	100	Vertical	Pass
6	15729.637	52.78	0.74	74.0	21.22	Peak	86.00	300	Vertical	Pass
6**	15729.637	44.11	0.74	54.0	9.89	AV	86.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.300	39.11	-17.18	74.0	34.89	Peak	263.00	100	Horizontal	Pass
1**	1586.300	29.27	-17.18	54.0	24.73	AV	263.00	100	Horizontal	Pass
2	4366.800	50.06	-3.01	74.0	23.94	Peak	167.00	400	Horizontal	Pass
2**	4366.800	41.16	-3.01	54.0	12.84	AV	167.00	400	Horizontal	Pass
3	5184.800	100.53	-1.49	--	--	Peak	12.00	150	Horizontal	N/A
3**	5184.800	93.81	-1.49	--	--	AV	12.00	150	Horizontal	N/A
4	7365.412	49.25	-4.02	74.0	24.75	Peak	317.00	200	Horizontal	Pass
4**	7365.412	40.31	-4.02	54.0	13.69	AV	317.00	200	Horizontal	Pass
5	10942.200	51.05	-0.09	74.0	22.95	Peak	156.00	200	Horizontal	Pass
5**	10942.200	42.08	-0.09	54.0	11.92	AV	156.00	200	Horizontal	Pass
6	15830.438	53.12	1.49	74.0	20.88	Peak	15.00	200	Horizontal	Pass
6**	15830.438	44.30	1.49	54.0	9.70	AV	15.00	200	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.900	38.34	-17.19	74.0	35.66	Peak	20.00	400	Vertical	Pass
1**	1492.900	28.92	-17.19	54.0	25.08	AV	20.00	400	Vertical	Pass
2	4380.400	50.32	-3.02	74.0	23.68	Peak	199.00	200	Vertical	Pass
2**	4380.400	41.75	-3.02	54.0	12.25	AV	199.00	200	Vertical	Pass
3	5198.400	98.95	-1.99	--	--	Peak	0.00	100	Vertical	N/A
3**	5198.400	91.27	-1.99	--	--	AV	0.00	100	Vertical	N/A
4	7355.062	49.16	-4.00	74.0	24.84	Peak	360.00	100	Vertical	Pass
4**	7355.062	40.52	-4.00	54.0	13.48	AV	360.00	100	Vertical	Pass
5	10917.763	51.52	0.22	74.0	22.48	Peak	0.00	150	Vertical	Pass
5**	10917.763	42.18	0.22	54.0	11.82	AV	0.00	150	Vertical	Pass
6	15840.675	53.23	1.44	74.0	20.77	Peak	160.00	200	Vertical	Pass
6**	15840.675	44.32	1.44	54.0	9.68	AV	160.00	200	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.200	38.68	-17.22	74.0	35.32	Peak	61.00	300	Horizontal	Pass
1**	1522.200	29.10	-17.22	54.0	24.90	AV	61.00	300	Horizontal	Pass
2	4270.000	50.09	-3.68	74.0	23.91	Peak	187.00	400	Horizontal	Pass
2**	4270.000	41.25	-3.68	54.0	12.75	AV	187.00	400	Horizontal	Pass
3	5227.000	100.34	-2.57	--	--	Peak	22.00	100	Horizontal	N/A
3**	5227.000	93.53	-2.57	--	--	AV	22.00	100	Horizontal	N/A
4	7737.725	48.90	-3.27	74.0	25.10	Peak	281.00	200	Horizontal	Pass
4**	7737.725	40.06	-3.27	54.0	13.94	AV	281.00	200	Horizontal	Pass
5	11107.225	50.88	-0.86	74.0	23.12	Peak	125.00	200	Horizontal	Pass
5**	11107.225	40.52	-0.86	54.0	13.48	AV	125.00	200	Horizontal	Pass
6	16198.725	54.25	1.59	74.0	19.75	Peak	13.00	400	Horizontal	Pass
6**	16198.725	43.55	1.59	54.0	10.45	AV	13.00	400	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.500	38.68	-17.22	74.0	35.32	Peak	193.00	200	Vertical	Pass
1**	1453.500	29.40	-17.22	54.0	24.60	AV	193.00	200	Vertical	Pass
2	4382.200	49.89	-2.99	74.0	24.11	Peak	33.00	300	Vertical	Pass
2**	4382.200	40.96	-2.99	54.0	13.04	AV	33.00	300	Vertical	Pass
3	5232.400	99.66	-2.12	--	--	Peak	22.00	200	Vertical	N/A
3**	5232.400	91.63	-2.12	--	--	AV	22.00	200	Vertical	N/A
4	7350.750	48.79	-3.87	74.0	25.21	Peak	282.00	200	Vertical	Pass
4**	7350.750	40.34	-3.87	54.0	13.66	AV	282.00	200	Vertical	Pass
5	10945.937	51.56	-0.15	74.0	22.44	Peak	251.00	150	Vertical	Pass
5**	10945.937	41.71	-0.15	54.0	12.29	AV	251.00	150	Vertical	Pass
6	16086.112	53.33	1.51	74.0	20.67	Peak	179.00	200	Vertical	Pass
6**	16086.112	43.57	1.51	54.0	10.43	AV	179.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.400	38.73	-17.17	74.0	35.27	Peak	180.00	200	Horizontal	Pass
1**	1493.400	29.33	-17.17	54.0	24.67	AV	180.00	200	Horizontal	Pass
2	4367.800	50.28	-2.91	74.0	23.72	Peak	132.00	400	Horizontal	Pass
2**	4367.800	41.06	-2.91	54.0	12.94	AV	132.00	400	Horizontal	Pass
3	5185.000	106.27	-1.46	--	--	Peak	360.00	100	Horizontal	N/A
3**	5185.000	99.32	-1.46	--	--	AV	360.00	100	Horizontal	N/A
4	7373.463	49.66	-3.77	74.0	24.34	Peak	358.00	100	Horizontal	Pass
4**	7373.463	40.22	-3.77	54.0	13.78	AV	358.00	100	Horizontal	Pass
5	11220.787	51.05	-0.21	74.0	22.95	Peak	217.00	150	Horizontal	Pass
5**	11220.787	42.03	-0.21	54.0	11.97	AV	217.00	150	Horizontal	Pass
6	15841.200	53.03	1.43	74.0	20.97	Peak	74.00	400	Horizontal	Pass
6**	15841.200	45.20	1.43	54.0	8.80	AV	74.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.200	38.51	-17.43	74.0	35.49	Peak	318.00	400	Vertical	Pass
1**	1487.200	28.74	-17.43	54.0	25.26	AV	318.00	400	Vertical	Pass
2	4284.600	49.93	-3.11	74.0	24.07	Peak	304.00	200	Vertical	Pass
2**	4284.600	40.72	-3.11	54.0	13.28	AV	304.00	200	Vertical	Pass
3	5184.800	106.06	-1.49	--	--	Peak	360.00	100	Vertical	N/A
3**	5184.800	99.08	-1.49	--	--	AV	360.00	100	Vertical	N/A
4	7676.200	49.34	-2.41	74.0	24.66	Peak	295.00	300	Vertical	Pass
4**	7676.200	41.01	-2.41	54.0	12.99	AV	295.00	300	Vertical	Pass
5	11608.337	51.46	-0.04	74.0	22.54	Peak	360.00	150	Vertical	Pass
5**	11608.337	41.15	-0.04	54.0	12.85	AV	360.00	150	Vertical	Pass
6	15822.300	53.76	1.77	74.0	20.24	Peak	19.00	300	Vertical	Pass
6**	15822.300	44.60	1.77	54.0	9.40	AV	19.00	300	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.400	39.61	-17.14	74.0	34.39	Peak	24.00	300	Horizontal	Pass
1**	1621.400	29.71	-17.14	54.0	24.29	AV	24.00	300	Horizontal	Pass
2	4360.400	49.99	-2.65	74.0	24.01	Peak	354.00	300	Horizontal	Pass
2**	4360.400	41.92	-2.65	54.0	12.08	AV	354.00	300	Horizontal	Pass
3	5216.200	105.77	-2.39	--	--	Peak	8.00	100	Horizontal	N/A
3**	5216.200	98.37	-2.39	--	--	AV	8.00	100	Horizontal	N/A
4	7337.812	48.95	-3.55	74.0	25.05	Peak	360.00	400	Horizontal	Pass
4**	7337.812	40.27	-3.55	54.0	13.73	AV	360.00	400	Horizontal	Pass
5	10910.576	51.51	0.17	74.0	22.49	Peak	92.00	100	Horizontal	Pass
5**	10910.576	42.56	0.17	54.0	11.44	AV	92.00	100	Horizontal	Pass
6	16097.662	53.76	1.26	74.0	20.24	Peak	308.00	400	Horizontal	Pass
6**	16097.662	43.85	1.26	54.0	10.15	AV	308.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.100	38.52	-17.44	74.0	35.48	Peak	330.00	200	Vertical	Pass
1**	1606.100	29.39	-17.44	54.0	24.61	AV	330.00	200	Vertical	Pass
2	4383.600	49.64	-2.90	74.0	24.36	Peak	344.00	100	Vertical	Pass
2**	4383.600	40.67	-2.90	54.0	13.33	AV	344.00	100	Vertical	Pass
3	5215.800	105.76	-2.35	--	--	Peak	141.00	200	Vertical	N/A
3**	5215.800	97.65	-2.35	--	--	AV	141.00	200	Vertical	N/A
4	7366.562	49.22	-4.02	74.0	24.78	Peak	341.00	300	Vertical	Pass
4**	7366.562	40.48	-4.02	54.0	13.52	AV	341.00	300	Vertical	Pass
5	12222.725	51.62	1.27	74.0	22.38	Peak	153.00	100	Vertical	Pass
5**	12222.725	42.06	1.27	54.0	11.94	AV	153.00	100	Vertical	Pass
6	15827.812	53.84	1.56	74.0	20.16	Peak	290.00	300	Vertical	Pass
6**	15827.812	44.23	1.56	54.0	9.77	AV	290.00	300	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.600	38.91	-17.21	74.0	35.09	Peak	0.00	300	Horizontal	Pass
1**	1492.600	29.77	-17.21	54.0	24.23	AV	0.00	300	Horizontal	Pass
2	4377.400	50.01	-2.86	74.0	23.99	Peak	138.00	100	Horizontal	Pass
2**	4377.400	40.85	-2.86	54.0	13.15	AV	138.00	100	Horizontal	Pass
3	5237.200	106.48	-1.86	--	--	Peak	26.00	200	Horizontal	N/A
3**	5237.200	99.95	-1.86	--	--	AV	26.00	200	Horizontal	N/A
4	7473.800	48.83	-4.20	74.0	25.17	Peak	28.00	200	Horizontal	Pass
4**	7473.800	38.58	-4.20	54.0	15.42	AV	28.00	200	Horizontal	Pass
5	12209.500	51.46	1.00	74.0	22.54	Peak	154.00	100	Horizontal	Pass
5**	12209.500	42.03	1.00	54.0	11.97	AV	154.00	100	Horizontal	Pass
6	15840.938	53.59	1.43	74.0	20.41	Peak	127.00	300	Horizontal	Pass
6**	15840.938	44.70	1.43	54.0	9.30	AV	127.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.000	38.75	-17.44	74.0	35.25	Peak	128.00	200	Vertical	Pass
1**	1617.000	29.29	-17.44	54.0	24.71	AV	128.00	200	Vertical	Pass
2	4177.800	50.40	-4.46	74.0	23.60	Peak	354.00	100	Vertical	Pass
2**	4177.800	39.51	-4.46	54.0	14.49	AV	354.00	100	Vertical	Pass
3	5242.200	105.91	-1.92	--	--	Peak	354.00	200	Vertical	N/A
3**	5242.200	99.19	-1.92	--	--	AV	354.00	200	Vertical	N/A
4	7372.600	49.40	-3.82	74.0	24.60	Peak	232.00	300	Vertical	Pass
4**	7372.600	40.57	-3.82	54.0	13.43	AV	232.00	300	Vertical	Pass
5	12699.688	51.02	0.84	74.0	22.98	Peak	312.00	150	Vertical	Pass
5**	12699.688	41.62	0.84	54.0	12.38	AV	312.00	150	Vertical	Pass
6	15846.713	53.40	1.36	74.0	20.60	Peak	127.00	100	Vertical	Pass
6**	15846.713	45.58	1.36	54.0	8.42	AV	127.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.700	38.44	-17.25	74.0	35.56	Peak	308.00	100	Horizontal	Pass
1**	1623.700	29.45	-17.25	54.0	24.55	AV	308.00	100	Horizontal	Pass
2	4357.000	50.05	-2.45	74.0	23.95	Peak	360.00	300	Horizontal	Pass
2**	4357.000	42.35	-2.45	54.0	11.65	AV	360.00	300	Horizontal	Pass
3	5191.800	103.46	-2.05	--	--	Peak	354.00	100	Horizontal	N/A
3**	5191.800	94.84	-2.05	--	--	AV	354.00	100	Horizontal	N/A
4	7353.625	50.00	-3.90	74.0	24.00	Peak	48.00	300	Horizontal	Pass
4**	7353.625	40.79	-3.90	54.0	13.21	AV	48.00	300	Horizontal	Pass
5	10940.188	51.07	-0.06	74.0	22.93	Peak	360.00	150	Horizontal	Pass
5**	10940.188	43.00	-0.06	54.0	11.00	AV	360.00	150	Horizontal	Pass
6	15844.350	53.82	1.38	74.0	20.18	Peak	345.00	400	Horizontal	Pass
6**	15844.350	44.57	1.38	54.0	9.43	AV	345.00	400	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.500	38.93	-17.34	74.0	35.07	Peak	25.00	100	Vertical	Pass
1**	1603.500	29.97	-17.34	54.0	24.03	AV	25.00	100	Vertical	Pass
2	4383.800	49.84	-2.88	74.0	24.16	Peak	56.00	200	Vertical	Pass
2**	4383.800	40.74	-2.88	54.0	13.26	AV	56.00	200	Vertical	Pass
3	5191.600	102.92	-2.05	--	--	Peak	0.00	200	Vertical	N/A
3**	5191.600	95.06	-2.05	--	--	AV	0.00	200	Vertical	N/A
4	7374.612	49.44	-3.75	74.0	24.56	Peak	91.00	200	Vertical	Pass
4**	7374.612	40.54	-3.75	54.0	13.46	AV	91.00	200	Vertical	Pass
5	10922.362	51.51	0.20	74.0	22.49	Peak	140.00	200	Vertical	Pass
5**	10922.362	42.71	0.20	54.0	11.29	AV	140.00	200	Vertical	Pass
6	15842.250	54.07	1.41	74.0	19.93	Peak	108.00	100	Vertical	Pass
6**	15842.250	44.51	1.41	54.0	9.49	AV	108.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.400	38.97	-17.42	74.0	35.03	Peak	2.00	100	Horizontal	Pass
1**	1549.400	29.18	-17.42	54.0	24.82	AV	2.00	100	Horizontal	Pass
2	4360.600	49.97	-2.64	74.0	24.03	Peak	281.00	400	Horizontal	Pass
2**	4360.600	41.47	-2.64	54.0	12.53	AV	281.00	400	Horizontal	Pass
3	5235.400	103.33	-1.92	--	--	Peak	25.00	100	Horizontal	N/A
3**	5235.400	95.72	-1.92	--	--	AV	25.00	100	Horizontal	N/A
4	7351.037	48.93	-3.86	74.0	25.07	Peak	154.00	200	Horizontal	Pass
4**	7351.037	39.92	-3.86	54.0	14.08	AV	154.00	200	Horizontal	Pass
5	12228.475	51.72	1.31	74.0	22.28	Peak	297.00	150	Horizontal	Pass
5**	12228.475	43.06	1.31	54.0	10.94	AV	297.00	150	Horizontal	Pass
6	16107.375	53.37	0.88	74.0	20.63	Peak	162.00	400	Horizontal	Pass
6**	16107.375	44.71	0.88	54.0	9.29	AV	162.00	400	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.800	38.40	-17.28	74.0	35.60	Peak	315.00	200	Vertical	Pass
1**	1572.800	29.17	-17.28	54.0	24.83	AV	315.00	200	Vertical	Pass
2	4276.400	49.92	-3.83	74.0	24.08	Peak	249.00	300	Vertical	Pass
2**	4276.400	39.89	-3.83	54.0	14.11	AV	249.00	300	Vertical	Pass
3	5224.600	101.65	-2.56	--	--	Peak	144.00	100	Vertical	N/A
3**	5224.600	93.61	-2.56	--	--	AV	144.00	100	Vertical	N/A
4	7361.962	48.84	-4.01	74.0	25.16	Peak	328.00	400	Vertical	Pass
4**	7361.962	41.03	-4.01	54.0	12.97	AV	328.00	400	Vertical	Pass
5	10933.287	51.53	0.02	74.0	22.47	Peak	205.00	100	Vertical	Pass
5**	10933.287	42.06	0.02	54.0	11.94	AV	205.00	100	Vertical	Pass
6	16095.300	53.20	1.32	74.0	20.80	Peak	221.00	200	Vertical	Pass
6**	16095.300	43.84	1.32	54.0	10.16	AV	221.00	200	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.600	39.07	-17.16	74.0	34.93	Peak	2.00	200	Horizontal	Pass
1**	1493.600	30.07	-17.16	54.0	23.93	AV	2.00	200	Horizontal	Pass
2	4355.000	50.22	-2.82	74.0	23.78	Peak	50.00	100	Horizontal	Pass
2**	4355.000	41.59	-2.82	54.0	12.41	AV	50.00	100	Horizontal	Pass
3	5201.000	95.35	-1.97	--	--	Peak	28.00	150	Horizontal	N/A
3**	5201.000	87.62	-1.97	--	--	AV	28.00	150	Horizontal	N/A
4	7335.513	49.16	-3.35	74.0	24.84	Peak	298.00	300	Horizontal	Pass
4**	7335.513	40.03	-3.35	54.0	13.97	AV	298.00	300	Horizontal	Pass
5	12216.112	51.16	1.19	74.0	22.84	Peak	330.00	200	Horizontal	Pass
5**	12216.112	42.75	1.19	54.0	11.25	AV	330.00	200	Horizontal	Pass
6	16100.025	53.23	1.20	74.0	20.77	Peak	276.00	400	Horizontal	Pass
6**	16100.025	44.01	1.20	54.0	9.99	AV	276.00	400	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.000	39.27	-17.51	74.0	34.73	Peak	56.00	400	Vertical	Pass
1**	1530.000	29.90	-17.51	54.0	24.10	AV	56.00	400	Vertical	Pass
2	4363.400	50.17	-2.68	74.0	23.83	Peak	53.00	400	Vertical	Pass
2**	4363.400	40.83	-2.68	54.0	13.17	AV	53.00	400	Vertical	Pass
3	5205.600	94.93	-2.23	--	--	Peak	160.00	100	Vertical	N/A
3**	5205.600	86.72	-2.23	--	--	AV	160.00	100	Vertical	N/A
4	7347.013	48.88	-3.83	74.0	25.12	Peak	147.00	300	Vertical	Pass
4**	7347.013	40.62	-3.83	54.0	13.38	AV	147.00	300	Vertical	Pass
5	10933.000	51.98	0.03	74.0	22.02	Peak	348.00	100	Vertical	Pass
5**	10933.000	42.39	0.03	54.0	11.61	AV	348.00	100	Vertical	Pass
6	15825.450	53.21	1.63	74.0	20.79	Peak	305.00	100	Vertical	Pass
6**	15825.450	44.58	1.63	54.0	9.42	AV	305.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.100	38.64	-17.20	74.0	35.36	Peak	14.00	200	Horizontal	Pass
1**	1498.100	28.85	-17.20	54.0	25.15	AV	14.00	200	Horizontal	Pass
2	4349.400	50.57	-3.04	74.0	23.43	Peak	288.00	300	Horizontal	Pass
2**	4349.400	41.29	-3.04	54.0	12.71	AV	288.00	300	Horizontal	Pass
3	5263.600	107.69	-2.29	--	--	Peak	18.00	150	Horizontal	N/A
3**	5263.600	99.67	-2.29	--	--	AV	18.00	150	Horizontal	N/A
4	7345.288	49.70	-3.70	74.0	24.30	Peak	217.00	300	Horizontal	Pass
4**	7345.288	40.32	-3.70	54.0	13.68	AV	217.00	300	Horizontal	Pass
5	12223.588	51.25	1.28	74.0	22.75	Peak	166.00	150	Horizontal	Pass
5**	12223.588	41.99	1.28	54.0	12.01	AV	166.00	150	Horizontal	Pass
6	15840.938	53.89	1.43	74.0	20.11	Peak	344.00	100	Horizontal	Pass
6**	15840.938	44.70	1.43	54.0	9.30	AV	344.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.900	38.84	-17.19	74.0	35.16	Peak	258.00	400	Vertical	Pass
1**	1498.900	29.12	-17.19	54.0	24.88	AV	258.00	400	Vertical	Pass
2	4379.200	49.98	-2.98	74.0	24.02	Peak	176.00	300	Vertical	Pass
2**	4379.200	41.07	-2.98	54.0	12.93	AV	176.00	300	Vertical	Pass
3	5255.400	106.49	-1.86	--	--	Peak	360.00	200	Vertical	N/A
3**	5255.400	100.21	-1.86	--	--	AV	360.00	200	Vertical	N/A
4	7351.325	49.54	-3.86	74.0	24.46	Peak	272.00	400	Vertical	Pass
4**	7351.325	39.77	-3.86	54.0	14.23	AV	272.00	400	Vertical	Pass
5	11216.474	51.23	-0.19	74.0	22.77	Peak	127.00	100	Vertical	Pass
5**	11216.474	43.43	-0.19	54.0	10.57	AV	127.00	100	Vertical	Pass
6	15816.787	53.85	1.99	74.0	20.15	Peak	0.00	300	Vertical	Pass
6**	15816.787	43.82	1.99	54.0	10.18	AV	0.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.700	38.69	-17.14	74.0	35.31	Peak	127.00	100	Horizontal	Pass
1**	1555.700	29.07	-17.14	54.0	24.93	AV	127.00	100	Horizontal	Pass
2	4359.400	50.80	-2.67	74.0	23.20	Peak	19.00	100	Horizontal	Pass
2**	4359.400	40.94	-2.67	54.0	13.06	AV	19.00	100	Horizontal	Pass
3	5295.000	106.53	-2.24	--	--	Peak	19.00	100	Horizontal	N/A
3**	5295.000	98.93	-2.24	--	--	AV	19.00	100	Horizontal	N/A
4	7371.737	49.14	-3.87	74.0	24.86	Peak	140.00	400	Horizontal	Pass
4**	7371.737	41.00	-3.87	54.0	13.00	AV	140.00	400	Horizontal	Pass
5	11216.187	51.28	-0.19	74.0	22.72	Peak	91.00	150	Horizontal	Pass
5**	11216.187	42.06	-0.19	54.0	11.94	AV	91.00	150	Horizontal	Pass
6	15854.588	53.20	1.20	74.0	20.80	Peak	360.00	300	Horizontal	Pass
6**	15854.588	44.31	1.20	54.0	9.69	AV	360.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.000	39.08	-16.97	74.0	34.92	Peak	239.00	300	Vertical	Pass
1**	1547.000	29.25	-16.97	54.0	24.75	AV	239.00	300	Vertical	Pass
2	4378.400	49.77	-2.91	74.0	24.23	Peak	1.00	100	Vertical	Pass
2**	4378.400	41.67	-2.91	54.0	12.33	AV	1.00	100	Vertical	Pass
3	5295.600	107.02	-2.24	--	--	Peak	0.00	150	Vertical	N/A
3**	5295.600	100.18	-2.24	--	--	AV	0.00	150	Vertical	N/A
4	7365.987	48.94	-4.02	74.0	25.06	Peak	123.00	200	Vertical	Pass
4**	7365.987	40.21	-4.02	54.0	13.79	AV	123.00	200	Vertical	Pass
5	10949.100	51.32	-0.24	74.0	22.68	Peak	123.00	100	Vertical	Pass
5**	10949.100	42.21	-0.24	54.0	11.79	AV	123.00	100	Vertical	Pass
6	15844.350	53.04	1.38	74.0	20.96	Peak	360.00	100	Vertical	Pass
6**	15844.350	45.71	1.38	54.0	8.29	AV	360.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.800	39.84	-17.18	74.0	34.16	Peak	275.00	100	Horizontal	Pass
1**	1494.800	29.21	-17.18	54.0	24.79	AV	275.00	100	Horizontal	Pass
2	4368.400	49.83	-2.81	74.0	24.17	Peak	234.00	300	Horizontal	Pass
2**	4368.400	40.67	-2.81	54.0	13.33	AV	234.00	300	Horizontal	Pass
3	5322.400	107.47	-2.26	--	--	Peak	22.00	200	Horizontal	N/A
3**	5322.400	100.26	-2.26	--	--	AV	22.00	200	Horizontal	N/A
4	7347.300	49.47	-3.83	74.0	24.53	Peak	322.00	300	Horizontal	Pass
4**	7347.300	39.48	-3.83	54.0	14.52	AV	322.00	300	Horizontal	Pass
5	10941.625	51.65	-0.08	74.0	22.35	Peak	355.00	100	Horizontal	Pass
5**	10941.625	42.06	-0.08	54.0	11.94	AV	355.00	100	Horizontal	Pass
6	15831.487	54.21	1.48	74.0	19.79	Peak	120.00	400	Horizontal	Pass
6**	15831.487	44.33	1.48	54.0	9.67	AV	120.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.000	38.63	-17.07	74.0	35.37	Peak	15.00	300	Vertical	Pass
1**	1455.000	29.24	-17.07	54.0	24.76	AV	15.00	300	Vertical	Pass
2	4344.400	50.07	-3.36	74.0	23.93	Peak	224.00	300	Vertical	Pass
2**	4344.400	40.42	-3.36	54.0	13.58	AV	224.00	300	Vertical	Pass
3	5317.600	107.36	-2.18	--	--	Peak	360.00	100	Vertical	N/A
3**	5317.600	100.45	-2.18	--	--	AV	360.00	100	Vertical	N/A
4	7284.625	49.14	-3.48	74.0	24.86	Peak	195.00	200	Vertical	Pass
4**	7284.625	39.36	-3.48	54.0	14.64	AV	195.00	200	Vertical	Pass
5	10943.638	51.73	-0.11	74.0	22.27	Peak	32.00	150	Vertical	Pass
5**	10943.638	42.21	-0.11	54.0	11.79	AV	32.00	150	Vertical	Pass
6	15970.875	54.46	0.42	74.0	19.54	Peak	93.00	100	Vertical	Pass
6**	15970.875	44.51	0.42	54.0	9.49	AV	93.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.000	38.75	-17.07	74.0	35.25	Peak	360.00	200	Horizontal	Pass
1**	1553.000	29.57	-17.07	54.0	24.43	AV	360.00	200	Horizontal	Pass
2	4377.600	50.01	-2.85	74.0	23.99	Peak	224.00	400	Horizontal	Pass
2**	4377.600	41.07	-2.85	54.0	12.93	AV	224.00	400	Horizontal	Pass
3	5262.200	105.63	-2.09	--	--	Peak	14.00	200	Horizontal	N/A
3**	5262.200	98.98	-2.09	--	--	AV	14.00	200	Horizontal	N/A
4	7356.500	49.60	-4.13	74.0	24.40	Peak	326.00	300	Horizontal	Pass
4**	7356.500	39.76	-4.13	54.0	14.24	AV	326.00	300	Horizontal	Pass
5	12217.263	51.65	1.20	74.0	22.35	Peak	89.00	100	Horizontal	Pass
5**	12217.263	41.74	1.20	54.0	12.26	AV	89.00	100	Horizontal	Pass
6	15832.537	54.16	1.47	74.0	19.84	Peak	195.00	100	Horizontal	Pass
6**	15832.537	44.42	1.47	54.0	9.58	AV	195.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.200	38.50	-17.32	74.0	35.50	Peak	180.00	100	Vertical	Pass
1**	1517.200	29.25	-17.32	54.0	24.75	AV	180.00	100	Vertical	Pass
2	4334.800	50.12	-4.00	74.0	23.88	Peak	73.00	400	Vertical	Pass
2**	4334.800	39.61	-4.00	54.0	14.39	AV	73.00	400	Vertical	Pass
3	5263.800	104.87	-2.31	--	--	Peak	20.00	100	Vertical	N/A
3**	5263.800	97.03	-2.31	--	--	AV	20.00	100	Vertical	N/A
4	7378.062	49.70	-3.71	74.0	24.30	Peak	296.00	100	Vertical	Pass
4**	7378.062	40.29	-3.71	54.0	13.71	AV	296.00	100	Vertical	Pass
5	10921.213	50.92	0.22	74.0	23.08	Peak	279.00	100	Vertical	Pass
5**	10921.213	42.17	0.22	54.0	11.83	AV	279.00	100	Vertical	Pass
6	16096.874	53.77	1.28	74.0	20.23	Peak	10.00	100	Vertical	Pass
6**	16096.874	46.27	1.28	54.0	7.73	AV	10.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.500	38.49	-17.34	74.0	35.51	Peak	338.00	300	Horizontal	Pass
1**	1602.500	28.94	-17.34	54.0	25.06	AV	338.00	300	Horizontal	Pass
2	4188.000	49.79	-3.88	74.0	24.21	Peak	64.00	200	Horizontal	Pass
2**	4188.000	39.95	-3.88	54.0	14.05	AV	64.00	200	Horizontal	Pass
3	5301.200	107.89	-2.47	--	--	Peak	17.00	150	Horizontal	N/A
3**	5301.200	100.25	-2.47	--	--	AV	17.00	150	Horizontal	N/A
4	7363.112	48.89	-4.01	74.0	25.11	Peak	235.00	200	Horizontal	Pass
4**	7363.112	39.92	-4.01	54.0	14.08	AV	235.00	200	Horizontal	Pass
5	11214.463	51.42	-0.19	74.0	22.58	Peak	253.00	100	Horizontal	Pass
5**	11214.463	41.72	-0.19	54.0	12.28	AV	253.00	100	Horizontal	Pass
6	15827.550	53.41	1.57	74.0	20.59	Peak	48.00	300	Horizontal	Pass
6**	15827.550	44.75	1.57	54.0	9.25	AV	48.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.300	39.01	-17.26	74.0	34.99	Peak	316.00	100	Vertical	Pass
1**	1506.300	29.02	-17.26	54.0	24.98	AV	316.00	100	Vertical	Pass
2	4379.600	49.99	-3.01	74.0	24.01	Peak	142.00	400	Vertical	Pass
2**	4379.600	41.06	-3.01	54.0	12.94	AV	142.00	400	Vertical	Pass
3	5296.800	107.40	-2.30	--	--	Peak	0.00	200	Vertical	N/A
3**	5296.800	99.83	-2.30	--	--	AV	0.00	200	Vertical	N/A
4	7373.463	49.18	-3.77	74.0	24.82	Peak	360.00	300	Vertical	Pass
4**	7373.463	40.81	-3.77	54.0	13.19	AV	360.00	300	Vertical	Pass
5	10913.738	51.29	0.19	74.0	22.71	Peak	360.00	100	Vertical	Pass
5**	10913.738	42.73	0.19	54.0	11.27	AV	360.00	100	Vertical	Pass
6	15836.474	53.29	1.45	74.0	20.71	Peak	321.00	400	Vertical	Pass
6**	15836.474	44.18	1.45	54.0	9.82	AV	321.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.700	38.82	-17.24	74.0	35.18	Peak	360.00	100	Horizontal	Pass
1**	1463.700	28.84	-17.24	54.0	25.16	AV	360.00	100	Horizontal	Pass
2	4360.800	50.62	-2.64	74.0	23.38	Peak	352.00	200	Horizontal	Pass
2**	4360.800	41.21	-2.64	54.0	12.79	AV	352.00	200	Horizontal	Pass
3	5318.200	107.75	-2.13	--	--	Peak	18.00	200	Horizontal	N/A
3**	5318.200	99.87	-2.13	--	--	AV	18.00	200	Horizontal	N/A
4	7366.850	49.42	-4.02	74.0	24.58	Peak	50.00	200	Horizontal	Pass
4**	7366.850	40.47	-4.02	54.0	13.53	AV	50.00	200	Horizontal	Pass
5	10930.125	51.60	0.09	74.0	22.40	Peak	194.00	150	Horizontal	Pass
5**	10930.125	43.25	0.09	54.0	10.75	AV	194.00	150	Horizontal	Pass
6	15839.100	53.67	1.45	74.0	20.33	Peak	0.00	300	Horizontal	Pass
6**	15839.100	44.90	1.45	54.0	9.10	AV	0.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.800	38.65	-17.30	74.0	35.35	Peak	132.00	400	Vertical	Pass
1**	1569.800	28.87	-17.30	54.0	25.13	AV	132.00	400	Vertical	Pass
2	4347.200	49.93	-2.96	74.0	24.07	Peak	79.00	300	Vertical	Pass
2**	4347.200	40.41	-2.96	54.0	13.59	AV	79.00	300	Vertical	Pass
3	5318.600	107.56	-2.09	--	--	Peak	0.00	200	Vertical	N/A
3**	5318.600	100.01	-2.09	--	--	AV	0.00	200	Vertical	N/A
4	7352.187	49.60	-3.84	74.0	24.40	Peak	51.00	200	Vertical	Pass
4**	7352.187	39.70	-3.84	54.0	14.30	AV	51.00	200	Vertical	Pass
5	11232.575	51.14	-0.35	74.0	22.86	Peak	306.00	150	Vertical	Pass
5**	11232.575	42.46	-0.35	54.0	11.54	AV	306.00	150	Vertical	Pass
6	15839.362	54.12	1.45	74.0	19.88	Peak	301.00	200	Vertical	Pass
6**	15839.362	44.71	1.45	54.0	9.29	AV	301.00	200	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.700	38.66	-17.31	74.0	35.34	Peak	201.00	300	Horizontal	Pass
1**	1590.700	29.23	-17.31	54.0	24.77	AV	201.00	300	Horizontal	Pass
2	4362.800	49.80	-2.63	74.0	24.20	Peak	212.00	300	Horizontal	Pass
2**	4362.800	41.21	-2.63	54.0	12.79	AV	212.00	300	Horizontal	Pass
3	5268.000	102.59	-2.33	--	--	Peak	353.00	200	Horizontal	N/A
3**	5268.000	94.36	-2.33	--	--	AV	353.00	200	Horizontal	N/A
4	7345.862	49.20	-3.77	74.0	24.80	Peak	53.00	300	Horizontal	Pass
4**	7345.862	40.42	-3.77	54.0	13.58	AV	53.00	300	Horizontal	Pass
5	10922.651	51.49	0.20	74.0	22.51	Peak	225.00	100	Horizontal	Pass
5**	10922.651	42.22	0.20	54.0	11.78	AV	225.00	100	Horizontal	Pass
6	15825.188	53.02	1.64	74.0	20.98	Peak	61.00	200	Horizontal	Pass
6**	15825.188	43.95	1.64	54.0	10.05	AV	61.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.500	39.12	-17.45	74.0	34.88	Peak	248.00	200	Vertical	Pass
1**	1515.500	28.93	-17.45	54.0	25.07	AV	248.00	200	Vertical	Pass
2	4283.400	50.62	-3.21	74.0	23.38	Peak	214.00	400	Vertical	Pass
2**	4283.400	41.21	-3.21	54.0	12.79	AV	214.00	400	Vertical	Pass
3	5267.800	101.38	-2.33	--	--	Peak	360.00	100	Vertical	N/A
3**	5267.800	93.91	-2.33	--	--	AV	360.00	100	Vertical	N/A
4	7467.763	49.77	-3.85	74.0	24.23	Peak	359.00	400	Vertical	Pass
4**	7467.763	39.59	-3.85	54.0	14.41	AV	359.00	400	Vertical	Pass
5	10916.901	51.07	0.21	74.0	22.93	Peak	32.00	150	Vertical	Pass
5**	10916.901	42.31	0.21	54.0	11.69	AV	32.00	150	Vertical	Pass
6	15811.800	53.29	2.13	74.0	20.71	Peak	242.00	100	Vertical	Pass
6**	15811.800	43.70	2.13	54.0	10.30	AV	242.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.900	39.19	-17.22	74.0	34.81	Peak	85.00	200	Horizontal	Pass
1**	1608.900	29.61	-17.22	54.0	24.39	AV	85.00	200	Horizontal	Pass
2	4376.000	50.21	-2.95	74.0	23.79	Peak	221.00	300	Horizontal	Pass
2**	4376.000	41.29	-2.95	54.0	12.71	AV	221.00	300	Horizontal	Pass
3	5313.400	100.20	-2.02	--	--	Peak	354.00	100	Horizontal	N/A
3**	5313.400	92.78	-2.02	--	--	AV	354.00	100	Horizontal	N/A
4	7369.725	49.14	-4.08	74.0	24.86	Peak	331.00	100	Horizontal	Pass
4**	7369.725	39.82	-4.08	54.0	14.18	AV	331.00	100	Horizontal	Pass
5	10919.775	51.56	0.24	74.0	22.44	Peak	252.00	150	Horizontal	Pass
5**	10919.775	42.58	0.24	54.0	11.42	AV	252.00	150	Horizontal	Pass
6	15820.200	53.60	1.87	74.0	20.40	Peak	233.00	300	Horizontal	Pass
6**	15820.200	44.18	1.87	54.0	9.82	AV	233.00	300	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.800	39.05	-17.30	74.0	34.95	Peak	172.00	100	Vertical	Pass
1**	1583.800	29.28	-17.30	54.0	24.72	AV	172.00	100	Vertical	Pass
2	4384.600	50.09	-2.92	74.0	23.91	Peak	155.00	100	Vertical	Pass
2**	4384.600	41.54	-2.92	54.0	12.46	AV	155.00	100	Vertical	Pass
3	5321.400	100.78	-2.29	--	--	Peak	18.00	200	Vertical	N/A
3**	5321.400	92.84	-2.29	--	--	AV	18.00	200	Vertical	N/A
4	7361.675	49.11	-4.01	74.0	24.89	Peak	0.00	400	Vertical	Pass
4**	7361.675	41.26	-4.01	54.0	12.74	AV	0.00	400	Vertical	Pass
5	12212.950	51.29	1.12	74.0	22.71	Peak	247.00	150	Vertical	Pass
5**	12212.950	42.07	1.12	54.0	11.93	AV	247.00	150	Vertical	Pass
6	15820.987	53.51	1.83	74.0	20.49	Peak	94.00	100	Vertical	Pass
6**	15820.987	44.62	1.83	54.0	9.38	AV	94.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.500	38.61	-17.36	74.0	35.39	Peak	301.00	300	Horizontal	Pass
1**	1490.500	29.21	-17.36	54.0	24.79	AV	301.00	300	Horizontal	Pass
2	4375.800	50.19	-2.96	74.0	23.81	Peak	149.00	400	Horizontal	Pass
2**	4375.800	41.08	-2.96	54.0	12.92	AV	149.00	400	Horizontal	Pass
3	5257.400	105.17	-1.80	--	--	Peak	232.00	150	Horizontal	N/A
3**	5257.400	97.25	-1.80	--	--	AV	232.00	150	Horizontal	N/A
4	7349.887	49.41	-3.87	74.0	24.59	Peak	107.00	200	Horizontal	Pass
4**	7349.887	40.27	-3.87	54.0	13.73	AV	107.00	200	Horizontal	Pass
5	10922.075	51.23	0.20	74.0	22.77	Peak	75.00	200	Horizontal	Pass
5**	10922.075	42.21	0.20	54.0	11.79	AV	75.00	200	Horizontal	Pass
6	16104.487	53.78	1.00	74.0	20.22	Peak	270.00	200	Horizontal	Pass
6**	16104.487	44.50	1.00	54.0	9.50	AV	270.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.600	39.20	-17.13	74.0	34.80	Peak	68.00	100	Vertical	Pass
1**	1526.600	29.99	-17.13	54.0	24.01	AV	68.00	100	Vertical	Pass
2	4364.800	49.73	-2.81	74.0	24.27	Peak	125.00	100	Vertical	Pass
2**	4364.800	40.98	-2.81	54.0	13.02	AV	125.00	100	Vertical	Pass
3	5262.000	104.96	-2.06	--	--	Peak	184.00	150	Vertical	N/A
3**	5262.000	96.70	-2.06	--	--	AV	184.00	150	Vertical	N/A
4	7368.862	49.50	-4.07	74.0	24.50	Peak	360.00	400	Vertical	Pass
4**	7368.862	40.71	-4.07	54.0	13.29	AV	360.00	400	Vertical	Pass
5	10918.338	51.80	0.22	74.0	22.20	Peak	95.00	200	Vertical	Pass
5**	10918.338	42.22	0.22	54.0	11.78	AV	95.00	200	Vertical	Pass
6	15821.776	53.23	1.79	74.0	20.77	Peak	299.00	200	Vertical	Pass
6**	15821.776	44.34	1.79	54.0	9.66	AV	299.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.100	38.47	-17.23	74.0	35.53	Peak	229.00	200	Horizontal	Pass
1**	1507.100	29.95	-17.23	54.0	24.05	AV	229.00	200	Horizontal	Pass
2	4356.600	49.79	-2.39	74.0	24.21	Peak	28.00	100	Horizontal	Pass
2**	4356.600	41.35	-2.39	54.0	12.65	AV	28.00	100	Horizontal	Pass
3	5295.800	105.16	-2.25	--	--	Peak	247.00	200	Horizontal	N/A
3**	5295.800	97.85	-2.25	--	--	AV	247.00	200	Horizontal	N/A
4	7376.625	50.09	-3.73	74.0	23.91	Peak	329.00	400	Horizontal	Pass
4**	7376.625	40.99	-3.73	54.0	13.01	AV	329.00	400	Horizontal	Pass
5	11197.500	51.40	-0.32	74.0	22.60	Peak	0.00	100	Horizontal	Pass
5**	11197.500	41.76	-0.32	54.0	12.24	AV	0.00	100	Horizontal	Pass
6	16082.175	53.47	1.59	74.0	20.53	Peak	85.00	300	Horizontal	Pass
6**	16082.175	43.95	1.59	54.0	10.05	AV	85.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.600	38.77	-17.19	74.0	35.23	Peak	67.00	300	Vertical	Pass
1**	1591.600	29.35	-17.19	54.0	24.65	AV	67.00	300	Vertical	Pass
2	4391.200	49.57	-3.36	74.0	24.43	Peak	32.00	400	Vertical	Pass
2**	4391.200	40.36	-3.36	54.0	13.64	AV	32.00	400	Vertical	Pass
3	5302.000	106.18	-2.57	--	--	Peak	194.00	150	Vertical	N/A
3**	5302.000	97.66	-2.57	--	--	AV	194.00	150	Vertical	N/A
4	7378.062	50.11	-3.71	74.0	23.89	Peak	79.00	100	Vertical	Pass
4**	7378.062	41.27	-3.71	54.0	12.73	AV	79.00	100	Vertical	Pass
5	11226.825	51.56	-0.25	74.0	22.44	Peak	134.00	100	Vertical	Pass
5**	11226.825	42.22	-0.25	54.0	11.78	AV	134.00	100	Vertical	Pass
6	15829.387	53.92	1.51	74.0	20.08	Peak	58.00	300	Vertical	Pass
6**	15829.387	43.89	1.51	54.0	10.11	AV	58.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.700	38.86	-17.22	74.0	35.14	Peak	158.00	300	Horizontal	Pass
1**	1453.700	28.59	-17.22	54.0	25.41	AV	158.00	300	Horizontal	Pass
2	4355.400	50.15	-2.69	74.0	23.85	Peak	259.00	300	Horizontal	Pass
2**	4355.400	40.82	-2.69	54.0	13.18	AV	259.00	300	Horizontal	Pass
3	5316.600	104.80	-2.21	--	--	Peak	241.00	200	Horizontal	N/A
3**	5316.600	98.28	-2.21	--	--	AV	241.00	200	Horizontal	N/A
4	7355.350	51.19	-4.03	74.0	22.81	Peak	213.00	300	Horizontal	Pass
4**	7355.350	40.06	-4.03	54.0	13.94	AV	213.00	300	Horizontal	Pass
5	12216.112	51.37	1.19	74.0	22.63	Peak	213.00	200	Horizontal	Pass
5**	12216.112	42.36	1.19	54.0	11.64	AV	213.00	200	Horizontal	Pass
6	15846.187	53.53	1.36	74.0	20.47	Peak	213.00	200	Horizontal	Pass
6**	15846.187	44.06	1.36	54.0	9.94	AV	213.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.500	38.84	-17.07	74.0	35.16	Peak	347.00	300	Vertical	Pass
1**	1593.500	29.15	-17.07	54.0	24.85	AV	347.00	300	Vertical	Pass
2	4388.600	50.41	-3.00	74.0	23.59	Peak	291.00	300	Vertical	Pass
2**	4388.600	41.45	-3.00	54.0	12.55	AV	291.00	300	Vertical	Pass
3	5316.400	107.71	-2.19	--	--	Peak	195.00	200	Vertical	N/A
3**	5316.400	98.12	-2.19	--	--	AV	195.00	200	Vertical	N/A
4	7454.538	49.26	-3.89	74.0	24.74	Peak	250.00	300	Vertical	Pass
4**	7454.538	38.77	-3.89	54.0	15.23	AV	250.00	300	Vertical	Pass
5	10938.463	51.92	-0.05	74.0	22.08	Peak	5.00	100	Vertical	Pass
5**	10938.463	42.28	-0.05	54.0	11.72	AV	5.00	100	Vertical	Pass
6	15838.576	53.41	1.45	74.0	20.59	Peak	122.00	400	Vertical	Pass
6**	15838.576	45.11	1.45	54.0	8.89	AV	122.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.800	38.74	-17.33	74.0	35.26	Peak	276.00	300	Horizontal	Pass
1**	1549.800	28.54	-17.33	54.0	25.46	AV	276.00	300	Horizontal	Pass
2	4349.400	50.17	-3.04	74.0	23.83	Peak	120.00	100	Horizontal	Pass
2**	4349.400	40.58	-3.04	54.0	13.42	AV	120.00	100	Horizontal	Pass
3	5261.200	101.36	-2.07	--	--	Peak	245.00	150	Horizontal	N/A
3**	5261.200	94.46	-2.07	--	--	AV	245.00	150	Horizontal	N/A
4	7375.187	50.04	-3.74	74.0	23.96	Peak	248.00	100	Horizontal	Pass
4**	7375.187	41.73	-3.74	54.0	12.27	AV	248.00	100	Horizontal	Pass
5	10919.487	51.64	0.23	74.0	22.36	Peak	62.00	100	Horizontal	Pass
5**	10919.487	42.86	0.23	54.0	11.14	AV	62.00	100	Horizontal	Pass
6	15841.988	53.68	1.42	74.0	20.32	Peak	206.00	200	Horizontal	Pass
6**	15841.988	44.64	1.42	54.0	9.36	AV	206.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.900	39.42	-17.34	74.0	34.58	Peak	271.00	200	Vertical	Pass
1**	1600.900	28.91	-17.34	54.0	25.09	AV	271.00	200	Vertical	Pass
2	4356.600	50.33	-2.39	74.0	23.67	Peak	276.00	100	Vertical	Pass
2**	4356.600	41.05	-2.39	54.0	12.95	AV	276.00	100	Vertical	Pass
3	5282.400	102.45	-2.00	--	--	Peak	189.00	150	Vertical	N/A
3**	5282.400	96.33	-2.00	--	--	AV	189.00	150	Vertical	N/A
4	7383.813	49.05	-3.85	74.0	24.95	Peak	276.00	300	Vertical	Pass
4**	7383.813	41.08	-3.85	54.0	12.92	AV	276.00	300	Vertical	Pass
5	10949.963	51.23	-0.26	74.0	22.77	Peak	285.00	200	Vertical	Pass
5**	10949.963	41.29	-0.26	54.0	12.71	AV	285.00	200	Vertical	Pass
6	15829.650	53.60	1.51	74.0	20.40	Peak	276.00	300	Vertical	Pass
6**	15829.650	44.43	1.51	54.0	9.57	AV	276.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.800	38.37	-17.34	74.0	35.63	Peak	261.00	300	Horizontal	Pass
1**	1602.800	29.45	-17.34	54.0	24.55	AV	261.00	300	Horizontal	Pass
2	4364.000	50.67	-2.74	74.0	23.33	Peak	47.00	300	Horizontal	Pass
2**	4364.000	41.22	-2.74	54.0	12.78	AV	47.00	300	Horizontal	Pass
3	5297.400	101.94	-2.33	--	--	Peak	246.00	100	Horizontal	N/A
3**	5297.400	94.06	-2.33	--	--	AV	246.00	100	Horizontal	N/A
4	7363.975	49.46	-4.01	74.0	24.54	Peak	30.00	300	Horizontal	Pass
4**	7363.975	40.08	-4.01	54.0	13.92	AV	30.00	300	Horizontal	Pass
5	12218.700	51.08	1.21	74.0	22.92	Peak	206.00	200	Horizontal	Pass
5**	12218.700	42.29	1.21	54.0	11.71	AV	206.00	200	Horizontal	Pass
6	15837.525	53.55	1.45	74.0	20.45	Peak	276.00	400	Horizontal	Pass
6**	15837.525	44.23	1.45	54.0	9.77	AV	276.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.100	38.63	-17.00	74.0	35.37	Peak	357.00	400	Vertical	Pass
1**	1546.100	28.65	-17.00	54.0	25.35	AV	357.00	400	Vertical	Pass
2	4360.000	50.29	-2.66	74.0	23.71	Peak	0.00	300	Vertical	Pass
2**	4360.000	41.95	-2.66	54.0	12.05	AV	0.00	300	Vertical	Pass
3	5301.800	103.02	-2.55	--	--	Peak	193.00	200	Vertical	N/A
3**	5301.800	95.32	-2.55	--	--	AV	193.00	200	Vertical	N/A
4	7375.763	49.29	-3.74	74.0	24.71	Peak	135.00	300	Vertical	Pass
4**	7375.763	40.88	-3.74	54.0	13.12	AV	135.00	300	Vertical	Pass
5	11215.325	51.04	-0.19	74.0	22.96	Peak	360.00	100	Vertical	Pass
5**	11215.325	42.29	-0.19	54.0	11.71	AV	360.00	100	Vertical	Pass
6	15839.362	53.10	1.45	74.0	20.90	Peak	148.00	300	Vertical	Pass
6**	15839.362	45.46	1.45	54.0	8.54	AV	148.00	300	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.100	38.70	-17.01	74.0	35.30	Peak	50.00	400	Horizontal	Pass
1**	1456.100	29.46	-17.01	54.0	24.54	AV	50.00	400	Horizontal	Pass
2	4379.000	51.16	-2.96	74.0	22.84	Peak	336.00	300	Horizontal	Pass
2**	4379.000	41.22	-2.96	54.0	12.78	AV	336.00	300	Horizontal	Pass
3	5273.800	98.13	-2.06	--	--	Peak	18.00	150	Horizontal	N/A
3**	5273.800	91.01	-2.06	--	--	AV	18.00	150	Horizontal	N/A
4	7362.250	49.04	-4.01	74.0	24.96	Peak	229.00	400	Horizontal	Pass
4**	7362.250	40.52	-4.01	54.0	13.48	AV	229.00	400	Horizontal	Pass
5	10923.513	51.49	0.18	74.0	22.51	Peak	100.00	150	Horizontal	Pass
5**	10923.513	42.76	0.18	54.0	11.24	AV	100.00	150	Horizontal	Pass
6	15840.938	53.58	1.43	74.0	20.42	Peak	192.00	400	Horizontal	Pass
6**	15840.938	44.79	1.43	54.0	9.21	AV	192.00	400	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.800	39.57	-17.26	74.0	34.43	Peak	214.00	400	Vertical	Pass
1**	1524.800	29.25	-17.26	54.0	24.75	AV	214.00	400	Vertical	Pass
2	4383.600	50.33	-2.90	74.0	23.67	Peak	213.00	100	Vertical	Pass
2**	4383.600	41.56	-2.90	54.0	12.44	AV	213.00	100	Vertical	Pass
3	5295.800	97.42	-2.25	--	--	Peak	151.00	200	Vertical	N/A
3**	5295.800	89.79	-2.25	--	--	AV	151.00	200	Vertical	N/A
4	7345.862	49.54	-3.77	74.0	24.46	Peak	347.00	100	Vertical	Pass
4**	7345.862	39.99	-3.77	54.0	14.01	AV	347.00	100	Vertical	Pass
5	11958.225	50.90	1.01	74.0	23.10	Peak	296.00	100	Vertical	Pass
5**	11958.225	41.73	1.01	54.0	12.27	AV	296.00	100	Vertical	Pass
6	15853.013	53.61	1.25	74.0	20.39	Peak	210.00	200	Vertical	Pass
6**	15853.013	43.92	1.25	54.0	10.08	AV	210.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.600	39.19	-17.15	74.0	34.81	Peak	326.00	300	Horizontal	Pass
1**	1550.600	29.47	-17.15	54.0	24.53	AV	326.00	300	Horizontal	Pass
2	4357.400	49.88	-2.52	74.0	24.12	Peak	30.00	100	Horizontal	Pass
2**	4357.400	41.74	-2.52	54.0	12.26	AV	30.00	100	Horizontal	Pass
3	5502.600	106.57	-1.45	--	--	Peak	256.00	150	Horizontal	N/A
3**	5502.600	99.20	-1.45	--	--	AV	256.00	150	Horizontal	N/A
4	7372.888	49.15	-3.80	74.0	24.85	Peak	179.00	100	Horizontal	Pass
4**	7372.888	40.65	-3.80	54.0	13.35	AV	179.00	100	Horizontal	Pass
5	12604.812	50.67	1.92	74.0	23.33	Peak	151.00	150	Horizontal	Pass
5**	12604.812	40.78	1.92	54.0	13.22	AV	151.00	150	Horizontal	Pass
6	15835.425	53.34	1.45	74.0	20.66	Peak	27.00	100	Horizontal	Pass
6**	15835.425	44.96	1.45	54.0	9.04	AV	27.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.300	38.82	-17.10	74.0	35.18	Peak	25.00	400	Vertical	Pass
1**	1553.300	29.84	-17.10	54.0	24.16	AV	25.00	400	Vertical	Pass
2	4215.800	49.66	-5.06	74.0	24.34	Peak	30.00	100	Vertical	Pass
2**	4215.800	40.26	-5.06	54.0	13.74	AV	30.00	100	Vertical	Pass
3	5502.800	108.56	-1.47	--	--	Peak	192.00	150	Vertical	N/A
3**	5502.800	100.29	-1.47	--	--	AV	192.00	150	Vertical	N/A
4	7370.588	49.13	-3.99	74.0	24.87	Peak	143.00	400	Vertical	Pass
4**	7370.588	40.14	-3.99	54.0	13.86	AV	143.00	400	Vertical	Pass
5	11828.275	50.91	1.18	74.0	23.09	Peak	9.00	150	Vertical	Pass
5**	11828.275	40.65	1.18	54.0	13.35	AV	9.00	150	Vertical	Pass
6	15829.387	53.58	1.51	74.0	20.42	Peak	120.00	300	Vertical	Pass
6**	15829.387	44.47	1.51	54.0	9.53	AV	120.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.400	38.38	-17.29	74.0	35.62	Peak	101.00	200	Horizontal	Pass
1**	1491.400	29.09	-17.29	54.0	24.91	AV	101.00	200	Horizontal	Pass
2	4358.400	50.29	-2.67	74.0	23.71	Peak	327.00	300	Horizontal	Pass
2**	4358.400	41.20	-2.67	54.0	12.80	AV	327.00	300	Horizontal	Pass
3	5578.800	106.77	-0.83	--	--	Peak	257.00	150	Horizontal	N/A
3**	5578.800	100.44	-0.83	--	--	AV	257.00	150	Horizontal	N/A
4	7377.487	48.79	-3.72	74.0	25.21	Peak	262.00	200	Horizontal	Pass
4**	7377.487	40.11	-3.72	54.0	13.89	AV	262.00	200	Horizontal	Pass
5	11209.862	51.21	-0.22	74.0	22.79	Peak	315.00	100	Horizontal	Pass
5**	11209.862	41.23	-0.22	54.0	12.77	AV	315.00	100	Horizontal	Pass
6	15835.425	53.95	1.45	74.0	20.05	Peak	120.00	300	Horizontal	Pass
6**	15835.425	44.56	1.45	54.0	9.44	AV	120.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.900	38.79	-17.45	74.0	35.21	Peak	227.00	400	Vertical	Pass
1**	1578.900	29.08	-17.45	54.0	24.92	AV	227.00	400	Vertical	Pass
2	4358.000	50.00	-2.61	74.0	24.00	Peak	245.00	100	Vertical	Pass
2**	4358.000	40.92	-2.61	54.0	13.08	AV	245.00	100	Vertical	Pass
3	5578.200	106.99	-0.75	--	--	Peak	155.00	150	Vertical	N/A
3**	5578.200	100.34	-0.75	--	--	AV	155.00	150	Vertical	N/A
4	7374.038	49.62	-3.75	74.0	24.38	Peak	55.00	400	Vertical	Pass
4**	7374.038	40.53	-3.75	54.0	13.47	AV	55.00	400	Vertical	Pass
5	10929.263	50.75	0.10	74.0	23.25	Peak	25.00	200	Vertical	Pass
5**	10929.263	41.57	0.10	54.0	12.43	AV	25.00	200	Vertical	Pass
6	15822.300	53.98	1.77	74.0	20.02	Peak	214.00	100	Vertical	Pass
6**	15822.300	44.82	1.77	54.0	9.18	AV	214.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.700	38.66	-17.18	74.0	35.34	Peak	214.00	100	Horizontal	Pass
1**	1622.700	29.58	-17.18	54.0	24.42	AV	214.00	100	Horizontal	Pass
2	4372.000	50.00	-3.06	74.0	24.00	Peak	349.00	300	Horizontal	Pass
2**	4372.000	40.84	-3.06	54.0	13.16	AV	349.00	300	Horizontal	Pass
3	5699.400	106.48	-0.88	--	--	Peak	263.00	100	Horizontal	N/A
3**	5699.400	99.75	-0.88	--	--	AV	263.00	100	Horizontal	N/A
4	7643.138	50.47	-3.46	74.0	23.53	Peak	76.00	100	Horizontal	Pass
4**	7643.138	38.65	-3.46	54.0	15.35	AV	76.00	100	Horizontal	Pass
5	10930.700	51.42	0.07	74.0	22.58	Peak	102.00	200	Horizontal	Pass
5**	10930.700	41.73	0.07	54.0	12.27	AV	102.00	200	Horizontal	Pass
6	15833.062	52.84	1.47	74.0	21.16	Peak	320.00	200	Horizontal	Pass
6**	15833.062	44.29	1.47	54.0	9.71	AV	320.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.200	38.90	-17.28	74.0	35.10	Peak	320.00	200	Vertical	Pass
1**	1538.200	29.42	-17.28	54.0	24.58	AV	320.00	200	Vertical	Pass
2	4363.000	50.32	-2.65	74.0	23.68	Peak	320.00	300	Vertical	Pass
2**	4363.000	40.59	-2.65	54.0	13.41	AV	320.00	300	Vertical	Pass
3	5698.400	107.05	-0.84	--	--	Peak	201.00	150	Vertical	N/A
3**	5698.400	101.03	-0.84	--	--	AV	201.00	150	Vertical	N/A
4	7365.125	49.27	-4.02	74.0	24.73	Peak	316.00	300	Vertical	Pass
4**	7365.125	40.75	-4.02	54.0	13.25	AV	316.00	300	Vertical	Pass
5	11611.213	50.86	-0.07	74.0	23.14	Peak	320.00	150	Vertical	Pass
5**	11611.213	41.20	-0.07	54.0	12.80	AV	320.00	150	Vertical	Pass
6	15838.312	53.32	1.45	74.0	20.68	Peak	24.00	200	Vertical	Pass
6**	15838.312	44.84	1.45	54.0	9.16	AV	24.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.400	38.39	-17.42	74.0	35.61	Peak	67.00	100	Horizontal	Pass
1**	1596.400	29.49	-17.42	54.0	24.51	AV	67.00	100	Horizontal	Pass
2	4379.400	50.19	-3.00	74.0	23.81	Peak	240.00	300	Horizontal	Pass
2**	4379.400	40.25	-3.00	54.0	13.75	AV	240.00	300	Horizontal	Pass
3	5503.000	107.52	-1.49	--	--	Peak	256.00	200	Horizontal	N/A
3**	5503.000	99.80	-1.49	--	--	AV	256.00	200	Horizontal	N/A
4	7378.925	48.76	-3.66	74.0	25.24	Peak	320.00	400	Horizontal	Pass
4**	7378.925	40.01	-3.66	54.0	13.99	AV	320.00	400	Horizontal	Pass
5	11227.688	51.86	-0.26	74.0	22.14	Peak	320.00	100	Horizontal	Pass
5**	11227.688	41.91	-0.26	54.0	12.09	AV	320.00	100	Horizontal	Pass
6	16077.450	53.59	1.59	74.0	20.41	Peak	222.00	200	Horizontal	Pass
6**	16077.450	43.18	1.59	54.0	10.82	AV	222.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.500	38.68	-17.52	74.0	35.32	Peak	110.00	400	Vertical	Pass
1**	1481.500	29.12	-17.52	54.0	24.88	AV	110.00	400	Vertical	Pass
2	4345.600	50.21	-2.90	74.0	23.79	Peak	0.00	100	Vertical	Pass
2**	4345.600	40.57	-2.90	54.0	13.43	AV	0.00	100	Vertical	Pass
3	5498.800	107.09	-1.36	--	--	Peak	200.00	200	Vertical	N/A
3**	5498.800	99.72	-1.36	--	--	AV	200.00	200	Vertical	N/A
4	7356.212	49.24	-4.10	74.0	24.76	Peak	0.00	300	Vertical	Pass
4**	7356.212	39.88	-4.10	54.0	14.12	AV	0.00	300	Vertical	Pass
5	10924.662	51.49	0.16	74.0	22.51	Peak	155.00	150	Vertical	Pass
5**	10924.662	41.79	0.16	54.0	12.21	AV	155.00	150	Vertical	Pass
6	15842.250	53.06	1.41	74.0	20.94	Peak	320.00	400	Vertical	Pass
6**	15842.250	44.95	1.41	54.0	9.05	AV	320.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.400	38.60	-17.24	74.0	35.40	Peak	68.00	200	Horizontal	Pass
1**	1467.400	29.33	-17.24	54.0	24.67	AV	68.00	200	Horizontal	Pass
2	4360.200	50.40	-2.65	74.0	23.60	Peak	53.00	400	Horizontal	Pass
2**	4360.200	40.63	-2.65	54.0	13.37	AV	53.00	400	Horizontal	Pass
3	5577.400	106.76	-0.73	--	--	Peak	259.00	150	Horizontal	N/A
3**	5577.400	99.97	-0.73	--	--	AV	259.00	150	Horizontal	N/A
4	7359.088	49.42	-4.08	74.0	24.58	Peak	315.00	300	Horizontal	Pass
4**	7359.088	39.63	-4.08	54.0	14.37	AV	315.00	300	Horizontal	Pass
5	11929.187	51.47	1.55	74.0	22.53	Peak	236.00	150	Horizontal	Pass
5**	11929.187	41.70	1.55	54.0	12.30	AV	236.00	150	Horizontal	Pass
6	15835.425	53.63	1.45	74.0	20.37	Peak	320.00	100	Horizontal	Pass
6**	15835.425	44.38	1.45	54.0	9.62	AV	320.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.600	39.07	-17.22	74.0	34.93	Peak	320.00	400	Vertical	Pass
1**	1440.600	29.09	-17.22	54.0	24.91	AV	320.00	400	Vertical	Pass
2	4357.800	49.80	-2.58	74.0	24.20	Peak	330.00	100	Vertical	Pass
2**	4357.800	41.74	-2.58	54.0	12.26	AV	330.00	100	Vertical	Pass
3	5584.400	107.73	-1.04	--	--	Peak	191.00	100	Vertical	N/A
3**	5584.400	101.15	-1.04	--	--	AV	191.00	100	Vertical	N/A
4	7341.550	49.86	-3.65	74.0	24.14	Peak	280.00	300	Vertical	Pass
4**	7341.550	40.21	-3.65	54.0	13.79	AV	280.00	300	Vertical	Pass
5	12208.062	51.45	0.94	74.0	22.55	Peak	280.00	200	Vertical	Pass
5**	12208.062	41.68	0.94	54.0	12.32	AV	280.00	200	Vertical	Pass
6	16092.675	53.75	1.38	74.0	20.25	Peak	320.00	200	Vertical	Pass
6**	16092.675	44.27	1.38	54.0	9.73	AV	320.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.700	38.66	-17.29	74.0	35.34	Peak	261.00	100	Horizontal	Pass
1**	1479.700	29.68	-17.29	54.0	24.32	AV	261.00	100	Horizontal	Pass
2	4364.400	50.18	-2.78	74.0	23.82	Peak	169.00	200	Horizontal	Pass
2**	4364.400	41.02	-2.78	54.0	12.98	AV	169.00	200	Horizontal	Pass
3	5696.600	106.68	-0.87	--	--	Peak	256.00	150	Horizontal	N/A
3**	5696.600	98.96	-0.87	--	--	AV	256.00	150	Horizontal	N/A
4	7374.038	48.80	-3.75	74.0	25.20	Peak	169.00	300	Horizontal	Pass
4**	7374.038	39.85	-3.75	54.0	14.15	AV	169.00	300	Horizontal	Pass
5	10920.637	51.08	0.23	74.0	22.92	Peak	308.00	150	Horizontal	Pass
5**	10920.637	42.22	0.23	54.0	11.78	AV	308.00	150	Horizontal	Pass
6	16085.588	53.27	1.52	74.0	20.73	Peak	320.00	300	Horizontal	Pass
6**	16085.588	44.18	1.52	54.0	9.82	AV	320.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.700	38.65	-17.20	74.0	35.35	Peak	205.00	200	Vertical	Pass
1**	1500.700	29.32	-17.20	54.0	24.68	AV	205.00	200	Vertical	Pass
2	4366.600	49.35	-2.99	74.0	24.65	Peak	299.00	100	Vertical	Pass
2**	4366.600	40.24	-2.99	54.0	13.76	AV	299.00	100	Vertical	Pass
3	5697.400	106.79	-0.81	--	--	Peak	151.00	150	Vertical	N/A
3**	5697.400	99.52	-0.81	--	--	AV	151.00	150	Vertical	N/A
4	7378.638	49.02	-3.68	74.0	24.98	Peak	320.00	400	Vertical	Pass
4**	7378.638	40.91	-3.68	54.0	13.09	AV	320.00	400	Vertical	Pass
5	12223.588	51.16	1.28	74.0	22.84	Peak	256.00	100	Vertical	Pass
5**	12223.588	42.38	1.28	54.0	11.62	AV	256.00	100	Vertical	Pass
6	16103.437	52.98	1.05	74.0	21.02	Peak	118.00	200	Vertical	Pass
6**	16103.437	44.13	1.05	54.0	9.87	AV	118.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.900	38.86	-17.29	74.0	35.14	Peak	177.00	300	Horizontal	Pass
1**	1583.900	29.48	-17.29	54.0	24.52	AV	177.00	300	Horizontal	Pass
2	4342.000	49.88	-3.65	74.0	24.12	Peak	257.00	200	Horizontal	Pass
2**	4342.000	39.97	-3.65	54.0	14.03	AV	257.00	200	Horizontal	Pass
3	5519.000	101.79	-1.83	--	--	Peak	224.00	150	Horizontal	N/A
3**	5519.000	93.49	-1.83	--	--	AV	224.00	150	Horizontal	N/A
4	7349.887	49.62	-3.87	74.0	24.38	Peak	0.00	100	Horizontal	Pass
4**	7349.887	41.20	-3.87	54.0	12.80	AV	0.00	100	Horizontal	Pass
5	11942.412	51.05	1.62	74.0	22.95	Peak	0.00	100	Horizontal	Pass
5**	11942.412	41.75	1.62	54.0	12.25	AV	0.00	100	Horizontal	Pass
6	15849.075	53.99	1.34	74.0	20.01	Peak	337.00	200	Horizontal	Pass
6**	15849.075	44.22	1.34	54.0	9.78	AV	337.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.100	38.68	-17.34	74.0	35.32	Peak	320.00	100	Vertical	Pass
1**	1613.100	30.65	-17.34	54.0	23.35	AV	320.00	100	Vertical	Pass
2	4378.400	49.81	-2.91	74.0	24.19	Peak	311.00	400	Vertical	Pass
2**	4378.400	40.70	-2.91	54.0	13.30	AV	311.00	400	Vertical	Pass
3	5519.800	103.30	-1.79	--	--	Peak	154.00	200	Vertical	N/A
3**	5519.800	95.87	-1.79	--	--	AV	154.00	200	Vertical	N/A
4	7334.650	49.32	-3.42	74.0	24.68	Peak	18.00	400	Vertical	Pass
4**	7334.650	39.82	-3.42	54.0	14.18	AV	18.00	400	Vertical	Pass
5	10922.651	51.16	0.20	74.0	22.84	Peak	312.00	150	Vertical	Pass
5**	10922.651	41.99	0.20	54.0	12.01	AV	312.00	150	Vertical	Pass
6	16098.450	53.19	1.24	74.0	20.81	Peak	218.00	400	Vertical	Pass
6**	16098.450	44.25	1.24	54.0	9.75	AV	218.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.300	38.64	-17.14	74.0	35.36	Peak	252.00	300	Horizontal	Pass
1**	1525.300	29.02	-17.14	54.0	24.98	AV	252.00	300	Horizontal	Pass
2	4351.600	50.52	-3.12	74.0	23.48	Peak	269.00	300	Horizontal	Pass
2**	4351.600	41.05	-3.12	54.0	12.95	AV	269.00	300	Horizontal	Pass
3	5586.000	101.81	-0.90	--	--	Peak	269.00	150	Horizontal	N/A
3**	5586.000	94.56	-0.90	--	--	AV	269.00	150	Horizontal	N/A
4	7336.088	48.99	-3.40	74.0	25.01	Peak	359.00	300	Horizontal	Pass
4**	7336.088	40.41	-3.40	54.0	13.59	AV	359.00	300	Horizontal	Pass
5	12218.700	51.57	1.21	74.0	22.43	Peak	359.00	200	Horizontal	Pass
5**	12218.700	42.12	1.21	54.0	11.88	AV	359.00	200	Horizontal	Pass
6	15852.225	53.28	1.27	74.0	20.72	Peak	359.00	200	Horizontal	Pass
6**	15852.225	44.61	1.27	54.0	9.39	AV	359.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.300	39.25	-16.99	74.0	34.75	Peak	20.00	400	Vertical	Pass
1**	1546.300	29.14	-16.99	54.0	24.86	AV	20.00	400	Vertical	Pass
2	4357.200	50.44	-2.48	74.0	23.56	Peak	221.00	300	Vertical	Pass
2**	4357.200	41.38	-2.48	54.0	12.62	AV	221.00	300	Vertical	Pass
3	5593.400	103.76	-1.64	--	--	Peak	203.00	200	Vertical	N/A
3**	5593.400	96.66	-1.64	--	--	AV	203.00	200	Vertical	N/A
4	7371.450	49.48	-3.89	74.0	24.52	Peak	103.00	100	Vertical	Pass
4**	7371.450	40.36	-3.89	54.0	13.64	AV	103.00	100	Vertical	Pass
5	10934.438	51.22	-0.00	74.0	22.78	Peak	340.00	200	Vertical	Pass
5**	10934.438	42.08	-0.00	54.0	11.92	AV	340.00	200	Vertical	Pass
6	16087.162	53.69	1.49	74.0	20.31	Peak	359.00	400	Vertical	Pass
6**	16087.162	43.98	1.49	54.0	10.02	AV	359.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	38.47	-17.19	74.0	35.53	Peak	343.00	300	Horizontal	Pass
1**	1500.000	29.63	-17.19	54.0	24.37	AV	343.00	300	Horizontal	Pass
2	4384.200	49.90	-2.88	74.0	24.10	Peak	13.00	400	Horizontal	Pass
2**	4384.200	40.49	-2.88	54.0	13.51	AV	13.00	400	Horizontal	Pass
3	5661.800	103.56	-1.16	--	--	Peak	259.00	200	Horizontal	N/A
3**	5661.800	95.47	-1.16	--	--	AV	259.00	200	Horizontal	N/A
4	7360.237	48.97	-4.04	74.0	25.03	Peak	191.00	100	Horizontal	Pass
4**	7360.237	40.12	-4.04	54.0	13.88	AV	191.00	100	Horizontal	Pass
5	11230.562	52.34	-0.30	74.0	21.66	Peak	285.00	200	Horizontal	Pass
5**	11230.562	42.54	-0.30	54.0	11.46	AV	285.00	200	Horizontal	Pass
6	15841.463	53.41	1.42	74.0	20.59	Peak	330.00	100	Horizontal	Pass
6**	15841.463	45.39	1.42	54.0	8.61	AV	330.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.200	38.85	-17.16	74.0	35.15	Peak	360.00	100	Vertical	Pass
1**	1454.200	29.39	-17.16	54.0	24.61	AV	360.00	100	Vertical	Pass
2	4364.200	50.39	-2.76	74.0	23.61	Peak	0.00	400	Vertical	Pass
2**	4364.200	41.18	-2.76	54.0	12.82	AV	0.00	400	Vertical	Pass
3	5667.400	103.52	-1.05	--	--	Peak	164.00	100	Vertical	N/A
3**	5667.400	95.52	-1.05	--	--	AV	164.00	100	Vertical	N/A
4	7347.588	49.65	-3.84	74.0	24.35	Peak	237.00	100	Vertical	Pass
4**	7347.588	40.16	-3.84	54.0	13.84	AV	237.00	100	Vertical	Pass
5	11217.050	52.40	-0.19	74.0	21.60	Peak	106.00	100	Vertical	Pass
5**	11217.050	42.51	-0.19	54.0	11.49	AV	106.00	100	Vertical	Pass
6	15842.250	53.53	1.41	74.0	20.47	Peak	312.00	300	Vertical	Pass
6**	15842.250	44.99	1.41	54.0	9.01	AV	312.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.200	39.49	-17.29	74.0	34.51	Peak	360.00	300	Horizontal	Pass
1**	1570.200	28.92	-17.29	54.0	25.08	AV	360.00	300	Horizontal	Pass
2	4369.000	50.03	-2.71	74.0	23.97	Peak	360.00	400	Horizontal	Pass
2**	4369.000	41.77	-2.71	54.0	12.23	AV	360.00	400	Horizontal	Pass
3	5502.600	106.62	-1.45	--	--	Peak	262.00	150	Horizontal	N/A
3**	5502.600	99.47	-1.45	--	--	AV	262.00	150	Horizontal	N/A
4	7374.612	49.81	-3.75	74.0	24.19	Peak	360.00	300	Horizontal	Pass
4**	7374.612	40.23	-3.75	54.0	13.77	AV	360.00	300	Horizontal	Pass
5	10931.562	50.93	0.06	74.0	23.07	Peak	216.00	200	Horizontal	Pass
5**	10931.562	42.49	0.06	54.0	11.51	AV	216.00	200	Horizontal	Pass
6	15832.800	53.39	1.47	74.0	20.61	Peak	124.00	400	Horizontal	Pass
6**	15832.800	45.35	1.47	54.0	8.65	AV	124.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.000	38.62	-17.49	74.0	35.38	Peak	211.00	300	Vertical	Pass
1**	1612.000	28.95	-17.49	54.0	25.05	AV	211.00	300	Vertical	Pass
2	4367.000	49.96	-3.03	74.0	24.04	Peak	58.00	200	Vertical	Pass
2**	4367.000	40.48	-3.03	54.0	13.52	AV	58.00	200	Vertical	Pass
3	5505.000	106.42	-1.68	--	--	Peak	189.00	200	Vertical	N/A
3**	5505.000	98.18	-1.68	--	--	AV	189.00	200	Vertical	N/A
4	7371.737	49.01	-3.87	74.0	24.99	Peak	360.00	100	Vertical	Pass
4**	7371.737	40.57	-3.87	54.0	13.43	AV	360.00	100	Vertical	Pass
5	10917.763	51.59	0.22	74.0	22.41	Peak	360.00	100	Vertical	Pass
5**	10917.763	42.18	0.22	54.0	11.82	AV	360.00	100	Vertical	Pass
6	15843.562	53.62	1.39	74.0	20.38	Peak	81.00	200	Vertical	Pass
6**	15843.562	44.25	1.39	54.0	9.75	AV	81.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.200	38.73	-17.24	74.0	35.27	Peak	359.00	200	Horizontal	Pass
1**	1483.200	29.52	-17.24	54.0	24.48	AV	359.00	200	Horizontal	Pass
2	4364.000	50.17	-2.74	74.0	23.83	Peak	111.00	200	Horizontal	Pass
2**	4364.000	41.50	-2.74	54.0	12.50	AV	111.00	200	Horizontal	Pass
3	5583.200	105.65	-1.12	--	--	Peak	256.00	100	Horizontal	N/A
3**	5583.200	98.33	-1.12	--	--	AV	256.00	100	Horizontal	N/A
4	7358.513	49.31	-4.09	74.0	24.69	Peak	359.00	300	Horizontal	Pass
4**	7358.513	39.78	-4.09	54.0	14.22	AV	359.00	300	Horizontal	Pass
5	10935.875	51.37	-0.02	74.0	22.63	Peak	140.00	100	Horizontal	Pass
5**	10935.875	43.68	-0.02	54.0	10.32	AV	140.00	100	Horizontal	Pass
6	16091.888	53.51	1.39	74.0	20.49	Peak	311.00	300	Horizontal	Pass
6**	16091.888	43.65	1.39	54.0	10.35	AV	311.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.100	38.78	-17.41	74.0	35.22	Peak	100.00	300	Vertical	Pass
1**	1596.100	28.76	-17.41	54.0	25.24	AV	100.00	300	Vertical	Pass
2	4371.000	50.80	-2.94	74.0	23.20	Peak	359.00	200	Vertical	Pass
2**	4371.000	40.71	-2.94	54.0	13.29	AV	359.00	200	Vertical	Pass
3	5583.600	105.80	-1.09	--	--	Peak	198.00	150	Vertical	N/A
3**	5583.600	97.90	-1.09	--	--	AV	198.00	150	Vertical	N/A
4	7376.050	49.47	-3.74	74.0	24.53	Peak	338.00	400	Vertical	Pass
4**	7376.050	40.34	-3.74	54.0	13.66	AV	338.00	400	Vertical	Pass
5	10938.174	51.39	-0.04	74.0	22.61	Peak	305.00	100	Vertical	Pass
5**	10938.174	42.29	-0.04	54.0	11.71	AV	305.00	100	Vertical	Pass
6	15844.612	53.62	1.37	74.0	20.38	Peak	359.00	400	Vertical	Pass
6**	15844.612	45.35	1.37	54.0	8.65	AV	359.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.500	38.80	-17.45	74.0	35.20	Peak	231.00	300	Horizontal	Pass
1**	1513.500	29.21	-17.45	54.0	24.79	AV	231.00	300	Horizontal	Pass
2	4285.400	50.67	-3.30	74.0	23.33	Peak	100.00	400	Horizontal	Pass
2**	4285.400	40.60	-3.30	54.0	13.40	AV	100.00	400	Horizontal	Pass
3	5697.600	106.37	-0.82	--	--	Peak	79.00	100	Horizontal	N/A
3**	5697.600	98.98	-0.82	--	--	AV	79.00	100	Horizontal	N/A
4	7377.200	49.62	-3.72	74.0	24.38	Peak	332.00	300	Horizontal	Pass
4**	7377.200	40.55	-3.72	54.0	13.45	AV	332.00	300	Horizontal	Pass
5	11218.775	51.17	-0.20	74.0	22.83	Peak	115.00	150	Horizontal	Pass
5**	11218.775	41.83	-0.20	54.0	12.17	AV	115.00	150	Horizontal	Pass
6	16110.262	53.32	0.76	74.0	20.68	Peak	156.00	300	Horizontal	Pass
6**	16110.262	44.46	0.76	54.0	9.54	AV	156.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.900	38.70	-16.97	74.0	35.30	Peak	210.00	300	Vertical	Pass
1**	1546.900	29.69	-16.97	54.0	24.31	AV	210.00	300	Vertical	Pass
2	4345.000	50.26	-3.13	74.0	23.74	Peak	181.00	300	Vertical	Pass
2**	4345.000	41.06	-3.13	54.0	12.94	AV	181.00	300	Vertical	Pass
3	5697.400	106.59	-0.81	--	--	Peak	359.00	150	Vertical	N/A
3**	5697.400	100.93	-0.81	--	--	AV	359.00	150	Vertical	N/A
4	7376.912	50.75	-3.73	74.0	23.25	Peak	4.00	300	Vertical	Pass
4**	7376.912	40.84	-3.73	54.0	13.16	AV	4.00	300	Vertical	Pass
5	11207.562	51.02	-0.24	74.0	22.98	Peak	190.00	150	Vertical	Pass
5**	11207.562	41.78	-0.24	54.0	12.22	AV	190.00	150	Vertical	Pass
6	15847.763	53.39	1.35	74.0	20.61	Peak	360.00	100	Vertical	Pass
6**	15847.763	44.47	1.35	54.0	9.53	AV	360.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.500	38.55	-17.27	74.0	35.45	Peak	22.00	300	Horizontal	Pass
1**	1572.500	29.19	-17.27	54.0	24.81	AV	22.00	300	Horizontal	Pass
2	4283.800	50.11	-3.10	74.0	23.89	Peak	84.00	200	Horizontal	Pass
2**	4283.800	41.13	-3.10	54.0	12.87	AV	84.00	200	Horizontal	Pass
3	5499.000	102.95	-1.36	--	--	Peak	84.00	100	Horizontal	N/A
3**	5499.000	95.53	-1.36	--	--	AV	84.00	100	Horizontal	N/A
4	7342.987	49.25	-3.61	74.0	24.75	Peak	0.00	200	Horizontal	Pass
4**	7342.987	39.62	-3.61	54.0	14.38	AV	0.00	200	Horizontal	Pass
5	11840.349	51.17	1.14	74.0	22.83	Peak	0.00	150	Horizontal	Pass
5**	11840.349	41.68	1.14	54.0	12.32	AV	0.00	150	Horizontal	Pass
6	16102.912	54.42	1.07	74.0	19.58	Peak	241.00	100	Horizontal	Pass
6**	16102.912	44.51	1.07	54.0	9.49	AV	241.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.200	38.60	-17.27	74.0	35.40	Peak	171.00	100	Vertical	Pass
1**	1584.200	29.27	-17.27	54.0	24.73	AV	171.00	100	Vertical	Pass
2	4353.200	50.55	-3.10	74.0	23.45	Peak	20.00	300	Vertical	Pass
2**	4353.200	40.54	-3.10	54.0	13.46	AV	20.00	300	Vertical	Pass
3	5515.400	102.97	-2.11	--	--	Peak	8.00	150	Vertical	N/A
3**	5515.400	95.73	-2.11	--	--	AV	8.00	150	Vertical	N/A
4	7383.813	49.51	-3.85	74.0	24.49	Peak	281.00	200	Vertical	Pass
4**	7383.813	40.36	-3.85	54.0	13.64	AV	281.00	200	Vertical	Pass
5	11220.213	51.09	-0.21	74.0	22.91	Peak	247.00	100	Vertical	Pass
5**	11220.213	42.09	-0.21	54.0	11.91	AV	247.00	100	Vertical	Pass
6	15851.700	52.97	1.28	74.0	21.03	Peak	157.00	400	Vertical	Pass
6**	15851.700	44.72	1.28	54.0	9.28	AV	157.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.800	38.91	-17.30	74.0	35.09	Peak	94.00	400	Horizontal	Pass
1**	1537.800	29.28	-17.30	54.0	24.72	AV	94.00	400	Horizontal	Pass
2	4356.000	50.14	-2.49	74.0	23.86	Peak	0.00	200	Horizontal	Pass
2**	4356.000	42.16	-2.49	54.0	11.84	AV	0.00	200	Horizontal	Pass
3	5585.800	102.53	-0.92	--	--	Peak	68.00	200	Horizontal	N/A
3**	5585.800	95.97	-0.92	--	--	AV	68.00	200	Horizontal	N/A
4	7363.112	49.00	-4.01	74.0	25.00	Peak	0.00	200	Horizontal	Pass
4**	7363.112	41.05	-4.01	54.0	12.95	AV	0.00	200	Horizontal	Pass
5	10945.937	51.95	-0.15	74.0	22.05	Peak	214.00	100	Horizontal	Pass
5**	10945.937	42.81	-0.15	54.0	11.19	AV	214.00	100	Horizontal	Pass
6	15834.112	53.21	1.46	74.0	20.79	Peak	0.00	100	Horizontal	Pass
6**	15834.112	44.20	1.46	54.0	9.80	AV	0.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.200	38.60	-17.29	74.0	35.40	Peak	186.00	100	Vertical	Pass
1**	1473.200	29.69	-17.29	54.0	24.31	AV	186.00	100	Vertical	Pass
2	4356.400	50.51	-2.36	74.0	23.49	Peak	241.00	400	Vertical	Pass
2**	4356.400	41.12	-2.36	54.0	12.88	AV	241.00	400	Vertical	Pass
3	5577.800	102.93	-0.74	--	--	Peak	330.00	100	Vertical	N/A
3**	5577.800	95.22	-0.74	--	--	AV	330.00	100	Vertical	N/A
4	7375.763	49.07	-3.74	74.0	24.93	Peak	44.00	100	Vertical	Pass
4**	7375.763	40.08	-3.74	54.0	13.92	AV	44.00	100	Vertical	Pass
5	10935.588	51.98	-0.02	74.0	22.02	Peak	101.00	200	Vertical	Pass
5**	10935.588	42.17	-0.02	54.0	11.83	AV	101.00	200	Vertical	Pass
6	15841.988	54.32	1.42	74.0	19.68	Peak	0.00	400	Vertical	Pass
6**	15841.988	45.66	1.42	54.0	8.34	AV	0.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.400	39.08	-17.31	74.0	34.92	Peak	185.00	200	Horizontal	Pass
1**	1569.400	29.28	-17.31	54.0	24.72	AV	185.00	200	Horizontal	Pass
2	4377.800	49.77	-2.86	74.0	24.23	Peak	167.00	100	Horizontal	Pass
2**	4377.800	40.97	-2.86	54.0	13.03	AV	167.00	100	Horizontal	Pass
3	5659.000	102.78	-0.88	--	--	Peak	68.00	100	Horizontal	N/A
3**	5659.000	96.18	-0.88	--	--	AV	68.00	100	Horizontal	N/A
4	7371.450	49.07	-3.89	74.0	24.93	Peak	17.00	100	Horizontal	Pass
4**	7371.450	40.49	-3.89	54.0	13.51	AV	17.00	100	Horizontal	Pass
5	10617.900	51.33	-1.25	74.0	22.67	Peak	209.00	100	Horizontal	Pass
5**	10617.900	40.56	-1.25	54.0	13.44	AV	209.00	100	Horizontal	Pass
6	15839.625	53.31	1.45	74.0	20.69	Peak	19.00	200	Horizontal	Pass
6**	15839.625	44.36	1.45	54.0	9.64	AV	19.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.900	38.99	-17.19	74.0	35.01	Peak	149.00	400	Vertical	Pass
1**	1622.900	30.02	-17.19	54.0	23.98	AV	149.00	400	Vertical	Pass
2	4358.400	50.21	-2.67	74.0	23.79	Peak	169.00	300	Vertical	Pass
2**	4358.400	41.32	-2.67	54.0	12.68	AV	169.00	300	Vertical	Pass
3	5659.200	104.13	-0.91	--	--	Peak	320.00	100	Vertical	N/A
3**	5659.200	95.81	-0.91	--	--	AV	320.00	100	Vertical	N/A
4	7346.438	48.96	-3.82	74.0	25.04	Peak	218.00	100	Vertical	Pass
4**	7346.438	41.43	-3.82	54.0	12.57	AV	218.00	100	Vertical	Pass
5	11042.250	50.94	-0.55	74.0	23.06	Peak	85.00	100	Vertical	Pass
5**	11042.250	41.20	-0.55	54.0	12.80	AV	85.00	100	Vertical	Pass
6	16100.550	53.31	1.18	74.0	20.69	Peak	205.00	100	Vertical	Pass
6**	16100.550	44.44	1.18	54.0	9.56	AV	205.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.800	38.79	-17.41	74.0	35.21	Peak	266.00	200	Horizontal	Pass
1**	1558.800	29.00	-17.41	54.0	25.00	AV	266.00	200	Horizontal	Pass
2	4192.800	50.41	-3.94	74.0	23.59	Peak	0.00	300	Horizontal	Pass
2**	4192.800	40.75	-3.94	54.0	13.25	AV	0.00	300	Horizontal	Pass
3	5515.400	100.38	-2.11	--	--	Peak	84.00	150	Horizontal	N/A
3**	5515.400	92.95	-2.11	--	--	AV	84.00	150	Horizontal	N/A
4	7263.350	49.20	-3.04	74.0	24.80	Peak	305.00	400	Horizontal	Pass
4**	7263.350	38.65	-3.04	54.0	15.35	AV	305.00	400	Horizontal	Pass
5	10935.588	51.28	-0.02	74.0	22.72	Peak	29.00	200	Horizontal	Pass
5**	10935.588	42.92	-0.02	54.0	11.08	AV	29.00	200	Horizontal	Pass
6	15855.901	54.13	1.15	74.0	19.87	Peak	289.00	400	Horizontal	Pass
6**	15855.901	44.40	1.15	54.0	9.60	AV	289.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.800	38.33	-17.01	74.0	35.67	Peak	340.00	100	Vertical	Pass
1**	1545.800	29.87	-17.01	54.0	24.13	AV	340.00	100	Vertical	Pass
2	4356.400	51.03	-2.36	74.0	22.97	Peak	133.00	100	Vertical	Pass
2**	4356.400	41.69	-2.36	54.0	12.31	AV	133.00	100	Vertical	Pass
3	5522.200	102.83	-1.77	--	--	Peak	0.00	100	Vertical	N/A
3**	5522.200	94.38	-1.77	--	--	AV	0.00	100	Vertical	N/A
4	7373.463	49.80	-3.77	74.0	24.20	Peak	360.00	200	Vertical	Pass
4**	7373.463	40.62	-3.77	54.0	13.38	AV	360.00	200	Vertical	Pass
5	12225.887	51.02	1.31	74.0	22.98	Peak	199.00	200	Vertical	Pass
5**	12225.887	42.08	1.31	54.0	11.92	AV	199.00	200	Vertical	Pass
6	15824.137	53.28	1.68	74.0	20.72	Peak	78.00	200	Vertical	Pass
6**	15824.137	45.39	1.68	54.0	8.61	AV	78.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.700	38.83	-17.10	74.0	35.17	Peak	177.00	400	Horizontal	Pass
1**	1544.700	29.09	-17.10	54.0	24.91	AV	177.00	400	Horizontal	Pass
2	4165.400	49.94	-4.59	74.0	24.06	Peak	218.00	300	Horizontal	Pass
2**	4165.400	39.89	-4.59	54.0	14.11	AV	218.00	300	Horizontal	Pass
3	5513.600	98.25	-2.00	--	--	Peak	84.00	150	Horizontal	N/A
3**	5513.600	91.31	-2.00	--	--	AV	84.00	150	Horizontal	N/A
4	7361.675	50.11	-4.01	74.0	23.89	Peak	17.00	100	Horizontal	Pass
4**	7361.675	39.78	-4.01	54.0	14.22	AV	17.00	100	Horizontal	Pass
5	11608.337	50.96	-0.04	74.0	23.04	Peak	299.00	100	Horizontal	Pass
5**	11608.337	41.95	-0.04	54.0	12.05	AV	299.00	100	Horizontal	Pass
6	16090.838	53.69	1.42	74.0	20.31	Peak	317.00	100	Horizontal	Pass
6**	16090.838	44.37	1.42	54.0	9.63	AV	317.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.600	38.89	-17.43	74.0	35.11	Peak	51.00	100	Vertical	Pass
1**	1509.600	29.23	-17.43	54.0	24.77	AV	51.00	100	Vertical	Pass
2	4364.200	50.80	-2.76	74.0	23.20	Peak	89.00	100	Vertical	Pass
2**	4364.200	41.54	-2.76	54.0	12.46	AV	89.00	100	Vertical	Pass
3	5522.200	98.29	-1.77	--	--	Peak	0.00	150	Vertical	N/A
3**	5522.200	89.84	-1.77	--	--	AV	0.00	150	Vertical	N/A
4	7362.250	49.58	-4.01	74.0	24.42	Peak	85.00	300	Vertical	Pass
4**	7362.250	39.95	-4.01	54.0	14.05	AV	85.00	300	Vertical	Pass
5	12614.300	51.46	1.88	74.0	22.54	Peak	360.00	150	Vertical	Pass
5**	12614.300	41.16	1.88	54.0	12.84	AV	360.00	150	Vertical	Pass
6	15851.963	53.45	1.28	74.0	20.55	Peak	344.00	200	Vertical	Pass
6**	15851.963	44.05	1.28	54.0	9.95	AV	344.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.900	38.89	-17.25	74.0	35.11	Peak	189.00	400	Horizontal	Pass
1**	1623.900	29.77	-17.25	54.0	24.23	AV	189.00	400	Horizontal	Pass
2	4376.600	50.04	-2.91	74.0	23.96	Peak	348.00	100	Horizontal	Pass
2**	4376.600	41.06	-2.91	54.0	12.94	AV	348.00	100	Horizontal	Pass
3	5748.400	106.71	-1.54	--	--	Peak	83.00	200	Horizontal	N/A
3**	5748.400	99.22	-1.54	--	--	AV	83.00	200	Horizontal	N/A
4	7369.150	49.01	-4.09	74.0	24.99	Peak	14.00	200	Horizontal	Pass
4**	7369.150	41.28	-4.09	54.0	12.72	AV	14.00	200	Horizontal	Pass
5	10936.162	51.41	-0.02	74.0	22.59	Peak	346.00	200	Horizontal	Pass
5**	10936.162	42.66	-0.02	54.0	11.34	AV	346.00	200	Horizontal	Pass
6	15838.576	52.84	1.45	74.0	21.16	Peak	298.00	200	Horizontal	Pass
6**	15838.576	44.58	1.45	54.0	9.42	AV	298.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.000	39.44	-17.29	74.0	34.56	Peak	318.00	200	Vertical	Pass
1**	1538.000	29.25	-17.29	54.0	24.75	AV	318.00	200	Vertical	Pass
2	4358.800	50.39	-2.69	74.0	23.61	Peak	328.00	300	Vertical	Pass
2**	4358.800	40.78	-2.69	54.0	13.22	AV	328.00	300	Vertical	Pass
3	5743.400	106.72	-1.19	--	--	Peak	9.00	150	Vertical	N/A
3**	5743.400	100.07	-1.19	--	--	AV	9.00	150	Vertical	N/A
4	7353.050	49.56	-3.87	74.0	24.44	Peak	346.00	100	Vertical	Pass
4**	7353.050	40.21	-3.87	54.0	13.79	AV	346.00	100	Vertical	Pass
5	10935.300	52.16	-0.02	74.0	21.84	Peak	157.00	200	Vertical	Pass
5**	10935.300	41.95	-0.02	54.0	12.05	AV	157.00	200	Vertical	Pass
6	16082.437	53.40	1.59	74.0	20.60	Peak	345.00	100	Vertical	Pass
6**	16082.437	43.57	1.59	54.0	10.43	AV	345.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.600	38.93	-17.35	74.0	35.07	Peak	10.00	400	Horizontal	Pass
1**	1604.600	29.14	-17.35	54.0	24.86	AV	10.00	400	Horizontal	Pass
2	4353.200	49.54	-3.10	74.0	24.46	Peak	188.00	100	Horizontal	Pass
2**	4353.200	39.98	-3.10	54.0	14.02	AV	188.00	100	Horizontal	Pass
3	5787.000	107.12	-1.07	--	--	Peak	76.00	150	Horizontal	N/A
3**	5787.000	99.36	-1.07	--	--	AV	76.00	150	Horizontal	N/A
4	7372.888	50.30	-3.80	74.0	23.70	Peak	20.00	400	Horizontal	Pass
4**	7372.888	42.14	-3.80	54.0	11.86	AV	20.00	400	Horizontal	Pass
5	10929.838	51.74	0.09	74.0	22.26	Peak	78.00	200	Horizontal	Pass
5**	10929.838	41.89	0.09	54.0	12.11	AV	78.00	200	Horizontal	Pass
6	16097.138	53.90	1.27	74.0	20.10	Peak	86.00	100	Horizontal	Pass
6**	16097.138	44.19	1.27	54.0	9.81	AV	86.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.600	38.72	-17.19	74.0	35.28	Peak	82.00	300	Vertical	Pass
1**	1585.600	29.21	-17.19	54.0	24.79	AV	82.00	300	Vertical	Pass
2	4284.200	50.02	-3.01	74.0	23.98	Peak	265.00	200	Vertical	Pass
2**	4284.200	40.89	-3.01	54.0	13.11	AV	265.00	200	Vertical	Pass
3	5782.400	106.72	-0.92	--	--	Peak	331.00	150	Vertical	N/A
3**	5782.400	98.76	-0.92	--	--	AV	331.00	150	Vertical	N/A
4	7372.888	49.72	-3.80	74.0	24.28	Peak	68.00	200	Vertical	Pass
4**	7372.888	40.65	-3.80	54.0	13.35	AV	68.00	200	Vertical	Pass
5	10929.263	51.07	0.10	74.0	22.93	Peak	322.00	100	Vertical	Pass
5**	10929.263	42.27	0.10	54.0	11.73	AV	322.00	100	Vertical	Pass
6	16115.775	53.88	0.67	74.0	20.12	Peak	259.00	400	Vertical	Pass
6**	16115.775	44.56	0.67	54.0	9.44	AV	259.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.100	38.87	-17.41	74.0	35.13	Peak	40.00	400	Horizontal	Pass
1**	1596.100	28.87	-17.41	54.0	25.13	AV	40.00	400	Horizontal	Pass
2	4378.800	50.09	-2.95	74.0	23.91	Peak	267.00	200	Horizontal	Pass
2**	4378.800	41.46	-2.95	54.0	12.54	AV	267.00	200	Horizontal	Pass
3	5829.400	106.32	-1.16	--	--	Peak	69.00	200	Horizontal	N/A
3**	5829.400	98.97	-1.16	--	--	AV	69.00	200	Horizontal	N/A
4	7360.525	50.05	-4.03	74.0	23.95	Peak	9.00	100	Horizontal	Pass
4**	7360.525	39.87	-4.03	54.0	14.13	AV	9.00	100	Horizontal	Pass
5	10935.012	51.27	-0.01	74.0	22.73	Peak	90.00	100	Horizontal	Pass
5**	10935.012	41.81	-0.01	54.0	12.19	AV	90.00	100	Horizontal	Pass
6	15848.813	53.24	1.34	74.0	20.76	Peak	310.00	200	Horizontal	Pass
6**	15848.813	44.07	1.34	54.0	9.93	AV	310.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.600	38.31	-17.32	74.0	35.69	Peak	27.00	100	Vertical	Pass
1**	1472.600	28.95	-17.32	54.0	25.05	AV	27.00	100	Vertical	Pass
2	4378.800	50.42	-2.95	74.0	23.58	Peak	163.00	400	Vertical	Pass
2**	4378.800	40.84	-2.95	54.0	13.16	AV	163.00	400	Vertical	Pass
3	5824.000	105.34	-1.54	--	--	Peak	320.00	200	Vertical	N/A
3**	5824.000	98.26	-1.54	--	--	AV	320.00	200	Vertical	N/A
4	7367.425	48.88	-4.02	74.0	25.12	Peak	281.00	200	Vertical	Pass
4**	7367.425	40.67	-4.02	54.0	13.33	AV	281.00	200	Vertical	Pass
5	10933.000	51.11	0.03	74.0	22.89	Peak	70.00	100	Vertical	Pass
5**	10933.000	41.83	0.03	54.0	12.17	AV	70.00	100	Vertical	Pass
6	15818.100	52.97	1.95	74.0	21.03	Peak	35.00	400	Vertical	Pass
6**	15818.100	43.90	1.95	54.0	10.10	AV	35.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.300	38.72	-17.26	74.0	35.28	Peak	0.00	200	Horizontal	Pass
1**	1448.300	28.73	-17.26	54.0	25.27	AV	0.00	200	Horizontal	Pass
2	4171.600	50.14	-4.36	74.0	23.86	Peak	360.00	200	Horizontal	Pass
2**	4171.600	39.36	-4.36	54.0	14.64	AV	360.00	200	Horizontal	Pass
3	5740.600	104.57	-0.98	--	--	Peak	78.00	100	Horizontal	N/A
3**	5740.600	96.70	-0.98	--	--	AV	78.00	100	Horizontal	N/A
4	7346.150	48.82	-3.81	74.0	25.18	Peak	31.00	100	Horizontal	Pass
4**	7346.150	39.51	-3.81	54.0	14.49	AV	31.00	100	Horizontal	Pass
5	12231.925	51.13	1.25	74.0	22.87	Peak	214.00	100	Horizontal	Pass
5**	12231.925	41.48	1.25	54.0	12.52	AV	214.00	100	Horizontal	Pass
6	15832.537	53.99	1.47	74.0	20.01	Peak	14.00	100	Horizontal	Pass
6**	15832.537	44.24	1.47	54.0	9.76	AV	14.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.100	38.73	-17.53	74.0	35.27	Peak	164.00	200	Vertical	Pass
1**	1577.100	28.25	-17.53	54.0	25.75	AV	164.00	200	Vertical	Pass
2	4356.400	49.92	-2.36	74.0	24.08	Peak	205.00	200	Vertical	Pass
2**	4356.400	41.62	-2.36	54.0	12.38	AV	205.00	200	Vertical	Pass
3	5741.000	106.88	-1.08	--	--	Peak	7.00	100	Vertical	N/A
3**	5741.000	99.70	-1.08	--	--	AV	7.00	100	Vertical	N/A
4	7333.500	48.98	-3.51	74.0	25.02	Peak	300.00	400	Vertical	Pass
4**	7333.500	40.06	-3.51	54.0	13.94	AV	300.00	400	Vertical	Pass
5	10622.213	51.25	-1.20	74.0	22.75	Peak	174.00	200	Vertical	Pass
5**	10622.213	40.90	-1.20	54.0	13.10	AV	174.00	200	Vertical	Pass
6	16106.849	53.71	0.90	74.0	20.29	Peak	204.00	200	Vertical	Pass
6**	16106.849	44.64	0.90	54.0	9.36	AV	204.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.500	38.93	-17.31	74.0	35.07	Peak	237.00	100	Horizontal	Pass
1**	1595.500	28.76	-17.31	54.0	25.24	AV	237.00	100	Horizontal	Pass
2	4367.200	49.74	-3.01	74.0	24.26	Peak	235.00	200	Horizontal	Pass
2**	4367.200	41.24	-3.01	54.0	12.76	AV	235.00	200	Horizontal	Pass
3	5788.800	104.10	-1.57	--	--	Peak	68.00	100	Horizontal	N/A
3**	5788.800	96.42	-1.57	--	--	AV	68.00	100	Horizontal	N/A
4	7382.087	48.99	-3.80	74.0	25.01	Peak	220.00	200	Horizontal	Pass
4**	7382.087	40.77	-3.80	54.0	13.23	AV	220.00	200	Horizontal	Pass
5	10916.901	51.93	0.21	74.0	22.07	Peak	62.00	150	Horizontal	Pass
5**	10916.901	42.15	0.21	54.0	11.85	AV	62.00	150	Horizontal	Pass
6	16098.187	53.59	1.25	74.0	20.41	Peak	182.00	100	Horizontal	Pass
6**	16098.187	44.39	1.25	54.0	9.61	AV	182.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.700	39.05	-17.16	74.0	34.95	Peak	229.00	100	Vertical	Pass
1**	1587.700	28.91	-17.16	54.0	25.09	AV	229.00	100	Vertical	Pass
2	4380.000	50.50	-3.03	74.0	23.50	Peak	128.00	100	Vertical	Pass
2**	4380.000	41.57	-3.03	54.0	12.43	AV	128.00	100	Vertical	Pass
3	5781.400	106.34	-0.82	--	--	Peak	356.00	100	Vertical	N/A
3**	5781.400	98.81	-0.82	--	--	AV	356.00	100	Vertical	N/A
4	7350.175	49.46	-3.87	74.0	24.54	Peak	171.00	100	Vertical	Pass
4**	7350.175	40.19	-3.87	54.0	13.81	AV	171.00	100	Vertical	Pass
5	10913.162	51.08	0.19	74.0	22.92	Peak	171.00	200	Vertical	Pass
5**	10913.162	42.20	0.19	54.0	11.80	AV	171.00	200	Vertical	Pass
6	15858.000	53.62	1.03	74.0	20.38	Peak	284.00	400	Vertical	Pass
6**	15858.000	43.93	1.03	54.0	10.07	AV	284.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.200	38.91	-17.08	74.0	35.09	Peak	340.00	200	Horizontal	Pass
1**	1593.200	29.98	-17.08	54.0	24.02	AV	340.00	200	Horizontal	Pass
2	4369.400	50.37	-2.72	74.0	23.63	Peak	140.00	200	Horizontal	Pass
2**	4369.400	41.54	-2.72	54.0	12.46	AV	140.00	200	Horizontal	Pass
3	5826.800	106.08	-1.44	--	--	Peak	85.00	150	Horizontal	N/A
3**	5826.800	98.64	-1.44	--	--	AV	85.00	150	Horizontal	N/A
4	7374.325	49.29	-3.75	74.0	24.71	Peak	106.00	300	Horizontal	Pass
4**	7374.325	40.52	-3.75	54.0	13.48	AV	106.00	300	Horizontal	Pass
5	12330.825	51.15	1.40	74.0	22.85	Peak	41.00	200	Horizontal	Pass
5**	12330.825	41.34	1.40	54.0	12.66	AV	41.00	200	Horizontal	Pass
6	16098.975	53.25	1.23	74.0	20.75	Peak	40.00	400	Horizontal	Pass
6**	16098.975	46.31	1.23	54.0	7.69	AV	40.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.900	38.78	-17.46	74.0	35.22	Peak	281.00	300	Vertical	Pass
1**	1514.900	28.98	-17.46	54.0	25.02	AV	281.00	300	Vertical	Pass
2	4362.600	50.36	-2.63	74.0	23.64	Peak	295.00	400	Vertical	Pass
2**	4362.600	40.76	-2.63	54.0	13.24	AV	295.00	400	Vertical	Pass
3	5829.000	105.39	-1.18	--	--	Peak	328.00	200	Vertical	N/A
3**	5829.000	97.93	-1.18	--	--	AV	328.00	200	Vertical	N/A
4	7376.625	50.23	-3.73	74.0	23.77	Peak	49.00	100	Vertical	Pass
4**	7376.625	40.36	-3.73	54.0	13.64	AV	49.00	100	Vertical	Pass
5	11602.300	52.80	-0.04	74.0	21.20	Peak	348.00	200	Vertical	Pass
5**	11602.300	41.79	-0.04	54.0	12.21	AV	348.00	200	Vertical	Pass
6	15848.287	52.97	1.34	74.0	21.03	Peak	205.00	100	Vertical	Pass
6**	15848.287	44.40	1.34	54.0	9.60	AV	205.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.200	38.86	-17.31	74.0	35.14	Peak	191.00	100	Horizontal	Pass
1**	1573.200	29.72	-17.31	54.0	24.28	AV	191.00	100	Horizontal	Pass
2	4387.600	50.62	-2.97	74.0	23.38	Peak	136.00	300	Horizontal	Pass
2**	4387.600	40.45	-2.97	54.0	13.55	AV	136.00	300	Horizontal	Pass
3	5758.200	101.06	-1.20	--	--	Peak	82.00	100	Horizontal	N/A
3**	5758.200	93.54	-1.20	--	--	AV	82.00	100	Horizontal	N/A
4	7367.425	48.88	-4.02	74.0	25.12	Peak	202.00	400	Horizontal	Pass
4**	7367.425	40.23	-4.02	54.0	13.77	AV	202.00	400	Horizontal	Pass
5	10938.174	51.27	-0.04	74.0	22.73	Peak	269.00	150	Horizontal	Pass
5**	10938.174	42.41	-0.04	54.0	11.59	AV	269.00	150	Horizontal	Pass
6	15835.688	53.14	1.45	74.0	20.86	Peak	238.00	200	Horizontal	Pass
6**	15835.688	44.44	1.45	54.0	9.56	AV	238.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.100	39.35	-17.00	74.0	34.65	Peak	103.00	400	Vertical	Pass
1**	1546.100	30.04	-17.00	54.0	23.96	AV	103.00	400	Vertical	Pass
2	4277.800	49.95	-3.69	74.0	24.05	Peak	37.00	100	Vertical	Pass
2**	4277.800	40.22	-3.69	54.0	13.78	AV	37.00	100	Vertical	Pass
3	5758.000	101.31	-1.20	--	--	Peak	319.00	100	Vertical	N/A
3**	5758.000	93.51	-1.20	--	--	AV	319.00	100	Vertical	N/A
4	7368.000	49.91	-4.04	74.0	24.09	Peak	219.00	200	Vertical	Pass
4**	7368.000	40.85	-4.04	54.0	13.15	AV	219.00	200	Vertical	Pass
5	10919.775	51.94	0.24	74.0	22.06	Peak	155.00	100	Vertical	Pass
5**	10919.775	42.76	0.24	54.0	11.24	AV	155.00	100	Vertical	Pass
6	15839.887	53.09	1.45	74.0	20.91	Peak	207.00	300	Vertical	Pass
6**	15839.887	43.93	1.45	54.0	10.07	AV	207.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.400	38.65	-17.52	74.0	35.35	Peak	265.00	200	Horizontal	Pass
1**	1577.400	28.37	-17.52	54.0	25.63	AV	265.00	200	Horizontal	Pass
2	4384.400	50.15	-2.90	74.0	23.85	Peak	347.00	200	Horizontal	Pass
2**	4384.400	41.15	-2.90	54.0	12.85	AV	347.00	200	Horizontal	Pass
3	5787.200	99.91	-1.13	--	--	Peak	81.00	100	Horizontal	N/A
3**	5787.200	94.30	-1.13	--	--	AV	81.00	100	Horizontal	N/A
4	7265.937	49.19	-2.96	74.0	24.81	Peak	360.00	200	Horizontal	Pass
4**	7265.937	39.12	-2.96	54.0	14.88	AV	360.00	200	Horizontal	Pass
5	10619.912	50.61	-1.22	74.0	23.39	Peak	298.00	200	Horizontal	Pass
5**	10619.912	41.71	-1.22	54.0	12.29	AV	298.00	200	Horizontal	Pass
6	15842.250	53.20	1.41	74.0	20.80	Peak	261.00	300	Horizontal	Pass
6**	15842.250	44.48	1.41	54.0	9.52	AV	261.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.000	38.95	-17.33	74.0	35.05	Peak	340.00	200	Vertical	Pass
1**	1469.000	29.48	-17.33	54.0	24.52	AV	340.00	200	Vertical	Pass
2	4377.600	49.79	-2.85	74.0	24.21	Peak	143.00	200	Vertical	Pass
2**	4377.600	41.12	-2.85	54.0	12.88	AV	143.00	200	Vertical	Pass
3	5792.600	101.40	-1.67	--	--	Peak	360.00	150	Vertical	N/A
3**	5792.600	93.55	-1.67	--	--	AV	360.00	150	Vertical	N/A
4	7374.612	48.91	-3.75	74.0	25.09	Peak	106.00	100	Vertical	Pass
4**	7374.612	40.24	-3.75	54.0	13.76	AV	106.00	100	Vertical	Pass
5	12222.725	51.71	1.27	74.0	22.29	Peak	75.00	150	Vertical	Pass
5**	12222.725	41.67	1.27	54.0	12.33	AV	75.00	150	Vertical	Pass
6	15819.938	53.59	1.88	74.0	20.41	Peak	147.00	400	Vertical	Pass
6**	15819.938	44.53	1.88	54.0	9.47	AV	147.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.900	39.37	-17.12	74.0	34.63	Peak	1.00	400	Horizontal	Pass
1**	1621.900	29.64	-17.12	54.0	24.36	AV	1.00	400	Horizontal	Pass
2	4377.600	50.20	-2.85	74.0	23.80	Peak	166.00	300	Horizontal	Pass
2**	4377.600	41.04	-2.85	54.0	12.96	AV	166.00	300	Horizontal	Pass
3	5748.600	105.36	-1.51	--	--	Peak	71.00	100	Horizontal	N/A
3**	5748.600	98.55	-1.51	--	--	AV	71.00	100	Horizontal	N/A
4	7340.975	49.72	-3.60	74.0	24.28	Peak	232.00	200	Horizontal	Pass
4**	7340.975	40.01	-3.60	54.0	13.99	AV	232.00	200	Horizontal	Pass
5	10924.375	52.22	0.17	74.0	21.78	Peak	232.00	100	Horizontal	Pass
5**	10924.375	41.85	0.17	54.0	12.15	AV	232.00	100	Horizontal	Pass
6	15843.826	53.51	1.39	74.0	20.49	Peak	0.00	400	Horizontal	Pass
6**	15843.826	44.64	1.39	54.0	9.36	AV	0.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.700	39.22	-17.39	74.0	34.78	Peak	0.00	300	Vertical	Pass
1**	1508.700	28.96	-17.39	54.0	25.04	AV	0.00	300	Vertical	Pass
2	4189.400	49.73	-3.83	74.0	24.27	Peak	254.00	300	Vertical	Pass
2**	4189.400	40.36	-3.83	54.0	13.64	AV	254.00	300	Vertical	Pass
3	5740.400	106.10	-0.94	--	--	Peak	0.00	200	Vertical	N/A
3**	5740.400	99.18	-0.94	--	--	AV	0.00	200	Vertical	N/A
4	7363.400	48.98	-4.01	74.0	25.02	Peak	113.00	200	Vertical	Pass
4**	7363.400	39.90	-4.01	54.0	14.10	AV	113.00	200	Vertical	Pass
5	10935.012	51.46	-0.01	74.0	22.54	Peak	315.00	150	Vertical	Pass
5**	10935.012	42.28	-0.01	54.0	11.72	AV	315.00	150	Vertical	Pass
6	15848.287	53.85	1.34	74.0	20.15	Peak	190.00	100	Vertical	Pass
6**	15848.287	44.14	1.34	54.0	9.86	AV	190.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.100	38.90	-16.88	74.0	35.10	Peak	63.00	100	Horizontal	Pass
1**	1439.100	29.77	-16.88	54.0	24.23	AV	63.00	100	Horizontal	Pass
2	4363.800	50.53	-2.72	74.0	23.47	Peak	82.00	300	Horizontal	Pass
2**	4363.800	41.01	-2.72	54.0	12.99	AV	82.00	300	Horizontal	Pass
3	5788.600	105.20	-1.57	--	--	Peak	94.00	200	Horizontal	N/A
3**	5788.600	97.98	-1.57	--	--	AV	94.00	200	Horizontal	N/A
4	7362.537	49.33	-4.01	74.0	24.67	Peak	332.00	300	Horizontal	Pass
4**	7362.537	40.71	-4.01	54.0	13.29	AV	332.00	300	Horizontal	Pass
5	11418.013	51.37	-0.12	74.0	22.63	Peak	249.00	150	Horizontal	Pass
5**	11418.013	40.68	-0.12	54.0	13.32	AV	249.00	150	Horizontal	Pass
6	15830.438	53.48	1.49	74.0	20.52	Peak	334.00	200	Horizontal	Pass
6**	15830.438	44.30	1.49	54.0	9.70	AV	334.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.600	38.47	-17.44	74.0	35.53	Peak	189.00	400	Vertical	Pass
1**	1617.600	29.62	-17.44	54.0	24.38	AV	189.00	400	Vertical	Pass
2	4361.800	50.23	-2.63	74.0	23.77	Peak	267.00	300	Vertical	Pass
2**	4361.800	41.40	-2.63	54.0	12.60	AV	267.00	300	Vertical	Pass
3	5787.200	105.21	-1.13	--	--	Peak	0.00	200	Vertical	N/A
3**	5787.200	97.94	-1.13	--	--	AV	0.00	200	Vertical	N/A
4	7359.088	48.73	-4.08	74.0	25.27	Peak	360.00	300	Vertical	Pass
4**	7359.088	40.54	-4.08	54.0	13.46	AV	360.00	300	Vertical	Pass
5	12540.125	50.96	1.28	74.0	23.04	Peak	237.00	200	Vertical	Pass
5**	12540.125	41.94	1.28	54.0	12.06	AV	237.00	200	Vertical	Pass
6	15846.974	53.39	1.35	74.0	20.61	Peak	35.00	400	Vertical	Pass
6**	15846.974	44.09	1.35	54.0	9.91	AV	35.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.200	38.86	-17.27	74.0	35.14	Peak	195.00	200	Horizontal	Pass
1**	1468.200	28.93	-17.27	54.0	25.07	AV	195.00	200	Horizontal	Pass
2	4376.800	50.31	-2.90	74.0	23.69	Peak	258.00	300	Horizontal	Pass
2**	4376.800	41.17	-2.90	54.0	12.83	AV	258.00	300	Horizontal	Pass
3	5828.400	105.13	-1.25	--	--	Peak	81.00	150	Horizontal	N/A
3**	5828.400	97.99	-1.25	--	--	AV	81.00	150	Horizontal	N/A
4	7388.987	49.03	-4.06	74.0	24.97	Peak	14.00	200	Horizontal	Pass
4**	7388.987	39.39	-4.06	54.0	14.61	AV	14.00	200	Horizontal	Pass
5	12693.363	51.45	0.83	74.0	22.55	Peak	125.00	100	Horizontal	Pass
5**	12693.363	41.32	0.83	54.0	12.68	AV	125.00	100	Horizontal	Pass
6	15848.287	53.53	1.34	74.0	20.47	Peak	164.00	300	Horizontal	Pass
6**	15848.287	44.87	1.34	54.0	9.13	AV	164.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.700	38.46	-17.54	74.0	35.54	Peak	347.00	300	Vertical	Pass
1**	1470.700	28.64	-17.54	54.0	25.36	AV	347.00	300	Vertical	Pass
2	4285.600	50.18	-3.34	74.0	23.82	Peak	324.00	100	Vertical	Pass
2**	4285.600	40.79	-3.34	54.0	13.21	AV	324.00	100	Vertical	Pass
3	5828.200	104.68	-1.28	--	--	Peak	324.00	200	Vertical	N/A
3**	5828.200	96.78	-1.28	--	--	AV	324.00	200	Vertical	N/A
4	7339.537	48.94	-3.50	74.0	25.06	Peak	69.00	300	Vertical	Pass
4**	7339.537	40.05	-3.50	54.0	13.95	AV	69.00	300	Vertical	Pass
5	11729.662	51.03	0.86	74.0	22.97	Peak	102.00	150	Vertical	Pass
5**	11729.662	39.97	0.86	54.0	14.03	AV	102.00	150	Vertical	Pass
6	15838.576	53.64	1.45	74.0	20.36	Peak	110.00	200	Vertical	Pass
6**	15838.576	44.67	1.45	54.0	9.33	AV	110.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.000	38.86	-17.19	74.0	35.14	Peak	278.00	200	Horizontal	Pass
1**	1495.000	29.73	-17.19	54.0	24.27	AV	278.00	200	Horizontal	Pass
2	4358.400	50.16	-2.67	74.0	23.84	Peak	111.00	200	Horizontal	Pass
2**	4358.400	40.98	-2.67	54.0	13.02	AV	111.00	200	Horizontal	Pass
3	5748.400	102.51	-1.54	--	--	Peak	69.00	100	Horizontal	N/A
3**	5748.400	94.63	-1.54	--	--	AV	69.00	100	Horizontal	N/A
4	7354.200	49.12	-3.94	74.0	24.88	Peak	35.00	100	Horizontal	Pass
4**	7354.200	40.17	-3.94	54.0	13.83	AV	35.00	100	Horizontal	Pass
5	12226.463	51.53	1.31	74.0	22.47	Peak	0.00	150	Horizontal	Pass
5**	12226.463	42.15	1.31	54.0	11.85	AV	0.00	150	Horizontal	Pass
6	15528.825	53.54	1.18	74.0	20.46	Peak	53.00	300	Horizontal	Pass
6**	15528.825	43.10	1.18	54.0	10.90	AV	53.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.200	38.86	-17.20	74.0	35.14	Peak	334.00	400	Vertical	Pass
1**	1498.200	29.00	-17.20	54.0	25.00	AV	334.00	400	Vertical	Pass
2	4383.600	50.18	-2.90	74.0	23.82	Peak	7.00	300	Vertical	Pass
2**	4383.600	41.54	-2.90	54.0	12.46	AV	7.00	300	Vertical	Pass
3	5745.800	103.78	-1.27	--	--	Peak	360.00	200	Vertical	N/A
3**	5745.800	95.09	-1.27	--	--	AV	360.00	200	Vertical	N/A
4	7361.962	48.85	-4.01	74.0	25.15	Peak	50.00	300	Vertical	Pass
4**	7361.962	40.14	-4.01	54.0	13.86	AV	50.00	300	Vertical	Pass
5	10932.138	51.32	0.04	74.0	22.68	Peak	247.00	200	Vertical	Pass
5**	10932.138	42.23	0.04	54.0	11.77	AV	247.00	200	Vertical	Pass
6	15832.275	53.37	1.48	74.0	20.63	Peak	244.00	100	Vertical	Pass
6**	15832.275	44.48	1.48	54.0	9.52	AV	244.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.600	38.58	-17.32	74.0	35.42	Peak	129.00	100	Horizontal	Pass
1**	1503.600	29.07	-17.32	54.0	24.93	AV	129.00	100	Horizontal	Pass
2	4386.000	50.22	-3.03	74.0	23.78	Peak	188.00	200	Horizontal	Pass
2**	4386.000	40.79	-3.03	54.0	13.21	AV	188.00	200	Horizontal	Pass
3	5784.600	102.94	-1.18	--	--	Peak	75.00	150	Horizontal	N/A
3**	5784.600	94.80	-1.18	--	--	AV	75.00	150	Horizontal	N/A
4	7349.313	49.28	-3.86	74.0	24.72	Peak	116.00	100	Horizontal	Pass
4**	7349.313	40.24	-3.86	54.0	13.76	AV	116.00	100	Horizontal	Pass
5	10935.300	51.12	-0.02	74.0	22.88	Peak	0.00	150	Horizontal	Pass
5**	10935.300	41.55	-0.02	54.0	12.45	AV	0.00	150	Horizontal	Pass
6	15845.137	53.54	1.37	74.0	20.46	Peak	360.00	100	Horizontal	Pass
6**	15845.137	44.74	1.37	54.0	9.26	AV	360.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.600	38.68	-17.34	74.0	35.32	Peak	86.00	100	Vertical	Pass
1**	1482.600	28.66	-17.34	54.0	25.34	AV	86.00	100	Vertical	Pass
2	4363.200	50.36	-2.67	74.0	23.64	Peak	70.00	100	Vertical	Pass
2**	4363.200	40.90	-2.67	54.0	13.10	AV	70.00	100	Vertical	Pass
3	5798.800	102.25	-1.61	--	--	Peak	331.00	100	Vertical	N/A
3**	5798.800	93.66	-1.61	--	--	AV	331.00	100	Vertical	N/A
4	7372.888	49.43	-3.80	74.0	24.57	Peak	360.00	300	Vertical	Pass
4**	7372.888	40.52	-3.80	54.0	13.48	AV	360.00	300	Vertical	Pass
5	10913.738	51.31	0.19	74.0	22.69	Peak	360.00	100	Vertical	Pass
5**	10913.738	42.13	0.19	54.0	11.87	AV	360.00	100	Vertical	Pass
6	15848.025	53.33	1.35	74.0	20.67	Peak	360.00	300	Vertical	Pass
6**	15848.025	44.65	1.35	54.0	9.35	AV	360.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.500	38.79	-17.56	74.0	35.21	Peak	78.00	100	Horizontal	Pass
1**	1611.500	29.35	-17.56	54.0	24.65	AV	78.00	100	Horizontal	Pass
2	4383.800	50.85	-2.88	74.0	23.15	Peak	253.00	300	Horizontal	Pass
2**	4383.800	41.12	-2.88	54.0	12.88	AV	253.00	300	Horizontal	Pass
3	5758.600	100.27	-1.22	--	--	Peak	81.00	100	Horizontal	N/A
3**	5758.600	93.48	-1.22	--	--	AV	81.00	100	Horizontal	N/A
4	7380.938	48.92	-3.68	74.0	25.08	Peak	131.00	400	Horizontal	Pass
4**	7380.938	40.40	-3.68	54.0	13.60	AV	131.00	400	Horizontal	Pass
5	10919.775	51.38	0.24	74.0	22.62	Peak	281.00	100	Horizontal	Pass
5**	10919.775	42.57	0.24	54.0	11.43	AV	281.00	100	Horizontal	Pass
6	15835.950	53.28	1.45	74.0	20.72	Peak	216.00	400	Horizontal	Pass
6**	15835.950	44.58	1.45	54.0	9.42	AV	216.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.800	38.59	-17.25	74.0	35.41	Peak	68.00	200	Vertical	Pass
1**	1543.800	29.46	-17.25	54.0	24.54	AV	68.00	200	Vertical	Pass
2	4361.400	50.56	-2.63	74.0	23.44	Peak	277.00	200	Vertical	Pass
2**	4361.400	40.74	-2.63	54.0	13.26	AV	277.00	200	Vertical	Pass
3	5758.000	100.37	-1.20	--	--	Peak	0.00	200	Vertical	N/A
3**	5758.000	92.67	-1.20	--	--	AV	0.00	200	Vertical	N/A
4	7385.250	49.34	-3.89	74.0	24.66	Peak	0.00	200	Vertical	Pass
4**	7385.250	39.86	-3.89	54.0	14.14	AV	0.00	200	Vertical	Pass
5	11937.812	51.65	1.69	74.0	22.35	Peak	218.00	200	Vertical	Pass
5**	11937.812	42.29	1.69	54.0	11.71	AV	218.00	200	Vertical	Pass
6	15818.625	53.28	1.93	74.0	20.72	Peak	203.00	200	Vertical	Pass
6**	15818.625	43.98	1.93	54.0	10.02	AV	203.00	200	Vertical	Pass

Simultaneous transmission

MAIN antenna: 5G 802.11n20 mode + AUX antenna: BLE mode and 5G 802.11n20 mode

30 MHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.800	39.14	-17.23	74.0	34.86	Peak	28.00	100	Horizontal	Pass
1**	1608.800	29.56	-17.23	54.0	24.44	AV	28.00	100	Horizontal	Pass
2	2402.100	100.96	-11.74	--	--	Peak	281.00	100	Horizontal	N/A
2**	2402.100	100.72	-11.74	--	--	AV	281.00	100	Horizontal	N/A
3	5184.600	103.56	-1.52	--	--	Peak	62.00	200	Horizontal	N/A
3**	5184.600	96.36	-1.52	--	--	AV	62.00	200	Horizontal	N/A
4	7363.687	49.15	-4.01	74.0	24.85	Peak	313.00	300	Horizontal	Pass
4**	7363.687	40.61	-4.01	54.0	13.39	AV	313.00	300	Horizontal	Pass
5	12228.187	51.41	1.31	74.0	22.59	Peak	18.00	150	Horizontal	Pass
5**	12228.187	42.85	1.31	54.0	11.15	AV	18.00	150	Horizontal	Pass
6	15847.500	53.51	1.35	74.0	20.49	Peak	131.00	200	Horizontal	Pass
6**	15847.500	45.26	1.35	54.0	8.74	AV	131.00	200	Horizontal	Pass

30 MHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.900	38.89	-17.38	74.0	35.11	Peak	201.00	100	Vertical	Pass
1**	1542.900	28.77	-17.38	54.0	25.23	AV	201.00	100	Vertical	Pass
2	2401.800	87.33	-11.74	--	--	Peak	280.00	100	Vertical	N/A
2**	2401.800	86.79	-11.74	--	--	AV	280.00	100	Vertical	N/A
3	5184.000	96.14	-1.60	--	--	Peak	360.00	200	Vertical	N/A
3**	5184.000	89.38	-1.60	--	--	AV	360.00	200	Vertical	N/A
4	7377.487	48.91	-3.72	74.0	25.09	Peak	345.00	300	Vertical	Pass
4**	7377.487	40.45	-3.72	54.0	13.55	AV	345.00	300	Vertical	Pass
5	10907.125	51.10	0.17	74.0	22.90	Peak	57.00	200	Vertical	Pass
5**	10907.125	41.35	0.17	54.0	12.65	AV	57.00	200	Vertical	Pass
6	15848.287	52.99	1.34	74.0	21.01	Peak	343.00	300	Vertical	Pass
6**	15848.287	45.24	1.34	54.0	8.76	AV	343.00	300	Vertical	Pass

A.6.2 Band Edge (Restricted-band)


Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass

Test Data and Plots

Main Antenna


U-NII-1 11a CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	62.47	3.89	74.0	11.53	Peak	152.00	200	Vertical	Pass
1**	5149.025	50.35	3.89	54.0	3.65	AV	152.00	200	Vertical	Pass
2	5149.675	61.10	3.93	74.0	12.90	Peak	141.00	200	Vertical	Pass
2**	5149.675	50.13	3.93	54.0	3.87	AV	141.00	200	Vertical	Pass
3	5150.000	60.23	3.95	74.0	13.77	Peak	152.00	100	Vertical	Pass
3**	5150.000	50.71	3.95	54.0	3.29	AV	152.00	100	Vertical	Pass

U-NII-1 11a CH48


Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.38	4.22	74.0	17.62	Peak	251.00	200	Vertical	Pass
1**	5350.000	46.31	4.22	54.0	7.69	AV	251.00	200	Vertical	Pass
2	5458.166	59.50	5.53	74.0	14.50	Peak	202.00	150	Vertical	Pass
2**	5458.166	47.28	5.53	54.0	6.72	AV	202.00	150	Vertical	Pass

U-NII-1 11n20 CH36


Bandedge_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	62.94	3.86	74.0	11.06	Peak	151.00	150	Vertical	Pass
1**	5146.425	48.91	3.86	54.0	5.09	AV	151.00	150	Vertical	Pass
2	5149.675	60.84	3.93	74.0	13.16	Peak	151.00	200	Vertical	Pass
2**	5149.675	50.64	3.93	54.0	3.36	AV	151.00	200	Vertical	Pass

U-NII-1 11n20 CH48


Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.65	4.22	74.0	16.35	Peak	349.00	150	Vertical	Pass
1**	5350.000	46.37	4.22	54.0	7.63	AV	349.00	150	Vertical	Pass
2	5444.783	58.76	5.56	74.0	15.24	Peak	360.00	200	Vertical	Pass
2**	5444.783	47.50	5.56	54.0	6.50	AV	360.00	200	Vertical	Pass

U-NII-1 11n40 CH38


Bandedge_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	60.75	3.91	74.0	13.25	Peak	150.00	200	Vertical	Pass
1**	5149.350	50.60	3.91	54.0	3.40	AV	150.00	200	Vertical	Pass
2	5149.675	60.50	3.93	74.0	13.50	Peak	143.00	200	Vertical	Pass
2**	5149.675	50.34	3.93	54.0	3.66	AV	143.00	200	Vertical	Pass
3	5150.000	60.10	3.95	74.0	13.90	Peak	146.00	100	Vertical	Pass
3**	5150.000	50.75	3.95	54.0	3.25	AV	146.00	100	Vertical	Pass


U-NII-1 11n40 CH46

Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.32	4.22	74.0	17.68	Peak	360.00	200	Vertical	Pass
1**	5350.000	46.23	4.22	54.0	7.77	AV	360.00	200	Vertical	Pass
2	5453.767	59.09	5.62	74.0	14.91	Peak	333.00	100	Vertical	Pass
2**	5453.767	47.43	5.62	54.0	6.57	AV	333.00	100	Vertical	Pass


U-NII-1 11ac20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.325	60.55	4.14	74.0	13.45	Peak	146.00	100	Vertical	Pass
1**	5137.325	48.18	4.14	54.0	5.82	AV	146.00	100	Vertical	Pass
2	5149.675	62.54	3.93	74.0	11.46	Peak	0.00	100	Vertical	Pass
2**	5149.675	49.58	3.93	54.0	4.42	AV	0.00	100	Vertical	Pass


U-NII-1 11ac20 CH48

Bandedge_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.37	4.22	74.0	16.63	Peak	230.00	200	Vertical	Pass
1**	5350.000	46.24	4.22	54.0	7.76	AV	230.00	200	Vertical	Pass
2	5455.783	59.23	5.63	74.0	14.77	Peak	129.00	150	Vertical	Pass
2**	5455.783	47.54	5.63	54.0	6.46	AV	129.00	150	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	60.81	3.91	74.0	13.19	Peak	152.00	100	Vertical	Pass
1**	5149.350	49.95	3.91	54.0	4.05	AV	152.00	100	Vertical	Pass
2	5149.675	59.85	3.93	74.0	14.15	Peak	144.00	150	Vertical	Pass
2**	5149.675	50.66	3.93	54.0	3.34	AV	144.00	150	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.09	4.22	74.0	17.91	Peak	275.00	150	Vertical	Pass
1**	5350.000	46.42	4.22	54.0	7.58	AV	275.00	150	Vertical	Pass
2	5440.567	59.44	5.02	74.0	14.56	Peak	96.00	200	Vertical	Pass
2**	5440.567	47.39	5.02	54.0	6.61	AV	96.00	200	Vertical	Pass

U-NII-1 11ac80 CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	61.11	4.27	74.0	12.89	Peak	149.00	200	Vertical	Pass
1**	5142.850	49.98	4.27	54.0	4.02	AV	149.00	200	Vertical	Pass
2	5149.675	60.88	3.93	74.0	13.12	Peak	149.00	200	Vertical	Pass
2**	5149.675	50.46	3.93	54.0	3.54	AV	149.00	200	Vertical	Pass


U-NII-1 11ac80 CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.42	4.22	74.0	17.58	Peak	137.00	150	Vertical	Pass
1**	5350.000	46.07	4.22	54.0	7.93	AV	137.00	150	Vertical	Pass
2	5454.317	59.32	5.60	74.0	14.68	Peak	50.00	150	Vertical	Pass
2**	5454.317	47.28	5.60	54.0	6.72	AV	50.00	150	Vertical	Pass

U-NII-2A 11a CH52


Bandedge_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.250	58.66	4.55	74.0	15.34	Peak	301.00	100	Vertical	Pass
1**	5101.250	48.11	4.55	54.0	5.89	AV	301.00	100	Vertical	Pass
2	5149.675	56.91	3.93	74.0	17.09	Peak	175.00	200	Vertical	Pass
2**	5149.675	47.66	3.93	54.0	6.34	AV	175.00	200	Vertical	Pass


U-NII-2A 11a CH64

Bandedge_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.05	4.22	74.0	13.95	Peak	360.00	200	Vertical	Pass
1**	5350.000	49.17	4.22	54.0	4.83	AV	360.00	200	Vertical	Pass
2	5356.050	61.07	4.45	74.0	12.93	Peak	360.00	150	Vertical	Pass
2**	5356.050	48.13	4.45	54.0	5.87	AV	360.00	150	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4891.625	58.54	3.82	74.0	15.46	Peak	85.00	200	Vertical	Pass
1**	4891.625	46.74	3.82	54.0	7.26	AV	85.00	200	Vertical	Pass
2	5149.675	57.12	3.93	74.0	16.88	Peak	153.00	200	Vertical	Pass
2**	5149.675	48.19	3.93	54.0	5.81	AV	153.00	200	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.30	4.22	74.0	14.70	Peak	151.00	100	Vertical	Pass
1**	5350.000	48.90	4.22	54.0	5.10	AV	151.00	100	Vertical	Pass
2	5352.750	60.03	4.16	74.0	13.97	Peak	144.00	200	Vertical	Pass
2**	5352.750	48.59	4.16	54.0	5.41	AV	144.00	200	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5113.275	58.67	4.26	74.0	15.33	Peak	12.00	150	Vertical	Pass
1**	5113.275	47.49	4.26	54.0	6.51	AV	12.00	150	Vertical	Pass
2	5149.675	57.24	3.93	74.0	16.76	Peak	180.00	150	Vertical	Pass
2**	5149.675	47.62	3.93	54.0	6.38	AV	180.00	150	Vertical	Pass

U-NII-2A 11n40 CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.09	4.22	74.0	12.91	Peak	150.00	200	Vertical	Pass
1**	5350.000	50.60	4.22	54.0	3.40	AV	150.00	200	Vertical	Pass
2	5351.100	61.92	4.17	74.0	12.08	Peak	145.00	100	Vertical	Pass
2**	5351.100	50.32	4.17	54.0	3.68	AV	145.00	100	Vertical	Pass


U-NII-2A 11ac20 CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5112.300	59.12	4.26	74.0	14.88	Peak	147.00	150	Vertical	Pass
1**	5112.300	47.65	4.26	54.0	6.35	AV	147.00	150	Vertical	Pass
2	5149.675	57.34	3.93	74.0	16.66	Peak	57.00	200	Vertical	Pass
2**	5149.675	47.62	3.93	54.0	6.38	AV	57.00	200	Vertical	Pass


U-NII-2A 11ac20 CH64

Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.80	4.22	74.0	14.20	Peak	150.00	100	Vertical	Pass
1**	5350.000	49.50	4.22	54.0	4.50	AV	150.00	100	Vertical	Pass
2	5350.367	61.69	4.20	74.0	12.31	Peak	145.00	100	Vertical	Pass
2**	5350.367	49.09	4.20	54.0	4.91	AV	145.00	100	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4891.625	58.92	3.82	74.0	15.08	Peak	0.00	150	Vertical	Pass
1**	4891.625	46.94	3.82	54.0	7.06	AV	0.00	150	Vertical	Pass
2	5149.675	56.74	3.93	74.0	17.26	Peak	207.00	150	Vertical	Pass
2**	5149.675	47.69	3.93	54.0	6.31	AV	207.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.21	4.22	74.0	12.79	Peak	140.00	100	Vertical	Pass
1**	5350.000	49.98	4.22	54.0	4.02	AV	140.00	100	Vertical	Pass
2	5351.100	61.78	4.17	74.0	12.22	Peak	134.00	200	Vertical	Pass
2**	5351.100	49.60	4.17	54.0	4.40	AV	134.00	200	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	59.91	4.27	74.0	14.09	Peak	146.00	150	Vertical	Pass
1**	5142.850	48.63	4.27	54.0	5.37	AV	146.00	150	Vertical	Pass
2	5149.675	57.27	3.93	74.0	16.73	Peak	340.00	150	Vertical	Pass
2**	5149.675	48.49	3.93	54.0	5.51	AV	340.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.98	4.22	74.0	14.02	Peak	198.00	200	Vertical	Pass
1**	5350.000	49.79	4.22	54.0	4.21	AV	198.00	200	Vertical	Pass
2	5352.383	62.73	4.16	74.0	11.27	Peak	138.00	150	Vertical	Pass
2**	5352.383	49.54	4.16	54.0	4.46	AV	138.00	150	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.820	60.11	5.31	74.0	13.89	Peak	137.00	150	Vertical	Pass
1**	5442.820	48.52	5.31	54.0	5.48	AV	137.00	150	Vertical	Pass
2	5459.980	59.02	5.37	74.0	14.98	Peak	187.00	100	Vertical	Pass
2**	5459.980	48.34	5.37	54.0	5.66	AV	187.00	100	Vertical	Pass
3	5469.220	60.34	4.99	68.2	7.86	Peak	134.00	100	Vertical	Pass
3**	5469.220	49.03	4.99	--	--	AV	134.00	100	Vertical	N/A
4	5469.940	58.77	5.05	68.2	9.43	Peak	299.00	150	Vertical	Pass
4**	5469.940	49.31	5.05	--	--	AV	299.00	150	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.14	4.76	68.2	7.06	Peak	193.00	100	Vertical	Pass
2	5728.187	62.84	5.05	68.2	5.36	Peak	182.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.180	60.19	5.61	74.0	13.81	Peak	302.00	100	Vertical	Pass
1**	5452.180	48.48	5.61	54.0	5.52	AV	302.00	100	Vertical	Pass
2	5459.980	58.02	5.37	74.0	15.98	Peak	188.00	100	Vertical	Pass
2**	5459.980	48.01	5.37	54.0	5.99	AV	188.00	100	Vertical	Pass
3	5469.880	64.64	5.05	68.2	3.56	Peak	182.00	100	Vertical	Pass
3**	5469.880	49.52	5.05	--	--	AV	182.00	100	Vertical	N/A
4	5469.940	59.68	5.05	68.2	8.52	Peak	141.00	150	Vertical	Pass
4**	5469.940	49.92	5.05	--	--	AV	141.00	150	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.30	4.76	68.2	5.90	Peak	317.00	150	Vertical	Pass
2	5725.500	64.78	4.79	68.2	3.42	Peak	317.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.540	59.42	5.64	74.0	14.58	Peak	147.00	200	Vertical	Pass
1**	5452.540	48.70	5.64	54.0	5.30	AV	147.00	200	Vertical	Pass
2	5459.980	60.36	5.37	74.0	13.64	Peak	139.00	100	Vertical	Pass
2**	5459.980	48.73	5.37	54.0	5.27	AV	139.00	100	Vertical	Pass
3	5468.860	63.81	4.96	68.2	4.39	Peak	142.00	150	Vertical	Pass
3**	5468.860	51.31	4.96	--	--	AV	142.00	150	Vertical	N/A
4	5469.940	61.95	5.05	68.2	6.25	Peak	144.00	200	Vertical	Pass
4**	5469.940	52.20	5.05	--	--	AV	144.00	200	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.73	4.76	68.2	10.47	Peak	200.00	200	Vertical	Pass
2	5838.500	60.25	6.30	68.2	7.95	Peak	2.00	100	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.780	59.87	5.63	74.0	14.13	Peak	156.00	100	Vertical	Pass
1**	5455.780	48.75	5.63	54.0	5.25	AV	156.00	100	Vertical	Pass
2	5459.980	57.72	5.37	74.0	16.28	Peak	286.00	150	Vertical	Pass
2**	5459.980	48.17	5.37	54.0	5.83	AV	286.00	150	Vertical	Pass
3	5468.860	62.14	4.96	68.2	6.06	Peak	136.00	100	Vertical	Pass
3**	5468.860	49.06	4.96	--	--	AV	136.00	100	Vertical	N/A
4	5469.940	60.49	5.05	68.2	7.71	Peak	197.00	100	Vertical	Pass
4**	5469.940	49.33	5.05	--	--	AV	197.00	100	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.91	4.76	68.2	6.29	Peak	311.00	200	Vertical	Pass
2	5725.625	64.52	4.80	68.2	3.68	Peak	311.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.500	61.72	5.35	74.0	12.28	Peak	140.00	150	Vertical	Pass
1**	5459.500	49.06	5.35	54.0	4.94	AV	140.00	150	Vertical	Pass
2	5459.980	60.05	5.37	74.0	13.95	Peak	140.00	100	Vertical	Pass
2**	5459.980	49.79	5.37	54.0	4.21	AV	140.00	100	Vertical	Pass
3	5468.740	64.48	4.95	68.2	3.72	Peak	137.00	100	Vertical	Pass
3**	5468.740	52.72	4.95	--	--	AV	137.00	100	Vertical	N/A
4	5469.940	63.40	5.05	68.2	4.80	Peak	292.00	100	Vertical	Pass
4**	5469.940	52.75	5.05	--	--	AV	292.00	100	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.81	4.77	68.2	9.39	Peak	341.00	200	Vertical	Pass
2	5726.625	60.54	4.85	68.2	7.66	Peak	183.00	200	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.560	62.55	5.35	74.0	11.45	Peak	144.00	100	Vertical	Pass
1**	5459.560	50.34	5.35	54.0	3.66	AV	144.00	100	Vertical	Pass
2	5459.980	60.01	5.37	74.0	13.99	Peak	141.00	150	Vertical	Pass
2**	5459.980	50.83	5.37	54.0	3.17	AV	141.00	150	Vertical	Pass
3	5469.700	63.56	5.04	68.2	4.64	Peak	137.00	150	Vertical	Pass
3**	5469.700	51.01	5.04	--	--	AV	137.00	150	Vertical	N/A
4	5469.940	60.63	5.05	68.2	7.57	Peak	141.00	200	Vertical	Pass
4**	5469.940	51.41	5.05	--	--	AV	141.00	200	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.98	4.76	68.2	7.22	Peak	316.00	100	Vertical	Pass
2	5726.063	62.23	4.82	68.2	5.97	Peak	345.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.062	59.13	4.28	68.2	9.07	Peak	28.00	100	Vertical	Pass
2	5650.000	56.88	4.48	68.2	11.32	Peak	91.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.11	4.55	68.3	11.19	Peak	303.00	200	Vertical	Pass
2	5993.400	60.71	5.93	68.2	7.49	Peak	212.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.063	59.62	4.06	68.2	8.58	Peak	197.00	200	Vertical	Pass
2	5650.000	56.85	4.48	68.2	11.35	Peak	231.00	100	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.68	4.55	68.3	10.62	Peak	71.00	100	Vertical	Pass
2	5991.450	60.71	5.74	68.2	7.49	Peak	127.00	100	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.063	59.40	4.11	68.2	8.80	Peak	202.00	150	Vertical	Pass
2	5650.000	56.92	4.48	68.2	11.28	Peak	144.00	200	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.45	4.55	68.3	10.85	Peak	254.00	150	Vertical	Pass
2	5974.575	61.23	6.39	68.2	6.97	Peak	351.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5607.312	59.58	4.09	68.2	8.62	Peak	226.00	100	Vertical	Pass
2	5650.000	56.50	4.48	68.2	11.70	Peak	178.00	200	Vertical	Pass

U-NII-3 11ac20 CH165



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.08	4.55	68.3	11.22	Peak	123.00	100	Vertical	Pass
2	5976.450	61.06	6.14	68.2	7.14	Peak	242.00	200	Vertical	Pass

U-NII-3 11ac40 CH151



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.687	59.10	4.04	68.2	9.10	Peak	241.00	150	Vertical	Pass
2	5650.000	56.97	4.48	68.2	11.23	Peak	344.00	100	Vertical	Pass