

RF Exposure Report

Report No.: SA180914D03

FCC ID: P27GEN3505A

Test Model: OC3505A

Series Model: OC3505B

Received Date: Sep. 14, 2018

Test Date: Nov. 6, 2018 to May 3, 2019 and Nov. 21, 2019 to Jan. 10, 2020

Issued Date: Jan. 13, 2020

Applicant: Sercomm Corp.

Address: 8F, No. 3-1, YuanQu St., NanKang, Taipei 115, Taiwan, R.O.C. (NanKang

Software Park)

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

FCC Registration /

Designation Number: 198487 / TW2021





This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specific mention, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification. The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any government agencies.

Report No.: SA180914D03 Page No. 1 / 6 Report Format Version: 6.1.1



Table of Contents

Releas	Release Control Record			
1	Certificate of Conformity	. 4		
	RF Exposure			
2.1	Limits For Maximum Permissible Exposure (MPE)	5		
2.2	MPE Calculation Formula	. 5		
2.3	Classification	. 5		
2.4	Calculation Result of Maximum Conducted Power	. 6		



Release Control Record

Issue No.	Description	Date Issued
SA180914D03	Original release.	Jan. 13, 2020



1 Certificate of Conformity

Product: CBRS Fixed Wireless CPE

Brand: Sercomm

Test Model: OC3505A

Series Model: OC3505B

Sample Status: Engineering sample

Applicant: Sercomm Corp.

Test Date: Nov. 6, 2018 to May 3, 2019 and Nov. 21, 2019 to Jan. 10, 2020

Standards: FCC Part 2 (Section 2.1091)

KDB 447498 D01 General RF Exposure Guidance v06

IEEE C95.1-1992

The above equipment has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's RF characteristics under the conditions specified in this report.

Prepared by :	Cloa Chen	, Date:	Jan. 13, 2020
---------------	-----------	---------	---------------

Celia Chen / Supervisor

7, 01

Approved by : , **Date:** Jan. 13, 2020

Rex Lai / Associate Technical Manager



2 RF Exposure

2.1 Limits For Maximum Permissible Exposure (MPE)

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Average Time (minutes)	
Limits For General Population / Uncontrolled Exposure					
0.3-1.34	614	1.63	(100)*	30	
1.34-30	824/f	2.19/f	(180/f ²)*	30	
30-300	27.5	0.073	0.2	30	
300-1500			f/1500	30	
1500-100,000			1.0	30	

f = Frequency in MHz; *Plane-wave equivalent power density

2.2 MPE Calculation Formula

 $Pd = (Pout*G) / (4*pi*r^2)$

where

Pd = power density in mW/cm²

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

2.3 Classification

The antenna of this product, under normal use condition, is at least 47cm away from the body of the user. So, this device is classified as **Mobile Device**.



2.4 Calculation Result of Maximum Conducted Power

Frequency Band	EIRP	Distance	Power Density	Limit
(MHz)	(dBm)	(cm)	(mW/cm ²)	(mW/cm²)
CBRS band: 3552.5 ~ 3697.5	44.35	47	0.9808	1

Note: Determining compliance based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

	ΕN	ID	
--	----	----	--