

Page: 1 of 196

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION **CLASS II PERMISSIVE CHANGE TEST REPORT**

OF

Product Name: SX-PCEAC2

Brand Name: silex technology, inc.

SX-PCEAC2 Model No.:

Model Difference: N/A

FCC ID: N6C-SXPCEAC2

Report No.: ER/2017/C0087

Issue Date: Jun 01, 2018

FCC Rule Part: §15.407

silex technology, Inc.

2-3-1Hikaridai, Seika-cho, Souraku-gun, **Prepared for:**

Kyoto 619-0237, Japan

SGS Taiwan Ltd.

Electronics & Communication Laboratory

No.134, Wu Kung Road, New Taipei Industrial Prepared by:

Park, Wuku District, New Taipei City, Taiwan

24803





0513

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

SGS Taiwan Ltd.



Page: 2 of 196

VERIFICATION OF COMPLIANCE

silex technology, Inc. **Applicant:**

2-3-1Hikaridai, Seika-cho, Souraku-gun, Kyoto 619-0237, Japan

Product Name: SX-PCEAC2

Brand Name: silex technology, inc.

Model No.: SX-PCEAC2

Model Difference: N/A

FCC ID: N6C-SXPCEAC2 File Number: ER/2017/C0087

Date of Test: Dec. 20, 2017~ May 17, 2018

Date of EUT Received: Dec. 13, 2017

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Cooper Hou	Date:	Jun 01, 2018	
	Cooper Hsu / Engineer			
Prepared By:	Yuri Tsou	Date:	Jun 01, 2018	
Approved By:	Yuri Tsai / Clerk Jim Chang / Manager	Date:	Jun 01, 2018	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 3 of 196

Revision History

Report Number	Revision	Description	Issue Date
ER/2017/C0087	Rev.00	Initial creation of document	Jun 01, 2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkfungRand.NewTaipeiIndustrialPark WulkfungRand NewTaipeiIndustrialPark WulkfungRand NewTaipei

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 4 of 196

Contents

1	GENERAL INFORMATION	5
2	SYSTEM TEST CONFIGURATION	9
3	SUMMARY OF TEST RESULT	11
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	15
6	UNDESIRABLE RADIATED EMISSION MEASUREMENT	16
7	ANTENNA REQUIREMENT	196

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipellindustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.000, 2000,

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

www.tw.sgs.com



Page: 5 of 196

GENERAL INFORMATION

1.1 Product Description

General:

Octional.	
Product Name:	SX-PCEAC2
Brand Name:	silex technology, inc.
Model No.:	SX-PCEAC2
Model Difference:	N/A
Software version:	N/A
Hardware version:	N/A
Power Supply:	DC 3.3V

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkfungRand.NewTaipeiIndustrialPark WulkfungRand NewTaipeiIndustrialPark WulkfungRand NewTaipei

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 6 of 196

WLAN 5GHz:

Wi-Fi 802.11	Frequency Range	Channels	Modulation Technology	
	5150~5250	4		
2	5250~5350	4	OFDM	
а	5470~5725	12	OFDIVI	
	5725-5850	5		
	5150~5250	4		
n_HT ac VHT	5250~5350	4	OFDM	
20M	5470~5725	11	OFDIVI	
	5725-5850	5		
	5150~5250	2		
n_HT ac_VHT	5250~5350	2	OFDM	
40M	5470~5725	5	OFDIVI	
-	5725-5850	2		
	5150~5250	1		
ac_VHT	5250~5350	1	OFDM	
80M	5470~5725	2	OI DIVI	
	5725-5850	1		
Modulation type:	64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only			
	802.11 a: 6/9/12/18/24/36/48/54 Mbps			
	802.11 n_20MHz: 6.5 – 72.2Mbps			
Transition Rate:	802.11 n_40MHz: 13.5 - 150.0Mbps 802.11 ac_20MHz: 6.5 -86.7Mbps			
	802.11 ac_20MHz: 0.5 =00.7Mbps 802.11 ac_40MHz: 13.5 -200.0Mbps			
	802.11 ac_80MHz: 29.3 – 433.3Mbps			

Class II Permissive Change

Scope:	The test report covers the radiated emissions requirements of the standards referenced in the report to allow new antennas to be included in this authorization.
CIIPC:	Adding new antennas to this certified module under FCC ID: N6C-SXPCEAC2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkfungRand.NewTaipeiIndustrialPark WulkfungRand NewTaipeiIndustrialPark WulkfungRand NewTaipei



Page: 7 of 196

Antenna Type	Supplier	Antenna Part No.	Freq.	Peak Antenna Gain (dBi)	Worst Antenna Gain
PCB	Unictron	H2B1PC1A1C(AA258)		3.20	
antenna	Oniction	H2B1PD1A1C(AA222)		3.00	
	STAF	1019-013A		4.00	V
ROD		ANTDC-108A0	5GHz	2.00	
antenna Sansei Denki	Sansoi Donki	ANTDC-108B0		2.00	
	Salisei Deliki	ANTDP-027A0		2.10	
	ANTDP-039A0		2.10		

Note: Pre-scanned was done on the above 7 antennas, the 1019-013A results higher emission at 5GHz. Therefore, the completed set of measurement was done on the antenna to be presented on this test report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號



Page: 8 of 196

1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01

FCC KDB 662911 D01 Multiple Transmitter Output

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Number and Designation Number are: 509634 / TW0001

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未總本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 9 of 196

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 10 of 196

2.4 Configuration of Tested System

Fig. 2-1 Radiated Emission



Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	Notebook	Lenovo	L440	R9-007LAZ	Shielded	Unshielded
2.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 11 of 196

SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.407(b)	Undesirable Radiated Emissions	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant

DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

oporatoa bana in o roo im				
802.11a / n HT20 Mode,				
802.11ac VHT20 Mode				
Channel	Frequency			
36	5180			
40	5200			
44	5220			
48	5240			

802.11 n HT40 Mode, 802.11ac VHT40 Mode			
channel	Frequency		
38	5190		
46 5230			

802.11ac VHT80 Mode				
channel	Frequency			
42 5210				

Operated band in 5250 MHz ~5350 MHz:

802.11a / n HT20 Mode, 802.11ac VHT20 Mode		
channel	Frequency	
52	5260	
56	5280	
60	5300	
64 5320		

802.11 n HT40 Mode, 802.11ac VHT40 Mode				
channel	Frequency			
54 5270				
62				

802.11ac	VHT80 Mode
Channel	Frequency
58	5290

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.tw.sqs.com



Page: 12 of 196

Operated band in 5500 MHz ~5700 MHz:

Operated band in 5500 Mir			
802.11a / n HT20 Mode,			
802.11ac V	802.11ac VHT20 Mode		
Channel	Frequency		
100	5500		
104	5520		
108	5540		
112	5560		
116	5580		
120	5600		
124	5620		
128	5640		
132	5660		
136	5680		
140	5700		

802.11 n HT40 Mode, 802.11ac VHT40 Mode		
channel	Frequency	
102	5510	
110	5550	
118	5590	
126	5630	
134	5670	

802.11ac VHT80 Mode		
channel	Frequency	
106	5530	
122	5610	

Operated band in 5745 MHz ~5850 MHz:

802.11a / n HT20 Mode, 802.11ac VHT20 Mode		
Frequency		
5745		
5765		
5785		
5805		
5825		

802.11 n HT40 Mode, 802.11ac VHT40 Mode		
channel	Frequency	
151	5755	
159	5795	

802.11ac VHT80 Mode		
channel	Frequency	
155	5775	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkfungRand.NewTaipeiIndustrialPark WulkfungRand NewTaipeiIndustrialPark WulkfungRand NewTaipei

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

www.tw.sgs.com



Page: 13 of 196

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

UNWANTED EMISSION TEST

UNWANTED EMISSION TEST:						
UNWANTED EMISSION TEST (BELOW 1 GHz)						
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	5180~5240	36 to 48	44	OFDM	6	SISO
802.11a	5260~5320	52 to 64	60	OFDM	6	SISO
802.11a	5500~5720	100 to 140	116	OFDM	6	SISO
802.11a	5745~5825	149 to 165	157	OFDM	6	SISO
	UNWANTED EMISSION TEST (ABOVE 1 GHz)					
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	E100 E240	26 to 49	26 44 49	OFDM	6	SISO
802.11n_HT20	5180~5240	36 to 48	36,44,48	OFDM	MCS8	SISO
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	SISO
802.11ac_VHT80	5210	42	42	OFDM	MCS8	SISO
802.11a	5260~5320	52 to 64	52 60 6 <i>1</i>	OFDM	6	SISO
802.11n_HT20	5260~5520	52 10 64	52,60,64	OFDM	MCS8	SISO
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS8	SISO
802.11ac_VHT80	5290	58	58	OFDM	MCS8	SISO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com

SGS Taiwan Ltd.



Page: 14 of 196

MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	5500~5720	400 1- 444	100 110 110	OFDM	6	SISO
802.11n_HT20	5500~5720	100 to 144	100,116,140	OFDM	MCS8	SISO
802.11n_HT40	5510~5710	102 to 142	102,110,134	OFDM	MCS8	SISO
802.11ac_VHT80	5530~5610	106 to 122	106,122	OFDM	MCS8	SISO
802.11a	E74E E00E	140 to 105	140 157 105	OFDM	6	SISO
802.11n_HT20	5745~5825	149 to 165	149,157,165	OFDM	MCS8	SISO
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS8	SISO
802.11ac_VHT80	5775	155	155	OFDM	MCS8	SISO

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 15 of 196

MEASUREMENT UNCERTAINTY

Radiated Spurious Emission:

Measurement uncertainty (Polarization : Vertical)	9kHz-30MHz: +/-2.87dB	
	30MHz - 180MHz: +/- 3.37dB	
	180MHz -417MHz: +/- 3.19dB	
	0.417GHz-1GHz: +/- 3.19dB	
	1GHz - 18GHz: +/- 4.04dB	
	18GHz - 40GHz: +/- 4.04dB	

Measurement uncertainty (Polarization : Horizontal)	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號



Page: 16 of 196

6 UNDESIRABLE RADIATED EMISSION MEASUREMENT (RADIATED VER-SUS CONDUCTED)

6.1 Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LIMIT			
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRE	ENGTH AT 3m		
	PK: 74 (dBμV/m)	AV 54 (dBμV/m)		
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m		
15.407(b)(1)				
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)		
15.407(b)(3)				
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4		

^{*1} beyond 75 MHz or more above of the bandedge.

 $EIRP = ((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 17 of 196

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

6.2 Measurement Equipment Used

	966 Chamber									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Bi-log Antenna	SCHWAZBECK	VULB9168	378	12/29/2016	12/28/2017					
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/04/2017	08/03/2018					
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2017	12/11/2018					
Loop Antenna	ETS.LINDGREN	6502	148045	09/26/2017	09/25/2018					
Spectrum Analyzer	Agilent	E4446A	MY51100003	05/10/2017	05/09/2018					
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/09/2018	04/08/2019					
EMI Test Receiver	R&S	ESCI7	100760	06/06/2017	06/05/2018					
Pre-Amplifier	HP	8449B	3008A00578	01/02/2017	01/01/2018					
Pre-Amplifier	HP	8447D	2944A07676	01/02/2017	01/01/2018					
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/02/2017	01/01/2018					
Attenuator	Mini-Circuit	BW-S10W2+	TBD	01/02/2017	01/01/2018					
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M1	01/02/2017	01/01/2018					
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2017	01/01/2018					

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown above indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 18 of 196

966 Chamber										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Bi-log Antenna	SCHWAZBECK	VULB9168	378	12/29/2017	12/28/2018					
Pre-Amplifier	HP	8449B	3008A00578	01/02/2018	01/01/2019					
Pre-Amplifier	HP	8447D	2944A07676	01/02/2018	01/01/2019					
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/02/2018	01/01/2019					
Attenuator	Mini-Circuit	BW-S10W2+	TBD	01/02/2018	01/01/2019					
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M1	01/02/2018	01/01/2019					
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2018	01/01/2019					

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipellindustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.000, 2000,

台灣檢驗科技股份有限公司




Page: 19 of 196


6.3 Test SET-UP

For Radiated Configuration:

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz Turntable 3m 1m to 4m **EUT** Spectrum 1.5m Analyzer Absorber Ground Plane Coaxial Cable

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 20 of 196

For Conducted Configuration:



6.4 Measurement Procedure

Following FCC KDB 789033 D02 General UNII Test Procedures:

Radiated versus Conducted Measurements.

The unwanted emission limits in both the restricted and non-restricted bands are based on antenna-port conducted measurements in conjunction with cabinet emissions tests are permitted to demonstrate compliance.

The following steps was performed:

- Cabinet emissions measurements. Radiated measurement was performed to ensure that cabinet emissions are below the emission limits. For the cabinet-emission measurements the antenna was replaced by a termination matching the nominal impedance of the antenna.
- Conducted tests was performed using equipment that matches the nominal impedance of the antenna assembly used with the EUT
- 3. EIRP calculation. A value representative of an upper bound on out-of-band antenna gain (in dBi) shall be added to the measured antenna-port conducted emission power to compute EIRP within the specified measurement bandwidth. (For emissions in the restricted bands, additional calculations are required to convert EIRP to field strength at the specified distance.) The upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands or 2 dBi, whichever is greater
- EIRP adjustments for multiple outputs. (Follow the procedures specified in FCC KDB Publication 662911)

Note:

- a. For the out of band spurious the gain for the specific band may have been used rather than the highest gain across all bands.
- b. For the band edge the gain for the specific band may have been used.
- c. In restricted bands below 1000 MHz, add upper bound on ground plane reflection:

For f = 30 - 1000 MHz, add 4.7 dB.

The conducted emission test was considered some factor to compute test result.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 21 of 196

5 For all of Radiation emission test

- The EUT was placed on a turn table which is 0.8m above ground plane.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 5.3 The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 5.4 The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 5.5 EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5.6 Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 5.7 Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequencv above 1 GHz.
- 5.8 Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 5.9 Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 5.10 And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 5.11Repeat above procedures until all frequency measured were complete.

6.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	S .	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

体形力分配型 : UnderSate は列列へと体の発育 : 門中国体の主体権団がと、本格子を全体では自動していません。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 22 of 196

6.7 Measurement Result

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data:


PIFA Antenna:

Operation Band :802.11aB1 **Test Date** :2017-12-25

Temp./Humi. :23 deg_C / 62 RH Fundamental Frequency :5220 MHz

Operation Mode :Tx CH MID Engineer

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
99.84	S	Peak	47.79	-12.67	35.12	43.50	-8.38
139.61	S	Peak	28.92	-8.41	20.51	43.50	-22.99
299.66	S	Peak	39.45	-5.93	33.52	46.00	-12.48
419.94	S	Peak	32.54	-3.39	29.15	46.00	-16.85
527.61	S	Peak	29.33	-1.32	28.01	46.00	-17.99
599.39	S	Peak	44.61	-0.27	44.34	46.00	-1.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com




Page: 23 of 196

Operation Band :802.11aB1 **Test Date** :2017-12-25

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	44.66	-12.67	31.99	43.50	-11.51
165.80	S	Peak	34.82	-7.40	27.42	43.50	-16.08
298.69	S	Peak	47.00	-5.95	41.05	46.00	-4.95
411.21	S	Peak	34.11	-3.63	30.48	46.00	-15.52
527.61	S	Peak	35.72	-1.32	34.40	46.00	-11.60
594.54	S	Peak	37.79	0.08	37.87	46.00	-8.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 24 of 196

Operation Band :802.11aB2 **Test Date** :2017-12-25

Fundamental Frequency :5300 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	47.47	-12.67	34.80	43.50	-8.70
165.80	S	Peak	27.58	-7.40	20.18	43.50	-23.32
299.66	S	Peak	39.72	-5.93	33.79	46.00	-12.21
419.94	S	Peak	30.85	-3.39	27.46	46.00	-18.54
527.61	S	Peak	30.55	-1.32	29.23	46.00	-16.77
597.45	S	Peak	33.63	-0.19	33.44	46.00	-12.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 25 of 196

Operation Band :802.11aB2 **Test Date** :2017-12-25 Fundamental Frequency :5300 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	44.63	-12.67	31.96	43.50	-11.54
168.71	S	Peak	33.76	-7.52	26.24	43.50	-17.26
298.69	S	Peak	47.25	-5.95	41.30	46.00	-4.70
410.24	S	Peak	35.95	-3.62	32.33	46.00	-13.67
527.61	S	Peak	34.93	-1.32	33.61	46.00	-12.39
594.54	S	Peak	37.88	0.08	37.96	46.00	-8.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 26 of 196

Operation Band :802.11aB3 **Test Date** :2017-12-25

Fundamental Frequency :5580 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	47.85	-12.67	35.18	43.50	-8.32
163.86	S	Peak	28.49	-7.45	21.04	43.50	-22.46
299.66	S	Peak	40.44	-5.93	34.51	46.00	-11.49
419.94	S	Peak	30.61	-3.39	27.22	46.00	-18.78
497.54	S	Peak	30.92	-2.38	28.54	46.00	-17.46
597.45	S	Peak	33.05	-0.19	32.86	46.00	-13.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號




Page: 27 of 196

Operation Band :802.11aB3 **Test Date** :2017-12-25

Fundamental Frequency :5580 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB	_
99.84	S	Peak	44.92	-12.67	32.25	43.50	-11.25	
165.80	S	Peak	33.97	-7.40	26.57	43.50	-16.93	
298.69	S	Peak	46.74	-5.95	40.79	46.00	-5.21	
419.94	S	Peak	34.56	-3.39	31.17	46.00	-14.83	
497.54	S	Peak	36.74	-2.38	34.36	46.00	-11.64	
594.54	S	Peak	37.75	0.08	37.83	46.00	-8.17	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 28 of 196

Operation Band Test Date :802.11aB4 :2017-12-25

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	48.17	-12.67	35.50	43.50	-8.00
162.89	S	Peak	28.20	-7.48	20.72	43.50	-22.78
298.69	S	Peak	39.89	-5.95	33.94	46.00	-12.06
419.94	S	Peak	31.15	-3.39	27.76	46.00	-18.24
497.54	S	Peak	30.36	-2.38	27.98	46.00	-18.02
599.39	S	Peak	30.20	-0.27	29.93	46.00	-16.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號




:2017-12-25

Page: 29 of 196

Operation Band Test Date :802.11aB4 Fundamental Frequency :5785 MHz Temp./Humi.

:23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	44.20	-12.67	31.53	43.50	-11.97
165.80	S	Peak	33.55	-7.40	26.15	43.50	-17.35
299.66	S	Peak	46.60	-5.93	40.67	46.00	-5.33
413.15	S	Peak	32.82	-3.38	29.44	46.00	-16.56
527.61	S	Peak	34.35	-1.32	33.03	46.00	-12.97
594.54	S	Peak	37.96	0.08	38.04	46.00	-7.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 30 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B1 :5210 MHz :Tx CH LOW :E2 Plane

Test Date :2017-12-25 :23 deg_C / 62 RH

Temp./Humi. Engineer

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	48.19	-12.67	35.52	43.50	-7.98
160.95	S	Peak	28.72	-7.43	21.29	43.50	-22.21
298.69	S	Peak	40.84	-5.95	34.89	46.00	-11.11
419.94	S	Peak	30.97	-3.39	27.58	46.00	-18.42
497.54	S	Peak	31.14	-2.38	28.76	46.00	-17.24
699.30	S	Peak	29.62	1.44	31.06	46.00	-14.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 31 of 196


Operation Band :802.11ac80B1 Fundamental Frequency **Operation Mode** EUT Pol.

:5210 MHz :Tx CH LOW :E2 Plane

Test Date :2017-12-25 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	44.80	-12.67	32.13	43.50	-11.37
165.80	S	Peak	33.08	-7.40	25.68	43.50	-17.82
299.66	S	Peak	47.29	-5.93	41.36	46.00	-4.64
411.21	S	Peak	36.90	-3.63	33.27	46.00	-12.73
527.61	S	Peak	34.99	-1.32	33.67	46.00	-12.33
697.36	S	Peak	37.25	1.36	38.61	46.00	-7.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 32 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B2 :5290 MHz :Tx CH HIGH :E2 Plane

Test Date :2017-12-25 Temp./Humi. :23 deg_C / 62 RH

Engineer

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	48.05	-12.67	35.38	43.50	-8.12
160.95	S	Peak	28.05	-7.43	20.62	43.50	-22.88
299.66	S	Peak	40.61	-5.93	34.68	46.00	-11.32
419.94	S	Peak	31.72	-3.39	28.33	46.00	-17.67
534.40	S	Peak	31.01	-1.66	29.35	46.00	-16.65
599.39	S	Peak	31.04	-0.27	30.77	46.00	-15.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 33 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B2 :5290 MHz :Tx CH HIGH :E2 Plane

Test Date :2017-12-25 :23 deg_C / 62 RH

Temp./Humi. Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	45.03	-12.67	32.36	43.50	-11.14
165.80	S	Peak	33.88	-7.40	26.48	43.50	-17.02
298.69	S	Peak	47.83	-5.95	41.88	46.00	-4.12
399.57	S	Peak	34.60	-3.92	30.68	46.00	-15.32
497.54	S	Peak	37.30	-2.38	34.92	46.00	-11.08
594.54	S	Peak	38.57	0.08	38.65	46.00	-7.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 34 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B3 :5530 MHz :Tx CH LOW :E2 Plane

Test Date :2017-12-25 :23 deg_C / 62 RH

Temp./Humi. Engineer

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	47.96	-12.67	35.29	43.50	-8.21
172.59	S	Peak	28.87	-7.86	21.01	43.50	-22.49
298.69	S	Peak	41.19	-5.95	35.24	46.00	-10.76
419.94	S	Peak	30.50	-3.39	27.11	46.00	-18.89
527.61	S	Peak	30.22	-1.32	28.90	46.00	-17.10
597.45	S	Peak	30.87	-0.19	30.68	46.00	-15.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 35 of 196

Operation Band Fundamental Frequency


Operation Mode EUT Pol.

:802.11ac80B3 :5530 MHz :Tx CH LOW :E2 Plane

Test Date :2017-12-25 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	44.32	-12.67	31.65	43.50	-11.85
165.80	S	Peak	34.93	-7.40	27.53	43.50	-15.97
298.69	S	Peak	48.15	-5.95	42.20	46.00	-3.80
410.24	S	Peak	34.43	-3.62	30.81	46.00	-15.19
497.54	S	Peak	36.00	-2.38	33.62	46.00	-12.38
594.54	S	Peak	37.86	0.08	37.94	46.00	-8.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 36 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B3 :5610 MHz :Tx CH HIGH :E2 Plane

Test Date :2017-12-25 Temp./Humi. :23 deg_C / 62 RH

Engineer

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	48.15	-12.67	35.48	43.50	-8.02
139.61	S	Peak	31.36	-8.41	22.95	43.50	-20.55
299.66	S	Peak	41.02	-5.93	35.09	46.00	-10.91
419.94	S	Peak	31.26	-3.39	27.87	46.00	-18.13
527.61	S	Peak	29.90	-1.32	28.58	46.00	-17.42
697.36	S	Peak	31.19	1.36	32.55	46.00	-13.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 37 of 196

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11ac80B3 :5610 MHz :Tx CH HIGH :E2 Plane

Test Date :2017-12-25

Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	44.66	-12.67	31.99	43.50	-11.51
172.59	S	Peak	34.03	-7.86	26.17	43.50	-17.33
298.69	S	Peak	47.98	-5.95	42.03	46.00	-3.97
400.54	S	Peak	34.57	-3.94	30.63	46.00	-15.37
527.61	S	Peak	35.47	-1.32	34.15	46.00	-11.85
697.36	S	Peak	36.43	1.36	37.79	46.00	-8.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 38 of 196

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11ac80B4 :5775 MHz :Tx CH LOW

:E2 Plane

Test Date :2017-12-25 Temp./Humi. :23 deg_C / 62 RH

Engineer

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	48.44	-12.67	35.77	43.50	-7.73
172.59	S	Peak	28.56	-7.86	20.70	43.50	-22.80
299.66	S	Peak	40.95	-5.93	35.02	46.00	-10.98
416.06	S	Peak	30.28	-3.27	27.01	46.00	-18.99
527.61	S	Peak	29.21	-1.32	27.89	46.00	-18.11
597.45	S	Peak	31.07	-0.19	30.88	46.00	-15.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 39 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz :Tx CH LOW :E2 Plane

Test Date :2017-12-25 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	44.65	-12.67	31.98	43.50	-11.52
165.80	S	Peak	33.40	-7.40	26.00	43.50	-17.50
298.69	S	Peak	48.28	-5.95	42.33	46.00	-3.67
416.06	S	Peak	34.82	-3.27	31.55	46.00	-14.45
497.54	S	Peak	37.30	-2.38	34.92	46.00	-11.08
594.54	S	Peak	38.07	0.08	38.15	46.00	-7.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 40 of 196


Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data:

ROD Antenna:

Operation Band :802.11aB1 Test Date :2017-12-25

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	-
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
							_
99.84	S	Peak	47.67	-12.67	35.00	43.50	-8.50
139.61	S	Peak	29.51	-8.41	21.10	43.50	-22.40
299.66	S	Peak	40.54	-5.93	34.61	46.00	-11.39
419.94	S	Peak	30.25	-3.39	26.86	46.00	-19.14
497.54	S	Peak	31.34	-2.38	28.96	46.00	-17.04
699.30	S	Peak	29.27	1.44	30.71	46.00	-15.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations and the produced except in full, without prior within any contents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 41 of 196

Operation Band :802.11aB1 **Test Date** :2017-12-25 Fundamental Frequency :23 deg_C / 62 RH :5220 MHz Temp./Humi.

Operation Mode :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	44.67	-12.67	32.00	43.50	-11.50
165.80	S	Peak	33.06	-7.40	25.66	43.50	-17.84
298.69	S	Peak	46.91	-5.95	40.96	46.00	-5.04
400.54	S	Peak	34.42	-3.94	30.48	46.00	-15.52
527.61	S	Peak	34.88	-1.32	33.56	46.00	-12.44
594.54	S	Peak	38.18	0.08	38.26	46.00	-7.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 42 of 196

Operation Band :802.11aB2 **Test Date** :2017-12-25

Fundamental Frequency :5300 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
99.84	S	Peak	47.67	-12.67	35.00	43.50	-8.50	
139.61	S	Peak	30.90	-8.41	22.49	43.50	-21.01	
299.66	S	Peak	40.21	-5.93	34.28	46.00	-11.72	
419.94	S	Peak	30.63	-3.39	27.24	46.00	-18.76	
527.61	S	Peak	30.43	-1.32	29.11	46.00	-16.89	
600.36	S	Peak	30.93	-0.14	30.79	46.00	-15.21	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 43 of 196


Operation Band :802.11aB2 **Test Date** Fundamental Frequency :5300 MHz

Operation Mode :Tx CH MID EUT Pol. :E2 Plane

:2017-12-25 :23 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	44.34	-12.67	31.67	43.50	-11.83
165.80	S	Peak	33.24	-7.40	25.84	43.50	-17.66
298.69	S	Peak	47.35	-5.95	41.40	46.00	-4.60
406.36	S	Peak	33.90	-3.59	30.31	46.00	-15.69
527.61	S	Peak	35.09	-1.32	33.77	46.00	-12.23
600.36	S	Peak	38.56	-0.14	38.42	46.00	-7.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 44 of 196

Operation Band :802.11aB3 **Test Date** :2017-12-25

Fundamental Frequency :5580 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	47.41	-12.67	34.74	43.50	-8.76
139.61	S	Peak	29.47	-8.41	21.06	43.50	-22.44
298.69	S	Peak	39.85	-5.95	33.90	46.00	-12.10
398.60	S	Peak	34.05	-3.97	30.08	46.00	-15.92
527.61	S	Peak	30.26	-1.32	28.94	46.00	-17.06
599.39	S	Peak	36.48	-0.27	36.21	46.00	-9.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 45 of 196

Operation Band :802.11aB3 **Test Date** :2017-12-25 Fundamental Frequency :23 deg_C / 62 RH :5580 MHz Temp./Humi.

Operation Mode :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



	Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	F/H/E/S	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB	
-	IVIITIZ	F/H/E/3	FIVQF/AV	иБμν	uБ	иБμ ۷/П	ασμ ν/ιιι	uБ	
	99.84	S	Peak	44.53	-12.67	31.86	43.50	-11.64	
	165.80	S	Peak	33.60	-7.40	26.20	43.50	-17.30	
	298.69	S	Peak	46.57	-5.95	40.62	46.00	-5.38	
	419.94	S	Peak	33.31	-3.39	29.92	46.00	-16.08	
	527.61	S	Peak	34.56	-1.32	33.24	46.00	-12.76	
	594.54	S	Peak	37.83	0.08	37.91	46.00	-8.09	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號




Page: 46 of 196

Operation Band Test Date :802.11aB4 :2017-12-25

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	47.46	-12.67	34.79	43.50	-8.71
139.61	S	Peak	30.86	-8.41	22.45	43.50	-21.05
299.66	S	Peak	40.04	-5.93	34.11	46.00	-11.89
419.94	S	Peak	31.36	-3.39	27.97	46.00	-18.03
497.54	S	Peak	30.97	-2.38	28.59	46.00	-17.41
599.39	S	Peak	34.38	-0.27	34.11	46.00	-11.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號




Page: 47 of 196

Operation Band Test Date :802.11aB4 :2017-12-25 Fundamental Frequency :23 deg_C / 62 RH :5785 MHz Temp./Humi.

Operation Mode :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	44.37	-12.67	31.70	43.50	-11.80
165.80	S	Peak	33.79	-7.40	26.39	43.50	-17.11
298.69	S	Peak	46.52	-5.95	40.57	46.00	-5.43
410.24	S	Peak	34.36	-3.62	30.74	46.00	-15.26
527.61	S	Peak	35.52	-1.32	34.20	46.00	-11.80
594.54	S	Peak	37.95	0.08	38.03	46.00	-7.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 48 of 196

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11ac80B1 :5210 MHz

:Tx CH LOW :E2 Plane

Test Date :2017-12-25

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	48.33	-12.67	35.66	43.50	-7.84
139.61	S	Peak	31.29	-8.41	22.88	43.50	-20.62
299.66	S	Peak	40.20	-5.93	34.27	46.00	-11.73
419.94	S	Peak	31.19	-3.39	27.80	46.00	-18.20
497.54	S	Peak	31.64	-2.38	29.26	46.00	-16.74
599.39	S	Peak	36.75	-0.27	36.48	46.00	-9.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 49 of 196


Operation Band :802.11ac80B1 Fundamental Frequency :5210 MHz **Operation Mode** EUT Pol.

:Tx CH LOW :E2 Plane

Test Date :2017-12-25 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	44.68	-12.67	32.01	43.50	-11.49
165.80	S	Peak	35.31	-7.40	27.91	43.50	-15.59
298.69	S	Peak	47.50	-5.95	41.55	46.00	-4.45
408.30	S	Peak	34.69	-3.53	31.16	46.00	-14.84
527.61	S	Peak	35.23	-1.32	33.91	46.00	-12.09
699.30	S	Peak	36.90	1.44	38.34	46.00	-7.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 50 of 196

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11ac80B2 :5290 MHz :Tx CH HIGH

:E2 Plane

Test Date :2017-12-25

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	48.54	-12.67	35.87	43.50	-7.63
139.61	S	Peak	31.14	-8.41	22.73	43.50	-20.77
299.66	S	Peak	40.79	-5.93	34.86	46.00	-11.14
418.00	S	Peak	31.83	-3.37	28.46	46.00	-17.54
497.54	S	Peak	32.17	-2.38	29.79	46.00	-16.21
600.36	S	Peak	33.54	-0.14	33.40	46.00	-12.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 51 of 196

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11ac80B2 :5290 MHz :Tx CH HIGH :E2 Plane

Test Date :2017-12-25

:23 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	44.41	-12.67	31.74	43.50	-11.76
165.80	S	Peak	34.61	-7.40	27.21	43.50	-16.29
298.69	S	Peak	48.60	-5.95	42.65	46.00	-3.35
400.54	S	Peak	35.38	-3.94	31.44	46.00	-14.56
527.61	S	Peak	35.72	-1.32	34.40	46.00	-11.60
594.54	S	Peak	37.94	0.08	38.02	46.00	-7.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 52 of 196

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11ac80B3 :5530 MHz :Tx CH LOW

:E2 Plane

Test Date :2017-12-25 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
99.84	S	Peak	47.94	-12.67	35.27	43.50	-8.23
139.61	S	Peak	30.29	-8.41	21.88	43.50	-21.62
299.66	S	Peak	39.27	-5.93	33.34	46.00	-12.66
419.94	S	Peak	31.06	-3.39	27.67	46.00	-18.33
497.54	S	Peak	31.92	-2.38	29.54	46.00	-16.46
597.45	S	Peak	35.48	-0.19	35.29	46.00	-10.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 53 of 196

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11ac80B3 :5530 MHz :Tx CH LOW

:E2 Plane

Test Date :2017-12-25 :23 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
99.84	S	Peak	45.10	-12.67	32.43	43.50	-11.07
165.80	S	Peak	34.54	-7.40	27.14	43.50	-16.36
299.66	S	Peak	47.68	-5.93	41.75	46.00	-4.25
413.15	S	Peak	34.24	-3.38	30.86	46.00	-15.14
527.61	S	Peak	35.43	-1.32	34.11	46.00	-11.89
594.54	S	Peak	37.90	0.08	37.98	46.00	-8.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 54 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B3 :5610 MHz :Tx CH HIGH :E2 Plane

Test Date :2017-12-25

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	48.12	-12.67	35.45	43.50	-8.05
139.61	S	Peak	30.10	-8.41	21.69	43.50	-21.81
298.69	S	Peak	41.06	-5.95	35.11	46.00	-10.89
419.94	S	Peak	31.30	-3.39	27.91	46.00	-18.09
497.54	S	Peak	31.91	-2.38	29.53	46.00	-16.47
597.45	S	Peak	32.99	-0.19	32.80	46.00	-13.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 55 of 196

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11ac80B3 :5610 MHz :Tx CH HIGH :E2 Plane

Test Date :2017-12-25

:23 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	45.14	-12.67	32.47	43.50	-11.03
165.80	S	Peak	33.52	-7.40	26.12	43.50	-17.38
298.69	S	Peak	46.79	-5.95	40.84	46.00	-5.16
416.06	S	Peak	34.44	-3.27	31.17	46.00	-14.83
527.61	S	Peak	36.18	-1.32	34.86	46.00	-11.14
594.54	S	Peak	37.89	0.08	37.97	46.00	-8.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 56 of 196


Operation Band :802.11ac80B4 Fundamental Frequency **Operation Mode**

:5775 MHz :Tx CH LOW EUT Pol. :E2 Plane

Test Date :2017-12-25

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
99.84	S	Peak	48.33	-12.67	35.66	43.50	-7.84
139.61	S	Peak	30.91	-8.41	22.50	43.50	-21.00
299.66	S	Peak	40.48	-5.93	34.55	46.00	-11.45
419.94	S	Peak	31.25	-3.39	27.86	46.00	-18.14
497.54	S	Peak	30.85	-2.38	28.47	46.00	-17.53
600.36	S	Peak	31.88	-0.14	31.74	46.00	-14.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號



Page: 57 of 196

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11ac80B4 :5775 MHz :Tx CH LOW :E2 Plane

Test Date :2017-12-25

:23 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
99.84	S	Peak	44.47	-12.67	31.80	43.50	-11.70
165.80	S	Peak	34.97	-7.40	27.57	43.50	-15.93
299.66	S	Peak	47.77	-5.93	41.84	46.00	-4.16
410.24	S	Peak	35.06	-3.62	31.44	46.00	-14.56
527.61	S	Peak	35.59	-1.32	34.27	46.00	-11.73
697.36	S	Peak	36.83	1.36	38.19	46.00	-7.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 58 of 196

Radiated Spurious Emission Measurement Result Above 1GHz Worst-Case Data:


Radiated test was done with 50ohm terminator on antenna port

ROD Antenna:

Test Date Operation Band :802.11aB1 :2018-02-23

Fundamental Frequency :5180 MHz Temp./Humi. :23 deg_C / 62 RH

:Tx CH LOW **Operation Mode** Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBμV/m	dB
10360.00	Н	Peak	33.76	18.29	52.05	68.30	-16.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



EUT Pol.

Report No.: ER/2017/C0087

Page: 59 of 196


Operation Band :802.11aB1 Fundamental Frequency :5180 MHz **Operation Mode**

:Tx CH LOW :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10360.00	Н	Peak	34.09	18.29	52.38	68.30	-15.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 60 of 196

Operation Band :802.11aB1 **Test Date** :2018-02-23

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
10440.00	Н	Peak	33.53	18.69	52.22	68.30	-16.08
10440.00	11	Feak	33.33	10.09	32.22	00.30	-10.00




Page: 61 of 196

Operation Band :802.11aB1 **Test Date** :2018-02-23

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10440.00	Н	Peak	34.06	18.69	52.75	68.30	-15.55




Page: 62 of 196

Operation Band :802.11aB1 **Test Date** :2018-02-23 Fundamental Frequency :5240 MHz Temp./Humi.

:23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
N 41 1—	E/L/E/O	Mode	Reading Level	JD.	FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10480.00	Н	Peak	33.73	18.30	52.03	68.30	-16.27




Page: 63 of 196

Operation Band :802.11aB1 **Test Date** :2018-02-23 Fundamental Frequency :5240 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
10480.00	Н	Peak	33.13	18.30	51.43	68.30	-16.87



Page: 64 of 196


Operation Band :802.11aB2 Fundamental Frequency :5260 MHz

Operation Mode :Tx CH LOW EUT Pol. :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
10520.00	Н	Peak	33.56	19.38	52.94	68.30	-15.36	




Page: 65 of 196

Operation Band :802.11aB2 Fundamental Frequency :5260 MHz **Operation Mode** :Tx CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10520.00	Н	Peak	33.60	19.38	52.98	68.30	-15.32




Page: 66 of 196

Operation Band :802.11aB2 **Test Date** :2018-02-23

Fundamental Frequency :5300 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10600.00	Н	Average	21.96	18.91	40.87	54.00	-13.13
10600.00	Н	Peak	34.86	18.91	53.77	74.00	-20.23

t (886-2) 2299-3279



Page: 67 of 196

Operation Band :802.11aB2 Fundamental Frequency :5300 MHz :Tx CH MID


Operation Mode EUT Pol.

:E2 Plane

Test Date :2018-02-23 :23 deg_C / 62 RH

Temp./Humi. Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Average	21.67	18.91	40.58	54.00	-13.42
10600.00	Н	Peak	34.63	18.91	53.54	74.00	-20.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 68 of 196

Operation Band :802.11aB2 **Test Date** :2018-02-23

Fundamental Frequency :5320 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
10640.00	Н	Average	22.27	19.19	41.46	54.00	-12.54	
10640.00	Н	Peak	35.26	19.19	54.45	74.00	-19.55	




Page: 69 of 196

Operation Band :802.11aB2 **Test Date** :2018-02-23 Fundamental Frequency :5320 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10640.00	Н	Average	22.08	19.19	41.27	54.00	-12.73	
10640.00	Н	Peak	34.65	19.19	53.84	74.00	-20.16	



Page: 70 of 196

Operation Band Fundamental Frequency :5500 MHz **Operation Mode** :Tx CH LOW

EUT Pol.


:802.11aB3

:E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBuV/m	@3m dBuV/m	Margin dB
IVITZ	F/П/E/S	PN/QP/AV	иБμν	ub	ασμ ν/πι	ασμ ν/ιιι	ub
11000.00	Н	Average	21.17	20.16	41.33	54.00	-12.67
11000.00	Н	Peak	34.02	20.16	54.18	74.00	-19.82




Page: 71 of 196

Operation Band :802.11aB3 **Test Date** :2018-02-23 Fundamental Frequency :5500 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB	
11000.00	Н	Average	21.23	20.16	41.39	54.00	-12.61	
11000.00	Н	Peak	32.95	20.16	53.11	74.00	-20.89	




Page: 72 of 196

Operation Band :802.11aB3 **Test Date** :2018-02-23

Fundamental Frequency :5580 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.00	Н	Average	20.90	20.44	41.34	54.00	-12.66
11160.00	Н	Peak	33.24	20.44	53.68	74.00	-20.32




Page: 73 of 196

Operation Band :802.11aB3 Fundamental Frequency :5580 MHz **Operation Mode** :Tx CH MID

EUT Pol. :E2 Plane **Test Date** :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
11160.00	Н	Average	21.03	20.44	41.47	54.00	-12.53	
11160.00	Н	Peak	33.38	20.44	53.82	74.00	-20.18	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 74 of 196

Operation Band :802.11aB3 Fundamental Frequency :5700 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane


Test Date Temp./Humi. :2018-02-23

:23 deg_C / 62 RH

Engineer

:Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11400.00	Н	Average	21.10	20.56	41.66	54.00	-12.34
11400.00	Н	Peak	32.82	20.56	53.38	74.00	-20.62




Page: 75 of 196

Operation Band :802.11aB3 **Test Date** :2018-02-23 Fundamental Frequency :5700 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11400.00	Н	Average	21.08	20.56	41.64	54.00	-12.36
11400.00	Н	Peak	34.04	20.56	54.60	74.00	-19.40




Page: 76 of 196

Operation Band Test Date :802.11aB4 :2018-02-23

Fundamental Frequency :5745 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	rS dBµV/m	dBµV/m	Margin dB
11490.00	Н	Average	21.38	20.42	41.80	54.00	-12.20
11490.00	Н	Peak	33.20	20.42	53.62	74.00	-20.38



Page: 77 of 196

Operation Band :802.11aB4 Fundamental Frequency :5745 MHz :Tx CH LOW


Operation Mode

EUT Pol. :E2 Plane **Test Date** :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	rS dBµV/m	dBµV/m	dB
11490.00	Н	Average	21.29	20.42	41.71	54.00	-12.29
11490.00	Н	Peak	33.97	20.42	54.39	74.00	-19.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 78 of 196

Operation Band Test Date :802.11aB4 :2018-02-23

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Average	21.37	20.58	41.95	54.00	-12.05
11570.00	Н	Peak	34.05	20.58	54.63	74.00	-19.37




Page: 79 of 196

Operation Band Test Date :802.11aB4 :2018-02-23 Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBuV/m	@3m dBuV/m	Margin dB
IVII IZ	1/11/L/3	FR/QF/AV	αυμν	uБ	αυμ ν/π	αυμ ν/π	ub
11570.00	Н	Average	21.38	20.58	41.96	54.00	-12.04
11570.00	Н	Peak	33.55	20.58	54.13	74.00	-19.87




Page: 80 of 196

Operation Band :802.11aB4 **Test Date** :2018-02-26

Fundamental Frequency :5825 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
		·	•		•		
11650.00	Н	Average	21.36	20.43	41.79	54.00	-12.21
11650.00	Н	Peak	33.95	20.43	54.38	74.00	-19.62




Page: 81 of 196

Operation Band :802.11aB4 Fundamental Frequency :5825 MHz **Operation Mode** :Tx CH HIGH

EUT Pol. :E2 Plane **Test Date** :2018-02-26 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
							_
11650.00	Н	Average	21.33	20.43	41.76	54.00	-12.24
11650.00	Н	Peak	32.94	20.43	53.37	74.00	-20.63



EUT Pol.

Report No.: ER/2017/C0087

Page: 82 of 196


Operation Band :802.11n20B1 Fundamental Frequency :5180 MHz **Operation Mode** :Tx CH LOW

:E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
10360.00	Н	Peak	34.04	18.29	52.33	68.30	-15.97




Page: 83 of 196

Operation Band :802.11n20B1 Fundamental Frequency :5180 MHz **Operation Mode** :Tx CH LOW EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
10360.00	Н	Peak	33.60	18.29	51.89	68.30	-16.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 84 of 196

Operation Band :802.11n20B1 Fundamental Frequency **Operation Mode**


EUT Pol.

:5220 MHz :Tx CH MID :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
10440.00	н	Peak	33.47	18.69	52.16	68.30	-16.14
10440.00	11	Feak	33.4 <i>1</i>	10.09	32.10	00.30	-10.14



Page: 85 of 196


Operation Band :802.11n20B1 Fundamental Frequency **Operation Mode** EUT Pol.

:5220 MHz :Tx CH MID :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.




Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
	E#1/E/0	Mode	Reading Level	ID.	FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10440.00	Н	Peak	32.68	18.69	51.37	68.30	-16.93



Page: 86 of 196

Operation Band :802.11n20B1 **Test Date** :2018-02-23 Fundamental Frequency :5240 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
10480.00	н	Poak	33.03	18.30	51 33	68.30	-16.97
10480.00	Н	Peak	33.03	18.30	51.33	68.30	-16.97




Page: 87 of 196

Operation Band :802.11n20B1 Fundamental Frequency :5240 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
1011 12	1711/2/0	TIVQITAV	αυμν	<u>ub</u>	αυμν/π	αυμ ν/π	<u> </u>
10480.00	Н	Peak	32.63	18.30	50.93	68.30	-17.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 88 of 196

Operation Band :802.11n20B2 **Test Date** Fundamental Frequency :5260 MHz Temp./Humi.

Operation Mode :Tx CH LOW EUT Pol. :E2 Plane

:2018-02-23 :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
10520.00	Н	Peak	34.98	19.38	54.36	68.30	-13.94



Page: 89 of 196


Operation Band :802.11n20B2 Fundamental Frequency :5260 MHz **Operation Mode** :Tx CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq. N	lote Detector	Spectrum	Factor	Actual	Limit	Safe
MHz F/H	Mode I/E/S PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
10520.00	H Peak	33.25	19.38	52.63	68.30	-15.67




Page: 90 of 196

Operation Band :802.11n20B2 **Test Date** :2018-02-23

Fundamental Frequency :5300 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10600.00	Н	Average	21.75	18.91	40.66	54.00	-13.34	
10600.00	Н	Peak	33.09	18.91	52.00	74.00	-22.00	




Page: 91 of 196

Operation Band :802.11n20B2 Fundamental Frequency :5300 MHz **Operation Mode** :Tx CH MID EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.




Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10600.00	Н	Average	21.72	18.91	40.63	54.00	-13.37
10600.00	Н	Peak	34.21	18.91	53.12	74.00	-20.88



Page: 92 of 196

Operation Band :802.11n20B2 **Test Date** :2018-02-23 Fundamental Frequency :5320 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10640.00	Н	Average	22.09	19.19	41.28	54.00	-12.72
10640.00	Н	Peak	34.89	19.19	54.08	74.00	-19.92




Page: 93 of 196

Operation Band :802.11n20B2 Fundamental Frequency :5320 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
		_					
10640.00	Н	Average	22.12	19.19	41.31	54.00	-12.69
10640.00	Н	Peak	34.01	19.19	53.20	74.00	-20.80




Page: 94 of 196

Operation Band :802.11n20B3 **Test Date** :2018-02-23

Fundamental Frequency :5500 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB	
11000.00	Н	Average	21.21	20.16	41.37	54.00	-12.63	
11000.00	Н	Peak	33.69	20.16	53.85	74.00	-20.15	




Page: 95 of 196

Operation Band :802.11n20B3 Fundamental Frequency :5500 MHz **Operation Mode** :Tx CH LOW EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11000.00	Н	Average	21.19	20.16	41.35	54.00	-12.65
11000.00	Н	Peak	33.53	20.16	53.69	74.00	-20.31



Page: 96 of 196


Operation Band :802.11n20B3 Fundamental Frequency :5580 MHz

Operation Mode :Tx CH MID EUT Pol. :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11160.00	Н	Average	20.96	20.44	41.40	54.00	-12.60
11160.00	Н	Peak	32.63	20.44	53.07	74.00	-20.93




Page: 97 of 196

Operation Band :802.11n20B3 Fundamental Frequency :5580 MHz **Operation Mode** :Tx CH MID EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
		·	<u>'</u>				
11160.00	Н	Average	20.99	20.44	41.43	54.00	-12.57
11160.00	Н	Peak	33.39	20.44	53.83	74.00	-20.17




Page: 98 of 196

Operation Band :802.11n20B3 Fundamental Frequency :5700 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBuV/m	Margin dB
		·	'		•		
11400.00	Н	Average	21.12	20.56	41.68	54.00	-12.32
11400.00	Н	Peak	32.07	20.56	52.63	74.00	-21.37



Page: 99 of 196

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n20B3 :5700 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBuV/m	Margin dB
1711 12	1711/2/0	110 91 77 10	αυμν	ub_	αυμν/ιιι	авр ули	<u> </u>
11400.00	Н	Average	21.17	20.56	41.73	54.00	-12.27
11400.00	Н	Peak	32.84	20.56	53.40	74.00	-20.60



EUT Pol.

Report No.: ER/2017/C0087

Page: 100 of 196


Operation Band :802.11n20B4 Fundamental Frequency :5745 MHz **Operation Mode**

:Tx CH LOW :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
11490.00	Н	Average	21.36	20.42	41.78	54.00	-12.22	
11490.00	Н	Peak	33.40	20.42	53.82	74.00	-20.18	




Page: 101 of 196

Operation Band :802.11n20B4 **Test Date** :2018-02-23 Fundamental Frequency :5745 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
44.400.00			04.00	00.40	44.04	5400	40.40
11490.00	Н	Average	21.39	20.42	41.81	54.00	-12.19
11490.00	Н	Peak	33.70	20.42	54.12	74.00	-19.88



Page: 102 of 196


Operation Band :802.11n20B4 Fundamental Frequency :5785 MHz

Operation Mode :Tx CH MID EUT Pol. :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Average	21.36	20.58	41.94	54.00	-12.06
11570.00	Н	Peak	33.64	20.58	54.22	74.00	-19.78



Page: 103 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5785 MHz :Tx CH MID :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
			•		•	•	
11570.00	Н	Average	21.34	20.58	41.92	54.00	-12.08
11570.00	Н	Peak	33.37	20.58	53.95	74.00	-20.05




Page: 104 of 196

Operation Band :802.11n20B4 **Test Date** :2018-02-23

Fundamental Frequency :5825 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
11650.00	Н	Average	20.76	20.43	41.19	54.00	-12.81	
11650.00	Н	Peak	32.87	20.43	53.30	74.00	-20.70	




Page: 105 of 196

Operation Band :802.11n20B4 Fundamental Frequency :5825 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
			•		•	•	
11650.00	Н	Average	20.75	20.43	41.18	54.00	-12.82
11650.00	Н	Peak	32.77	20.43	53.20	74.00	-20.80



EUT Pol.

Report No.: ER/2017/C0087

Page: 106 of 196


Operation Band :802.11n40B1 Fundamental Frequency :5190 MHz **Operation Mode** :Tx CH LOW

:E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
10380.00	Н	Peak	33.31	18.12	51.43	68.30	-16.87




Page: 107 of 196

Operation Band :802.11n40B1 Fundamental Frequency :5190 MHz **Operation Mode** :Tx CH LOW EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
10380.00	Н	Peak	33.21	18.12	51.33	68.30	-16.97




Page: 108 of 196

Operation Band :802.11n40B1 **Test Date** :2018-02-23

Fundamental Frequency :5230 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10460.00	Н	Peak	33.34	18.55	51.89	68.30	-16.41




Page: 109 of 196

Operation Band :802.11n40B1 Fundamental Frequency :5230 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10460.00	Н	Peak	33.04	18.55	51.59	68.30	-16.71




Page: 110 of 196

Operation Band :802.11n40B2 **Test Date** :2018-02-23

Fundamental Frequency :5270 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW

Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10540.00	Н	Peak	33.90	19.17	53.07	68.30	-15.23




Page: 111 of 196

Operation Band :802.11n40B2 **Test Date** :2018-02-23 Fundamental Frequency :5270 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
10540.00	Н	Peak	33.72	19.17	52.89	68.30	-15.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司



Page: 112 of 196

Operation Band :802.11n40B2 **Test Date** :2018-02-23 Fundamental Frequency :5310 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10620.00	Н	Average	22.05	19.11	41.16	54.00	-12.84
10620.00	Н	Peak	34.83	19.11	53.94	74.00	-20.06




Page: 113 of 196

Operation Band :802.11n40B2 Fundamental Frequency :5310 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.




Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10620.00	Н	Average	22.01	19.11	41.12	54.00	-12.88
10620.00	Н	Peak	35.29	19.11	54.40	74.00	-19.60



Page: 114 of 196

Operation Band :802.11n40B3 **Test Date** :2018-02-23 Fundamental Frequency :5510 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
N 41 1—	E/L/E/O	Mode	Reading Level	-ID	FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11020.00	Н	Average	21.33	20.16	41.49	54.00	-12.51
11020.00	Н	Peak	32.97	20.16	53.13	74.00	-20.87




Page: 115 of 196

Operation Band :802.11n40B3 Fundamental Frequency :5510 MHz **Operation Mode** :Tx CH LOW EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
							_
11020.00	Н	Average	21.33	20.16	41.49	54.00	-12.51
11020.00	Н	Peak	33.59	20.16	53.75	74.00	-20.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 116 of 196

Operation Band :802.11n40B3 Fundamental Frequency :5550 MHz :Tx CH MID

:E2 Plane

Operation Mode EUT Pol.


Test Date

:2018-02-26

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
			•		•	•	
11100.00	Н	Average	21.28	20.32	41.60	54.00	-12.40
11100.00	Н	Peak	33.37	20.32	53.69	74.00	-20.31




Page: 117 of 196

Operation Band :802.11n40B3 Fundamental Frequency :5550 MHz **Operation Mode** :Tx CH MID EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
		·	'		•		
11100.00	Н	Average	21.17	20.32	41.49	54.00	-12.51
11100.00	Н	Peak	34.00	20.32	54.32	74.00	-19.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 118 of 196


Operation Band :802.11n40B3 Fundamental Frequency :5670 MHz

Operation Mode :Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
							_
11340.00	Н	Average	21.07	20.38	41.45	54.00	-12.55
11340.00	Н	Peak	33.39	20.38	53.77	74.00	-20.23




Page: 119 of 196

Operation Band :802.11n40B3 Fundamental Frequency :5670 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11340.00	Н	Average	21.09	20.38	41.47	54.00	-12.53
11340.00	Н	Peak	33.46	20.38	53.84	74.00	-20.16




Page: 120 of 196

Operation Band :802.11n40B4 Fundamental Frequency :5755 MHz **Operation Mode** :Tx CH LOW EUT Pol. :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBuV/m	@3m dBuV/m	Margin dB
IVII IZ	1711/2/0	I IVQI /AV	αБμν	<u>ub</u>	αυμν/ιιι	αυμ ν/ιιι	<u>ub</u>
11510.00	Н	Average	21.17	20.38	41.55	54.00	-12.45
11510.00	Н	Peak	33.83	20.38	54.21	74.00	-19.79




Page: 121 of 196

Operation Band :802.11n40B4 Fundamental Frequency :5755 MHz **Operation Mode** :Tx CH LOW EUT Pol. :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Н	Average	21.15	20.38	41.53	54.00	-12.47
11510.00	Н	Peak	32.90	20.38	53.28	74.00	-20.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 122 of 196

Operation Band :802.11n40B4 Fundamental Frequency :5795 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11590.00	Н	Average	21.36	20.43	41.79	54.00	-12.21
11590.00	Н	Peak	34.35	20.43	54.78	74.00	-19.22



Page: 123 of 196

Operation Band :802.11n40B4 Fundamental Frequency :5795 MHz **Operation Mode**


:Tx CH HIGH EUT Pol. :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Average	21.31	20.43	41.74	54.00	-12.26
11590.00	Н	Peak	34.49	20.43	54.92	74.00	-19.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 124 of 196

Operation Band :802.11ac80B1 **Test Date** :2018-02-23

Fundamental Frequency :5210 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	<u>dB</u>	dBμV/m	dBµV/m	<u>dB</u>
10420.00	Н	Peak	33.28	18.71	51.99	68.30	-16.31



Page: 125 of 196


Operation Band :802.11ac80B1 Fundamental Frequency :5210 MHz **Operation Mode** :Tx CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
10420.00	Н	Peak	34.14	18.71	52.85	68.30	-15.45



Page: 126 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B2 :5290 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10580.00	Н	Peak	33.91	18.88	52.79	68.30	-15.51



Page: 127 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10580.00	Н	Peak	33.21	18.88	52.09	68.30	-16.21



Page: 128 of 196


Operation Band :802.11ac80B3 Fundamental Frequency :5530 MHz **Operation Mode**

:Tx CH LOW EUT Pol. :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	rS dBµV/m	dBµV/m	Margin dB
11060.00	Н	Average	21.15	20.27	41.42	54.00	-12.58
11060.00	Н	Peak	33.50	20.27	53.77	74.00	-20.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

10.100 No.100 No.100

t (886-2) 2299-3279



Page: 129 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5530 MHz :Tx CH LOW :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11060.00	Н	Average	21.08	20.27	41.35	54.00	-12.65
11060.00	Н	Peak	33.56	20.27	53.83	74.00	-20.17



Page: 130 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B3 :5610 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-02-23

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
					•	•	
11220.00	Н	Average	21.83	20.47	42.30	54.00	-11.70
11220.00	Н	Peak	33.27	20.47	53.74	74.00	-20.26



Page: 131 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5610 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	Margin dB
			•		•	•	
11220.00	Н	Average	21.71	20.47	42.18	54.00	-11.82
11220.00	Н	Peak	33.39	20.47	53.86	74.00	-20.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

10.100 No.100 No.100

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 132 of 196

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11ac80B4 :5775 MHz :Tx CH LOW

:E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Н	Average	21.25	20.51	41.76	54.00	-12.24
11550.00	Н	Peak	33.69	20.51	54.20	74.00	-19.80



Page: 133 of 196

Operation Band :802.11ac80B4 Fundamental Frequency **Operation Mode**


EUT Pol.

:5775 MHz :Tx CH LOW :E2 Plane

Test Date :2018-02-23 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	Margin dB
11550.00	Н	Average	21.30	20.51	41.81	54.00	-12.19
11550.00	Н	Peak	34.06	20.51	54.57	74.00	-19.43




Page: 134 of 196

Conducted Spurious Emission

Operation Band Test Date :802.11aB1 :2018-05-30

Fundamental Frequen-:5180 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
870.99	Peak	-66.79	-49.25	-17.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 135 of 196

Operation Band Test Date :802.11aB1 :2018-05-30

Fundamental Frequen-:5220 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
MHz	PK/QP/AV	dBm	dBm	dB	
882.63	Peak	-66.69	-49.25	-17.44	




Page: 136 of 196

Operation Band Test Date :802.11aB1 :2018-05-30

Fundamental Frequen-:5240 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
MHz	PK/QP/AV	dBm	dBm	dB	
651.77	Peak	-66.77	-49.25	-17.52	




Page: 137 of 196

Operation Band Test Date :802.11aB2 :2018-05-30

Fundamental Frequen-:5260 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
 MHz	PK/QP/AV	dBm	dBm	dB	
882.63	Peak	-66.58	-49.25	-17.33	_




Page: 138 of 196

Operation Band Test Date :802.11aB2 :2018-05-30

Fundamental Frequen-:5300 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
MHz	PK/QP/AV	dBm	dBm	dB	
926.28	Peak	-66.63	-49.25	-17.38	




Page: 139 of 196

Operation Band Test Date :802.11aB2 :2018-05-30

Fundamental Frequen-:5320 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
979 63	Peak	-65 85	-41 3	-24 56




Page: 140 of 196

Operation Band Test Date :802.11aB3 :2018-05-30

Fundamental Frequen-:5500 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
MHz	PK/QP/AV	dBm	dBm	dB	
687.66	Peak	-66.57	-49.25	-17.32	




Page: 141 of 196

Operation Band Test Date :802.11aB3 :2018-05-30

Fundamental Frequen-:5580 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
 MHz	PK/QP/AV	dBm	dBm	dB
593.57	Peak	-66.85	-49.25	-17.60




Page: 142 of 196

Operation Band Test Date :802.11aB3 :2018-05-30

Fundamental Frequen-:5700 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
 MHz	PK/QP/AV	dBm	dBm	dB
976.72	Peak	-66.04	-41.3	-24.75




Page: 143 of 196

Operation Band Test Date :802.11aB4 :2018-05-30

Fundamental Frequen-:5745 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
 MHz	PK/QP/AV	dBm	dBm	dB	
864.20	Peak	-66.18	-49.25	-16.93	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

10.100 No.100 No.100

www.tw.sqs.com




Page: 144 of 196

Operation Band Test Date :802.11aB4 :2018-05-30

Fundamental Frequen-: 5785 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
 MHz	PK/QP/AV	dBm	dBm	dB
839.95	Peak	-65.97	-49.25	-16.72




Page: 145 of 196

Operation Band Test Date :802.11aB4 :2018-05-30

Fundamental Frequen-:5825 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
MHz	PK/QP/AV	dBm	dBm	dB	
964.11	Peak	-66.48	-41.3	-25.19	-




Page: 146 of 196

Conducted Spurious Emission of over 1GHz

Operation Band Test Date :802.11aB1 :2018-05-30

Fundamental Frequen-:5180 MHz Temp./Humi. : 23 deg_C / 62 RH

СУ **Operation Mode** Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
_				_
10360.00	Average	-66.54	-41.3	-25.25
10360.00	Peak	-41.27	-21.3	-19.98
38713.00	Average	-76.31	-41.3	-35.02
38713.00	Peak	-46.27	-21.3	-24.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

10.100 No.100 No.100

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com




Page: 147 of 196

Operation Band Test Date :802.11aB1 :2018-05-30

Fundamental Frequen-:5220 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode :Tx CH MID

Engineer :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
10440.00	Average	-66.33	-41.3	-25.04
10440.00	Peak	-44.99	-21.3	-23.70
39571.00	Average	-76.49	-41.3	-35.20
39571.00	Peak	-46.90	-21.3	-25.61




Page: 148 of 196

Operation Band Test Date :802.11aB1 :2018-05-30

Fundamental Frequen-:5240 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



	Freq.	Detector Mode	ERP/EIRP	Limit	Margin
	MHz	PK/QP/AV	dBm	dBm	dB
1	0480.00	Average	-66.14	-41.3	-24.85
1	0480.00	Peak	-43.69	-21.3	-22.40
3	8557.00	Average	-76.23	-41.3	-34.94
3	8557.00	Peak	-46.25	-21.3	-24.96




Page: 149 of 196

Operation Band Test Date :802.11aB2 :2018-05-30

Fundamental Frequen-:5260 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
MHz	PK/QP/AV	dBm	dBm	dB	
10520.00	Average	-66.58	-41.3	-25.29	
10520.00	Peak	-43.89	-21.3	-22.60	
38557.00	Average	-76.42	-41.3	-35.13	
38557.00	Peak	-47.21	-21.3	-25.92	




Page: 150 of 196

Operation Band Test Date :802.11aB2 :2018-05-30

Fundamental Frequen-:5300 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
IVII IZ	PN/QP/AV	ubili	ubili	uБ
10600.00	Average	-66.90	-41.3	-25.61
10600.00	Peak	-43.65	-21.3	-22.36
38635.00	Average	-76.48	-41.3	-35.19
38635.00	Peak	-46.29	-21.3	-25.00




Page: 151 of 196

Operation Band Test Date :802.11aB2 :2018-05-30

Fundamental Frequen-:5320 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
10640.00	Average	-66.53	-41.3	-25.24
10640.00	Peak	-43.28	-21.3	-21.99
39181.00	Average	-76.17	-41.3	-34.88
39181.00	Peak	-46.41	-21.3	-25.12




Page: 152 of 196

Operation Band Test Date :802.11aB3 :2018-05-30

Fundamental Frequen-:5500 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
MHz	PK/QP/AV	dBm	dBm	dB	
11000.00	Average	-66.43	-41.3	-25.14	
11000.00	Peak	-43.77	-21.3	-22.48	
38635.00	Average	-76.38	-41.3	-35.09	
38635.00	Peak	-46.29	-21.3	-25.00	




:Mike

Page: 153 of 196

Operation Band Test Date :802.11aB3 :2018-05-30

Fundamental Frequen-:5580 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
11160.00	Average	-66.28	-41.3	-24.99
11160.00	Peak	-44.30	-21.3	-23.01
38557.00	Average	-76.60	-41.3	-35.31
38557.00	Peak	-45.43	-21.3	-24.14




Page: 154 of 196

Operation Band Test Date :802.11aB3 :2018-05-30

Fundamental Frequen-:5700 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
11400.00	Average	-66.58	-41.3	-25.29
11400.00	Peak	-44.60	-21.3	-23.31
39805.00	Average	-76.15	-41.3	-34.86
39805.00	Peak	-46.44	-21.3	-25.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

10.100 No.100 No.100

f (886-2) 2298-0488




Page: 155 of 196

Operation Band Test Date :802.11aB4 :2018-05-30

Fundamental Frequen-:5745 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
11490.00	Average	-66.48	-41.3	-25.19
11490.00	Peak	-44.47	-21.3	-23.18
38557.00	Average	-76.25	-41.3	-34.96
38557.00	Peak	-46.71	-21.3	-25.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

10.100 No.100 No.100

t (886-2) 2299-3279




Page: 156 of 196

Operation Band Test Date :802.11aB4 :2018-05-30

Fundamental Frequen-: 5785 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
	·			
11570.00	Average	-66.33	-41.3	-25.04
11570.00	Peak	-43.20	-21.3	-21.91
39064.00	Average	-76.50	-41.3	-35.21
39064.00	Peak	-46.52	-21.3	-25.23




Page: 157 of 196

Operation Band Test Date :802.11aB4 :2018-05-30

Fundamental Frequen-:5825 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
11650.00	Average	-66.11	-41.3	-24.82
11650.00	Peak	-43.68	-21.3	-22.39
38635.00	Average	-76.81	-41.3	-35.52
38635.00	Peak	-46.45	-21.3	-25.16




Page: 158 of 196

Operation Band Test Date :802.11n20B1 :2018-05-30

Fundamental Frequen-:5180 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
10360.00	Average	-66.38	-41.3	-25.09
10360.00	Peak	-43.65	-21.3	-22.36
39259.00	Average	-76.75	-41.3	-35.46
39259.00	Peak	-46.00	-21.3	-24.71




Page: 159 of 196

Operation Band Test Date :802.11n20B1 :2018-05-30

Fundamental Frequen-:5220 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
10440.00	Average	-66.17	-41.3	-24.88
10440.00	Peak	-43.71	-21.3	-22.42
36334.00	Average	-76.34	-41.3	-35.05
36334.00	Peak	-45.97	-21.3	-24.68




Page: 160 of 196

Operation Band Test Date :802.11n20B1 :2018-05-30

Fundamental Frequen-:5240 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
10480.00	Average	-66.25	-41.3	-24.96
10480.00	Peak	-44.29	-21.3	-23.00
39727.00	Average	-76.42	-41.3	-35.13
39727.00	Peak	-45.72	-21.3	-24.43




Page: 161 of 196

Operation Band Test Date :802.11n20B2 :2018-05-30

Fundamental Frequen-:5260 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
10520.00	Average	-66.15	-41.3	-24.86
10520.00	Peak	-43.55	-21.3	-22.26
38596.00	Average	-76.95	-41.3	-35.66
38596.00	Peak	-45.95	-21.3	-24.66




Page: 162 of 196

Operation Band Test Date :802.11n20B2 :2018-05-30

Fundamental Frequen-:5300 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
		ID	ID.	ID.
MHz	PK/QP/AV	dBm	dBm	dB
10600.00	Average	-66.28	-41.3	-24.99
10600.00	Peak	-42.74	-21.3	-21.45
38596.00	Average	-76.52	-41.3	-35.23
38596.00	Peak	-45.52	-21.3	-24.23




Page: 163 of 196

Operation Band Test Date :802.11n20B2 :2018-05-30

Fundamental Frequen-:5320 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
10640.00	Average	-66.58	-41.3	-25.29
10640.00	Peak	-43.15	-21.3	-21.86
36802.00	Average	-76.60	-41.3	-35.31
36802.00	Peak	-46.60	-21.3	-25.31




Page: 164 of 196

Operation Band Test Date :802.11n20B3 :2018-05-30

Fundamental Frequen-:5500 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector	ERP/EIRP	Limit	Margin
	Mode			
MHz	PK/QP/AV	dBm	dBm	dB
11000.00	Average	-66.31	-41.3	-25.02
11000.00	Peak	-42.63	-21.3	-21.34
39259.00	Average	-76.21	-41.3	-34.92
39259.00	Peak	-46.21	-21.3	-24.92




Page: 165 of 196

Operation Band Test Date :802.11n20B3 :2018-05-30

Fundamental Frequen-:5580 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
		15		
MHz	PK/QP/AV	dBm	dBm	dB
11160.00	Average	-66.07	-41.3	-24.78
11160.00	Peak	-44.24	-21.3	-22.95
38479.00	Average	-76.56	-41.3	-35.27
38479.00	Peak	-46.56	-21.3	-25.27




Page: 166 of 196

Operation Band Test Date :802.11n20B3 :2018-05-30

Fundamental Frequen-:5700 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
MHz	PK/QP/AV	dBm	dBm	dB	
11400.00	Average	-66.09	-41.3	-24.80	
11400.00	Peak	-44.59	-21.3	-23.30	
38752.00	Average	-76.34	-41.3	-35.05	
38752.00	Peak	-46.34	-21.3	-25.05	




Page: 167 of 196

Operation Band Test Date :802.11n20B4 :2018-05-30

Fundamental Frequen-:5745 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
	110 91 770	<u>abiii</u>	<u> </u>	
11490.00	Average	-66.24	-41.3	-24.95
11490.00	Peak	-44.32	-21.3	-23.03
36919.00	Average	-76.28	-41.3	-34.99
36919.00	Peak	-46.28	-21.3	-24.99




Page: 168 of 196

Operation Band Test Date :802.11n20B4 :2018-05-30

Fundamental Frequen-: 5785 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin	
MHz	PK/QP/AV	dBm	dBm	dB	_
11570.00	Average	-66.29	-41.3	-25.00	
11570.00	Peak	-44.18	-21.3	-22.89	
39103.00	Average	-76.55	-41.3	-35.26	
39103.00	Peak	-46.55	-21.3	-25.26	




Page: 169 of 196

Operation Band Test Date :802.11n20B4 :2018-05-30

Fundamental Frequen-:5825 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
1711 12	FR/QF/AV	<u>upin</u>	аын	<u>ub</u>
11650.00	Average	-66.31	-41.3	-25.02
11650.00	Peak	-43.94	-21.3	-22.65
38635.00	Average	-76.70	-41.3	-35.41
38635.00	Peak	-46.70	-21.3	-25.41




Page: 170 of 196

Operation Band Test Date :802.11n40B1 :2018-05-30

Fundamental Frequen-:5190 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
10380.00	Average	-66.25	-41.3	-24.96
10380.00	Peak	-43.95	-21.3	-22.66
39181.00	Average	-77.14	-41.3	-35.85
39181.00	Peak	-47.18	-21.3	-25.89




Page: 171 of 196

Operation Band Test Date :802.11n40B1 :2018-05-30

Fundamental Frequen-:5230 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
10460.00	Average	-66.18	-41.3	-24.89
10460.00	Peak	-43.92	-21.3	-22.63
36880.00	Average	-76.02	-41.3	-34.73
36880.00	Peak	-46.02	-21.3	-24.73




Page: 172 of 196

Operation Band Test Date :802.11n40B2 :2018-05-30

Fundamental Frequen-:5270 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
10540.00	Average	-66.42	-41.3	-25.13
10540.00	Peak	-43.88	-21.3	-22.59
39220.00	Average	-76.80	-41.3	-35.51
39220.00	Peak	-46.82	-21.3	-25.53




Page: 173 of 196

Operation Band Test Date :802.11n40B2 :2018-05-30

Fundamental Frequen-:5310 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
10620.00	Average	-66.43	-41.3	-25.14
10620.00	Peak	-43.39	-21.3	-22.10
39064.00	Average	-76.48	-41.3	-35.19
39064.00	Peak	-46.48	-21.3	-25.19




Page: 174 of 196

Operation Band Test Date :802.11n40B3 :2018-05-30

Fundamental Frequen-:5510 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
11020.00	Average	-66.43	-41.3	-25.14
11020.00	Peak	-44.00	-21.3	-22.71
38635.00	Average	-76.92	-41.3	-35.63
38635.00	Peak	-46.93	-21.3	-25.64




Page: 175 of 196

Operation Band Test Date :802.11n40B3 :2018-05-30

Fundamental Frequen-:5550 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
11100.00	Average	-66.53	-41.3	-25.24
11100.00	Peak	-43.20	-21.3	-21.91
39220.00	Average	-76.08	-41.3	-34.79
39220.00	Peak	-46.13	-21.3	-24.84




Page: 176 of 196

Operation Band Test Date :802.11n40B3 :2018-05-30

Fundamental Frequen-:5670 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
11340.00	Average	-66.36	-41.3	-25.07
11340.00	Peak	-43.92	-21.3	-22.63
38908.00	Average	-76.15	-41.3	-34.86
38908.00	Peak	-46.91	-21.3	-25.62




Page: 177 of 196

Operation Band Test Date :802.11n40B4 :2018-05-30

Fundamental Frequen-:5755 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
11510.00	Average	-66.39	-41.3	-25.10
11510.00	Peak	-44.76	-21.3	-23.47
39922.00	Average	-76.62	-41.3	-35.33
39922.00	Peak	-46.61	-21.3	-25.32




Page: 178 of 196

Operation Band Test Date :802.11n40B4 :2018-05-30

Fundamental Frequen-:5795 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH MID :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
11590.00	Average	-66.16	-41.3	-24.87
11590.00	Peak	-44.13	-21.3	-22.84
39142.00	Average	-76.45	-41.3	-35.16
39142.00	Peak	-45.65	-21.3	-24.36




Page: 179 of 196

Operation Band Test Date :802.11ac80B1 :2018-05-30

Fundamental Frequen-:5210 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
10420.00	Average	-66.49	-41.3	-25.20
10420.00	Peak	-44.66	-21.3	-23.37
38635.00	Average	-76.53	-41.3	-35.24
38635.00	Peak	-46.59	-21.3	-25.30




Page: 180 of 196

Operation Band Test Date :802.11ac80B2 :2018-05-30

Fundamental Frequen-:5290 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
10580.00	Average	-66.65	-41.3	-25.36
10580.00	Peak	-43.55	-21.3	-22.26
38596.00	Average	-76.47	-41.3	-35.18
38596.00	Peak	-46.52	-21.3	-25.23




Page: 181 of 196

Operation Band Test Date :802.11ac80B3 :2018-05-30

Fundamental Frequen-:5530 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
11060.00	Average	-66.39	-41.3	-25.10
11060.00	Peak	-44.97	-21.3	-23.68
38791.00	Average	-76.89	-41.3	-35.60
38791.00	Peak	-45.88	-21.3	-24.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 182 of 196

Operation Band Test Date :802.11ac80B3 :2018-05-30

Fundamental Frequen-:5610 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH HIGH :Mike



	Freq.	Detector Mode	ERP/EIRP	Limit	Margin
_	MHz	PK/QP/AV	dBm	dBm	dB
	11220.00	Average	-66.63	-41.3	-25.34
	11220.00	Peak	-43.21	-21.3	-21.92
	38596.00	Average	-76.31	-41.3	-35.02
	38596.00	Peak	-46.53	-21.3	-25.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 183 of 196

Operation Band Test Date :802.11ac80B4 :2018-05-30

Fundamental Frequen-:5775 MHz Temp./Humi. : 23 deg_C / 62 RH

Operation Mode Engineer :Tx CH LOW :Mike



Freq.	Detector Mode	ERP/EIRP	Limit	Margin
MHz	PK/QP/AV	dBm	dBm	dB
				_
11550.00	Average	-66.45	-41.3	-25.16
11550.00	Peak	-44.49	-21.3	-23.20
38635.00	Average	-76.50	-41.3	-35.21
38635.00	Peak	-45.54	-21.3	-24.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





Band edge falling to restricted band 802.11a CH36



802.11a CH64



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


www.tw.sqs.com




Page: 185 of 196



802.11a CH100



802.11a CH140



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 186 of 196



802.11a CH149



802.11a CH165



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com




Page: 187 of 196



802.11n20 CH36



802.11n20 CH64



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 188 of 196



802.11n20 CH100



802.11n20 CH140



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 189 of 196



802.11n20 CH149



802.11n20 CH165



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Page: 190 of 196



802.11n40 CH38



802.11n40 CH62



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Page: 191 of 196



802.11n40 CH102



802.11n40 CH134



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 192 of 196



802.11n40 CH151



802.11n40 CH159



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 193 of 196



802.11ac80 CH42



802.11ac80 CH58




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



802.11ac80 CH106



802.11ac80 CH155(LOW)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 195 of 196

802.11ac80 CH155(HIGH)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page: 196 of 196

7. ANTENNA REQUIREMENT

7.1 Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

7.2 Antenna Connected Construction

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law