## **USER MANUAL**

The manufacturer reserves the right to make changes to the Ninebot S 2, release firmware updates,

and update this manual at any time.

Visit www.segway.com to download the latest user materials and watch the safety video.

You must install the Segway-Ninebot app to follow the New Rider Tutorial,

activate your Ninebot S 2, and obtain the latest updates and safety instructions.

www.segway.com

CE.00.0070.73-B

## ninebot's z


## Contents

| 1. Riding Safety 01                 |
|-------------------------------------|
| 2. Packing List03                   |
| 3. Diagram04                        |
| 4. Assembling06                     |
| 5. Charging07                       |
| 6. First Ride08                     |
| 7. Learning to Ride09               |
| 8. Warnings11                       |
| 9. Features14                       |
| 10. Lifting and Power Assist Mode15 |
| 11. Maintenance16                   |
| 12. Specifications17                |
| 13. Trademark & Legal Statement18   |
| 14. Certifications19                |
| 15. Contact20                       |

## Welcome

Thanks for choosing the Ninebot S 2!

To enjoy the many features of your Ninebot S 2 you must read and follow these instructions. Enjoy your ride!



### **WARNING**

Always step on/off from the BACK. Otherwise you risk falls and/or collisions because the steering direction is reversed.

## 1 Riding Safety

- 1. The Ninebot S 2 is a recreational product. Before mastering riding skills, you need to practice. Neither Ninebot (means Ninebot (Beijing)) TechCo., Ltd. and its subsidiaries and affiliates) nor Segway Inc. is responsible for any injuries or damage caused by a rider's inexperience or failure to follow the instructions in this document.
- 2. Please understand that you can reduce the risk by following all the instructions and warnings in this manual, but you cannot eliminate all the risks. Remember that whenever you ride the Ninebot S 2 you risk injury or death from loss of control, collisions, and falls. When entering into public spaces always comply with the local laws and regulations. As with other vehicles, faster speeds require longer braking distance. Sudden braking on smooth surfaces could lead to wheel slip, loss of balance, or falls. Be cautious and always keep a safe distance between you and other people or vehicles when riding. Be alert and slow down when entering unfamiliar areas.
- 3. Always wear a helmet when riding. Use an approved bicycle or skateboard helmet that fits properly with the chin strap in place, and provides protection for the back of your head.
- 4. Do not attempt your first ride in any area where you might encounter children, pedestrians, pets, vehicles, bicycles, or other obstacles and potential hazards.
- 5. Respect pedestrians by always yielding the right of way. When approaching a pedestrian from the front, stay to the right and slow down. Avoid startling pedestrians. When approaching from behind, announce yourself and slow down to walking speed when passing. Pass on the left whenever possible. Please obey local traffic laws and regulations.
- 6. In places without laws and regulations governing self-balancing electric vehicles, comply with the safety guidelines outlined in this manual. Neither Ninebot nor Segway Inc. is responsible for any property damage, personal injury/death, accidents, or legal disputes caused by violations of the safety instructions.
- 7. Do not allow anyone to ride your Ninebot S 2 on his/her own unless he/she has carefully read this manual, watched the safety video, and followed the New Rider Tutorial on the Segway-Ninebot App. The safety of new riders is your responsibility. Assist new riders until they are comfortable with the basic operation of the Ninebot S 2. Make sure each new rider wears a helmet and other protective gear.
- 8. Before each ride check for loose fasteners, damaged components, and low tire pressure. If the Ninebot S 2 makes abnormal sounds or signals an alarm, immediately stop riding. Diagnose your Ninebot S 2 via the Segway-Ninebot App and call your dealer/distributor for service.
- Be alert! Scan both far ahead and in front of your Ninebot S 2 your eyes are your best tool for safely avoiding
  obstacles and low traction surfaces (including, but not limited to, wet ground, loose sand, loose gravel, and ice).
- 10. To reduce risk of injury, you must read and follow all "CAUTION" and "WARNING" notices in this document. Do not ride at an unsafe speed. Under no circumstance should you ride on roads with motor vehicles. The manufacturer recommends riders be 16+ years old. Always follow these safety instructions:

- A. People who should not ride the Ninebot S 2 include:
  - i. Anyone under the influence of alcohol or drugs.
  - ii. Anyone who suffers from disease that puts them at risk if they engage in strenuous physical activity.
  - iii. Anyone who has problems with balance or with motor skills that would interfere with their ability to maintain balance.
  - iv. Anyone whose height or weight is outside the stated limits (see Specifications).
  - v. Pregnant women.
- B. Riders under the age of 16 years old should ride under adult supervision.
- C. Comply with local laws and regulations when riding this product. Do not ride where prohibited by local laws.
- D. To ride safely, you must be able to clearly see what is in front of you and you must be clearly visible to others.
- E. Do not ride in the snow, in the rain, or on roads which are wet, muddy, icy, or that are slippery for any reason. Do not ride over obstacles (sand, loose gravel, or sticks). Doing so could result in a loss of balance or traction and could cause a fall.
- F. Do not accelerate or decelerate suddenly. Do not accelerate when the Ninebot S 2 tilts back or sounds an alarm. Do not attempt to override the speed limiter.
- 11. Do not attempt to charge your Ninebot S 2 if it, the charger, or the power outlet is wet.
- 12. As with any electronic device, use a surge protector when charging to help protect your Ninebot S 2 from damage due to power surges and voltage spikes. Only use the Ninebot supplied charger. Do not use a charger from any other product.
- 13. Use only Ninebot or Ninebot approved parts and accessories. Do not modify your Ninebot S 2. Modifications to your Ninebot S 2 could interfere with the operation of the Ninebot S 2, could result in serious injury and/or damage, and could void the Limited Warranty.
- 14. Do not sit on the steering bar. Doing so could result in serious injury and/or damage to your Ninebot S 2.
- 15. Children should not play with the Ninebot S 2 or parts of it nor should cleaning or maintenance be done by children. The use of the machine results in the transmission of vibrations throughout the driver's body.
- 16. For a better driving experience, it is recommended to conduct a regular maintenance of the product.
- 17. Please read the user manual before charging the battery.
- 18. The A-weighted emission sound pressure level is less than 70 dB(A). The mechanical vibrations transmitted by the Nibebot S 2 are less than 2,5 m/s<sup>2</sup>.


## 2 Packing List

Knee Control Bar

User Manual



Mainframe





Quick Start

Limited Warranty

Charger, Power Cord





When unpacking your Ninebot S 2, please verify that the above items are included in the package. If you are missing any components, please contact your dealer/distributor or email technicalsupport@segway.com.

After verifying that all components are present and in good condition, you can assemble your new Ninebot S 2. Please retain the box and packaging materials in case you need to ship your Ninebot S 2 in the future.

Remember to power off your Ninebot S 2 and unplug the charge cable before assembling, mounting accessories, or cleaning the mainframe.

3 Diagram






## 4 Assembling

1 Insert the knee control bar into thesocket at 2 Install the two screws. Tighten 3 Snap the lid securely. the back of the mainframe.

securely with the included hex wrench.











Check the Power ON/OFF status after assembly.

## Height adjustment of the knee pads

| ٢        | Power Button | Turn ON/OFF. The Ninebot S 2 will automatically power OFF when idle for 10 minutes, or when laid down (horizontal) for over 30 seconds.   |
|----------|--------------|---|
| 0        | Lock         | The Ninebot S 2 will vibrate and buzz alarm if anyone moves it when Lock Mode is activated via the app. User's smart phone will automatically alarm at the same time if the app is running.   |
| *        | Bluetooth    | When Bluetooth is enabled but not connected to a smart phone, this icon will blink. When the Segway-Ninebot app is connected to the Ninebot S 2, this icon will stay on.  |
| $\frown$ | Speed Limit  | When the icon is illuminated the Ninebot S 2 is limited to 4.3 mph (7 km/h). This speed limit can be adjusted in the app. As you approach thespeed limit, the Ninebot S 2 tilts back.   |
|          | Power Level  | Indicates the remaining battery level. When the battery is nearly empty this icon blinks and the<br>Ninebot S 2 beeps, indicating that you need to charge your Ninebot S 2. Use your app to read<br>the remaining power and estimated drivable range.<br>As battery level lowers, your Ninebot S 2 will gradually reduce the max speed. |




Rotate height adjustment knob anticlockwise.



Lift knee pads to suitable height. Tighten up height adjustment knob clockwise.

## 5 Charging

▲ Do not connect the charger if the charge port or charge cable is wet. The battery pack is only to be charged by adults.



•Your Ninebot S 2 is fully charged when the LED on the charger changes from red (charging) to green (trickle charge). Close the rubber cap when not charging.

\*When the scooter is not powered on for ten consecutive days and its battery level is under 20%, the battery will enter into sleep mode. If this happens, your scooter cannot be powered on. Please charge it to activate the battery promptly.



## 6 First Ride





## There are safety risks when learning to ride the Ninebot S 2. You must read the Safety Instructions and follow the New Rider Tutorial in the App before your first ride.

For your safety, your Ninebot S 2 is not activated at this time and you will hear a voice prompt if there is someone standing on the foot mat after Power ON.

Until activated, the Ninebot S 2 maintains a very low riding speed and steering sensitivity, and should not be ridden. Install the app on your mobile device (with Bluetooth 4.2 or above), connect to the Ninebot S 2 with Bluetooth, and follow the instructions to activate your Ninebot S 2 and follow the training procedures.

#### Scan the QR code to download the app.






1 Install app and register/login.

2 Power on, Bluetooth icon flickering indicates the Ninebot S 2 waiting for connection.

3 Click Vehicle button to connect. Your Ninebot S 2 will beep once when the Bluetooth connection is successful and the Bluetooth icon will be ON.

Please strictly follow the App instructions to learn how to ride safely & have fun.



## 7 Learning to Ride

#### \Lambda WARNING

Rider must weigh 88–220 lbs (40–100 kg) and must be 4'3"–6'6" (130–200 cm) tall.




Wear an approved helmet and other protective gear to minimize any possible injury.



#### NOTE

You must first download the Segway-Ninebot app on your mobile device. The app will lead you through the New Rider Tutorial.

For your safety, the Ninebot S 2 will limit the max speed to 4.3 mph (7 km/h) until you complete the New Rider Tutorial. For the first 0.6 miles (1 km) after completing the New Rider Tutorial, the max speed will be limited to 6.2 mph (10 km/h), after which you can disable the speed limiter via the app.



1 Go to a large open area and ask a friend to assist you on your first ride.

**WARNING** 

Always step on/off from the back of the Ninebot S 2.




2 Lightly place one foot on the foot mat, while keeping your other foot on the ground holding your weight. Do not press the knee pad with your knees to avoid steering.




3 Slowly transfer your weight onto the foot mat. The vehicle will beep twice, indicating it is now in balance mode.



4 Stand with your weight evenly distributed on both feet and relax, looking straight ahead. Avoid sudden steering.




5 Gently lean your body forward and backward to control your movement.



6 To turn, gently lean left or right against the knee pads.


## 8 Warnings

You must read and understand the Warnings and Riding Safety instructions in this manual before attempting to ride the Ninebot S 2. Failure to follow these warnings could result in death or serious injury due to: loss of balance, traction, and/or control: collisions; and falls.





- Avoid contacting obstacles with the tire/wheel.
- When traversing small bumps or uneven terrain, maintain a moderate speed of 2-6 mph (3-10 km/h) and keep your knees bent. Do not go too slow or too fast; otherwise you may lose control and fall.






Watch your head when passing through doorways.





Do not ride through puddles or other bodies of water. Do not get wet.






Do not ride on public roads, motorways, highways, or streets.

Do not accelerate when the Ninebot S 2 tilts back or sounds an alarm. Do not attempt to override the speed limiter.

steps, or other obstacles.



Do not accelerate or decelerate abruptly. Do not lean more than 5° or accelerate/decelerate faster than 2.5 mph/s (4 kmph/s).



only. Do not ride double or carry

any assengers. Do not carry a child.





Do not rock back and forth or shift your weight abruptly.

## **Warnings**

You must read and understand the Warnings and Safe Riding instructions in this manual before attempting to ride the Ninebot S 2.





Do not attempt stunts of any kind. Always keep both feet on the foot mats.

Maintain contact with the ground at all times. Do not jump or attempt stunts.



Do not ride on low traction surfaces (including but not limited to wet ground, loose sand, loose gravel, and ice).

## 9 Features

#### 9.1 Bluetooth Remote Control

You can use the Segway-Ninebot app to control your Ninebot S 2.

#### Steps:

a. Open the app and connect your Ninebot S 2.

b. Tap the icon ( 💽 ).

c. Drag the virtual joystick () to control your Ninebot S 2.

\* The speed can be customized via the app. The maximum speed is

4.3 mph (7 km/h).

#### **WARNING**

- Do not stand on the Ninebot S 2 when it is under Bluetooth remote control. Doing so risks serious personal injury or damage.
- Do not use Bluetooth remote control in crowded areas or where there is a potential risk of endangering people or property

if operated in an unsafe manner.

 $\bullet$  The Bluetooth range is 30–50 feet (10–15 meters). If your device goes outside Bluetooth range, the Ninebot S 2 will stop

moving in Bluetooth remote control.

#### 9.2 Bluetooth Speaker

You can use your mobile device to connect the Ninebot S 2 via Bluetooth. Let's ride with your phone music!

Steps:


.1...

a. Enable Bluetooth on your mobile phone.

b. Search device name: S2 AUD XXXX.

c. Pair and connect.





## 10 Lifting and Power Assist Mode



When your Ninebot S 2 is Power ON and lifted, it will automatically cut off power output for your safety. The power will be automatically restored once it is placed back onto the ground. Do not lift the Ninebot S 2 by the fenders or the main frame. Otherwise, you will risk serious injury of your clothes or fingers being trapped between the tire and the fenders. As shown above.



When your Ninebot S 2 is powered on, but no rider is standing on it, it is in Power Assist Mode. Steer the Ninebot S 2 across smooth surfaces using the knee control bar. Do not guide it up stairs, across potholes, over large cracked/uneven surfaces, or over other obstacles; guide your Ninebot S 2 around the obstacle or carry it over the obstacle as shown above.

## 11 Maintenance

#### Cleaning and Storing Your Ninebot S 2

Use a soft, wet cloth to wipe the mainframe clean. Hard to remove dirt can be scrubbed with a toothbrush and toothpaste, then cleaned with a soft, wet cloth.

#### NOTE

The IP Rating of the mainframe is IP54, IP Rating of the battery pack is IPX6. Do not wash your Ninebot S 2 with alcohol, gasoline, acetone, or other corrosive/volatile solvents. These substances may damage the appearance and internal structure of your Ninebot S 2. Do not wash your Ninebot S 2 with a power washer or high pressure hose.

#### **WARNING**

Make sure the Ninebot S 2 is powered OFF, the charging cable is unplugged, and the rubber cap on the charge port is tightly sealed before cleaning; otherwise you may expose yourself to electric shock or damage the electronic components. Store your Ninebot S 2 in a cool, dry place. Do not store it outdoors for extended periods of time. Exposure to sunlight and extreme temperature (both hot and cold) will accelerate the aging process of the plastic components and may reduce battery life.

#### Battery Pack Maintenance

Do not store or charge the battery at temperatures outside the stated limits (see Specifications). Do not expose the battery to fire. Do not discard or destroy the battery. Refer to your local laws and regulations regarding battery recycling and/or disposal.

A well maintained battery can perform well even after many miles of riding. Charge the battery after each ride and avoid draining the battery completely. When used at room temperature ( $70^{\circ}F$  [22°C]) the battery range and performance is at its best; whereas using it at temperatures below 32°F ( $0^{\circ}C$ ) can decrease range and performance. Typically, at -4°F (-20°C) range can be half that of the same battery at  $70^{\circ}F$  (22°C). Battery range will recover when temperature rises.

#### NOTE

Typically, a fully charged battery should retain charge for 120-180 days in Standby Mode. Remember to charge the battery after each use. Completely draining the battery may cause permanent damage to the battery. Electronics inside the battery record the charge-discharge condition of the battery; damage caused by over-charging or under-charging will not be covered by the Limited Warranty.

#### WARNING

Do not attempt to disassemble the battery. Risk of fire. No user serviceable parts.

#### **WARNING**

Do not ride when the ambient temperature is outside the machine operation temperature(see Specifications) because low/high temperature will limit the maximum power/torque. Doing so could cause personal injury or property damage due to slips or falls.

#### Recommended tire pressur

Inflate tires to 55-60 psi (379~414kPa). Inflate both tires equally.

## 12 Specifications

| Category     | Item                           | N5M340 Parameters  |  |  |  |  |
|--------------|--------------------------------|--|--|--|--|--|
| Dimensions   | Length × width                 | 10.4 × 21.8 in (265 × 553 mm)  |  |  |  |  |
| Dimensions   | Height <sup>[1]</sup>          | 25.2~30.3 in (640~770 mm)  |  |  |  |  |
| MA           | Payload                        | 88-220 lbs (40-100 kg )  |  |  |  |  |
| Weight       | Net weight                     | Approx. 29.8 lbs (13.5 kg)   |  |  |  |  |
| Rider        | Ages                           | 16 ~ 50 years  |  |  |  |  |
| Requirements | Height                         | 4'3"-6'6" (130-200 cm)   |  |  |  |  |
|              | Maximum speed                  | Approx. 11.2 mph (18 km/h)   |  |  |  |  |
|              | Typical range <sup>[2]</sup>   | Approx. 24.9 mi (40 km)  |  |  |  |  |
|              | Maximum slope                  | Approx. 15°  |  |  |  |  |
|              | Beginner mode                  | Can be disabled or reset via the app after 0.6 mi (1 km) riding.   |  |  |  |  |
| Vehicle      | Traversable terrain            | Pavement, packed dirt, slopes < 15°, obstacles < 0.4 in (1 cm),<br>gaps < 1.2 in (3 cm)  |  |  |  |  |
|              | Operating temperature          | 14-104°F (-10-40°C)  |  |  |  |  |
|              | Storage temperature            | -4-122°F (-20-50°C)  |  |  |  |  |
|              | Permitted charging temperature | 32-104°F(0-40°C)   |  |  |  |  |
|              | IP rating                      | IP54   |  |  |  |  |
|              | Rated voltage                  | 54 V ====  |  |  |  |  |
|              | Maximum charging voltage       | 63 V   |  |  |  |  |
| Battery Pack | Rated capacity                 | 335 Wh   |  |  |  |  |
|              | Smart BMS                      | Overvoltage/Under voltage/Short Circuit/Overheating Protection, Auto-Sleep,<br>Wake-up, detailed information of battery can be checked with the app. |  |  |  |  |
|              | Charging temperature           | 32-104°F(0-40°C)   |  |  |  |  |
| Motor        | Rated power                    | 400×2 W  |  |  |  |  |
|              | Maximum power                  | 800×2 W  |  |  |  |  |
|              | Input voltage                  | 100 - 240 V ~  |  |  |  |  |
| Charger      | Output voltage                 | Approx. 59.5   |  |  |  |  |
|              | Rated power                    | 120 W  |  |  |  |  |
|              | Charging time                  | Approx. 2.5 h  |  |  |  |  |

[1] Vehicle height: The distance from the ground to the highest point of the vehicle body.

[2] Typical range: Tested while riding under full power, 154 lbs (70 kg) load, 77°F (25°C), 9.3 mph (15 km/h) average speed on pavement. Note: The tilde symbol (~) indicates that the following number is an approximation.

## 13 Trademark & Legal Statement

Ninebot is registered trademark of Ninebot (Beijing) Tech. Co., Ltd; Ninebot S is trademark of Ninebot (Beijing) Tech. Co., Ltd; Segway is registered trademark of Segway Inc; Apple and Apple Logo are registered trademark of Apple Inc in the United States and elsewhere. App Store is service mark of Apple Inc; Android is trademark of Google Inc, Android robots was originally created by Google Inc; The respective owners reserve the rights of their trademarks referred to in this manual.

The Ninebot S 2 is covered by relevant patents. For patent information go to http://www.segway.com.

We have attempted to include descriptions and instructions for all the functions of the Ninebot S 2 at the time of printing. However, your Ninebot S 2 may differ slightly from the one shown in this document. Please note that there are multiple Ninebot models with different functions, and some of the functions mentioned herein may not be applicable to your unit. The manufacturer reserves the right to change the design and functionality of the Ninebot S 2 product and documentation without prior notice.

© 2022 Ninebot (Beijing) Tech Co., Ltd. All rights reserved.

## 14 Certifications

#### Ninebot S 2 N5M340

-UL2272 -FCC part 15 subparts B and C

#### Batteries

#### Federal Communications Commission (FCC) Compliance Statement for USA

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device maynot cause harmful interference, and (2) this device must accept any interference received, including interference that maycause undesired operation.

Important: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna.

- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

#### Industry Canada (IC) Compliance Statement for Canada

This device complies with Industry Canada license-exempt RSS standard(s).

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le present appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisee aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioelectrique subi, meme si le brouillage est susceptible d'en compromettre le fonctionnement.

#### CAN ICES-3 (B)/NMB-3(B)

Ninebot is not responsible for any changes or modifications not expressly approved by Ninebot. Such modifications couldvoid the user's authority to operate the equipment.

#### EMF:

To maintain compliance with the RF exposure requirement, a separation distance of 20 cm between the device and the human should be maintained.

Déclaration d'exposition Attention: Cet émetteur doit être installé pour fournir une distance de separation d'au moins 20 cm de toute personne.

- This device must be professionally installed, this should be noted on grantee.
- This device requires a significant technology engineering expertise towards understanding of the tools and relevant technology, not readily available to average consumer. Only a person professionally trained in the technology is competent.
- This device is not directly marketed or sold to general public.

FCC ID: 2ALS8-PS0006 IC: 22636-PS0006 Model Number: N5M340

## 15 Contact

Contact us if you experience issues relating to riding, maintenance and safety, or errors/faults with your Ninebot S 2.

Segway Inc. P.O. BOX 3925 Alhambra, CA. 91803, USA 14 Technology Drive, Bedford, NH 03110, USA Tel: 1-603-222-6000 Toll Free: 1-888-523-5583 E-mail Service: technicalsupport@segway.com Website: www.segway.com

Have your Ninebot S 2's serial number on hand when contacting Segway. You can find your serial number on the bottom of your Ninebot S 2.

|   | 1          | F    | 2 | 3 |  |
|---|------------|------|---|---|--|
|   | 图示         |      |   |   |  |
|   | <br>裁切线    |      |   |   |  |
|   | <br>压线     |      |   |   |  |
| Α | <br>反压线    |      |   |   |  |
|   | <br>齿刀线 X/ | /xmm |   |   |  |
|   | 开槽         |      |   |   |  |
| _ | 粘合区域       |      |   |   |  |
|   |            |      |   |   |  |



USER MANUAL

The manufacturer reserves the right to make changes to the Ninebot S 2, release firmware updates, and update this manual at any time.

Visit www.segway.com to download the latest user materials and watch the safety video. You must install the Segway-Ninebot app to follow the New Rider Tutorial, activate your Ninebot S 2, and obtain the latest updates and safety instructions. ninebot<sup>°</sup>s 2 www.segway.com CE.00.0070.73-B A. People who should not ride the Ninebot S 2 include:i. Anyone under the influence of alcohol or drugs. 1 Riding Safety ii. Anyone who suffers from disease that puts them at risk if they engage in strenuous physical activity. The Ninebot S 2 is a recreational product. Before mastering riding skills, you need to practice. Neither Ninebot (means Ninebot (Beijing) Tech Co., Ltd. and its subsidiaries and affiliates) nor Segway Inc. is responsible for any injuries or damage caused by a rider's inexperience or failure to follow the instructions in this document. iii. Anyone who has problems with balance or with motor skills that would interfere with their ability to maintain balance. Anyone whose height or weight is outside the stated limits (see Specifications). Please understand that you can reduce the risk by following all the instructions and warnings in this manual, but you cannot eliminate all the risks. Remember that whenever you ride the Ninebot S 2 you risk injury or death from loss of control, collisions, and falls. When entering into public spaces always comply with the local laws and regulations. As with other vehicles, faster speeds require longer braking distance. Sudden braking on smooth surfaces could lead to wheel slip, loss of balance, or falls. Be cautious and always keep a safe distance between you and other people or vehicles when riding. Be alert and slow down when entering unfamiliar areas.
 Always wear a helmet when riding. Use an approved bicycle or skateboard helmet that fits properly with the chin strap in place, and provides protection for the back of your head. v. Pregnant women.
B. Riders under the age of 16 years old should ride under adult supervision.
C. Comply with local laws and regulations when riding this product. Do not ride where prohibited by local laws.
D. To ride safely, you must be able to clearly see what is in front of you and you must be clearly visible to others. E. Do not ride in the snow, in the rain, or on roads which are wet, muddy, icy, or that are slippery for any reason. Do not ride over obstacles (sand, loose gravel, or sticks). Doing so could result in a loss of balance or traction and could cause a fall. F. Do not accelerate or decelerate suddenly. Do not accelerate when the Ninebot S 2 tilts back or sounds an alarm. Do not attempt to override the speed limiter. Do not attempt your first ride in any area where you might encounter children, pedestrians, pets, vehicles, bicycles, or other obstacles and potential hazards. 11. Do not attempt to charge your Ninebot S 2 if it, the charger, or the power outlet is wet. 5. Respect pedestrians by always yielding the right of way. When approaching a pedestrian from the front, stay to the right and slow down. Avoid startling pedestrians. When approaching from behind, announce yourself and slow down to walking speed when passing. Pass on the left whenever possible. Please obey local traffic laws and regulations. 12. As with any electronic device, use a surge protector when charging to help protect your Ninebot S 2 from damage due to power surges and voltage spikes. Only use the Ninebot supplied charger. Do not use a charger from any other product. 13. Use only Ninebot or Ninebot approved parts and accessories. Do not modify your Ninebot S 2. Modifications to your Ninebot S 2 could interfere with the operation of the Ninebot S 2, could result in serious injury and/or damage, and could void the Limited Warranty. 6. In places without laws and regulations governing self-balancing electric vehicles, comply with the safety guidelines outlined in this manual. Neither Ninebot nor Segway Inc. is responsible for any property damage, personal injury/death, accidents, or legal disputes caused by violations of the safety instructions. Do not allow anyone to ride your Ninebot S 2 on his/her own unless he/she has carefully read this manual, watched the safety video, and followed the New Rider Tutorial on the Segway-Ninebot App. The safety of new riders is your responsibility. Assist new riders until they are comfortable with the basic operation of the Ninebot S 2. Make sure each new rider wears a helmet and other protective gear.
 References bride sheak for laces for the safety demonstration of the Ninebot S 2. Make sure each new rider wears a helmet and other protective gear. 14. Do not sit on the steering bar. Doing so could result in serious injury and/or damage to your Ninebot S 2. 15. Children should not play with the Ninebot S 2 or parts of it nor should cleaning or maintenance be done by children. The use of the machine results in the transmission of vibrations throughout the driver's body. 8. Before each ride check for loose fasteners, damaged components, and low tire pressure. If the Ninebot S 2 makes abnormal sounds or signals an alarm, immediately stop riding. Diagnose your Ninebot S 2 via the Segway-Ninebot App and call your dealer/distributor for service. 16. For a better driving experience, it is recommended to conduct a regular maintenance of the product. 17. Please read the user manual before charging the battery. The A-weighted emission sound pressure level is less than 70 dB(A). The mechanical vibrations transmitted by the Nibebot S 2 are less than 2,5 m/s<sup>2</sup>. Be alert! Scan both far ahead and in front of your Ninebot S 2 — your eyes are your best tool for safely avoiding obstacles and low traction surfaces (including, but not limited to, wet ground, loose sand, loose gravel, and ice).
 To reduce risk of injury, you must read and follow all "CAUTION" and "WARNING" notices in this document. Do not ride at an unsafe speed. Under no circumstance should you ride on roads with motor vehicles. The manufacturer recommends riders be 16+ years old. Always follow these safety instructions: 02 03 4 Assembling 1 Insert the knee control bar into thesocket at the back of the mainframe.
2 Install the two screws. Tights securely with the included has wrench.
Image: Ima <complex-block><complex-block> 7 Learning to Ride ▲ WARNING Rider must weigh 88–220 lbs (40–100 kg) and must be 4'3"–6'6" (130–200 cm) tall. MARNINGAfter activation, the app will lead you through the New Rider<br/>Tutorial. Please follow the instructions in the app and in this<br/>manual.NOTEYou must first download the Segway-Ninebot app on your<br/>mobile device. The app will lead you through the New Rider<br/>Tutorial.Wear an approved helmet and other protective gear<br/>to minimize any possible injury.For your safety, the Ninebot S 2 will limit the max speed to 4.3<br/>mph (7 km/h) until you complete the New Rider Tutorial. For<br/>the first 0.6 miles (1 km) after completing the New Rider<br/>Tutorial, the max speed will be limited to 6.2 mph (10 km/h),<br/>after which you can disable the speed limiter via the app. 3 Slowly transfer your weight onto the foot mat. The vehicle will beep twice, indicating it is now in balance mode.
4 Stand with your weight evenly distributed on both feet and relax, looking straight ahead. Avoid sudden steering. I go to a large open area and ask a friend to assist you on your first ride.
✓ VARNING
A tways step on/off from the back of the Ninebot S 2. 10 11 <complex-block><complex-block> Do not attempt stunts of any kind. Always keep both feet on the foot mats. Do not ride on low traction jump or attempt stunts. Do not jump or attempt stunts. The Bluetooth range is 30–50 feet (10–15 meters). If your device goes outside Bluetooth range, the Ninebot S 2
 will stop moving in Bluetooth remote control. 9.2 Bluetooth Speaker You can use your mobile device to connect the Ninebot S 2 via Bluetooth. Let's ride with your phone music! Steps: a. Enable Bluetooth on your mobile phone. b. Search device name: S2 AUD XXXX. c. Pair and connect. 13 Trademark & Legal Statement 12 Specifications 

 Category
 Item
 NSM340 Parameters

 Dimensions
 Length × width
 10.4 × 21.8 in (265 × 553 mm)

 Dimensions
 Height<sup>(1)</sup>
 25.2\*30.3 in (640-770 mm)

 Weight
 Payload
 88\*220 lbs (40\*100 kg)

 Rider
 Ages
 16 - 50 years

 Requirements
 Height
 4/3\*-66\* (130\*200 cm)

 Maximum speed
 Approx. 29.8 lbs (13.5 kg)

 Typical range<sup>(2)</sup>
 Approx. 24.9 mi (40 km/h)

 Typical range<sup>(2)</sup>
 Approx. 24.9 mi (40 km/h)

 Typical range<sup>(2)</sup>
 Approx. 24.9 mi (40 km)

 Maximum speed
 Can be disabled or reset via the app after 0.6 mi (1 km) riding.

 Parement, backed dirt, slopes < 15\*, obstacles < 0.4 in (1 cm), ggps < 1.2 in (3 cm)</td>

 Operating temperature
 14-104\*F (-10-40\*C)

 Storage temperature
 14-104\*F (-10-40\*C)

 Storage temperature
 54 V ====

 Parting
 IP54

 Maximum charging voltage
 63 V ====

 Maximum charging voltage
 63 V ====

 Maximum charging voltage
 63 V ====

 Rated voltage
 Verter

 Charging temperature
 32-104\*F (0-40\*C)

 Charging temperature
 32-10 Ninebot is registered trademark of Ninebot (Beijing) Tech. Co., Ltd; Ninebot S is trademark of Ninebot (Beijing) Tech. Co., Ltd; Segway is registered trademark of Segway Inc; Apple and Apple Logo are registered trademark of Apple Inc in the United States and elsewhere. App Store is service mark of Apple Inc; Android is trademark of Google Inc, Android robots was originally created by Google Inc; The respective owners reserve the rights of their trademarks referred to in this manual. The Ninebot S 2 is covered by relevant patents. For patent information go to http://www.segway.com. We have attempted to include descriptions and instructions for all the functions of the Ninebot S 2 at the time of printing. However, your Ninebot S 2 may differ slightly from the one shown in this document. Please note that there are multiple Ninebot models with different functions, and some of the functions mentioned herein may not be applicable to your unit. The manufacturer reserves the right to change the design and functionality of the Ninebot S 2 product and documentation without prior notice. © 2022 Ninebot (Beijing) Tech Co., Ltd. All rights reserved. © 2022 Ninebot (Beijing) Tech Co., Ltd. All rights reserved. [1] Vehicle height; The distance from the ground to the highest point of the vehicle body.
[2] Typical range: Tested while riding under full power, 154 lbs (70 kg) load, 77°F (25°C), 9.3 mph (15 km/h) average speed on pavement.
Note: The tilde symbol (\*) indicates that the following number is an approximation.


技术说明: 1、材料(楞形\克重配比): 105g 金东太空梭亚光双面铜版纸 2、 工艺: 骑马钉+封面封底过哑油 3、印刷颜色: :Pantone Cool Gray 11 C 📃 🛛 Pantone 1505 C 📃 Pantone 109 C 4、其他特殊说明:

| Contents                          |
|-----------------------------------|
| 1. Riding Safety01                |
| 2. Packing List03                 |
| 3. Diagram04                      |
| 4. Assembling06                   |
| 5. Charging07                     |
| 6. First Ride08                   |
| 7. Learning to Ride09             |
| 8. Warnings 11                    |
| 9. Features 14                    |
| 10. Lifting and Power Assist Mode |
| 11. Maintenance16                 |
| 12. Specifications17              |
| 13. Trademark & Legal Statement18 |
| 14. Certifications19              |
| 15. Contact20                     |
|                                   |
|                                   |
|                                   |
|                                   |

Original instructions

| 2 Packing List  |  |
|---|--|
| Knee Control Bar  | User Manual Quick Start Limited Warranty                               |
|   | SERT MARIA. Quist Start Linite Haranty                                 |
| Mainframe   | Accessory Box  |
|   | Accessories in the Box<br>Screw × 2 Lid Hex wrench Air Valve Extension |
| please contact your dealer/distributor or email technicals<br>After verifying that all components are present and in goo<br>Please retain the box and packaging materials in case you | d condition, you can assemble your new Ninebot S 2.                    |


| 2 A |  |         |   |
|-----|--|---------|---|
|     | Charged when the LED on the  | <br>cáp | Insert the plug<br>into the socket<br>:kle charge). Close |
|     | t charging.<br>powered on for ten consect<br>ens, your scooter cannot be |         |   |
|     |  | Z       | ZZ  |





14 Certifications Ninebot S 2 N5M340 —FCC part 15 subparts B and C Batteries - UN/DOT 38.3


18 19

Federal Communications Commission (FCC) Compliance Statement for USA This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device maynot cause harmful interference, and (2) this device must accept any interference received, including interference that maycause undesired operation. Important: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: measures: — Reorient or relocate the receiving antenna. — Increase the separation between the equipment and receiver. — Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. -Consult the dealer or an experienced radio/TV technician for help. Industry Canada (IC) Compliance Statement for Canada This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. Le present appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisee aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioelectrique subi, meme si le brouillage est susceptible d'en compromettre le fonctionnement.









# 11 Maintenance

Cleaning and Storing Your Ninebot S 2 Use a soft, wet cloth to wipe the mainframe clean. Hard to remove dirt can be scrubbed with a toothbrush and toothpaste, then cleaned with a soft, wet cloth. NOTE NOTE the province of the pr rell maintained battery can perform well even after many miles of riding. Charge the battery after each ride and avoid ining the battery completely. When used at room temperature (70°F [22°C]) the battery range and performance is a t; whereas using it at temperatures below 32°F (0°C) can decrease range and performance. Typically, at -4°F (-20°C ge can be half that of the same battery at 70°F (22°C). Battery range will recover when temperature rises. ypically, a fully charged battery should retain charge for 120-180 days in Standby Mode. Remember to charge the battery fter each use. Completely draining the battery may cause permanent damage to the battery. Electronics inside the batter battery decord the charge-discharge condition of the battery; damage caused by over-charging or under-charging will not be every the taining the taining the battery. overed by the Limited Warranty. Do not attempt to disassemble the battery. Risk of fire. No user serviceable parts. Do not ride when the ambient temperature is outside the machine operation temperature(see Specifications) because low/high temperature will limit the maximum power/torque. Doing so could cause personal injury or property damage due to slips or falls.

> CAN ICES-3 (B)/NMB-3(B) Ninebot is not responsible for any changes or modifications not expressly approved by Ninebot. Such modifications couldvoid the user's authority to operate the equipment. maintain compliance with the RF exposure requirement, a separation distance of 20 cm between the device and the réclaration d'exposition Attention: Cet émetteur doit être installé pour fournir une distance de separation d'au moins 20 This device personne.
> This device must be professionally installed, this should be noted on grantee.
> This device requires a significant technology engineering expertise towards understanding of the tools and relevant technology, not readily available to average consumer. Only a person professionally trained in the technology is competent. • This device is not directly marketed or sold to general public. FCC ID: 2ALS8-PS0006 IC: 22636-PS0006 Model Number: N5M340

16

## 15 Contact Contact us if you experience issues relating to riding, maintenance and safety, or errors/faults with your Ninebot S 2.

Segway Inc. P.O. BOX 3925 Alhambra, CA, 91803, USA 14 Technology Drive, Bedford, NH 03110, USA Tel: 1-603-222-6000 Toll Free: 1-888-523-5583 E-mail Service: technicalsupport@segway.com Website: www.segway.com Have your Ninebot S 2's serial number on hand when contacting Segway. You can find your serial number on the bottom of your Ninebot S 2. 20



| 5 F 6 | 7          | 8 F    | 9     |                        | 10 F                                  | 11                  | 12                              |
|-------|------------|--------|-------|------------------------|---------------------------------------|---------------------|---------------------------------|
|       | 成型尺寸 140*  | 140 mm | 标签类   | ±0.5mm                 | ————————————————————————————————————— | 0~200mm<br>20~500mm | $\pm 2$ mm<br>$\pm 3$ mm        |
|       | 刀模尺寸 140*2 | 280 mm | 说明书类  | $\pm 1  \text{mm}$     | 「し衣大                                  |                     | $\pm 5$ mm                      |
|       | 展开尺寸 140*2 | 280 mm | EPE 类 | +5 mm/ $-3$ mm         | 模具成型类                                 |                     | $0 \text{ mm} \pm 2 \text{ mm}$ |
|       | 公差(无特殊说    | 明下)    | 纸箱类   | 单瓦楞 ± 3mm<br>双瓦楞 ± 5mm | 一 俟兵成空矢<br>(EPS/纸塑等)                  |                     | 600mm ±3mm<br>0mm ±4mm<br>/-0mm |

|   |       |     |        |    |    |    | 工艺类别<br>包材定制-说明书类 |     |        | 说明书            |
|---|-------|-----|--------|----|----|----|-------------------|-----|--------|----------------|
|   |       |     |        |    |    |    | 包約正前等级            |     | 尖<br>量 |                |
|   | 标记    | 处数  | 更改文    | 件号 | 姓名 | 日期 | B                 |     |        |                |
|   | 设计    | 陈宇涵 | 220624 |    |    |    | 版本                | 图幅  | 比例     | -0.0007073     |
|   | VX VI |     |        | 审核 |    |    | A                 | A0  | 1:1    | UE.UU.UU/U./J  |
|   | 校对    | 孙蒙  | 220412 |    |    |    | 投影视角              |     |        | Coauzy_Nipohot |
| 柞 | 示准化   |     |        | 批准 |    |    | 第 1 页             | 共 1 | 页      | Segway-Ninebot |