







66C / 10+20MHz / 64QAM/ Low CH




66C / 10+20MHz / 256QAM/ Low CH




66C / 10+15MHz / QPSK/ Mid CH




66C / 10+15MHz / 16QAM/ Mid CH




66C / 10+15MHz / 64QAM/ Mid CH




66C / 10+15MHz / 256QAM/ Mid CH




66C / 10+20MHz / QPSK/ Mid CH




66C / 10+20MHz / 16QAM/ Mid CH




66C / 10+20MHz / 64QAM/ Mid CH




66C / 10+20MHz / 256QAM/ Mid CH




66C / 10+15MHz / QPSK/ High CH




66C / 10+15MHz / 16QAM/ High CH




66C / 10+15MHz / 64QAM/ High CH




66C / 10+15MHz / 256QAM/ High CH




66C / 10+20MHz / QPSK/ High CH



66C / 10+20MHz / 16QAM/ High CH




66C / 10+20MHz / 64QAM/ High CH




66C / 10+20MHz / 256QAM/ High CH







66C / 15+15MHz / 64QAM/ Low CH




66C / 15+15MHz / 256QAM/ Low CH




66C / 15+20MHz / QPSK/ Low CH




66C / 15+20MHz / 16QAM/ Low CH




66C / 15+20MHz / 64QAM/ Low CH




66C / 15+20MHz / 256QAM/ Low CH




66C / 15+10MHz / QPSK/ Mid CH




66C / 15+10MHz / 16QAM/ Mid CH




66C / 15+10MHz / 64QAM/ Mid CH




66C / 15+10MHz / 256QAM/ Mid CH




66C / 15+15MHz / QPSK/ Mid CH




66C / 15+15MHz / 16QAM/ Mid CH




66C / 15+15MHz / 64QAM/ Mid CH




66C / 15+15MHz / 256QAM/ Mid CH




66C / 15+20MHz / QPSK/ Mid CH




66C / 15+20MHz / 16QAM/ Mid CH




66C / 15+20MHz / 64QAM/ Mid CH




66C / 15+20MHz / 256QAM/ Mid CH




66C / 15+10MHz / QPSK/ High CH




66C / 15+10MHz / 16QAM/ High CH




66C / 15+10MHz / 64QAM/ High CH




66C / 15+10MHz / 256QAM/ High CH




66C / 15+15MHz / QPSK/ High CH




66C / 15+15MHz / 16QAM/ High CH




66C / 15+15MHz / 64QAM/ High CH




66C / 15+15MHz / 256QAM/ High CH




66C / 15+20MHz / QPSK/ High CH



66C / 15+20MHz / 16QAM/ High CH




66C / 15+20MHz / 64QAM/ High CH




66C / 15+20MHz / 256QAM/ High CH







66C / 20+15MHz / 64QAM/ Low CH




66C / 20+15MHz / 256QAM/ Low CH




66C / 20+5MHz / QPSK/ Low CH




66C / 20+5MHz / 16QAM/ Low CH




66C / 20+5MHz / 64QAM/ Low CH




66C / 20+5MHz / 256QAM/ Low CH




66C / 20+20MHz / QPSK/ Low CH




66C / 20+20MHz / 16QAM/ Low CH




66C / 20+20MHz / 64QAM/ Low CH




66C / 20+20MHz / 256QAM/ Low CH




66C / 20+10MHz / QPSK/ Mid CH




66C / 20+10MHz / 16QAM/ Mid CH




66C / 20+10MHz / 64QAM/ Mid CH




66C / 20+10MHz / 256QAM/ Mid CH




66C / 20+15MHz / QPSK/ Mid CH




66C / 20+15MHz / 16QAM/ Mid CH




66C / 20+15MHz / 64QAM/ Mid CH




66C / 20+15MHz / 256QAM/ Mid CH




66C / 20+5MHz / QPSK/ Mid CH




66C / 20+5MHz / 16QAM/ Mid CH




66C / 20+5MHz / 64QAM/ Mid CH



66C / 20+5MHz / 256QAM/ Mid CH




66C / 20+20MHz / QPSK/ Mid CH




66C / 20+20MHz / 16QAM/ Mid CH







66C / 20+15MHz / QPSK/ High CH




66C / 20+15MHz / 16QAM/ High CH




66C / 20+15MHz / 64QAM/ High CH




66C / 20+15MHz / 256QAM/ High CH




66C / 20+5MHz / QPSK/ High CH




66C / 20+5MHz / 16QAM/ High CH




66C / 20+5MHz / 64QAM/ High CH




66C / 20+5MHz / 256QAM/ High CH




66C / 20+20MHz / QPSK/ High CH



66C / 20+20MHz / 16QAM/ High CH



66C / 20+20MHz / 64QAM/ High CH



66C / 20+20MHz / 256QAM/ High CH

## 2.3. Conducted Spurious Emissions

### 2.3.1. Requirement

According to FCC section 2.1051, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB. This calculated to be -13dBm.

Additional requirement for LTE Band 2:

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB. This calculated to be -13dBm.

Additional requirement for LTE Band 4/66:

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10 \log_{10}(P)$  dB. This calculated to be -13dBm.

Additional requirement for LTE Band 5:

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB. This calculated to be -13dBm.

Additional requirement for LTE Band 12:

For operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log(P)$  dB. This calculated to be -13dBm


Additional requirement for LTE Band 13

According to FCC section 27.53(c)(2), any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least  $43 + 10 \log(P)$  dB in a 100kHz bandwidth. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed. This calculated to be -13dBm.

Additional requirement for LTE Band 48:

According to FCC section 96.41(e), the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

### 2.3.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

### 2.3.3. Test Procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.

### 2.3.4. Test Result

