

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 B71\_5MHz\_ERP

| Band: 71 / Bandwidth: 5MHz / NTV             |                 |               |        |                       |            |           |         |         |
|----------------------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                                   | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                              |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                                         | 665.5           | 1             | 0      | 21.54                 | -3.75      | 15.64     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 21.55                 | -3.75      | 15.65     | <=34.77 | Pass    |
|                                              |                 |               | 24     | 21.61                 | -3.75      | 15.71     | <=34.77 | Pass    |
|                                              |                 | 12            | 0      | 20.49                 | -3.75      | 14.59     | <=34.77 | Pass    |
|                                              |                 |               | 6      | 20.37                 | -3.75      | 14.47     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 20.40                 | -3.75      | 14.50     | <=34.77 | Pass    |
|                                              |                 | 25            | 0      | 20.56                 | -3.75      | 14.66     | <=34.77 | Pass    |
|                                              | 680.5           | 1             | 0      | 21.53                 | -3.75      | 15.63     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 21.54                 | -3.75      | 15.64     | <=34.77 | Pass    |
|                                              |                 |               | 24     | 21.48                 | -3.75      | 15.58     | <=34.77 | Pass    |
|                                              |                 | 12            | 0      | 20.58                 | -3.75      | 14.68     | <=34.77 | Pass    |
|                                              |                 |               | 6      | 20.50                 | -3.75      | 14.60     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 20.60                 | -3.75      | 14.70     | <=34.77 | Pass    |
|                                              |                 | 25            | 0      | 20.50                 | -3.75      | 14.60     | <=34.77 | Pass    |
|                                              | 695.5           | 1             | 0      | 21.35                 | -3.75      | 15.45     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 21.29                 | -3.75      | 15.39     | <=34.77 | Pass    |
|                                              |                 |               | 24     | 21.43                 | -3.75      | 15.53     | <=34.77 | Pass    |
|                                              |                 | 12            | 0      | 20.49                 | -3.75      | 14.59     | <=34.77 | Pass    |
|                                              |                 |               | 6      | 20.47                 | -3.75      | 14.57     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 20.41                 | -3.75      | 14.51     | <=34.77 | Pass    |
|                                              |                 | 25            | 0      | 20.35                 | -3.75      | 14.45     | <=34.77 | Pass    |
| 16QAM                                        | 665.5           | 1             | 0      | 21.03                 | -3.75      | 15.13     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 20.99                 | -3.75      | 15.09     | <=34.77 | Pass    |
|                                              |                 |               | 24     | 21.15                 | -3.75      | 15.25     | <=34.77 | Pass    |
|                                              |                 | 12            | 0      | 20.00                 | -3.75      | 14.10     | <=34.77 | Pass    |
|                                              |                 |               | 6      | 20.13                 | -3.75      | 14.23     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 20.04                 | -3.75      | 14.14     | <=34.77 | Pass    |
|                                              |                 | 25            | 0      | 20.05                 | -3.75      | 14.15     | <=34.77 | Pass    |
|                                              | 680.5           | 1             | 0      | 20.30                 | -3.75      | 14.40     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 20.38                 | -3.75      | 14.48     | <=34.77 | Pass    |
|                                              |                 |               | 24     | 20.30                 | -3.75      | 14.40     | <=34.77 | Pass    |
|                                              |                 | 12            | 0      | 20.02                 | -3.75      | 14.12     | <=34.77 | Pass    |
|                                              |                 |               | 6      | 20.00                 | -3.75      | 14.10     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 19.47                 | -3.75      | 13.57     | <=34.77 | Pass    |
|                                              |                 | 25            | 0      | 20.09                 | -3.75      | 14.19     | <=34.77 | Pass    |
|                                              | 695.5           | 1             | 0      | 21.15                 | -3.75      | 15.25     | <=34.77 | Pass    |
|                                              |                 |               | 13     | 20.92                 | -3.75      | 15.02     | <=34.77 | Pass    |
|                                              |                 |               | 24     | 20.96                 | -3.75      | 15.06     | <=34.77 | Pass    |
|                                              |                 | 12            | 0      | 19.52                 | -3.75      | 13.62     | <=34.77 | Pass    |
| 6                                            |                 |               | 19.94  | -3.75                 | 14.04      | <=34.77   | Pass    |         |
| 13                                           |                 |               | 19.93  | -3.75                 | 14.03      | <=34.77   | Pass    |         |
| 25                                           |                 | 0             | 19.90  | -3.75                 | 14.00      | <=34.77   | Pass    |         |
| Note1: ERP=Conducted Power+Antenna Gain-2.15 |                 |               |        |                       |            |           |         |         |

#### 1.1.2 B71\_10MHz\_ERP

|                                    |
|------------------------------------|
| Band: 71 / Bandwidth: 10MHz / NTNV |
|------------------------------------|

| Modulation                                   | Frequency<br>(MHz) | RB Allocation |        | Conducted Power<br>(dBm) | Gain<br>(dBi) | ERP (dBm) |         | Verdict |      |
|----------------------------------------------|--------------------|---------------|--------|--------------------------|---------------|-----------|---------|---------|------|
|                                              |                    | Size          | Offset |                          |               | Result    | Limit   |         |      |
| QPSK                                         | 668                | 1             | 0      | 21.49                    | -3.75         | 15.59     | <=34.77 | Pass    |      |
|                                              |                    |               | 25     | 21.49                    | -3.75         | 15.59     | <=34.77 | Pass    |      |
|                                              |                    |               | 49     | 21.58                    | -3.75         | 15.68     | <=34.77 | Pass    |      |
|                                              |                    | 25            | 0      | 20.55                    | -3.75         | 14.65     | <=34.77 | Pass    |      |
|                                              |                    |               | 13     | 20.64                    | -3.75         | 14.74     | <=34.77 | Pass    |      |
|                                              |                    |               | 25     | 20.62                    | -3.75         | 14.72     | <=34.77 | Pass    |      |
|                                              |                    | 50            | 0      | 20.60                    | -3.75         | 14.70     | <=34.77 | Pass    |      |
|                                              |                    | 680.5         | 1      | 0                        | 21.72         | -3.75     | 15.82   | <=34.77 | Pass |
|                                              |                    |               |        | 25                       | 21.74         | -3.75     | 15.84   | <=34.77 | Pass |
|                                              | 49                 |               |        | 21.69                    | -3.75         | 15.79     | <=34.77 | Pass    |      |
|                                              | 25                 |               | 0      | 20.57                    | -3.75         | 14.67     | <=34.77 | Pass    |      |
|                                              |                    |               | 13     | 20.51                    | -3.75         | 14.61     | <=34.77 | Pass    |      |
|                                              |                    |               | 25     | 20.49                    | -3.75         | 14.59     | <=34.77 | Pass    |      |
|                                              | 50                 | 0             | 20.52  | -3.75                    | 14.62         | <=34.77   | Pass    |         |      |
|                                              | 693                | 1             | 0      | 21.38                    | -3.75         | 15.48     | <=34.77 | Pass    |      |
|                                              |                    |               | 25     | 21.23                    | -3.75         | 15.33     | <=34.77 | Pass    |      |
|                                              |                    |               | 49     | 21.33                    | -3.75         | 15.43     | <=34.77 | Pass    |      |
|                                              |                    | 25            | 0      | 20.46                    | -3.75         | 14.56     | <=34.77 | Pass    |      |
|                                              |                    |               | 13     | 20.23                    | -3.75         | 14.33     | <=34.77 | Pass    |      |
|                                              |                    |               | 25     | 20.52                    | -3.75         | 14.62     | <=34.77 | Pass    |      |
|                                              |                    | 50            | 0      | 20.30                    | -3.75         | 14.40     | <=34.77 | Pass    |      |
| 16QAM                                        |                    | 668           | 1      | 0                        | 20.75         | -3.75     | 14.85   | <=34.77 | Pass |
|                                              |                    |               |        | 25                       | 20.74         | -3.75     | 14.84   | <=34.77 | Pass |
|                                              | 49                 |               |        | 20.83                    | -3.75         | 14.93     | <=34.77 | Pass    |      |
|                                              | 25                 |               | 0      | 20.11                    | -3.75         | 14.21     | <=34.77 | Pass    |      |
|                                              |                    |               | 13     | 19.66                    | -3.75         | 13.76     | <=34.77 | Pass    |      |
|                                              |                    |               | 25     | 19.64                    | -3.75         | 13.74     | <=34.77 | Pass    |      |
|                                              | 50                 |               | 0      | 19.53                    | -3.75         | 13.63     | <=34.77 | Pass    |      |
|                                              | 680.5              | 1             | 0      | 20.82                    | -3.75         | 14.92     | <=34.77 | Pass    |      |
|                                              |                    |               | 25     | 20.80                    | -3.75         | 14.90     | <=34.77 | Pass    |      |
|                                              |                    |               | 49     | 20.79                    | -3.75         | 14.89     | <=34.77 | Pass    |      |
|                                              |                    | 25            | 0      | 20.09                    | -3.75         | 14.19     | <=34.77 | Pass    |      |
|                                              |                    |               | 13     | 20.07                    | -3.75         | 14.17     | <=34.77 | Pass    |      |
|                                              |                    |               | 25     | 19.58                    | -3.75         | 13.68     | <=34.77 | Pass    |      |
|                                              | 50                 | 0             | 20.02  | -3.75                    | 14.12         | <=34.77   | Pass    |         |      |
|                                              | 693                | 1             | 0      | 20.80                    | -3.75         | 14.90     | <=34.77 | Pass    |      |
|                                              |                    |               | 25     | 20.56                    | -3.75         | 14.66     | <=34.77 | Pass    |      |
|                                              |                    |               | 49     | 20.61                    | -3.75         | 14.71     | <=34.77 | Pass    |      |
|                                              |                    | 25            | 0      | 19.75                    | -3.75         | 13.85     | <=34.77 | Pass    |      |
| 13                                           |                    |               | 19.82  | -3.75                    | 13.92         | <=34.77   | Pass    |         |      |
| 25                                           |                    |               | 19.79  | -3.75                    | 13.89         | <=34.77   | Pass    |         |      |
| 50                                           |                    | 0             | 19.87  | -3.75                    | 13.97         | <=34.77   | Pass    |         |      |
| Note1: ERP=Conducted Power+Antenna Gain-2.15 |                    |               |        |                          |               |           |         |         |      |

### 1.1.3 B71\_15MHz\_ERP

| Band: 71 / Bandwidth: 15MHz / NTV |                 |               |        |                       |            |           |         |         |
|-----------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                   |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                              | 670.5           | 1             | 0      | 21.42                 | -3.75      | 15.52     | <=34.77 | Pass    |
|                                   |                 |               | 38     | 21.64                 | -3.75      | 15.74     | <=34.77 | Pass    |
|                                   |                 |               | 74     | 21.53                 | -3.75      | 15.63     | <=34.77 | Pass    |
|                                   |                 | 36            | 0      | 20.52                 | -3.75      | 14.62     | <=34.77 | Pass    |
|                                   |                 |               | 18     | 20.63                 | -3.75      | 14.73     | <=34.77 | Pass    |
|                                   |                 |               | 39     | 20.57                 | -3.75      | 14.67     | <=34.77 | Pass    |

|                                              |       |       |       |       |       |         |         |         |      |
|----------------------------------------------|-------|-------|-------|-------|-------|---------|---------|---------|------|
|                                              | 680.5 | 75    | 0     | 20.56 | -3.75 | 14.66   | <=34.77 | Pass    |      |
|                                              |       | 1     | 0     | 21.37 | -3.75 | 15.47   | <=34.77 | Pass    |      |
|                                              |       |       | 38    | 21.54 | -3.75 | 15.64   | <=34.77 | Pass    |      |
|                                              |       |       | 74    | 21.43 | -3.75 | 15.53   | <=34.77 | Pass    |      |
|                                              |       |       | 0     | 20.60 | -3.75 | 14.70   | <=34.77 | Pass    |      |
|                                              |       | 36    | 18    | 20.49 | -3.75 | 14.59   | <=34.77 | Pass    |      |
|                                              |       |       | 39    | 20.51 | -3.75 | 14.61   | <=34.77 | Pass    |      |
|                                              |       |       | 75    | 0     | 20.47 | -3.75   | 14.57   | <=34.77 | Pass |
|                                              |       | 690.5 | 1     | 0     | 21.37 | -3.75   | 15.47   | <=34.77 | Pass |
|                                              |       |       |       | 38    | 21.32 | -3.75   | 15.42   | <=34.77 | Pass |
|                                              | 74    |       |       | 21.30 | -3.75 | 15.40   | <=34.77 | Pass    |      |
|                                              | 36    |       | 0     | 20.34 | -3.75 | 14.44   | <=34.77 | Pass    |      |
|                                              |       |       | 18    | 20.44 | -3.75 | 14.54   | <=34.77 | Pass    |      |
|                                              |       |       | 39    | 20.52 | -3.75 | 14.62   | <=34.77 | Pass    |      |
|                                              | 75    | 0     | 20.45 | -3.75 | 14.55 | <=34.77 | Pass    |         |      |
|                                              | 16QAM | 670.5 | 1     | 0     | 21.47 | -3.75   | 15.57   | <=34.77 | Pass |
| 38                                           |       |       |       | 21.52 | -3.75 | 15.62   | <=34.77 | Pass    |      |
| 74                                           |       |       |       | 21.58 | -3.75 | 15.68   | <=34.77 | Pass    |      |
| 36                                           |       |       | 0     | 19.37 | -3.75 | 13.47   | <=34.77 | Pass    |      |
|                                              |       |       | 18    | 19.62 | -3.75 | 13.72   | <=34.77 | Pass    |      |
|                                              |       |       | 39    | 20.04 | -3.75 | 14.14   | <=34.77 | Pass    |      |
| 75                                           |       |       | 0     | 19.60 | -3.75 | 13.70   | <=34.77 | Pass    |      |
| 680.5                                        |       | 1     | 0     | 20.60 | -3.75 | 14.70   | <=34.77 | Pass    |      |
|                                              |       |       | 38    | 20.65 | -3.75 | 14.75   | <=34.77 | Pass    |      |
|                                              |       |       | 74    | 20.64 | -3.75 | 14.74   | <=34.77 | Pass    |      |
|                                              |       | 36    | 0     | 20.03 | -3.75 | 14.13   | <=34.77 | Pass    |      |
|                                              |       |       | 18    | 20.01 | -3.75 | 14.11   | <=34.77 | Pass    |      |
|                                              |       |       | 39    | 19.96 | -3.75 | 14.06   | <=34.77 | Pass    |      |
|                                              |       | 75    | 0     | 19.95 | -3.75 | 14.05   | <=34.77 | Pass    |      |
| 690.5                                        |       | 1     | 0     | 21.04 | -3.75 | 15.14   | <=34.77 | Pass    |      |
|                                              |       |       | 38    | 21.04 | -3.75 | 15.14   | <=34.77 | Pass    |      |
|                                              |       |       | 74    | 21.01 | -3.75 | 15.11   | <=34.77 | Pass    |      |
|                                              |       | 36    | 0     | 19.58 | -3.75 | 13.68   | <=34.77 | Pass    |      |
|                                              |       |       | 18    | 19.92 | -3.75 | 14.02   | <=34.77 | Pass    |      |
|                                              |       |       | 39    | 19.49 | -3.75 | 13.59   | <=34.77 | Pass    |      |
|                                              |       | 75    | 0     | 19.91 | -3.75 | 14.01   | <=34.77 | Pass    |      |
| Note1: ERP=Conducted Power+Antenna Gain-2.15 |       |       |       |       |       |         |         |         |      |

#### 1.1.4 B71\_20MHz\_ERP

| Band: 71 / Bandwidth: 20MHz / NTNV |                 |               |        |                       |            |           |         |         |
|------------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                    |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                               | 673             | 1             | 0      | 21.52                 | -3.75      | 15.62     | <=34.77 | Pass    |
|                                    |                 |               | 50     | 21.64                 | -3.75      | 15.74     | <=34.77 | Pass    |
|                                    |                 |               | 99     | 21.58                 | -3.75      | 15.68     | <=34.77 | Pass    |
|                                    |                 | 50            | 0      | 20.51                 | -3.75      | 14.61     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 20.61                 | -3.75      | 14.71     | <=34.77 | Pass    |
|                                    |                 |               | 50     | 20.60                 | -3.75      | 14.70     | <=34.77 | Pass    |
|                                    |                 | 100           | 0      | 20.59                 | -3.75      | 14.69     | <=34.77 | Pass    |
|                                    | 683             | 1             | 0      | 21.57                 | -3.75      | 15.67     | <=34.77 | Pass    |
|                                    |                 |               | 50     | 21.54                 | -3.75      | 15.64     | <=34.77 | Pass    |
|                                    |                 |               | 99     | 21.49                 | -3.75      | 15.59     | <=34.77 | Pass    |
|                                    |                 | 50            | 0      | 20.48                 | -3.75      | 14.58     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 20.45                 | -3.75      | 14.55     | <=34.77 | Pass    |
|                                    |                 |               | 50     | 20.42                 | -3.75      | 14.52     | <=34.77 | Pass    |
|                                    |                 | 100           | 0      | 20.44                 | -3.75      | 14.54     | <=34.77 | Pass    |

|                                              |       |       |     |       |       |       |         |         |         |      |
|----------------------------------------------|-------|-------|-----|-------|-------|-------|---------|---------|---------|------|
|                                              | 688   | 1     | 0   | 21.39 | -3.75 | 15.49 | <=34.77 | Pass    |         |      |
|                                              |       |       | 50  | 21.43 | -3.75 | 15.53 | <=34.77 | Pass    |         |      |
|                                              |       |       | 99  | 21.34 | -3.75 | 15.44 | <=34.77 | Pass    |         |      |
|                                              |       | 50    | 0   | 20.38 | -3.75 | 14.48 | <=34.77 | Pass    |         |      |
|                                              |       |       | 25  | 20.33 | -3.75 | 14.43 | <=34.77 | Pass    |         |      |
|                                              |       |       | 50  | 20.26 | -3.75 | 14.36 | <=34.77 | Pass    |         |      |
|                                              |       | 100   | 0   | 20.42 | -3.75 | 14.52 | <=34.77 | Pass    |         |      |
|                                              |       | 16QAM | 673 | 1     | 0     | 20.87 | -3.75   | 14.97   | <=34.77 | Pass |
|                                              |       |       |     |       | 50    | 21.01 | -3.75   | 15.11   | <=34.77 | Pass |
| 99                                           | 20.97 |       |     |       | -3.75 | 15.07 | <=34.77 | Pass    |         |      |
| 50                                           | 0     |       |     | 19.57 | -3.75 | 13.67 | <=34.77 | Pass    |         |      |
|                                              | 25    |       |     | 19.65 | -3.75 | 13.75 | <=34.77 | Pass    |         |      |
|                                              | 50    |       |     | 20.06 | -3.75 | 14.16 | <=34.77 | Pass    |         |      |
| 100                                          | 0     |       |     | 19.54 | -3.75 | 13.64 | <=34.77 | Pass    |         |      |
| 683                                          | 1     |       |     | 0     | 21.34 | -3.75 | 15.44   | <=34.77 | Pass    |      |
|                                              |       |       |     | 50    | 21.32 | -3.75 | 15.42   | <=34.77 | Pass    |      |
|                                              |       |       | 99  | 21.25 | -3.75 | 15.35 | <=34.77 | Pass    |         |      |
|                                              | 50    |       | 0   | 19.95 | -3.75 | 14.05 | <=34.77 | Pass    |         |      |
|                                              |       |       | 25  | 19.49 | -3.75 | 13.59 | <=34.77 | Pass    |         |      |
|                                              |       |       | 50  | 19.61 | -3.75 | 13.71 | <=34.77 | Pass    |         |      |
|                                              | 100   |       | 0   | 19.60 | -3.75 | 13.70 | <=34.77 | Pass    |         |      |
|                                              | 688   |       | 1   | 0     | 21.24 | -3.75 | 15.34   | <=34.77 | Pass    |      |
|                                              |       |       |     | 50    | 21.29 | -3.75 | 15.39   | <=34.77 | Pass    |      |
| 99                                           |       |       |     | 21.09 | -3.75 | 15.19 | <=34.77 | Pass    |         |      |
| 50                                           |       |       | 0   | 20.02 | -3.75 | 14.12 | <=34.77 | Pass    |         |      |
|                                              |       |       | 25  | 19.62 | -3.75 | 13.72 | <=34.77 | Pass    |         |      |
|                                              |       |       | 50  | 20.03 | -3.75 | 14.13 | <=34.77 | Pass    |         |      |
| 100                                          |       |       | 0   | 19.44 | -3.75 | 13.54 | <=34.77 | Pass    |         |      |
| Note1: ERP=Conducted Power+Antenna Gain-2.15 |       |       |     |       |       |       |         |         |         |      |

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B71\_5MHz

| Band: 71 / Bandwidth: 5MHz |                 |               |        |            |               |                  |                       |             |         |
|----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                 | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                            |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                       | 665.5           | 25            | 0      | 20         | 3.27          | 4.892            | 0.0074                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.85          | 4.649            | 0.0070                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.43          | -2.632           | -0.0040               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.85          | -9.212           | -0.0138               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.85          | -14.563          | -0.0219               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.85          | -15.392          | -0.0231               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.85          | -17.138          | -0.0258               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 3.85          | -18.768          | -0.0282               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 3.85          | -12.145          | -0.0182               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 3.85          | -34.289          | -0.0515               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 50         | 3.85          | -34.761          | -0.0522               | -2.5 to 2.5 | Pass    |
|                            | 680.5           | 25            | 0      | 20         | 3.27          | 0.830            | 0.0012                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.85          | -4.678           | -0.0069               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.43          | -11.315          | -0.0166               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.85          | -18.353          | -0.0270               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.85          | -22.030          | -0.0324               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.85          | -18.668          | -0.0274               | -2.5 to 2.5 | Pass    |

|       |       |    |   |     |      |         |         |             |      |
|-------|-------|----|---|-----|------|---------|---------|-------------|------|
|       |       |    |   | 0   | 3.85 | -17.939 | -0.0264 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -22.473 | -0.0330 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -32.802 | -0.0482 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -34.647 | -0.0509 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -35.863 | -0.0527 | -2.5 to 2.5 | Pass |
|       | 695.5 | 25 | 0 | 20  | 3.27 | 4.950   | 0.0071  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -10.457 | -0.0150 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -22.917 | -0.0330 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -38.238 | -0.0550 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -53.916 | -0.0775 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -16.122 | -0.0232 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -24.776 | -0.0356 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -29.669 | -0.0427 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -37.751 | -0.0543 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -45.605 | -0.0656 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -51.570 | -0.0741 | -2.5 to 2.5 | Pass |
| 16QAM | 665.5 | 25 | 0 | 20  | 3.27 | -41.556 | -0.0624 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -16.251 | -0.0244 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -34.304 | -0.0515 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -37.494 | -0.0563 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -30.599 | -0.0460 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -12.088 | -0.0182 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -17.209 | -0.0259 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -51.756 | -0.0778 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -43.030 | -0.0647 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -33.431 | -0.0502 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -16.351 | -0.0246 | -2.5 to 2.5 | Pass |
|       | 680.5 | 25 | 0 | 20  | 3.27 | -40.555 | -0.0596 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -46.692 | -0.0686 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -43.345 | -0.0637 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -49.624 | -0.0729 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -2.060  | -0.0030 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -4.435  | -0.0065 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -5.236  | -0.0077 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -4.435  | -0.0065 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -2.103  | -0.0031 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -3.304  | -0.0049 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -2.561  | -0.0038 | -2.5 to 2.5 | Pass |
|       | 695.5 | 25 | 0 | 20  | 3.27 | -4.206  | -0.0060 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -5.279  | -0.0076 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -8.440  | -0.0121 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -14.119 | -0.0203 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -14.763 | -0.0212 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -12.045 | -0.0173 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -17.681 | -0.0254 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -15.292 | -0.0220 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -20.714 | -0.0298 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -18.411 | -0.0265 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -13.118 | -0.0189 | -2.5 to 2.5 | Pass |

## 2.1.2 B71\_10MHz

| Band: 71 / Bandwidth: 10MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 668             | 50            | 0      | 20         | 3.27          | 10.514           | 0.0157                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -37.837          | -0.0566               | -2.5 to 2.5 | Pass    |

|       |       |    |   |     |      |         |         |             |      |
|-------|-------|----|---|-----|------|---------|---------|-------------|------|
|       |       |    |   |     | 4.43 | -8.469  | -0.0127 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -31.915 | -0.0478 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -45.004 | -0.0674 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -43.631 | -0.0653 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -25.792 | -0.0386 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -9.570  | -0.0143 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -31.457 | -0.0471 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -52.514 | -0.0786 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -23.761 | -0.0356 | -2.5 to 2.5 | Pass |
|       | 680.5 | 50 | 0 | 20  | 3.27 | 11.387  | 0.0167  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 21.272  | 0.0313  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 32.415  | 0.0476  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | 38.795  | 0.0570  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | 43.688  | 0.0642  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 6.008   | 0.0088  | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | 11.401  | 0.0168  | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | 13.690  | 0.0201  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | 13.962  | 0.0205  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 13.976  | 0.0205  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 19.326  | 0.0284  | -2.5 to 2.5 | Pass |
|       | 693   | 50 | 0 | 20  | 3.27 | 10.557  | 0.0152  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 8.640   | 0.0125  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 1.559   | 0.0022  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -8.440  | -0.0122 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -15.292 | -0.0221 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -24.419 | -0.0352 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -34.633 | -0.0500 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -40.669 | -0.0587 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -44.503 | -0.0642 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 3.519   | 0.0051  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 1.588   | 0.0023  | -2.5 to 2.5 | Pass |
| 16QAM | 668   | 50 | 0 | 20  | 3.27 | -43.488 | -0.0651 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -7.067  | -0.0106 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -34.704 | -0.0520 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -50.225 | -0.0752 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -15.249 | -0.0228 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -25.091 | -0.0376 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -42.286 | -0.0633 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -49.539 | -0.0742 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -0.930  | -0.0014 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -9.413  | -0.0141 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -13.618 | -0.0204 | -2.5 to 2.5 | Pass |
|       | 680.5 | 50 | 0 | 20  | 3.27 | 16.179  | 0.0238  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 16.823  | 0.0247  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 16.565  | 0.0243  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | 16.966  | 0.0249  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | 5.407   | 0.0079  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 5.050   | 0.0074  | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | 9.284   | 0.0136  | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | 12.102  | 0.0178  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | 15.736  | 0.0231  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 21.558  | 0.0317  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 20.285  | 0.0298  | -2.5 to 2.5 | Pass |
|       | 693   | 50 | 0 | 20  | 3.27 | -2.604  | -0.0038 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -7.582  | -0.0109 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -17.567 | -0.0253 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -15.392 | -0.0222 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -17.538 | -0.0253 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -21.758 | -0.0314 | -2.5 to 2.5 | Pass |

|  |  |  |  |    |      |         |         |             |      |
|--|--|--|--|----|------|---------|---------|-------------|------|
|  |  |  |  | 0  | 3.85 | -26.207 | -0.0378 | -2.5 to 2.5 | Pass |
|  |  |  |  | 10 | 3.85 | -32.916 | -0.0475 | -2.5 to 2.5 | Pass |
|  |  |  |  | 30 | 3.85 | -32.201 | -0.0465 | -2.5 to 2.5 | Pass |
|  |  |  |  | 40 | 3.85 | -28.539 | -0.0412 | -2.5 to 2.5 | Pass |
|  |  |  |  | 50 | 3.85 | -32.759 | -0.0473 | -2.5 to 2.5 | Pass |

### 2.1.3 B71\_15MHz

| Band: 71 / Bandwidth: 15MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 670.5           | 75            | 0      | 20         | 3.27          | 27.123           | 0.0405                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 29.984           | 0.0447                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 23.360           | 0.0348                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 13.762           | 0.0205                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 7.439            | 0.0111                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 1.373            | 0.0020                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | 0.944            | 0.0014                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -2.589           | -0.0039               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -2.375           | -0.0035               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -7.367           | -0.0110               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -13.261          | -0.0198               | -2.5 to 2.5 | Pass    |
|                             | 680.5           | 75            | 0      | 20         | 3.27          | 7.496            | 0.0110                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 11.787           | 0.0173                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 12.546           | 0.0184                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 14.334           | 0.0211                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 13.561           | 0.0199                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 16.494           | 0.0242                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | 20.185           | 0.0297                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 14.720           | 0.0216                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | 17.953           | 0.0264                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | 14.920           | 0.0219                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | 18.554           | 0.0273                | -2.5 to 2.5 | Pass    |
|                             | 690.5           | 75            | 0      | 20         | 3.27          | 8.826            | 0.0128                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 4.277            | 0.0062                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -4.978           | -0.0072               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -10.343          | -0.0150               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -20.657          | -0.0299               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -29.697          | -0.0430               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -33.674          | -0.0488               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -41.814          | -0.0606               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -42.686          | -0.0618               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -43.044          | -0.0623               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -43.502          | -0.0630               | -2.5 to 2.5 | Pass    |
| 16QAM                       | 670.5           | 75            | 0      | 20         | 3.27          | -17.838          | -0.0266               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -14.791          | -0.0221               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -11.888          | -0.0177               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -9.956           | -0.0148               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -2.360           | -0.0035               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -3.519           | -0.0052               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -3.548           | -0.0053               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -1.645           | -0.0025               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | 1.473            | 0.0022                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | 0.129            | 0.0002                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | 5.221            | 0.0078                | -2.5 to 2.5 | Pass    |
|                             | 680.5           | 75            | 0      | 20         | 3.27          | 19.255           | 0.0283                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 24.934           | 0.0366                | -2.5 to 2.5 | Pass    |

|  |       |    |   |     |      |         |         |             |      |
|--|-------|----|---|-----|------|---------|---------|-------------|------|
|  |       |    |   |     | 4.43 | 27.123  | 0.0399  | -2.5 to 2.5 | Pass |
|  |       |    |   | -30 | 3.85 | 34.618  | 0.0509  | -2.5 to 2.5 | Pass |
|  |       |    |   | -20 | 3.85 | 39.611  | 0.0582  | -2.5 to 2.5 | Pass |
|  |       |    |   | -10 | 3.85 | 42.529  | 0.0625  | -2.5 to 2.5 | Pass |
|  |       |    |   | 0   | 3.85 | 46.978  | 0.0690  | -2.5 to 2.5 | Pass |
|  |       |    |   | 10  | 3.85 | 45.261  | 0.0665  | -2.5 to 2.5 | Pass |
|  |       |    |   | 30  | 3.85 | 44.460  | 0.0653  | -2.5 to 2.5 | Pass |
|  |       |    |   | 40  | 3.85 | 42.086  | 0.0618  | -2.5 to 2.5 | Pass |
|  |       |    |   | 50  | 3.85 | 42.243  | 0.0621  | -2.5 to 2.5 | Pass |
|  | 690.5 | 75 | 0 | 20  | 3.27 | -49.081 | -0.0711 | -2.5 to 2.5 | Pass |
|  |       |    |   |     | 3.85 | -48.409 | -0.0701 | -2.5 to 2.5 | Pass |
|  |       |    |   |     | 4.43 | -50.697 | -0.0734 | -2.5 to 2.5 | Pass |
|  |       |    |   | -30 | 3.85 | -48.966 | -0.0709 | -2.5 to 2.5 | Pass |
|  |       |    |   | -20 | 3.85 | -48.537 | -0.0703 | -2.5 to 2.5 | Pass |
|  |       |    |   | -10 | 3.85 | -48.995 | -0.0710 | -2.5 to 2.5 | Pass |
|  |       |    |   | 0   | 3.85 | -50.411 | -0.0730 | -2.5 to 2.5 | Pass |
|  |       |    |   | 10  | 3.85 | -48.652 | -0.0705 | -2.5 to 2.5 | Pass |
|  |       |    |   | 30  | 3.85 | -38.810 | -0.0562 | -2.5 to 2.5 | Pass |
|  |       |    |   | 40  | 3.85 | -36.235 | -0.0525 | -2.5 to 2.5 | Pass |
|  |       |    |   | 50  | 3.85 | -38.524 | -0.0558 | -2.5 to 2.5 | Pass |

## 2.1.4 B71\_20MHz

| Band: 71 / Bandwidth: 20MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 673             | 100           | 0      | 20         | 3.27          | -4.177           | -0.0062               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -20.514          | -0.0305               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -13.390          | -0.0199               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -45.376          | -0.0674               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -20.986          | -0.0312               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -36.435          | -0.0541               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -52.071          | -0.0774               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -9.398           | -0.0140               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -18.239          | -0.0271               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -23.761          | -0.0353               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -26.307          | -0.0391               | -2.5 to 2.5 | Pass    |
|                             | 683             | 100           | 0      | 20         | 3.27          | 8.039            | 0.0118                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 8.154            | 0.0119                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 2.432            | 0.0036                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 3.462            | 0.0051                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 0.830            | 0.0012                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -0.730           | -0.0011               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -1.645           | -0.0024               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -1.173           | -0.0017               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -1.559           | -0.0023               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -6.566           | -0.0096               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -2.189           | -0.0032               | -2.5 to 2.5 | Pass    |
|                             | 688             | 100           | 0      | 20         | 3.27          | 10.643           | 0.0155                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 10.185           | 0.0148                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 5.908            | 0.0086                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 4.206            | 0.0061                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 3.333            | 0.0048                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 4.735            | 0.0069                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | 4.320            | 0.0063                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 3.948            | 0.0057                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | 1.631            | 0.0024                | -2.5 to 2.5 | Pass    |

|       |     |     |   |     |      |         |         |             |      |
|-------|-----|-----|---|-----|------|---------|---------|-------------|------|
| 16QAM | 673 | 100 | 0 | 40  | 3.85 | 1.287   | 0.0019  | -2.5 to 2.5 | Pass |
|       |     |     |   | 50  | 3.85 | 4.792   | 0.0070  | -2.5 to 2.5 | Pass |
|       |     |     |   | 20  | 3.27 | -30.456 | -0.0453 | -2.5 to 2.5 | Pass |
|       |     |     |   |     | 3.85 | -32.959 | -0.0490 | -2.5 to 2.5 | Pass |
|       |     |     |   |     | 4.43 | -34.332 | -0.0510 | -2.5 to 2.5 | Pass |
|       |     |     |   | -30 | 3.85 | -31.300 | -0.0465 | -2.5 to 2.5 | Pass |
|       |     |     |   | -20 | 3.85 | -33.088 | -0.0492 | -2.5 to 2.5 | Pass |
|       |     |     |   | -10 | 3.85 | -31.772 | -0.0472 | -2.5 to 2.5 | Pass |
|       |     |     |   | 0   | 3.85 | -32.430 | -0.0482 | -2.5 to 2.5 | Pass |
|       |     |     |   | 10  | 3.85 | -31.056 | -0.0461 | -2.5 to 2.5 | Pass |
|       | 683 | 100 | 0 | 30  | 3.85 | -31.071 | -0.0462 | -2.5 to 2.5 | Pass |
|       |     |     |   | 40  | 3.85 | -27.323 | -0.0406 | -2.5 to 2.5 | Pass |
|       |     |     |   | 50  | 3.85 | -29.182 | -0.0434 | -2.5 to 2.5 | Pass |
|       |     |     |   | 20  | 3.27 | -5.093  | -0.0075 | -2.5 to 2.5 | Pass |
|       |     |     |   |     | 3.85 | -2.146  | -0.0031 | -2.5 to 2.5 | Pass |
|       |     |     |   |     | 4.43 | -3.419  | -0.0050 | -2.5 to 2.5 | Pass |
|       |     |     |   | -30 | 3.85 | -0.944  | -0.0014 | -2.5 to 2.5 | Pass |
|       |     |     |   | -20 | 3.85 | -3.104  | -0.0045 | -2.5 to 2.5 | Pass |
|       |     |     |   | -10 | 3.85 | -2.317  | -0.0034 | -2.5 to 2.5 | Pass |
|       |     |     |   | 0   | 3.85 | -0.887  | -0.0013 | -2.5 to 2.5 | Pass |
|       | 688 | 100 | 0 | 10  | 3.85 | -2.689  | -0.0039 | -2.5 to 2.5 | Pass |
|       |     |     |   | 30  | 3.85 | 0.558   | 0.0008  | -2.5 to 2.5 | Pass |
|       |     |     |   | 40  | 3.85 | -1.059  | -0.0016 | -2.5 to 2.5 | Pass |
|       |     |     |   | 50  | 3.85 | 1.731   | 0.0025  | -2.5 to 2.5 | Pass |
|       |     |     |   | 20  | 3.27 | 1.101   | 0.0016  | -2.5 to 2.5 | Pass |
|       |     |     |   |     | 3.85 | 1.888   | 0.0027  | -2.5 to 2.5 | Pass |
|       |     |     |   |     | 4.43 | 1.416   | 0.0021  | -2.5 to 2.5 | Pass |
|       |     |     |   | -30 | 3.85 | 1.960   | 0.0028  | -2.5 to 2.5 | Pass |
|       |     |     |   | -20 | 3.85 | 3.676   | 0.0053  | -2.5 to 2.5 | Pass |
|       |     |     |   | -10 | 3.85 | 4.277   | 0.0062  | -2.5 to 2.5 | Pass |

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B71\_5MHz

| Band: 71 / Bandwidth: 5MHz / NTVN |                 |               |        |                            |       |         |
|-----------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                   |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                              | 680.5           | 25            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                             | 680.5           | 25            | 0      | Refer To Test Graph        |       | Pass    |

##### 3.1.2 B71\_10MHz

| Band: 71 / Bandwidth: 10MHz / NTNV |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 680.5           | 50            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 680.5           | 50            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.3 B71\_15MHz


| Band: 71 / Bandwidth: 15MHz / NTVN |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 680.5           | 75            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 680.5           | 75            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.4 B71\_20MHz


| Band: 71 / Bandwidth: 20MHz / NTVN |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 683             | 100           | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 683             | 100           | 0      | Refer To Test Graph        |       | Pass    |

3.2 Test Graph


3.2.1 B71\_5MHz




3.2.2 B71\_10MHz



3.2.3 B71\_15MHz



3.2.4 B71\_20MHz



## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band71\_OBW

| Band: 71 / NTNV |            |                 |               |        |                              |       |         |
|-----------------|------------|-----------------|---------------|--------|------------------------------|-------|---------|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation |        | 99% Occupied Bandwidth (MHz) |       | Verdict |
|                 |            |                 | Size          | Offset | Result                       | Limit |         |
| 5               | QPSK       | 665.5           | 25            | 0      | 4.542                        | /     | Pass    |
|                 |            | 680.5           | 25            | 0      | 4.547                        | /     | Pass    |
|                 |            | 695.5           | 25            | 0      | 4.551                        | /     | Pass    |
|                 | 16QAM      | 665.5           | 25            | 0      | 4.553                        | /     | Pass    |
|                 |            | 680.5           | 25            | 0      | 4.547                        | /     | Pass    |
|                 |            | 695.5           | 25            | 0      | 4.556                        | /     | Pass    |
| 10              | QPSK       | 668             | 50            | 0      | 9.066                        | /     | Pass    |
|                 |            | 680.5           | 50            | 0      | 9.064                        | /     | Pass    |
|                 |            | 693             | 50            | 0      | 9.040                        | /     | Pass    |
|                 | 16QAM      | 668             | 50            | 0      | 9.090                        | /     | Pass    |
|                 |            | 680.5           | 50            | 0      | 9.075                        | /     | Pass    |
|                 |            | 693             | 50            | 0      | 9.063                        | /     | Pass    |
| 15              | QPSK       | 670.5           | 75            | 0      | 13.633                       | /     | Pass    |
|                 |            | 680.5           | 75            | 0      | 13.581                       | /     | Pass    |
|                 |            | 690.5           | 75            | 0      | 13.622                       | /     | Pass    |
|                 | 16QAM      | 670.5           | 75            | 0      | 13.690                       | /     | Pass    |
|                 |            | 680.5           | 75            | 0      | 13.569                       | /     | Pass    |
|                 |            | 690.5           | 75            | 0      | 13.635                       | /     | Pass    |
| 20              | QPSK       | 673             | 100           | 0      | 18.135                       | /     | Pass    |
|                 |            | 683             | 100           | 0      | 18.129                       | /     | Pass    |
|                 |            | 688             | 100           | 0      | 18.236                       | /     | Pass    |
|                 | 16QAM      | 673             | 100           | 0      | 18.136                       | /     | Pass    |
|                 |            | 683             | 100           | 0      | 18.141                       | /     | Pass    |
|                 |            | 688             | 100           | 0      | 18.257                       | /     | Pass    |


#### 4.1.2 Band71\_XDB

| Band: 71 / NTNV |            |                 |               |        |                      |       |         |
|-----------------|------------|-----------------|---------------|--------|----------------------|-------|---------|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation |        | 26dB Bandwidth (MHz) |       | Verdict |
|                 |            |                 | Size          | Offset | Result               | Limit |         |
| 5               | QPSK       | 665.5           | 25            | 0      | 5.054                | /     | Pass    |
|                 |            | 680.5           | 25            | 0      | 5.051                | /     | Pass    |
|                 |            | 695.5           | 25            | 0      | 5.049                | /     | Pass    |
|                 | 16QAM      | 665.5           | 25            | 0      | 5.078                | /     | Pass    |
|                 |            | 680.5           | 25            | 0      | 5.054                | /     | Pass    |
|                 |            | 695.5           | 25            | 0      | 5.063                | /     | Pass    |
| 10              | QPSK       | 668             | 50            | 0      | 10.044               | /     | Pass    |
|                 |            | 680.5           | 50            | 0      | 10.056               | /     | Pass    |
|                 |            | 693             | 50            | 0      | 10.023               | /     | Pass    |
|                 | 16QAM      | 668             | 50            | 0      | 10.076               | /     | Pass    |
|                 |            | 680.5           | 50            | 0      | 10.074               | /     | Pass    |
|                 |            | 693             | 50            | 0      | 10.038               | /     | Pass    |
| 15              | QPSK       | 670.5           | 75            | 0      | 15.195               | /     | Pass    |
|                 |            | 680.5           | 75            | 0      | 15.102               | /     | Pass    |
|                 |            | 690.5           | 75            | 0      | 15.159               | /     | Pass    |


|    |       |       |     |   |        |   |      |
|----|-------|-------|-----|---|--------|---|------|
|    | 16QAM | 670.5 | 75  | 0 | 15.108 | / | Pass |
|    |       | 680.5 | 75  | 0 | 15.060 | / | Pass |
|    |       | 690.5 | 75  | 0 | 15.126 | / | Pass |
| 20 | QPSK  | 673   | 100 | 0 | 19.937 | / | Pass |
|    |       | 683   | 100 | 0 | 19.952 | / | Pass |
|    |       | 688   | 100 | 0 | 20.188 | / | Pass |
|    | 16QAM | 673   | 100 | 0 | 19.992 | / | Pass |
|    |       | 683   | 100 | 0 | 20.043 | / | Pass |
|    |       | 688   | 100 | 0 | 20.026 | / | Pass |

4.2 Test Graph


4.2.1 Band71\_OBW




Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM MCH 680.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




Band71 10MHz QPSK LCH 668MHz RB 50 0 NTN




Band71 10MHz QPSK MCH 680.5MHz RB 50 0 NTN




Band71 10MHz QPSK HCH 693MHz RB 50 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTNV




Band71 10MHz 16QAM MCH 680.5MHz RB 50 0 NTNV




Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTNV




Band71 15MHz QPSK LCH 670.5MHz RB 75 0 NTV




Band71 15MHz QPSK MCH 680.5MHz RB 75 0 NTV




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM MCH 680.5MHz RB 75.0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 75.0 NTNV




Band71 20MHz QPSK LCH 673MHz RB 100 0 NTNV




Band71 20MHz QPSK MCH 683MHz RB 100 0 NTNV




Band71 20MHz QPSK HCH 688MHz RB 100 0 NTNV




Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTNV




Band71 20MHz 16QAM MCH 683MHz RB 100 0 NTNV




Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTNV




4.2.2 Band71\_XDB




Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM MCH 680.5MHz RB 25 0 NTN




Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTN




# Band71 10MHz QPSK LCH 668MHz RB 50 0 NTNV




# Band71 10MHz QPSK MCH 680.5MHz RB 50 0 NTNV




Band71 10MHz QPSK HCH 693MHz RB 50 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTNV




Band71 10MHz 16QAM MCH 680.5MHz RB 50 0 NTN




Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTN




Band71 15MHz QPSK LCH 670.5MHz RB 75 0 NTNV




Band71 15MHz QPSK MCH 680.5MHz RB 75 0 NTNV




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM MCH 680.5MHz RB 75.0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 75.0 NTNV




Band71 20MHz QPSK LCH 673MHz RB 100 0 NTV




Band71 20MHz QPSK MCH 683MHz RB 100 0 NTV




Band71 20MHz QPSK HCH 688MHz RB 100 0 NTNV




Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTNV



Band71 20MHz 16QAM MCH 683MHz RB 100 0 NTNV



Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTNV



## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B71\_5MHz

| Band: 71 / Bandwidth: 5MHz / NTNV |                 |               |        |                         |       |         |
|-----------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                   |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                              | 665.5           | 25            | 0      | 5.86                    | <=13  | Pass    |
|                                   | 680.5           | 25            | 0      | 5.89                    | <=13  | Pass    |
|                                   | 695.5           | 25            | 0      | 5.78                    | <=13  | Pass    |
| 16QAM                             | 665.5           | 25            | 0      | 6.55                    | <=13  | Pass    |
|                                   | 680.5           | 25            | 0      | 6.55                    | <=13  | Pass    |
|                                   | 695.5           | 25            | 0      | 6.57                    | <=13  | Pass    |

#### 5.1.2 B71\_10MHz

| Band: 71 / Bandwidth: 10MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 668             | 50            | 0      | 5.97                    | <=13  | Pass    |
|                                    | 680.5           | 50            | 0      | 5.89                    | <=13  | Pass    |
|                                    | 693             | 50            | 0      | 6.03                    | <=13  | Pass    |
| 16QAM                              | 668             | 50            | 0      | 5.97                    | <=13  | Pass    |
|                                    | 680.5           | 50            | 0      | 5.90                    | <=13  | Pass    |
|                                    | 693             | 50            | 0      | 6.01                    | <=13  | Pass    |

#### 5.1.3 B71\_15MHz

| Band: 71 / Bandwidth: 15MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 670.5           | 75            | 0      | 6.46                    | <=13  | Pass    |
|                                    | 680.5           | 75            | 0      | 6.19                    | <=13  | Pass    |
|                                    | 690.5           | 75            | 0      | 6.50                    | <=13  | Pass    |
| 16QAM                              | 670.5           | 75            | 0      | 6.84                    | <=13  | Pass    |
|                                    | 680.5           | 75            | 0      | 6.65                    | <=13  | Pass    |
|                                    | 690.5           | 75            | 0      | 6.87                    | <=13  | Pass    |


#### 5.1.4 B71\_20MHz

| Band: 71 / Bandwidth: 20MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 673             | 100           | 0      | 6.03                    | <=13  | Pass    |
|                                    | 683             | 100           | 0      | 5.95                    | <=13  | Pass    |
|                                    | 688             | 100           | 0      | 6.07                    | <=13  | Pass    |
| 16QAM                              | 673             | 100           | 0      | 6.67                    | <=13  | Pass    |
|                                    | 683             | 100           | 0      | 6.66                    | <=13  | Pass    |


|  |     |     |   |      |      |      |
|--|-----|-----|---|------|------|------|
|  | 688 | 100 | 0 | 6.75 | <=13 | Pass |
|--|-----|-----|---|------|------|------|

5.2 Test Graph


5.2.1 B71\_5MHz




Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM MCH 680.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




5.2.2 B71\_10MHz




Band71 10MHz QPSK HCH 693MHz RB 50 0 NTN



Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTN




Band71 10MHz 16QAM MCH 680.5MHz RB 50 0 NTNV




2024-07-22 17:46:45

Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTNV




2024-07-22 17:47:20

5.2.3 B71\_15MHz




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTV




2024-07-22 17:48:42

Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTV




2024-07-22 17:47:55


Band71 15MHz 16QAM MCH 680.5MHz RB 75.0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 75.0 NTNV




5.2.4 B71\_20MHz




Band71 20MHz QPSK HCH 688MHz RB 100 0 NTNV




Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTNV



Band71 20MHz 16QAM MCH 683MHz RB 100 0 NTNV



Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTNV



## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B71\_5MHz

| Band: 71 / Bandwidth: 5MHz / NTNV |                 |               |        |                     |       |         |
|-----------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                   |                 | Size          | Offset | Result              | Limit |         |
| QPSK                              | 665.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                   | 680.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 24     | Refer To Test Graph |       | Pass    |
| 16QAM                             | 665.5           | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   | 680.5           | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 24     | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.2 B71\_10MHz

| Band: 71 / Bandwidth: 10MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 668             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 680.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 49     | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 668             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 680.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 49     | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.3 B71\_15MHz

| Band: 71 / Bandwidth: 15MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 670.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 75            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 680.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 74     | Refer To Test Graph |       | Pass    |
|                                    |                 | 75            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 670.5           | 1             | 0      | Refer To Test Graph |       | Pass    |


|  |       |    |    |                     |      |
|--|-------|----|----|---------------------|------|
|  | 680.5 | 75 | 0  | Refer To Test Graph | Pass |
|  |       | 1  | 0  | Refer To Test Graph | Pass |
|  | 690.5 | 1  | 0  | Refer To Test Graph | Pass |
|  |       |    | 74 | Refer To Test Graph | Pass |
|  |       | 75 | 0  | Refer To Test Graph | Pass |

#### 6.1.4 B71\_20MHz


| Band: 71 / Bandwidth: 20MHz / NTNV |                 |               |        |                     |       |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       |
|                                    |                 | Size          | Offset | Result              | Limit |
| QPSK                               | 673             | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 | 100           | 0      | Refer To Test Graph | Pass  |
|                                    | 683             | 1             | 0      | Refer To Test Graph | Pass  |
|                                    | 688             | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 |               | 99     | Refer To Test Graph | Pass  |
|                                    |                 | 100           | 0      | Refer To Test Graph | Pass  |
| 16QAM                              | 673             | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 | 100           | 0      | Refer To Test Graph | Pass  |
|                                    | 683             | 1             | 0      | Refer To Test Graph | Pass  |
|                                    | 688             | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 |               | 99     | Refer To Test Graph | Pass  |
|                                    |                 | 100           | 0      | Refer To Test Graph | Pass  |

6.2 Test Graph


6.2.1 B71\_5MHz




Band71 5MHz QPSK LCH 665.5MHz RB 25 0 NTNV




Band71 5MHz QPSK MCH 680.5MHz RB 1 0 NTNV




Band71 5MHz QPSK HCH 695.5MHz RB 1 0 NTN




Band71 5MHz QPSK HCH 695.5MHz RB 1 24 NTN




# Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




# Band71 5MHz 16QAM LCH 665.5MHz RB 1 0 NTNV



Band71 5MHz 16QAM LCH 665.5MHz RB 1 0 NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|-----------|------------|-------------|-------------|--------|
| 658         | 662        | 0.1       | CHP    | 1         | 661.940    | -40.13      | -13         | Pass   |
| 662         | 663        | 0.051     | /      | 2         | 663.000    | -32.83      | -13         | Pass   |
| 663         | 668        | 0.051     | /      | /         | /          | /           | /           | /      |


Band71 5MHz 16QAM MCH 680.5MHz RB 1 0 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 1 0 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 1 24 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




6.2.2 B71\_10MHz




Band71 10MHz QPSK LCH 668MHz RB 50 0 NTNV




Band71 10MHz QPSK MCH 680.5MHz RB 1 0 NTNV




Band71 10MHz QPSK HCH 693MHz RB 1 0 NTN




Band71 10MHz QPSK HCH 693MHz RB 1 49 NTN




Band71 10MHz QPSK HCH 693MHz RB 50 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 1 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 1 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTNV




Band71 10MHz 16QAM MCH 680.5MHz RB 1 0 NTV




Band71 10MHz 16QAM HCH 693MHz RB 1 0 NTV




Band71 10MHz 16QAM HCH 693MHz RB 1 49 NTNV




Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTNV




6.2.3 B71\_15MHz




# Band71 15MHz QPSK LCH 670.5MHz RB 75 0 NTV




# Band71 15MHz QPSK MCH 680.5MHz RB 1 0 NTV




Band71 15MHz QPSK HCH 690.5MHz RB 1 0 NTNV




Band71 15MHz QPSK HCH 690.5MHz RB 1 74 NTNV




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM LCH 670.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM LCH 670.5MHz RB 1 0 NTV




Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTV




Band71 15MHz 16QAM MCH 680.5MHz RB 1 0 NTV




Band71 15MHz 16QAM HCH 690.5MHz RB 1 0 NTV




Band71 15MHz 16QAM HCH 690.5MHz RB 1 74 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 75 0 NTNV




6.2.4 B71\_20MHz




Band71 20MHz QPSK LCH 673MHz RB 100 0 NTNV




Band71 20MHz QPSK MCH 683MHz RB 1 0 NTNV




Band71 20MHz QPSK HCH 688MHz RB 1 0 NTNV




Band71 20MHz QPSK HCH 688MHz RB 1 99 NTNV




# Band71 20MHz QPSK HCH 688MHz RB 100 0 NTNV




# Band71 20MHz 16QAM LCH 673MHz RB 1 0 NTNV




Band71 20MHz 16QAM LCH 673MHz RB 1 0 NTNV




Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTNV




Band71 20MHz 16QAM MCH 683MHz RB 1 0 NTNV




Band71 20MHz 16QAM HCH 688MHz RB 1 0 NTNV



Band71 20MHz 16QAM HCH 688MHz RB 1 99 NTV



Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTV



## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731\_Power

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 71   | 5  | 665.5      | 695.5     | 0.1449        | 0.0775 | ppm    | 4M55G7D             | 27N        | 21.61           |
| 71   | 5  | 665.5      | 695.5     | 0.1303        | 0.0778 | ppm    | 4M56W7D             | 27N        | 21.15           |
| 71   | 10 | 668        | 693       | 0.1493        | 0.0786 | ppm    | 9M07G7D             | 27N        | 21.74           |
| 71   | 10 | 668        | 693       | 0.1211        | 0.0752 | ppm    | 9M09W7D             | 27N        | 20.83           |
| 71   | 15 | 670.5      | 690.5     | 0.1459        | 0.0630 | ppm    | 13M6G7D             | 27N        | 21.64           |
| 71   | 15 | 670.5      | 690.5     | 0.1439        | 0.0734 | ppm    | 13M7W7D             | 27N        | 21.58           |
| 71   | 20 | 673        | 688       | 0.1459        | 0.0774 | ppm    | 18M2G7D             | 27N        | 21.64           |
| 71   | 20 | 673        | 688       | 0.1361        | 0.0510 | ppm    | 18M3W7D             | 27N        | 21.34           |

#### 7.1.2 Form731\_ERP

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 71   | 5  | 665.5      | 695.5     | 0.0372        | 0.0775 | ppm    | 4M55G7D             | 27N        | 15.71           |
| 71   | 5  | 665.5      | 695.5     | 0.0335        | 0.0778 | ppm    | 4M56W7D             | 27N        | 15.25           |
| 71   | 10 | 668        | 693       | 0.0384        | 0.0786 | ppm    | 9M07G7D             | 27N        | 15.84           |
| 71   | 10 | 668        | 693       | 0.0311        | 0.0752 | ppm    | 9M09W7D             | 27N        | 14.93           |
| 71   | 15 | 670.5      | 690.5     | 0.0375        | 0.0630 | ppm    | 13M6G7D             | 27N        | 15.74           |
| 71   | 15 | 670.5      | 690.5     | 0.0370        | 0.0734 | ppm    | 13M7W7D             | 27N        | 15.68           |
| 71   | 20 | 673        | 688       | 0.0375        | 0.0774 | ppm    | 18M2G7D             | 27N        | 15.74           |
| 71   | 20 | 673        | 688       | 0.0350        | 0.0510 | ppm    | 18M3W7D             | 27N        | 15.44           |