










4.6 Minimum Emission Bandwidth (6dB Bandwidth)


Limit

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

Test Procedure

1. Set resolution bandwidth (RBW) = 100 kHz
2. Set the video bandwidth 3 x RBW.
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.


Test Configuration





Test Results


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5745	/	/	1	16.362	>=0.5	Pass
		5785	/	/	1	16.357	>=0.5	Pass
		5825	/	/	1	16.351	>=0.5	Pass
802.11n (HT20)	SISO	5745	/	/	1	17.592	>=0.5	Pass
		5785	/	/	1	17.601	>=0.5	Pass
		5825	/	/	1	17.616	>=0.5	Pass
802.11n (HT40)	SISO	5755	/	/	1	36.357	>=0.5	Pass
		5795	/	/	1	36.110	>=0.5	Pass
802.11ac (VHT20)	SISO	5745	/	/	1	17.609	>=0.5	Pass
		5785	/	/	1	17.596	>=0.5	Pass
		5825	/	/	1	17.598	>=0.5	Pass
802.11ac (VHT40)	SISO	5755	/	/	1	36.360	>=0.5	Pass
		5795	/	/	1	36.344	>=0.5	Pass
802.11ac (VHT80)	SISO	5775	/	/	1	75.096	>=0.5	Pass
802.11ax (HEW20)	SISO	5745	SU	/	1	18.816	>=0.5	Pass
		5785	SU	/	1	18.708	>=0.5	Pass
		5825	SU	/	1	18.631	>=0.5	Pass
802.11ax (HEW40)	SISO	5755	SU	/	1	37.853	>=0.5	Pass
		5795	SU	/	1	37.768	>=0.5	Pass
802.11ax (HEW80)	SISO	5775	SU	/	1	75.096	>=0.5	Pass


Test plot as follows:


















4.7 Frequency Stability

LIMIT

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the users manual.

TEST CONFIGURATION



TEST PROCEDURE

Frequency Stability under Temperature Variations:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 20°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Frequency Stability under Voltage Variations:

Set chamber temperature to 20°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. Reduce the input voltage to specify extreme voltage variation ($\pm 15\%$) and endpoint, record the maximum frequency change.

TEST RESULTS

Record worst case as below:

Ant1									
Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	102	5180.080	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						138	5179.980	5150 to 5250	Pass
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.040	5150 to 5250	Pass
					30	120	5179.920	5150 to 5250	Pass
					40	120	5179.980	5150 to 5250	Pass
					50	120	5180.040	5150 to 5250	Pass
		5200	/	/	20	102	5200.000	5150 to 5250	Pass
						120	5200.060	5150 to 5250	Pass
						138	5200.060	5150 to 5250	Pass
					-30	120	5200.060	5150 to 5250	Pass
					-20	120	5200.060	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.040	5150 to 5250	Pass
					10	120	5199.980	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
					40	120	5200.040	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.020	5150 to 5250	Pass
						120	5239.920	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.040	5150 to 5250	Pass
					0	120	5239.980	5150 to 5250	Pass
					10	120	5240.080	5150 to 5250	Pass
					30	120	5239.960	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5239.960	5150 to 5250	Pass
		5745	/	/	20	102	5744.960	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5745.000	5725 to 5850	Pass
					-30	120	5745.020	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5744.940	5725 to 5850	Pass
					0	120	5744.980	5725 to 5850	Pass
					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.040	5725 to 5850	Pass
		5785	/	/	20	102	5785.020	5725 to 5850	Pass
						120	5784.960	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					-30	120	5785.000	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5784.960	5725 to 5850	Pass
					10	120	5785.000	5725 to 5850	Pass
					30	120	5785.000	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.060	5725 to 5850	Pass
		5825	/	/	20	102	5825.020	5725 to 5850	Pass
						120	5825.040	5725 to 5850	Pass
						138	5825.020	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5824.960	5725 to 5850	Pass
					-10	120	5825.020	5725 to 5850	Pass
					0	120	5824.980	5725 to 5850	Pass
					10	120	5824.980	5725 to 5850	Pass

802.11n (HT20)	SISO				30	120	5825.020	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
		5180	/	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5179.980	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5180.040	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5179.940	5150 to 5250	Pass
					30	120	5180.140	5150 to 5250	Pass
					40	120	5180.100	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	/	/	20	102	5200.020	5150 to 5250	Pass
						120	5200.060	5150 to 5250	Pass
						138	5200.000	5150 to 5250	Pass
					-30	120	5199.940	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.040	5150 to 5250	Pass
					10	120	5200.040	5150 to 5250	Pass
					30	120	5200.060	5150 to 5250	Pass
					40	120	5200.040	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
		5240	/	/	20	102	5240.060	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
						138	5240.020	5150 to 5250	Pass
					-30	120	5239.960	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5239.960	5150 to 5250	Pass
					0	120	5239.980	5150 to 5250	Pass
					10	120	5239.960	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5239.940	5150 to 5250	Pass
		5745	/	/	20	102	5745.000	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5744.980	5725 to 5850	Pass
					-30	120	5745.040	5725 to 5850	Pass
					-20	120	5744.980	5725 to 5850	Pass
					-10	120	5745.040	5725 to 5850	Pass
					0	120	5744.900	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5744.940	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5784.980	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5785.060	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5784.940	5725 to 5850	Pass
					10	120	5785.080	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5784.940	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5824.940	5725 to 5850	Pass
						120	5824.980	5725 to 5850	Pass
						138	5824.960	5725 to 5850	Pass
					-30	120	5824.980	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5825.040	5725 to 5850	Pass
					10	120	5824.920	5725 to 5850	Pass
					30	120	5825.100	5725 to 5850	Pass

802.11n (HT40)	SISO	5190	/	/	40	120	5825.000	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
					20	102	5190.040	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5189.960	5150 to 5250	Pass
					-20	120	5190.000	5150 to 5250	Pass
					-10	120	5190.080	5150 to 5250	Pass
					0	120	5190.000	5150 to 5250	Pass
					10	120	5190.040	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	/	/	20	102	5230.080	5150 to 5250	Pass
						120	5230.000	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.080	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.000	5150 to 5250	Pass
					50	120	5230.040	5150 to 5250	Pass
		5755	/	/	20	102	5755.080	5725 to 5850	Pass
						120	5755.120	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.080	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.120	5725 to 5850	Pass
					10	120	5755.080	5725 to 5850	Pass
					30	120	5755.080	5725 to 5850	Pass
					40	120	5755.080	5725 to 5850	Pass
					50	120	5755.120	5725 to 5850	Pass
		5795	/	/	20	102	5795.040	5725 to 5850	Pass
						120	5795.000	5725 to 5850	Pass
						138	5795.000	5725 to 5850	Pass
					-30	120	5794.960	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5795.000	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5795.120	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	/	/	20	102	5180.000	5150 to 5250	Pass
						120	5180.040	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5179.960	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.040	5150 to 5250	Pass
					40	120	5180.020	5150 to 5250	Pass
					50	120	5179.940	5150 to 5250	Pass
		5200	/	/	20	102	5200.040	5150 to 5250	Pass
						120	5199.980	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5200.020	5150 to 5250	Pass
					-20	120	5200.080	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5199.960	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5200.040	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass

802.11ac (VHT40)	SISO	5240	/	/	50	120	5200.040	5150 to 5250	Pass
					20	102	5240.040	5150 to 5250	Pass
						120	5239.980	5150 to 5250	Pass
						138	5239.980	5150 to 5250	Pass
					-30	120	5240.000	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5239.940	5150 to 5250	Pass
					10	120	5239.980	5150 to 5250	Pass
					30	120	5240.080	5150 to 5250	Pass
		5745	/	/	40	120	5240.020	5150 to 5250	Pass
					50	120	5239.960	5150 to 5250	Pass
					20	102	5744.960	5725 to 5850	Pass
						120	5745.060	5725 to 5850	Pass
						138	5745.060	5725 to 5850	Pass
					-30	120	5744.960	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5745.000	5725 to 5850	Pass
					0	120	5744.980	5725 to 5850	Pass
					10	120	5744.980	5725 to 5850	Pass
		5785	/	/	30	120	5744.940	5725 to 5850	Pass
					40	120	5744.980	5725 to 5850	Pass
					50	120	5744.940	5725 to 5850	Pass
					20	102	5785.000	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5785.020	5725 to 5850	Pass
					-20	120	5785.020	5725 to 5850	Pass
					-10	120	5784.960	5725 to 5850	Pass
					0	120	5785.000	5725 to 5850	Pass
		5825	/	/	10	120	5785.040	5725 to 5850	Pass
					30	120	5784.960	5725 to 5850	Pass
					40	120	5785.020	5725 to 5850	Pass
					50	120	5784.960	5725 to 5850	Pass
					20	102	5825.020	5725 to 5850	Pass
						120	5825.020	5725 to 5850	Pass
						138	5825.000	5725 to 5850	Pass
					-30	120	5824.940	5725 to 5850	Pass
					-20	120	5825.040	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	/	/	0	120	5825.020	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5825.020	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
		5230	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.000	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.000	5150 to 5250	Pass
					0	120	5190.000	5150 to 5250	Pass
					10	120	5190.040	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.000	5150 to 5250	Pass
					20	102	5230.080	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.040	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.040	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass

		5755	/	/	20	102	5755.080	5725 to 5850	Pass
						120	5755.000	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.040	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.080	5725 to 5850	Pass
					10	120	5755.080	5725 to 5850	Pass
					30	120	5755.120	5725 to 5850	Pass
					40	120	5755.040	5725 to 5850	Pass
					50	120	5755.080	5725 to 5850	Pass
		5795	/	/	20	102	5795.040	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5794.960	5725 to 5850	Pass
					-30	120	5795.040	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5794.960	5725 to 5850	Pass
					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.080	5725 to 5850	Pass
					50	120	5795.080	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	/	/	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.000	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5775	/	/	20	102	5775.075	5725 to 5850	Pass
						120	5775.075	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass
					-30	120	5775.075	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.075	5725 to 5850	Pass
					10	120	5775.075	5725 to 5850	Pass
					30	120	5775.075	5725 to 5850	Pass
					40	120	5775.075	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	102	5180.000	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5180.040	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.020	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5180.020	5150 to 5250	Pass
					40	120	5180.020	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	SU	/	20	102	5200.000	5150 to 5250	Pass
						120	5200.000	5150 to 5250	Pass
						138	5200.040	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
					-20	120	5200.000	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.020	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	SU	/	20	102	5240.020	5150 to 5250	Pass

802.11ax (HEW40)	SISO					120	5240.020	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5239.980	5150 to 5250	Pass
					0	120	5239.980	5150 to 5250	Pass
					10	120	5240.040	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5239.980	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5745	SU	/	20	102	5744.940	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.000	5725 to 5850	Pass
					-30	120	5745.020	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5744.940	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5744.980	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5745.040	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	SU	/	20	102	5785.020	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5784.960	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5785.000	5725 to 5850	Pass
					10	120	5785.000	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5784.960	5725 to 5850	Pass
					50	120	5785.060	5725 to 5850	Pass
		5825	SU	/	20	102	5825.040	5725 to 5850	Pass
						120	5824.940	5725 to 5850	Pass
						138	5825.020	5725 to 5850	Pass
					-30	120	5825.040	5725 to 5850	Pass
					-20	120	5824.960	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5824.980	5725 to 5850	Pass
					10	120	5824.980	5725 to 5850	Pass
					30	120	5825.000	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
		5190	SU	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.000	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.000	5150 to 5250	Pass
					0	120	5189.960	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	SU	/	20	102	5230.040	5150 to 5250	Pass
						120	5230.000	5150 to 5250	Pass
						138	5230.000	5150 to 5250	Pass
					-30	120	5229.960	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.080	5150 to 5250	Pass
					10	120	5230.120	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.000	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5755	SU	/	20	102	5755.040	5725 to 5850	Pass
						120	5755.080	5725 to 5850	Pass

802.11ax (HEW80)	SISO					138	5755.040	5725 to 5850	Pass
					-30	120	5755.080	5725 to 5850	Pass
					-20	120	5754.960	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.120	5725 to 5850	Pass
					10	120	5755.080	5725 to 5850	Pass
					30	120	5755.080	5725 to 5850	Pass
					40	120	5755.040	5725 to 5850	Pass
					50	120	5755.000	5725 to 5850	Pass
		5795	SU	/	20	102	5795.040	5725 to 5850	Pass
						120	5795.000	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
					-30	120	5795.080	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5795.080	5725 to 5850	Pass
					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.120	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5795.000	5725 to 5850	Pass
		5210	SU	/	20	102	5210.150	5150 to 5250	Pass
						120	5210.000	5150 to 5250	Pass
						138	5210.000	5150 to 5250	Pass
					-30	120	5209.925	5150 to 5250	Pass
					-20	120	5210.150	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.000	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5775	SU	/	20	102	5775.075	5725 to 5850	Pass
						120	5775.075	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
					-30	120	5775.150	5725 to 5850	Pass
					-20	120	5775.000	5725 to 5850	Pass
					-10	120	5775.150	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5775.150	5725 to 5850	Pass
					30	120	5775.150	5725 to 5850	Pass
					40	120	5775.075	5725 to 5850	Pass
					50	120	5775.000	5725 to 5850	Pass

5 Test Setup Photos of the EUT

Reference to the **appendix I** for details.

6 Photos of the EUT

Reference to the **appendix II** for details.

******* End of Report *******