




## 11N20MIMO\_Ant2\_Low\_5745




## 11N20MIMO\_Ant1\_High\_5825




## 11N20MIMO\_Ant2\_High\_5825




## 11N40MIMO\_Ant1\_High\_5795




## 11N40MIMO\_Ant2\_High\_5795




## 11AC20MIMO\_Ant1\_Low\_5745




## 11AC20MIMO\_Ant2\_High\_5825




## 11AC40MIMO\_Ant1\_Low\_5755




## 11AC40MIMO\_Ant2\_Low\_5755




11AC40MIMO\_Ant1\_High\_5795




11AC40MIMO\_Ant2\_High\_5795




## 11AC80MIMO\_Ant1\_Low\_5775




## 11AC80MIMO\_Ant1\_High\_5775




## 11AC80MIMO\_Ant2\_Low\_5775




11AC80MIMO\_Ant2\_High\_5775




11AX20MIMO\_Ant1\_Low\_5745




## 11AX20MIMO\_Ant2\_Low\_5745




## 11AX20MIMO\_Ant1\_High\_5825




## 11AX20MIMO\_Ant2\_High\_5825




## 11AX40MIMO\_Ant1\_High\_5795




## 11AX40MIMO\_Ant2\_High\_5795



## 11AX80MIMO\_Ant1\_Low\_5775





## Appendix E: Frequency Stability

### Test Result

#### Ant1

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5745               | 20                                 | 132              | 5745.026188                    | 5725 – 5850          | PASS            |
| 5745               | 20                                 | 108              | 5744.919822                    | 5725 – 5850          | PASS            |
| 5745               | 50                                 | 120              | 5744.918034                    | 5725 – 5850          | PASS            |
| 5745               | 40                                 | 120              | 5744.968403                    | 5725 – 5850          | PASS            |
| 5745               | 30                                 | 120              | 5745.097885                    | 5725 – 5850          | PASS            |
| 5745               | 20                                 | 120              | 5745.037196                    | 5725 – 5850          | PASS            |
| 5745               | 10                                 | 120              | 5744.995262                    | 5725 – 5850          | PASS            |
| 5745               | 0                                  | 120              | 5745.024264                    | 5725 – 5850          | PASS            |
| 5745               | -10                                | 120              | 5744.972337                    | 5725 – 5850          | PASS            |
| 5745               | -20                                | 120              | 5744.910958                    | 5725 – 5850          | PASS            |
| 5745               | -30                                | 120              | 5745.097042                    | 5725 – 5850          | PASS            |

#### Ant2

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5745               | 20                                 | 132              | 5745.047338                    | 5725 – 5850          | PASS            |
| 5745               | 20                                 | 108              | 5745.052272                    | 5725 – 5850          | PASS            |
| 5745               | 50                                 | 120              | 5745.059100                    | 5725 – 5850          | PASS            |
| 5745               | 40                                 | 120              | 5745.092798                    | 5725 – 5850          | PASS            |
| 5745               | 30                                 | 120              | 5744.916824                    | 5725 – 5850          | PASS            |
| 5745               | 20                                 | 120              | 5744.992798                    | 5725 – 5850          | PASS            |
| 5745               | 10                                 | 120              | 5744.946884                    | 5725 – 5850          | PASS            |
| 5745               | 0                                  | 120              | 5745.060098                    | 5725 – 5850          | PASS            |
| 5745               | -10                                | 120              | 5745.073477                    | 5725 – 5850          | PASS            |
| 5745               | -20                                | 120              | 5745.001146                    | 5725 – 5850          | PASS            |
| 5745               | -30                                | 120              | 5745.005202                    | 5725 – 5850          | PASS            |

#### Ant1

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5785               | 20                                 | 132              | 5785.061200                    | 5725 – 5850          | PASS            |
| 5785               | 20                                 | 108              | 5785.029839                    | 5725 – 5850          | PASS            |
| 5785               | 50                                 | 120              | 5784.920217                    | 5725 – 5850          | PASS            |

|      |     |     |             |             |      |
|------|-----|-----|-------------|-------------|------|
| 5785 | 40  | 120 | 5784.978916 | 5725 – 5850 | PASS |
| 5785 | 30  | 120 | 5785.058552 | 5725 – 5850 | PASS |
| 5785 | 20  | 120 | 5785.045394 | 5725 – 5850 | PASS |
| 5785 | 10  | 120 | 5785.061142 | 5725 – 5850 | PASS |
| 5785 | 0   | 120 | 5784.934826 | 5725 – 5850 | PASS |
| 5785 | -10 | 120 | 5785.088181 | 5725 – 5850 | PASS |
| 5785 | -20 | 120 | 5785.084927 | 5725 – 5850 | PASS |
| 5785 | -30 | 120 | 5785.051778 | 5725 – 5850 | PASS |

## Ant2

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5785               | 20                                 | 132              | 5784.940166                    | 5725 – 5850          | PASS            |
| 5785               | 20                                 | 108              | 5785.095865                    | 5725 – 5850          | PASS            |
| 5785               | 50                                 | 120              | 5784.945103                    | 5725 – 5850          | PASS            |
| 5785               | 40                                 | 120              | 5785.054653                    | 5725 – 5850          | PASS            |
| 5785               | 30                                 | 120              | 5785.012042                    | 5725 – 5850          | PASS            |
| 5785               | 20                                 | 120              | 5785.099244                    | 5725 – 5850          | PASS            |
| 5785               | 10                                 | 120              | 5785.086443                    | 5725 – 5850          | PASS            |
| 5785               | 0                                  | 120              | 5785.004756                    | 5725 – 5850          | PASS            |
| 5785               | -10                                | 120              | 5784.975460                    | 5725 – 5850          | PASS            |
| 5785               | -20                                | 120              | 5784.965262                    | 5725 – 5850          | PASS            |
| 5785               | -30                                | 120              | 5785.075608                    | 5725 – 5850          | PASS            |

## Ant1

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5825               | 20                                 | 132              | 5825.079745                    | 5725 – 5850          | PASS            |
| 5825               | 20                                 | 108              | 5824.918092                    | 5725 – 5850          | PASS            |
| 5825               | 50                                 | 120              | 5824.917816                    | 5725 – 5850          | PASS            |
| 5825               | 40                                 | 120              | 5825.016120                    | 5725 – 5850          | PASS            |
| 5825               | 30                                 | 120              | 5825.045851                    | 5725 – 5850          | PASS            |
| 5825               | 20                                 | 120              | 5824.985450                    | 5725 – 5850          | PASS            |
| 5825               | 10                                 | 120              | 5825.045461                    | 5725 – 5850          | PASS            |
| 5825               | 0                                  | 120              | 5824.934273                    | 5725 – 5850          | PASS            |
| 5825               | -10                                | 120              | 5825.028421                    | 5725 – 5850          | PASS            |
| 5825               | -20                                | 120              | 5825.098956                    | 5725 – 5850          | PASS            |
| 5825               | -30                                | 120              | 5825.064465                    | 5725 – 5850          | PASS            |

## Ant2

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5825               | 20                                 | 132              | 5824.946533                    | 5725 – 5850          | PASS            |
| 5825               | 20                                 | 108              | 5824.963809                    | 5725 – 5850          | PASS            |
| 5825               | 50                                 | 120              | 5824.923755                    | 5725 – 5850          | PASS            |
| 5825               | 40                                 | 120              | 5824.914591                    | 5725 – 5850          | PASS            |
| 5825               | 30                                 | 120              | 5824.900661                    | 5725 – 5850          | PASS            |
| 5825               | 20                                 | 120              | 5824.977203                    | 5725 – 5850          | PASS            |
| 5825               | 10                                 | 120              | 5824.992125                    | 5725 – 5850          | PASS            |
| 5825               | 0                                  | 120              | 5825.030190                    | 5725 – 5850          | PASS            |
| 5825               | -10                                | 120              | 5824.916705                    | 5725 – 5850          | PASS            |
| 5825               | -20                                | 120              | 5824.941505                    | 5725 – 5850          | PASS            |
| 5825               | -30                                | 120              | 5824.966503                    | 5725 – 5850          | PASS            |

## Ant1

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5755               | 20                                 | 132              | 5755.034034                    | 5725 – 5850          | PASS            |
| 5755               | 20                                 | 108              | 5755.045866                    | 5725 – 5850          | PASS            |
| 5755               | 50                                 | 120              | 5754.964917                    | 5725 – 5850          | PASS            |
| 5755               | 40                                 | 120              | 5755.062993                    | 5725 – 5850          | PASS            |
| 5755               | 30                                 | 120              | 5754.958969                    | 5725 – 5850          | PASS            |
| 5755               | 20                                 | 120              | 5754.954637                    | 5725 – 5850          | PASS            |
| 5755               | 10                                 | 120              | 5754.954726                    | 5725 – 5850          | PASS            |
| 5755               | 0                                  | 120              | 5755.090990                    | 5725 – 5850          | PASS            |
| 5755               | -10                                | 120              | 5754.980565                    | 5725 – 5850          | PASS            |
| 5755               | -20                                | 120              | 5755.086759                    | 5725 – 5850          | PASS            |
| 5755               | -30                                | 120              | 5755.010200                    | 5725 – 5850          | PASS            |

## Ant2

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5755               | 20                                 | 132              | 5754.939382                    | 5725 – 5850          | PASS            |
| 5755               | 20                                 | 108              | 5755.079916                    | 5725 – 5850          | PASS            |
| 5755               | 50                                 | 120              | 5755.070082                    | 5725 – 5850          | PASS            |
| 5755               | 40                                 | 120              | 5754.978994                    | 5725 – 5850          | PASS            |
| 5755               | 30                                 | 120              | 5754.901117                    | 5725 – 5850          | PASS            |
| 5755               | 20                                 | 120              | 5755.067166                    | 5725 – 5850          | PASS            |
| 5755               | 10                                 | 120              | 5754.999464                    | 5725 – 5850          | PASS            |

|      |     |     |             |             |      |
|------|-----|-----|-------------|-------------|------|
| 5755 | 0   | 120 | 5755.018457 | 5725 – 5850 | PASS |
| 5755 | -10 | 120 | 5755.005663 | 5725 – 5850 | PASS |
| 5755 | -20 | 120 | 5755.017091 | 5725 – 5850 | PASS |
| 5755 | -30 | 120 | 5755.044474 | 5725 – 5850 | PASS |

## Ant1

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5795               | 20                                 | 132              | 5794.949577                    | 5725 – 5850          | PASS            |
| 5795               | 20                                 | 108              | 5795.019068                    | 5725 – 5850          | PASS            |
| 5795               | 50                                 | 120              | 5794.944472                    | 5725 – 5850          | PASS            |
| 5795               | 40                                 | 120              | 5795.012525                    | 5725 – 5850          | PASS            |
| 5795               | 30                                 | 120              | 5795.085361                    | 5725 – 5850          | PASS            |
| 5795               | 20                                 | 120              | 5794.905512                    | 5725 – 5850          | PASS            |
| 5795               | 10                                 | 120              | 5795.012162                    | 5725 – 5850          | PASS            |
| 5795               | 0                                  | 120              | 5795.071058                    | 5725 – 5850          | PASS            |
| 5795               | -10                                | 120              | 5795.065056                    | 5725 – 5850          | PASS            |
| 5795               | -20                                | 120              | 5795.076943                    | 5725 – 5850          | PASS            |
| 5795               | -30                                | 120              | 5794.911773                    | 5725 – 5850          | PASS            |

## Ant2

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5795               | 20                                 | 132              | 5795.077505                    | 5725 – 5850          | PASS            |
| 5795               | 20                                 | 108              | 5795.032666                    | 5725 – 5850          | PASS            |
| 5795               | 50                                 | 120              | 5794.971866                    | 5725 – 5850          | PASS            |
| 5795               | 40                                 | 120              | 5795.004987                    | 5725 – 5850          | PASS            |
| 5795               | 30                                 | 120              | 5795.097158                    | 5725 – 5850          | PASS            |
| 5795               | 20                                 | 120              | 5794.962193                    | 5725 – 5850          | PASS            |
| 5795               | 10                                 | 120              | 5795.053298                    | 5725 – 5850          | PASS            |
| 5795               | 0                                  | 120              | 5794.906548                    | 5725 – 5850          | PASS            |
| 5795               | -10                                | 120              | 5795.062630                    | 5725 – 5850          | PASS            |
| 5795               | -20                                | 120              | 5794.926279                    | 5725 – 5850          | PASS            |
| 5795               | -30                                | 120              | 5795.063541                    | 5725 – 5850          | PASS            |

## Ant1

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5775               | 20                                 | 132              | 5795.039370                    | 5725 – 5850          | PASS            |

|      |     |     |             |             |      |
|------|-----|-----|-------------|-------------|------|
| 5775 | 20  | 108 | 5795.044385 | 5725 – 5850 | PASS |
| 5775 | 50  | 120 | 5794.995454 | 5725 – 5850 | PASS |
| 5775 | 40  | 120 | 5794.972168 | 5725 – 5850 | PASS |
| 5775 | 30  | 120 | 5794.992891 | 5725 – 5850 | PASS |
| 5775 | 20  | 120 | 5795.068047 | 5725 – 5850 | PASS |
| 5775 | 10  | 120 | 5795.066044 | 5725 – 5850 | PASS |
| 5775 | 0   | 120 | 5795.052799 | 5725 – 5850 | PASS |
| 5775 | -10 | 120 | 5794.924901 | 5725 – 5850 | PASS |
| 5775 | -20 | 120 | 5795.015779 | 5725 – 5850 | PASS |
| 5775 | -30 | 120 | 5795.091569 | 5725 – 5850 | PASS |

## Ant2

| Frequency<br>(MHz) | Enviroment Temperature<br>(Degree) | Voltage<br>(VAC) | Measured<br>Frequency<br>(MHz) | Limit Range<br>(MHz) | Test<br>Results |
|--------------------|------------------------------------|------------------|--------------------------------|----------------------|-----------------|
| 5775               | 20                                 | 132              | 5794.950806                    | 5725 – 5850          | PASS            |
| 5775               | 20                                 | 108              | 5795.092330                    | 5725 – 5850          | PASS            |
| 5775               | 50                                 | 120              | 5795.017731                    | 5725 – 5850          | PASS            |
| 5775               | 40                                 | 120              | 5794.982768                    | 5725 – 5850          | PASS            |
| 5775               | 30                                 | 120              | 5795.060701                    | 5725 – 5850          | PASS            |
| 5775               | 20                                 | 120              | 5795.055987                    | 5725 – 5850          | PASS            |
| 5775               | 10                                 | 120              | 5795.057490                    | 5725 – 5850          | PASS            |
| 5775               | 0                                  | 120              | 5794.996539                    | 5725 – 5850          | PASS            |
| 5775               | -10                                | 120              | 5795.082829                    | 5725 – 5850          | PASS            |
| 5775               | -20                                | 120              | 5794.949714                    | 5725 – 5850          | PASS            |
| 5775               | -30                                | 120              | 5794.923340                    | 5725 – 5850          | PASS            |


## Appendix F: Duty Cycle


### Test Result

| TestMode   | Antenna | Channel | Transmission<br>Duration [ms] | Transmission<br>Period [ms] | Duty Cycle<br>[%] | 1/T<br>[kHz] |
|------------|---------|---------|-------------------------------|-----------------------------|-------------------|--------------|
| 11A        | Ant1    | 5745    | 1.39                          | 1.49                        | 93.29             | 0.72         |
|            | Ant2    | 5745    | 1.39                          | 1.49                        | 93.29             | 0.72         |
|            | Ant1    | 5785    | 1.39                          | 1.49                        | 93.29             | 0.72         |
|            | Ant2    | 5785    | 1.39                          | 1.49                        | 93.29             | 0.72         |
|            | Ant1    | 5825    | 1.39                          | 1.49                        | 93.29             | 0.72         |
|            | Ant2    | 5825    | 1.39                          | 1.49                        | 93.29             | 0.72         |
| 11N20MIMO  | Ant1    | 5745    | 0.16                          | 0.26                        | 61.54             | 6.25         |
|            | Ant2    | 5745    | 0.16                          | 0.26                        | 61.54             | 6.25         |
|            | Ant1    | 5785    | 0.16                          | 0.26                        | 61.54             | 6.25         |
|            | Ant2    | 5785    | 0.16                          | 0.26                        | 61.54             | 6.25         |
|            | Ant1    | 5825    | 0.16                          | 0.26                        | 61.54             | 6.25         |
|            | Ant2    | 5825    | 0.16                          | 0.26                        | 61.54             | 6.25         |
| 11N40MIMO  | Ant1    | 5755    | 0.10                          | 0.20                        | 50.00             | 10.00        |
|            | Ant2    | 5755    | 0.10                          | 0.20                        | 50.00             | 10.00        |
|            | Ant1    | 5795    | 0.10                          | 0.20                        | 50.00             | 10.00        |
|            | Ant2    | 5795    | 0.10                          | 0.20                        | 50.00             | 10.00        |
| 11AC20MIMO | Ant1    | 5745    | 0.36                          | 0.46                        | 78.26             | 2.78         |
|            | Ant2    | 5745    | 0.36                          | 0.46                        | 78.26             | 2.78         |
|            | Ant1    | 5785    | 0.36                          | 0.46                        | 78.26             | 2.78         |
|            | Ant2    | 5785    | 0.36                          | 0.46                        | 78.26             | 2.78         |
|            | Ant1    | 5825    | 0.36                          | 0.45                        | 80.00             | 2.78         |
|            | Ant2    | 5825    | 0.36                          | 0.46                        | 78.26             | 2.78         |
| 11AC40MIMO | Ant1    | 5755    | 0.08                          | 0.19                        | 42.11             | 12.50        |
|            | Ant2    | 5755    | 0.08                          | 0.19                        | 42.11             | 12.50        |
|            | Ant1    | 5795    | 0.09                          | 0.19                        | 47.37             | 11.11        |
|            | Ant2    | 5795    | 0.08                          | 0.18                        | 44.44             | 12.50        |
| 11AC80MIMO | Ant1    | 5775    | 0.06                          | 0.16                        | 37.50             | 16.67        |
|            | Ant2    | 5775    | 0.06                          | 0.16                        | 37.50             | 16.67        |
| 11AX20MIMO | Ant1    | 5745    | 0.11                          | 0.21                        | 52.38             | 9.09         |
|            | Ant2    | 5745    | 0.12                          | 0.22                        | 54.55             | 8.33         |
|            | Ant1    | 5785    | 0.12                          | 0.22                        | 54.55             | 8.33         |
|            | Ant2    | 5785    | 0.11                          | 0.21                        | 52.38             | 9.09         |
|            | Ant1    | 5825    | 0.12                          | 0.22                        | 54.55             | 8.33         |
|            | Ant2    | 5825    | 0.12                          | 0.22                        | 54.55             | 8.33         |
| 11AX40MIMO | Ant1    | 5755    | 0.09                          | 0.19                        | 47.37             | 11.11        |
|            | Ant2    | 5755    | 0.08                          | 0.18                        | 44.44             | 12.50        |
|            | Ant1    | 5795    | 0.09                          | 0.19                        | 47.37             | 11.11        |


|            |      |      |      |      |       |       |
|------------|------|------|------|------|-------|-------|
|            | Ant2 | 5795 | 0.09 | 0.19 | 47.37 | 11.11 |
| 11AX80MIMO | Ant1 | 5775 | 0.07 | 0.17 | 41.18 | 14.29 |
|            | Ant2 | 5775 | 0.08 | 0.18 | 44.44 | 12.50 |

## Test Graphs







## 11A\_Ant2\_5825




## 11N20MIMO\_Ant1\_5745




## 11N20MIMO\_Ant2\_5745




## 11N20MIMO\_Ant1\_5825




## 11N20MIMO\_Ant2\_5825




## 11N40MIMO\_Ant1\_5755




## 11N40MIMO\_Ant2\_5795




## 11AC20MIMO\_Ant1\_5745




## 11AC20MIMO\_Ant2\_5745




## 11AC20MIMO\_Ant1\_5825




## 11AC20MIMO\_Ant2\_5825




## 11AC40MIMO\_Ant1\_5755




## 11AC40MIMO\_Ant2\_5795




## 11AC80MIMO\_Ant1\_5775




## 11AC80MIMO\_Ant2\_5775








## 11AX40MIMO\_Ant2\_5755



## 11AX40MIMO\_Ant1\_5795



## 11AX40MIMO\_Ant2\_5795

