


802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 108
80\98\107\108
6.20\6.19\6.01\6.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	58.97	74.00	-15.03	51.47	3	Horizontal	35	1.74	108	33.70	6.46	32.66
AV	5.4554G	47.66	54.00	-6.34	40.16	3	Horizontal	35	1.74	108	33.70	6.46	32.66
PK	5.46674G	59.00	68.20	-9.20	51.48	3	Horizontal	35	1.74	108	33.70	6.47	32.65
PK	5.7227G	115.31	Inf	-Inf	107.26	3	Horizontal	35	1.74	108	34.18	6.60	32.73
AV	5.71892G	104.13	Inf	-Inf	96.11	3	Horizontal	35	1.74	108	34.15	6.60	32.73
PK	5.94356G	61.32	68.20	-6.88	52.47	3	Horizontal	35	1.74	108	35.07	6.60	32.82

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42376G	56.18	74.00	-17.82	40.71	3	Vertical	49	1.80	82	38.40	8.86	31.79
AV	11.44832G	43.22	54.00	-10.78	27.73	3	Vertical	49	1.80	82	38.40	8.86	31.77
PK	17.15336G	67.19	68.20	-1.01	44.88	3	Vertical	109	1.82	75	41.51	10.85	30.05

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42648G	56.67	74.00	-17.33	41.19	3	Horizontal	355	1.80	108	38.40	8.86	31.78
AV	11.4576G	43.16	54.00	-10.84	27.67	3	Horizontal	355	1.80	108	38.40	8.86	31.77
PK	17.15289G	67.87	68.20	-0.33	45.56	3	Horizontal	310	1.81	75	41.51	10.85	30.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT Y_1TX
SET 108
108
0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14716G	65.58	74.00	-8.42	59.29	3	Vertical	350	1.52	108	32.71	6.37	32.79
AV	5.14976G	48.75	54.00	-5.25	42.47	3	Vertical	350	1.52	108	32.70	6.37	32.79
PK	5.2652G	117.65	Inf	-Inf	111.16	3	Vertical	350	1.52	108	32.83	6.40	32.74
AV	5.26286G	103.78	Inf	-Inf	97.29	3	Vertical	350	1.52	108	32.83	6.40	32.74
PK	5.35178G	72.53	74.00	-1.47	65.82	3	Vertical	350	1.52	108	33.01	6.40	32.70
AV	5.35048G	53.38	54.00	-0.62	46.68	3	Vertical	350	1.52	108	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
108
0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14222G	64.41	74.00	-9.59	58.11	3	Horizontal	8	1.68	108	32.72	6.37	32.79
AV	5.1495G	48.34	54.00	-5.66	42.06	3	Horizontal	8	1.68	108	32.70	6.37	32.79
PK	5.26728G	115.89	Inf	-Inf	109.40	3	Horizontal	8	1.68	108	32.83	6.40	32.74
AV	5.25662G	102.85	Inf	-Inf	96.38	3	Horizontal	8	1.68	108	32.81	6.40	32.74
PK	5.35126G	73.14	74.00	-0.86	66.43	3	Horizontal	8	1.68	108	33.01	6.40	32.70
AV	5.35G	52.87	54.00	-1.13	46.17	3	Horizontal	8	1.68	108	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX


EUT_Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53076G	56.81	68.20	-11.39	41.31	3	Vertical	29	1.79	108	38.53	8.63	31.66
PK	15.78548G	66.11	74.00	-7.89	48.10	3	Vertical	314	1.85	108	38.21	10.44	30.64
AV	15.77968G	53.29	54.00	-0.71	35.33	3	Vertical	314	1.85	108	38.18	10.43	30.65

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX


EUT_Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50732G	56.67	68.20	-11.53	41.18	3	Horizontal	157	1.80	108	38.51	8.63	31.65
PK	15.77932G	64.79	74.00	-9.21	46.83	3	Horizontal	1	1.52	108	38.18	10.43	30.65
AV	15.78152G	52.27	54.00	-1.73	34.30	3	Horizontal	1	1.52	108	38.19	10.43	30.65

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 93
94\88\91\93
-0.23\3.70\1.70\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.29916G	116.22	Inf	-Inf	109.64	3	Vertical	350	1.52	93	32.90	6.40	32.72	
AV	5.2986G	102.91	Inf	-Inf	96.33	3	Vertical	350	1.52	93	32.90	6.40	32.72	
PK	5.35166G	69.85	74.00	-4.15	63.14	3	Vertical	350	1.52	93	33.01	6.40	32.70	
AV	5.35G	53.53	54.00	-0.47	46.83	3	Vertical	350	1.52	93	33.00	6.40	32.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 94
95\92\94
-0.01\1.80\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2993G	114.74	Inf	-Inf	108.16	3	Horizontal	7	1.87	94	32.90	6.40	32.72
AV	5.29804G	101.19	Inf	-Inf	94.61	3	Horizontal	7	1.87	94	32.90	6.40	32.72
PK	5.35012G	68.01	74.00	-5.99	61.31	3	Horizontal	7	1.87	94	33.00	6.40	32.70
AV	5.35012G	53.55	54.00	-0.45	46.85	3	Horizontal	7	1.87	94	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTY_1TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58456G	56.39	68.20	-11.81	40.87	3	Vertical	302	1.80	93	38.58	8.65	31.71
PK	15.89312G	66.35	74.00	-7.65	48.10	3	Vertical	31	1.83	93	38.39	10.47	30.61
AV	15.90404G	53.23	54.00	-0.77	34.97	3	Vertical	31	1.83	93	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUTY_1TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59956G	56.32	68.20	-11.88	40.79	3	Horizontal	32	2.94	93	38.60	8.65	31.72
PK	15.91232G	66.47	74.00	-7.53	48.21	3	Horizontal	360	2.17	93	38.40	10.47	30.61
AV	15.89896G	53.41	54.00	-0.59	35.15	3	Horizontal	360	2.17	93	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 85
86\77\82\85
-0.89\5.98\3.95\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3231G	114.32	Inf	-Inf	107.68	3	Vertical	351	1.56	85	32.95	6.40	32.71
AV	5.324G	100.94	Inf	-Inf	94.30	3	Vertical	351	1.56	85	32.95	6.40	32.71
PK	5.3514G	67.05	74.00	-6.95	60.34	3	Vertical	351	1.56	85	33.01	6.40	32.70
AV	5.35G	53.54	54.00	-0.46	46.84	3	Vertical	351	1.56	85	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 86
85\97\91\88\86
1.46\12.35\4.90\1.22\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3281G	112.95	Inf	-Inf	106.30	3	Horizontal	6	1.80	86	32.96	6.40	32.71
AV	5.318G	99.57	Inf	-Inf	92.95	3	Horizontal	6	1.80	86	32.94	6.40	32.72
PK	5.3563G	70.20	74.00	-3.80	63.47	3	Horizontal	6	1.80	86	33.03	6.40	32.70
AV	5.35G	53.72	54.00	-0.28	47.02	3	Horizontal	6	1.80	86	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUTY_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63236G	56.37	74.00	-17.63	40.86	3	Vertical	323	2.15	85	38.60	8.66	31.75
AV	10.65704G	42.85	54.00	-11.15	27.36	3	Vertical	323	2.15	85	38.60	8.66	31.77
PK	15.9442G	63.70	74.00	-10.30	45.42	3	Vertical	0	1.80	85	38.40	10.48	30.60
AV	15.9682G	50.53	54.00	-3.47	32.23	3	Vertical	0	1.80	85	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX


EUT Y_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63408G	55.87	74.00	-18.13	40.36	3	Horizontal	264	1.93	85	38.60	8.66	31.75
AV	10.63112G	43.00	54.00	-11.00	27.48	3	Horizontal	264	1.93	85	38.60	8.66	31.74
PK	15.95772G	63.87	74.00	-10.13	45.57	3	Horizontal	244	1.80	85	38.40	10.49	30.59
AV	15.97832G	50.26	54.00	-3.74	31.96	3	Horizontal	244	1.80	85	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 90
90
1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4597G	64.38	74.00	-9.62	56.88	3	Vertical	351	1.57	90	33.70	6.46	32.66	
AV	5.4594G	50.29	54.00	-3.71	42.79	3	Vertical	351	1.57	90	33.70	6.46	32.66	
PK	5.4679G	67.12	68.20	-1.08	59.60	3	Vertical	351	1.57	90	33.70	6.47	32.65	
PK	5.4946G	114.11	Inf	-Inf	106.56	3	Vertical	351	1.57	90	33.70	6.49	32.64	
AV	5.4976G	101.38	Inf	-Inf	93.82	3	Vertical	351	1.57	90	33.70	6.50	32.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 90
90\96\93\91\90
0.67\ -6.64\ -3.35\ -0.07\ 0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	64.13	74.00	-9.87	56.63	3	Horizontal	13	1.78	90	33.70	6.46	32.66
AV	5.4598G	50.49	54.00	-3.51	42.99	3	Horizontal	13	1.78	90	33.70	6.46	32.66
PK	5.4697G	67.85	68.20	-0.35	60.33	3	Horizontal	13	1.78	90	33.70	6.47	32.65
PK	5.4967G	114.95	Inf	-Inf	107.39	3	Horizontal	13	1.78	90	33.70	6.50	32.64
AV	5.5027G	101.33	Inf	-Inf	93.76	3	Horizontal	13	1.78	90	33.71	6.50	32.64

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTY_1TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01024G	55.42	74.00	-18.58	40.21	3	Vertical	168	1.80	90	38.49	8.75	32.03
AV	11.00524G	42.40	54.00	-11.60	27.20	3	Vertical	168	1.80	90	38.49	8.75	32.04
PK	16.4882G	67.62	68.20	-0.58	45.71	3	Vertical	322	1.19	90	40.24	10.65	28.98

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUTY_1TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0036G	55.50	74.00	-18.50	40.29	3	Horizontal	1	1.80	90	38.50	8.75	32.04
AV	11.00532G	42.33	54.00	-11.67	27.13	3	Horizontal	1	1.80	90	38.49	8.75	32.04
PK	16.51104G	67.73	68.20	-0.47	45.74	3	Horizontal	212	2.65	90	40.30	10.65	28.96

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
SET 108
108
2.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4312G	61.50	74.00	-12.50	54.23	3	Vertical	360	1.74	108	33.51	6.43	32.67	
PK	5.46704G	65.46	68.20	-2.74	57.94	3	Vertical	360	1.74	108	33.70	6.47	32.65	
AV	5.45904G	48.55	54.00	-5.45	41.05	3	Vertical	360	1.74	108	33.70	6.46	32.66	
PK	5.5832G	117.58	Inf	-Inf	109.84	3	Vertical	360	1.74	108	33.83	6.58	32.67	
AV	5.57488G	105.13	Inf	-Inf	97.38	3	Vertical	360	1.74	108	33.85	6.57	32.67	
PK	5.74G	62.17	68.20	-6.03	53.99	3	Vertical	360	1.74	108	34.32	6.60	32.74	

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_V_1TX
SET 108
108
4.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45424G	62.67	74.00	-11.33	55.18	3	Horizontal	360	1.71	108	33.70	6.45	32.66
AV	5.45904G	48.86	54.00	-5.14	41.36	3	Horizontal	360	1.71	108	33.70	6.46	32.66
PK	5.4648G	63.81	68.20	-4.39	56.30	3	Horizontal	360	1.71	108	33.70	6.46	32.65
PK	5.5768G	117.97	Inf	-Inf	110.21	3	Horizontal	360	1.71	108	33.85	6.58	32.67
AV	5.57488G	105.20	Inf	-Inf	97.45	3	Horizontal	360	1.71	108	33.85	6.57	32.67
PK	5.73488G	61.49	68.20	-6.71	53.34	3	Horizontal	360	1.71	108	34.28	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUTY_1TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1638G	55.82	74.00	-18.18	40.63	3	Vertical	17	1.80	97	38.34	8.79	31.94
AV	11.1534G	42.59	54.00	-11.41	27.40	3	Vertical	17	1.80	97	38.35	8.79	31.95
PK	16.74856G	67.32	68.20	-0.88	45.52	3	Vertical	3	1.79	97	40.45	10.72	29.37

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX


EUT Y_1TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17536G	56.23	74.00	-17.77	41.05	3	Horizontal	360	2.71	108	38.32	8.79	31.93
AV	11.15908G	42.51	54.00	-11.49	27.32	3	Horizontal	360	2.71	108	38.34	8.79	31.94
PK	16.74632G	67.76	68.20	-0.44	45.96	3	Horizontal	360	2.37	97	40.45	10.72	29.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT V_1TX
SET 62
62
0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6995G	108.89	Inf	-Inf	101.01	3	Vertical	3	1.80	62	34.00	6.60	32.72
AV	5.6983G	94.93	Inf	-Inf	87.05	3	Vertical	3	1.80	62	34.00	6.60	32.72
PK	5.726G	67.23	68.20	-0.97	59.15	3	Vertical	3	1.80	62	34.21	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT V_1TX
SET 62
69\57\63\60\62
-1.60\2.02\1.68\3.22\1.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7063G	108.36	Inf	-Inf	100.43	3	Horizontal	35	1.76	62	34.05	6.60	32.72
AV	5.7012G	94.29	Inf	-Inf	86.40	3	Horizontal	35	1.76	62	34.01	6.60	32.72
PK	5.7252G	66.26	68.20	-1.94	58.19	3	Horizontal	35	1.76	62	34.20	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41604G	56.56	74.00	-17.44	41.10	3	Vertical	354	1.80	54	38.40	8.85	31.79
AV	11.41652G	42.86	54.00	-11.14	27.40	3	Vertical	354	1.80	54	38.40	8.85	31.79
PK	17.10412G	68.16	68.20	-0.04	45.89	3	Vertical	1	1.80	49	41.41	10.83	29.97

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40656G	56.31	74.00	-17.69	40.86	3	Horizontal	106	1.80	62	38.40	8.85	31.80
AV	11.41912G	42.90	54.00	-11.10	27.44	3	Horizontal	106	1.80	62	38.40	8.85	31.79
PK	17.10828G	68.10	68.20	-0.10	45.83	3	Horizontal	321	1.80	54	41.42	10.83	29.98

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_1TX
SET 108
108
4.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45108G	58.98	74.00	-15.02	51.49	3	Vertical	0	2.13	108	33.70	6.45	32.66	
PK	5.46188G	60.29	68.20	-7.91	52.79	3	Vertical	0	2.13	108	33.70	6.46	32.66	
AV	5.4581G	47.43	54.00	-6.57	39.93	3	Vertical	0	2.13	108	33.70	6.46	32.66	
PK	5.71676G	115.17	Inf	-Inf	107.17	3	Vertical	0	2.13	108	34.13	6.60	32.73	
AV	5.71514G	102.94	Inf	-Inf	94.95	3	Vertical	0	2.13	108	34.12	6.60	32.73	
PK	5.85662G	63.21	68.20	-4.99	54.58	3	Vertical	0	2.13	108	34.81	6.60	32.78	

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_1TX
SET 108
108
6.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	59.52	74.00	-14.48	52.03	3	Horizontal	35	1.76	108	33.70	6.45	32.66
AV	5.45216G	47.16	54.00	-6.84	39.67	3	Horizontal	35	1.76	108	33.70	6.45	32.66
PK	5.46566G	59.32	68.20	-8.88	51.80	3	Horizontal	35	1.76	108	33.70	6.47	32.65
PK	5.7173G	114.94	Inf	-Inf	106.93	3	Horizontal	35	1.76	108	34.14	6.60	32.73
AV	5.71676G	102.29	Inf	-Inf	94.29	3	Horizontal	35	1.76	108	34.13	6.60	32.73
PK	5.85824G	62.13	68.20	-6.07	53.49	3	Horizontal	35	1.76	108	34.82	6.60	32.78

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4414G	56.83	74.00	-17.17	41.35	3	Vertical	290	1.80	97	38.40	8.86	31.78
AV	11.45148G	43.10	54.00	-10.90	27.61	3	Vertical	290	1.80	97	38.40	8.86	31.77
PK	17.1549G	66.30	68.20	-1.90	43.99	3	Vertical	357	1.81	97	41.51	10.85	30.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4514G	57.01	74.00	-16.99	41.52	3	Horizontal	80	1.80	97	38.40	8.86	31.77
AV	11.45864G	43.20	54.00	-10.80	27.70	3	Horizontal	80	1.80	97	38.40	8.86	31.76
PK	17.16788G	68.18	68.20	-0.02	45.86	3	Horizontal	265	1.81	97	41.54	10.85	30.07

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 88
90\78\84\87\89\88
-0.93\4.77\2.08\0.63\0.06\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	60.39	74.00	-13.61	54.10	3	Vertical	350	1.60	88	32.71	6.37	32.79
AV	5.1426G	47.70	54.00	-6.30	41.41	3	Vertical	350	1.60	88	32.71	6.37	32.79
PK	5.2714G	112.29	Inf	-Inf	105.79	3	Vertical	350	1.60	88	32.84	6.40	32.74
AV	5.28232G	100.38	Inf	-Inf	93.85	3	Vertical	350	1.60	88	32.86	6.40	32.73
PK	5.35176G	65.63	74.00	-8.37	58.92	3	Vertical	350	1.60	88	33.01	6.40	32.70
AV	5.35036G	53.74	54.00	-0.26	47.04	3	Vertical	350	1.60	88	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 90
80\98\89\94\91\90
4.48\ -4.61\ 0.87\ -1.59\ -0.49\ 0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	59.11	74.00	-14.89	52.82	3	Horizontal	6	1.65	90	32.71	6.37	32.79
AV	5.14512G	47.92	54.00	-6.08	41.63	3	Horizontal	6	1.65	90	32.71	6.37	32.79
PK	5.27364G	111.73	Inf	-Inf	105.22	3	Horizontal	6	1.65	90	32.85	6.40	32.74
AV	5.27392G	99.68	Inf	-Inf	93.16	3	Horizontal	6	1.65	90	32.85	6.40	32.73
PK	5.35288G	65.90	74.00	-8.10	59.19	3	Horizontal	6	1.65	90	33.01	6.40	32.70
AV	5.35064G	53.92	54.00	-0.08	47.22	3	Horizontal	6	1.65	90	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX


EUT_Y_1TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57752G	56.09	68.20	-12.11	40.57	3	Vertical	261	1.80	88	38.58	8.64	31.70
PK	15.79928G	62.25	74.00	-11.75	44.15	3	Vertical	356	1.80	88	38.30	10.44	30.64
AV	15.83496G	49.38	54.00	-4.62	31.23	3	Vertical	356	1.80	88	38.33	10.45	30.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54528G	57.11	68.20	-11.09	41.60	3	Horizontal	77	1.79	88	38.55	8.64	31.68
PK	15.79872G	61.89	74.00	-12.11	43.80	3	Horizontal	241	1.80	88	38.29	10.44	30.64
AV	15.84296G	49.03	54.00	-4.97	30.87	3	Horizontal	241	1.80	88	38.34	10.45	30.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 74
74
0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29632G	109.44	Inf	-Inf	102.88	3	Vertical	351	1.58	74	32.89	6.40	32.73
AV	5.29932G	97.16	Inf	-Inf	90.58	3	Vertical	351	1.58	74	32.90	6.40	32.72
PK	5.35152G	66.60	74.00	-7.40	59.89	3	Vertical	351	1.58	74	33.01	6.40	32.70
AV	5.35G	53.75	54.00	-0.25	47.05	3	Vertical	351	1.58	74	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
SET 74
80\62\71\76\73\75\74
-4.01\4.97\2.10\0.00\1.37\0.04\1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31684G	107.34	Inf	-Inf	100.73	3	Horizontal	7	1.74	74	32.93	6.40	32.72
AV	5.31444G	95.69	Inf	-Inf	89.08	3	Horizontal	7	1.74	74	32.93	6.40	32.72
PK	5.35056G	64.56	74.00	-9.44	57.86	3	Horizontal	7	1.74	74	33.00	6.40	32.70
AV	5.35104G	52.83	54.00	-1.17	46.13	3	Horizontal	7	1.74	74	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX


EUT_Y_1TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6456G	56.25	74.00	-17.75	40.75	3	Vertical	322	1.89	74	38.60	8.66	31.76
PK	15.94424G	62.82	74.00	-11.18	44.54	3	Vertical	10	2.51	74	38.40	10.48	30.60
AV	15.9696G	50.13	54.00	-3.87	31.83	3	Vertical	10	2.51	74	38.40	10.49	30.59

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59448G	56.09	68.20	-12.11	40.57	3	Horizontal	321	2.65	74	38.59	8.65	31.72
PK	15.94272G	64.33	74.00	-9.67	46.05	3	Horizontal	43	1.38	74	38.40	10.48	30.60
AV	15.95352G	50.14	54.00	-3.86	31.84	3	Horizontal	43	1.38	74	38.40	10.49	30.59

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 81
81
0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45768G	64.22	74.00	-9.78	56.72	3	Vertical	0	2.08	81	33.70	6.46	32.66	
AV	5.45996G	52.06	54.00	-1.94	44.56	3	Vertical	0	2.08	81	33.70	6.46	32.66	
PK	5.46524G	67.52	68.20	-0.68	60.00	3	Vertical	0	2.08	81	33.70	6.47	32.65	
PK	5.50388G	110.47	Inf	-Inf	102.89	3	Vertical	0	2.08	81	33.72	6.50	32.64	
AV	5.51456G	97.91	Inf	-Inf	90.29	3	Vertical	0	2.08	81	33.76	6.51	32.65	

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 81
80\92\86\83\85\84\83\82\81
1.98\12.27\2.96\0.51\1.72\2.46\0.40\0.19\1.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45972G	63.41	74.00	-10.59	55.91	3	Horizontal	14	1.77	81	33.70	6.46	32.66
AV	5.4596G	51.29	54.00	-2.71	43.79	3	Horizontal	14	1.77	81	33.70	6.46	32.66
PK	5.46908G	66.32	68.20	-1.88	58.80	3	Horizontal	14	1.77	81	33.70	6.47	32.65
PK	5.50472G	109.31	Inf	-Inf	101.73	3	Horizontal	14	1.77	81	33.72	6.50	32.64
AV	5.50424G	97.57	Inf	-Inf	89.99	3	Horizontal	14	1.77	81	33.72	6.50	32.64

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX


EUT Y_1TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99808G	55.55	74.00	-18.45	40.34	3	Vertical	166	1.80	81	38.50	8.75	32.04	
AV	11.01792G	42.53	54.00	-11.47	27.33	3	Vertical	166	1.80	81	38.48	8.75	32.03	
PK	16.54384G	67.83	68.20	-0.37	45.89	3	Vertical	253	1.63	81	40.30	10.66	29.02	

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUTY_1TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05736G	55.76	74.00	-18.24	40.57	3	Horizontal	1	1.92	81	38.44	8.76	32.01
AV	10.98584G	42.58	54.00	-11.42	27.36	3	Horizontal	1	1.92	81	38.50	8.75	32.03
PK	16.49512G	67.99	68.20	-0.21	46.02	3	Horizontal	248	1.62	81	40.28	10.65	28.96

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 95
95
0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.53	74.00	-8.47	58.03	3	Vertical	357	1.78	95	33.70	6.46	32.66
AV	5.46G	53.45	54.00	-0.55	45.95	3	Vertical	357	1.78	95	33.70	6.46	32.66
PK	5.4652G	66.46	68.20	-1.74	58.94	3	Vertical	357	1.78	95	33.70	6.47	32.65
PK	5.5588G	113.68	Inf	-Inf	105.90	3	Vertical	357	1.78	95	33.88	6.56	32.66
AV	5.5572G	101.67	Inf	-Inf	93.88	3	Vertical	357	1.78	95	33.89	6.56	32.66
PK	5.7428G	60.48	68.20	-7.72	52.28	3	Vertical	357	1.78	95	34.34	6.60	32.74

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_V_1TX
SET 95
80\98\89\94\97\95\96\95
4.79\ -2.38\3.26\0.86\ -0.69\0.55\ -1.64\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	65.86	74.00	-8.14	58.37	3	Horizontal	0	1.52	95	33.70	6.45	32.66
AV	5.4588G	53.41	54.00	-0.59	45.91	3	Horizontal	0	1.52	95	33.70	6.46	32.66
PK	5.4684G	67.86	68.20	-0.34	60.34	3	Horizontal	0	1.52	95	33.70	6.47	32.65
PK	5.5356G	113.04	Inf	-Inf	105.31	3	Horizontal	0	1.52	95	33.84	6.54	32.65
AV	5.5372G	101.68	Inf	-Inf	93.94	3	Horizontal	0	1.52	95	33.85	6.54	32.65
PK	5.7464G	60.41	68.20	-7.79	52.18	3	Horizontal	0	1.52	95	34.37	6.60	32.74

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX


EUT Y_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08928G	55.35	74.00	-18.65	40.16	3	Vertical	27	1.80	95	38.41	8.77	31.99
AV	11.11224G	42.34	54.00	-11.66	27.14	3	Vertical	27	1.80	95	38.39	8.78	31.97
PK	16.61776G	68.14	68.20	-0.06	46.27	3	Vertical	348	1.80	95	40.32	10.69	29.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUTY_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10648G	55.56	74.00	-18.44	40.37	3	Horizontal	360	1.80	95	38.39	8.78	31.98
AV	11.09368G	42.29	54.00	-11.71	27.09	3	Horizontal	360	1.80	95	38.41	8.77	31.98
PK	16.62336G	67.76	68.20	-0.44	45.90	3	Horizontal	357	1.80	95	40.32	10.69	29.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 76
80\68\74\77\75\76
-1.65\5.14\2.69\0.22\2.28\1.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66632G	108.06	Inf	-Inf	100.10	3	Vertical	1	1.79	76	34.07	6.60	32.71
AV	5.6668G	96.04	Inf	-Inf	88.08	3	Vertical	1	1.79	76	34.07	6.60	32.71
PK	5.73016G	66.46	68.20	-1.74	58.35	3	Vertical	1	1.79	76	34.24	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_V_1TX
SET 80
80
0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.67608G	109.44	Inf	-Inf	101.50	3	Horizontal	37	1.70	80	34.05	6.60	32.71
AV	5.66424G	97.05	Inf	-Inf	89.09	3	Horizontal	37	1.70	80	34.07	6.60	32.71
PK	5.72632G	68.16	68.20	-0.04	60.08	3	Horizontal	37	1.70	80	34.21	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUTY_1TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33352G	56.98	74.00	-17.02	41.59	3	Vertical	360	2.53	76	38.40	8.83	31.84
AV	11.37032G	42.82	54.00	-11.18	27.40	3	Vertical	360	2.53	76	38.40	8.84	31.82
PK	17.0468G	67.92	68.20	-0.28	45.75	3	Vertical	333	2.86	76	41.24	10.81	29.88

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.36072G	56.11	74.00	-17.89	40.69	3	Horizontal	346	1.80	76	38.40	8.84	31.82	
AV	11.37096G	42.93	54.00	-11.07	27.51	3	Horizontal	346	1.80	76	38.40	8.84	31.82	
PK	17.02912G	67.89	68.20	-0.31	45.75	3	Horizontal	332	2.91	76	41.19	10.81	29.86	

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 103
107\89\98\103\106\104\103
-2.84\5.22\1.03\0.59\4.94\1.02\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	60.44	74.00	-13.56	52.94	3	Vertical	2	1.80	103	33.70	6.46	32.66
AV	5.45988G	48.67	54.00	-5.33	41.17	3	Vertical	2	1.80	103	33.70	6.46	32.66
PK	5.46976G	59.86	68.20	-8.34	52.34	3	Vertical	2	1.80	103	33.70	6.47	32.65
PK	5.71416G	112.61	Inf	-Inf	104.63	3	Vertical	2	1.80	103	34.11	6.60	32.73
AV	5.71468G	101.21	Inf	-Inf	93.22	3	Vertical	2	1.80	103	34.12	6.60	32.73
PK	5.85404G	67.99	68.20	-0.21	59.36	3	Vertical	2	1.80	103	34.81	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 107
80\98\107
5.43\3.89\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45988G	59.84	74.00	-14.16	52.34	3	Horizontal	36	1.67	107	33.70	6.46	32.66
AV	5.45988G	48.91	54.00	-5.09	41.41	3	Horizontal	36	1.67	107	33.70	6.46	32.66
PK	5.46508G	60.34	68.20	-7.86	52.82	3	Horizontal	36	1.67	107	33.70	6.47	32.65
PK	5.7022G	112.18	Inf	-Inf	104.28	3	Horizontal	36	1.67	107	34.02	6.60	32.72
AV	5.70012G	101.22	Inf	-Inf	93.34	3	Horizontal	36	1.67	107	34.00	6.60	32.72
PK	5.85404G	67.88	68.20	-0.32	59.25	3	Horizontal	36	1.67	107	34.81	6.60	32.78

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45208G	56.52	74.00	-17.48	41.03	3	Vertical	353	1.80	85	38.40	8.86	31.77
AV	11.45208G	43.41	54.00	-10.59	27.92	3	Vertical	353	1.80	85	38.40	8.86	31.77
PK	17.11G	67.68	68.20	-0.52	45.41	3	Vertical	1	1.69	77	41.42	10.83	29.98

802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX


EUTY_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.458G	56.56	74.00	-17.44	41.07	3	Horizontal	360	2.86	103	38.40	8.86	31.77
AV	11.45744G	43.42	54.00	-10.58	27.93	3	Horizontal	360	2.86	103	38.40	8.86	31.77
PK	17.11568G	68.07	68.20	-0.13	45.80	3	Horizontal	24	2.49	85	41.43	10.83	29.99

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 73
73
0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	58.60	74.00	-15.40	52.28	3	Vertical	350	1.50	73	32.74	6.37	32.79
AV	5.13512G	47.40	54.00	-6.60	41.09	3	Vertical	350	1.50	73	32.73	6.37	32.79
PK	5.29256G	107.25	Inf	-Inf	100.69	3	Vertical	350	1.50	73	32.89	6.40	32.73
AV	5.29992G	94.09	Inf	-Inf	87.51	3	Vertical	350	1.50	73	32.90	6.40	32.72
PK	5.36008G	65.49	74.00	-8.51	58.75	3	Vertical	350	1.50	73	33.04	6.40	32.70
AV	5.35016G	53.68	54.00	-0.32	46.98	3	Vertical	350	1.50	73	33.00	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 73
80\62\71\76\73
-5.70\4.60\1.61\1.35\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	58.53	74.00	-15.47	52.23	3	Horizontal	8	1.87	73	32.72	6.37	32.79
AV	5.14856G	47.10	54.00	-6.90	40.82	3	Horizontal	8	1.87	73	32.70	6.37	32.79
PK	5.27912G	104.87	Inf	-Inf	98.34	3	Horizontal	8	1.87	73	32.86	6.40	32.73
AV	5.27688G	92.36	Inf	-Inf	85.84	3	Horizontal	8	1.87	73	32.85	6.40	32.73
PK	5.35368G	64.74	74.00	-9.26	58.03	3	Horizontal	8	1.87	73	33.01	6.40	32.70
AV	5.35G	53.82	54.00	-0.18	47.12	3	Horizontal	8	1.87	73	33.00	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.946G	62.69	74.00	-11.31	44.41	3	Vertical	188	1.80	73	38.40	10.48	30.60
AV	15.946G	49.84	54.00	-4.16	31.56	3	Vertical	188	1.80	73	38.40	10.48	30.60

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUTY_1TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86168G	62.48	74.00	-11.52	44.28	3	Horizontal	151	1.80	73	38.36	10.46	30.62
AV	15.93464G	49.82	54.00	-4.18	31.54	3	Horizontal	151	1.80	73	38.40	10.48	30.60

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUTY_1TX
SET 83
83
0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4548G	64.82	74.00	-9.18	57.33	3	Vertical	343	1.84	83	33.70	6.45	32.66	
AV	5.45976G	53.45	54.00	-0.55	45.95	3	Vertical	343	1.84	83	33.70	6.46	32.66	
PK	5.46792G	66.45	68.20	-1.75	58.93	3	Vertical	343	1.84	83	33.70	6.47	32.65	
PK	5.51576G	108.01	Inf	-Inf	100.38	3	Vertical	343	1.84	83	33.76	6.52	32.65	
AV	5.5164G	95.40	Inf	-Inf	87.76	3	Vertical	343	1.84	83	33.77	6.52	32.65	

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_V_1TX
SET 83
80\92\86\83
2.49\14.37\2.79\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	65.58	74.00	-8.42	58.08	3	Horizontal	15	1.80	83	33.70	6.46	32.66
AV	5.4588G	53.95	54.00	-0.05	46.45	3	Horizontal	15	1.80	83	33.70	6.46	32.66
PK	5.4692G	67.20	68.20	-1.00	59.68	3	Horizontal	15	1.80	83	33.70	6.47	32.65
PK	5.5588G	107.25	Inf	-Inf	99.47	3	Horizontal	15	1.80	83	33.88	6.56	32.66
AV	5.51592G	95.31	Inf	-Inf	87.68	3	Horizontal	15	1.80	83	33.76	6.52	32.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05712G	55.15	74.00	-18.85	39.96	3	Vertical	360	2.10	83	38.44	8.76	32.01
AV	11.09328G	42.27	54.00	-11.73	27.07	3	Vertical	360	2.10	83	38.41	8.77	31.98
PK	16.57528G	67.72	68.20	-0.48	45.82	3	Vertical	0	1.09	74	40.30	10.67	29.07

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUTY_1TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.036G	55.32	74.00	-18.68	40.12	3	Horizontal	142	1.80	83	38.46	8.76	32.02
AV	11.09936G	42.26	54.00	-11.74	27.07	3	Horizontal	142	1.80	83	38.40	8.77	31.98
PK	16.5764G	67.65	68.20	-0.55	45.75	3	Horizontal	357	2.95	83	40.30	10.67	29.07

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
SET 90
91\73\82\87\90
-2.62\4.83\3.26\0.93\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45544G	64.19	74.00	-9.81	56.69	3	Vertical	357	1.79	90	33.70	6.46	32.66
AV	5.45928G	52.42	54.00	-1.58	44.92	3	Vertical	357	1.79	90	33.70	6.46	32.66
PK	5.46664G	64.57	68.20	-3.63	57.05	3	Vertical	357	1.79	90	33.70	6.47	32.65
PK	5.58152G	109.45	Inf	-Inf	101.70	3	Vertical	357	1.79	90	33.84	6.58	32.67
AV	5.58056G	97.64	Inf	-Inf	89.89	3	Vertical	357	1.79	90	33.84	6.58	32.67
PK	5.73032G	68.05	68.20	-0.15	59.94	3	Vertical	357	1.79	90	34.24	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
SET 91
80\98\89\94\91\93\92\91
4.20\5.20\1.13\1.89\0.83\1.88\0.15\0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45672G	64.76	74.00	-9.24	57.26	3	Horizontal	359	1.55	91	33.70	6.46	32.66
AV	5.45768G	53.12	54.00	-0.88	45.62	3	Horizontal	359	1.55	91	33.70	6.46	32.66
PK	5.46536G	65.10	68.20	-3.10	57.58	3	Horizontal	359	1.55	91	33.70	6.47	32.65
PK	5.58056G	109.62	Inf	-Inf	101.87	3	Horizontal	359	1.55	91	33.84	6.58	32.67
AV	5.58024G	97.53	Inf	-Inf	89.78	3	Horizontal	359	1.55	91	33.84	6.58	32.67
PK	5.72648G	67.11	68.20	-1.09	59.03	3	Horizontal	359	1.55	91	34.21	6.60	32.73

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUTY_1TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.296G	55.88	74.00	-18.12	40.52	3	Vertical	330	1.80	90	38.40	8.82	31.86
AV	11.29952G	42.86	54.00	-11.14	27.50	3	Vertical	330	1.80	90	38.40	8.82	31.86
PK	16.86328G	66.43	68.20	-1.77	44.42	3	Vertical	25	1.80	90	40.82	10.76	29.57

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUTY_1TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.29824G	55.59	74.00	-18.41	40.23	3	Horizontal	5	1.80	90	38.40	8.82	31.86	
AV	11.2992G	42.83	54.00	-11.17	27.47	3	Horizontal	5	1.80	90	38.40	8.82	31.86	
PK	16.8236G	65.65	68.20	-2.55	43.78	3	Horizontal	0	2.80	90	40.62	10.75	29.50	

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
SET 95
98\86\92\95
-2.50\4.66\1.30\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.82	74.00	-13.18	53.32	3	Vertical	344	1.80	95	33.70	6.46	32.66
AV	5.46G	50.34	54.00	-3.66	42.84	3	Vertical	344	1.80	95	33.70	6.46	32.66
PK	5.462G	61.04	68.20	-7.16	53.54	3	Vertical	344	1.80	95	33.70	6.46	32.66
PK	5.66552G	108.38	Inf	-Inf	100.42	3	Vertical	344	1.80	95	34.07	6.60	32.71
AV	5.66408G	96.83	Inf	-Inf	88.87	3	Vertical	344	1.80	95	34.07	6.60	32.71
PK	5.85G	68.08	68.20	-0.12	59.46	3	Vertical	344	1.80	95	34.80	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 98
80\98\107\102\99\97\98
5.14\0.88\9.21\4.29\0.79\0.59\0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.29	74.00	-10.71	55.79	3	Horizontal	36	1.68	98	33.70	6.46	32.66
AV	5.45816G	50.94	54.00	-3.06	43.44	3	Horizontal	36	1.68	98	33.70	6.46	32.66
PK	5.46008G	63.29	68.20	-4.91	55.79	3	Horizontal	36	1.68	98	33.70	6.46	32.66
PK	5.65208G	109.42	Inf	-Inf	101.42	3	Horizontal	36	1.68	98	34.10	6.60	32.70
AV	5.66216G	97.63	Inf	-Inf	89.65	3	Horizontal	36	1.68	98	34.08	6.60	32.70
PK	5.858G	67.64	68.20	-0.56	59.00	3	Horizontal	36	1.68	98	34.82	6.60	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45632G	56.40	74.00	-17.60	40.91	3	Vertical	168	1.80	95	38.40	8.86	31.77
AV	11.43728G	43.44	54.00	-10.56	27.96	3	Vertical	168	1.80	95	38.40	8.86	31.78
PK	17.08296G	67.83	68.20	-0.37	45.60	3	Vertical	175	2.35	95	41.35	10.82	29.94

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41632G	56.21	74.00	-17.79	40.75	3	Horizontal	1	1.80	95	38.40	8.85	31.79
AV	11.44432G	43.49	54.00	-10.51	28.00	3	Horizontal	1	1.80	95	38.40	8.86	31.77
PK	17.10456G	67.53	68.20	-0.67	45.26	3	Horizontal	283	2.95	95	41.41	10.83	29.97

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 64
64
0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13504G	65.03	74.00	-8.97	58.72	3	Vertical	350	1.47	64	32.73	6.37	32.79
AV	5.136G	53.83	54.00	-0.17	47.52	3	Vertical	350	1.47	64	32.73	6.37	32.79
PK	5.30856G	101.07	Inf	-Inf	94.47	3	Vertical	350	1.47	64	32.92	6.40	32.72
AV	5.27832G	89.82	Inf	-Inf	83.29	3	Vertical	350	1.47	64	32.86	6.40	32.73
PK	5.37G	64.88	74.00	-9.12	58.09	3	Vertical	350	1.47	64	33.08	6.40	32.69
AV	5.35272G	53.53	54.00	-0.47	46.82	3	Vertical	350	1.47	64	33.01	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTY_1TX
SET 64
80\62\71\66\63\65\64
-13.70\2.04\5.06\1.46\1.39\0.48\0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14008G	64.92	74.00	-9.08	58.62	3	Horizontal	7	1.56	64	32.72	6.37	32.79
AV	5.14728G	53.27	54.00	-0.73	46.98	3	Horizontal	7	1.56	64	32.71	6.37	32.79
PK	5.27784G	99.77	Inf	-Inf	93.24	3	Horizontal	7	1.56	64	32.86	6.40	32.73
AV	5.2716G	88.56	Inf	-Inf	82.06	3	Horizontal	7	1.56	64	32.84	6.40	32.74
PK	5.35896G	63.78	74.00	-10.22	57.04	3	Horizontal	7	1.56	64	33.04	6.40	32.70
AV	5.3508G	53.06	54.00	-0.94	46.36	3	Horizontal	7	1.56	64	33.00	6.40	32.70

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX


EUT_Y_1TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.64304G	56.19	74.00	-17.81	40.68	3	Vertical	246	1.80	64	38.60	8.66	31.75	
PK	15.61112G	62.12	74.00	-11.88	44.65	3	Vertical	118	1.80	64	37.79	10.38	30.70	
AV	15.6492G	49.44	54.00	-4.56	31.99	3	Vertical	118	1.80	64	37.75	10.39	30.69	

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX


EUT_Y_1TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42832G	55.93	68.20	-12.27	40.61	3	Horizontal	1	1.80	64	38.43	8.61	31.72
PK	15.63896G	62.44	74.00	-11.56	44.98	3	Horizontal	54	2.91	64	37.76	10.39	30.69
AV	15.60344G	49.89	54.00	-4.11	32.41	3	Horizontal	54	2.91	64	37.80	10.38	30.70

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 54
54
0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45732G	63.28	74.00	-10.72	55.78	3	Vertical	357	1.80	54	33.70	6.46	32.66
AV	5.45768G	53.01	54.00	-0.99	45.51	3	Vertical	357	1.80	54	33.70	6.46	32.66
PK	5.46056G	62.24	68.20	-5.96	54.74	3	Vertical	357	1.80	54	33.70	6.46	32.66
PK	5.59088G	97.29	Inf	-Inf	89.56	3	Vertical	357	1.80	54	33.82	6.59	32.68
AV	5.5448G	86.79	Inf	-Inf	79.03	3	Vertical	357	1.80	54	33.88	6.54	32.66
PK	5.73704G	60.69	68.20	-7.51	52.52	3	Vertical	357	1.80	54	34.30	6.60	32.73

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 54
80\62\53\58\55\57\56\55\54
-9.98\ -1.63\0.74\ -0.38\0.66\ -0.07\ -0.32\ -0.40\0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	63.51	74.00	-10.49	56.01	3	Horizontal	13	1.80	54	33.70	6.46	32.66
AV	5.45624G	53.37	54.00	-0.63	45.87	3	Horizontal	13	1.80	54	33.70	6.46	32.66
PK	5.46164G	64.04	68.20	-4.16	56.54	3	Horizontal	13	1.80	54	33.70	6.46	32.66
PK	5.55272G	97.27	Inf	-Inf	89.49	3	Horizontal	13	1.80	54	33.89	6.55	32.66
AV	5.5466G	86.55	Inf	-Inf	78.77	3	Horizontal	13	1.80	54	33.89	6.55	32.66
PK	5.7464G	60.35	68.20	-7.85	52.12	3	Horizontal	13	1.80	54	34.37	6.60	32.74

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.28432G	55.78	74.00	-18.22	40.45	3	Vertical	154	1.80	54	38.38	8.82	31.87
AV	11.25616G	42.76	54.00	-11.24	27.48	3	Vertical	154	1.80	54	38.36	8.81	31.89
PK	16.56248G	67.25	68.20	-0.95	45.33	3	Vertical	16	1.80	54	40.30	10.67	29.05

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX



EUT_Y_1TX
SET 54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3G	56.09	74.00	-17.91	40.73	3	Horizontal	217	1.80	54	38.40	8.82	31.86
AV	11.3G	42.94	54.00	-11.06	27.58	3	Horizontal	217	1.80	54	38.40	8.82	31.86
PK	16.5724G	67.69	68.20	-0.51	45.79	3	Horizontal	1	1.44	54	40.30	10.67	29.07



**RSE TX above 1GHz_Set 3 antenna with 30 degree_R2
_2T1S_2T2S**


Appendix D.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_2TX	Pass	PK	17.16216G	68.19	68.20	-0.01	3	Vertical	345	1.80	87

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 105
105
2.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14846G	60.77	74.00	-13.23	54.49	3	Vertical	352	1.78	105	32.70	6.37	32.79
AV	5.14794G	48.09	54.00	-5.91	41.81	3	Vertical	352	1.78	105	32.70	6.37	32.79
PK	5.26598G	121.21	Inf	-Inf	114.72	3	Vertical	352	1.78	105	32.83	6.40	32.74
AV	5.25584G	110.83	Inf	-Inf	104.36	3	Vertical	352	1.78	105	32.81	6.40	32.74
PK	5.3523G	65.34	74.00	-8.66	58.63	3	Vertical	352	1.78	105	33.01	6.40	32.70
AV	5.35308G	51.57	54.00	-2.43	44.86	3	Vertical	352	1.78	105	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
SET 105
80\98\107\102\105\106\105
6.16\5.09\1.25\4.38\0.76\0.21\0.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14222G	63.28	74.00	-10.72	56.98	3	Horizontal	1	1.37	105	32.72	6.37	32.79
AV	5.15G	49.09	54.00	-4.91	42.81	3	Horizontal	1	1.37	105	32.70	6.37	32.79
PK	5.2626G	123.02	Inf	-Inf	116.53	3	Horizontal	1	1.37	105	32.83	6.40	32.74
AV	5.25324G	112.02	Inf	-Inf	105.55	3	Horizontal	1	1.37	105	32.81	6.40	32.74
PK	5.35204G	66.39	74.00	-7.61	59.68	3	Horizontal	1	1.37	105	33.01	6.40	32.70
AV	5.35048G	53.04	54.00	-0.96	46.34	3	Horizontal	1	1.37	105	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51832G	57.97	68.20	-10.23	42.47	3	Vertical	348	1.80	105	38.52	8.63	31.65
PK	15.79148G	66.80	74.00	-7.20	48.75	3	Vertical	342	2.14	99	38.25	10.44	30.64
AV	15.78084G	53.76	54.00	-0.24	35.79	3	Vertical	342	2.14	99	38.19	10.43	30.65

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5184G	57.26	68.20	-10.94	41.76	3	Horizontal	317	1.80	105	38.52	8.63	31.65
PK	15.78364G	67.12	74.00	-6.88	49.12	3	Horizontal	4	1.79	105	38.20	10.44	30.64
AV	15.78368G	53.44	54.00	-0.56	35.44	3	Horizontal	4	1.79	105	38.20	10.44	30.64

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 97
97
0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29566G	118.84	Inf	-Inf	112.28	3	Vertical	351	1.31	97	32.89	6.40	32.73
AV	5.29566G	108.96	Inf	-Inf	102.40	3	Vertical	351	1.31	97	32.89	6.40	32.73
PK	5.35054G	68.74	74.00	-5.26	62.04	3	Vertical	351	1.31	97	33.00	6.40	32.70
AV	5.35054G	53.34	54.00	-0.66	46.64	3	Vertical	351	1.31	97	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 97
80\98\89\94\97
5.54\0.67\4.26\2.32\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30294G	119.97	Inf	-Inf	113.38	3	Horizontal	5	1.33	97	32.91	6.40	32.72
AV	5.30308G	110.06	Inf	-Inf	103.47	3	Horizontal	5	1.33	97	32.91	6.40	32.72
PK	5.35278G	70.56	74.00	-3.44	63.85	3	Horizontal	5	1.33	97	33.01	6.40	32.70
AV	5.35306G	53.55	54.00	-0.45	46.84	3	Horizontal	5	1.33	97	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.895G	66.68	74.00	-7.32	48.43	3	Vertical	350	1.80	97	38.39	10.47	30.61	
AV	15.9004G	53.08	54.00	-0.92	34.82	3	Vertical	350	1.80	97	38.40	10.47	30.61	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8942G	65.84	74.00	-8.16	47.59	3	Horizontal	357	1.77	97	38.39	10.47	30.61
AV	15.89988G	52.51	54.00	-1.49	34.25	3	Horizontal	357	1.77	97	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 89
89
0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3155G	116.94	Inf	-Inf	110.33	3	Vertical	1	1.06	89	32.93	6.40	32.72
AV	5.3153G	106.97	Inf	-Inf	100.36	3	Vertical	1	1.06	89	32.93	6.40	32.72
PK	5.3542G	68.19	74.00	-5.81	61.47	3	Vertical	1	1.06	89	33.02	6.40	32.70
AV	5.3502G	53.93	54.00	-0.07	47.23	3	Vertical	1	1.06	89	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 89
80\98\89
4.91\ -10.61\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3175G	117.96	Inf	-Inf	111.35	3	Horizontal	3	1.20	89	32.93	6.40	32.72
AV	5.3181G	107.82	Inf	-Inf	101.20	3	Horizontal	3	1.20	89	32.94	6.40	32.72
PK	5.3518G	68.56	74.00	-5.44	61.85	3	Horizontal	3	1.20	89	33.01	6.40	32.70
AV	5.3536G	53.64	54.00	-0.36	46.93	3	Horizontal	3	1.20	89	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6526G	55.95	74.00	-18.05	40.45	3	Vertical	1	2.05	89	38.60	8.66	31.76
AV	10.65476G	42.69	54.00	-11.31	27.19	3	Vertical	1	2.05	89	38.60	8.66	31.76
PK	15.9788G	63.98	74.00	-10.02	45.68	3	Vertical	336	2.31	89	38.40	10.49	30.59
AV	15.97688G	50.49	54.00	-3.51	32.19	3	Vertical	336	2.31	89	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63656G	56.14	74.00	-17.86	40.63	3	Horizontal	250	1.80	89	38.60	8.66	31.75
AV	10.65844G	42.92	54.00	-11.08	27.43	3	Horizontal	250	1.80	89	38.60	8.66	31.77
PK	15.96252G	63.74	74.00	-10.26	45.44	3	Horizontal	19	2.06	89	38.40	10.49	30.59
AV	15.94836G	50.43	54.00	-3.57	32.15	3	Horizontal	19	2.06	89	38.40	10.48	30.60

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 85
85
2.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4557G	62.33	74.00	-11.67	54.83	3	Vertical	356	1.47	85	33.70	6.46	32.66
AV	5.46G	49.97	54.00	-4.03	42.47	3	Vertical	356	1.47	85	33.70	6.46	32.66
PK	5.4695G	65.69	68.20	-2.51	58.17	3	Vertical	356	1.47	85	33.70	6.47	32.65
PK	5.4953G	116.27	Inf	-Inf	108.71	3	Vertical	356	1.47	85	33.70	6.50	32.64
AV	5.4956G	106.86	Inf	-Inf	99.30	3	Vertical	356	1.47	85	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 85
80\98\89\84\87\85
4.50\12.81\3.35\2.09\1.42\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4587G	62.92	74.00	-11.08	55.42	3	Horizontal	0	1.80	85	33.70	6.46	32.66
AV	5.4585G	50.47	54.00	-3.53	42.97	3	Horizontal	0	1.80	85	33.70	6.46	32.66
PK	5.4686G	68.03	68.20	-0.17	60.51	3	Horizontal	0	1.80	85	33.70	6.47	32.65
PK	5.4974G	118.15	Inf	-Inf	110.59	3	Horizontal	0	1.80	85	33.70	6.50	32.64
AV	5.4979G	107.88	Inf	-Inf	100.32	3	Horizontal	0	1.80	85	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99984G	56.84	74.00	-17.16	41.63	3	Vertical	71	2.90	85	38.50	8.75	32.04
AV	11.00204G	43.17	54.00	-10.83	27.96	3	Vertical	71	2.90	85	38.50	8.75	32.04
PK	16.4836G	67.75	68.20	-0.45	45.87	3	Vertical	1	1.74	85	40.22	10.65	28.99

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9944G	57.23	74.00	-16.77	42.02	3	Horizontal	101	1.80	85	38.50	8.75	32.04
AV	10.99736G	43.09	54.00	-10.91	27.88	3	Horizontal	101	1.80	85	38.50	8.75	32.04
PK	16.51508G	67.88	68.20	-0.32	45.90	3	Horizontal	322	1.80	85	40.30	10.65	28.97

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 106
106
5.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45904G	60.61	74.00	-13.39	53.11	3	Vertical	1	2.02	106	33.70	6.46	32.66
AV	5.45776G	48.93	54.00	-5.07	41.43	3	Vertical	1	2.02	106	33.70	6.46	32.66
PK	5.468G	61.90	68.20	-6.30	54.38	3	Vertical	1	2.02	106	33.70	6.47	32.65
PK	5.57584G	120.12	Inf	-Inf	112.36	3	Vertical	1	2.02	106	33.85	6.58	32.67
AV	5.5752G	110.21	Inf	-Inf	102.45	3	Vertical	1	2.02	106	33.85	6.58	32.67
PK	5.73936G	61.08	68.20	-7.12	52.91	3	Vertical	1	2.02	106	34.31	6.60	32.74

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
SET 106
80\98\107\108\107\106
5.68\4.86\3.89\0.82\0.32\4.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.38	74.00	-12.62	53.88	3	Horizontal	5	2.03	106	33.70	6.46	32.66
AV	5.45552G	49.62	54.00	-4.38	42.12	3	Horizontal	5	2.03	106	33.70	6.46	32.66
PK	5.46704G	63.30	68.20	-4.90	55.78	3	Horizontal	5	2.03	106	33.70	6.47	32.65
PK	5.57296G	122.33	Inf	-Inf	114.58	3	Horizontal	5	2.03	106	33.85	6.57	32.67
AV	5.57776G	112.07	Inf	-Inf	104.32	3	Horizontal	5	2.03	106	33.84	6.58	32.67
PK	5.73456G	60.32	68.20	-7.88	52.17	3	Horizontal	5	2.03	106	34.28	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15436G	56.45	74.00	-17.55	41.26	3	Vertical	288	1.80	88	38.35	8.79	31.95
AV	11.165G	42.97	54.00	-11.03	27.79	3	Vertical	288	1.80	88	38.33	8.79	31.94
PK	16.74444G	67.10	68.20	-1.10	45.31	3	Vertical	347	1.86	88	40.44	10.72	29.37

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16192G	56.79	74.00	-17.21	41.60	3	Horizontal	32	1.80	106	38.34	8.79	31.94
AV	11.16028G	43.39	54.00	-10.61	28.20	3	Horizontal	32	1.80	106	38.34	8.79	31.94
PK	16.73928G	67.75	68.20	-0.45	45.95	3	Horizontal	50	1.80	88	40.44	10.72	29.36

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	109.37	Inf	-Inf	101.45	3	Vertical	1	1.64	65	34.04	6.60	32.72
AV	5.6951G	99.73	Inf	-Inf	91.84	3	Vertical	1	1.64	65	34.01	6.60	32.72
PK	5.725G	66.13	68.20	-2.07	58.06	3	Vertical	1	1.64	65	34.20	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6976G	111.35	Inf	-Inf	103.47	3	Horizontal	1	2.02	65	34.00	6.60	32.72
AV	5.6977G	101.97	Inf	-Inf	94.09	3	Horizontal	1	2.02	65	34.00	6.60	32.72
PK	5.7281G	67.72	68.20	-0.48	59.63	3	Horizontal	1	2.02	65	34.22	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41028G	57.24	74.00	-16.76	41.78	3	Vertical	283	1.80	65	38.40	8.85	31.79
AV	11.40856G	43.91	54.00	-10.09	28.45	3	Vertical	283	1.80	65	38.40	8.85	31.79
PK	17.08548G	66.12	68.20	-2.08	43.87	3	Vertical	139	1.81	65	41.36	10.83	29.94

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39668G	56.95	74.00	-17.05	41.50	3	Horizontal	229	1.80	65	38.40	8.85	31.80
AV	11.41516G	43.95	54.00	-10.05	28.49	3	Horizontal	229	1.80	65	38.40	8.85	31.79
PK	17.1126G	66.70	68.20	-1.50	44.43	3	Horizontal	141	1.09	65	41.43	10.83	29.99

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 108
108
5.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	59.79	74.00	-14.21	52.30	3	Vertical	356	1.40	108	33.70	6.45	32.66
AV	5.45432G	48.17	54.00	-5.83	40.68	3	Vertical	356	1.40	108	33.70	6.45	32.66
PK	5.46782G	59.89	68.20	-8.31	52.37	3	Vertical	356	1.40	108	33.70	6.47	32.65
PK	5.7254G	118.74	Inf	-Inf	110.67	3	Vertical	356	1.40	108	34.20	6.60	32.73
AV	5.71514G	108.07	Inf	-Inf	100.08	3	Vertical	356	1.40	108	34.12	6.60	32.73
PK	5.85G	60.70	68.20	-7.50	52.08	3	Vertical	356	1.40	108	34.80	6.60	32.78

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 108
80\98\107\108
5.34\4.81\5.20\5.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	60.35	74.00	-13.65	52.86	3	Horizontal	360	2.00	108	33.70	6.45	32.66
PK	5.46134G	60.04	68.20	-8.16	52.54	3	Horizontal	360	2.00	108	33.70	6.46	32.66
AV	5.46G	48.65	54.00	-5.35	41.15	3	Horizontal	360	2.00	108	33.70	6.46	32.66
PK	5.71244G	120.18	Inf	-Inf	112.20	3	Horizontal	360	2.00	108	34.10	6.60	32.72
AV	5.72216G	109.61	Inf	-Inf	101.56	3	Horizontal	360	2.00	108	34.18	6.60	32.73
PK	5.8793G	61.32	68.20	-6.88	52.65	3	Horizontal	360	2.00	108	34.86	6.60	32.79

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43024G	57.56	74.00	-16.44	42.08	3	Vertical	183	1.80	90	38.40	8.86	31.78
AV	11.42024G	44.16	54.00	-9.84	28.69	3	Vertical	183	1.80	90	38.40	8.86	31.79
PK	17.16216G	68.19	68.20	-0.01	45.88	3	Vertical	345	1.80	87	41.52	10.85	30.06

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45968G	57.46	74.00	-16.54	41.96	3	Horizontal	360	1.80	108	38.40	8.86	31.76
AV	11.44012G	44.03	54.00	-9.97	28.55	3	Horizontal	360	1.80	108	38.40	8.86	31.78
PK	17.14992G	68.15	68.20	-0.05	45.85	3	Horizontal	12	1.80	90	41.50	10.84	30.04

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 104
104
2.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14378G	60.09	74.00	-13.91	53.80	3	Vertical	353	1.72	104	32.71	6.37	32.79
AV	5.14768G	48.28	54.00	-5.72	42.00	3	Vertical	353	1.72	104	32.70	6.37	32.79
PK	5.25168G	119.36	Inf	-Inf	112.90	3	Vertical	353	1.72	104	32.80	6.40	32.74
AV	5.25922G	107.95	Inf	-Inf	101.47	3	Vertical	353	1.72	104	32.82	6.40	32.74
PK	5.36972G	64.54	74.00	-9.46	57.75	3	Vertical	353	1.72	104	33.08	6.40	32.69
AV	5.35G	51.86	54.00	-2.14	45.16	3	Vertical	353	1.72	104	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT V_2TX
SET 104
80\98\107\102\105\103\104
5.42\4.33\3.61\2.39\0.93\1.62\0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14534G	60.59	74.00	-13.41	54.30	3	Horizontal	1	1.22	104	32.71	6.37	32.79
AV	5.15G	48.98	54.00	-5.02	42.70	3	Horizontal	1	1.22	104	32.70	6.37	32.79
PK	5.2626G	120.06	Inf	-Inf	113.57	3	Horizontal	1	1.22	104	32.83	6.40	32.74
AV	5.26182G	109.52	Inf	-Inf	103.04	3	Horizontal	1	1.22	104	32.82	6.40	32.74
PK	5.35022G	65.95	74.00	-8.05	59.25	3	Horizontal	1	1.22	104	33.00	6.40	32.70
AV	5.35022G	53.17	54.00	-0.83	46.47	3	Horizontal	1	1.22	104	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51984G	56.50	68.20	-11.70	41.01	3	Vertical	5	2.92	104	38.52	8.63	31.66
PK	15.77824G	66.75	74.00	-7.25	48.80	3	Vertical	1	2.07	104	38.17	10.43	30.65
AV	15.77996G	53.34	54.00	-0.66	35.38	3	Vertical	1	2.07	104	38.18	10.43	30.65

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5254G	57.46	68.20	-10.74	41.96	3	Horizontal	315	1.80	104	38.53	8.63	31.66
PK	15.77648G	65.15	74.00	-8.85	47.21	3	Horizontal	4	1.78	104	38.16	10.43	30.65
AV	15.77972G	51.71	54.00	-2.29	33.75	3	Horizontal	4	1.78	104	38.18	10.43	30.65

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 93
93
1.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2951G	116.83	Inf	-Inf	110.27	3	Vertical	1	1.11	93	32.89	6.40	32.73
AV	5.29748G	105.42	Inf	-Inf	98.86	3	Vertical	1	1.11	93	32.89	6.40	32.73
PK	5.35236G	65.75	74.00	-8.25	59.04	3	Vertical	1	1.11	93	33.01	6.40	32.70
AV	5.35054G	52.64	54.00	-1.36	45.94	3	Vertical	1	1.11	93	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 93
80\98\89\94\91\93
4.92\4.27\2.77\0.64\1.12\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29874G	118.56	Inf	-Inf	111.98	3	Horizontal	6	1.30	93	32.90	6.40	32.72
AV	5.30364G	106.42	Inf	-Inf	99.83	3	Horizontal	6	1.30	93	32.91	6.40	32.72
PK	5.35068G	67.23	74.00	-6.77	60.53	3	Horizontal	6	1.30	93	33.00	6.40	32.70
AV	5.35026G	53.59	54.00	-0.41	46.89	3	Horizontal	6	1.30	93	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 93

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	15.91416G	65.21	74.00	-8.79	46.95	3	Vertical	13	2.72	93	38.40	10.47	30.61	
AV	15.9044G	51.69	54.00	-2.31	33.43	3	Vertical	13	2.72	93	38.40	10.47	30.61	

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8998G	64.74	74.00	-9.26	46.48	3	Horizontal	357	1.80	93	38.40	10.47	30.61
AV	15.90192G	51.05	54.00	-2.95	32.79	3	Horizontal	357	1.80	93	38.40	10.47	30.61

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 87
87
1.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3174G	115.48	Inf	-Inf	108.87	3	Vertical	1	1.16	87	32.93	6.40	32.72
AV	5.3175G	103.71	Inf	-Inf	97.10	3	Vertical	1	1.16	87	32.93	6.40	32.72
PK	5.355G	65.78	74.00	-8.22	59.06	3	Vertical	1	1.16	87	33.02	6.40	32.70
AV	5.3504G	52.33	54.00	-1.67	45.63	3	Vertical	1	1.16	87	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 87
80\98\89\84\87\88\87
4.34\ -14.68\ -0.63\ 3.35\ 0.95\ -0.34\ 1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3189G	116.20	Inf	-Inf	109.58	3	Horizontal	1	1.11	87	32.94	6.40	32.72
AV	5.3226G	104.50	Inf	-Inf	97.86	3	Horizontal	1	1.11	87	32.95	6.40	32.71
PK	5.3548G	66.39	74.00	-7.61	59.67	3	Horizontal	1	1.11	87	33.02	6.40	32.70
AV	5.3516G	52.98	54.00	-1.02	46.27	3	Horizontal	1	1.11	87	33.01	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64236G	55.63	74.00	-18.37	40.12	3	Vertical	360	1.80	87	38.60	8.66	31.75
AV	10.65096G	42.71	54.00	-11.29	27.21	3	Vertical	360	1.80	87	38.60	8.66	31.76
PK	15.95476G	63.83	74.00	-10.17	45.53	3	Vertical	42	1.05	87	38.40	10.49	30.59
AV	15.97196G	50.31	54.00	-3.69	32.01	3	Vertical	42	1.05	87	38.40	10.49	30.59

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63608G	55.66	74.00	-18.34	40.15	3	Horizontal	69	1.80	87	38.60	8.66	31.75
AV	10.65332G	42.67	54.00	-11.33	27.17	3	Horizontal	69	1.80	87	38.60	8.66	31.76
PK	15.94448G	63.63	74.00	-10.37	45.35	3	Horizontal	328	1.67	87	38.40	10.48	30.60
AV	15.97692G	50.42	54.00	-3.58	32.12	3	Horizontal	328	1.67	87	38.40	10.49	30.59

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 85
85
2.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4591G	63.42	74.00	-10.58	55.92	3	Vertical	360	2.42	85	33.70	6.46	32.66
AV	5.4596G	51.26	54.00	-2.74	43.76	3	Vertical	360	2.42	85	33.70	6.46	32.66
PK	5.4675G	65.33	68.20	-2.87	57.81	3	Vertical	360	2.42	85	33.70	6.47	32.65
PK	5.4933G	116.41	Inf	-Inf	108.86	3	Vertical	360	2.42	85	33.70	6.49	32.64
AV	5.4991G	104.66	Inf	-Inf	97.10	3	Vertical	360	2.42	85	33.70	6.50	32.64

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 85
80\98\89\84\87\85\86\85
3.11\14.30\2.80\2.12\0.64\1.97\0.89\1.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	65.18	74.00	-8.82	57.68	3	Horizontal	0	1.80	85	33.70	6.46	32.66
AV	5.4593G	51.76	54.00	-2.24	44.26	3	Horizontal	0	1.80	85	33.70	6.46	32.66
PK	5.466G	66.60	68.20	-1.60	59.08	3	Horizontal	0	1.80	85	33.70	6.47	32.65
PK	5.4968G	116.91	Inf	-Inf	109.35	3	Horizontal	0	1.80	85	33.70	6.50	32.64
AV	5.5029G	105.54	Inf	-Inf	97.97	3	Horizontal	0	1.80	85	33.71	6.50	32.64

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00508G	56.81	74.00	-17.19	41.61	3	Vertical	49	1.05	85	38.49	8.75	32.04
AV	11.0026G	43.21	54.00	-10.79	28.00	3	Vertical	49	1.05	85	38.50	8.75	32.04
PK	16.51472G	68.06	68.20	-0.14	46.08	3	Vertical	279	1.80	85	40.30	10.65	28.97

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.013G	56.51	74.00	-17.49	41.30	3	Horizontal	291	1.80	85	38.49	8.75	32.03
AV	10.99488G	43.21	54.00	-10.79	28.00	3	Horizontal	291	1.80	85	38.50	8.75	32.04
PK	16.49288G	67.81	68.20	-0.39	45.86	3	Horizontal	9	1.80	85	40.26	10.65	28.96

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 106
106
3.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	63.65	74.00	-10.35	56.20	3	Vertical	360	2.35	106	33.66	6.45	32.66
PK	5.4664G	62.77	68.20	-5.43	55.25	3	Vertical	360	2.35	106	33.70	6.47	32.65
AV	5.46G	50.38	54.00	-3.62	42.88	3	Vertical	360	2.35	106	33.70	6.46	32.66
PK	5.57552G	119.68	Inf	-Inf	111.92	3	Vertical	360	2.35	106	33.85	6.58	32.67
AV	5.5736G	108.28	Inf	-Inf	100.53	3	Vertical	360	2.35	106	33.85	6.57	32.67
PK	5.74G	59.86	68.20	-8.34	51.68	3	Vertical	360	2.35	106	34.32	6.60	32.74

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
SET 106
80\98\107\108\107\106
5.05\4.25\1.94\4.91\7.00\3.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45328G	63.92	74.00	-10.08	56.43	3	Horizontal	360	1.98	106	33.70	6.45	32.66
AV	5.4568G	50.93	54.00	-3.07	43.43	3	Horizontal	360	1.98	106	33.70	6.46	32.66
PK	5.4696G	64.32	68.20	-3.88	56.80	3	Horizontal	360	1.98	106	33.70	6.47	32.65
PK	5.57776G	121.17	Inf	-Inf	113.42	3	Horizontal	360	1.98	106	33.84	6.58	32.67
AV	5.57392G	109.54	Inf	-Inf	101.79	3	Horizontal	360	1.98	106	33.85	6.57	32.67
PK	5.73456G	61.17	68.20	-7.03	53.02	3	Horizontal	360	1.98	106	34.28	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17092G	56.59	74.00	-17.41	41.41	3	Vertical	232	1.80	92	38.33	8.79	31.94
AV	11.14108G	42.90	54.00	-11.10	27.71	3	Vertical	232	1.80	92	38.36	8.79	31.96
PK	16.74624G	67.79	68.20	-0.41	45.99	3	Vertical	337	1.84	92	40.45	10.72	29.37

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14336G	55.76	74.00	-18.24	40.56	3	Horizontal	309	1.80	106	38.36	8.79	31.95
AV	11.17572G	42.92	54.00	-11.08	27.74	3	Horizontal	309	1.80	106	38.32	8.79	31.93
PK	16.73944G	67.84	68.20	-0.36	46.04	3	Horizontal	50	1.80	92	40.44	10.72	29.36

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 66
66
1.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	109.83	Inf	-Inf	101.94	3	Vertical	360	1.45	66	34.01	6.60	32.72
AV	5.6939G	97.93	Inf	-Inf	90.04	3	Vertical	360	1.45	66	34.01	6.60	32.72
PK	5.7251G	67.07	68.20	-1.13	59.00	3	Vertical	360	1.45	66	34.20	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_V_2TX
SET 66
80\62\71\66
-13.28\1.07~-4.94\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7086G	111.73	Inf	-Inf	103.78	3	Horizontal	0	2.01	66	34.07	6.60	32.72
AV	5.7024G	99.87	Inf	-Inf	91.97	3	Horizontal	0	2.01	66	34.02	6.60	32.72
PK	5.7251G	67.78	68.20	-0.42	59.71	3	Horizontal	0	2.01	66	34.20	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUTY_2TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41532G	57.47	74.00	-16.53	42.01	3	Vertical	1	1.78	66	38.40	8.85	31.79
AV	11.39988G	43.99	54.00	-10.01	28.54	3	Vertical	1	1.78	66	38.40	8.85	31.80
PK	17.085G	67.36	68.20	-0.84	45.12	3	Vertical	1	1.80	66	41.35	10.83	29.94

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUTY_2TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41772G	57.02	74.00	-16.98	41.56	3	Horizontal	360	1.83	66	38.40	8.85	31.79
AV	11.4176G	43.98	54.00	-10.02	28.52	3	Horizontal	360	1.83	66	38.40	8.85	31.79
PK	17.08932G	67.18	68.20	-1.02	44.93	3	Horizontal	360	1.80	66	41.37	10.83	29.95

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
108
4.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45486G	60.03	74.00	-13.97	52.54	3	Vertical	0	1.41	108	33.70	6.45	32.66
AV	5.45918G	48.76	54.00	-5.24	41.26	3	Vertical	0	1.41	108	33.70	6.46	32.66
PK	5.4635G	59.87	68.20	-8.33	52.37	3	Vertical	0	1.41	108	33.70	6.46	32.66
PK	5.71352G	116.01	Inf	-Inf	108.03	3	Vertical	0	1.41	108	34.11	6.60	32.73
AV	5.7173G	105.52	Inf	-Inf	97.51	3	Vertical	0	1.41	108	34.14	6.60	32.73
PK	5.8523G	63.60	68.20	-4.60	54.98	3	Vertical	0	1.41	108	34.80	6.60	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
80\98\107\108
4.70\4.09\4.72\4.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45702G	59.90	74.00	-14.10	52.40	3	Horizontal	358	2.00	108	33.70	6.46	32.66
AV	5.4527G	49.62	54.00	-4.38	42.13	3	Horizontal	358	2.00	108	33.70	6.45	32.66
PK	5.4689G	60.83	68.20	-7.37	53.31	3	Horizontal	358	2.00	108	33.70	6.47	32.65
PK	5.71622G	118.42	Inf	-Inf	110.42	3	Horizontal	358	2.00	108	34.13	6.60	32.73
AV	5.71622G	107.37	Inf	-Inf	99.37	3	Horizontal	358	2.00	108	34.13	6.60	32.73
PK	5.85G	62.13	68.20	-6.07	53.51	3	Horizontal	358	2.00	108	34.80	6.60	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45232G	57.35	74.00	-16.65	41.86	3	Vertical	1	1.98	86	38.40	8.86	31.77
AV	11.45196G	44.17	54.00	-9.83	28.68	3	Vertical	1	1.98	86	38.40	8.86	31.77
PK	17.16692G	67.99	68.20	-0.21	45.68	3	Vertical	348	1.80	83	41.53	10.85	30.07

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43924G	57.70	74.00	-16.30	42.22	3	Horizontal	33	1.80	108	38.40	8.86	31.78
AV	11.42808G	44.17	54.00	-9.83	28.69	3	Horizontal	33	1.80	108	38.40	8.86	31.78
PK	17.1532G	68.14	68.20	-0.06	45.83	3	Horizontal	11	1.86	86	41.51	10.85	30.05

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 90
90
0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	59.44	74.00	-14.56	53.15	3	Vertical	355	1.38	90	32.71	6.37	32.79
AV	5.14484G	47.83	54.00	-6.17	41.54	3	Vertical	355	1.38	90	32.71	6.37	32.79
PK	5.27504G	113.25	Inf	-Inf	106.73	3	Vertical	355	1.38	90	32.85	6.40	32.73
AV	5.26776G	102.11	Inf	-Inf	95.61	3	Vertical	355	1.38	90	32.84	6.40	32.74
PK	5.35G	66.08	74.00	-7.92	59.38	3	Vertical	355	1.38	90	33.00	6.40	32.70
AV	5.35036G	53.45	54.00	-0.55	46.75	3	Vertical	355	1.38	90	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
SET 90
80\98\89\94\91\90
4.57\5.44\0.66\2.43\0.78\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14064G	59.46	74.00	-14.54	53.16	3	Horizontal	1	1.40	90	32.72	6.37	32.79
AV	5.14792G	48.14	54.00	-5.86	41.86	3	Horizontal	1	1.40	90	32.70	6.37	32.79
PK	5.26692G	113.98	Inf	-Inf	107.49	3	Horizontal	1	1.40	90	32.83	6.40	32.74
AV	5.26888G	102.78	Inf	-Inf	96.28	3	Horizontal	1	1.40	90	32.84	6.40	32.74
PK	5.35288G	67.17	74.00	-6.83	60.46	3	Horizontal	1	1.40	90	33.01	6.40	32.70
AV	5.35G	53.74	54.00	-0.26	47.04	3	Horizontal	1	1.40	90	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5312G	56.12	68.20	-12.08	40.62	3	Vertical	7	1.80	90	38.53	8.63	31.66
PK	15.80664G	62.64	74.00	-11.36	44.53	3	Vertical	141	2.08	90	38.31	10.44	30.64
AV	15.8452G	48.83	54.00	-5.17	30.66	3	Vertical	141	2.08	90	38.35	10.45	30.63

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUTY_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54264G	55.83	68.20	-12.37	40.32	3	Horizontal	2	1.80	90	38.54	8.64	31.67
PK	15.8136G	62.26	74.00	-11.74	44.15	3	Horizontal	63	1.80	90	38.31	10.44	30.64
AV	15.83992G	48.88	54.00	-5.12	30.72	3	Horizontal	63	1.80	90	38.34	10.45	30.63

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
SET 79
79
1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31276G	110.96	Inf	-Inf	104.35	3	Vertical	1	1.05	79	32.93	6.40	32.72
AV	5.31252G	99.69	Inf	-Inf	93.08	3	Vertical	1	1.05	79	32.93	6.40	32.72
PK	5.35176G	64.56	74.00	-9.44	57.85	3	Vertical	1	1.05	79	33.01	6.40	32.70
AV	5.35104G	52.43	54.00	-1.57	45.73	3	Vertical	1	1.05	79	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
SET 79
80\77\79
-0.08\1.63\0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31936G	112.51	Inf	-Inf	105.89	3	Horizontal	3	1.32	79	32.94	6.40	32.72
AV	5.31384G	100.09	Inf	-Inf	93.48	3	Horizontal	3	1.32	79	32.93	6.40	32.72
PK	5.35032G	65.58	74.00	-8.42	58.88	3	Horizontal	3	1.32	79	33.00	6.40	32.70
AV	5.35G	53.19	54.00	-0.81	46.49	3	Horizontal	3	1.32	79	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUTY_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59648G	56.14	68.20	-12.06	40.61	3	Vertical	18	1.80	79	38.60	8.65	31.72
PK	15.94104G	63.23	74.00	-10.77	44.95	3	Vertical	310	1.08	79	38.40	10.48	30.60
AV	15.9296G	50.28	54.00	-3.72	32.00	3	Vertical	310	1.08	79	38.40	10.48	30.60

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61048G	56.00	74.00	-18.00	40.48	3	Horizontal	184	1.80	79	38.60	8.65	31.73
PK	15.92256G	63.43	74.00	-10.57	45.15	3	Horizontal	339	1.80	79	38.40	10.48	30.60
AV	15.96888G	50.35	54.00	-3.65	32.05	3	Horizontal	339	1.80	79	38.40	10.49	30.59

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 75
76\64\70\73\75
-0.97\4.81\3.39\1.31\1.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	62.86	74.00	-11.14	55.36	3	Vertical	360	2.27	75	33.70	6.46	32.66
AV	5.45864G	50.99	54.00	-3.01	43.49	3	Vertical	360	2.27	75	33.70	6.46	32.66
PK	5.4698G	66.61	68.20	-1.59	59.09	3	Vertical	360	2.27	75	33.70	6.47	32.65
PK	5.49812G	112.07	Inf	-Inf	104.51	3	Vertical	360	2.27	75	33.70	6.50	32.64
AV	5.51276G	99.11	Inf	-Inf	91.50	3	Vertical	360	2.27	75	33.75	6.51	32.65

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
SET 76
80\68\74\77\75\76
-1.58\3.82\0.53\1.29\0.81\0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45936G	63.32	74.00	-10.68	55.82	3	Horizontal	360	1.80	76	33.70	6.46	32.66
AV	5.45924G	52.05	54.00	-1.95	44.55	3	Horizontal	360	1.80	76	33.70	6.46	32.66
PK	5.46896G	67.53	68.20	-0.67	60.01	3	Horizontal	360	1.80	76	33.70	6.47	32.65
PK	5.5196G	113.55	Inf	-Inf	105.90	3	Horizontal	360	1.80	76	33.78	6.52	32.65
AV	5.50376G	100.62	Inf	-Inf	93.04	3	Horizontal	360	1.80	76	33.72	6.50	32.64

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99576G	56.25	74.00	-17.75	41.04	3	Vertical	98	1.80	75	38.50	8.75	32.04
AV	10.98584G	43.22	54.00	-10.78	28.00	3	Vertical	98	1.80	75	38.50	8.75	32.03
PK	16.52352G	67.21	68.20	-0.99	45.23	3	Vertical	327	2.37	75	40.30	10.66	28.98

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUTY_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9852G	56.84	74.00	-17.16	41.62	3	Horizontal	232	1.80	75	38.50	8.75	32.03
AV	11.018G	43.23	54.00	-10.77	28.03	3	Horizontal	232	1.80	75	38.48	8.75	32.03
PK	16.53256G	67.67	68.20	-0.53	45.71	3	Horizontal	360	1.80	75	40.30	10.66	29.00

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 90
90
1.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	66.68	74.00	-7.32	59.18	3	Vertical	359	1.80	90	33.70	6.46	32.66
AV	5.46G	52.49	54.00	-1.51	44.99	3	Vertical	359	1.80	90	33.70	6.46	32.66
PK	5.47G	66.84	68.20	-1.36	59.32	3	Vertical	359	1.80	90	33.70	6.47	32.65
PK	5.546G	113.80	Inf	-Inf	106.03	3	Vertical	359	1.80	90	33.88	6.55	32.66
AV	5.5652G	102.52	Inf	-Inf	94.75	3	Vertical	359	1.80	90	33.87	6.57	32.67
PK	5.7428G	60.75	68.20	-7.45	52.55	3	Vertical	359	1.80	90	34.34	6.60	32.74

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 90
80\98\89\94\91\90
3.98\4.34\0.68\2.49\1.07\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	69.67	74.00	-4.33	62.17	3	Horizontal	359	1.80	90	33.70	6.46	32.66
AV	5.4588G	53.48	54.00	-0.52	45.98	3	Horizontal	359	1.80	90	33.70	6.46	32.66
PK	5.462G	68.13	68.20	-0.07	60.63	3	Horizontal	359	1.80	90	33.70	6.46	32.66
PK	5.532G	114.73	Inf	-Inf	107.02	3	Horizontal	359	1.80	90	33.83	6.53	32.65
AV	5.5488G	104.14	Inf	-Inf	96.35	3	Horizontal	359	1.80	90	33.90	6.55	32.66
PK	5.7348G	61.05	68.20	-7.15	52.90	3	Horizontal	359	1.80	90	34.28	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10248G	56.20	74.00	-17.80	41.00	3	Vertical	298	1.80	90	38.40	8.78	31.98
AV	11.11808G	43.04	54.00	-10.96	27.85	3	Vertical	298	1.80	90	38.38	8.78	31.97
PK	16.65608G	67.92	68.20	-0.28	46.07	3	Vertical	17	1.71	90	40.36	10.70	29.21

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09144G	56.35	74.00	-17.65	41.16	3	Horizontal	24	1.27	90	38.41	8.77	31.99
AV	11.1184G	43.28	54.00	-10.72	28.09	3	Horizontal	24	1.27	90	38.38	8.78	31.97
PK	16.65184G	67.34	68.20	-0.86	45.49	3	Horizontal	29	1.80	90	40.35	10.70	29.20

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 74
74
1.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.658G	109.58	Inf	-Inf	101.60	3	Vertical	359	1.76	74	34.08	6.60	32.70
AV	5.66232G	98.47	Inf	-Inf	90.49	3	Vertical	359	1.76	74	34.08	6.60	32.70
PK	5.72616G	66.91	68.20	-1.29	58.83	3	Vertical	359	1.76	74	34.21	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUTY_2TX
SET 74
80\68\74
-1.82\4.11\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6524G	112.19	Inf	-Inf	104.19	3	Horizontal	359	2.44	74	34.10	6.60	32.70
AV	5.65752G	100.54	Inf	-Inf	92.56	3	Horizontal	359	2.44	74	34.08	6.60	32.70
PK	5.7268G	67.83	68.20	-0.37	59.75	3	Horizontal	359	2.44	74	34.21	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUTY_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35936G	57.49	74.00	-16.51	42.07	3	Vertical	174	1.80	74	38.40	8.84	31.82
AV	11.37456G	44.04	54.00	-9.96	28.62	3	Vertical	174	1.80	74	38.40	8.84	31.82
PK	17.01296G	67.09	68.20	-1.11	44.98	3	Vertical	57	1.80	74	41.14	10.80	29.83

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUTY_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35352G	56.58	74.00	-17.42	41.17	3	Horizontal	103	1.80	74	38.40	8.84	31.83
AV	11.37976G	43.96	54.00	-10.04	28.53	3	Horizontal	103	1.80	74	38.40	8.84	31.81
PK	16.97504G	67.63	68.20	-0.57	45.53	3	Horizontal	82	1.56	74	41.08	10.79	29.77

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 103
103
2.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45468G	61.10	74.00	-12.90	53.61	3	Vertical	360	1.80	103	33.70	6.45	32.66
AV	5.4552G	49.70	54.00	-4.30	42.20	3	Vertical	360	1.80	103	33.70	6.46	32.66
PK	5.46768G	61.64	68.20	-6.56	54.12	3	Vertical	360	1.80	103	33.70	6.47	32.65
PK	5.70532G	112.97	Inf	-Inf	105.05	3	Vertical	360	1.80	103	34.04	6.60	32.72
AV	5.70168G	102.12	Inf	-Inf	94.23	3	Vertical	360	1.80	103	34.01	6.60	32.72
PK	5.8504G	66.00	68.20	-2.20	57.38	3	Vertical	360	1.80	103	34.80	6.60	32.78

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 103
80\98\107\102\105\103
4.41\3.96\~4.59\3.58\~0.28\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45936G	61.01	74.00	-12.99	53.51	3	Horizontal	1	1.94	103	33.70	6.46	32.66
AV	5.4552G	50.73	54.00	-3.27	43.23	3	Horizontal	1	1.94	103	33.70	6.46	32.66
PK	5.46612G	63.01	68.20	-5.19	55.49	3	Horizontal	1	1.94	103	33.70	6.47	32.65
PK	5.70064G	115.20	Inf	-Inf	107.31	3	Horizontal	1	1.94	103	34.01	6.60	32.72
AV	5.70376G	103.85	Inf	-Inf	95.94	3	Horizontal	1	1.94	103	34.03	6.60	32.72
PK	5.85G	68.09	68.20	-0.11	59.47	3	Horizontal	1	1.94	103	34.80	6.60	32.78

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45968G	56.95	74.00	-17.05	41.45	3	Vertical	133	1.80	85	38.40	8.86	31.76
AV	11.4572G	44.19	54.00	-9.81	28.70	3	Vertical	133	1.80	85	38.40	8.86	31.77
PK	17.09832G	67.13	68.20	-1.07	44.87	3	Vertical	347	1.85	81	41.39	10.83	29.96

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4312G	56.95	74.00	-17.05	41.47	3	Horizontal	331	1.80	103	38.40	8.86	31.78
AV	11.44328G	44.14	54.00	-9.86	28.65	3	Horizontal	331	1.80	103	38.40	8.86	31.77
PK	17.14432G	67.78	68.20	-0.42	45.49	3	Horizontal	24	1.80	85	41.49	10.84	30.04

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUTY_2TX
SET 74
74
1.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13512G	58.09	74.00	-15.91	51.78	3	Vertical	0	1.07	74	32.73	6.37	32.79
AV	5.14632G	48.60	54.00	-5.40	42.31	3	Vertical	0	1.07	74	32.71	6.37	32.79
PK	5.29544G	106.90	Inf	-Inf	100.34	3	Vertical	0	1.07	74	32.89	6.40	32.73
AV	5.30024G	96.30	Inf	-Inf	89.72	3	Vertical	0	1.07	74	32.90	6.40	32.72
PK	5.35016G	63.46	74.00	-10.54	56.76	3	Vertical	0	1.07	74	33.00	6.40	32.70
AV	5.35272G	52.67	54.00	-1.33	45.96	3	Vertical	0	1.07	74	33.01	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 74
80\68\74
-1.64\1.94\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	59.24	74.00	-14.76	52.96	3	Horizontal	0	1.11	74	32.70	6.37	32.79
AV	5.14888G	48.57	54.00	-5.43	42.29	3	Horizontal	0	1.11	74	32.70	6.37	32.79
PK	5.26024G	107.94	Inf	-Inf	101.46	3	Horizontal	0	1.11	74	32.82	6.40	32.74
AV	5.29864G	96.85	Inf	-Inf	90.27	3	Horizontal	0	1.11	74	32.90	6.40	32.72
PK	5.3524G	63.46	74.00	-10.54	56.75	3	Horizontal	0	1.11	74	33.01	6.40	32.70
AV	5.38792G	53.66	54.00	-0.34	46.80	3	Horizontal	0	1.11	74	33.15	6.40	32.69

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58432G	56.09	68.20	-12.11	40.57	3	Vertical	111	1.80	74	38.58	8.65	31.71
PK	15.93768G	62.76	74.00	-11.24	44.48	3	Vertical	245	1.80	74	38.40	10.48	30.60
AV	15.94696G	50.20	54.00	-3.80	31.92	3	Vertical	245	1.80	74	38.40	10.48	30.60

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60752G	56.30	74.00	-17.70	40.78	3	Horizontal	360	1.09	74	38.60	8.65	31.73
PK	15.91352G	62.78	74.00	-11.22	44.52	3	Horizontal	17	1.80	74	38.40	10.47	30.61
AV	15.94968G	50.22	54.00	-3.78	31.94	3	Horizontal	17	1.80	74	38.40	10.48	30.60

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 73
73
1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45896G	63.55	74.00	-10.45	56.05	3	Vertical	360	2.31	73	33.70	6.46	32.66
AV	5.45368G	52.65	54.00	-1.35	45.16	3	Vertical	360	2.31	73	33.70	6.45	32.66
PK	5.46968G	64.01	68.20	-4.19	56.49	3	Vertical	360	2.31	73	33.70	6.47	32.65
PK	5.53752G	107.01	Inf	-Inf	99.28	3	Vertical	360	2.31	73	33.85	6.54	32.66
AV	5.54376G	97.18	Inf	-Inf	89.42	3	Vertical	360	2.31	73	33.88	6.54	32.66

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 73
80\62\71\76\73
-2.67\3.46\1.53\1.30\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45096G	63.39	74.00	-10.61	55.90	3	Horizontal	1	1.80	73	33.70	6.45	32.66
AV	5.45832G	53.66	54.00	-0.34	46.16	3	Horizontal	1	1.80	73	33.70	6.46	32.66
PK	5.46776G	66.42	68.20	-1.78	58.90	3	Horizontal	1	1.80	73	33.70	6.47	32.65
PK	5.4996G	108.72	Inf	-Inf	101.16	3	Horizontal	1	1.80	73	33.70	6.50	32.64
AV	5.5164G	98.17	Inf	-Inf	90.53	3	Horizontal	1	1.80	73	33.77	6.52	32.65

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02816G	55.90	74.00	-18.10	40.69	3	Vertical	360	1.80	73	38.47	8.76	32.02
AV	11.136G	42.97	54.00	-11.03	27.79	3	Vertical	360	1.80	73	38.36	8.78	31.96
PK	16.53128G	67.47	68.20	-0.73	45.50	3	Vertical	64	1.80	73	40.30	10.66	28.99

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUTY_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07152G	55.79	74.00	-18.21	40.59	3	Horizontal	360	1.82	73	38.43	8.77	32.00
AV	11.11552G	43.06	54.00	-10.94	27.87	3	Horizontal	360	1.82	73	38.38	8.78	31.97
PK	16.5324G	66.94	68.20	-1.26	44.98	3	Horizontal	241	1.80	73	40.30	10.66	29.00

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT V_2TX
SET 83
83
1.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45512G	63.86	74.00	-10.14	56.36	3	Vertical	359	1.80	83	33.70	6.46	32.66
AV	5.45992G	52.63	54.00	-1.37	45.13	3	Vertical	359	1.80	83	33.70	6.46	32.66
PK	5.46568G	63.32	68.20	-4.88	55.80	3	Vertical	359	1.80	83	33.70	6.47	32.65
PK	5.62248G	108.75	Inf	-Inf	100.91	3	Vertical	359	1.80	83	33.93	6.60	32.69
AV	5.61384G	98.70	Inf	-Inf	90.91	3	Vertical	359	1.80	83	33.88	6.60	32.69
PK	5.72776G	65.81	68.20	-2.39	57.72	3	Vertical	359	1.80	83	34.22	6.60	32.73

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
SET 83
80\92\86\83\85\84\83
1.52\4.99\0.62\0.53\0.36\0.13\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45256G	65.04	74.00	-8.96	57.55	3	Horizontal	359	1.80	83	33.70	6.45	32.66
AV	5.45224G	53.75	54.00	-0.25	46.26	3	Horizontal	359	1.80	83	33.70	6.45	32.66
PK	5.46824G	64.40	68.20	-3.80	56.88	3	Horizontal	359	1.80	83	33.70	6.47	32.65
PK	5.5748G	110.34	Inf	-Inf	102.59	3	Horizontal	359	1.80	83	33.85	6.57	32.67
AV	5.61896G	99.49	Inf	-Inf	91.67	3	Horizontal	359	1.80	83	33.91	6.60	32.69
PK	5.72776G	67.69	68.20	-0.51	59.60	3	Horizontal	359	1.80	83	34.22	6.60	32.73

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17744G	56.11	74.00	-17.89	40.93	3	Vertical	1	1.58	83	38.32	8.79	31.93
AV	11.29328G	43.29	54.00	-10.71	27.94	3	Vertical	1	1.58	83	38.39	8.82	31.86
PK	16.7884G	65.25	68.20	-2.95	43.46	3	Vertical	1	1.80	83	40.49	10.74	29.44

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.29104G	57.23	74.00	-16.77	41.89	3	Horizontal	91	1.80	83	38.39	8.82	31.87
AV	11.24992G	43.48	54.00	-10.52	28.21	3	Horizontal	91	1.80	83	38.35	8.81	31.89
PK	16.86296G	65.54	68.20	-2.66	43.54	3	Horizontal	168	1.06	83	40.81	10.76	29.57

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 96
96
0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.20	74.00	-10.80	55.70	3	Vertical	0	1.76	96	33.70	6.46	32.66
AV	5.45672G	53.73	54.00	-0.27	46.23	3	Vertical	0	1.76	96	33.70	6.46	32.66
PK	5.46872G	64.45	68.20	-3.75	56.93	3	Vertical	0	1.76	96	33.70	6.47	32.65
PK	5.65544G	110.55	Inf	-Inf	102.56	3	Vertical	0	1.76	96	34.09	6.60	32.70
AV	5.66264G	100.94	Inf	-Inf	92.98	3	Vertical	0	1.76	96	34.07	6.60	32.71
PK	5.85224G	65.56	68.20	-2.64	56.94	3	Vertical	0	1.76	96	34.80	6.60	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 96
80\98\89\94\97\95\96
3.60\ -0.62\2.57\0.82\ -0.23\0.75\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	63.56	74.00	-10.44	56.06	3	Horizontal	359	2.26	96	33.70	6.46	32.66
AV	5.45816G	53.78	54.00	-0.22	46.28	3	Horizontal	359	2.26	96	33.70	6.46	32.66
PK	5.46776G	65.45	68.20	-2.75	57.93	3	Horizontal	359	2.26	96	33.70	6.47	32.65
PK	5.66408G	112.77	Inf	-Inf	104.81	3	Horizontal	359	2.26	96	34.07	6.60	32.71
AV	5.65928G	102.41	Inf	-Inf	94.43	3	Horizontal	359	2.26	96	34.08	6.60	32.70
PK	5.85128G	66.78	68.20	-1.42	58.16	3	Horizontal	359	2.26	96	34.80	6.60	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44736G	57.07	74.00	-16.93	41.58	3	Vertical	287	1.78	93	38.40	8.86	31.77
AV	11.45216G	44.21	54.00	-9.79	28.72	3	Vertical	287	1.78	93	38.40	8.86	31.77
PK	17.08344G	67.52	68.20	-0.68	45.28	3	Vertical	348	1.80	93	41.35	10.83	29.94

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34208G	57.23	74.00	-16.77	41.82	3	Horizontal	94	1.80	96	38.40	8.84	31.83
AV	11.44336G	44.21	54.00	-9.79	28.72	3	Horizontal	94	1.80	96	38.40	8.86	31.77
PK	17.08456G	67.74	68.20	-0.46	45.50	3	Horizontal	17	1.80	93	41.35	10.83	29.94

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 61
61
1.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14608G	62.33	74.00	-11.67	56.04	3	Vertical	1	1.08	61	32.71	6.37	32.79
AV	5.14584G	52.05	54.00	-1.95	45.76	3	Vertical	1	1.08	61	32.71	6.37	32.79
PK	5.286G	102.42	Inf	-Inf	95.88	3	Vertical	1	1.08	61	32.87	6.40	32.73
AV	5.26656G	90.94	Inf	-Inf	84.45	3	Vertical	1	1.08	61	32.83	6.40	32.74
PK	5.35464G	64.57	74.00	-9.43	57.85	3	Vertical	1	1.08	61	33.02	6.40	32.70
AV	5.36136G	51.41	54.00	-2.59	44.66	3	Vertical	1	1.08	61	33.05	6.40	32.70

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 61
80\62\53\58\61
-13.54\ -0.35\2.78\1.90\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	65.14	74.00	-8.86	58.86	3	Horizontal	1	1.18	61	32.70	6.37	32.79
AV	5.14752G	53.52	54.00	-0.48	47.24	3	Horizontal	1	1.18	61	32.70	6.37	32.79
PK	5.26032G	102.73	Inf	-Inf	96.25	3	Horizontal	1	1.18	61	32.82	6.40	32.74
AV	5.22864G	91.97	Inf	-Inf	85.56	3	Horizontal	1	1.18	61	32.76	6.40	32.75
PK	5.3628G	62.58	74.00	-11.42	55.83	3	Horizontal	1	1.18	61	33.05	6.40	32.70
AV	5.3628G	53.00	54.00	-1.00	46.25	3	Horizontal	1	1.18	61	33.05	6.40	32.70

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41744G	55.79	68.20	-12.41	40.50	3	Vertical	1	1.76	61	38.42	8.60	31.73
PK	15.65496G	61.70	74.00	-12.30	44.23	3	Vertical	337	1.80	61	37.75	10.40	30.68
AV	15.6028G	49.19	54.00	-4.81	31.71	3	Vertical	337	1.80	61	37.80	10.38	30.70

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUTY_2TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39472G	55.60	68.20	-12.60	40.35	3	Horizontal	360	2.31	61	38.40	8.60	31.75
PK	15.62328G	61.83	74.00	-12.17	44.35	3	Horizontal	102	1.76	61	37.78	10.39	30.69
AV	15.6156G	49.12	54.00	-4.88	31.66	3	Horizontal	102	1.76	61	37.78	10.38	30.70

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
SET 41
41
2.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	61.57	74.00	-12.43	54.08	3	Vertical	360	1.88	41	33.70	6.45	32.66
AV	5.45516G	51.56	54.00	-2.44	44.06	3	Vertical	360	1.88	41	33.70	6.46	32.66
PK	5.4656G	60.25	68.20	-7.95	52.73	3	Vertical	360	1.88	41	33.70	6.47	32.65
PK	5.58008G	97.09	Inf	-Inf	89.34	3	Vertical	360	1.88	41	33.84	6.58	32.67
AV	5.54264G	87.30	Inf	-Inf	79.55	3	Vertical	360	1.88	41	33.87	6.54	32.66
PK	5.7482G	60.61	68.20	-7.59	52.36	3	Vertical	360	1.88	41	34.39	6.60	32.74

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
SET 41
80\50\40\45\42\41
-21.84\ -2.93\1.29\ -1.04\ -1.07\0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	62.16	74.00	-11.84	54.66	3	Horizontal	360	1.94	41	33.70	6.46	32.66
AV	5.45228G	53.39	54.00	-0.61	45.90	3	Horizontal	360	1.94	41	33.70	6.45	32.66
PK	5.46776G	62.41	68.20	-5.79	54.89	3	Horizontal	360	1.94	41	33.70	6.47	32.65
PK	5.59736G	99.10	Inf	-Inf	91.37	3	Horizontal	360	1.94	41	33.81	6.60	32.68
AV	5.54624G	89.25	Inf	-Inf	81.48	3	Horizontal	360	1.94	41	33.88	6.55	32.66
PK	5.73632G	62.05	68.20	-6.15	53.89	3	Horizontal	360	1.94	41	34.29	6.60	32.73

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1976G	55.86	74.00	-18.14	40.68	3	Vertical	1	1.80	41	38.30	8.80	31.92
AV	11.16048G	43.30	54.00	-10.70	28.11	3	Vertical	1	1.80	41	38.34	8.79	31.94
PK	16.55864G	67.65	68.20	-0.55	45.72	3	Vertical	204	1.80	41	40.30	10.67	29.04

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT Y_2TX
SET 41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10992G	56.50	74.00	-17.50	41.30	3	Horizontal	324	1.80	41	38.39	8.78	31.97
AV	11.26416G	43.73	54.00	-10.27	28.43	3	Horizontal	324	1.80	41	38.36	8.82	31.88
PK	16.6188G	66.72	68.20	-1.48	44.86	3	Horizontal	117	1.80	41	40.32	10.69	29.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.15636G	68.19	68.20	-0.01	3	Horizontal	10	1.80	81

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 104
105\96\101\104
-0.56\4.37\4.04\0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13416G	60.67	74.00	-13.33	54.36	3	Vertical	356	1.66	104	32.73	6.37	32.79
AV	5.15G	48.83	54.00	-5.17	42.55	3	Vertical	356	1.66	104	32.70	6.37	32.79
PK	5.2639G	123.99	Inf	-Inf	117.50	3	Vertical	356	1.66	104	32.83	6.40	32.74
AV	5.26494G	113.91	Inf	-Inf	107.42	3	Vertical	356	1.66	104	32.83	6.40	32.74
PK	5.351G	66.94	74.00	-7.06	60.24	3	Vertical	356	1.66	104	33.00	6.40	32.70
AV	5.35178G	53.01	54.00	-0.99	46.30	3	Vertical	356	1.66	104	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 105
80\98\107\102\105
5.06\3.71\~2.15\3.17\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14222G	62.63	74.00	-11.37	56.33	3	Horizontal	3	2.06	105	32.72	6.37	32.79
AV	5.14924G	49.96	54.00	-4.04	43.68	3	Horizontal	3	2.06	105	32.70	6.37	32.79
PK	5.25532G	125.09	Inf	-Inf	118.62	3	Horizontal	3	2.06	105	32.81	6.40	32.74
AV	5.25506G	115.37	Inf	-Inf	108.90	3	Horizontal	3	2.06	105	32.81	6.40	32.74
PK	5.36192G	71.91	74.00	-2.09	65.16	3	Horizontal	3	2.06	105	33.05	6.40	32.70
AV	5.36166G	53.92	54.00	-0.08	47.17	3	Horizontal	3	2.06	105	33.05	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52932G	57.38	68.20	-10.82	41.88	3	Vertical	14	1.45	94	38.53	8.63	31.66
PK	15.77304G	68.05	74.00	-5.95	50.13	3	Vertical	352	1.83	90	38.14	10.43	30.65
AV	15.77404G	52.82	54.00	-1.18	34.90	3	Vertical	352	1.83	90	38.14	10.43	30.65

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX


EUT_Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52832G	57.80	68.20	-10.40	42.30	3	Horizontal	313	1.80	104	38.53	8.63	31.66
PK	15.7742G	68.67	74.00	-5.33	50.74	3	Horizontal	1	1.80	94	38.15	10.43	30.65
AV	15.77344G	53.40	54.00	-0.60	35.48	3	Horizontal	1	1.80	94	38.14	10.43	30.65

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
SET 94
94
1.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.30308G	120.63	Inf	-Inf	114.04	3	Vertical	353	1.53	94	32.91	6.40	32.72	
AV	5.30434G	110.88	Inf	-Inf	104.29	3	Vertical	353	1.53	94	32.91	6.40	32.72	
PK	5.35012G	68.41	74.00	-5.59	61.71	3	Vertical	353	1.53	94	33.00	6.40	32.70	
AV	5.35012G	52.11	54.00	-1.89	45.41	3	Vertical	353	1.53	94	33.00	6.40	32.70	

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
SET 94
80\98\89\94
4.15\ -3.61\2.12\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29552G	122.05	Inf	-Inf	115.49	3	Horizontal	8	2.01	94	32.89	6.40	32.73
AV	5.29482G	112.59	Inf	-Inf	106.03	3	Horizontal	8	2.01	94	32.89	6.40	32.73
PK	5.35572G	72.19	74.00	-1.81	65.47	3	Horizontal	8	2.01	94	33.02	6.40	32.70
AV	5.35096G	53.83	54.00	-0.17	47.13	3	Horizontal	8	2.01	94	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59436G	58.50	68.20	-9.70	42.98	3	Vertical	27	1.80	91	38.59	8.65	31.72
PK	15.90168G	69.06	74.00	-4.94	50.80	3	Vertical	339	1.74	90	38.40	10.47	30.61
AV	15.90136G	53.87	54.00	-0.13	35.61	3	Vertical	339	1.74	90	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5956G	57.25	68.20	-10.95	41.72	3	Horizontal	349	2.41	94	38.60	8.65	31.72
PK	15.90164G	67.41	74.00	-6.59	49.15	3	Horizontal	38	1.80	91	38.40	10.47	30.61
AV	15.90132G	53.30	54.00	-0.70	35.04	3	Horizontal	38	1.80	91	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 85
85
2.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3236G	117.96	Inf	-Inf	111.32	3	Vertical	354	1.64	85	32.95	6.40	32.71	
AV	5.324G	108.72	Inf	-Inf	102.08	3	Vertical	354	1.64	85	32.95	6.40	32.71	
PK	5.364G	63.37	74.00	-10.63	56.61	3	Vertical	354	1.64	85	33.06	6.40	32.70	
AV	5.3503G	51.15	54.00	-2.85	44.45	3	Vertical	354	1.64	85	33.00	6.40	32.70	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 85
80\98\89\84\87\85\86\85
3.16\12.45\2.47\2.02\0.42\0.97\0.03\1.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.315G	119.17	Inf	-Inf	112.56	3	Horizontal	10	1.80	85	32.93	6.40	32.72
AV	5.3146G	109.35	Inf	-Inf	102.74	3	Horizontal	10	1.80	85	32.93	6.40	32.72
PK	5.3545G	68.42	74.00	-5.58	61.70	3	Horizontal	10	1.80	85	33.02	6.40	32.70
AV	5.353G	52.94	54.00	-1.06	46.23	3	Horizontal	10	1.80	85	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65724G	56.90	74.00	-17.10	41.41	3	Vertical	9	1.80	85	38.60	8.66	31.77
AV	10.62036G	43.21	54.00	-10.79	27.69	3	Vertical	9	1.80	85	38.60	8.66	31.74
PK	15.96156G	64.09	74.00	-9.91	45.79	3	Vertical	339	1.80	85	38.40	10.49	30.59
AV	15.96204G	50.71	54.00	-3.29	32.41	3	Vertical	339	1.80	85	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64516G	56.18	74.00	-17.82	40.68	3	Horizontal	106	1.99	85	38.60	8.66	31.76
AV	10.62712G	43.22	54.00	-10.78	27.70	3	Horizontal	106	1.99	85	38.60	8.66	31.74
PK	15.97184G	64.16	74.00	-9.84	45.86	3	Horizontal	327	1.80	85	38.40	10.49	30.59
AV	15.97952G	50.38	54.00	-3.62	32.08	3	Horizontal	327	1.80	85	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
SET 80
80
2.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4589G	63.23	74.00	-10.77	55.73	3	Vertical	0	1.34	80	33.70	6.46	32.66	
AV	5.4582G	51.27	54.00	-2.73	43.77	3	Vertical	0	1.34	80	33.70	6.46	32.66	
PK	5.4642G	63.65	68.20	-4.55	56.15	3	Vertical	0	1.34	80	33.70	6.46	32.66	
PK	5.4973G	118.16	Inf	-Inf	110.60	3	Vertical	0	1.34	80	33.70	6.50	32.64	
AV	5.4978G	108.82	Inf	-Inf	101.26	3	Vertical	0	1.34	80	33.70	6.50	32.64	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 80
80\92\86\83\81\80
2.05\ -9.89\ -4.09\ -1.09\ -0.48\ 2.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4599G	64.69	74.00	-9.31	57.19	3	Horizontal	360	1.96	80	33.70	6.46	32.66
AV	5.4544G	51.81	54.00	-2.19	44.32	3	Horizontal	360	1.96	80	33.70	6.45	32.66
PK	5.4688G	66.15	68.20	-2.05	58.63	3	Horizontal	360	1.96	80	33.70	6.47	32.65
PK	5.4945G	120.59	Inf	-Inf	113.04	3	Horizontal	360	1.96	80	33.70	6.49	32.64
AV	5.4956G	111.13	Inf	-Inf	103.57	3	Horizontal	360	1.96	80	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98808G	55.80	74.00	-18.20	40.58	3	Vertical	360	1.80	80	38.50	8.75	32.03
AV	11.01608G	42.73	54.00	-11.27	27.53	3	Vertical	360	1.80	80	38.48	8.75	32.03
PK	16.5186G	67.42	68.20	-0.78	45.43	3	Vertical	168	1.57	80	40.30	10.66	28.97

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99452G	56.25	74.00	-17.75	41.04	3	Horizontal	360	2.28	80	38.50	8.75	32.04
AV	11.01836G	42.62	54.00	-11.38	27.42	3	Horizontal	360	2.28	80	38.48	8.75	32.03
PK	16.48152G	67.24	68.20	-0.96	45.39	3	Horizontal	9	2.81	80	40.21	10.64	29.00

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 106
106
2.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44944G	63.12	74.00	-10.88	55.64	3	Vertical	356	2.51	106	33.69	6.45	32.66
AV	5.452G	50.53	54.00	-3.47	43.04	3	Vertical	356	2.51	106	33.70	6.45	32.66
PK	5.46832G	65.26	68.20	-2.94	57.74	3	Vertical	356	2.51	106	33.70	6.47	32.65
PK	5.58576G	125.00	Inf	-Inf	117.25	3	Vertical	356	2.51	106	33.83	6.59	32.67
AV	5.58512G	113.96	Inf	-Inf	106.21	3	Vertical	356	2.51	106	33.83	6.59	32.67
PK	5.73232G	62.12	68.20	-6.08	53.99	3	Vertical	356	2.51	106	34.26	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 106
80\98\107\108\107\106
4.35\3.44\1.24\0.26\1.87\2.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45616G	66.29	74.00	-7.71	58.79	3	Horizontal	0	1.96	106	33.70	6.46	32.66
AV	5.45904G	51.55	54.00	-2.45	44.05	3	Horizontal	0	1.96	106	33.70	6.46	32.66
PK	5.4664G	65.28	68.20	-2.92	57.76	3	Horizontal	0	1.96	106	33.70	6.47	32.65
PK	5.5736G	126.19	Inf	-Inf	118.44	3	Horizontal	0	1.96	106	33.85	6.57	32.67
AV	5.57456G	115.97	Inf	-Inf	108.22	3	Horizontal	0	1.96	106	33.85	6.57	32.67
PK	5.73968G	61.91	68.20	-6.29	53.73	3	Horizontal	0	1.96	106	34.32	6.60	32.74

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1636G	55.99	74.00	-18.01	40.80	3	Vertical	1	1.80	81	38.34	8.79	31.94
AV	11.15432G	42.51	54.00	-11.49	27.32	3	Vertical	1	1.80	81	38.35	8.79	31.95
PK	16.73872G	66.69	68.20	-1.51	44.89	3	Vertical	338	1.80	81	40.44	10.72	29.36

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17036G	56.08	74.00	-17.92	40.90	3	Horizontal	351	2.06	106	38.33	8.79	31.94
AV	11.15816G	43.21	54.00	-10.79	28.03	3	Horizontal	351	2.06	106	38.34	8.79	31.95
PK	16.7388G	67.84	68.20	-0.36	46.04	3	Horizontal	49	1.80	81	40.44	10.72	29.36

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 65
66\57\62\65
-0.60\4.55\2.01\2.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6975G	113.43	Inf	-Inf	105.54	3	Vertical	356	1.25	65	34.01	6.60	32.72
AV	5.6978G	103.64	Inf	-Inf	95.76	3	Vertical	356	1.25	65	34.00	6.60	32.72
PK	5.7253G	65.58	68.20	-2.62	57.51	3	Vertical	356	1.25	65	34.20	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 66
80\62\71\66
-8.94\1.59\4.78\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6957G	114.76	Inf	-Inf	106.87	3	Horizontal	358	2.44	66	34.01	6.60	32.72
AV	5.6952G	105.52	Inf	-Inf	97.63	3	Horizontal	358	2.44	66	34.01	6.60	32.72
PK	5.729G	67.75	68.20	-0.45	59.65	3	Horizontal	358	2.44	66	34.23	6.60	32.73

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4162G	56.82	74.00	-17.18	41.36	3	Vertical	360	1.73	65	38.40	8.85	31.79
AV	11.41496G	42.79	54.00	-11.21	27.33	3	Vertical	360	1.73	65	38.40	8.85	31.79
PK	17.0964G	67.29	68.20	-0.91	45.03	3	Vertical	40	1.80	65	41.39	10.83	29.96

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40432G	56.03	74.00	-17.97	40.58	3	Horizontal	348	1.80	65	38.40	8.85	31.80
AV	11.41848G	43.06	54.00	-10.94	27.60	3	Horizontal	348	1.80	65	38.40	8.85	31.79
PK	17.11876G	67.70	68.20	-0.50	45.42	3	Horizontal	184	1.56	65	41.44	10.84	30.00

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
108
4.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45216G	60.46	74.00	-13.54	52.97	3	Vertical	354	1.33	108	33.70	6.45	32.66
AV	5.4581G	49.15	54.00	-4.85	41.65	3	Vertical	354	1.33	108	33.70	6.46	32.66
PK	5.46674G	60.60	68.20	-7.60	53.08	3	Vertical	354	1.33	108	33.70	6.47	32.65
PK	5.7173G	121.54	Inf	-Inf	113.53	3	Vertical	354	1.33	108	34.14	6.60	32.73
AV	5.7173G	111.39	Inf	-Inf	103.38	3	Vertical	354	1.33	108	34.14	6.60	32.73
PK	5.96786G	61.74	68.20	-6.46	52.80	3	Vertical	354	1.33	108	35.17	6.60	32.83

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
80\98\107\108
4.67\3.48\4.14\3.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	62.50	74.00	-11.50	55.01	3	Horizontal	0	1.94	108	33.70	6.45	32.66
AV	5.45378G	49.81	54.00	-4.19	42.32	3	Horizontal	0	1.94	108	33.70	6.45	32.66
PK	5.46728G	61.39	68.20	-6.81	53.87	3	Horizontal	0	1.94	108	33.70	6.47	32.65
PK	5.7146G	123.17	Inf	-Inf	115.18	3	Horizontal	0	1.94	108	34.12	6.60	32.73
AV	5.7146G	112.97	Inf	-Inf	104.98	3	Horizontal	0	1.94	108	34.12	6.60	32.73
PK	5.85G	64.61	68.20	-3.59	55.99	3	Horizontal	0	1.94	108	34.80	6.60	32.78

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42304G	56.46	74.00	-17.54	40.99	3	Vertical	1	1.63	81	38.40	8.86	31.79
AV	11.45148G	43.06	54.00	-10.94	27.57	3	Vertical	1	1.63	81	38.40	8.86	31.77
PK	17.16736G	68.07	68.20	-0.13	45.76	3	Vertical	0	1.79	81	41.53	10.85	30.07

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45768G	55.85	74.00	-18.15	40.36	3	Horizontal	18	1.80	108	38.40	8.86	31.77
AV	11.45276G	43.05	54.00	-10.95	27.56	3	Horizontal	18	1.80	108	38.40	8.86	31.77
PK	17.1668G	68.02	68.20	-0.18	45.71	3	Horizontal	17	1.56	81	41.53	10.85	30.07

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
SET 103
103
1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14638G	60.63	74.00	-13.37	54.34	3	Vertical	0	1.07	103	32.71	6.37	32.79
AV	5.14612G	47.70	54.00	-6.30	41.41	3	Vertical	0	1.07	103	32.71	6.37	32.79
PK	5.2613G	125.18	Inf	-Inf	118.70	3	Vertical	0	1.07	103	32.82	6.40	32.74
AV	5.25584G	111.60	Inf	-Inf	105.13	3	Vertical	0	1.07	103	32.81	6.40	32.74
PK	5.351G	67.34	74.00	-6.66	60.64	3	Vertical	0	1.07	103	33.00	6.40	32.70
AV	5.35126G	52.32	54.00	-1.68	45.61	3	Vertical	0	1.07	103	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 103
104\95\100\103\105\103
-0.68\4.91\3.55\0.52\2.93\0.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14716G	62.61	74.00	-11.39	56.32	3	Horizontal	1	1.22	103	32.71	6.37	32.79
AV	5.15G	48.58	54.00	-5.42	42.30	3	Horizontal	1	1.22	103	32.70	6.37	32.79
PK	5.26234G	124.63	Inf	-Inf	118.15	3	Horizontal	1	1.22	103	32.82	6.40	32.74
AV	5.25688G	111.72	Inf	-Inf	105.25	3	Horizontal	1	1.22	103	32.81	6.40	32.74
PK	5.35048G	67.91	74.00	-6.09	61.21	3	Horizontal	1	1.22	103	33.00	6.40	32.70
AV	5.35G	53.07	54.00	-0.93	46.37	3	Horizontal	1	1.22	103	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX


EUT_Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51392G	57.41	68.20	-10.79	41.92	3	Vertical	10	1.86	94	38.51	8.63	31.65
PK	15.79152G	68.54	74.00	-5.46	50.49	3	Vertical	350	1.86	90	38.25	10.44	30.64
AV	15.78148G	53.67	54.00	-0.33	35.70	3	Vertical	350	1.86	90	38.19	10.43	30.65

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX


EUT Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52368G	58.21	68.20	-9.99	42.72	3	Horizontal	315	1.84	103	38.52	8.63	31.66
AV	15.77676G	53.19	54.00	-0.81	35.25	3	Horizontal	1	1.80	94	38.16	10.43	30.65
PK	15.77168G	66.61	74.00	-7.39	48.70	3	Horizontal	1	1.80	94	38.13	10.43	30.65

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 89
89
1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29454G	120.70	Inf	-Inf	114.14	3	Vertical	356	1.10	89	32.89	6.40	32.73
AV	5.30056G	107.55	Inf	-Inf	100.97	3	Vertical	356	1.10	89	32.90	6.40	32.72
PK	5.35G	69.50	74.00	-4.50	62.80	3	Vertical	356	1.10	89	33.00	6.40	32.70
AV	5.3504G	52.21	54.00	-1.79	45.51	3	Vertical	356	1.10	89	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 89
94\82\88\91\89\90\89
-2.29\4.12\1.98\0.00\1.41\0.90\0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3021G	121.84	Inf	-Inf	115.26	3	Horizontal	8	1.79	89	32.90	6.40	32.72
AV	5.29706G	108.72	Inf	-Inf	102.16	3	Horizontal	8	1.79	89	32.89	6.40	32.73
PK	5.35698G	73.17	74.00	-0.83	66.44	3	Horizontal	8	1.79	89	33.03	6.40	32.70
AV	5.35166G	52.65	54.00	-1.35	45.94	3	Horizontal	8	1.79	89	33.01	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90032G	67.17	74.00	-6.83	48.91	3	Vertical	339	1.80	89	38.40	10.47	30.61
AV	15.89996G	52.34	54.00	-1.66	34.08	3	Vertical	339	1.80	89	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90408G	67.64	74.00	-6.36	49.38	3	Horizontal	38	1.84	89	38.40	10.47	30.61
AV	15.9042G	52.51	54.00	-1.49	34.25	3	Horizontal	38	1.84	89	38.40	10.47	30.61

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 85
85
2.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3242G	119.36	Inf	-Inf	112.72	3	Vertical	353	1.67	85	32.95	6.40	32.71	
AV	5.3245G	106.18	Inf	-Inf	99.54	3	Vertical	353	1.67	85	32.95	6.40	32.71	
PK	5.3588G	66.49	74.00	-7.51	59.75	3	Vertical	353	1.67	85	33.04	6.40	32.70	
AV	5.35G	51.90	54.00	-2.10	45.20	3	Vertical	353	1.67	85	33.00	6.40	32.70	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 85
85
0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3263G	120.32	Inf	-Inf	113.68	3	Horizontal	8	1.78	85	32.95	6.40	32.71	
AV	5.322G	107.37	Inf	-Inf	100.74	3	Horizontal	8	1.78	85	32.94	6.40	32.71	
PK	5.3518G	67.21	74.00	-6.79	60.50	3	Horizontal	8	1.78	85	33.01	6.40	32.70	
AV	5.3517G	53.69	54.00	-0.31	46.98	3	Horizontal	8	1.78	85	33.01	6.40	32.70	

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX


EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6218G	57.22	74.00	-16.78	41.70	3	Vertical	83	1.80	85	38.60	8.66	31.74
AV	10.6238G	43.35	54.00	-10.65	27.83	3	Vertical	83	1.80	85	38.60	8.66	31.74
PK	15.97032G	63.95	74.00	-10.05	45.65	3	Vertical	15	1.79	85	38.40	10.49	30.59
AV	15.95584G	50.91	54.00	-3.09	32.61	3	Vertical	15	1.79	85	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX


EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65632G	56.57	74.00	-17.43	41.08	3	Horizontal	5	2.25	85	38.60	8.66	31.77
AV	10.62616G	43.28	54.00	-10.72	27.76	3	Horizontal	5	2.25	85	38.60	8.66	31.74
PK	15.96092G	63.53	74.00	-10.47	45.23	3	Horizontal	329	1.82	85	38.40	10.49	30.59
AV	15.96548G	50.22	54.00	-3.78	31.92	3	Horizontal	329	1.82	85	38.40	10.49	30.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 83
83
0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4589G	67.86	74.00	-6.14	60.36	3	Vertical	353	2.43	83	33.70	6.46	32.66
AV	5.4584G	52.78	54.00	-1.22	45.28	3	Vertical	353	2.43	83	33.70	6.46	32.66
PK	5.4693G	67.85	68.20	-0.35	60.33	3	Vertical	353	2.43	83	33.70	6.47	32.65
PK	5.5034G	121.73	Inf	-Inf	114.16	3	Vertical	353	2.43	83	33.71	6.50	32.64
AV	5.4983G	109.10	Inf	-Inf	101.54	3	Vertical	353	2.43	83	33.70	6.50	32.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 83
80\92\86\83
2.48\ -10.00\ -3.23\ 0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4589G	66.19	74.00	-7.81	58.69	3	Horizontal	1	1.79	83	33.70	6.46	32.66
AV	5.4573G	52.37	54.00	-1.63	44.87	3	Horizontal	1	1.79	83	33.70	6.46	32.66
PK	5.467G	67.72	68.20	-0.48	60.20	3	Horizontal	1	1.79	83	33.70	6.47	32.65
PK	5.502G	122.17	Inf	-Inf	114.60	3	Horizontal	1	1.79	83	33.71	6.50	32.64
AV	5.497G	109.01	Inf	-Inf	101.45	3	Horizontal	1	1.79	83	33.70	6.50	32.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98372G	55.75	74.00	-18.25	40.53	3	Vertical	230	1.80	83	38.50	8.75	32.03
AV	11.00812G	42.60	54.00	-11.40	27.40	3	Vertical	230	1.80	83	38.49	8.75	32.04
PK	16.51776G	67.89	68.20	-0.31	45.90	3	Vertical	167	1.23	83	40.30	10.66	28.97

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01544G	55.70	74.00	-18.30	40.50	3	Horizontal	5	1.80	83	38.48	8.75	32.03
AV	11.0064G	42.60	54.00	-11.40	27.40	3	Horizontal	5	1.80	83	38.49	8.75	32.04
PK	16.49044G	67.47	68.20	-0.73	45.54	3	Horizontal	333	2.51	83	40.25	10.65	28.97

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
SET 106
106
1.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45744G	65.23	74.00	-8.77	57.73	3	Vertical	356	2.76	106	33.70	6.46	32.66
AV	5.45872G	50.23	54.00	-3.77	42.73	3	Vertical	356	2.76	106	33.70	6.46	32.66
PK	5.46864G	67.02	68.20	-1.18	59.50	3	Vertical	356	2.76	106	33.70	6.47	32.65
PK	5.57808G	124.16	Inf	-Inf	116.41	3	Vertical	356	2.76	106	33.84	6.58	32.67
AV	5.5784G	111.61	Inf	-Inf	103.86	3	Vertical	356	2.76	106	33.84	6.58	32.67
PK	5.7336G	63.16	68.20	-5.04	55.02	3	Vertical	356	2.76	106	34.27	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 106
106\108\107\106
1.65\3.76\6.98\0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45744G	65.70	74.00	-8.30	58.20	3	Horizontal	1	1.80	106	33.70	6.46	32.66
AV	5.46G	51.64	54.00	-2.36	44.14	3	Horizontal	1	1.80	106	33.70	6.46	32.66
PK	5.468G	67.65	68.20	-0.55	60.13	3	Horizontal	1	1.80	106	33.70	6.47	32.65
PK	5.572G	125.65	Inf	-Inf	117.89	3	Horizontal	1	1.80	106	33.86	6.57	32.67
AV	5.57712G	113.33	Inf	-Inf	105.57	3	Horizontal	1	1.80	106	33.85	6.58	32.67
PK	5.72816G	63.20	68.20	-5.00	55.10	3	Horizontal	1	1.80	106	34.23	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15036G	56.33	74.00	-17.67	41.14	3	Vertical	144	1.80	84	38.35	8.79	31.95
AV	11.14G	42.84	54.00	-11.16	27.65	3	Vertical	144	1.80	84	38.36	8.79	31.96
PK	16.73252G	67.02	68.20	-1.18	45.21	3	Vertical	338	1.91	84	40.43	10.72	29.34

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX


EUT Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16176G	55.92	74.00	-18.08	40.73	3	Horizontal	192	1.80	106	38.34	8.79	31.94
AV	11.14032G	42.94	54.00	-11.06	27.75	3	Horizontal	192	1.80	106	38.36	8.79	31.96
PK	16.74476G	67.93	68.20	-0.27	46.14	3	Horizontal	48	1.79	84	40.44	10.72	29.37

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




13/07/2022

EUT Y_4TX
SET 58
59\56\58
-0.08\5.79\3.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7045G	112.49	Inf	-Inf	104.57	3	Vertical	2	1.80	58	34.04	6.60	32.72
AV	5.7046G	98.92	Inf	-Inf	91.00	3	Vertical	2	1.80	58	34.04	6.60	32.72
PK	5.7253G	64.83	68.20	-3.37	56.76	3	Vertical	2	1.80	58	34.20	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 59
65\47\56\61\58\60\59
-3.97\6.78\1.51\0.95\1.24\0.52\2.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7022G	114.93	Inf	-Inf	107.03	3	Horizontal	0	1.91	59	34.02	6.60	32.72
AV	5.6969G	101.62	Inf	-Inf	93.73	3	Horizontal	0	1.91	59	34.01	6.60	32.72
PK	5.7257G	65.96	68.20	-2.24	57.88	3	Horizontal	0	1.91	59	34.21	6.60	32.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3982G	56.43	74.00	-17.57	40.98	3	Vertical	1	1.80	58	38.40	8.85	31.80
AV	11.41804G	42.85	54.00	-11.15	27.39	3	Vertical	1	1.80	58	38.40	8.85	31.79
PK	17.1088G	67.65	68.20	-0.55	45.38	3	Vertical	220	1.11	51	41.42	10.83	29.98

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40896G	55.56	74.00	-18.44	40.10	3	Horizontal	360	1.80	58	38.40	8.85	31.79
AV	11.415G	42.82	54.00	-11.18	27.36	3	Horizontal	360	1.80	58	38.40	8.85	31.79
PK	17.0916G	67.80	68.20	-0.40	45.55	3	Horizontal	6	1.10	58	41.37	10.83	29.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
108
3.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45216G	60.40	74.00	-13.60	52.91	3	Vertical	354	1.30	108	33.70	6.45	32.66
PK	5.46404G	61.71	68.20	-6.49	54.21	3	Vertical	354	1.30	108	33.70	6.46	32.66
AV	5.46G	48.68	54.00	-5.32	41.18	3	Vertical	354	1.30	108	33.70	6.46	32.66
PK	5.72486G	122.06	Inf	-Inf	113.99	3	Vertical	354	1.30	108	34.20	6.60	32.73
AV	5.72432G	109.70	Inf	-Inf	101.64	3	Vertical	354	1.30	108	34.19	6.60	32.73
PK	5.85G	65.15	68.20	-3.05	56.53	3	Vertical	354	1.30	108	34.80	6.60	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108
108
1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45918G	61.30	74.00	-12.70	53.80	3	Horizontal	360	2.51	108	33.70	6.46	32.66
AV	5.46G	48.75	54.00	-5.25	41.25	3	Horizontal	360	2.51	108	33.70	6.46	32.66
PK	5.46782G	61.74	68.20	-6.46	54.22	3	Horizontal	360	2.51	108	33.70	6.47	32.65
PK	5.71568G	122.44	Inf	-Inf	114.44	3	Horizontal	360	2.51	108	34.13	6.60	32.73
AV	5.7254G	110.67	Inf	-Inf	102.60	3	Horizontal	360	2.51	108	34.20	6.60	32.73
PK	5.85G	66.52	68.20	-1.68	57.90	3	Horizontal	360	2.51	108	34.80	6.60	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4468G	56.31	74.00	-17.69	40.82	3	Vertical	1	1.80	81	38.40	8.86	31.77
AV	11.45784G	43.11	54.00	-10.89	27.62	3	Vertical	1	1.80	81	38.40	8.86	31.77
PK	17.17684G	68.08	68.20	-0.12	45.77	3	Vertical	348	1.83	63	41.55	10.85	30.09

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX


EUT Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44056G	56.65	74.00	-17.35	41.17	3	Horizontal	328	1.80	81	38.40	8.86	31.78
AV	11.45608G	43.11	54.00	-10.89	27.62	3	Horizontal	328	1.80	81	38.40	8.86	31.77
PK	17.15636G	68.19	68.20	-0.01	45.88	3	Horizontal	10	1.80	81	41.51	10.85	30.05

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 85
85
0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14596G	59.94	74.00	-14.06	53.65	3	Vertical	360	1.08	85	32.71	6.37	32.79
AV	5.1496G	48.67	54.00	-5.33	42.39	3	Vertical	360	1.08	85	32.70	6.37	32.79
PK	5.28008G	116.96	Inf	-Inf	110.43	3	Vertical	360	1.08	85	32.86	6.40	32.73
AV	5.25572G	106.07	Inf	-Inf	99.60	3	Vertical	360	1.08	85	32.81	6.40	32.74
PK	5.35232G	67.43	74.00	-6.57	60.72	3	Vertical	360	1.08	85	33.01	6.40	32.70
AV	5.35036G	53.05	54.00	-0.95	46.35	3	Vertical	360	1.08	85	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 85
80\92\86\83\85
2.55\5.23\0.22\1.18\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14596G	59.44	74.00	-14.56	53.15	3	Horizontal	6	1.80	85	32.71	6.37	32.79
AV	5.14652G	48.93	54.00	-5.07	42.64	3	Horizontal	6	1.80	85	32.71	6.37	32.79
PK	5.25684G	117.45	Inf	-Inf	110.98	3	Horizontal	6	1.80	85	32.81	6.40	32.74
AV	5.26692G	106.78	Inf	-Inf	100.29	3	Horizontal	6	1.80	85	32.83	6.40	32.74
PK	5.35176G	67.38	74.00	-6.62	60.67	3	Horizontal	6	1.80	85	33.01	6.40	32.70
AV	5.35204G	53.90	54.00	-0.10	47.19	3	Horizontal	6	1.80	85	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54424G	56.75	68.20	-11.45	41.25	3	Vertical	8	1.76	85	38.54	8.64	31.68
PK	15.79608G	63.16	74.00	-10.84	45.08	3	Vertical	351	1.88	85	38.28	10.44	30.64
AV	15.80152G	50.23	54.00	-3.77	32.13	3	Vertical	351	1.88	85	38.30	10.44	30.64

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX


EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5096G	56.91	68.20	-11.29	41.42	3	Horizontal	315	1.79	85	38.51	8.63	31.65
PK	15.7956G	62.57	74.00	-11.43	44.50	3	Horizontal	344	1.80	85	38.27	10.44	30.64
AV	15.8008G	49.25	54.00	-4.75	31.15	3	Horizontal	344	1.80	85	38.30	10.44	30.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 71
71
0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31948G	113.15	Inf	-Inf	106.53	3	Vertical	352	1.64	71	32.94	6.40	32.72
AV	5.32452G	101.57	Inf	-Inf	94.93	3	Vertical	352	1.64	71	32.95	6.40	32.71
PK	5.35512G	65.86	74.00	-8.14	59.14	3	Vertical	352	1.64	71	33.02	6.40	32.70
AV	5.35G	53.08	54.00	-0.92	46.38	3	Vertical	352	1.64	71	33.00	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 71
80\62\71
-4.02\2.30\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3022G	114.03	Inf	-Inf	107.45	3	Horizontal	6	1.80	71	32.90	6.40	32.72
AV	5.31192G	103.04	Inf	-Inf	96.44	3	Horizontal	6	1.80	71	32.92	6.40	32.72
PK	5.35212G	65.71	74.00	-8.29	59.00	3	Horizontal	6	1.80	71	33.01	6.40	32.70
AV	5.35188G	53.92	54.00	-0.08	47.21	3	Horizontal	6	1.80	71	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63944G	56.96	74.00	-17.04	41.45	3	Vertical	59	1.80	71	38.60	8.66	31.75
PK	15.96928G	62.73	74.00	-11.27	44.43	3	Vertical	186	1.25	71	38.40	10.49	30.59
AV	15.96864G	49.97	54.00	-4.03	31.67	3	Vertical	186	1.25	71	38.40	10.49	30.59

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX


EUT Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60904G	56.42	74.00	-17.58	40.90	3	Horizontal	225	1.88	71	38.60	8.65	31.73
AV	10.60304G	43.50	54.00	-10.50	27.97	3	Horizontal	225	1.88	71	38.60	8.65	31.72
PK	15.96352G	63.78	74.00	-10.22	45.48	3	Horizontal	182	1.80	71	38.40	10.49	30.59
AV	15.93592G	50.01	54.00	-3.99	31.73	3	Horizontal	182	1.80	71	38.40	10.48	30.60

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
SET 71
71
1.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45936G	63.75	74.00	-10.25	56.25	3	Vertical	358	1.17	71	33.70	6.46	32.66	
AV	5.45972G	51.85	54.00	-2.15	44.35	3	Vertical	358	1.17	71	33.70	6.46	32.66	
PK	5.46608G	66.95	68.20	-1.25	59.43	3	Vertical	358	1.17	71	33.70	6.47	32.65	
PK	5.51072G	115.90	Inf	-Inf	108.29	3	Vertical	358	1.17	71	33.74	6.51	32.64	
AV	5.51576G	103.63	Inf	-Inf	96.00	3	Vertical	358	1.17	71	33.76	6.52	32.65	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 71
80\62\71
-5.13\1.44\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45672G	64.51	74.00	-9.49	57.01	3	Horizontal	360	1.80	71	33.70	6.46	32.66
AV	5.45672G	52.75	54.00	-1.25	45.25	3	Horizontal	360	1.80	71	33.70	6.46	32.66
PK	5.46704G	67.82	68.20	-0.38	60.30	3	Horizontal	360	1.80	71	33.70	6.47	32.65
PK	5.51204G	117.04	Inf	-Inf	109.42	3	Horizontal	360	1.80	71	33.75	6.51	32.64
AV	5.51696G	105.13	Inf	-Inf	97.49	3	Horizontal	360	1.80	71	33.77	6.52	32.65

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
SET 68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99928G	55.33	74.00	-18.67	40.12	3	Vertical	224	1.80	71	38.50	8.75	32.04	
AV	11.05416G	42.56	54.00	-11.44	27.36	3	Vertical	224	1.80	71	38.45	8.76	32.01	
PK	16.56464G	67.84	68.20	-0.36	45.92	3	Vertical	249	2.82	68	40.30	10.67	29.05	

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX


EUT Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04728G	55.98	74.00	-18.02	40.78	3	Horizontal	176	1.25	71	38.45	8.76	32.01
AV	11.05992G	42.69	54.00	-11.31	27.49	3	Horizontal	176	1.25	71	38.44	8.76	32.00
PK	16.56528G	67.53	68.20	-0.67	45.61	3	Horizontal	264	1.80	71	40.30	10.67	29.05

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 83
83
0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	65.28	74.00	-8.72	57.78	3	Vertical	355	2.76	83	33.70	6.46	32.66
AV	5.458G	51.98	54.00	-2.02	44.48	3	Vertical	355	2.76	83	33.70	6.46	32.66
PK	5.4632G	67.92	68.20	-0.28	60.42	3	Vertical	355	2.76	83	33.70	6.46	32.66
PK	5.5432G	117.12	Inf	-Inf	109.37	3	Vertical	355	2.76	83	33.87	6.54	32.66
AV	5.5632G	106.33	Inf	-Inf	98.57	3	Vertical	355	2.76	83	33.87	6.56	32.67
PK	5.7488G	60.92	68.20	-7.28	52.67	3	Vertical	355	2.76	83	34.39	6.60	32.74

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
SET 83
80\92\86\83
2.30\5.19\0.64\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	66.20	74.00	-7.80	58.70	3	Horizontal	1	1.80	83	33.70	6.46	32.66
AV	5.4552G	52.38	54.00	-1.62	44.88	3	Horizontal	1	1.80	83	33.70	6.46	32.66
PK	5.466G	67.83	68.20	-0.37	60.31	3	Horizontal	1	1.80	83	33.70	6.47	32.65
PK	5.542G	118.73	Inf	-Inf	110.98	3	Horizontal	1	1.80	83	33.87	6.54	32.66
AV	5.562G	107.86	Inf	-Inf	100.08	3	Horizontal	1	1.80	83	33.88	6.56	32.66
PK	5.7368G	61.44	68.20	-6.76	53.28	3	Horizontal	1	1.80	83	34.29	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13496G	56.19	74.00	-17.81	41.00	3	Vertical	1	2.94	83	38.37	8.78	31.96
AV	11.12304G	42.89	54.00	-11.11	27.70	3	Vertical	1	2.94	83	38.38	8.78	31.97
PK	16.6108G	67.58	68.20	-0.62	45.72	3	Vertical	1	1.99	82	40.31	10.68	29.13

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09696G	56.52	74.00	-17.48	41.33	3	Horizontal	350	1.80	83	38.40	8.77	31.98
AV	11.11544G	42.99	54.00	-11.01	27.80	3	Horizontal	350	1.80	83	38.38	8.78	31.97
PK	16.61672G	67.81	68.20	-0.39	45.94	3	Horizontal	27	2.42	83	40.32	10.69	29.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
SET 66
66
3.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66408G	111.36	Inf	-Inf	103.40	3	Vertical	1	1.77	66	34.07	6.60	32.71
AV	5.65464G	100.37	Inf	-Inf	92.38	3	Vertical	1	1.77	66	34.09	6.60	32.70
PK	5.72504G	64.39	68.20	-3.81	56.32	3	Vertical	1	1.77	66	34.20	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 66
80\62\71\66
-6.16\4.33\1.90\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65656G	115.49	Inf	-Inf	107.50	3	Horizontal	360	1.94	66	34.09	6.60	32.70
AV	5.66184G	102.85	Inf	-Inf	94.87	3	Horizontal	360	1.94	66	34.08	6.60	32.70
PK	5.7252G	67.80	68.20	-0.40	59.73	3	Horizontal	360	1.94	66	34.20	6.60	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.362G	56.25	74.00	-17.75	40.83	3	Vertical	183	2.28	66	38.40	8.84	31.82
AV	11.37984G	42.79	54.00	-11.21	27.36	3	Vertical	183	2.28	66	38.40	8.84	31.81
PK	17.02552G	67.00	68.20	-1.20	44.86	3	Vertical	342	1.74	66	41.18	10.81	29.85

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX



EUT Y_4TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.30352G	55.85	74.00	-18.15	40.48	3	Horizontal	86	1.80	66	38.40	8.83	31.86
AV	11.36992G	42.83	54.00	-11.17	27.41	3	Horizontal	86	1.80	66	38.40	8.84	31.82
PK	16.99096G	67.78	68.20	-0.42	45.68	3	Horizontal	74	2.89	66	41.09	10.80	29.79