




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

PSD

6665MHz

16/11/2024

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.739
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.67	-4.67	-7.51	-7.75

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.186227G	-3.80	6.206625G	-34.56	-23.81	-10.75	2
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.387904G	-3.03	6.38325G	-31.13	-23.15	-7.98	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.01729G	-2.90	5.943G	-27.46	-23.07	-4.39	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.1764G	-3.27	6.434G	-49.38	-43.27	-6.11	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.40497G	-4.64	6.9886G	-47.51	-44.64	-2.87	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.538899G	-3.46	6.546875G	-34.62	-23.49	-11.13	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.842901G	-2.95	6.8665G	-31.46	-22.99	-8.47	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.7741G	-2.82	6.8267G	-28.17	-22.82	-5.35	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.59162G	-2.86	6.914G	-49.11	-42.86	-6.25	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.946552G	-3.56	5.943025G	-35.51	-23.58	-11.93	1
5955MHz	Pass	5.949126G	-3.61	5.966725G	-34.79	-23.61	-11.18	2
6195MHz	Pass	6.185827G	-3.66	6.2069G	-34.46	-20.56	-13.90	1
6195MHz	Pass	6.186227G	-3.80	6.206625G	-34.56	-23.81	-10.75	2
6415MHz	Pass	6.422623G	-3.51	6.402775G	-36.93	-23.51	-13.42	1
6415MHz	Pass	6.41305G	-3.94	6.4032G	-35.94	-23.24	-12.70	2
6535MHz	Pass	6.538899G	-3.46	6.546875G	-34.62	-23.49	-11.13	1
6535MHz	Pass	6.541573G	-3.36	6.54705G	-36.82	-23.42	-13.40	2
6695MHz	Pass	6.690251G	-3.54	6.70685G	-35.10	-23.58	-11.52	1
6695MHz	Pass	6.703248G	-3.56	6.683075G	-36.11	-23.61	-12.50	2
6855MHz	Pass	6.846252G	-3.69	6.905G	-58.34	-43.69	-14.65	1
6855MHz	Pass	6.846502G	-3.96	6.86675G	-35.89	-23.96	-11.93	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.982646G	-2.65	5.98685G	-31.75	-22.74	-9.01	1
5965MHz	Pass	5.955302G	-2.61	5.98735G	-34.23	-22.64	-11.59	2
6205MHz	Pass	6.195202G	-3.10	6.2276G	-34.91	-23.25	-11.66	1
6205MHz	Pass	6.199101G	-2.83	6.2969G	-55.49	-42.83	-12.66	2
6405MHz	Pass	6.409199G	-2.41	6.4271G	-32.62	-22.42	-10.20	1
6405MHz	Pass	6.387904G	-3.03	6.38325G	-31.13	-23.15	-7.98	2
6565MHz	Pass	6.547454G	-2.22	6.5871G	-31.88	-22.26	-9.62	1
6565MHz	Pass	6.562301G	-2.83	6.58675G	-32.00	-22.84	-9.16	2
6685MHz	Pass	6.677002G	-2.64	6.70735G	-33.83	-22.71	-11.12	1
6685MHz	Pass	6.699646G	-2.68	6.70735G	-34.20	-22.68	-11.52	2
6845MHz	Pass	6.858647G	-2.98	6.8672G	-33.41	-22.99	-10.42	1
6845MHz	Pass	6.842901G	-2.95	6.8665G	-31.46	-22.99	-8.47	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01729G	-2.90	5.943G	-27.46	-23.07	-4.39	1
5985MHz	Pass	5.9885G	-2.83	6.0271G	-28.67	-22.89	-5.78	2
6225MHz	Pass	6.25459G	-3.01	6.2694G	-31.44	-23.02	-8.42	1
6225MHz	Pass	6.25999G	-2.90	6.1826G	-29.39	-22.91	-6.48	2
6385MHz	Pass	6.3908G	-2.98	6.3432G	-27.85	-23.04	-4.81	1
6385MHz	Pass	6.42229G	-2.91	6.3411G	-31.28	-22.93	-8.35	2
6625MHz	Pass	6.59461G	-2.96	6.5811G	-30.82	-23.07	-7.75	1
6625MHz	Pass	6.65039G	-2.20	6.6673G	-28.62	-22.23	-6.39	2
6705MHz	Pass	6.7025G	-2.13	6.7489G	-30.57	-22.13	-8.44	1
6705MHz	Pass	6.7072G	-2.17	6.7477G	-28.39	-22.19	-6.20	2
6785MHz	Pass	6.75791G	-3.10	6.828G	-29.68	-22.70	-6.98	1
6785MHz	Pass	6.7741G	-2.82	6.8267G	-28.17	-22.82	-5.35	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09358G	-3.28	6.2808G	-49.83	-43.28	-6.55	1
6025MHz	Pass	6.0362G	-3.37	6.383G	-49.92	-43.37	-6.55	2
6185MHz	Pass	6.25358G	-3.30	6.4602G	-49.56	-43.30	-6.26	1
6185MHz	Pass	6.1764G	-3.27	6.434G	-49.38	-43.27	-6.11	2
6345MHz	Pass	6.31681G	-3.23	6.6038G	-50.86	-43.23	-7.63	1
6345MHz	Pass	6.3416G	-3.35	6.6134G	-50.10	-43.35	-6.75	2
6665MHz	Pass	6.59162G	-2.86	6.914G	-49.11	-42.86	-6.25	1
6665MHz	Pass	6.73918G	-2.89	6.9658G	-49.15	-42.89	-6.26	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.25496G	-4.29	6.901G	-48.51	-44.29	-4.22	1
6105MHz	Pass	5.97183G	-4.55	6.8998G	-48.26	-44.55	-3.71	2
6265MHz	Pass	6.29339G	-4.51	6.997G	-47.99	-44.51	-3.48	1
6265MHz	Pass	6.40497G	-4.64	6.9886G	-47.51	-44.64	-2.87	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

06/12/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.185827G	-3.66	6.2069G	-34.46	-20.56	-13.90	1
6.186227G	-3.80	6.206625G	-34.56	-23.81	-10.75	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

06/12/2024

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409199G	-2.41	6.4271G	-32.62	-22.42	-10.20	1
6.387904G	-3.03	6.38325G	-31.13	-23.15	-7.98	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

06/12/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01729G	-2.90	5.943G	-27.46	-23.07	-4.39	1
5.9885G	-2.83	6.0271G	-28.67	-22.89	-5.78	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

06/12/2024

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25358G	-3.30	6.4602G	-49.56	-43.30	-6.26	1
6.1764G	-3.27	6.434G	-49.38	-43.27	-6.11	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

06/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.29339G	-4.51	6.997G	-47.99	-44.51	-3.48	1
6.40497G	-4.64	6.9886G	-47.51	-44.64	-2.87	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

06/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538899G	-3.46	6.546875G	-34.62	-23.49	-11.13	1
6.541573G	-3.36	6.54705G	-36.82	-23.42	-13.40	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

06/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.858647G	-2.98	6.8672G	-33.41	-22.99	-10.42	1
6.842901G	-2.95	6.8665G	-31.46	-22.99	-8.47	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

06/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75791G	-3.10	6.828G	-29.68	-22.70	-6.98	1
6.7741G	-2.82	6.8267G	-28.17	-22.82	-5.35	2




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

06/12/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59162G	-2.86	6.914G	-49.11	-42.86	-6.25	1
6.73918G	-2.89	6.9658G	-49.15	-42.89	-6.26	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.958574G	-0.46	5.943425G	-31.41	-20.57	-10.84	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.418447G	-1.70	6.42755G	-33.34	-21.72	-11.62	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.01249G	-1.06	6.0276G	-27.06	-21.06	-6.00	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.09498G	-1.41	6.4108G	-50.44	-41.41	-9.03	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.2758G	-0.89	6.959G	-46.90	-40.89	-6.01	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.861573G	-1.81	6.8667G	-32.44	-21.88	-10.56	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.668804G	-0.62	6.70715G	-29.32	-20.12	-9.20	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.64959G	-0.91	6.6699G	-29.19	-20.93	-8.26	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.6724G	-0.79	6.991G	-49.39	-40.79	-8.60	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958574G	-0.46	5.943425G	-31.41	-20.57	-10.84	1
5955MHz	Pass	5.960474G	-2.09	5.942775G	-36.98	-22.09	-14.89	2
6195MHz	Pass	6.188052G	-1.03	6.182975G	-33.53	-21.16	-12.37	1
6195MHz	Pass	6.204148G	-2.00	6.182875G	-34.55	-22.10	-12.45	2
6415MHz	Pass	6.406452G	-1.54	6.42705G	-35.45	-21.44	-14.01	1
6415MHz	Pass	6.423623G	-3.29	6.42725G	-37.02	-22.19	-14.83	2
6535MHz	Pass	6.526352G	-1.03	6.523G	-34.89	-21.03	-13.86	1
6535MHz	Pass	6.525902G	-2.68	6.52235G	-38.63	-22.80	-15.83	2
6695MHz	Pass	6.691326G	-1.47	6.707125G	-35.30	-21.61	-13.69	1
6695MHz	Pass	6.687127G	-2.50	6.68305G	-35.34	-22.00	-13.34	2
6855MHz	Pass	6.861573G	-1.81	6.8667G	-32.44	-21.88	-10.56	1
6855MHz	Pass	6.864173G	-3.08	6.8669G	-34.71	-23.11	-11.60	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.983345G	0.48	5.9416G	-34.65	-19.57	-15.08	1
5965MHz	Pass	5.979946G	-0.57	5.98755G	-32.07	-19.27	-12.80	2
6205MHz	Pass	6.2067G	-0.21	6.18225G	-32.05	-20.26	-11.79	1
6205MHz	Pass	6.211398G	-1.33	6.2287G	-36.25	-21.37	-14.88	2
6405MHz	Pass	6.421796G	-0.48	6.42765G	-32.48	-20.54	-11.94	1
6405MHz	Pass	6.418447G	-1.70	6.42755G	-33.34	-21.72	-11.62	2
6565MHz	Pass	6.570399G	-0.53	6.5424G	-31.45	-20.59	-10.86	1
6565MHz	Pass	6.557002G	-1.85	6.5874G	-33.45	-21.90	-11.55	2
6685MHz	Pass	6.668804G	-0.62	6.70715G	-29.32	-20.12	-9.20	1
6685MHz	Pass	6.671103G	-1.65	6.66225G	-33.98	-21.68	-12.30	2
6845MHz	Pass	6.861746G	-0.90	6.8221G	-33.79	-20.90	-12.89	1
6845MHz	Pass	6.854798G	-2.10	6.8674G	-34.60	-22.10	-12.50	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9955G	0.13	5.9408G	-28.03	-19.95	-8.08	1
5985MHz	Pass	6.01249G	-1.06	6.0276G	-27.06	-21.06	-6.00	2
6225MHz	Pass	6.2094G	-0.44	6.1799G	-30.09	-20.48	-9.61	1
6225MHz	Pass	6.2301G	-1.47	6.1801G	-30.99	-21.47	-9.52	2
6385MHz	Pass	6.40619G	-0.45	6.4304G	-29.96	-20.48	-9.48	1
6385MHz	Pass	6.3745G	-1.86	6.43G	-31.92	-21.90	-10.02	2
6625MHz	Pass	6.64959G	-0.91	6.6699G	-29.19	-20.93	-8.26	1
6625MHz	Pass	6.6147G	-1.93	6.6697G	-31.44	-21.96	-9.48	2
6705MHz	Pass	6.7095G	-0.77	6.75G	-30.42	-20.79	-9.63	1
6705MHz	Pass	6.67111G	-2.11	6.6608G	-30.86	-22.15	-8.71	2
6785MHz	Pass	6.82289G	-1.07	6.8305G	-31.06	-21.12	-9.94	1
6785MHz	Pass	6.75461G	-2.06	6.83G	-31.57	-22.08	-9.49	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0192G	-0.58	6.2824G	-50.96	-40.58	-10.38	1
6025MHz	Pass	6.09498G	-1.41	6.4108G	-50.44	-41.41	-9.03	2
6185MHz	Pass	6.12182G	-0.34	6.5032G	-50.65	-40.34	-10.31	1
6185MHz	Pass	6.25318G	-1.28	6.4462G	-50.75	-41.28	-9.47	2
6345MHz	Pass	6.41638G	-0.82	6.0854G	-50.22	-40.82	-9.40	1
6345MHz	Pass	6.41138G	-1.86	6.607G	-51.31	-41.86	-9.45	2
6665MHz	Pass	6.6724G	-0.79	6.991G	-49.39	-40.79	-8.60	1
6665MHz	Pass	6.59302G	-1.63	6.9704G	-50.28	-41.63	-8.65	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.14899G	0.74	6.6126G	-46.91	-39.26	-7.65	1
6105MHz	Pass	6.25416G	0.32	6.6142G	-46.90	-39.68	-7.22	2
6265MHz	Pass	6.17142G	0.04	6.9974G	-46.49	-39.96	-6.53	1
6265MHz	Pass	6.2758G	-0.89	6.959G	-46.90	-40.89	-6.01	2


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

13/11/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958574G	-0.46	5.943425G	-31.41	-20.57	-10.84	1
5.960474G	-2.09	5.942775G	-36.98	-22.09	-14.89	2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

11/12/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.421796G	-0.48	6.42765G	-32.48	-20.54	-11.94	1
6.418447G	-1.70	6.42755G	-33.34	-21.72	-11.62	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

13/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

13/11/2024



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

13/11/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17142G	0.04	6.9974G	-46.49	-39.96	-6.53	1
6.2758G	-0.89	6.959G	-46.90	-40.89	-6.01	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

11/12/2024

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.861573G	-1.81	6.8667G	-32.44	-21.88	-10.56	1
6.864173G	-3.08	6.8669G	-34.71	-23.11	-11.60	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

13/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.668804G	-0.62	6.70715G	-29.32	-20.12	-9.20	1
6.671103G	-1.65	6.66225G	-33.98	-21.68	-12.30	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

13/11/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64959G	-0.91	6.6699G	-29.19	-20.93	-8.26	1
6.6147G	-1.93	6.6697G	-31.44	-21.96	-9.48	2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

13/11/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6724G	-0.79	6.991G	-49.39	-40.79	-8.60	1
6.59302G	-1.63	6.9704G	-50.28	-41.63	-8.65	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	6.01839G	-1.69	6.0285G	-32.70	-21.87	-10.83	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	6.39399G	-2.62	6.6066G	-51.87	-42.62	-9.25	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	Pass	6.2742G	-1.64	6.9602G	-47.24	-41.62	-5.62	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	6.6943G	-2.24	6.8347G	-52.76	-42.24	-10.52	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	6.61521G	-2.44	6.9956G	-50.75	-42.44	-8.31	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01839G	-0.67	6.1271G	-54.88	-40.67	-14.21	1
5985MHz	Pass	6.00769G	-1.87	6.0279G	-33.20	-21.93	-11.27	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02039G	-0.54	5.9411G	-33.12	-20.56	-12.56	1
5985MHz	Pass	6.01839G	-1.69	6.0285G	-32.70	-21.87	-10.83	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.19081G	-1.12	6.4222G	-54.43	-41.12	-13.31	1
6225MHz	Pass	6.24869G	-2.10	6.4063G	-54.60	-42.10	-12.50	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.19161G	-1.11	6.3836G	-53.77	-41.11	-12.66	1
6225MHz	Pass	6.19291G	-2.27	6.4003G	-54.51	-42.27	-12.24	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.41509G	-1.04	6.5261G	-54.61	-41.04	-13.57	1
6385MHz	Pass	6.3753G	-2.90	6.5285G	-54.75	-42.90	-11.85	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.35241G	-1.20	6.5298G	-55.16	-41.20	-13.96	1
6385MHz	Pass	6.35401G	-3.15	6.5743G	-55.31	-43.15	-12.16	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.65519G	-1.49	6.4407G	-54.62	-41.49	-13.13	1
6625MHz	Pass	6.59461G	-2.88	6.4375G	-54.75	-42.88	-11.87	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.65809G	-1.15	6.4742G	-54.94	-41.15	-13.79	1
6625MHz	Pass	6.59131G	-2.95	6.4737G	-53.84	-42.95	-10.89	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.73799G	-1.08	6.8953G	-53.86	-41.08	-12.78	1
6705MHz	Pass	6.6943G	-2.24	6.8347G	-52.76	-42.24	-10.52	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.67031G	-1.01	6.9039G	-54.49	-41.01	-13.48	1
6705MHz	Pass	6.67001G	-2.38	6.8337G	-54.50	-42.29	-12.21	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.76141G	-1.57	6.9741G	-53.61	-41.57	-12.04	1
6785MHz	Pass	6.75541G	-3.16	6.9626G	-53.69	-43.16	-10.53	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.75331G	-1.56	6.9816G	-54.13	-41.56	-12.57	1
6785MHz	Pass	6.81159G	-3.28	6.9716G	-54.05	-43.28	-10.77	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08179G	-0.83	6.2876G	-51.60	-40.83	-10.77	1
6025MHz	Pass	6.07679G	-1.71	6.4158G	-51.28	-41.71	-9.57	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0312G	-1.26	6.3952G	-52.00	-41.26	-10.74	1
6025MHz	Pass	6.09798G	-1.67	6.4078G	-51.44	-41.67	-9.77	2
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06979G	-1.10	6.3946G	-52.04	-41.10	-10.94	1
6025MHz	Pass	6.10178G	-2.03	6.29G	-51.39	-42.03	-9.36	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.14221G	-1.01	6.5058G	-51.41	-41.01	-10.40	1
6185MHz	Pass	6.23679G	-2.25	6.4594G	-51.57	-42.25	-9.32	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.2018G	-0.76	6.4568G	-51.77	-40.76	-11.01	1
6185MHz	Pass	6.1938G	-2.18	6.4428G	-51.73	-42.18	-9.55	2
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.13101G	-0.53	6.4516G	-51.31	-40.53	-10.78	1
6185MHz	Pass	6.23159G	-2.30	6.4548G	-51.58	-42.30	-9.28	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.38959G	-1.38	6.6676G	-51.25	-41.38	-9.87	1
6345MHz	Pass	6.39399G	-2.62	6.6066G	-51.87	-42.62	-9.25	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.30221G	-1.58	6.124G	-45.92	-36.57	-9.35	1
6345MHz	Pass	6.41498G	-2.27	6.601G	-52.02	-42.27	-9.75	2
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.42038G	-1.66	6.6094G	-51.78	-41.66	-10.12	1
6345MHz	Pass	6.39479G	-3.10	6.733G	-52.48	-43.10	-9.38	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.70279G	-1.45	6.9892G	-50.37	-41.45	-8.92	1
6665MHz	Pass	6.61521G	-2.44	6.9956G	-50.75	-42.44	-8.31	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6772G	-0.95	6.9458G	-50.68	-40.95	-9.73	1
6665MHz	Pass	6.678G	-2.25	6.9424G	-51.16	-42.25	-8.91	2
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.72119G	-1.78	6.9908G	-50.78	-41.78	-9.00	1
6665MHz	Pass	6.71239G	-2.77	6.9864G	-51.12	-42.77	-8.35	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.06101G	-0.04	6.6126G	-47.63	-39.98	-7.65	1
6105MHz	Pass	6.17258G	-0.31	6.615G	-47.43	-40.31	-7.12	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05101G	0.27	6.611G	-48.42	-39.65	-8.77	1
6105MHz	Pass	6.17498G	-0.89	6.6114G	-48.43	-40.85	-7.58	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0894G	-0.03	6.6122G	-48.20	-40.00	-8.20	1
6105MHz	Pass	6.17698G	-0.41	6.613G	-47.48	-40.32	-7.16	2
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.19338G	0.27	6.7434G	-47.96	-39.76	-8.20	1
6105MHz	Pass	6.19818G	0.01	6.6182G	-48.03	-39.97	-8.06	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16782G	-0.37	6.9854G	-47.26	-40.36	-6.90	1
6265MHz	Pass	6.2742G	-1.64	6.9602G	-47.24	-41.62	-5.62	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19222G	-0.58	6.9754G	-47.45	-40.59	-6.86	1
6265MHz	Pass	6.37897G	-2.03	6.9834G	-47.67	-42.01	-5.66	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19782G	-0.28	6.953G	-47.24	-40.28	-6.96	1
6265MHz	Pass	6.2594G	-1.18	6.977G	-47.32	-41.22	-6.10	2
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17782G	-0.40	6.9958G	-47.46	-40.41	-7.05	1
6265MHz	Pass	6.35218G	-1.37	6.9822G	-47.67	-41.33	-6.34	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

MASK

5985MHz_TX

08/01/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6345MHz_TX

08/01/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

MASK

6265MHz_TX

08/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16782G	-0.37	6.9854G	-47.26	-40.36	-6.90	1
6.2742G	-1.64	6.9602G	-47.24	-41.62	-5.62	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

MASK

6705MHz_TX

08/01/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.73799G	-1.08	6.8953G	-53.86	-41.08	-12.78	1
6.6943G	-2.24	6.8347G	-52.76	-42.24	-10.52	2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6665MHz_TX

08/01/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70279G	-1.45	6.9892G	-50.37	-41.45	-8.92	1
6.61521G	-2.44	6.9956G	-50.75	-42.44	-8.31	2



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	Pass	6.01099G	-1.11	6.0283G	-32.07	-21.25	-10.82	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	Pass	6.028G	-1.81	6.4146G	-50.58	-41.81	-8.77	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	Pass	6.23661G	-1.64	6.9714G	-46.88	-41.64	-5.24	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	Pass	6.81059G	-2.24	6.9566G	-53.08	-42.24	-10.84	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	Pass	6.652G	-1.84	6.9972G	-50.10	-41.84	-8.26	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00789G	-0.07	6.029G	-34.38	-20.11	-14.27	1
5985MHz	Pass	6.01099G	-1.11	6.0283G	-32.07	-21.25	-10.82	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01769G	-0.07	6.1734G	-54.38	-40.07	-14.31	1
5985MHz	Pass	6.01619G	-1.23	6.1758G	-53.90	-41.23	-12.67	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01179G	-0.43	6.0302G	-34.49	-20.59	-13.90	1
5985MHz	Pass	6.01469G	-1.19	6.1727G	-54.02	-41.19	-12.83	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9937G	0.14	6.1738G	-54.19	-39.86	-14.33	1
5985MHz	Pass	5.9947G	-0.91	6.1434G	-53.97	-40.91	-13.06	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2128G	-0.50	6.4125G	-54.07	-40.50	-13.57	1
6225MHz	Pass	6.25939G	-1.87	6.4156G	-53.87	-41.87	-12.00	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.18751G	-0.75	6.4099G	-53.83	-40.75	-13.08	1
6225MHz	Pass	6.25559G	-1.78	6.4084G	-53.90	-41.78	-12.12	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.18911G	-0.32	6.4104G	-53.75	-40.32	-13.43	1
6225MHz	Pass	6.25719G	-1.80	6.4117G	-53.81	-41.80	-12.01	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.19141G	-0.60	6.4117G	-54.08	-40.60	-13.48	1
6225MHz	Pass	6.2106G	-1.89	6.3944G	-54.08	-41.89	-12.19	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.4015G	-0.82	6.5719G	-54.05	-40.82	-13.23	1
6385MHz	Pass	6.393G	-2.28	6.5671G	-54.13	-42.28	-11.85	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.41979G	-0.69	6.5178G	-53.74	-40.69	-13.05	1
6385MHz	Pass	6.41279G	-2.15	6.5412G	-54.06	-42.15	-11.91	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.35791G	-0.82	6.2447G	-53.87	-40.82	-13.05	1
6385MHz	Pass	6.40949G	-2.38	6.5833G	-54.06	-42.38	-11.68	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.3742G	-0.86	6.5844G	-54.01	-40.86	-13.15	1
6385MHz	Pass	6.35591G	-2.20	6.5714G	-54.22	-42.20	-12.02	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.65359G	-0.96	6.8101G	-53.97	-40.96	-13.01	1
6625MHz	Pass	6.6358G	-2.56	6.4294G	-54.30	-42.56	-11.74	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6395G	-1.09	6.4916G	-53.87	-41.09	-12.78	1
6625MHz	Pass	6.59301G	-2.37	6.4343G	-54.17	-42.37	-11.80	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.65899G	-1.02	6.8172G	-53.75	-41.02	-12.73	1
6625MHz	Pass	6.65339G	-2.40	6.4524G	-54.22	-42.40	-11.82	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6223G	-1.18	6.8186G	-54.07	-41.18	-12.89	1
6625MHz	Pass	6.59361G	-2.59	6.4408G	-54.19	-42.59	-11.60	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.7111G	-0.90	6.8713G	-53.59	-40.90	-12.69	1
6705MHz	Pass	6.6969G	-2.25	6.8913G	-53.68	-42.25	-11.43	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.7115G	-0.90	6.8392G	-53.54	-40.90	-12.64	1
6705MHz	Pass	6.7132G	-2.26	6.8847G	-53.70	-42.26	-11.44	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-



Mask Non-Beamforming Radio 2 Channel Puncturing O-435 Appendix E.4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6705MHz	Pass	6.73609G	-0.94	6.8907G	-53.21	-40.94	-12.27	1
6705MHz	Pass	6.67241G	-2.29	6.5682G	-53.83	-42.29	-11.54	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.66931G	-0.95	6.9038G	-53.49	-40.95	-12.54	1
6705MHz	Pass	6.7149G	-2.24	6.5638G	-53.76	-42.24	-11.52	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.7679G	-1.21	6.9829G	-53.10	-41.21	-11.89	1
6785MHz	Pass	6.81059G	-2.24	6.9566G	-53.08	-42.24	-10.84	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82039G	-1.37	6.9628G	-52.71	-41.37	-11.34	1
6785MHz	Pass	6.75241G	-2.04	6.9532G	-53.05	-42.04	-11.01	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82159G	-1.35	6.9844G	-52.92	-41.35	-11.57	1
6785MHz	Pass	6.80929G	-1.99	6.9601G	-52.91	-41.99	-10.92	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.804G	-1.39	6.9775G	-53.16	-41.39	-11.77	1
6785MHz	Pass	6.75321G	-1.87	6.9496G	-53.03	-41.87	-11.16	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05959G	-0.55	6.2898G	-51.15	-40.55	-10.60	1
6025MHz	Pass	6.09058G	-1.71	6.3872G	-50.82	-41.71	-9.11	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09958G	-0.71	6.295G	-51.25	-40.71	-10.54	1
6025MHz	Pass	6.07619G	-1.72	6.4078G	-50.74	-41.72	-9.02	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0298G	-0.74	6.2874G	-51.13	-40.74	-10.39	1
6025MHz	Pass	6.07619G	-1.46	6.3958G	-50.69	-41.46	-9.23	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0326G	-0.53	6.2876G	-51.06	-40.53	-10.53	1
6025MHz	Pass	6.09598G	-1.56	6.2836G	-50.53	-41.56	-8.97	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05699G	-0.64	6.2866G	-50.91	-40.64	-10.27	1
6025MHz	Pass	6.07519G	-1.16	6.4038G	-50.79	-41.16	-9.63	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04G	-0.86	6.283G	-50.87	-40.85	-10.02	1
6025MHz	Pass	6.09838G	-1.51	6.374G	-50.77	-41.51	-9.26	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05699G	-0.84	6.2834G	-51.11	-40.84	-10.27	1
6025MHz	Pass	6.08818G	-1.64	6.3262G	-50.78	-41.64	-9.14	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0324G	-0.92	6.2896G	-51.29	-40.92	-10.37	1
6025MHz	Pass	6.07239G	-1.51	6.4212G	-50.77	-41.51	-9.26	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0284G	-0.86	6.4104G	-51.15	-40.86	-10.29	1
6025MHz	Pass	6.09478G	-1.86	6.3892G	-50.95	-41.86	-9.09	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07199G	-1.01	6.3816G	-51.26	-41.01	-10.25	1
6025MHz	Pass	6.07259G	-1.71	6.4092G	-50.80	-41.71	-9.09	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0166G	-1.09	6.3962G	-51.40	-41.09	-10.31	1
6025MHz	Pass	6.10098G	-1.75	6.4012G	-50.92	-41.75	-9.17	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04799G	-1.17	6.2898G	-51.50	-41.17	-10.33	1
6025MHz	Pass	6.028G	-1.81	6.4146G	-50.58	-41.81	-8.77	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.13821G	-0.67	6.449G	-50.86	-40.67	-10.19	1
6185MHz	Pass	6.22999G	-1.47	6.4524G	-50.89	-41.47	-9.42	2



Mask Non-Beamforming Radio 2 Channel Puncturing O-435 Appendix E.4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1686G	-0.75	6.4558G	-50.93	-40.75	-10.18	1
6185MHz	Pass	6.21659G	-1.11	6.4418G	-50.78	-41.11	-9.67	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.13121G	-0.68	6.4428G	-50.81	-40.68	-10.13	1
6185MHz	Pass	6.23099G	-1.49	6.4474G	-50.77	-41.49	-9.28	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.14821G	-0.69	6.46G	-50.83	-40.69	-10.14	1
6185MHz	Pass	6.22119G	-1.43	6.4408G	-50.68	-41.43	-9.25	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.13221G	-0.65	6.4598G	-50.70	-40.65	-10.05	1
6185MHz	Pass	6.21479G	-1.30	6.446G	-50.72	-41.30	-9.42	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.12621G	-0.72	6.4676G	-50.59	-40.72	-9.87	1
6185MHz	Pass	6.25438G	-1.39	6.4498G	-50.94	-41.39	-9.55	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.15181G	-0.83	6.4528G	-50.84	-40.83	-10.01	1
6185MHz	Pass	6.25318G	-1.34	6.4776G	-50.76	-41.34	-9.42	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1804G	-0.73	6.4652G	-50.75	-40.73	-10.02	1
6185MHz	Pass	6.1954G	-1.34	6.4638G	-50.77	-41.34	-9.43	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1898G	-0.88	6.4616G	-50.89	-40.88	-10.01	1
6185MHz	Pass	6.21139G	-1.90	6.5142G	-50.98	-41.90	-9.08	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.14181G	-0.92	6.4456G	-50.85	-40.72	-10.13	1
6185MHz	Pass	6.20979G	-1.54	6.446G	-51.03	-41.54	-9.49	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.174G	-0.57	6.448G	-50.78	-40.57	-10.21	1
6185MHz	Pass	6.25438G	-1.18	6.456G	-50.88	-41.18	-9.70	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1758G	-0.61	6.4492G	-50.87	-40.61	-10.26	1
6185MHz	Pass	6.21339G	-1.17	6.449G	-50.73	-41.17	-9.56	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29181G	-1.18	6.6498G	-50.61	-41.18	-9.43	1
6345MHz	Pass	6.41358G	-2.11	6.5998G	-51.45	-42.11	-9.34	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.38899G	-1.19	6.6782G	-50.67	-41.19	-9.48	1
6345MHz	Pass	6.41198G	-1.91	6.6128G	-51.20	-41.91	-9.29	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27942G	-1.17	6.6046G	-50.37	-41.17	-9.20	1
6345MHz	Pass	6.41198G	-2.12	6.6068G	-51.01	-42.12	-8.89	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.39079G	-1.06	6.0828G	-50.51	-41.06	-9.45	1
6345MHz	Pass	6.37499G	-1.82	6.6258G	-51.25	-41.82	-9.43	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.40978G	-0.88	6.0866G	-50.19	-40.84	-9.35	1
6345MHz	Pass	6.40998G	-1.80	6.612G	-51.34	-41.80	-9.54	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.39479G	-1.02	6.6054G	-50.35	-41.02	-9.33	1
6345MHz	Pass	6.38939G	-1.89	6.6022G	-51.07	-41.68	-9.39	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.41238G	-0.93	6.6082G	-50.37	-40.93	-9.44	1
6345MHz	Pass	6.37019G	-1.71	6.63G	-51.19	-41.71	-9.48	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29541G	-0.96	6.6086G	-50.45	-40.96	-9.49	1



Mask Non-Beamforming Radio 2 Channel Puncturing O-435

Appendix E.4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.39339G	-1.64	6.6156G	-51.30	-41.64	-9.66	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.37859G	-0.94	6.6548G	-50.58	-40.94	-9.64	1
6345MHz	Pass	6.39219G	-1.95	6.615G	-51.45	-41.95	-9.50	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.39539G	-0.83	6.6762G	-50.60	-40.83	-9.77	1
6345MHz	Pass	6.37359G	-1.61	6.6152G	-51.37	-41.61	-9.76	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.28901G	-1.39	6.7146G	-50.80	-41.39	-9.41	1
6345MHz	Pass	6.38959G	-2.12	6.636G	-51.31	-42.12	-9.19	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.3414G	-1.29	6.6394G	-50.80	-41.29	-9.51	1
6345MHz	Pass	6.37179G	-2.12	6.6068G	-51.43	-42.12	-9.31	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.673G	-0.92	6.9922G	-49.49	-40.92	-8.57	1
6665MHz	Pass	6.652G	-1.84	6.9972G	-50.10	-41.84	-8.26	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.64101G	-0.86	6.9836G	-49.33	-40.86	-8.47	1
6665MHz	Pass	6.59242G	-1.88	6.9868G	-50.28	-41.88	-8.40	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.71439G	-0.77	6.9668G	-49.41	-40.77	-8.64	1
6665MHz	Pass	6.59422G	-1.94	6.9818G	-50.27	-41.94	-8.33	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.69919G	-0.87	6.9924G	-49.36	-40.87	-8.49	1
6665MHz	Pass	6.59042G	-1.92	6.9788G	-50.37	-41.92	-8.45	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.71719G	-0.87	6.959G	-49.48	-40.87	-8.61	1
6665MHz	Pass	6.59782G	-1.82	6.9906G	-50.33	-41.82	-8.51	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.64041G	-0.78	6.9892G	-49.08	-40.78	-8.30	1
6665MHz	Pass	6.61281G	-1.79	6.9706G	-50.37	-41.79	-8.58	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.63781G	-0.76	6.9552G	-49.57	-40.76	-8.81	1
6665MHz	Pass	6.61261G	-1.85	6.9874G	-50.14	-41.85	-8.29	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61261G	-0.67	6.9808G	-49.48	-40.67	-8.81	1
6665MHz	Pass	6.59242G	-1.88	6.9906G	-50.22	-41.88	-8.34	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.63681G	-0.70	6.968G	-49.46	-40.70	-8.76	1
6665MHz	Pass	6.6538G	-1.60	6.9976G	-50.24	-41.60	-8.64	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6712G	-0.69	6.9862G	-49.49	-40.69	-8.80	1
6665MHz	Pass	6.59322G	-1.49	6.9598G	-50.35	-41.49	-8.86	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.62861G	-0.69	6.9684G	-49.69	-40.69	-9.00	1
6665MHz	Pass	6.59642G	-1.60	6.9872G	-50.38	-41.60	-8.78	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.673G	-0.56	6.9826G	-49.65	-40.56	-9.09	1
6665MHz	Pass	6.63581G	-1.69	6.9596G	-50.37	-41.69	-8.68	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1206G	0.48	6.6114G	-47.37	-39.50	-7.87	1
6105MHz	Pass	6.25376G	-0.04	6.6114G	-46.95	-40.05	-6.90	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1206G	0.53	6.6218G	-47.27	-39.49	-7.78	1
6105MHz	Pass	6.21297G	0.01	6.6106G	-47.12	-39.99	-7.13	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-



Mask Non-Beamforming Radio 2 Channel Puncturing O-435

Appendix E.4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.1162G	0.44	6.6358G	-47.10	-39.53	-7.57	1
6105MHz	Pass	6.25376G	0.15	6.6138G	-46.95	-39.85	-7.10	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13659G	0.25	6.6174G	-47.04	-39.70	-7.34	1
6105MHz	Pass	6.23377G	0.05	6.6178G	-46.98	-39.86	-7.12	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.093G	0.28	6.6186G	-47.10	-39.73	-7.37	1
6105MHz	Pass	6.25296G	0.29	6.6234G	-46.95	-39.73	-7.22	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1118G	0.21	6.6258G	-47.12	-39.77	-7.35	1
6105MHz	Pass	6.21017G	0.20	6.625G	-47.19	-39.76	-7.43	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.113G	0.04	6.6182G	-47.36	-39.93	-7.43	1
6105MHz	Pass	6.23657G	0.16	6.6202G	-47.09	-39.87	-7.22	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13259G	0.15	6.6214G	-47.40	-39.86	-7.54	1
6105MHz	Pass	6.21697G	-0.03	6.6218G	-47.10	-40.03	-7.07	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13339G	0.64	6.905G	-47.60	-39.39	-8.21	1
6105MHz	Pass	6.23457G	-0.24	6.633G	-47.43	-40.26	-7.17	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1118G	0.47	6.631G	-47.11	-39.53	-7.58	1
6105MHz	Pass	6.25456G	0.20	6.6162G	-47.00	-39.80	-7.20	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0982G	0.22	6.6174G	-47.37	-39.77	-7.60	1
6105MHz	Pass	6.25576G	0.36	6.6166G	-47.28	-39.65	-7.63	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1158G	-0.02	6.619G	-47.65	-40.02	-7.63	1
6105MHz	Pass	6.17578G	-0.04	6.613G	-47.16	-40.02	-7.14	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0882G	0.48	6.6186G	-47.56	-39.48	-8.08	1
6105MHz	Pass	6.16938G	0.19	6.6126G	-47.30	-39.78	-7.52	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0914G	0.70	6.6222G	-47.47	-39.34	-8.13	1
6105MHz	Pass	6.17578G	0.39	6.6122G	-47.27	-39.54	-7.73	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0918G	0.54	6.6162G	-47.44	-39.43	-8.01	1
6105MHz	Pass	6.17418G	0.60	6.6206G	-46.99	-39.37	-7.62	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13099G	0.38	6.6186G	-47.44	-39.62	-7.82	1
6105MHz	Pass	6.17338G	0.59	6.6162G	-47.13	-39.43	-7.70	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.06941G	0.43	6.6214G	-47.63	-39.58	-8.05	1
6105MHz	Pass	6.17778G	0.54	6.6122G	-47.15	-39.42	-7.73	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0906G	0.19	6.6254G	-47.67	-39.82	-7.85	1
6105MHz	Pass	6.13659G	0.45	6.6158G	-47.53	-39.54	-7.99	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.115G	0.91	6.8222G	-47.61	-39.10	-8.51	1
6105MHz	Pass	6.23097G	-0.35	6.6118G	-47.26	-40.24	-7.02	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1142G	0.64	6.8978G	-47.69	-39.33	-8.36	1
6105MHz	Pass	6.21297G	-0.22	6.6162G	-47.32	-40.24	-7.08	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.093G	0.60	6.6226G	-47.73	-39.42	-8.31	1
6105MHz	Pass	6.23417G	-0.21	6.6186G	-47.38	-40.20	-7.18	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13819G	0.61	6.655G	-47.65	-39.34	-8.31	1
6105MHz	Pass	6.25776G	-0.05	6.665G	-47.59	-40.05	-7.54	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07781G	0.47	6.9038G	-47.65	-39.50	-8.15	1
6105MHz	Pass	6.25816G	-0.16	6.6198G	-47.42	-40.18	-7.24	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.12779G	0.35	6.6198G	-47.75	-39.63	-8.12	1
6105MHz	Pass	6.21177G	0.03	6.6338G	-47.29	-39.98	-7.31	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17382G	-0.10	6.9602G	-46.52	-40.08	-6.44	1
6265MHz	Pass	6.2738G	-1.33	6.9766G	-46.87	-41.32	-5.55	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.11144G	-0.20	6.9778G	-46.44	-40.19	-6.25	1
6265MHz	Pass	6.2738G	-1.18	6.9582G	-46.85	-41.19	-5.66	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.15143G	-0.05	6.9458G	-46.39	-40.04	-6.35	1
6265MHz	Pass	6.2746G	-1.20	6.981G	-46.74	-41.20	-5.54	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17382G	-0.20	6.955G	-46.39	-40.21	-6.18	1
6265MHz	Pass	6.2734G	-1.20	6.9834G	-46.71	-41.21	-5.50	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20581G	-0.23	6.9506G	-46.37	-40.24	-6.13	1
6265MHz	Pass	6.2558G	-1.35	6.9774G	-46.80	-41.36	-5.44	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.12863G	-0.21	6.9742G	-46.51	-40.22	-6.29	1
6265MHz	Pass	6.2706G	-1.03	6.995G	-46.75	-41.03	-5.72	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.13183G	-0.30	6.9878G	-46.62	-40.31	-6.31	1
6265MHz	Pass	6.2754G	-1.13	6.9778G	-46.93	-41.12	-5.81	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.14903G	-0.13	6.977G	-46.66	-40.14	-6.52	1
6265MHz	Pass	6.2726G	-1.03	6.9882G	-46.91	-41.03	-5.88	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20062G	-0.15	6.9978G	-46.74	-40.17	-6.57	1
6265MHz	Pass	6.2726G	-1.50	6.983G	-46.97	-41.48	-5.49	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.12703G	-0.18	6.991G	-46.52	-40.17	-6.35	1
6265MHz	Pass	6.2746G	-1.28	6.9766G	-46.72	-41.27	-5.45	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.15183G	-0.14	6.989G	-46.51	-40.16	-6.35	1
6265MHz	Pass	6.2566G	-1.28	6.997G	-46.87	-41.28	-5.59	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.13543G	-0.08	6.9766G	-46.83	-40.10	-6.73	1
6265MHz	Pass	6.2742G	-0.77	6.9646G	-46.95	-40.78	-6.17	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20781G	-0.27	6.9678G	-46.84	-40.25	-6.59	1
6265MHz	Pass	6.2782G	-1.26	6.9706G	-47.10	-41.27	-5.83	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.13143G	-0.12	6.9858G	-46.74	-40.10	-6.64	1
6265MHz	Pass	6.275G	-1.07	6.9718G	-47.08	-41.06	-6.02	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.13143G	-0.13	6.995G	-46.69	-40.15	-6.54	1
6265MHz	Pass	6.2746G	-1.00	6.9574G	-47.05	-41.03	-6.02	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.13503G	-0.29	6.9698G	-46.81	-40.28	-6.53	1



Mask_Non-Beamforming_Radio 2_Channel Puncturing_O-435 Appendix E.4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6265MHz	Pass	6.2738G	-0.84	6.9926G	-47.09	-40.83	-6.26	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17502G	-0.26	6.9738G	-46.74	-40.25	-6.49	1
6265MHz	Pass	6.257G	-1.06	6.9698G	-46.94	-41.10	-5.84	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17222G	-0.29	6.9818G	-46.93	-40.30	-6.63	1
6265MHz	Pass	6.2742G	-0.82	6.959G	-47.07	-40.83	-6.24	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2534G	-0.05	6.9866G	-46.58	-40.04	-6.54	1
6265MHz	Pass	6.2534G	-1.38	6.9826G	-46.74	-41.42	-5.32	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19502G	-0.23	6.951G	-46.70	-40.22	-6.48	1
6265MHz	Pass	6.2742G	-1.41	6.9766G	-46.71	-41.39	-5.32	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23101G	-0.06	6.987G	-46.49	-40.05	-6.44	1
6265MHz	Pass	6.23661G	-1.64	6.9714G	-46.88	-41.64	-5.24	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19942G	-0.15	6.9958G	-46.73	-40.16	-6.57	1
6265MHz	Pass	6.2758G	-1.51	6.9874G	-46.88	-41.50	-5.38	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19462G	-0.13	6.9742G	-46.72	-40.12	-6.60	1
6265MHz	Pass	6.2742G	-1.36	6.9878G	-46.96	-41.32	-5.64	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19622G	-0.06	6.993G	-46.67	-40.08	-6.59	1
6265MHz	Pass	6.255G	-1.27	6.9886G	-46.80	-41.26	-5.54	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

MASK

5985MHz_TX

13/11/2024

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00789G	-0.07	6.029G	-34.38	-20.11	-14.27	1
6.01099G	-1.11	6.0283G	-32.07	-21.25	-10.82	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

MASK

6025MHz_TX

13/11/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04799G	-1.17	6.2898G	-51.50	-41.17	-10.33	1
6.028G	-1.81	6.4146G	-50.58	-41.81	-8.77	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

MASK

6265MHz_TX

13/11/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23101G	-0.06	6.987G	-46.49	-40.05	-6.44	1
6.23661G	-1.64	6.9714G	-46.88	-41.64	-5.24	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

MASK

6785MHz_TX

13/11/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7679G	-1.21	6.9829G	-53.10	-41.21	-11.89	1
6.81059G	-2.24	6.9566G	-53.08	-42.24	-10.84	2




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX

MASK

6665MHz_TX

13/11/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.673G	-0.92	6.9922G	-49.49	-40.92	-8.57	1
6.652G	-1.84	6.9972G	-50.10	-41.84	-8.26	2

**Summary**

Mode	Result	Ref	Ref	Freq	Level	Limit	Margin	Port
		(Hz)	(dBm)	(Hz)	(dBm)	(dBm)	(dB)	
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.418974G	-5.36	6.403475G	-34.99	-25.40	-9.59	2
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.391203G	-4.20	6.4262G	-31.38	-24.23	-7.15	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.20351G	-4.71	6.1826G	-30.93	-24.74	-6.19	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.15821G	-4.90	6.4344G	-50.17	-44.90	-5.27	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.42056G	-6.39	6.9926G	-48.09	-46.39	-1.70	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.862473G	-5.45	6.8432G	-37.00	-25.54	-11.46	2
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.68415G	-4.40	6.70605G	-31.32	-23.90	-7.42	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.64829G	-4.28	6.6671G	-29.25	-24.29	-4.96	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.68519G	-4.68	6.989G	-49.36	-44.68	-4.68	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962598G	-4.98	5.966925G	-37.22	-24.98	-12.24	1
5955MHz	Pass	5.951526G	-5.23	5.9429G	-38.34	-25.03	-13.31	2
6195MHz	Pass	6.203723G	-5.87	6.2069G	-37.88	-25.88	-12.00	1
6195MHz	Pass	6.186102G	-5.17	6.18315G	-36.21	-25.41	-10.80	2
6415MHz	Pass	6.405852G	-5.27	6.403075G	-37.14	-25.27	-11.87	1
6415MHz	Pass	6.418974G	-5.36	6.403475G	-34.99	-25.40	-9.59	2
6535MHz	Pass	6.544048G	-5.35	6.49895G	-59.21	-45.35	-13.86	1
6535MHz	Pass	6.531851G	-4.99	6.52295G	-37.27	-25.21	-12.06	2
6695MHz	Pass	6.686727G	-5.22	6.7071G	-38.27	-24.52	-13.75	1
6695MHz	Pass	6.700324G	-5.04	6.706925G	-36.67	-25.07	-11.60	2
6855MHz	Pass	6.845777G	-4.97	6.8431G	-36.91	-25.00	-11.91	1
6855MHz	Pass	6.862473G	-5.45	6.8432G	-37.00	-25.54	-11.46	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.981396G	-4.17	5.9875G	-34.98	-24.30	-10.68	1
5965MHz	Pass	5.949204G	-4.42	5.94325G	-32.82	-24.49	-8.33	2
6205MHz	Pass	6.213798G	-4.91	6.2273G	-35.58	-25.07	-10.51	1
6205MHz	Pass	6.194053G	-4.43	6.1832G	-34.43	-24.43	-10.00	2
6405MHz	Pass	6.391203G	-4.20	6.4262G	-31.38	-24.23	-7.15	1
6405MHz	Pass	6.423545G	-4.14	6.49605G	-55.44	-44.14	-11.30	2
6565MHz	Pass	6.567399G	-4.17	6.4926G	-55.60	-44.17	-11.43	1
6565MHz	Pass	6.582146G	-4.46	6.5865G	-33.04	-24.52	-8.52	2
6685MHz	Pass	6.68415G	-4.40	6.70605G	-31.32	-23.90	-7.42	1
6685MHz	Pass	6.690299G	-4.13	6.663G	-33.86	-24.21	-9.65	2
6845MHz	Pass	6.856747G	-4.81	6.94345G	-55.08	-44.81	-10.27	1
6845MHz	Pass	6.828154G	-4.88	6.82325G	-32.92	-25.00	-7.92	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01479G	-4.19	6.0278G	-30.81	-24.19	-6.62	1
5985MHz	Pass	5.9701G	-4.93	5.9424G	-31.33	-24.93	-6.40	2
6225MHz	Pass	6.25489G	-4.28	6.2695G	-32.36	-24.37	-7.99	1
6225MHz	Pass	6.20351G	-4.71	6.1826G	-30.93	-24.74	-6.19	2
6385MHz	Pass	6.3875G	-4.81	6.4294G	-33.65	-24.86	-8.79	1
6385MHz	Pass	6.42329G	-4.36	6.4287G	-32.78	-24.36	-8.42	2
6625MHz	Pass	6.6157G	-4.69	6.6673G	-30.79	-24.70	-6.09	1
6625MHz	Pass	6.64829G	-4.28	6.6671G	-29.25	-24.29	-4.96	2
6705MHz	Pass	6.66801G	-4.29	6.6623G	-30.86	-24.29	-6.57	1
6705MHz	Pass	6.6909G	-4.10	6.6621G	-30.31	-23.90	-6.41	2
6785MHz	Pass	6.81559G	-4.79	6.7423G	-30.45	-24.81	-5.64	1
6785MHz	Pass	6.74811G	-4.99	6.9637G	-52.18	-44.99	-7.19	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09558G	-4.81	6.2832G	-50.30	-44.81	-5.49	1
6025MHz	Pass	6.09258G	-5.25	6.4068G	-50.78	-45.25	-5.53	2
6185MHz	Pass	6.25498G	-4.84	6.4628G	-50.39	-44.84	-5.55	1
6185MHz	Pass	6.15821G	-4.90	6.4344G	-50.17	-44.90	-5.27	2
6345MHz	Pass	6.37079G	-4.97	6.656G	-51.57	-44.97	-6.60	1
6345MHz	Pass	6.40019G	-5.22	6.7068G	-50.89	-45.22	-5.67	2
6665MHz	Pass	6.60122G	-4.68	6.959G	-49.46	-44.68	-4.78	1
6665MHz	Pass	6.68519G	-4.68	6.989G	-49.36	-44.68	-4.68	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.25456G	-5.87	6.8982G	-48.99	-45.87	-3.12	1
6105MHz	Pass	6.16658G	-6.60	6.9038G	-48.56	-46.60	-1.96	2
6265MHz	Pass	6.29019G	-6.28	6.9382G	-48.33	-46.28	-2.05	1
6265MHz	Pass	6.42056G	-6.39	6.9926G	-48.09	-46.39	-1.70	2


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

04/12/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.405852G	-5.27	6.403075G	-37.14	-25.27	-11.87	1
6.418974G	-5.36	6.403475G	-34.99	-25.40	-9.59	2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/12/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.391203G	-4.20	6.4262G	-31.38	-24.23	-7.15	1
6.423545G	-4.14	6.49605G	-55.44	-44.14	-11.30	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

04/12/2024

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25489G	-4.28	6.2695G	-32.36	-24.37	-7.99	1
6.20351G	-4.71	6.1826G	-30.93	-24.74	-6.19	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

04/12/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25498G	-4.84	6.4628G	-50.39	-44.84	-5.55	1
6.15821G	-4.90	6.4344G	-50.17	-44.90	-5.27	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

04/12/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.29019G	-6.28	6.9382G	-48.33	-46.28	-2.05	1
6.42056G	-6.39	6.9926G	-48.09	-46.39	-1.70	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

04/12/2024

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.845777G	-4.97	6.8431G	-36.91	-25.00	-11.91	1
6.862473G	-5.45	6.8432G	-37.00	-25.54	-11.46	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

04/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68415G	-4.40	6.70605G	-31.32	-23.90	-7.42	1
6.690299G	-4.13	6.663G	-33.86	-24.21	-9.65	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

04/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6157G	-4.69	6.6673G	-30.79	-24.70	-6.09	1
6.64829G	-4.28	6.6671G	-29.25	-24.29	-4.96	2




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

04/12/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60122G	-4.68	6.959G	-49.46	-44.68	-4.78	1
6.68519G	-4.68	6.989G	-49.36	-44.68	-4.68	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.406802G	-2.10	6.403025G	-35.03	-22.10	-12.93	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	5.980396G	-0.70	5.9872G	-30.60	-20.82	-9.78	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.01449G	-1.59	6.0294G	-30.24	-21.62	-8.62	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.32221G	-1.99	6.61G	-50.18	-41.99	-8.19	1
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.28979G	-1.17	6.967G	-46.70	-41.17	-5.53	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.850301G	-2.22	6.8432G	-34.56	-22.12	-12.44	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.582846G	-1.88	6.587G	-32.39	-21.92	-10.47	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.7894G	-2.38	6.7404G	-30.65	-22.43	-8.22	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.60302G	-2.41	6.9504G	-49.92	-42.41	-7.51	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.947652G	-1.77	5.96705G	-35.20	-21.67	-13.53	1
5955MHz	Pass	5.962173G	-2.54	5.967G	-34.49	-21.44	-13.05	2
6195MHz	Pass	6.189026G	-2.01	6.182725G	-36.50	-22.10	-14.40	1
6195MHz	Pass	6.185902G	-2.42	6.20715G	-36.00	-22.48	-13.52	2
6415MHz	Pass	6.406802G	-2.10	6.403025G	-35.03	-22.10	-12.93	1
6415MHz	Pass	6.423873G	-3.03	6.40295G	-36.38	-23.07	-13.31	2
6535MHz	Pass	6.542823G	-2.57	6.547125G	-36.04	-22.58	-13.46	1
6535MHz	Pass	6.543173G	-2.60	6.523125G	-35.25	-22.61	-12.64	2
6695MHz	Pass	6.699549G	-2.70	6.682925G	-35.99	-22.72	-13.27	1
6695MHz	Pass	6.686727G	-3.11	6.683025G	-36.72	-23.11	-13.61	2
6855MHz	Pass	6.850301G	-2.22	6.8432G	-34.56	-22.12	-12.44	1
6855MHz	Pass	6.849826G	-3.20	6.86715G	-38.12	-23.21	-14.91	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.980396G	-0.70	5.9872G	-30.60	-20.82	-9.78	1
5965MHz	Pass	5.983245G	-1.55	5.9876G	-33.18	-21.65	-11.53	2
6205MHz	Pass	6.186455G	-0.95	6.22805G	-34.70	-20.85	-13.85	1
6205MHz	Pass	6.220846G	-1.70	6.1823G	-34.77	-21.71	-13.06	2
6405MHz	Pass	6.401951G	-1.51	6.38235G	-33.47	-21.59	-11.88	1
6405MHz	Pass	6.413998G	-2.09	6.42765G	-34.29	-22.23	-12.06	2
6565MHz	Pass	6.582846G	-1.88	6.587G	-32.39	-21.92	-10.47	1
6565MHz	Pass	6.546805G	-2.43	6.5423G	-35.70	-22.46	-13.24	2
6685MHz	Pass	6.668854G	-2.03	6.7076G	-34.21	-22.05	-12.16	1
6685MHz	Pass	6.681151G	-2.55	6.6626G	-34.01	-22.55	-11.46	2
6845MHz	Pass	6.827754G	-1.33	6.8224G	-33.95	-21.35	-12.60	1
6845MHz	Pass	6.829704G	-2.18	6.8223G	-34.89	-21.68	-13.21	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9833G	-1.25	6.0294G	-30.47	-21.26	-9.21	1
5985MHz	Pass	6.01449G	-1.59	6.0294G	-30.24	-21.62	-8.62	2
6225MHz	Pass	6.20481G	-1.72	6.1794G	-31.87	-21.77	-10.10	1
6225MHz	Pass	6.25679G	-2.00	6.1804G	-31.50	-22.03	-9.47	2
6385MHz	Pass	6.3787G	-1.78	6.3401G	-31.05	-21.89	-9.16	1
6385MHz	Pass	6.3924G	-2.47	6.4311G	-33.53	-22.47	-11.06	2
6625MHz	Pass	6.6214G	-2.50	6.5797G	-32.17	-22.54	-9.63	1
6625MHz	Pass	6.6357G	-3.03	6.5802G	-32.74	-23.03	-9.71	2
6705MHz	Pass	6.7194G	-1.99	6.6601G	-31.47	-22.05	-9.42	1
6705MHz	Pass	6.6894G	-2.20	6.659G	-32.44	-22.24	-10.20	2
6785MHz	Pass	6.7662G	-2.04	6.7393G	-32.75	-22.05	-10.70	1
6785MHz	Pass	6.7894G	-2.38	6.7404G	-30.65	-22.43	-8.22	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08459G	-2.00	6.2866G	-50.93	-42.00	-8.93	1
6025MHz	Pass	6.09778G	-2.11	6.3034G	-50.65	-42.11	-8.54	2
6185MHz	Pass	6.1668G	-1.18	6.4498G	-50.19	-41.18	-9.01	1
6185MHz	Pass	6.194G	-1.54	6.4996G	-50.35	-41.54	-8.81	2
6345MHz	Pass	6.32221G	-1.99	6.61G	-50.18	-41.99	-8.19	1
6345MHz	Pass	6.3384G	-2.08	6.605G	-51.32	-42.08	-9.24	2
6665MHz	Pass	6.60302G	-2.41	6.9504G	-49.92	-42.41	-7.51	1
6665MHz	Pass	6.6596G	-2.72	6.9832G	-50.34	-42.72	-7.62	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0854G	-0.33	6.6466G	-46.86	-40.33	-6.53	1
6105MHz	Pass	6.25696G	0.19	6.6202G	-47.18	-39.81	-7.37	2
6265MHz	Pass	6.28979G	-1.17	6.967G	-46.70	-41.17	-5.53	1
6265MHz	Pass	6.33458G	-1.13	6.9942G	-46.73	-41.13	-5.60	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

16/11/2024

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.406802G	-2.10	6.403025G	-35.03	-22.10	-12.93	1
6.423873G	-3.03	6.40295G	-36.38	-23.07	-13.31	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

16/11/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.980396G	-0.70	5.9872G	-30.60	-20.82	-9.78	1
5.983245G	-1.55	5.9876G	-33.18	-21.65	-11.53	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

16/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9833G	-1.25	6.0294G	-30.47	-21.26	-9.21	1
6.01449G	-1.59	6.0294G	-30.24	-21.62	-8.62	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

16/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32221G	-1.99	6.61G	-50.18	-41.99	-8.19	1
6.3384G	-2.08	6.605G	-51.32	-42.08	-9.24	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

16/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.28979G	-1.17	6.967G	-46.70	-41.17	-5.53	1
6.33458G	-1.13	6.9942G	-46.73	-41.13	-5.60	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

16/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.850301G	-2.22	6.8432G	-34.56	-22.12	-12.44	1
6.849826G	-3.20	6.86715G	-38.12	-23.21	-14.91	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

16/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

16/11/2024



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

16/11/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60302G	-2.41	6.9504G	-49.92	-42.41	-7.51	1
6.6596G	-2.72	6.9832G	-50.34	-42.72	-7.62	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	6.42039G	-2.67	6.2289G	-52.63	-42.67	-9.96	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	6.09778G	-3.39	6.4086G	-51.44	-43.39	-8.05	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX	Pass	6.31259G	-2.11	6.981G	-47.82	-42.10	-5.72	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	6.66991G	-2.97	6.8498G	-53.22	-42.97	-10.25	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	6.6748G	-3.47	6.9888G	-50.62	-43.47	-7.15	2

**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01279G	-1.96	6.1455G	-55.57	-41.96	-13.61	1
5985MHz	Pass	6.00969G	-2.55	6.1693G	-54.83	-42.55	-12.28	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01909G	-1.76	6.1427G	-55.84	-41.76	-14.08	1
5985MHz	Pass	6.01739G	-2.52	6.1228G	-54.41	-42.52	-11.89	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.18721G	-1.80	6.4145G	-54.94	-41.80	-13.14	1
6225MHz	Pass	6.25989G	-2.59	6.4098G	-54.55	-42.59	-11.96	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.18891G	-3.49	6.4082G	-55.43	-43.49	-11.94	1
6225MHz	Pass	6.2168G	-3.97	6.4015G	-54.96	-43.97	-10.99	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.41649G	-2.46	6.2555G	-54.94	-42.32	-12.62	1
6385MHz	Pass	6.40939G	-3.19	6.5328G	-54.87	-43.19	-11.68	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.42039G	-2.67	6.2289G	-52.63	-42.67	-9.96	1
6385MHz	Pass	6.35911G	-3.23	6.5637G	-55.03	-43.23	-11.80	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.65519G	-3.00	6.8233G	-54.71	-43.00	-11.71	1
6625MHz	Pass	6.59321G	-3.69	6.4727G	-54.79	-43.69	-11.10	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.64939G	-3.50	6.8227G	-55.36	-43.50	-11.86	1
6625MHz	Pass	6.58961G	-3.70	6.4431G	-54.93	-43.70	-11.23	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.66991G	-2.97	6.8498G	-53.22	-42.97	-10.25	1
6705MHz	Pass	6.6882G	-3.07	6.8399G	-53.95	-43.07	-10.88	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.68011G	-3.03	6.904G	-54.99	-43.03	-11.96	1
6705MHz	Pass	6.66801G	-2.94	6.8899G	-54.78	-42.94	-11.84	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82239G	-2.66	6.9667G	-53.78	-42.66	-11.12	1
6785MHz	Pass	6.7679G	-3.38	6.9651G	-53.73	-43.38	-10.35	2
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.80749G	-2.64	6.9267G	-54.28	-42.64	-11.64	1
6785MHz	Pass	6.81199G	-3.01	6.9749G	-53.59	-43.01	-10.58	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08858G	-2.53	6.4022G	-52.09	-42.53	-9.56	1
6025MHz	Pass	6.09778G	-3.39	6.4086G	-51.44	-43.39	-8.05	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00021G	-2.29	6.4088G	-52.30	-42.29	-10.01	1
6025MHz	Pass	6.08998G	-2.70	6.4098G	-51.65	-42.70	-8.95	2
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07999G	-2.25	6.2896G	-51.80	-42.25	-9.55	1
6025MHz	Pass	6.09278G	-2.91	6.404G	-51.52	-42.91	-8.61	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.12881G	-2.11	6.447G	-51.75	-42.11	-9.64	1
6185MHz	Pass	6.26118G	-2.37	6.44G	-51.47	-42.37	-9.10	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.16141G	-1.95	6.4548G	-52.18	-41.95	-10.23	1
6185MHz	Pass	6.25678G	-2.18	6.5038G	-52.09	-42.18	-9.91	2
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.12741G	-2.06	6.4434G	-51.66	-42.06	-9.60	1
6185MHz	Pass	6.25298G	-2.28	6.583G	-51.84	-42.28	-9.56	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.29941G	-2.56	6.6562G	-51.41	-42.56	-8.85	1
6345MHz	Pass	6.3526G	-2.96	6.6874G	-52.04	-42.96	-9.08	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.30821G	-2.30	6.6194G	-52.03	-42.30	-9.73	1
6345MHz	Pass	6.29341G	-2.78	6.6622G	-52.33	-42.78	-9.55	2
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.30161G	-2.59	6.6104G	-51.72	-42.59	-9.13	1
6345MHz	Pass	6.39999G	-3.08	6.604G	-52.15	-43.08	-9.07	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6696G	-2.80	6.9824G	-50.57	-42.80	-7.77	1
6665MHz	Pass	6.6748G	-3.47	6.9888G	-50.62	-43.47	-7.15	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6832G	-2.82	6.9754G	-51.00	-42.82	-8.18	1
6665MHz	Pass	6.6726G	-3.35	6.9768G	-51.23	-43.35	-7.88	2
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.62161G	-3.20	6.969G	-51.16	-43.20	-7.96	1
6665MHz	Pass	6.61421G	-3.50	6.9632G	-51.04	-43.50	-7.54	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13819G	-1.43	6.6162G	-48.49	-41.41	-7.08	1
6105MHz	Pass	6.17738G	-0.83	6.6142G	-48.26	-40.84	-7.42	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.15019G	-0.88	6.833G	-48.70	-40.94	-7.76	1
6105MHz	Pass	6.17018G	-1.56	6.6234G	-48.41	-41.54	-6.87	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.16858G	-1.56	6.6138G	-48.25	-41.60	-6.65	1
6105MHz	Pass	6.17178G	-0.79	6.6202G	-47.96	-40.79	-7.17	2
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00023G	-1.20	6.6162G	-48.53	-41.19	-7.34	1
6105MHz	Pass	6.19538G	-0.64	6.8282G	-48.47	-40.59	-7.88	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16143G	-1.59	6.971G	-47.80	-41.60	-6.20	1
6265MHz	Pass	6.2734G	-1.94	6.9906G	-47.91	-41.94	-5.97	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19662G	-1.45	6.9882G	-47.64	-41.45	-6.19	1
6265MHz	Pass	6.31259G	-2.11	6.981G	-47.82	-42.10	-5.72	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.14903G	-1.51	6.9766G	-47.54	-41.52	-6.02	1
6265MHz	Pass	6.33258G	-1.55	6.991G	-47.52	-41.51	-6.01	2
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16982G	-1.19	6.9758G	-47.27	-41.14	-6.13	1
6265MHz	Pass	6.39337G	-1.49	6.9838G	-47.60	-41.51	-6.09	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

MASK

6385MHz_TX

09/01/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42039G	-2.67	6.2289G	-52.63	-42.67	-9.96	1
6.35911G	-3.23	6.5637G	-55.03	-43.23	-11.80	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6025MHz_TX

09/01/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08858G	-2.53	6.4022G	-52.09	-42.53	-9.56	1
6.09778G	-3.39	6.4086G	-51.44	-43.39	-8.05	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

MASK

6265MHz_TX

09/01/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

MASK

6705MHz_TX

09/01/2025



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6665MHz_TX

09/01/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6696G	-2.80	6.9824G	-50.57	-42.80	-7.77	1
6.6748G	-3.47	6.9888G	-50.62	-43.47	-7.15	2



Mask_Non-Beamforming_Radio 2_Channel Puncturing_O-435E Appendix E.8

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	6.41009G	-2.64	6.5753G	-54.17	-42.64	-11.53	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	Pass	6.09118G	-2.48	6.2864G	-49.27	-42.48	-6.79	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	Pass	6.16622G	-1.26	6.9574G	-46.43	-41.26	-5.17	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	Pass	6.7773G	-2.57	6.9752G	-52.73	-42.57	-10.16	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	Pass	6.6516G	-2.71	6.96G	-50.05	-42.71	-7.34	1



Mask Non-Beamforming Radio 2 Channel Puncturing O-435E Appendix E.8

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9765G	-4.36	6.1294G	-57.92	-44.36	-13.56	1
5985MHz	Pass	6.00629G	-4.79	6.1753G	-57.11	-44.79	-12.32	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9893G	-1.78	6.1182G	-55.10	-41.78	-13.32	1
5985MHz	Pass	6.01629G	-1.82	6.175G	-54.32	-41.82	-12.50	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01879G	-1.94	6.0298G	-34.92	-21.94	-12.98	1
5985MHz	Pass	6.00999G	-1.73	6.1759G	-54.22	-41.73	-12.49	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9721G	-1.83	6.1815G	-55.12	-41.83	-13.29	1
5985MHz	Pass	5.9984G	-1.95	6.1523G	-54.45	-41.95	-12.50	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.206G	-4.82	6.4241G	-57.31	-44.82	-12.49	1
6225MHz	Pass	6.25929G	-5.08	6.4142G	-57.04	-45.08	-11.96	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.19601G	-1.81	6.4032G	-54.37	-41.81	-12.56	1
6225MHz	Pass	6.25749G	-2.18	6.3927G	-54.11	-42.18	-11.93	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.18941G	-1.74	6.404G	-54.48	-41.74	-12.74	1
6225MHz	Pass	6.25899G	-1.88	6.4129G	-54.06	-41.88	-12.18	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.18751G	-4.41	6.4122G	-57.24	-44.41	-12.83	1
6225MHz	Pass	6.2088G	-4.99	6.3941G	-57.07	-44.99	-12.08	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.41109G	-4.96	6.5658G	-57.25	-44.96	-12.29	1
6385MHz	Pass	6.4028G	-5.67	6.5765G	-57.36	-45.67	-11.69	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.4037G	-2.12	6.5237G	-54.28	-42.12	-12.16	1
6385MHz	Pass	6.41009G	-2.64	6.5753G	-54.17	-42.64	-11.53	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.41119G	-1.91	6.5237G	-54.41	-41.91	-12.50	1
6385MHz	Pass	6.35291G	-2.52	6.567G	-54.19	-42.52	-11.67	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.35951G	-4.75	6.5525G	-57.23	-44.75	-12.48	1
6385MHz	Pass	6.35361G	-5.34	6.5454G	-57.08	-45.34	-11.74	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.642G	-2.61	6.8131G	-54.45	-42.61	-11.84	1
6625MHz	Pass	6.6316G	-3.39	6.4849G	-54.40	-43.39	-11.01	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.66079G	-2.76	6.7772G	-54.46	-42.76	-11.70	1
6625MHz	Pass	6.59101G	-3.36	6.478G	-54.21	-43.36	-10.85	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.614G	-2.72	6.8174G	-54.29	-42.72	-11.57	1
6625MHz	Pass	6.58801G	-3.06	6.4648G	-54.34	-43.06	-11.28	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6104G	-2.48	6.8089G	-54.35	-42.48	-11.87	1
6625MHz	Pass	6.6115G	-3.11	6.7916G	-54.42	-43.11	-11.31	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.7231G	-2.34	6.8901G	-53.91	-42.34	-11.57	1
6705MHz	Pass	6.73229G	-2.71	6.8653G	-53.83	-42.71	-11.12	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.72679G	-1.96	6.8391G	-53.90	-41.96	-11.94	1
6705MHz	Pass	6.7176G	-2.44	6.8885G	-53.89	-42.44	-11.45	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-



Mask Non-Beamforming Radio 2 Channel Puncturing O-435E Appendix E.8

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6705MHz	Pass	6.72699G	-2.10	6.8902G	-53.93	-42.10	-11.83	1
6705MHz	Pass	6.73499G	-2.64	6.8799G	-53.87	-42.64	-11.23	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.67921G	-2.06	6.8945G	-53.85	-42.06	-11.79	1
6705MHz	Pass	6.66871G	-2.60	6.851G	-54.15	-42.60	-11.55	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.82219G	-2.29	6.9557G	-53.41	-42.29	-11.12	1
6785MHz	Pass	6.7773G	-2.57	6.9752G	-52.73	-42.57	-10.16	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.81819G	-2.30	6.9621G	-53.37	-42.30	-11.07	1
6785MHz	Pass	6.75471G	-2.51	6.9691G	-53.27	-42.51	-10.76	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.76421G	-2.11	6.9637G	-53.26	-42.11	-11.15	1
6785MHz	Pass	6.75471G	-2.52	6.9731G	-53.21	-42.52	-10.69	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.7817G	-2.44	6.9796G	-53.29	-42.44	-10.85	1
6785MHz	Pass	6.75041G	-2.42	6.9456G	-53.17	-42.42	-10.75	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08179G	-1.90	6.2838G	-51.30	-41.82	-9.48	1
6025MHz	Pass	6.08578G	-2.56	6.2972G	-50.54	-42.56	-7.98	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07499G	-2.06	6.3006G	-50.77	-42.06	-8.71	1
6025MHz	Pass	6.09118G	-2.48	6.2864G	-49.27	-42.48	-6.79	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07199G	-1.88	6.2938G	-50.73	-41.88	-8.85	1
6025MHz	Pass	6.08259G	-2.49	6.3042G	-49.69	-42.49	-7.20	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07019G	-1.85	6.2892G	-50.98	-41.70	-9.28	1
6025MHz	Pass	6.07999G	-2.46	6.2906G	-49.62	-42.46	-7.16	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08259G	-2.00	6.2916G	-50.98	-42.00	-8.98	1
6025MHz	Pass	6.09938G	-2.38	6.2872G	-49.81	-42.38	-7.43	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07159G	-2.17	6.2958G	-51.31	-42.17	-9.14	1
6025MHz	Pass	6.09678G	-2.35	6.2944G	-50.17	-42.35	-7.82	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09318G	-2.25	6.3036G	-51.44	-42.25	-9.19	1
6025MHz	Pass	6.09678G	-2.40	6.2998G	-50.52	-42.40	-8.12	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07639G	-2.22	6.322G	-51.45	-42.22	-9.23	1
6025MHz	Pass	6.07619G	-2.41	6.3002G	-50.50	-42.41	-8.09	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08399G	-1.89	6.4064G	-51.53	-41.89	-9.64	1
6025MHz	Pass	6.09618G	-2.34	6.3038G	-51.07	-42.34	-8.73	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07999G	-1.78	6.2818G	-50.24	-41.42	-8.82	1
6025MHz	Pass	6.08898G	-2.16	6.2806G	-50.24	-42.16	-8.08	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09898G	-1.99	6.2912G	-51.30	-41.99	-9.31	1
6025MHz	Pass	6.09678G	-2.01	6.294G	-50.56	-42.01	-8.55	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0088G	-2.23	6.3056G	-51.78	-42.23	-9.55	1
6025MHz	Pass	6.0164G	-2.24	6.2936G	-50.73	-42.24	-8.49	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.15681G	-1.66	6.4478G	-51.04	-41.66	-9.38	1
6185MHz	Pass	6.20979G	-1.72	6.4512G	-50.81	-41.72	-9.09	2



Mask Non-Beamforming Radio 2 Channel Puncturing O-435E Appendix E.8

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1684G	-1.43	6.4628G	-50.88	-41.43	-9.45	1
6185MHz	Pass	6.24938G	-1.67	6.4418G	-50.40	-41.31	-9.09	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1774G	-1.66	6.4668G	-50.76	-41.66	-9.10	1
6185MHz	Pass	6.21399G	-1.62	6.461G	-49.86	-41.62	-8.24	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.15681G	-1.58	6.4572G	-50.44	-41.27	-9.17	1
6185MHz	Pass	6.24199G	-1.77	6.4458G	-49.97	-41.77	-8.20	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1656G	-1.53	6.4726G	-51.11	-41.53	-9.58	1
6185MHz	Pass	6.21299G	-1.66	6.45G	-50.88	-41.66	-9.22	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.169G	-1.63	6.4588G	-50.78	-41.53	-9.25	1
6185MHz	Pass	6.25998G	-1.52	6.4592G	-50.59	-41.52	-9.07	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1706G	-1.59	6.5284G	-51.50	-41.59	-9.91	1
6185MHz	Pass	6.25878G	-1.65	6.5172G	-51.41	-41.65	-9.76	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.12621G	-1.69	6.5368G	-51.62	-41.69	-9.93	1
6185MHz	Pass	6.23039G	-1.74	6.5232G	-51.49	-41.74	-9.75	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1682G	-1.14	6.4836G	-51.23	-41.14	-10.09	1
6185MHz	Pass	6.23239G	-1.62	6.476G	-51.10	-41.62	-9.48	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.189G	-1.38	6.4434G	-50.58	-41.34	-9.24	1
6185MHz	Pass	6.21019G	-1.57	6.4472G	-50.28	-41.57	-8.71	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1668G	-1.42	6.4538G	-51.02	-41.42	-9.60	1
6185MHz	Pass	6.25238G	-1.44	6.4416G	-50.96	-41.33	-9.63	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1662G	-1.39	6.4578G	-51.42	-41.39	-10.03	1
6185MHz	Pass	6.21759G	-1.48	6.4436G	-50.91	-41.48	-9.43	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.32241G	-2.12	6.6052G	-50.70	-42.12	-8.58	1
6345MHz	Pass	6.3364G	-2.54	6.6296G	-51.55	-42.54	-9.01	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.31141G	-2.13	6.631G	-50.67	-42.13	-8.54	1
6345MHz	Pass	6.31101G	-2.36	6.6156G	-51.32	-42.36	-8.96	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.28841G	-2.16	6.6086G	-50.61	-42.16	-8.45	1
6345MHz	Pass	6.29361G	-2.45	6.6098G	-51.22	-42.45	-8.77	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.31421G	-2.12	6.6282G	-50.72	-42.12	-8.60	1
6345MHz	Pass	6.39639G	-2.31	6.6054G	-51.10	-42.31	-8.79	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.3254G	-2.14	6.6128G	-50.59	-42.14	-8.45	1
6345MHz	Pass	6.37759G	-2.55	6.6046G	-51.34	-42.55	-8.79	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.31421G	-2.15	6.6194G	-50.21	-42.15	-8.06	1
6345MHz	Pass	6.3368G	-2.41	6.607G	-51.35	-42.41	-8.94	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.28561G	-2.13	6.6392G	-50.85	-42.13	-8.72	1
6345MHz	Pass	6.29581G	-2.41	6.6044G	-51.58	-42.41	-9.17	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.28701G	-2.18	6.6098G	-50.74	-42.18	-8.56	1



Mask Non-Beamforming Radio 2 Channel Puncturing O-435E Appendix E.8

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.3494G	-2.34	6.6108G	-51.43	-42.34	-9.09	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.31621G	-2.43	6.6326G	-51.03	-42.43	-8.60	1
6345MHz	Pass	6.3352G	-3.08	6.6322G	-51.82	-43.08	-8.74	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29121G	-2.37	6.605G	-51.11	-42.37	-8.74	1
6345MHz	Pass	6.29761G	-2.85	6.6034G	-51.40	-42.85	-8.55	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.28442G	-2.34	6.6148G	-51.00	-42.34	-8.66	1
6345MHz	Pass	6.336G	-2.67	6.6122G	-51.57	-42.67	-8.90	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.3284G	-2.44	6.6178G	-50.98	-42.44	-8.54	1
6345MHz	Pass	6.30101G	-2.50	6.6224G	-51.55	-42.50	-9.05	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6534G	-2.49	6.984G	-50.03	-42.49	-7.54	1
6665MHz	Pass	6.63521G	-2.83	6.9946G	-50.58	-42.83	-7.75	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6516G	-2.71	6.96G	-50.05	-42.71	-7.34	1
6665MHz	Pass	6.6728G	-2.94	6.935G	-50.50	-42.94	-7.56	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.62101G	-2.57	6.9644G	-49.97	-42.57	-7.40	1
6665MHz	Pass	6.656G	-2.81	6.9912G	-50.61	-42.81	-7.80	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.63421G	-2.43	6.9452G	-50.07	-42.43	-7.64	1
6665MHz	Pass	6.59242G	-2.84	6.9934G	-50.57	-42.84	-7.73	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.63921G	-2.63	6.9454G	-50.20	-42.63	-7.57	1
6665MHz	Pass	6.71139G	-2.78	6.9658G	-50.71	-42.78	-7.93	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.64041G	-2.42	6.9618G	-50.07	-42.42	-7.65	1
6665MHz	Pass	6.6518G	-2.78	6.9888G	-50.68	-42.78	-7.90	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61961G	-2.62	6.962G	-50.13	-42.62	-7.51	1
6665MHz	Pass	6.61181G	-2.68	6.9822G	-50.58	-42.68	-7.90	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.64141G	-2.44	6.982G	-50.12	-42.44	-7.68	1
6665MHz	Pass	6.6488G	-2.76	6.9794G	-50.62	-42.76	-7.86	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6516G	-2.57	6.9626G	-50.07	-42.57	-7.50	1
6665MHz	Pass	6.63461G	-2.82	6.9956G	-50.57	-42.82	-7.75	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61741G	-2.51	6.9796G	-49.99	-42.51	-7.48	1
6665MHz	Pass	6.60122G	-2.61	6.9852G	-50.63	-42.61	-8.02	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.59782G	-2.39	6.9662G	-50.14	-42.39	-7.75	1
6665MHz	Pass	6.59282G	-2.57	6.9846G	-50.67	-42.57	-8.10	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6828G	-2.38	6.9588G	-50.35	-42.38	-7.97	1
6665MHz	Pass	6.61321G	-2.54	6.9902G	-50.40	-42.54	-7.86	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.093G	-0.34	6.6294G	-47.47	-40.34	-7.13	1
6105MHz	Pass	6.24097G	-0.25	6.6326G	-47.31	-40.25	-7.06	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13699G	-0.43	6.631G	-47.40	-40.43	-6.97	1
6105MHz	Pass	6.25496G	-0.16	6.6238G	-46.97	-40.16	-6.81	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-



Mask Non-Beamforming Radio 2 Channel Puncturing O-435E Appendix E.8

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.17018G	-0.36	6.6298G	-47.01	-40.36	-6.65	1
6105MHz	Pass	6.25816G	0.05	6.6246G	-46.93	-39.95	-6.98	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.117G	-0.44	6.6786G	-47.00	-40.44	-6.56	1
6105MHz	Pass	6.20977G	0.04	6.645G	-46.88	-39.96	-6.92	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.091G	-0.56	6.6522G	-46.88	-40.56	-6.32	1
6105MHz	Pass	6.25576G	0.03	6.6498G	-46.99	-39.97	-7.02	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0974G	-0.63	6.6254G	-47.10	-40.63	-6.47	1
6105MHz	Pass	6.25976G	-0.04	6.6266G	-47.01	-40.04	-6.97	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0974G	-0.71	6.6434G	-47.59	-40.71	-6.88	1
6105MHz	Pass	6.25696G	-0.01	6.631G	-47.18	-40.01	-7.17	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1198G	-0.65	6.6378G	-47.78	-40.65	-7.13	1
6105MHz	Pass	6.17538G	-0.15	6.623G	-47.33	-40.15	-7.18	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.111G	-0.12	6.8986G	-47.95	-40.12	-7.83	1
6105MHz	Pass	6.25656G	-0.30	6.6298G	-47.95	-40.30	-7.65	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.12939G	-0.89	6.6362G	-47.30	-40.89	-6.41	1
6105MHz	Pass	6.25736G	-0.51	6.623G	-47.69	-40.51	-7.18	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.089G	-0.62	6.6298G	-47.47	-40.62	-6.85	1
6105MHz	Pass	6.25936G	0.17	6.633G	-47.17	-39.83	-7.34	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.085G	-0.75	6.8362G	-48.16	-40.75	-7.41	1
6105MHz	Pass	6.15539G	-0.10	6.6226G	-47.69	-40.10	-7.59	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.08141G	-0.88	6.625G	-48.02	-40.88	-7.14	1
6105MHz	Pass	6.17658G	-0.42	6.615G	-47.87	-40.42	-7.45	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07981G	-0.87	6.6186G	-48.09	-40.87	-7.22	1
6105MHz	Pass	6.17858G	-0.40	6.6138G	-47.61	-40.35	-7.26	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07781G	-1.02	6.6142G	-47.97	-41.02	-6.95	1
6105MHz	Pass	6.17058G	-0.29	6.6166G	-47.81	-40.29	-7.52	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1118G	-1.08	6.6182G	-47.84	-41.08	-6.76	1
6105MHz	Pass	6.17898G	-0.20	6.6142G	-47.84	-40.18	-7.66	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.17178G	-1.11	6.9042G	-47.95	-41.11	-6.84	1
6105MHz	Pass	6.17938G	-0.25	6.6166G	-47.81	-40.25	-7.56	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.08341G	-1.03	6.6146G	-47.98	-41.03	-6.95	1
6105MHz	Pass	6.13779G	-0.55	6.6182G	-48.11	-40.55	-7.56	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07581G	-0.20	6.6142G	-47.98	-40.20	-7.78	1
6105MHz	Pass	6.25416G	-0.42	6.6222G	-47.81	-40.42	-7.39	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1198G	-0.25	6.6138G	-47.95	-40.25	-7.70	1
6105MHz	Pass	6.25496G	-0.27	6.6162G	-47.62	-40.27	-7.35	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0862G	-0.29	6.6142G	-47.84	-40.29	-7.55	1
6105MHz	Pass	6.25776G	-0.35	6.6286G	-47.82	-40.35	-7.47	2



Mask Non-Beamforming Radio 2 Channel Puncturing O-435E Appendix E.8

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07781G	-0.34	6.6106G	-47.80	-40.25	-7.55	1
6105MHz	Pass	6.25256G	-0.37	6.6142G	-47.90	-40.35	-7.55	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1194G	-0.56	6.8346G	-48.02	-40.56	-7.46	1
6105MHz	Pass	6.25736G	-0.42	6.6182G	-47.70	-40.42	-7.28	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07861G	-0.58	6.6174G	-47.95	-40.58	-7.37	1
6105MHz	Pass	6.21257G	-0.43	6.6138G	-47.73	-40.38	-7.35	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.28539G	-1.11	6.9714G	-46.91	-41.11	-5.80	1
6265MHz	Pass	6.273G	-1.38	6.9558G	-47.30	-41.38	-5.92	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.11264G	-1.21	6.9726G	-46.53	-41.21	-5.32	1
6265MHz	Pass	6.29179G	-1.40	6.977G	-47.09	-41.40	-5.69	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16223G	-1.25	6.9466G	-46.49	-41.25	-5.24	1
6265MHz	Pass	6.2758G	-1.24	6.9806G	-46.92	-41.24	-5.68	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16622G	-1.26	6.9574G	-46.43	-41.26	-5.17	1
6265MHz	Pass	6.29619G	-1.36	6.985G	-46.90	-41.36	-5.54	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16822G	-1.20	6.8094G	-46.42	-41.20	-5.22	1
6265MHz	Pass	6.2518G	-1.34	6.981G	-46.85	-41.34	-5.51	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16383G	-1.27	6.9562G	-46.47	-41.27	-5.20	1
6265MHz	Pass	6.2762G	-1.25	6.977G	-46.71	-41.25	-5.46	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2834G	-1.28	6.9718G	-46.59	-41.28	-5.31	1
6265MHz	Pass	6.2786G	-1.20	6.983G	-46.94	-41.20	-5.74	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16463G	-1.25	6.9394G	-46.98	-41.25	-5.73	1
6265MHz	Pass	6.2746G	-1.19	6.9834G	-47.24	-41.19	-6.05	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19502G	-1.08	6.9922G	-47.34	-41.08	-6.26	1
6265MHz	Pass	6.2742G	-1.47	6.977G	-47.31	-41.47	-5.84	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16023G	-1.30	6.9454G	-46.83	-41.30	-5.53	1
6265MHz	Pass	6.29299G	-1.31	6.9698G	-46.94	-41.31	-5.63	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16542G	-1.13	6.9622G	-46.68	-41.13	-5.55	1
6265MHz	Pass	6.2542G	-1.33	6.9818G	-46.94	-41.33	-5.61	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17062G	-1.07	6.989G	-47.41	-41.07	-6.34	1
6265MHz	Pass	6.273G	-1.11	6.9802G	-47.35	-41.11	-6.24	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16822G	-1.09	6.9754G	-47.37	-41.09	-6.28	1
6265MHz	Pass	6.2722G	-1.36	6.9742G	-47.41	-41.36	-6.05	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.11144G	-1.11	6.9782G	-47.40	-41.11	-6.29	1
6265MHz	Pass	6.2758G	-1.23	6.9886G	-47.44	-41.23	-6.21	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.11344G	-1.24	6.971G	-47.28	-41.24	-6.04	1
6265MHz	Pass	6.2742G	-1.29	6.9866G	-47.30	-41.29	-6.01	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16582G	-1.15	6.9774G	-47.39	-41.15	-6.24	1



Mask_Non-Beamforming_Radio 2_Channel Puncturing_O-435E Appendix E.8

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6265MHz	Pass	6.29339G	-1.18	6.9914G	-47.46	-41.18	-6.28	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17382G	-1.23	6.9862G	-47.34	-41.23	-6.11	1
6265MHz	Pass	6.2554G	-1.23	6.9682G	-47.44	-41.23	-6.21	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16982G	-1.28	6.9918G	-47.36	-41.28	-6.08	1
6265MHz	Pass	6.2758G	-1.26	6.9622G	-47.54	-41.26	-6.28	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.285G	-1.06	6.981G	-47.27	-41.06	-6.21	1
6265MHz	Pass	6.29819G	-1.72	6.977G	-47.26	-41.72	-5.54	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.28739G	-1.05	6.9734G	-47.27	-41.05	-6.22	1
6265MHz	Pass	6.2762G	-1.48	6.983G	-47.19	-41.48	-5.71	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21101G	-1.15	6.9702G	-47.27	-41.15	-6.12	1
6265MHz	Pass	6.257G	-1.58	6.9594G	-47.36	-41.58	-5.78	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19262G	-1.01	6.9762G	-47.24	-41.01	-6.23	1
6265MHz	Pass	6.2726G	-1.54	6.9818G	-47.21	-41.54	-5.67	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19182G	-1.06	6.9882G	-47.29	-41.06	-6.23	1
6265MHz	Pass	6.29859G	-1.58	6.9634G	-47.34	-41.58	-5.76	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.283G	-0.98	6.995G	-47.32	-40.98	-6.34	1
6265MHz	Pass	6.28899G	-1.52	6.963G	-47.38	-41.52	-5.86	2




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

MASK

6385MHz_TX

16/11/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4037G	-2.12	6.5237G	-54.28	-42.12	-12.16	1
6.41009G	-2.64	6.5753G	-54.17	-42.64	-11.53	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

MASK

6025MHz_TX

16/11/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07499G	-2.06	6.3006G	-50.77	-42.06	-8.71	1
6.09118G	-2.48	6.2864G	-49.27	-42.48	-6.79	2




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX

MASK

6265MHz_TX

17/11/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16622G	-1.26	6.9574G	-46.43	-41.26	-5.17	1
6.29619G	-1.36	6.985G	-46.90	-41.36	-5.54	2


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

MASK

6785MHz_TX

16/11/2024

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.82219G	-2.29	6.9557G	-53.41	-42.29	-11.12	1
6.7773G	-2.57	6.9752G	-52.73	-42.57	-10.16	2




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_TX

MASK

6665MHz_TX

16/11/2024





RSE TX below 1GHz_Non-Beamforming_Radio 0_Full RU_O-435 Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	PK	37.76M	35.43	40.00	-4.57	3	Vertical	360	3.00




RSE TX below 1GHz_Non-Beamforming_Radio 0_Full RU_O-435 Appendix E.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz_PoE	Pass	PK	37.76M	35.43	40.00	-4.57	3	Vertical	360	3.00
6105MHz_PoE	Pass	PK	119.24M	28.56	43.50	-14.94	3	Vertical	360	3.00
6105MHz_PoE	Pass	PK	330.7M	35.18	46.00	-10.82	3	Vertical	360	3.00
6105MHz_PoE	Pass	PK	437.4M	32.40	46.00	-13.60	3	Vertical	360	3.00
6105MHz_PoE	Pass	PK	522.76M	36.64	46.00	-9.36	3	Vertical	360	3.00
6105MHz_PoE	Pass	QP	30M	35.36	40.00	-4.64	3	Vertical	131	1.00
6105MHz_PoE	Pass	PK	30M	27.28	40.00	-12.72	3	Horizontal	360	3.00
6105MHz_PoE	Pass	PK	156.1M	19.65	43.50	-23.85	3	Horizontal	360	3.00
6105MHz_PoE	Pass	PK	282.2M	25.55	46.00	-20.45	3	Horizontal	360	3.00
6105MHz_PoE	Pass	PK	332.64M	32.75	46.00	-13.25	3	Horizontal	360	3.00
6105MHz_PoE	Pass	PK	394.72M	36.86	46.00	-9.14	3	Horizontal	360	3.00
6105MHz_PoE	Pass	PK	648.86M	35.00	46.00	-11.00	3	Horizontal	360	3.00


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_PoE



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_PoE





RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435 Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	11.89713G	42.26	54.00	-11.74	3	Horizontal	232	1.15
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.9237G	42.31	54.00	-11.69	3	Horizontal	77	2.84
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.9256G	42.30	54.00	-11.70	3	Horizontal	245	1.00
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	11.93384G	42.37	54.00	-11.63	3	Horizontal	256	1.76
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.06264G	42.30	54.00	-11.70	3	Vertical	46	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	13.38982G	57.62	74.00	-16.38	3	Horizontal	266	2.25
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.39784G	44.04	54.00	-9.96	3	Horizontal	31	2.23
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.26956G	43.82	54.00	-10.18	3	Vertical	332	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.40896G	44.12	68.20	-24.08	3	Horizontal	13	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435 Appendix E.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9202G	49.75	68.20	-18.45	3	Vertical	5	1.32
5955MHz	Pass	AV	5.9466G	101.49	Inf	-Inf	3	Vertical	5	1.32
5955MHz	Pass	PK	5.8704G	61.86	88.20	-26.34	3	Vertical	5	1.32
5955MHz	Pass	PK	5.9484G	113.16	Inf	-Inf	3	Vertical	5	1.32
5955MHz	Pass	AV	5.925G	50.02	68.20	-18.18	3	Horizontal	0	2.68
5955MHz	Pass	AV	5.9472G	103.35	Inf	-Inf	3	Horizontal	0	2.68
5955MHz	Pass	PK	5.865G	62.53	88.20	-25.67	3	Horizontal	0	2.68
5955MHz	Pass	PK	5.9472G	114.46	Inf	-Inf	3	Horizontal	0	2.68
5955MHz	Pass	AV	11.89602G	42.22	54.00	-11.78	3	Vertical	108	1.50
5955MHz	Pass	PK	11.90163G	54.97	74.00	-19.03	3	Vertical	108	1.50
5955MHz	Pass	AV	11.89713G	42.26	54.00	-11.74	3	Horizontal	232	1.15
5955MHz	Pass	PK	11.90247G	55.64	74.00	-18.36	3	Horizontal	232	1.15
6195MHz	Pass	AV	5.9046G	49.34	68.20	-18.86	3	Vertical	352	1.23
6195MHz	Pass	AV	6.1974G	101.64	Inf	-Inf	3	Vertical	352	1.23
6195MHz	Pass	PK	5.913G	61.82	88.20	-26.38	3	Vertical	352	1.23
6195MHz	Pass	PK	6.1974G	112.77	Inf	-Inf	3	Vertical	352	1.23
6195MHz	Pass	AV	5.9094G	49.40	68.20	-18.80	3	Horizontal	15	1.55
6195MHz	Pass	AV	6.1998G	101.38	Inf	-Inf	3	Horizontal	15	1.55
6195MHz	Pass	PK	5.9022G	61.98	88.20	-26.22	3	Horizontal	15	1.55
6195MHz	Pass	PK	6.1986G	112.48	Inf	-Inf	3	Horizontal	15	1.55
6195MHz	Pass	AV	12.38088G	41.85	54.00	-12.15	3	Vertical	0	2.93
6195MHz	Pass	PK	12.38079G	55.23	74.00	-18.77	3	Vertical	0	2.93
6195MHz	Pass	AV	12.38298G	41.84	54.00	-12.16	3	Horizontal	118	1.50
6195MHz	Pass	PK	12.38724G	55.36	74.00	-18.64	3	Horizontal	118	1.50
6415MHz	Pass	AV	5.9038G	49.31	68.20	-18.89	3	Vertical	357	1.50
6415MHz	Pass	AV	6.4246G	101.31	Inf	-Inf	3	Vertical	357	1.50
6415MHz	Pass	PK	5.9062G	61.53	88.20	-26.67	3	Vertical	357	1.50
6415MHz	Pass	PK	6.4246G	112.71	Inf	-Inf	3	Vertical	357	1.50
6415MHz	Pass	AV	5.9134G	49.33	68.20	-18.87	3	Horizontal	352	1.10
6415MHz	Pass	AV	6.4222G	102.52	Inf	-Inf	3	Horizontal	352	1.10
6415MHz	Pass	PK	5.9038G	61.70	88.20	-26.50	3	Horizontal	352	1.10
6415MHz	Pass	PK	6.4222G	114.22	Inf	-Inf	3	Horizontal	352	1.10
6415MHz	Pass	AV	12.84479G	43.71	68.20	-24.49	3	Vertical	349	1.50
6415MHz	Pass	PK	12.82433G	56.63	88.20	-31.57	3	Vertical	349	1.50
6415MHz	Pass	AV	12.84479G	43.69	68.20	-24.51	3	Horizontal	219	1.86
6415MHz	Pass	PK	12.82247G	57.11	88.20	-31.09	3	Horizontal	219	1.86
6535MHz	Pass	AV	13.07924G	43.33	68.20	-24.87	3	Vertical	121	2.34
6535MHz	Pass	PK	13.06334G	56.40	88.20	-31.80	3	Vertical	121	2.34
6535MHz	Pass	AV	13.0808G	43.32	68.20	-24.88	3	Horizontal	273	1.50
6535MHz	Pass	PK	13.08491G	56.67	88.20	-31.53	3	Horizontal	273	1.50
6695MHz	Pass	AV	13.40461G	44.12	68.20	-24.08	3	Vertical	115	2.14
6695MHz	Pass	PK	13.39522G	57.06	74.00	-16.94	3	Vertical	115	2.14
6695MHz	Pass	AV	13.40461G	44.13	68.20	-24.07	3	Horizontal	266	2.25
6695MHz	Pass	PK	13.38982G	57.62	74.00	-16.38	3	Horizontal	266	2.25
6855MHz	Pass	AV	13.70031G	43.80	68.20	-24.40	3	Vertical	309	1.50
6855MHz	Pass	PK	13.70322G	56.80	88.20	-31.40	3	Vertical	309	1.50
6855MHz	Pass	AV	13.69941G	43.80	68.20	-24.40	3	Horizontal	171	1.50
6855MHz	Pass	PK	13.70301G	56.68	88.20	-31.52	3	Horizontal	171	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.911G	49.59	68.20	-18.61	3	Vertical	0	1.16
5965MHz	Pass	AV	5.9542G	98.47	Inf	-Inf	3	Vertical	0	1.16
5965MHz	Pass	PK	5.92G	61.93	88.20	-26.27	3	Vertical	0	1.16
5965MHz	Pass	PK	5.9524G	111.34	Inf	-Inf	3	Vertical	0	1.16
5965MHz	Pass	AV	5.9194G	49.74	68.20	-18.46	3	Horizontal	0	2.77
5965MHz	Pass	AV	5.9572G	99.97	Inf	-Inf	3	Horizontal	0	2.77
5965MHz	Pass	PK	5.9074G	62.94	88.20	-25.26	3	Horizontal	0	2.77
5965MHz	Pass	PK	5.9572G	111.24	Inf	-Inf	3	Horizontal	0	2.77
5965MHz	Pass	AV	11.9G	42.29	54.00	-11.71	3	Vertical	231	1.50
5965MHz	Pass	PK	11.92046G	55.61	74.00	-18.39	3	Vertical	231	1.50
5965MHz	Pass	AV	11.9237G	42.31	54.00	-11.69	3	Horizontal	77	2.84



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435 Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	11.9288G	54.95	74.00	-19.05	3	Horizontal	77	2.84
6205MHz	Pass	AV	5.9086G	49.27	68.20	-18.93	3	Vertical	352	1.33
6205MHz	Pass	AV	6.2074G	98.60	Inf	-Inf	3	Vertical	352	1.33
6205MHz	Pass	PK	5.9134G	60.97	88.20	-27.23	3	Vertical	352	1.33
6205MHz	Pass	PK	6.2062G	109.95	Inf	-Inf	3	Vertical	352	1.33
6205MHz	Pass	AV	5.911G	49.29	68.20	-18.91	3	Horizontal	15	1.50
6205MHz	Pass	AV	6.211G	98.07	Inf	-Inf	3	Horizontal	15	1.50
6205MHz	Pass	PK	5.9218G	61.00	88.20	-27.20	3	Horizontal	15	1.50
6205MHz	Pass	PK	6.2098G	109.03	Inf	-Inf	3	Horizontal	15	1.50
6205MHz	Pass	AV	12.42734G	42.04	54.00	-11.96	3	Vertical	331	2.45
6205MHz	Pass	PK	12.4205G	54.78	74.00	-19.22	3	Vertical	331	2.45
6205MHz	Pass	AV	12.43298G	42.03	54.00	-11.97	3	Horizontal	113	1.50
6205MHz	Pass	PK	12.38204G	54.99	74.00	-19.01	3	Horizontal	113	1.50
6405MHz	Pass	AV	5.901G	49.20	68.20	-19.00	3	Vertical	356	1.43
6405MHz	Pass	AV	6.393G	98.58	Inf	-Inf	3	Vertical	356	1.43
6405MHz	Pass	PK	5.9226G	61.46	88.20	-26.74	3	Vertical	356	1.43
6405MHz	Pass	PK	6.3954G	109.74	Inf	-Inf	3	Vertical	356	1.43
6405MHz	Pass	AV	5.8986G	49.21	68.20	-18.99	3	Horizontal	353	1.14
6405MHz	Pass	AV	6.4122G	99.49	Inf	-Inf	3	Horizontal	353	1.14
6405MHz	Pass	PK	5.9058G	62.36	88.20	-25.84	3	Horizontal	353	1.14
6405MHz	Pass	PK	6.3906G	112.03	Inf	-Inf	3	Horizontal	353	1.14
6405MHz	Pass	AV	12.81888G	43.56	68.20	-24.64	3	Vertical	87	1.50
6405MHz	Pass	PK	12.78906G	56.95	88.20	-31.25	3	Vertical	87	1.50
6405MHz	Pass	AV	12.8385G	43.56	68.20	-24.64	3	Horizontal	39	1.50
6405MHz	Pass	PK	12.79446G	56.77	88.20	-31.43	3	Horizontal	39	1.50
6565MHz	Pass	AV	13.10264G	43.55	68.20	-24.65	3	Vertical	115	2.65
6565MHz	Pass	PK	13.11104G	57.55	88.20	-30.65	3	Vertical	115	2.65
6565MHz	Pass	AV	13.1033G	43.54	68.20	-24.66	3	Horizontal	286	1.50
6565MHz	Pass	PK	13.15034G	56.74	88.20	-31.46	3	Horizontal	286	1.50
6685MHz	Pass	AV	13.3976G	44.01	54.00	-9.99	3	Vertical	337	2.58
6685MHz	Pass	PK	13.37198G	56.99	74.00	-17.01	3	Vertical	337	2.58
6685MHz	Pass	AV	13.39784G	44.04	54.00	-9.96	3	Horizontal	31	2.23
6685MHz	Pass	PK	13.38416G	57.00	74.00	-17.00	3	Horizontal	31	2.23
6845MHz	Pass	AV	13.69888G	43.91	68.20	-24.29	3	Vertical	59	1.50
6845MHz	Pass	PK	13.68562G	57.67	88.20	-30.53	3	Vertical	59	1.50
6845MHz	Pass	AV	13.70086G	43.92	68.20	-24.28	3	Horizontal	284	1.50
6845MHz	Pass	PK	13.69894G	57.04	88.20	-31.16	3	Horizontal	284	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.915G	49.57	68.20	-18.63	3	Vertical	1	1.20
5985MHz	Pass	AV	5.975G	95.33	Inf	-Inf	3	Vertical	1	1.20
5985MHz	Pass	PK	5.824G	61.82	88.20	-26.38	3	Vertical	1	1.20
5985MHz	Pass	PK	5.977G	106.88	Inf	-Inf	3	Vertical	1	1.20
5985MHz	Pass	AV	5.919G	49.88	68.20	-18.32	3	Horizontal	0	2.72
5985MHz	Pass	AV	5.998G	96.44	Inf	-Inf	3	Horizontal	0	2.72
5985MHz	Pass	PK	5.911G	62.35	88.20	-25.85	3	Horizontal	0	2.72
5985MHz	Pass	PK	6.016G	108.16	Inf	-Inf	3	Horizontal	0	2.72
5985MHz	Pass	AV	11.92524G	42.28	54.00	-11.72	3	Vertical	72	1.50
5985MHz	Pass	PK	11.98344G	55.26	74.00	-18.74	3	Vertical	72	1.50
5985MHz	Pass	AV	11.9256G	42.30	54.00	-11.70	3	Horizontal	245	1.00
5985MHz	Pass	PK	11.95032G	55.06	74.00	-18.94	3	Horizontal	245	1.00
6225MHz	Pass	AV	12.48204G	42.21	54.00	-11.79	3	Vertical	149	2.24
6225MHz	Pass	PK	12.45612G	55.19	74.00	-18.81	3	Vertical	149	2.24
6225MHz	Pass	AV	12.48432G	42.22	54.00	-11.78	3	Horizontal	280	1.50
6225MHz	Pass	PK	12.42276G	55.64	74.00	-18.36	3	Horizontal	280	1.50
6385MHz	Pass	AV	12.8204G	43.53	68.20	-24.67	3	Vertical	80	3.00
6385MHz	Pass	PK	12.77264G	56.57	88.20	-31.63	3	Vertical	80	3.00
6385MHz	Pass	AV	12.81848G	43.52	68.20	-24.68	3	Horizontal	218	1.31
6385MHz	Pass	PK	12.77924G	56.46	88.20	-31.74	3	Horizontal	218	1.31
6625MHz	Pass	AV	13.26956G	43.82	54.00	-10.18	3	Vertical	332	1.50
6625MHz	Pass	PK	13.27616G	57.08	74.00	-16.92	3	Vertical	332	1.50
6625MHz	Pass	AV	13.26824G	43.82	54.00	-10.18	3	Horizontal	57	2.97
6625MHz	Pass	PK	13.27136G	56.86	74.00	-17.14	3	Horizontal	57	2.97




RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435 Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6705MHz	Pass	AV	13.44012G	44.14	68.20	-24.06	3	Vertical	104	1.70
6705MHz	Pass	PK	13.4052G	57.02	88.20	-31.18	3	Vertical	104	1.70
6705MHz	Pass	AV	13.40844G	44.13	68.20	-24.07	3	Horizontal	96	1.90
6705MHz	Pass	PK	13.443G	56.82	88.20	-31.38	3	Horizontal	96	1.90
6785MHz	Pass	AV	13.53352G	44.24	68.20	-23.96	3	Vertical	293	1.50
6785MHz	Pass	PK	13.57504G	57.10	88.20	-31.10	3	Vertical	293	1.50
6785MHz	Pass	AV	13.53568G	44.25	68.20	-23.95	3	Horizontal	256	1.50
6785MHz	Pass	PK	13.61404G	57.19	88.20	-31.01	3	Horizontal	256	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.913G	49.87	68.20	-18.33	3	Vertical	0	1.03
6025MHz	Pass	AV	6.056G	91.87	Inf	-Inf	3	Vertical	0	1.03
6025MHz	Pass	PK	5.911G	62.54	88.20	-25.66	3	Vertical	0	1.03
6025MHz	Pass	PK	6.035G	103.69	Inf	-Inf	3	Vertical	0	1.03
6025MHz	Pass	AV	5.899G	49.95	68.20	-18.25	3	Horizontal	13	1.90
6025MHz	Pass	AV	6.042G	91.99	Inf	-Inf	3	Horizontal	13	1.90
6025MHz	Pass	PK	5.915G	61.78	88.20	-26.42	3	Horizontal	13	1.90
6025MHz	Pass	PK	6.001G	104.04	Inf	-Inf	3	Horizontal	13	1.90
6025MHz	Pass	AV	11.93408G	42.35	54.00	-11.65	3	Vertical	3	1.83
6025MHz	Pass	PK	12.0116G	55.90	74.00	-18.10	3	Vertical	3	1.83
6025MHz	Pass	AV	11.93384G	42.37	54.00	-11.63	3	Horizontal	256	1.76
6025MHz	Pass	PK	12.06992G	55.00	74.00	-19.00	3	Horizontal	256	1.76
6185MHz	Pass	AV	12.48544G	42.29	54.00	-11.71	3	Vertical	204	1.23
6185MHz	Pass	PK	12.29224G	54.98	74.00	-19.02	3	Vertical	204	1.23
6185MHz	Pass	AV	12.48256G	42.29	54.00	-11.71	3	Horizontal	37	1.24
6185MHz	Pass	PK	12.44512G	55.01	74.00	-18.99	3	Horizontal	37	1.24
6345MHz	Pass	AV	12.78744G	43.53	68.20	-24.67	3	Vertical	93	1.50
6345MHz	Pass	PK	12.80976G	56.28	88.20	-31.92	3	Vertical	93	1.50
6345MHz	Pass	AV	12.80856G	43.55	68.20	-24.65	3	Horizontal	103	2.64
6345MHz	Pass	PK	12.79824G	56.66	88.20	-31.54	3	Horizontal	103	2.64
6665MHz	Pass	AV	13.4104G	44.11	68.20	-24.09	3	Vertical	295	1.50
6665MHz	Pass	PK	13.41688G	57.39	88.20	-30.81	3	Vertical	295	1.50
6665MHz	Pass	AV	13.40896G	44.12	68.20	-24.08	3	Horizontal	13	1.50
6665MHz	Pass	PK	13.43344G	58.03	88.20	-30.17	3	Horizontal	13	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	49.73	68.20	-18.47	3	Vertical	353	1.34
6105MHz	Pass	AV	6.207G	89.07	Inf	-Inf	3	Vertical	353	1.34
6105MHz	Pass	PK	5.819G	61.58	88.20	-26.62	3	Vertical	353	1.34
6105MHz	Pass	PK	6.209G	100.69	Inf	-Inf	3	Vertical	353	1.34
6105MHz	Pass	AV	5.863G	50.07	68.20	-18.13	3	Horizontal	14	1.50
6105MHz	Pass	AV	6.127G	88.84	Inf	-Inf	3	Horizontal	14	1.50
6105MHz	Pass	PK	5.925G	62.12	88.20	-26.08	3	Horizontal	14	1.50
6105MHz	Pass	PK	6.125G	100.94	Inf	-Inf	3	Horizontal	14	1.50
6105MHz	Pass	AV	12.06264G	42.30	54.00	-11.70	3	Vertical	46	1.50
6105MHz	Pass	PK	11.97768G	55.94	74.00	-18.06	3	Vertical	46	1.50
6105MHz	Pass	AV	12.0612G	42.30	54.00	-11.70	3	Horizontal	360	1.49
6105MHz	Pass	PK	12.0276G	55.00	74.00	-19.00	3	Horizontal	360	1.49
6265MHz	Pass	AV	12.7412G	43.38	68.20	-24.82	3	Vertical	32	1.00
6265MHz	Pass	PK	12.7076G	56.82	88.20	-31.38	3	Vertical	32	1.00
6265MHz	Pass	AV	12.74072G	43.38	68.20	-24.82	3	Horizontal	127	1.50
6265MHz	Pass	PK	12.72296G	56.49	88.20	-31.71	3	Horizontal	127	1.50


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX






5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX





5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	49.87	68.20	-18.33	7.97	3	Vertical	0	1.03	41.90	34.37	8.64	35.04
AV	6.056G	91.87	Inf	-Inf	7.92	3	Vertical	0	1.03	83.95	34.30	8.68	35.06
PK	5.911G	62.54	88.20	-25.66	7.98	3	Vertical	0	1.03	54.56	34.38	8.64	35.04
PK	6.035G	103.69	Inf	-Inf	7.92	3	Vertical	0	1.03	95.77	34.30	8.67	35.05

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.899G	49.95	68.20	-18.25	7.99	3	Horizontal	13	1.90	41.96	34.40	8.63	35.04
AV	6.042G	91.99	Inf	-Inf	7.91	3	Horizontal	13	1.90	84.08	34.30	8.67	35.06
PK	5.915G	61.78	88.20	-26.42	7.97	3	Horizontal	13	1.90	53.81	34.37	8.64	35.04
PK	6.001G	104.04	Inf	-Inf	7.91	3	Horizontal	13	1.90	96.13	34.30	8.65	35.04




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.925G	49.73	68.20	-18.47	7.95	3	Vertical	353	1.34	41.78	34.35	8.64	35.04				
AV	6.207G	89.07	Inf	-Inf	8.06	3	Vertical	353	1.34	81.01	34.41	8.76	35.11				
PK	5.819G	61.58	88.20	-26.62	7.82	3	Vertical	353	1.34	53.76	34.24	8.62	35.04				
PK	6.209G	100.69	Inf	-Inf	8.06	3	Vertical	353	1.34	92.63	34.42	8.76	35.12				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.863G	50.07	68.20	-18.13	7.92	3	Horizontal	14	1.50	42.15	34.33	8.63	35.04				
AV	6.127G	88.84	Inf	-Inf	7.98	3	Horizontal	14	1.50	80.86	34.35	8.72	35.09				
PK	5.925G	62.12	88.20	-26.08	7.95	3	Horizontal	14	1.50	54.17	34.35	8.64	35.04				
PK	6.125G	100.94	Inf	-Inf	7.98	3	Horizontal	14	1.50	92.96	34.35	8.72	35.09				




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX






6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





RSE TX below 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	QP	36.01M	33.46	40.00	-6.54	3	Vertical	277	1.00




RSE TX below 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz_PoE	Pass	PK	47.46M	32.03	40.00	-7.97	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	286.08M	26.11	46.00	-19.89	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	331.67M	34.85	46.00	-11.15	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	455.83M	32.92	46.00	-13.08	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	525.67M	37.25	46.00	-8.75	3	Vertical	0	1.00
6105MHz_PoE	Pass	QP	36.01M	33.46	40.00	-6.54	3	Vertical	277	1.00
6105MHz_PoE	Pass	PK	30M	24.74	40.00	-15.26	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	71.71M	23.12	40.00	-16.88	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	329.73M	33.05	46.00	-12.95	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	397.63M	35.59	46.00	-10.41	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	530.52M	29.45	46.00	-16.55	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	652.74M	34.80	46.00	-11.20	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	32.03	40.00	-7.97	-27.97	3	Vertical	0	1.00	60.00	15.85	0.79	44.61
PK	286.08M	26.11	46.00	-19.89	-23.26	3	Vertical	0	1.00	49.37	19.15	1.95	44.36
PK	331.67M	34.85	46.00	-11.15	-22.09	3	Vertical	0	1.00	56.94	20.04	2.13	44.26
PK	455.83M	32.92	46.00	-13.08	-18.26	3	Vertical	0	1.00	51.18	23.33	2.43	44.02
PK	525.67M	37.25	46.00	-8.75	-16.75	3	Vertical	0	1.00	54.00	24.52	2.68	43.95
QP	36.01M	33.46	40.00	-6.54	-21.89	3	Vertical	277	1.00	55.35	21.74	0.81	44.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	24.74	40.00	-15.26	-18.87	3	Horizontal	360	1.00	43.61	24.67	0.78	44.32
PK	71.71M	23.12	40.00	-16.88	-31.18	3	Horizontal	360	1.00	54.30	12.54	1.00	44.72
PK	329.73M	33.05	46.00	-12.95	-22.19	3	Horizontal	360	1.00	55.24	19.95	2.12	44.26
PK	397.63M	35.59	46.00	-10.41	-19.99	3	Horizontal	360	1.00	55.58	21.86	2.26	44.11
PK	530.52M	29.45	46.00	-16.55	-16.70	3	Horizontal	360	1.00	46.15	24.56	2.69	43.95
PK	652.74M	34.80	46.00	-11.20	-14.53	3	Horizontal	360	1.00	49.33	26.50	2.91	43.94



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38319G	43.96	54.00	-10.04	3	Vertical	101	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.93378G	44.57	54.00	-9.43	3	Horizontal	250	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.9322G	44.76	54.00	-9.24	3	Vertical	261	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.02288G	45.18	54.00	-8.82	3	Vertical	84	1.14
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.0468G	45.13	54.00	-8.87	3	Horizontal	321	1.31
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.39654G	46.22	54.00	-7.78	3	Vertical	191	1.47
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.39358G	46.34	54.00	-7.66	3	Vertical	92	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.30568G	46.24	54.00	-7.76	3	Horizontal	336	2.76
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.39432G	46.91	54.00	-7.09	3	Vertical	350	2.91



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	49.58	68.20	-18.62	3	Vertical	285	1.63
5955MHz	Pass	AV	5.9607G	102.60	Inf	-Inf	3	Vertical	285	1.63
5955MHz	Pass	PK	5.8518G	61.73	88.20	-26.47	3	Vertical	285	1.63
5955MHz	Pass	PK	5.9619G	113.73	Inf	-Inf	3	Vertical	285	1.63
5955MHz	Pass	AV	5.9148G	49.38	68.20	-18.82	3	Horizontal	343	1.50
5955MHz	Pass	AV	5.952G	102.67	Inf	-Inf	3	Horizontal	343	1.50
5955MHz	Pass	PK	5.8749G	61.52	88.20	-26.68	3	Horizontal	343	1.50
5955MHz	Pass	PK	5.9526G	115.01	Inf	-Inf	3	Horizontal	343	1.50
5955MHz	Pass	AV	11.89854G	42.30	54.00	-11.70	3	Vertical	257	1.50
5955MHz	Pass	PK	11.90238G	55.31	74.00	-18.69	3	Vertical	257	1.50
5955MHz	Pass	AV	11.89506G	42.25	54.00	-11.75	3	Horizontal	314	1.96
5955MHz	Pass	PK	11.91642G	55.71	74.00	-18.29	3	Horizontal	314	1.96
6195MHz	Pass	AV	12.38319G	43.96	54.00	-10.04	3	Vertical	101	1.50
6195MHz	Pass	PK	12.37632G	56.98	74.00	-17.02	3	Vertical	101	1.50
6195MHz	Pass	AV	12.38316G	43.93	54.00	-10.07	3	Horizontal	0	1.50
6195MHz	Pass	PK	12.38136G	56.46	74.00	-17.54	3	Horizontal	0	1.50
6415MHz	Pass	AV	12.84293G	45.83	68.20	-22.37	3	Vertical	147	1.50
6415MHz	Pass	PK	12.82949G	58.39	88.20	-29.81	3	Vertical	147	1.50
6415MHz	Pass	AV	12.84365G	45.79	68.20	-22.41	3	Horizontal	292	1.50
6415MHz	Pass	PK	12.82109G	58.95	88.20	-29.25	3	Horizontal	292	1.50
6535MHz	Pass	AV	13.08101G	45.35	68.20	-22.85	3	Vertical	298	1.50
6535MHz	Pass	PK	13.0703G	58.25	88.20	-29.95	3	Vertical	298	1.50
6535MHz	Pass	AV	13.07705G	45.41	68.20	-22.79	3	Horizontal	274	1.19
6535MHz	Pass	PK	13.07954G	58.39	88.20	-29.81	3	Horizontal	274	1.19
6695MHz	Pass	AV	13.39654G	46.22	54.00	-7.78	3	Vertical	191	1.47
6695MHz	Pass	PK	13.38859G	58.72	74.00	-15.28	3	Vertical	191	1.47
6695MHz	Pass	AV	13.40446G	46.40	68.20	-21.80	3	Horizontal	320	2.61
6695MHz	Pass	PK	13.38655G	58.80	74.00	-15.20	3	Horizontal	320	2.61
6855MHz	Pass	AV	13.70625G	45.92	68.20	-22.28	3	Vertical	126	1.00
6855MHz	Pass	PK	13.70661G	58.34	88.20	-29.86	3	Vertical	126	1.00
6855MHz	Pass	AV	13.70286G	45.93	68.20	-22.27	3	Horizontal	178	1.50
6855MHz	Pass	PK	13.70103G	58.36	88.20	-29.84	3	Horizontal	178	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9206G	52.45	68.20	-15.75	3	Vertical	60	1.65
5965MHz	Pass	AV	5.9824G	102.16	Inf	-Inf	3	Vertical	60	1.65
5965MHz	Pass	PK	5.8219G	63.35	88.20	-24.85	3	Vertical	60	1.65
5965MHz	Pass	PK	5.9833G	113.36	Inf	-Inf	3	Vertical	60	1.65
5965MHz	Pass	AV	5.9218G	53.03	68.20	-15.17	3	Horizontal	344	1.80
5965MHz	Pass	AV	5.9827G	103.11	Inf	-Inf	3	Horizontal	344	1.80
5965MHz	Pass	PK	5.9245G	64.15	88.20	-24.05	3	Horizontal	344	1.80
5965MHz	Pass	PK	5.9821G	114.16	Inf	-Inf	3	Horizontal	344	1.80
5965MHz	Pass	AV	11.92514G	44.56	54.00	-9.44	3	Vertical	271	1.50
5965MHz	Pass	PK	11.9153G	57.33	74.00	-16.67	3	Vertical	271	1.50
5965MHz	Pass	AV	11.93378G	44.57	54.00	-9.43	3	Horizontal	250	1.50
5965MHz	Pass	PK	11.93714G	57.15	74.00	-16.85	3	Horizontal	250	1.50
6205MHz	Pass	AV	12.4259G	44.20	54.00	-9.80	3	Vertical	51	1.50
6205MHz	Pass	PK	12.42698G	57.15	74.00	-16.85	3	Vertical	51	1.50
6205MHz	Pass	AV	12.43916G	44.24	54.00	-9.76	3	Horizontal	102	1.91
6205MHz	Pass	PK	12.42842G	56.54	74.00	-17.46	3	Horizontal	102	1.91
6405MHz	Pass	AV	12.83892G	45.79	68.20	-22.41	3	Vertical	338	1.15
6405MHz	Pass	PK	12.83148G	57.98	88.20	-30.22	3	Vertical	338	1.15
6405MHz	Pass	AV	12.78678G	45.86	68.20	-22.34	3	Horizontal	104	1.50
6405MHz	Pass	PK	12.78012G	58.80	88.20	-29.40	3	Horizontal	104	1.50
6565MHz	Pass	AV	13.10216G	45.82	68.20	-22.38	3	Vertical	141	1.50
6565MHz	Pass	PK	13.14248G	58.01	88.20	-30.19	3	Vertical	141	1.50
6565MHz	Pass	AV	13.10462G	45.70	68.20	-22.50	3	Horizontal	278	1.82
6565MHz	Pass	PK	13.11926G	58.26	88.20	-29.94	3	Horizontal	278	1.82
6685MHz	Pass	AV	13.39358G	46.34	54.00	-7.66	3	Vertical	92	1.50
6685MHz	Pass	PK	13.39676G	58.65	74.00	-15.35	3	Vertical	92	1.50
6685MHz	Pass	AV	13.3952G	46.29	54.00	-7.71	3	Horizontal	197	1.86



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.38482G	58.97	74.00	-15.03	3	Horizontal	197	1.86
6845MHz	Pass	AV	13.70836G	46.21	68.20	-21.99	3	Vertical	28	1.50
6845MHz	Pass	PK	13.71796G	58.49	88.20	-29.71	3	Vertical	28	1.50
6845MHz	Pass	AV	13.70788G	46.28	68.20	-21.92	3	Horizontal	343	2.63
6845MHz	Pass	PK	13.71694G	58.47	88.20	-29.73	3	Horizontal	343	2.63
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	52.32	68.20	-15.88	3	Vertical	42	1.50
5985MHz	Pass	AV	6.011G	98.87	Inf	-Inf	3	Vertical	42	1.50
5985MHz	Pass	PK	5.9125G	63.34	88.20	-24.86	3	Vertical	42	1.50
5985MHz	Pass	PK	6.0085G	109.46	Inf	-Inf	3	Vertical	42	1.50
5985MHz	Pass	AV	5.9235G	53.60	68.20	-14.60	3	Horizontal	343	1.50
5985MHz	Pass	AV	6.022G	99.97	Inf	-Inf	3	Horizontal	343	1.50
5985MHz	Pass	PK	5.921G	64.80	88.20	-23.40	3	Horizontal	343	1.50
5985MHz	Pass	PK	6.0015G	110.44	Inf	-Inf	3	Horizontal	343	1.50
5985MHz	Pass	AV	11.9322G	44.76	54.00	-9.24	3	Vertical	261	1.50
5985MHz	Pass	PK	12.02076G	56.79	74.00	-17.21	3	Vertical	261	1.50
5985MHz	Pass	AV	12.02424G	44.74	54.00	-9.26	3	Horizontal	346	1.50
5985MHz	Pass	PK	11.99112G	57.00	74.00	-17.00	3	Horizontal	346	1.50
6225MHz	Pass	AV	12.48432G	44.67	54.00	-9.33	3	Vertical	305	1.50
6225MHz	Pass	PK	12.43632G	56.67	74.00	-17.33	3	Vertical	305	1.50
6225MHz	Pass	AV	12.483G	44.53	54.00	-9.47	3	Horizontal	119	2.65
6225MHz	Pass	PK	12.44856G	57.23	74.00	-16.77	3	Horizontal	119	2.65
6385MHz	Pass	AV	12.82304G	45.92	68.20	-22.28	3	Vertical	37	1.20
6385MHz	Pass	PK	12.80084G	58.50	88.20	-29.70	3	Vertical	37	1.20
6385MHz	Pass	AV	12.82844G	45.81	68.20	-22.39	3	Horizontal	321	2.35
6385MHz	Pass	PK	12.80232G	58.61	88.20	-29.59	3	Horizontal	321	2.35
6625MHz	Pass	AV	13.26536G	46.22	54.00	-7.78	3	Vertical	130	1.17
6625MHz	Pass	PK	13.2584G	58.94	74.00	-15.06	3	Vertical	130	1.17
6625MHz	Pass	AV	13.30568G	46.24	54.00	-7.76	3	Horizontal	336	2.76
6625MHz	Pass	PK	13.27568G	58.12	74.00	-15.88	3	Horizontal	336	2.76
6705MHz	Pass	AV	13.4064G	46.56	68.20	-21.64	3	Vertical	115	1.50
6705MHz	Pass	PK	13.39992G	58.79	74.00	-15.21	3	Vertical	115	1.50
6705MHz	Pass	AV	13.44372G	46.62	68.20	-21.58	3	Horizontal	69	1.50
6705MHz	Pass	PK	13.38564G	58.58	74.00	-15.42	3	Horizontal	69	1.50
6785MHz	Pass	AV	13.53952G	46.56	68.20	-21.64	3	Vertical	288	1.50
6785MHz	Pass	PK	13.5298G	58.39	88.20	-29.81	3	Vertical	288	1.50
6785MHz	Pass	AV	13.53964G	46.57	68.20	-21.63	3	Horizontal	217	1.50
6785MHz	Pass	PK	13.57744G	58.93	88.20	-29.27	3	Horizontal	217	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	52.68	68.20	-15.52	3	Vertical	62	1.59
6025MHz	Pass	AV	6.1025G	96.45	Inf	-Inf	3	Vertical	62	1.59
6025MHz	Pass	PK	5.9235G	63.44	88.20	-24.76	3	Vertical	62	1.59
6025MHz	Pass	PK	6.084G	107.56	Inf	-Inf	3	Vertical	62	1.59
6025MHz	Pass	AV	5.922G	52.84	68.20	-15.36	3	Horizontal	345	1.67
6025MHz	Pass	AV	6.042G	97.41	Inf	-Inf	3	Horizontal	345	1.67
6025MHz	Pass	PK	5.9225G	64.81	88.20	-23.39	3	Horizontal	345	1.67
6025MHz	Pass	PK	6.039G	108.39	Inf	-Inf	3	Horizontal	345	1.67
6025MHz	Pass	AV	12.02288G	45.18	54.00	-8.82	3	Vertical	84	1.14
6025MHz	Pass	PK	12.04808G	56.91	74.00	-17.09	3	Vertical	84	1.14
6025MHz	Pass	AV	12.05072G	45.12	54.00	-8.88	3	Horizontal	147	1.50
6025MHz	Pass	PK	12.01496G	56.92	74.00	-17.08	3	Horizontal	147	1.50
6185MHz	Pass	AV	12.48808G	44.88	54.00	-9.12	3	Vertical	139	1.50
6185MHz	Pass	PK	12.43096G	56.50	74.00	-17.50	3	Vertical	139	1.50
6185MHz	Pass	AV	12.48448G	44.88	54.00	-9.12	3	Horizontal	199	2.16
6185MHz	Pass	PK	12.42496G	56.87	74.00	-17.13	3	Horizontal	199	2.16
6345MHz	Pass	AV	12.8088G	46.27	68.20	-21.93	3	Vertical	349	1.50
6345MHz	Pass	PK	12.72816G	58.00	88.20	-30.20	3	Vertical	349	1.50
6345MHz	Pass	AV	12.80544G	46.24	68.20	-21.96	3	Horizontal	269	1.50
6345MHz	Pass	PK	12.76704G	58.42	88.20	-29.78	3	Horizontal	269	1.50
6665MHz	Pass	AV	13.39432G	46.91	54.00	-7.09	3	Vertical	350	2.91
6665MHz	Pass	PK	13.43896G	59.07	88.20	-29.13	3	Vertical	350	2.91
6665MHz	Pass	AV	13.42G	46.87	68.20	-21.33	3	Horizontal	198	2.79




RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.40704G	58.35	88.20	-29.85	3	Horizontal	198	2.79
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	51.88	68.20	-16.32	3	Vertical	41	1.45
6105MHz	Pass	AV	6.151G	94.14	Inf	-Inf	3	Vertical	41	1.45
6105MHz	Pass	PK	5.922G	63.16	88.20	-25.04	3	Vertical	41	1.45
6105MHz	Pass	PK	6.21G	104.44	Inf	-Inf	3	Vertical	41	1.45
6105MHz	Pass	AV	5.924G	52.56	68.20	-15.64	3	Horizontal	342	1.78
6105MHz	Pass	AV	6.124G	95.13	Inf	-Inf	3	Horizontal	342	1.78
6105MHz	Pass	PK	5.923G	63.43	88.20	-24.77	3	Horizontal	342	1.78
6105MHz	Pass	PK	6.123G	105.61	Inf	-Inf	3	Horizontal	342	1.78
6105MHz	Pass	AV	12.05016G	45.04	54.00	-8.96	3	Vertical	73	1.50
6105MHz	Pass	PK	12.10632G	56.96	74.00	-17.04	3	Vertical	73	1.50
6105MHz	Pass	AV	12.0468G	45.13	54.00	-8.87	3	Horizontal	321	1.31
6105MHz	Pass	PK	12.1236G	56.48	74.00	-17.52	3	Horizontal	321	1.31
6265MHz	Pass	AV	12.74744G	46.12	68.20	-22.08	3	Vertical	120	2.76
6265MHz	Pass	PK	12.67928G	58.01	74.00	-15.99	3	Vertical	120	2.76
6265MHz	Pass	AV	12.7364G	46.17	68.20	-22.03	3	Horizontal	94	1.50
6265MHz	Pass	PK	12.65096G	57.87	74.00	-16.13	3	Horizontal	94	1.50


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX






5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.922G	51.88	68.20	-16.32	7.96	3	Vertical	41	1.45	43.92	34.36	8.64	35.04				
AV	6.151G	94.14	Inf	-Inf	8.04	3	Vertical	41	1.45	86.10	34.40	8.73	35.09				
PK	5.922G	63.16	88.20	-25.04	7.96	3	Vertical	41	1.45	55.20	34.36	8.64	35.04				
PK	6.21G	104.44	Inf	-Inf	8.06	3	Vertical	41	1.45	96.38	34.42	8.76	35.12				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.924G	52.56	68.20	-15.64	7.95	3	Horizontal	342	1.78	44.61	34.35	8.64	35.04				
AV	6.124G	95.13	Inf	-Inf	7.99	3	Horizontal	342	1.78	87.14	34.35	8.72	35.08				
PK	5.923G	63.43	88.20	-24.77	7.95	3	Horizontal	342	1.78	55.48	34.35	8.64	35.04				
PK	6.123G	105.61	Inf	-Inf	7.99	3	Horizontal	342	1.78	97.62	34.35	8.72	35.08				




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX






6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX






6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	11.93508G	43.25	54.00	-10.75	3	Horizontal	46	1.33
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	Pass	AV	12.02192G	43.10	54.00	-10.90	3	Horizontal	36	2.38
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	Pass	AV	12.25016G	43.31	54.00	-10.69	3	Vertical	330	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 2_Multi-RU_O-435 Appendix E.13

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.922G	51.56	68.20	-16.64	3	Vertical	66	1.70
5985MHz	Pass	AV	6.0215G	96.40	Inf	-Inf	3	Vertical	66	1.70
5985MHz	Pass	PK	5.923G	63.40	88.20	-24.80	3	Vertical	66	1.70
5985MHz	Pass	PK	6.0235G	106.96	Inf	-Inf	3	Vertical	66	1.70
5985MHz	Pass	AV	5.9235G	51.40	68.20	-16.80	3	Horizontal	22	1.49
5985MHz	Pass	AV	6.006G	94.80	Inf	-Inf	3	Horizontal	22	1.49
5985MHz	Pass	PK	5.9245G	62.65	88.20	-25.55	3	Horizontal	22	1.49
5985MHz	Pass	PK	5.966G	105.98	Inf	-Inf	3	Horizontal	22	1.49
5985MHz	Pass	AV	11.92476G	43.24	54.00	-10.76	3	Vertical	169	1.50
5985MHz	Pass	PK	11.99556G	55.24	74.00	-18.76	3	Vertical	169	1.50
5985MHz	Pass	AV	11.93508G	43.25	54.00	-10.75	3	Horizontal	46	1.33
5985MHz	Pass	PK	11.97132G	55.56	74.00	-18.44	3	Horizontal	46	1.33
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.919G	50.07	68.20	-18.13	3	Vertical	67	1.50
6025MHz	Pass	AV	6.04G	92.75	Inf	-Inf	3	Vertical	67	1.50
6025MHz	Pass	PK	5.9205G	61.94	88.20	-26.26	3	Vertical	67	1.50
6025MHz	Pass	PK	6.0415G	103.95	Inf	-Inf	3	Vertical	67	1.50
6025MHz	Pass	AV	5.9245G	50.15	68.20	-18.05	3	Horizontal	16	1.62
6025MHz	Pass	AV	6.027G	91.79	Inf	-Inf	3	Horizontal	16	1.62
6025MHz	Pass	PK	5.905G	61.03	88.20	-27.17	3	Horizontal	16	1.62
6025MHz	Pass	PK	6.031G	103.05	Inf	-Inf	3	Horizontal	16	1.62
6025MHz	Pass	AV	12.03248G	43.08	54.00	-10.92	3	Vertical	202	2.04
6025MHz	Pass	PK	12.0764G	55.20	74.00	-18.80	3	Vertical	202	2.04
6025MHz	Pass	AV	12.02192G	43.10	54.00	-10.90	3	Horizontal	36	2.38
6025MHz	Pass	PK	12.01232G	55.78	74.00	-18.22	3	Horizontal	36	2.38
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	50.22	68.20	-17.98	3	Vertical	67	1.63
6105MHz	Pass	AV	6.142G	90.81	Inf	-Inf	3	Vertical	67	1.63
6105MHz	Pass	PK	5.919G	61.35	88.20	-26.85	3	Vertical	67	1.63
6105MHz	Pass	PK	6.142G	101.20	Inf	-Inf	3	Vertical	67	1.63
6105MHz	Pass	AV	5.922G	50.26	68.20	-17.94	3	Horizontal	13	1.71
6105MHz	Pass	AV	6.149G	89.77	Inf	-Inf	3	Horizontal	13	1.71
6105MHz	Pass	PK	5.921G	61.16	88.20	-27.04	3	Horizontal	13	1.71
6105MHz	Pass	PK	6.028G	100.23	Inf	-Inf	3	Horizontal	13	1.71
6105MHz	Pass	AV	12.25016G	43.31	54.00	-10.69	3	Vertical	330	1.50
6105MHz	Pass	PK	12.26568G	54.76	74.00	-19.24	3	Vertical	330	1.50
6105MHz	Pass	AV	12.24248G	43.25	54.00	-10.75	3	Horizontal	282	1.76
6105MHz	Pass	PK	12.23096G	54.82	74.00	-19.18	3	Horizontal	282	1.76


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6105MHz_TX






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX





**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Channel Puncturing_O-435**

Appendix E.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	AV	11.93552G	42.18	54.00	-11.82	3	Horizontal	112	1.66	14.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	Pass	AV	12.022G	42.16	54.00	-11.84	3	Vertical	156	2.72	14.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	Pass	AV	12.05288G	42.17	54.00	-11.83	3	Vertical	294	1.50	15



RSE TX above 1GHz_Non-Beamforming_Radio 2 Channel Puncturing_O-435

Appendix E.14

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9125G	49.46	68.20	-18.74	3	Vertical	42	1.49	14.5
5985MHz	Pass	AV	6.0115G	96.40	Inf	-Inf	3	Vertical	42	1.49	14.5
5985MHz	Pass	PK	5.916G	63.01	88.20	-25.19	3	Vertical	42	1.49	14.5
5985MHz	Pass	PK	6.011G	107.08	Inf	-Inf	3	Vertical	42	1.49	14.5
5985MHz	Pass	AV	5.925G	50.32	68.20	-17.88	3	Horizontal	344	1.96	14.5
5985MHz	Pass	AV	6.023G	98.26	Inf	-Inf	3	Horizontal	344	1.96	14.5
5985MHz	Pass	PK	5.919G	62.38	88.20	-25.82	3	Horizontal	344	1.96	14.5
5985MHz	Pass	PK	5.9645G	109.20	Inf	-Inf	3	Horizontal	344	1.96	14.5
5985MHz	Pass	AV	11.93456G	42.11	54.00	-11.89	3	Vertical	61	1.39	14.5
5985MHz	Pass	PK	11.9744G	53.50	74.00	-20.50	3	Vertical	61	1.39	14.5
5985MHz	Pass	AV	11.93552G	42.18	54.00	-11.82	3	Horizontal	112	1.66	14.5
5985MHz	Pass	PK	11.93008G	54.07	74.00	-19.93	3	Horizontal	112	1.66	14.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	49.85	68.20	-18.35	3	Vertical	62	1.54	15.5
6025MHz	Pass	AV	6.062G	94.08	Inf	-Inf	3	Vertical	62	1.54	15.5
6025MHz	Pass	PK	5.8565G	62.00	88.20	-26.20	3	Vertical	62	1.54	15.5
6025MHz	Pass	PK	6.1015G	105.36	Inf	-Inf	3	Vertical	62	1.54	15.5
6025MHz	Pass	AV	5.9245G	50.10	68.20	-18.10	3	Horizontal	343	1.87	15.5
6025MHz	Pass	AV	6.063G	94.93	Inf	-Inf	3	Horizontal	343	1.87	15.5
6025MHz	Pass	PK	5.9085G	64.45	88.20	-23.75	3	Horizontal	343	1.87	15.5
6025MHz	Pass	PK	6.023G	106.67	Inf	-Inf	3	Horizontal	343	1.87	15.5
6025MHz	Pass	AV	12.05064G	42.13	54.00	-11.87	3	Vertical	69	2.67	15.5
6025MHz	Pass	PK	12.01144G	53.31	74.00	-20.69	3	Vertical	69	2.67	15.5
6025MHz	Pass	AV	12.06184G	42.13	54.00	-11.87	3	Horizontal	112	2.11	15.5
6025MHz	Pass	PK	12.08856G	53.84	74.00	-20.16	3	Horizontal	112	2.11	15.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	49.82	68.20	-18.38	3	Vertical	65	1.50	14.5
6025MHz	Pass	AV	6.062G	93.37	Inf	-Inf	3	Vertical	65	1.50	14.5
6025MHz	Pass	PK	5.891G	61.70	88.20	-26.50	3	Vertical	65	1.50	14.5
6025MHz	Pass	PK	6.0415G	104.66	Inf	-Inf	3	Vertical	65	1.50	14.5
6025MHz	Pass	AV	5.925G	49.97	68.20	-18.23	3	Horizontal	342	1.73	14.5
6025MHz	Pass	AV	6.063G	94.22	Inf	-Inf	3	Horizontal	342	1.73	14.5
6025MHz	Pass	PK	5.881G	62.36	88.20	-25.84	3	Horizontal	342	1.73	14.5
6025MHz	Pass	PK	6.0615G	105.86	Inf	-Inf	3	Horizontal	342	1.73	14.5
6025MHz	Pass	AV	12.022G	42.16	54.00	-11.84	3	Vertical	156	2.72	14.5
6025MHz	Pass	PK	12.11928G	53.85	74.00	-20.15	3	Vertical	156	2.72	14.5
6025MHz	Pass	AV	12.05112G	42.11	54.00	-11.89	3	Horizontal	146	2.85	14.5
6025MHz	Pass	PK	12.0668G	53.31	74.00	-20.69	3	Horizontal	146	2.85	14.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	49.37	68.20	-18.83	3	Vertical	42	1.43	15.5
6105MHz	Pass	AV	6.15G	91.28	Inf	-Inf	3	Vertical	42	1.43	15.5
6105MHz	Pass	PK	5.917G	60.91	88.20	-27.29	3	Vertical	42	1.43	15.5
6105MHz	Pass	PK	6.152G	101.62	Inf	-Inf	3	Vertical	42	1.43	15.5
6105MHz	Pass	AV	5.925G	49.75	68.20	-18.45	3	Horizontal	343	1.77	15.5
6105MHz	Pass	AV	6.123G	92.17	Inf	-Inf	3	Horizontal	343	1.77	15.5
6105MHz	Pass	PK	5.92G	61.36	88.20	-26.84	3	Horizontal	343	1.77	15.5
6105MHz	Pass	PK	6.064G	104.53	Inf	-Inf	3	Horizontal	343	1.77	15.5
6105MHz	Pass	AV	12.05224G	42.16	54.00	-11.84	3	Vertical	254	1.17	15.5
6105MHz	Pass	PK	12.23272G	54.21	74.00	-19.79	3	Vertical	254	1.17	15.5
6105MHz	Pass	AV	12.06088G	42.11	54.00	-11.89	3	Horizontal	219	1.50	15.5
6105MHz	Pass	PK	12.08456G	53.64	74.00	-20.36	3	Horizontal	219	1.50	15.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	49.30	68.20	-18.90	3	Vertical	41	1.44	15
6105MHz	Pass	AV	6.15G	91.43	Inf	-Inf	3	Vertical	41	1.44	15
6105MHz	Pass	PK	5.887G	61.53	88.20	-26.67	3	Vertical	41	1.44	15
6105MHz	Pass	PK	6.151G	102.96	Inf	-Inf	3	Vertical	41	1.44	15
6105MHz	Pass	AV	5.925G	49.60	68.20	-18.60	3	Horizontal	343	1.76	15
6105MHz	Pass	AV	6.123G	92.33	Inf	-Inf	3	Horizontal	343	1.76	15
6105MHz	Pass	PK	5.919G	60.95	88.20	-27.25	3	Horizontal	343	1.76	15
6105MHz	Pass	PK	6.123G	104.36	Inf	-Inf	3	Horizontal	343	1.76	15




**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Channel Puncturing_O-435**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6105MHz	Pass	AV	12.05288G	42.17	54.00	-11.83	3	Vertical	294	1.50	15
6105MHz	Pass	PK	12.25448G	53.90	74.00	-20.10	3	Vertical	294	1.50	15
6105MHz	Pass	AV	12.06312G	42.15	54.00	-11.85	3	Horizontal	85	2.64	15
6105MHz	Pass	PK	12.15112G	53.35	74.00	-20.65	3	Horizontal	85	2.64	15
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	49.24	68.20	-18.96	3	Vertical	39	1.45	14.5
6105MHz	Pass	AV	6.151G	91.84	Inf	-Inf	3	Vertical	39	1.45	14.5
6105MHz	Pass	PK	5.921G	61.58	88.20	-26.62	3	Vertical	39	1.45	14.5
6105MHz	Pass	PK	6.149G	103.27	Inf	-Inf	3	Vertical	39	1.45	14.5
6105MHz	Pass	AV	5.924G	49.50	68.20	-18.70	3	Horizontal	342	1.76	14.5
6105MHz	Pass	AV	6.124G	92.51	Inf	-Inf	3	Horizontal	342	1.76	14.5
6105MHz	Pass	PK	5.907G	60.79	88.20	-27.41	3	Horizontal	342	1.76	14.5
6105MHz	Pass	PK	6.126G	103.64	Inf	-Inf	3	Horizontal	342	1.76	14.5
6105MHz	Pass	AV	12.05128G	42.11	54.00	-11.89	3	Vertical	284	1.46	14.5
6105MHz	Pass	PK	12.07208G	53.63	74.00	-20.37	3	Vertical	284	1.46	14.5
6105MHz	Pass	AV	12.06184G	42.16	54.00	-11.84	3	Horizontal	130	2.01	14.5
6105MHz	Pass	PK	12.06152G	53.42	74.00	-20.58	3	Horizontal	130	2.01	14.5


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX


6105MHz_TX






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6105MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	43.58M	36.13	40.00	-3.87	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz PoE	Pass	PK	43.58M	36.13	40.00	-3.87	3	Vertical	0	1.00
5985MHz PoE	Pass	PK	119.24M	28.75	43.50	-14.75	3	Vertical	0	1.00
5985MHz PoE	Pass	PK	274.44M	28.08	46.00	-17.92	3	Vertical	0	1.00
5985MHz PoE	Pass	PK	390.84M	32.15	46.00	-13.85	3	Vertical	0	1.00
5985MHz PoE	Pass	PK	447.1M	33.91	46.00	-12.09	3	Vertical	0	1.00
5985MHz PoE	Pass	PK	547.98M	39.18	46.00	-6.82	3	Vertical	0	1.00
5985MHz PoE	Pass	PK	82.38M	29.25	40.00	-10.75	3	Horizontal	360	1.00
5985MHz PoE	Pass	PK	156.1M	20.51	43.50	-22.99	3	Horizontal	360	1.00
5985MHz PoE	Pass	PK	274.44M	32.17	46.00	-13.83	3	Horizontal	360	1.00
5985MHz PoE	Pass	PK	369.5M	37.21	46.00	-8.79	3	Horizontal	360	1.00
5985MHz PoE	Pass	PK	392.78M	38.59	46.00	-7.41	3	Horizontal	360	1.00
5985MHz PoE	Pass	PK	577.08M	34.50	46.00	-11.50	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	36.13	40.00	-3.87	-25.85	3	Vertical	0	1.00	61.98	17.91	0.80	44.56
PK	119.24M	28.75	43.50	-14.75	-25.80	3	Vertical	0	1.00	54.55	17.54	1.28	44.62
PK	274.44M	28.08	46.00	-17.92	-23.51	3	Vertical	0	1.00	51.59	18.98	1.90	44.39
PK	390.84M	32.15	46.00	-13.85	-20.27	3	Vertical	0	1.00	52.42	21.60	2.25	44.12
PK	447.11M	33.91	46.00	-12.09	-18.51	3	Vertical	0	1.00	52.42	23.13	2.39	44.03
PK	547.98M	39.18	46.00	-6.82	-15.66	3	Vertical	0	1.00	54.84	25.58	2.71	43.95

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	82.38M	29.25	40.00	-10.75	-29.86	3	Horizontal	360	1.00	59.11	13.76	1.07	44.69
PK	156.11M	20.51	43.50	-22.99	-26.36	3	Horizontal	360	1.00	46.87	16.84	1.44	44.64
PK	274.44M	32.17	46.00	-13.83	-23.51	3	Horizontal	360	1.00	55.68	18.98	1.90	44.39
PK	369.5M	37.21	46.00	-8.79	-20.95	3	Horizontal	360	1.00	58.16	21.00	2.22	44.17
PK	392.78M	38.59	46.00	-7.41	-20.20	3	Horizontal	360	1.00	58.79	21.67	2.25	44.12
PK	577.08M	34.50	46.00	-11.50	-14.87	3	Horizontal	360	1.00	49.37	26.33	2.74	43.94



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	11.89626G	42.50	54.00	-11.50	3	Vertical	151	1.69
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.92358G	42.56	54.00	-11.44	3	Vertical	246	2.75
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.92212G	42.52	54.00	-11.48	3	Vertical	316	2.41
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	11.93024G	42.58	54.00	-11.42	3	Horizontal	182	1.07
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.06024G	42.56	54.00	-11.44	3	Vertical	223	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38751G	43.86	54.00	-10.14	3	Vertical	311	1.33
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.39898G	44.10	54.00	-9.90	3	Vertical	263	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.26764G	43.91	54.00	-10.09	3	Horizontal	12	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.33479G	43.60	54.00	-10.40	3	Horizontal	114	1.34



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix E.16

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9007G	49.46	68.20	-18.74	3	Vertical	58	2.57
5955MHz	Pass	AV	5.9487G	98.14	Inf	-Inf	3	Vertical	58	2.57
5955MHz	Pass	PK	5.877G	62.13	88.20	-26.07	3	Vertical	58	2.57
5955MHz	Pass	PK	5.9481G	110.70	Inf	-Inf	3	Vertical	58	2.57
5955MHz	Pass	AV	5.9121G	49.37	68.20	-18.83	3	Horizontal	48	2.04
5955MHz	Pass	AV	5.958G	95.26	Inf	-Inf	3	Horizontal	48	2.04
5955MHz	Pass	PK	5.8752G	61.55	88.20	-26.65	3	Horizontal	48	2.04
5955MHz	Pass	PK	5.9562G	106.69	Inf	-Inf	3	Horizontal	48	2.04
5955MHz	Pass	AV	11.89626G	42.50	54.00	-11.50	3	Vertical	151	1.69
5955MHz	Pass	PK	11.89764G	55.30	74.00	-18.70	3	Vertical	151	1.69
5955MHz	Pass	AV	11.89869G	42.44	54.00	-11.56	3	Horizontal	151	2.80
5955MHz	Pass	PK	11.89701G	55.64	74.00	-18.36	3	Horizontal	151	2.80
6195MHz	Pass	AV	12.3843G	41.87	54.00	-12.13	3	Vertical	324	2.57
6195MHz	Pass	PK	12.38928G	55.63	74.00	-18.37	3	Vertical	324	2.57
6195MHz	Pass	AV	12.38148G	41.86	54.00	-12.14	3	Horizontal	264	1.50
6195MHz	Pass	PK	12.39528G	55.12	74.00	-18.88	3	Horizontal	264	1.50
6415MHz	Pass	AV	12.84446G	43.69	68.20	-24.51	3	Vertical	84	1.32
6415MHz	Pass	PK	12.83639G	56.93	88.20	-31.27	3	Vertical	84	1.32
6415MHz	Pass	AV	12.84467G	43.67	68.20	-24.53	3	Horizontal	0	1.50
6415MHz	Pass	PK	12.82427G	56.82	88.20	-31.38	3	Horizontal	0	1.50
6535MHz	Pass	AV	13.07969G	43.37	68.20	-24.83	3	Vertical	84	1.28
6535MHz	Pass	PK	13.06865G	57.03	88.20	-31.17	3	Vertical	84	1.28
6535MHz	Pass	AV	13.07729G	43.37	68.20	-24.83	3	Horizontal	244	1.76
6535MHz	Pass	PK	13.06895G	56.92	88.20	-31.28	3	Horizontal	244	1.76
6695MHz	Pass	AV	13.38751G	43.86	54.00	-10.14	3	Vertical	311	1.33
6695MHz	Pass	PK	13.3891G	57.13	74.00	-16.87	3	Vertical	311	1.33
6695MHz	Pass	AV	13.39473G	43.86	54.00	-10.14	3	Horizontal	53	1.50
6695MHz	Pass	PK	13.39115G	57.00	74.00	-17.00	3	Horizontal	53	1.50
6855MHz	Pass	AV	13.70154G	43.85	68.20	-24.35	3	Vertical	141	1.50
6855MHz	Pass	PK	13.70544G	56.63	88.20	-31.57	3	Vertical	141	1.50
6855MHz	Pass	AV	13.70025G	43.88	68.20	-24.32	3	Horizontal	345	1.05
6855MHz	Pass	PK	13.71396G	57.02	88.20	-31.18	3	Horizontal	345	1.05
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9122G	49.41	68.20	-18.79	3	Vertical	285	2.38
5965MHz	Pass	AV	5.98G	94.96	Inf	-Inf	3	Vertical	285	2.38
5965MHz	Pass	PK	5.8675G	61.72	88.20	-26.48	3	Vertical	285	2.38
5965MHz	Pass	PK	5.9794G	106.80	Inf	-Inf	3	Vertical	285	2.38
5965MHz	Pass	AV	5.9092G	49.29	68.20	-18.91	3	Horizontal	47	1.99
5965MHz	Pass	AV	5.9686G	92.30	Inf	-Inf	3	Horizontal	47	1.99
5965MHz	Pass	PK	5.8588G	62.39	88.20	-25.81	3	Horizontal	47	1.99
5965MHz	Pass	PK	5.968G	104.01	Inf	-Inf	3	Horizontal	47	1.99
5965MHz	Pass	AV	11.92358G	42.56	54.00	-11.44	3	Vertical	246	2.75
5965MHz	Pass	PK	11.91614G	55.89	74.00	-18.11	3	Vertical	246	2.75
5965MHz	Pass	AV	11.93258G	42.50	54.00	-11.50	3	Horizontal	267	1.85
5965MHz	Pass	PK	11.92706G	55.87	74.00	-18.13	3	Horizontal	267	1.85
6205MHz	Pass	AV	12.42764G	42.10	54.00	-11.90	3	Vertical	50	2.14
6205MHz	Pass	PK	12.43862G	55.37	74.00	-18.63	3	Vertical	50	2.14
6205MHz	Pass	AV	12.42848G	42.09	54.00	-11.91	3	Horizontal	122	2.34
6205MHz	Pass	PK	12.41636G	54.74	74.00	-19.26	3	Horizontal	122	2.34
6405MHz	Pass	AV	12.83904G	43.62	68.20	-24.58	3	Vertical	350	1.50
6405MHz	Pass	PK	12.81402G	56.42	88.20	-31.78	3	Vertical	350	1.50
6405MHz	Pass	AV	12.83802G	43.61	68.20	-24.59	3	Horizontal	159	1.67
6405MHz	Pass	PK	12.8337G	57.77	88.20	-30.43	3	Horizontal	159	1.67
6565MHz	Pass	AV	13.10414G	43.62	68.20	-24.58	3	Vertical	235	1.50
6565MHz	Pass	PK	13.13768G	56.58	88.20	-31.62	3	Vertical	235	1.50
6565MHz	Pass	AV	13.1027G	43.64	68.20	-24.56	3	Horizontal	151	1.50
6565MHz	Pass	PK	13.11176G	56.82	88.20	-31.38	3	Horizontal	151	1.50
6685MHz	Pass	AV	13.39898G	44.10	54.00	-9.90	3	Vertical	263	1.50
6685MHz	Pass	PK	13.36844G	56.96	74.00	-17.04	3	Vertical	263	1.50
6685MHz	Pass	AV	13.39916G	44.10	54.00	-9.90	3	Horizontal	105	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.39352G	57.09	74.00	-16.91	3	Horizontal	105	1.50
6845MHz	Pass	AV	13.70158G	44.01	68.20	-24.19	3	Vertical	205	1.50
6845MHz	Pass	PK	13.69846G	57.46	88.20	-30.74	3	Vertical	205	1.50
6845MHz	Pass	AV	13.69978G	44.02	68.20	-24.18	3	Horizontal	131	2.76
6845MHz	Pass	PK	13.70992G	57.11	88.20	-31.09	3	Horizontal	131	2.76
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9015G	49.46	68.20	-18.74	3	Vertical	295	2.44
5985MHz	Pass	AV	6.0195G	91.62	Inf	-Inf	3	Vertical	295	2.44
5985MHz	Pass	PK	5.808G	61.85	88.20	-26.35	3	Vertical	295	2.44
5985MHz	Pass	PK	6.02G	102.09	Inf	-Inf	3	Vertical	295	2.44
5985MHz	Pass	AV	5.924G	49.31	68.20	-18.89	3	Horizontal	48	2.05
5985MHz	Pass	AV	5.9475G	88.78	Inf	-Inf	3	Horizontal	48	2.05
5985MHz	Pass	PK	5.883G	61.98	88.20	-26.22	3	Horizontal	48	2.05
5985MHz	Pass	PK	5.947G	100.54	Inf	-Inf	3	Horizontal	48	2.05
5985MHz	Pass	AV	11.92212G	42.52	54.00	-11.48	3	Vertical	316	2.41
5985MHz	Pass	PK	11.94444G	55.50	74.00	-18.50	3	Vertical	316	2.41
5985MHz	Pass	AV	11.92836G	42.51	54.00	-11.49	3	Horizontal	279	1.50
5985MHz	Pass	PK	11.99196G	55.57	74.00	-18.43	3	Horizontal	279	1.50
6225MHz	Pass	AV	12.48468G	42.27	54.00	-11.73	3	Vertical	201	2.99
6225MHz	Pass	PK	12.45048G	55.09	74.00	-18.91	3	Vertical	201	2.99
6225MHz	Pass	AV	12.4824G	42.27	54.00	-11.73	3	Horizontal	269	1.50
6225MHz	Pass	PK	12.4914G	55.36	74.00	-18.64	3	Horizontal	269	1.50
6385MHz	Pass	AV	12.82076G	43.57	68.20	-24.63	3	Vertical	253	1.50
6385MHz	Pass	PK	12.78488G	56.44	88.20	-31.76	3	Vertical	253	1.50
6385MHz	Pass	AV	12.82292G	43.58	68.20	-24.62	3	Horizontal	19	1.50
6385MHz	Pass	PK	12.81392G	56.38	88.20	-31.82	3	Horizontal	19	1.50
6625MHz	Pass	AV	13.25496G	43.40	54.00	-10.60	3	Vertical	145	1.50
6625MHz	Pass	PK	13.25123G	57.45	74.00	-16.55	3	Vertical	145	1.50
6625MHz	Pass	AV	13.26764G	43.91	54.00	-10.09	3	Horizontal	12	1.50
6625MHz	Pass	PK	13.30772G	56.90	74.00	-17.10	3	Horizontal	12	1.50
6705MHz	Pass	AV	13.40844G	44.19	68.20	-24.01	3	Vertical	65	1.50
6705MHz	Pass	PK	13.40196G	57.46	88.20	-30.74	3	Vertical	65	1.50
6705MHz	Pass	AV	13.44432G	44.22	68.20	-23.98	3	Horizontal	320	1.24
6705MHz	Pass	PK	13.43004G	57.19	88.20	-31.01	3	Horizontal	320	1.24
6785MHz	Pass	AV	13.53592G	44.35	68.20	-23.85	3	Vertical	334	1.82
6785MHz	Pass	PK	13.54048G	56.98	88.20	-31.22	3	Vertical	334	1.82
6785MHz	Pass	AV	13.53472G	44.31	68.20	-23.89	3	Horizontal	154	1.93
6785MHz	Pass	PK	13.5412G	57.33	88.20	-30.87	3	Horizontal	154	1.93
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9065G	49.57	68.20	-18.63	3	Vertical	285	2.09
6025MHz	Pass	AV	6.102G	89.00	Inf	-Inf	3	Vertical	285	2.09
6025MHz	Pass	PK	5.911G	62.31	88.20	-25.89	3	Vertical	285	2.09
6025MHz	Pass	PK	6.061G	100.66	Inf	-Inf	3	Vertical	285	2.09
6025MHz	Pass	AV	5.903G	49.46	68.20	-18.74	3	Horizontal	52	2.73
6025MHz	Pass	AV	6.022G	85.45	Inf	-Inf	3	Horizontal	52	2.73
6025MHz	Pass	PK	5.892G	62.50	88.20	-25.70	3	Horizontal	52	2.73
6025MHz	Pass	PK	6.0225G	96.70	Inf	-Inf	3	Horizontal	52	2.73
6025MHz	Pass	AV	11.93672G	42.56	54.00	-11.44	3	Vertical	233	2.68
6025MHz	Pass	PK	11.9972G	55.39	74.00	-18.61	3	Vertical	233	2.68
6025MHz	Pass	AV	11.93024G	42.58	54.00	-11.42	3	Horizontal	182	1.07
6025MHz	Pass	PK	12.12152G	55.31	74.00	-18.69	3	Horizontal	182	1.07
6185MHz	Pass	AV	12.48424G	42.29	54.00	-11.71	3	Vertical	360	1.50
6185MHz	Pass	PK	12.29632G	55.85	74.00	-18.15	3	Vertical	360	1.50
6185MHz	Pass	AV	12.48616G	42.31	54.00	-11.69	3	Horizontal	63	1.50
6185MHz	Pass	PK	12.41248G	55.54	74.00	-18.46	3	Horizontal	63	1.50
6345MHz	Pass	AV	12.80952G	43.52	68.20	-24.68	3	Vertical	344	1.50
6345MHz	Pass	PK	12.77112G	56.98	88.20	-31.22	3	Vertical	344	1.50
6345MHz	Pass	AV	12.80976G	43.52	68.20	-24.68	3	Horizontal	318	2.08
6345MHz	Pass	PK	12.77232G	56.02	88.20	-32.18	3	Horizontal	318	2.08
6665MHz	Pass	AV	13.33317G	43.59	54.00	-10.41	3	Vertical	181	1.50
6665MHz	Pass	PK	13.32542G	57.24	74.00	-16.76	3	Vertical	181	1.50
6665MHz	Pass	AV	13.33479G	43.60	54.00	-10.40	3	Horizontal	114	1.34



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.32933G	56.35	74.00	-17.65	3	Horizontal	114	1.34
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	49.60	68.20	-18.60	3	Vertical	287	1.99
6105MHz	Pass	AV	6.24G	87.74	Inf	-Inf	3	Vertical	287	1.99
6105MHz	Pass	PK	5.867G	61.59	88.20	-26.61	3	Vertical	287	1.99
6105MHz	Pass	PK	6.24G	99.07	Inf	-Inf	3	Vertical	287	1.99
6105MHz	Pass	AV	5.912G	49.39	68.20	-18.81	3	Horizontal	346	1.50
6105MHz	Pass	AV	6.262G	82.86	Inf	-Inf	3	Horizontal	346	1.50
6105MHz	Pass	PK	5.917G	61.29	88.20	-26.91	3	Horizontal	346	1.50
6105MHz	Pass	PK	6.261G	94.09	Inf	-Inf	3	Horizontal	346	1.50
6105MHz	Pass	AV	12.06024G	42.56	54.00	-11.44	3	Vertical	223	1.50
6105MHz	Pass	PK	12.2388G	55.43	74.00	-18.57	3	Vertical	223	1.50
6105MHz	Pass	AV	12.06264G	42.47	54.00	-11.53	3	Horizontal	310	1.17
6105MHz	Pass	PK	12.14856G	55.36	74.00	-18.64	3	Horizontal	310	1.17
6265MHz	Pass	AV	12.52759G	42.07	54.00	-11.93	3	Vertical	321	1.50
6265MHz	Pass	PK	12.52902G	55.32	74.00	-18.68	3	Vertical	321	1.50
6265MHz	Pass	AV	12.52788G	42.07	54.00	-11.93	3	Horizontal	142	2.31
6265MHz	Pass	PK	12.52596G	55.65	74.00	-18.35	3	Horizontal	142	2.31