Appendix A

RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)

Product Name: PROTABL SPEAKERPHONE
Trade Mark: INNOTRIK, AUCTOPUS
Test Model: BT-31S-C

Environmental Conditions

Temperature:	21.3° C
Relative Humidity:	49.6%
ATM Pressure:	100.0 kPa
Test Engineer:	Carl Fu
Supervised by:	Li Huan

A.1 Maximum Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	1.835	21	PASS
	MCH	0.058	21	PASS
	HCH	-1.884	21	PASS
π/4DQPSK	LCH	4.110	21	PASS
	MCH	2.245	21	PASS
	HCH	0.323	21	PASS
8DPSK	LCH	4.557	21	PASS
	MCH	2.725	21	PASS
	HCH	0.758	21	PASS

Test Graphs	
GFSK/LCH	
GFSK/MCH	

GFSK/HCH	
π/4DQPSK/LCH	

π/4DQPSK/MCH		
π/4DQPSK/HCH		

8DPSK/LCH	
8DPSK/MCH	

8DPSK/HCH	

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
05:26:12 PM Dec 30, 2020
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
Avg Type: Log-Pwr
Avg|Hold: 10/10
TRACE 1 2 3 4 5 6
TYPE M
DET P P P P P
Ref Offset 8.05 dB
10 dB/div
Log
Ref 20.00 dBm
Mkr1 2.479 877 50 GHz
0.758 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
1
Center 2.480000 GHz
#Res BW 3.0 MHz
#VBW 8.0 MHz
Span 10.00 MHz
Sweep 1.067 ms (8001 pts)
MSG
STATUS
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.475000000 GHz
Stop Freq
2.485000000 GHz
CF Step
1.000000 MHz
Auto
Man
Freq Offset
0 Hz

A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9512	Not Specified	PASS
	MCH	0.9518	Not Specified	PASS
	HCH	0.9514	Not Specified	PASS
π/4DQPSK	LCH	1.320	Not Specified	PASS
	MCH	1.318	Not Specified	PASS
	HCH	1.319	Not Specified	PASS
8DPSK	LCH	1.300	Not Specified	PASS
	MCH	1.302	Not Specified	PASS
	HCH	1.301	Not Specified	PASS

Test Graphs	
GFSK/LCH	

GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	

π/4DQPSK/HCH	
8DPSK/LCH	

8DPSK/MCH	
8DPSK/HCH	

A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.044	0.635	PASS
	MCH	1.186	0.635	PASS
	HCH	1.064	0.635	PASS
π/4DQPSK	LCH	0.908	0.880	PASS
	MCH	1.186	0.880	PASS
	HCH	1.050	0.880	PASS
8DPSK	LCH	1.098	0.868	PASS
	MCH	0.910	0.868	PASS
	HCH	1.048	0.868	PASS

Test Graphs

GFSK/LCH



GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	

π/4DQPSK/HCH	
8DPSK/LCH	

8DPSK/MCH	
8DPSK/HCH	

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs		
GFSK/Hop		
π/4DQPSK/Hop		

8DPSK/Hop	

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.441750000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 10/10
05:42:11 PM Dec 30, 2020
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
Log
ΔMkr1 78.125 MHz
-3.353 dB
Start 2.40000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 2.48350 GHz
Sweep 8.000 ms (8001 pts)
1 Δ2 f (Δ) 78.125 MHz (Δ) -3.353 dB
2 F f 2.402 035 GHz 1.188 dBm
Frequency
Auto Tune
Center Freq
2.441750000 GHz
Start Freq
2.400000000 GHz
Stop Freq
2.483500000 GHz
CF Step
8.350000 MHz
Auto
Man
Freq Offset
0 Hz

A.5 Dwell Time

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.9	106.7	0.309	0.4	PASS
	DH5	MCH	2.9	106.7	0.309	0.4	PASS
	DH5	HCH	2.9	106.7	0.309	0.4	PASS
π/4DQPSK	2DH5	LCH	2.9	106.7	0.309	0.4	PASS
	2DH5	MCH	2.9	106.7	0.309	0.4	PASS
	2DH5	HCH	2.9	106.7	0.309	0.4	PASS
8DPSK	3DH5	LCH	2.9	106.7	0.309	0.4	PASS
	3DH5	MCH	2.9	106.7	0.309	0.4	PASS
	3DH5	HCH	2.9	106.7	0.309	0.4	PASS

Test Graphs

GFSK_DH5/LCH



GFSK_DH5/MCH	
GFSK_DH5/HCH	

π/4DQPSK _2DH5/LCH	
π/4DQPSK _2DH5/MCH	

π/4DQPSK _2DH5/HCH	
8DPSK _3DH5/LCH	

8DPSK _3DH5/MCH	
8DPSK _3DH5/HCH	

A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	1.401	-37.069	-18.599	PASS
	MCH	-0.273	-37.782	-20.273	PASS
	HCH	-2.202	-37.704	-22.202	PASS
π/4DQPSK	LCH	1.526	-37.500	-18.474	PASS
	MCH	-0.291	-37.599	-20.291	PASS
	HCH	-2.197	-37.471	-22.197	PASS
8DPSK	LCH	1.494	-36.245	-18.506	PASS
	MCH	-0.25	-36.541	-20.250	PASS
	HCH	-2.206	-37.270	-22.206	PASS

GFSK_LCH_Graphs

Pref



Puw		

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
05:06:59 PM Dec 30, 2020
Center Freq 12.515000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 3/10
TRACE 1 2 3 4 5 6
TYPE M
DET P P P P P
Ref Offset 8.05 dB
10 dB/div
Log
Ref 20.00 dBm
Mkr2 24.760 GHz
-37.069 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
-18.60 dBm
Start 30 MHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 25.00 GHz
Sweep 2.387 s (8001 pts)
Frequency
Auto Tune
Center Freq
12.515000000 GHz
Start Freq
30.000000 MHz
Stop Freq
25.000000000 GHz
CF Step
2.497000000 GHz
Auto
Man
Freq Offset
0 Hz
MSG
STATUS

GFSK_MCH_Graphs		
Pref		
Puw		

GFSK_HCH_Graphs			
Pref			
Puw			

π/4DQPSK_LCH_Graphs			
Pref			
Puw			

π/4DQPSK_MCH_Graphs		
Pref		
Puw		

π/4DQPSK_HCH_Graphs		
Pref		
Puw		

8DPSK_LCH_Graphs			
Pref			
Puw			

8DPSK_MCH_Graphs			
Pref			
Puw			

8DPSK_HCH_Graphs			
Pref			
Puw			

A.7 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	1.610	Off	-47.000	-18.39	PASS
			1.291	On	-47.734	-18.71	PASS
	HCH	2480	-2.257	Off	-48.548	-22.26	PASS
			-1.022	On	-48.677	-21.02	PASS
π/4DQPSK	LCH	2402	0.996	Off	-48.084	-19	PASS
			1.240	On	-47.836	-18.76	PASS
	HCH	2480	-2.185	Off	-48.901	-22.19	PASS
			-0.865	On	-48.300	-20.87	PASS
8DPSK	LCH	2402	1.525	Off	-48.671	-18.48	PASS
			1.582	On	-47.996	-18.42	PASS
	HCH	2480	-2.119	Off	-49.409	-22.12	PASS
			-0.814	On	-47.298	-20.81	PASS

Test Graphs	
GFSK/LCH/No Hop	
GFSK/LCH/Hop	

GFSK/HCH/No Hop	
GFSK/HCH/Hop	

π/4DQPSK/LCH/No Hop	
π/4DQPSK/LCH/Hop	

π/4DQPSK/HCH/No Hop	
π/4DQPSK/HCH/Hop	

8DPSK/LCH/No Hop	
8DPSK/LCH/Hop	

8DPSK/HCH/No Hop	
8DPSK/HCH/Hop	

A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-43.36	2.0	0	53.90	PEAK	74	PASS
	Off	2310.0	-53.16	2.0	0	44.10	AV	54	PASS
	Off	2390.0	-42.19	2.0	0	55.07	PEAK	74	PASS
	Off	2390.0	-52.84	2.0	0	44.42	AV	54	PASS
	Off	2483.5	-42.71	2.0	0	54.54	PEAK	74	PASS
	Off	2483.5	-52.33	2.0	0	44.93	AV	54	PASS
	Off	2500.0	-42.52	2.0	0	54.74	PEAK	74	PASS
	Off	2500.0	-52.14	2.0	0	45.12	AV	54	PASS
π/4DQPSK	Off	2310.0	-42.63	2.0	0	54.63	PEAK	74	PASS
	Off	2310.0	-53.21	2.0	0	44.05	AV	54	PASS
	Off	2390.0	-43.00	2.0	0	54.25	PEAK	74	PASS
	Off	2390.0	-52.72	2.0	0	44.54	AV	54	PASS
	Off	2483.5	-41.54	2.0	0	55.72	PEAK	74	PASS
	Off	2483.5	-52.11	2.0	0	45.15	AV	54	PASS
	Off	2500.0	-41.36	2.0	0	55.9	PEAK	74	PASS
	Off	2500.0	-52.14	2.0	0	45.12	AV	54	PASS
8DPSK	Off	2310.0	-41.48	2.0	0	55.78	PEAK	74	PASS
	Off	2310.0	-53.09	2.0	0	44.17	AV	54	PASS
	Off	2390.0	-42.75	2.0	0	54.51	PEAK	74	PASS
	Off	2390.0	-52.72	2.0	0	44.53	AV	54	PASS
	Off	2483.5	-41.87	2.0	0	55.39	PEAK	74	PASS
	Off	2483.5	-52.21	2.0	0	45.05	AV	54	PASS
	Off	2500.0	-41.65	2.0	0	55.60	PEAK	74	PASS
	Off	2500.0	-52.07	2.0	0	45.19	AV	54	PASS

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)