

QI2 Wireless Charger

MPP15-1LNNA

User Manual



CONETNES

1.0 INTRODUCTION	1
2.0 Features	1
3.0 Specifications.....	1
4.0 Package contents	1
5.0 OPERATION.....	2
6.0 CONNECTION DIAGRAM.....	2

QI2 Wireless Charger

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

1.0 INTRODUCTION

This product is a wireless charging device in accordance with the Qi protocol which is suitable for mobile phones, and other devices based on wireless charging 5W or 15W. Connect the wireless charger to a power supply and then you can charge your device which is supported wireless charging (mobile phones, etc) by put it on the wireless charger directly.

2.0 FEATURES

- Transmitting terminal input: 5V/3A,9V/2.2A
- Transmitting terminal output: 5W/15W
- Compliant with CE, FCC standards
- It is light, smart and convenient to use

3.0 SPECIFICATIONS

Input	Type-C: 5V/3A,9V/2.2A (PD adapter)
Output	15W Max
Operation Temperature Range	0~35°C
Storage Temperature Range	-20 ~ 40°C
Operation Humidity	10% ~ 80% RH
Storage Humidity	5% ~ 95% RH
Size	
Weight	

4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit×1

-
- User Manual×1

5.0 OPERATION

Operation Procedures

1. Connect the wireless charger to the power adapter.
2. Place your device (which supports wireless charging) on the wireless charger.

Operation Notes

1. For optimum performance, please use the wireless charger according to this user manual.
2. Please connect the wireless charger to the power adapter. When you need 5W wireless output, the output capacity of your adapter should include 5V3A. If you need 15W, you need 9V2.22A .It is compatible with PD adapters.
3. Please unplug the charger after using.
4. Do not use the charger with an electronic product which is not in conformity with the specifications, so as to avoid any problem caused by specification mismatching.
5. It's normal that charger will be a little overheated in the use process.
6. When the charger stops working under some accidents, you need to check whether the device is compatible with this charger.
7. Do not let the wireless charger close to fire, such as stove, candles and etc.
8. Do not let the wireless charger soak into liquid, such as swimming pool, bathtub, etc.
9. Do not wash the wireless charger with corrosive cleaner.
- 10.If the wireless charger cannot work properly, please contact the store or distributor in your area.

FCC Warning

This device complies with Part 18 of the FCC Rules.

NOTE: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Refer to FCC Part 18.213(c) and KDB 784748 Anner A section A.5:

Max. Electric Field Emissions: 6.02V/m

Max. Magnetic Field Emissions: 0.44A/m

(b) The maintenance of the system is the responsibility of the manufacturer.

(c) To prevent interference, the product should be as far away from devices operating at the same frequency as possible.

RF exposure considerations

This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

P/N