


Annex F. Photographs

F.1 Test Sample –



F.2 PD Test positions



F.3 SAR Test position

Laptop



F.4 Antenna host platform location and adjacent edge positions relative to the body

Antenna Host Platform location

The diagram illustrates the antenna host platform location for a laptop. It shows a top-down view of the laptop with labels for 'Top', 'Left', 'Right', 'Front', and 'Bottom'. The 'NB mode open 180°' label indicates the laptop is open. The diagram also shows the 'WLAN-Main' and 'WLAN-Aux' antennas and their positions relative to the laptop components. Dimensions are provided for various items, including the distance from the antenna to the top (264.17 mm), right (350.17 mm), left (1.89 mm), and bottom (6.24 mm). The main antenna length is 7.96 mm, and the distance between the main and auxiliary antennas is 340.46 mm. The auxiliary antenna length is 7.96 mm, and the bumper thickness is 6.05 mm. The distance from the antenna to the user is 42.7 mm, and the keyboard depth is 290.1 mm.

Minimum Separation Distance


Item	Antenna	Position	Distance (mm)
A	WLAN-Main	to Top	264.17
B	WLAN-Main	to Right	350.17
C	WLAN-Main	to Left	1.89
D	WLAN-Main	to Bottom	6.24
E	WLAN-Main	Main Antenna Length	7.96
F	Main-Aux	Main to Aux	340.46
G	WLAN-Aux	to Top	264.17
H	WLAN-Aux	to Right	1.89
I	WLAN-Aux	to Left	350.17
J	WLAN-Aux	to Bottom	6.24
K	WLAN-Aux	Aux Antenna Length	7.96
L	NB	Bumper thickness	6.05
X	WLAN-Main	to User	42.7
Y	WLAN-Aux	to User	42.7
Z	NB	Keyboard depth	290.1

Laptop Mode

The diagram shows a person sitting at a desk using a laptop. The WLAN Antenna is labeled, and the distance from the ANT edge to the desktop (w/o Bumper) is 3.27 mm. The distance from the ANT edge to the desktop (w/o Bumper) is 290.05mm.

F.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch – 220721-01



End of the report

This page is intentionally left blank and marks the last page of the test report.