

Appendix Test Data for WLAN(2.4G) (Conducted Measurement)

Product Name: Smart Camera

Trade Mark: N/A

Test Model: BR100

FCC ID: 2BFDS-BR100

Environmental Conditions

Temperature:	23.8℃
Relative Humidity:	52%
ATM Pressure:	100.0 kPa
Test Engineer:	Tony luo
Supervised by:	Max zhang
NOTE	N/A

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1							
Mode	Tx Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	8.383	8.650	96.91	0.14	0.94
		2437	8.384	8.594	97.56	0.11	0.30
		2462	8.384	8.640	97.04	0.13	0.91
802.11g	SISO	2412	1.392	1.644	84.67	0.72	4.39
		2437	1.393	1.680	82.92	0.81	6.19
		2462	1.393	1.653	84.27	0.74	4.83
802.11n (HT20)	SISO	2412	1.174	1.426	82.33	0.84	4.97
		2437	1.174	1.426	82.33	0.84	4.98
		2462	1.175	1.427	82.34	0.84	4.97
802.11n (HT40)	SISO	2422	0.587	0.847	69.30	1.59	9.21
		2437	0.587	0.838	70.05	1.55	7.52
		2452	0.587	0.874	67.16	1.73	10.41

1.2 Test Graph


1.2.1 Ant1




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV





802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV









2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	11.982	/	Pass
		2437	1	11.927	/	Pass
		2462	1	12.008	/	Pass
802.11g	SISO	2412	1	17.883	/	Pass
		2437	1	18.047	/	Pass
		2462	1	17.859	/	Pass
802.11n (HT20)	SISO	2412	1	18.611	/	Pass
		2437	1	19.125	/	Pass
		2462	1	18.599	/	Pass
802.11n (HT40)	SISO	2422	1	36.934	/	Pass
		2437	1	37.004	/	Pass
		2452	1	36.884	/	Pass

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	9.793	≥ 0.5	Pass
		2437	1	9.793	≥ 0.5	Pass
		2462	1	9.782	≥ 0.5	Pass
802.11g	SISO	2412	1	16.305	≥ 0.5	Pass
		2437	1	16.646	≥ 0.5	Pass
		2462	1	16.643	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	17.224	≥ 0.5	Pass
		2437	1	17.592	≥ 0.5	Pass
		2462	1	17.581	≥ 0.5	Pass
802.11n (HT40)	SISO	2422	1	36.180	≥ 0.5	Pass
		2437	1	36.152	≥ 0.5	Pass
		2452	1	36.104	≥ 0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11b HCH 2462MHz Ant1 (SISO) NTN




802.11g LCH 2412MHz Ant1 (SISO) NTN





802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV












2.2.2 6dB BW




802.11b HCH 2462MHz Ant1 (SISO) NTN




802.11g LCH 2412MHz Ant1 (SISO) NTN





802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV









3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	10.46	<=30	Pass
		2437	10.78	<=30	Pass
		2462	11.14	<=30	Pass
802.11g	SISO	2412	10.69	<=30	Pass
		2437	10.93	<=30	Pass
		2462	10.87	<=30	Pass
802.11n (HT20)	SISO	2412	10.35	<=30	Pass
		2437	10.22	<=30	Pass
		2462	10.20	<=30	Pass
802.11n (HT40)	SISO	2422	10.50	<=30	Pass
		2437	9.82	<=30	Pass
		2452	10.18	<=30	Pass

Note1: Antenna Gain: Ant1: 3.0dBi;

4. Maximum Power Spectral Density

4.1 Test Result


4.1.1 PSD

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	-13.25	<=8	Pass
		2437	-11.53	<=8	Pass
		2462	-11.74	<=8	Pass
802.11g	SISO	2412	-14.87	<=8	Pass
		2437	-15.29	<=8	Pass
		2462	-15.96	<=8	Pass
802.11n (HT20)	SISO	2412	-14.37	<=8	Pass
		2437	-14.98	<=8	Pass
		2462	-15.92	<=8	Pass
802.11n (HT40)	SISO	2422	-18.77	<=8	Pass
		2437	-19.32	<=8	Pass
		2452	-19.25	<=8	Pass


Note1: Antenna Gain: Ant1: 3.0dBi;

4.2 Test Graph


4.2.1 PSD




802.11b HCH 2462MHz Ant1 (SISO) NTN




802.11g LCH 2412MHz Ant1 (SISO) NTN




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV





802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV







5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	1.62
		2437	1	2.00
		2462	1	2.33
802.11g	SISO	2412	1	0.68
		2437	1	-0.02
		2462	1	-0.36
802.11n (HT20)	SISO	2412	1	0.30
		2437	1	-0.51
		2462	1	-0.80
802.11n (HT40)	SISO	2422	1	-3.02
		2437	1	-3.90
		2452	1	-3.62

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


5.1.2 CSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	2.33	-27.67	Pass
		2437	1	2.33	-27.67	Pass
		2462	1	2.33	-27.67	Pass
802.11g	SISO	2412	1	0.68	-29.32	Pass
		2437	1	0.68	-29.32	Pass
		2462	1	0.68	-29.32	Pass
802.11n (HT20)	SISO	2412	1	0.30	-29.70	Pass
		2437	1	0.30	-29.70	Pass
		2462	1	0.30	-29.70	Pass
802.11n (HT40)	SISO	2422	1	-3.02	-33.02	Pass
		2437	1	-3.02	-33.02	Pass
		2452	1	-3.02	-33.02	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.

5.2 Test Graph


5.2.1 Ref





802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV





802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV














5.2.2 CSE




802.11b MCH 2437MHz Ant1 (SISO) NTN




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b HCH 2462MHz_Ant1 (SISO) NTN




802.11g LCH 2412MHz_Ant1 (SISO) NTN





802.11g_LCH_2412MHz_Ant1 (SISO) NTN




802.11g_MCH_2437MHz_Ant1 (SISO) NTN













802.11n(HT20) HCH 2462MHz Ant1 (SISO) NTNV



802.11n(HT40) LCH 2422MHz Ant1 (SISO) NTNV







6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2412	2462	0.0130	11.14
2422	2452	0.0112	10.50