



FCC RF Test Report

APPLICANT : Wistron Corporation
EQUIPMENT : Notebook Computer
BRAND NAME : Lenovo
MODEL NAME : TP00079A
FCC ID : PU5-TP00079A
STANDARD : 47 CFR Part 2, 22(H), 24(E), 27
CLASSIFICATION : PCS Licensed Transmitter (PCB)

This is a partial report which is included the conducted output power and ERP/EIRP and radiated test items. The product was received on Nov. 09, 2015 and completely tested on Dec. 16, 2015. We, SPORTON INTERNATIONAL INC., would like to declare that the tested sample has been evaluated in accordance with the test procedures given in ANSI / TIA / EIA-603-D-2010 and the testing has shown the tested sample to be in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC., the test report shall not be reproduced except in full.

Reviewed by: Joseph Lin / Supervisor

Approved by: Jones Tsai / Manager



SPORTON INTERNATIONAL INC.

No. 52, Hwa Ya 1st Rd., Hwa Ya Technology Park, Kwei-Shan District, Tao Yuan City, Taiwan, R.O.C.

TABLE OF CONTENTS



REVISION HISTORY.....	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Applicant	5
1.2 Manufacturer	5
1.3 Product Feature of Equipment Under Test.....	5
1.4 Product Specification subjective to this standard	6
1.5 Modification of EUT	7
1.6 Testing Location	7
1.7 Applicable Standards.....	8
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	9
2.1 Test Mode	9
2.2 Connection Diagram of Test System	11
2.3 Support Unit used in test configuration and system	11
2.4 Frequency List of Low/Middle/High Channels	12
3 CONDUCTED TEST ITEMS	16
3.1 Conducted Output Power and ERP/EIRP	16
4 RADIATED TEST ITEMS	17
4.1 Measuring Instruments	17
4.2 Test Setup	17
4.3 Test Result of Radiated Test	17
4.4 Radiated Spurious Emission	18
5 LIST OF MEASURING EQUIPMENT	20
6 UNCERTAINTY OF EVALUATION	21
APPENDIX A. TEST RESULTS OF CONDUCTED TEST	
APPENDIX B. TEST RESULTS OF RADIATED TEST	
APPENDIX C. TEST SETUP PHOTOGRAPHS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG580531-05B	Rev. 01	Initial issue of report	Jan .22, 2016
FG580531-05B	Rev. 02	Revising the antenna gain in section 1.3	Jan .27, 2016

**SUMMARY OF TEST RESULT**

Report Section	FCC Rule	Description	Limit	Result	Remark
3.1	§2.1046	Conducted Output Power	Reporting Only	PASS	-
	§22.913(a)(2)	Effective Radiated Power (Band 5) (Band 26)	ERP < 7 Watt	PASS	-
	§27.50(b)(10) §27.50(c)(10)	Effective Radiated Power (Band 12) (Band 13)	ERP < 3 Watt		
	§24.232(c) §27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2)(Band 25) (Band 7)(Band 41)	EIRP < 2Watt		
	§27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4)	EIRP < 1Watt		
4.4	§2.1053 §22.917(a) §24.238(a) §27.53(c)(2) §27.53(f) §27.53(g) §27.53(h)	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 25) (Band 26)	< 43+10log10(P[Watts])	PASS	Under limit 8.29 dB at 9222.000 MHz
	§2.1053 §27.53(m)(4)	Radiated Spurious Emission (Band 7)(Band 41)	< 55+10log10(P[Watts])		



1 General Description

1.1 Applicant

Wistron Corporation

21F, No. 88, Sec. 1, Hsin Tai Wu Rd., Hsichih Dist, New Taipei City 221, Taiwan R.O.C.

1.2 Manufacturer

Wistron Corporation

21F, No. 88, Sec. 1, Hsin Tai Wu Rd., Hsichih Dist, New Taipei City 221, Taiwan R.O.C.

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Notebook Computer
Brand Name	Lenovo
Model Name	TP00079A
FCC ID	PU5-TP00079A
Integrated the WWAN Module	Brand Name: Sierra Model Name: EM7455
EUT supports Radios application	WCDMA/HSPA/LTE WLAN 11a/b/g/n HT20/HT40 WLAN 11ac VHT20/VHT40/VHT80 Bluetooth v4.1 EDR/LE
EUT Stage	Production Unit

EM7455				3G & LTE
Antenna 1	Manufacturer	Jieng Tai	Peak gain	0.63 dBi
	P/N	025.900BJ.0001	Type	PIFA



1.4 Product Specification subjective to this standard

Product Specification subjective to this standard	
Tx Frequency	LTE Band 2 : 1850.7 MHz ~ 1909.3 MHz LTE Band 4 : 1710.7 MHz ~ 1754.3 MHz LTE Band 5 : 824.7 MHz ~ 848.3 MHz LTE Band 7 : 2502.5 MHz ~ 2567.5 MHz LTE Band 12 : 699 MHz ~ 716 MHz LTE Band 13 : 779.5 MHz ~ 784.5 MHz LTE Band 25 : 1850.7MHz ~ 1914.3 MHz LTE Band 26 : 824.7 MHz ~ 848.3 MHz LTE Band 41 : 2503.5 MHz ~ 2682.5 MHz
Rx Frequency	LTE Band 2 : 1930.7 MHz ~ 1989.3 MHz LTE Band 4 : 2110.7 MHz ~ 2154.3 MHz LTE Band 5 : 869.7 MHz ~ 893.3 MHz LTE Band 7 : 2622.5MHz ~ 2687.5 MHz LTE Band 12 : 729 MHz ~ 746 MHz LTE Band 13 : 748.5 MHz ~ 753.5 MHz LTE Band 25 : 1930.7MHz ~ 1994.3 MHz LTE Band 26 : 869.7 MHz ~ 893.3 MHz LTE Band 41 : 2503.5 MHz ~ 2682.5 MHz
Bandwidth	LTE Band 2 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 5 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 7 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 12 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 13 : 5MHz / 10MHz LTE Band 25 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 26 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz LTE Band 41 : 5MHz / 10MHz / 15MHz / 20MHz
Maximum Output Power to Antenna	LTE Band 2 : 23.45 dBm LTE Band 4 : 23.50 dBm LTE Band 5 : 22.72 dBm LTE Band 7 : 21.71 dBm LTE Band 13 : 23.62 dBm LTE Band 12 : 22.96 dBm LTE Band 25 : 23.51 dBm LTE Band 26 : 22.87 dBm LTE Band 41 : 21.58 dBm

Product Specification subjective to this standard	
Antenna Gain	LTE Band 2 : -1.29 dBi
	LTE Band 4 : -1.27 dBi
	LTE Band 5 : 0.19 dBi
	LTE Band 7 : -7.25 dBi
	LTE Band 12 : -1.19 dBi
	LTE Band 13 : -0.18 dBi
	LTE Band 25 : -1.26 dBi
	LTE Band 26 : 0.63 dBi
	LTE Band 41 : -7.20 dBi
Type of Modulation	QPSK / 16QAM

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Testing Location

Sporton Lab is accredited to ISO 17025 by Taiwan Accreditation Foundation (TAF code : 1190) and the FCC designation No. TW1022 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC Test.

Test Site	SPORTON INTERNATIONAL INC.
Test Site Location	No. 52, Hwa Ya 1 st Rd., Hwa Ya Technology Park, Kwei-Shan District, Tao Yuan City, Taiwan, R.O.C. TEL: +886-3-327-3456 FAX: +886-3-328-4978
Test Site No.	Sporton Site No.
	TH02-HY

Test Site	SPORTON INTERNATIONAL INC.
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd Rd. Guishan Dist, Taoyuan City, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855
Test Site No.	Sporton Site No.
	03CH11-HY



1.7 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR Part 2, 22(H), 24(E), 27
- ♦ ANSI / TIA / EIA-603-D-2010
- ♦ FCC KDB 971168 D01 Power Meas. License Digital Systems v02r02
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Remark: All test items were verified and recorded according to the standards and without any deviation during the test.



2 Test Configuration of Equipment Under Test


2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v02r02 with maximum output power.

Test Items	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Max. Output Power	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5	✓	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓
	7	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	12	✓	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓
	13	-	-	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓
	25	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	26	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓
	41	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
E.R.P./ E.I.R.P.	2	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓
	4	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓
	5	✓	✓	✓	✓	-	-	✓	✓	✓			✓	✓	✓
	7	-	-	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓
	12	✓	✓	✓	✓	-	-	✓	✓	✓			✓	✓	✓
	13	-	-	✓	✓	-	-	✓	✓	✓			✓	✓	✓
	25	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓
	26	✓	✓	✓	✓	✓	-	✓	✓	✓			✓	✓	✓
	41	-	-	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓

Test Items	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Radiated Spurious Emission	2	✓	✓	✓	✓	✓	✓	✓		✓			✓	✓	✓
	4	✓	✓	✓	✓	✓	✓	✓		✓			✓	✓	✓
	5	✓	✓	✓	✓	-	-	✓		✓			✓	✓	✓
	7	-	-	✓	✓	✓	✓	✓		✓			✓	✓	✓
	12	✓	✓	✓	✓	-	-	✓		✓			✓	✓	✓
	13	-	-	✓	✓	-	-	✓		✓			✓	✓	✓
	25	✓	✓	✓	✓	✓	✓	✓		✓			✓	✓	✓
	26	✓	✓	✓	✓	✓	-	✓		✓			✓	✓	✓
	41	-	-	✓	✓	✓	✓	✓		✓			✓	✓	✓
Note	1. The mark “✓” means that this configuration is chosen for testing 2. The mark “-” means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.														

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m
2.	iPod Earphone	Apple	N/A	Verification	Unshielded, 1.0 m	N/A



2.4 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3



LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5

LTE Band 12 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23060	23095	23130
	Frequency	704	707.5	711
5	Channel	23035	23095	23155
	Frequency	701.5	707.5	713.5
3	Channel	23025	23095	23165
	Frequency	700.5	707.5	714.5
1.4	Channel	23017	23095	23173
	Frequency	699.7	707.5	715.3



LTE Band 13 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23230	-
	Frequency	-	782	-
5	Channel	23205	23230	23255
	Frequency	779.5	782	784.5

LTE Band 25 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	26140	26340	26590
	Frequency	1860	1880	1905
15	Channel	26115	26340	26615
	Frequency	1857.5	1880	1907.5
10	Channel	26090	26340	26640
	Frequency	1855	1880	1910
5	Channel	26065	26340	26665
	Frequency	1852.5	1880	1912.5
3	Channel	26055	26340	26675
	Frequency	1851.5	1880	1913.5
1.4	Channel	26047	26340	26683
	Frequency	1850.7	1880	1914.3



LTE Band 26 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	884.5
10	Channel	26840	26915	26990
	Frequency	829	836.5	844
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3

LTE Band 41 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	39750	40620	41490
	Frequency	2506	2593	2680
15	Channel	39725	40620	41515
	Frequency	2503.5	2593	2682.5
10	Channel	39700	40620	41540
	Frequency	2501	2593	2685
5	Channel	39675	40620	41565
	Frequency	2498.5	2593	2687.5



3 Conducted Test Items

3.1 Conducted Output Power and ERP/EIRP

3.1.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5 and Band 26.

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12 and Band 13

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2 and Band 25 and Band 7 and Band 41.

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4.

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.1.2 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.2 Test Setup

4.2.1 For radiated test from 30MHz to 1GHz



4.2.2 For radiated test above 1GHz



4.3 Test Result of Radiated Test

Please refer to Appendix B.



4.4 Radiated Spurious Emission

4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI / TIA / EIA-603-D-2010. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7,41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

For LTE Band 12,13

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The testing follows FCC KDB 971168 v02r02 Section 5.8 and ANSI / TIA-603-D-2010 Section 2.2.12.
2. The EUT was placed on a rotatable wooden table with 0.8 meter above ground.
3. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
7. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
8. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
9. Taking the record of output power at antenna port.
10. Repeat step 7 to step 8 for another polarization.
11. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

= $P(W) - [43 + 10\log(P)]$ (dB)

= $[30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)

= -13dBm.

For Band 7, 41:

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)

12. EIRP (dBm) = S.G. Power – Tx Cable Loss + Tx Antenna Gain

13. ERP (dBm) = EIRP - 2.15



5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Base Station	Anritsu	MT8820C	6201074414	GSM / GPRS / WCDMA / LTE	Feb. 06, 2015	Nov. 17, 2015~ Dec. 16, 2015	Feb. 05, 2016	Conducted (TH02-HY)
Base Station	Agilent	E5515C	MY50266977	GSM/GPRS/WCDMA	May 14, 2015	Nov. 17, 2015~ Dec. 16, 2015	May 13, 2016	Conducted (TH02-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA9170251	18GHz- 40GHz	Oct. 12, 2015	Nov. 22, 2015~ Dec. 06, 2015	Oct. 11, 2016	Radiation (03CH11-HY)
Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA9170576	18GHz- 40GHz	Apr. 20, 2015	Nov. 22, 2015~ Dec. 06, 2015	Apr 19, 2016	Radiation (03CH11-HY)
Bilog Antenna	TESEQ	CBL 6111D	35414	30MHz~1GHz	Nov. 17, 2015	Nov 22. , 2015 ~ Dec. 06, 2015	Nov. 16, 2016	Radiation (03CH11-HY)
EMI Test Receiver	Keysight	N9038A	MY54130085	20Hz ~ 8.4GHz	Nov. 04, 2015	Nov 22. , 2015 ~ Dec. 06, 2015	Nov. 03, 2016	Radiation (03CH11-HY)
Horn Antenna	SCHWARZBECK	BBHA 9120 D	9120D-1325	1GHz ~ 18GHz	Sep. 30, 2015	Nov 22. , 2015 ~ Dec. 06, 2015	Sep. 29, 2016	Radiation (03CH11-HY)
Amplifier	SONOMA	310N	187312	9kHz~1GHz	Nov. 20, 2015	Nov 22. , 2015 ~ Dec. 06, 2015	Nov. 19, 2016	Radiation (03CH11-HY)
Bilog Antenna	TESEQ	CBL 6111D	35413	30MHz~1GHz	Oct. 31, 2015	Nov 22. , 2015 ~ Dec. 06, 2015	Oct. 30, 2016	Radiation (03CH11-HY)
Horn Antenna	SCHWARZBECK	BBHA 9120 D	9120D-1326	1GHz ~ 18GHz	Oct. 08, 2015	Nov 22. , 2015 ~ Dec. 06, 2015	Oct. 07, 2016	Radiation (03CH11-HY)
Preamplifier	Keysight	83017A	MY53270080	1GHz~26.5GHz	Nov. 19, 2015	Nov 22. , 2015 ~ Dec. 06, 2015	Nov. 18, 2016	Radiation (03CH11-HY)
Spectrum Analyzer	Keysight	N9010A	MY54200486	10Hz ~ 44GHz	Sep. 24, 2015	Nov 22. , 2015 ~ Dec. 06, 2015	Sep. 23, 2016	Radiation (03CH11-HY)
Antenna Mast	EMEC	AM-BS-450 0-B	N/A	1~4m	N/A	Nov 22. , 2015 ~ Dec. 06, 2015	N/A	Radiation (03CH11-HY)
Signal Generator	Rohde & Schwarz	SMF100A	101107	100kHz~40GHz	May 22, 2015	Nov 22. , 2015 ~ Dec. 06, 2015	May 21, 2016	Radiation (03CH11-HY)
Turn Table	EMEC	TT 2000	N/A	0-360 degree	N/A	Nov 22. , 2015 ~ Dec. 06, 2015	N/A	Radiation (03CH11-HY)



6 Uncertainty of Evaluation

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.90
---	------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.20
---	------



Appendix A. Test Results of Conducted Test

Conducted Output Power(Average power)

LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.42	23.45	23.31
20	1	49		22.99	23.01	22.92
20	1	99		23.21	23.13	22.98
20	50	0		22.35	22.46	22.40
20	50	24		22.16	22.10	22.08
20	50	50		22.09	22.07	21.92
20	100	0		22.30	22.31	22.19
20	1	0	16-QAM	22.45	22.47	22.34
20	1	49		22.27	22.27	22.13
20	1	99		22.42	22.39	22.23
20	50	0		21.48	21.36	21.34
20	50	24		21.12	21.11	21.01
20	50	50		21.10	21.05	20.92
20	100	0		21.29	21.26	21.15
15	1	0	QPSK	23.37	23.38	23.22
15	1	37		22.94	22.95	22.85
15	1	74		23.18	23.12	22.88
15	36	0		22.28	22.44	22.32
15	36	20		22.13	22.02	22.02
15	36	39		22.02	22.03	21.88
15	75	0		22.29	22.29	22.13
15	1	0	16-QAM	22.43	22.45	22.24
15	1	37		22.26	22.23	22.03
15	1	74		22.39	22.38	22.20
15	36	0		21.40	21.28	21.28
15	36	20		21.02	21.07	20.98
15	36	39		21.06	21.03	20.84
15	75	0		21.21	21.25	21.10



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.37	23.38	23.15
10	1	25		22.89	22.90	22.79
10	1	49		23.11	23.03	22.86
10	25	0		22.25	22.39	22.27
10	25	12		22.11	21.96	21.98
10	25	25		21.99	22.02	21.85
10	50	0		22.29	22.19	22.10
10	1	0	16-QAM	22.35	22.41	22.24
10	1	25		22.21	22.23	21.97
10	1	49		22.32	22.31	22.19
10	25	0		21.35	21.27	21.28
10	25	12		21.00	20.97	20.90
10	25	25		20.96	20.98	20.81
10	50	0		21.19	21.19	21.07
5	1	0	QPSK	23.18	23.26	23.14
5	1	12		22.78	22.87	22.70
5	1	24		23.04	22.94	22.87
5	12	0		22.11	22.34	22.32
5	12	7		21.97	21.90	21.96
5	12	13		21.86	21.94	21.83
5	25	0		22.13	22.26	22.08
5	1	0	16-QAM	22.27	22.35	22.19
5	1	12		22.13	22.06	21.93
5	1	24		22.24	22.29	22.05
5	12	0		21.38	21.26	21.10
5	12	7		20.95	20.97	20.83
5	12	13		20.97	20.92	20.80
5	25	0		21.16	21.15	20.96



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	23.17	23.20	23.19
3	1	8		22.78	22.78	22.68
3	1	14		22.99	22.91	22.79
3	8	0		22.12	22.35	22.18
3	8	4		21.89	21.79	22.00
3	8	7		21.75	21.92	21.73
3	15	0		22.08	22.22	21.97
3	1	0	16-QAM	22.26	22.27	22.11
3	1	8		22.11	22.01	21.82
3	1	14		22.16	22.29	22.05
3	8	0		21.25	21.24	21.10
3	8	4		20.90	20.82	20.86
3	8	7		20.90	20.95	20.71
3	15	0		21.08	21.13	20.93
1.4	1	0	QPSK	23.11	23.14	23.12
1.4	1	3		22.71	22.66	22.56
1.4	1	5		22.97	22.96	22.78
1.4	3	0		22.02	22.21	22.08
1.4	3	1		22.89	22.62	22.59
1.4	3	3		22.90	22.67	22.55
1.4	6	0		22.12	22.21	21.95
1.4	1	0	16-QAM	22.24	22.28	22.15
1.4	1	3		22.11	21.97	21.86
1.4	1	5		22.06	22.11	21.99
1.4	3	0		21.21	21.09	21.06
1.4	3	1		21.98	21.55	21.48
1.4	3	3		22.02	21.70	21.50
1.4	6	0		20.91	21.00	20.83



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.46	23.51	23.43
20	1	49		22.63	22.46	22.43
20	1	99		22.85	22.69	22.53
20	50	0		21.98	21.99	21.96
20	50	24		21.86	21.57	21.58
20	50	50		21.69	21.57	21.47
20	100	0		21.76	21.81	21.77
20	1	0	16-QAM	22.60	22.61	22.58
20	1	49		21.91	21.65	21.64
20	1	99		22.10	21.86	21.82
20	50	0		21.15	20.84	20.85
20	50	24		20.81	20.61	20.55
20	50	50		20.65	20.56	20.48
20	100	0		20.91	20.69	20.76
15	1	0	QPSK	23.46	23.47	23.41
15	1	37		22.58	22.46	22.37
15	1	74		22.76	22.59	22.53
15	36	0		21.94	21.96	21.96
15	36	20		21.83	21.50	21.54
15	36	39		21.64	21.50	21.38
15	75	0		21.75	21.71	21.73
15	1	0	16-QAM	22.51	22.57	22.56
15	1	37		21.84	21.65	21.60
15	1	74		22.10	21.79	21.78
15	36	0		21.06	20.77	20.85
15	36	20		20.71	20.60	20.52
15	36	39		20.55	20.54	20.47
15	75	0		20.86	20.65	20.70



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.33	23.43	23.32
10	1	25		22.48	22.28	22.34
10	1	49		22.69	22.59	22.43
10	25	0		21.85	21.85	21.82
10	25	12		21.79	21.41	21.46
10	25	25		21.56	21.56	21.32
10	50	0		21.75	21.63	21.76
10	1	0	16-QAM	22.52	22.53	22.48
10	1	25		21.85	21.63	21.55
10	1	49		22.05	21.75	21.70
10	25	0		21.06	20.80	20.78
10	25	12		20.68	20.60	20.41
10	25	25		20.62	20.44	20.41
10	50	0		20.72	20.52	20.65
5	1	0	QPSK	23.29	23.37	23.26
5	1	12		22.48	22.23	22.27
5	1	24		22.63	22.51	22.43
5	12	0		21.76	21.79	21.75
5	12	7		21.69	21.34	21.46
5	12	13		21.55	21.56	21.23
5	25	0		21.72	21.63	21.74
5	1	0	16-QAM	22.42	22.43	22.42
5	1	12		21.84	21.57	21.49
5	1	24		22.02	21.71	21.66
5	12	0		21.01	20.70	20.78
5	12	7		20.62	20.53	20.41
5	12	13		20.57	20.44	20.39
5	25	0		20.72	20.44	20.56



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	23.23	23.30	23.16
3	1	8		22.41	22.14	22.19
3	1	14		22.62	22.42	22.33
3	8	0		21.69	21.76	21.67
3	8	4		21.66	21.25	21.46
3	8	7		21.52	21.55	21.16
3	15	0		21.72	21.58	21.68
3	1	0	16-QAM	22.33	22.43	22.42
3	1	8		21.74	21.55	21.39
3	1	14		21.99	21.67	21.66
3	8	0		20.96	20.62	20.68
3	8	4		20.62	20.52	20.32
3	8	7		20.54	20.42	20.29
3	15	0		20.67	20.43	20.52
1.4	1	0	QPSK	23.21	23.30	23.11
1.4	1	3		22.36	22.06	22.10
1.4	1	5		22.59	22.36	22.29
1.4	3	0		22.93	22.97	22.84
1.4	3	1		23.03	23.05	22.93
1.4	3	3		23.07	22.98	22.97
1.4	6	0		21.62	21.56	21.63
1.4	1	0	16-QAM	22.31	22.35	22.34
1.4	1	3		21.74	21.45	21.29
1.4	1	5		21.89	21.64	21.57
1.4	3	0		21.84	21.80	21.87
1.4	3	1		21.85	21.65	21.86
1.4	3	3		21.88	21.87	21.86
1.4	6	0		20.60	20.42	20.51



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.38	23.50	23.47
20	1	49		22.86	22.94	22.66
20	1	99		23.03	23.04	22.96
20	50	0		22.23	22.41	22.19
20	50	24		21.97	21.92	21.79
20	50	50		21.89	21.79	21.81
20	100	0		22.13	22.32	22.01
20	1	0	16-QAM	22.30	22.46	22.45
20	1	49		22.19	22.10	21.92
20	1	99		22.30	22.21	22.20
20	50	0		21.20	21.23	21.19
20	50	24		20.89	20.93	20.79
20	50	50		20.83	20.77	20.79
20	100	0		21.08	21.11	21.00
15	1	0	QPSK	23.29	23.47	23.45
15	1	37		22.86	22.84	22.63
15	1	74		22.99	23.04	22.90
15	36	0		22.22	22.36	22.12
15	36	20		21.91	21.86	21.70
15	36	39		21.83	21.75	21.79
15	75	0		22.07	22.25	21.95
15	1	0	16-QAM	22.24	22.42	22.36
15	1	37		22.19	22.08	21.92
15	1	74		22.30	22.18	22.17
15	36	0		21.12	21.19	21.18
15	36	20		20.85	20.84	20.70
15	36	39		20.76	20.71	20.78
15	75	0		20.99	21.08	20.91



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.28	23.42	23.37
10	1	25		22.85	22.76	22.63
10	1	49		22.98	23.03	22.90
10	25	0		22.20	22.26	22.12
10	25	12		21.87	21.80	21.68
10	25	25		21.83	21.73	21.70
10	50	0		21.97	22.15	21.86
10	1	0	16-QAM	22.22	22.41	22.36
10	1	25		22.10	22.00	21.83
10	1	49		22.25	22.16	22.14
10	25	0		21.11	21.15	21.10
10	25	12		20.81	20.84	20.64
10	25	25		20.73	20.68	20.74
10	50	0		20.89	21.04	20.84
5	1	0	QPSK	23.22	23.42	23.27
5	1	12		22.81	22.76	22.61
5	1	24		22.98	22.94	22.85
5	12	0		22.20	22.23	22.06
5	12	7		21.83	21.74	21.62
5	12	13		21.83	21.73	21.65
5	25	0		21.92	22.06	21.85
5	1	0	16-QAM	22.16	22.32	22.31
5	1	12		22.04	21.97	21.78
5	1	24		22.22	22.06	22.11
5	12	0		21.03	21.13	21.10
5	12	7		20.71	20.77	20.64
5	12	13		20.63	20.62	20.72
5	25	0		20.79	20.98	20.78



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	23.22	23.28	23.23
3	1	8		22.75	22.65	22.54
3	1	14		22.82	23.00	22.82
3	8	0		22.17	22.22	21.99
3	8	4		21.85	21.66	21.58
3	8	7		21.72	21.69	21.64
3	15	0		21.80	22.12	21.82
3	1	0	16-QAM	22.12	22.35	22.34
3	1	8		22.01	21.87	21.73
3	1	14		22.07	22.07	22.04
3	8	0		20.99	21.11	21.05
3	8	4		20.66	20.74	20.64
3	8	7		20.62	20.56	20.67
3	15	0		20.81	21.03	20.69
1.4	1	0	QPSK	23.14	23.24	23.23
1.4	1	3		22.68	22.55	22.44
1.4	1	5		22.80	22.98	22.79
1.4	3	0		22.86	22.56	22.44
1.4	3	1		22.89	22.64	22.59
1.4	3	3		22.93	22.68	22.55
1.4	6	0		21.74	22.02	21.79
1.4	1	0	16-QAM	22.05	22.34	22.32
1.4	1	3		21.91	21.87	21.73
1.4	1	5		22.05	22.02	21.99
1.4	3	0		21.93	21.56	21.47
1.4	3	1		21.90	21.59	21.49
1.4	3	3		22.02	21.69	21.52
1.4	6	0		20.72	20.96	20.64



LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.59	22.72	22.62
10	1	25		22.54	22.54	22.45
10	1	49		22.44	22.38	22.13
10	25	0		21.49	21.56	21.49
10	25	12		21.38	21.31	21.44
10	25	25		21.47	21.21	21.39
10	50	0		21.49	21.52	21.28
10	1	0	16-QAM	21.86	21.79	21.79
10	1	25		21.86	21.89	21.67
10	1	49		21.68	21.54	21.43
10	25	0		20.49	20.39	20.32
10	25	12		20.49	20.32	20.36
10	25	25		20.48	20.21	20.27
10	50	0		20.48	20.35	20.29
5	1	0	QPSK	22.53	22.64	22.52
5	1	12		22.47	22.46	22.44
5	1	24		22.43	22.34	22.04
5	12	0		21.39	21.47	21.49
5	12	7		21.31	21.31	21.36
5	12	13		21.46	21.14	21.29
5	25	0		21.47	21.43	21.20
5	1	0	16-QAM	21.76	21.76	21.74
5	1	12		21.81	21.86	21.66
5	1	24		21.64	21.54	21.33
5	12	0		20.42	20.39	20.26
5	12	7		20.47	20.24	20.32
5	12	13		20.40	20.13	20.23
5	25	0		20.39	20.32	20.28



LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.50	22.61	22.51
3	1	8		22.35	22.38	22.32
3	1	14		22.39	22.28	22.21
3	8	0		21.44	21.44	21.39
3	8	4		21.31	21.23	21.42
3	8	7		21.44	21.08	21.25
3	15	0		21.39	21.40	21.20
3	1	0	16-QAM	21.83	21.75	21.70
3	1	8		21.78	21.88	21.58
3	1	14		21.55	21.45	21.31
3	8	0		20.47	20.25	20.26
3	8	4		20.32	20.20	20.25
3	8	7		20.41	20.12	20.24
3	15	0		20.42	20.20	20.19
1.4	1	0	QPSK	22.50	22.57	22.51
1.4	1	3		22.44	22.33	22.19
1.4	1	5		22.44	22.40	22.30
1.4	3	0		22.40	22.46	22.29
1.4	3	1		22.45	22.50	22.31
1.4	3	3		22.41	22.50	22.34
1.4	6	0		21.32	21.41	21.16
1.4	1	0	16-QAM	21.74	21.75	21.57
1.4	1	3		21.73	21.74	21.57
1.4	1	5		21.49	21.40	21.23
1.4	3	0		21.48	21.53	21.42
1.4	3	1		21.48	21.46	21.36
1.4	3	3		21.51	21.51	21.44
1.4	6	0		20.33	20.18	20.16



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	21.58	21.71	21.45
20	1	49		21.56	21.65	21.41
20	1	99		21.12	21.24	21.03
20	50	0		20.62	20.71	20.51
20	50	24		20.50	20.68	20.40
20	50	50		20.36	20.64	20.19
20	100	0		20.43	20.64	20.36
20	1	0	16-QAM	20.70	20.87	20.70
20	1	49		20.75	20.96	20.62
20	1	99		20.38	20.49	20.10
20	50	0		19.54	19.74	19.52
20	50	24		19.49	19.77	19.40
20	50	50		19.35	19.65	19.19
20	100	0		19.48	19.69	19.35
15	1	0	QPSK	21.55	21.65	21.40
15	1	37		21.50	21.64	21.32
15	1	74		21.03	21.15	21.03
15	36	0		20.57	20.66	20.42
15	36	20		20.41	20.58	20.39
15	36	39		20.27	20.64	20.12
15	75	0		20.37	20.61	20.29
15	1	0	16-QAM	20.60	20.87	20.64
15	1	37		20.68	20.86	20.61
15	1	74		20.37	20.41	20.07
15	36	0		19.47	19.66	19.51
15	36	20		19.39	19.72	19.40
15	36	39		19.33	19.60	19.12
15	75	0		19.47	19.59	19.35



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	21.53	21.63	21.36
10	1	25		21.43	21.62	21.37
10	1	49		21.03	21.11	21.10
10	25	0		20.45	20.63	20.40
10	25	12		20.39	20.63	20.24
10	25	25		20.25	20.52	20.09
10	50	0		20.41	20.60	20.22
10	1	0	16-QAM	20.60	20.84	20.54
10	1	25		20.74	20.88	20.52
10	1	49		20.24	20.47	20.22
10	25	0		19.42	19.73	19.40
10	25	12		19.46	19.66	19.36
10	25	25		19.23	19.52	19.11
10	50	0		19.35	19.62	19.29
5	1	0	QPSK	21.41	21.57	21.26
5	1	12		21.46	21.56	21.25
5	1	24		21.00	21.12	21.02
5	12	0		20.36	20.61	20.39
5	12	7		20.35	20.52	20.18
5	12	13		20.09	20.48	20.03
5	25	0		20.28	20.55	20.18
5	1	0	16-QAM	20.52	20.68	20.51
5	1	12		20.57	20.82	20.47
5	1	24		20.26	20.36	20.28
5	12	0		19.42	19.65	19.39
5	12	7		19.39	19.57	19.20
5	12	13		19.21	19.44	19.06
5	25	0		19.38	19.62	19.15



LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.93	22.96	22.94
10	1	25		22.86	22.91	22.88
10	1	49		22.85	22.91	22.78
10	25	0		21.86	21.91	21.87
10	25	12		21.82	21.90	21.85
10	25	25		21.79	21.89	21.86
10	50	0		21.78	21.93	21.86
10	1	0	16-QAM	22.20	22.23	22.18
10	1	25		22.16	22.18	22.17
10	1	49		22.12	22.07	22.10
10	25	0		20.81	20.82	20.95
10	25	12		20.93	20.90	20.84
10	25	25		20.81	20.92	20.86
10	50	0		20.79	20.93	20.86
5	1	0	QPSK	22.90	22.92	22.89
5	1	12		22.89	22.91	22.79
5	1	24		22.87	22.90	22.81
5	12	0		21.82	21.90	21.77
5	12	7		21.82	21.89	21.85
5	12	13		21.86	21.94	21.85
5	25	0		21.83	21.95	21.81
5	1	0	16-QAM	22.18	22.29	22.13
5	1	12		22.26	22.27	22.20
5	1	24		22.09	22.15	22.13
5	12	0		20.78	20.91	20.78
5	12	7		20.77	20.84	20.85
5	12	13		20.83	20.93	20.87
5	25	0		20.85	20.84	20.79



LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.89	22.89	22.87
3	1	8		22.87	22.87	22.14
3	1	14		22.80	22.83	22.77
3	8	0		21.87	21.92	21.85
3	8	4		21.87	21.98	21.85
3	8	7		21.81	21.86	21.79
3	15	0		21.86	21.93	21.86
3	1	0	16-QAM	22.14	22.27	22.03
3	1	8		22.25	22.20	22.25
3	1	14		22.05	22.09	22.05
3	8	0		20.98	20.95	20.93
3	8	4		20.93	20.98	20.84
3	8	7		20.87	20.87	20.91
3	15	0		20.87	20.91	20.87
1.4	1	0	QPSK	22.91	22.92	22.90
1.4	1	3		22.89	22.84	22.80
1.4	1	5		22.90	22.91	22.92
1.4	3	0		22.81	22.83	22.84
1.4	3	1		22.88	22.84	22.89
1.4	3	3		22.86	22.86	22.85
1.4	6	0		21.87	21.78	21.72
1.4	1	0	16-QAM	22.26	22.35	22.22
1.4	1	3		22.23	22.21	22.26
1.4	1	5		22.35	22.29	22.26
1.4	3	0		21.89	21.81	21.89
1.4	3	1		21.93	21.83	21.85
1.4	3	3		21.95	21.96	21.83
1.4	6	0		20.93	20.88	20.76



LTE Band 13 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK		22.00	
10	1	25			23.62	
10	1	49			23.50	
10	25	0			22.67	
10	25	12			22.64	
10	25	25			22.64	
10	50	0			22.72	
10	1	0	16-QAM		22.00	
10	1	25			22.96	
10	1	49			22.86	
10	25	0			21.56	
10	25	12			21.56	
10	25	25			21.55	
10	50	0			21.60	
5	1	0	QPSK	22.66	23.58	23.54
5	1	12		23.48	23.52	23.55
5	1	24		23.57	23.57	23.57
5	12	0		22.03	22.52	22.68
5	12	7		22.56	22.58	22.65
5	12	13		22.52	22.55	22.63
5	25	0		22.56	22.46	22.69
5	1	0	16-QAM	22.21	22.85	22.84
5	1	12		22.78	22.79	22.80
5	1	24		22.79	22.77	22.82
5	12	0		21.00	21.49	21.72
5	12	7		21.61	21.51	21.75
5	12	13		21.51	21.54	21.71
5	25	0		21.56	21.56	21.69



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	22.76	22.87	22.81
15	1	37		22.61	22.57	22.65
15	1	74		22.55	22.51	22.55
15	36	0		21.72	21.81	21.78
15	36	20		21.67	21.71	21.77
15	36	39		21.55	21.53	21.63
15	75	0		21.66	21.75	21.74
15	1	0	16-QAM	21.96	22.11	22.10
15	1	37		21.90	21.87	21.91
15	1	74		21.80	21.77	21.83
15	36	0		20.70	20.75	20.74
15	36	20		20.65	20.67	20.75
15	36	39		20.51	20.50	20.56
15	75	0		20.63	20.67	20.70
10	1	0	QPSK	22.74	22.80	22.78
10	1	25		22.56	22.53	22.63
10	1	49		22.46	22.51	22.49
10	25	0		21.66	21.74	21.72
10	25	12		21.64	21.63	21.70
10	25	25		21.52	21.48	21.62
10	50	0		21.62	21.72	21.74
10	1	0	16-QAM	21.91	22.11	22.10
10	1	25		21.82	21.79	21.85
10	1	49		21.74	21.73	21.79
10	25	0		20.69	20.65	20.72
10	25	12		20.55	20.59	20.66
10	25	25		20.51	20.40	20.50
10	50	0		20.62	20.57	20.64



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	22.65	22.79	22.77
5	1	12		22.47	22.53	22.55
5	1	24		22.41	22.43	22.40
5	12	0		21.59	21.70	21.72
5	12	7		21.58	21.56	21.69
5	12	13		21.49	21.46	21.59
5	25	0		21.59	21.67	21.73
5	1	0	16-QAM	21.87	22.04	22.02
5	1	12		21.73	21.79	21.85
5	1	24		21.66	21.72	21.72
5	12	0		20.66	20.57	20.65
5	12	7		20.52	20.56	20.58
5	12	13		20.45	20.37	20.44
5	25	0		20.61	20.49	20.60
3	1	0	QPSK	22.60	22.73	22.71
3	1	8		22.47	22.52	22.53
3	1	14		22.40	22.43	22.31
3	8	0		21.54	21.62	21.66
3	8	4		21.51	21.52	21.61
3	8	7		21.45	21.38	21.54
3	15	0		21.52	21.59	21.63
3	1	0	16-QAM	21.86	22.01	22.00
3	1	8		21.66	21.69	21.81
3	1	14		21.60	21.68	21.63
3	8	0		20.59	20.49	20.65
3	8	4		20.43	20.55	20.53
3	8	7		20.43	20.30	20.44
3	15	0		20.60	20.47	20.52



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	22.57	22.67	22.61
1.4	1	3		22.38	22.49	22.46
1.4	1	5		22.31	22.38	22.27
1.4	3	0		22.50	22.60	22.65
1.4	3	1		22.44	22.42	22.57
1.4	3	3		22.43	22.36	22.44
1.4	6	0		21.50	21.52	21.54
1.4	1	0	16-QAM	21.86	22.00	21.94
1.4	1	3		21.59	21.62	21.72
1.4	1	5		21.56	21.62	21.58
1.4	3	0		21.52	21.46	21.63
1.4	3	1		21.40	21.45	21.48
1.4	3	3		21.37	21.23	21.34
1.4	6	0		20.50	20.38	20.52



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	21.52	21.58	21.40
20	1	49		21.35	21.56	21.25
20	1	99		21.31	21.55	21.24
20	50	0		20.49	20.70	20.47
20	50	24		20.35	20.54	20.35
20	50	50		20.17	20.24	20.29
20	100	0		20.29	20.46	20.39
20	1	0	16-QAM	20.55	20.54	20.42
20	1	49		20.40	20.58	20.53
20	1	99		20.38	20.48	20.50
20	50	0		19.51	19.60	19.48
20	50	24		19.36	19.60	19.51
20	50	50		19.08	19.60	19.50
20	100	0		19.25	19.48	19.40
15	1	0	QPSK	21.45	21.56	21.46
15	1	37		21.39	21.55	21.37
15	1	74		21.38	21.47	21.37
15	36	0		20.44	20.54	20.60
15	36	20		20.42	20.53	20.63
15	36	39		20.15	20.21	20.40
15	75	0		20.30	20.30	20.38
15	1	0	16-QAM	20.48	20.57	20.56
15	1	37		20.44	20.53	20.55
15	1	74		20.43	20.40	20.52
15	36	0		19.45	19.57	19.69
15	36	20		19.39	19.53	19.60
15	36	39		19.21	19.56	19.65
15	75	0		19.38	19.45	19.41



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	21.43	21.55	21.45
10	1	25		21.30	21.54	21.30
10	1	49		21.28	21.40	21.34
10	25	0		20.34	20.49	20.57
10	25	12		20.42	20.43	20.60
10	25	25		20.13	20.21	20.32
10	50	0		20.29	20.20	20.32
10	1	0	16-QAM	20.41	20.53	20.52
10	1	25		20.35	20.43	20.46
10	1	49		20.36	20.40	20.51
10	25	0		19.42	19.52	19.66
10	25	12		19.30	19.48	19.55
10	25	25		19.12	19.50	19.58
10	50	0		19.31	19.35	19.32
5	1	0	QPSK	21.43	21.55	21.35
5	1	12		21.26	21.54	21.21
5	1	24		21.20	21.33	21.31
5	12	0		20.33	20.43	20.47
5	12	7		20.34	20.37	20.58
5	12	13		20.12	20.11	20.32
5	25	0		20.27	20.15	20.25
5	1	0	16-QAM	20.37	20.51	20.50
5	1	12		20.27	20.37	20.39
5	1	24		20.34	20.38	20.47
5	12	0		19.35	19.50	19.57
5	12	7		19.25	19.40	19.50
5	12	13		19.03	19.45	19.50
5	25	0		19.23	19.25	19.23

Test Results of Conducted Output Power

ERP/EIRP

LTE ($G_T - L_C = 0.19$ dB)						
Modes	LTE Band 5 (QPSK, BW=1.4M)			LTE Band 5 (16QAM, BW=1.4M)		
Channel	20407 (Low)	20525 (Mid)	20643 (High)	20407 (Low)	20525 (Mid)	20643 (High)
Frequency (MHz)	824.7	836.5	848.3	824.7	836.5	848.3
Conducted Power P_T (dBm)	22.50	22.57	22.51	21.74	21.75	21.57
Conducted Power P_T (Watts)	0.18	0.18	0.18	0.15	0.15	0.14
ERP(dBm)	20.54	20.61	20.55	19.78	19.79	19.61
ERP(Watts)	0.1132	0.1151	0.1135	0.0951	0.0953	0.0914

LTE ($G_T - L_C = 0.19$ dB)						
Modes	LTE Band 5 (QPSK, BW=3M)			LTE Band 5 (16QAM, BW=3M)		
Channel	20415 (Low)	20525 (Mid)	20635 (High)	20415 (Low)	20525 (Mid)	20635 (High)
Frequency (MHz)	825.5	836.5	847.5	825.5	836.5	847.5
Conducted Power P_T (dBm)	22.50	22.61	22.51	21.78	21.88	21.58
Conducted Power P_T (Watts)	0.18	0.18	0.18	0.15	0.15	0.14
ERP(dBm)	20.54	20.65	20.55	19.82	19.92	19.62
ERP(Watts)	0.1132	0.1161	0.1135	0.0959	0.0982	0.0916



LTE ($G_T - L_C = 0.19$ dB)						
Modes	LTE Band 5 (QPSK,BW=5M)			LTE Band 5 (16QAM,BW=5M)		
Channel	20425 (Low)	20525 (Mid)	20625 (High)	20425 (Low)	20525 (Mid)	20625 (High)
Frequency (MHz)	826.5	836.5	846.5	826.5	836.5	846.5
Conducted Power P_T (dBm)	22.53	22.64	22.52	21.81	21.86	21.66
Conducted Power P_T (Watts)	0.18	0.18	0.18	0.15	0.15	0.15
ERP(dBm)	20.57	20.68	20.56	19.85	19.90	19.70
ERP(Watts)	0.1140	0.1169	0.1138	0.0966	0.0977	0.0933

LTE ($G_T - L_C = 0.19$ dB)						
Modes	LTE Band 5 (QPSK,BW=10M)			LTE Band 5 (16QAM,BW=10M)		
Channel	20450 (Low)	20525 (Mid)	20600 (High)	20450 (Low)	20525 (Mid)	20600 (High)
Frequency (MHz)	829	836.5	844	829	836.5	844
Conducted Power P_T (dBm)	22.59	22.72	22.62	21.86	21.89	21.67
Conducted Power P_T (Watts)	0.18	0.19	0.18	0.15	0.15	0.15
ERP(dBm)	20.63	20.76	20.66	19.90	19.93	19.71
ERP(Watts)	0.1156	0.1191	0.1164	0.0977	0.0984	0.0935

LTE ($G_T - L_C = -1.29$ dB)						
Modes	LTE Band 2 (QPSK,BW=1.4M)			LTE Band 2 (16QAM,BW=1.4M)		
Channel	18607(Low)	18900 (Mid)	19193 (High)	18607(Low)	18900 (Mid)	19193 (High)
Frequency (MHz)	1850.7	1880	1909.3	1850.7	1880	1909.3
Conducted Power P_T (dBm)	23.11	23.14	23.12	22.24	22.28	22.15
Conducted Power P_T (Watts)	0.20	0.21	0.21	0.17	0.17	0.16
EIRP(dBm)	21.82	21.85	21.83	20.95	20.99	20.86
EIRP(Watts)	0.1521	0.1531	0.1524	0.1245	0.1256	0.1219

LTE ($G_T - L_C = -1.29$ dB)						
Modes	LTE Band 2 (QPSK,BW=3M)			LTE Band 2 (16QAM,BW=3M)		
Channel	18615(Low)	18900 (Mid)	19185 (High)	18615(Low)	18900 (Mid)	19185 (High)
Frequency (MHz)	1851.5	1880	1908.5	1851.5	1880	1908.5
Conducted Power P_T (dBm)	23.17	23.20	23.19	22.16	22.29	22.05
Conducted Power P_T (Watts)	0.21	0.21	0.21	0.16	0.17	0.16
EIRP(dBm)	21.88	21.91	21.90	20.87	21.00	20.76
EIRP(Watts)	0.1542	0.1552	0.1549	0.1222	0.1259	0.1191

LTE ($G_T - L_C = -1.29$ dB)						
Modes	LTE Band 2 (QPSK, BW=5M)			LTE Band 2 (16QAM, BW=5M)		
Channel	18625(Low)	18900 (Mid)	19175 (High)	18625(Low)	18900 (Mid)	19175 (High)
Frequency (MHz)	1852.5	1880	1907.5	1852.5	1880	1907.5
Conducted Power P_T (dBm)	23.18	23.26	23.14	22.27	22.35	22.19
Conducted Power P_T (Watts)	0.21	0.21	0.21	0.17	0.17	0.17
EIRP(dBm)	21.89	21.97	21.85	20.98	21.06	20.90
EIRP(Watts)	0.1545	0.1574	0.1531	0.1253	0.1276	0.1230

LTE ($G_T - L_C = -1.29$ dB)						
Modes	LTE Band 2 (QPSK, BW=10M)			LTE Band 2 (16QAM, BW=10M)		
Channel	18650(Low)	18900 (Mid)	19150 (High)	18650(Low)	18900 (Mid)	19150 (High)
Frequency (MHz)	1855	1880	1905	1855	1880	1905
Conducted Power P_T (dBm)	23.37	23.38	23.15	22.35	22.41	22.24
Conducted Power P_T (Watts)	0.22	0.22	0.21	0.17	0.17	0.17
EIRP(dBm)	22.08	22.09	21.86	21.06	21.12	20.95
EIRP(Watts)	0.1614	0.1618	0.1535	0.1276	0.1294	0.1245

LTE ($G_T - L_C = -1.29$ dB)						
Modes	LTE Band 2 (QPSK,BW=15M)			LTE Band 2 (16QAM,BW=15M)		
Channel	18675(Low)	18900 (Mid)	19125 (High)	18675(Low)	18900 (Mid)	19125 (High)
Frequency (MHz)	1857.5	1880	1902.5	1857.5	1880	1902.5
Conducted Power P_T (dBm)	23.37	23.38	23.22	22.43	22.45	22.24
Conducted Power P_T (Watts)	0.22	0.22	0.21	0.17	0.18	0.17
EIRP(dBm)	22.08	22.09	21.93	21.14	21.16	20.95
EIRP(Watts)	0.1614	0.1618	0.1560	0.1300	0.1306	0.1245

LTE ($G_T - L_C = -1.29$ dB)						
Modes	LTE Band 2 (QPSK,BW=20M)			LTE Band 2 (16QAM,BW=20M)		
Channel	18700(Low)	18900 (Mid)	19100 (High)	18700(Low)	18900 (Mid)	19100 (High)
Frequency (MHz)	1860	1880	1900	1860	1880	1900
Conducted Power P_T (dBm)	23.42	23.45	23.31	22.45	22.47	22.34
Conducted Power P_T (Watts)	0.22	0.22	0.21	0.18	0.18	0.17
EIRP(dBm)	22.13	22.16	22.02	21.16	21.18	21.05
EIRP(Watts)	0.1633	0.1644	0.1592	0.1306	0.1312	0.1274

LTE ($G_T - L_C = -1.26$ dB)						
Modes	LTE Band 25 (QPSK, BW=1.4M)			LTE Band 25 (16QAM, BW=1.4M)		
Channel	26047 (Low)	26340 (Mid)	26683 (High)	26047 (Low)	26340 (Mid)	26683 (High)
Frequency (MHz)	1850.7	1880	1914.3	1850.7	1880	1914.3
Conducted Power P_T (dBm)	23.21	23.30	23.11	22.31	22.35	22.34
Conducted Power P_T (Watts)	0.21	0.21	0.20	0.17	0.17	0.17
EIRP(dBm)	21.95	22.04	21.85	21.05	21.09	21.08
EIRP(Watts)	0.1567	0.1600	0.1531	0.1274	0.1285	0.1282

LTE ($G_T - L_C = -1.26$ dB)						
Modes	LTE Band 25 (QPSK, BW=3M)			LTE Band 25 (16QAM, BW=3M)		
Channel	26055 (Low)	26340 (Mid)	26675 (High)	26055 (Low)	26340 (Mid)	26675 (High)
Frequency (MHz)	1851.5	1880	1913.5	1851.5	1880	1913.5
Conducted Power P_T (dBm)	23.23	23.30	23.16	22.33	22.43	22.42
Conducted Power P_T (Watts)	0.21	0.21	0.21	0.17	0.17	0.17
EIRP(dBm)	21.97	22.04	21.90	21.07	21.17	21.16
EIRP(Watts)	0.1574	0.1600	0.1549	0.1279	0.1309	0.1306

LTE ($G_T - L_C = -1.26$ dB)						
Modes	LTE Band 25 (QPSK,BW=5M)			LTE Band 25 (16QAM,BW=5M)		
Channel	26065 (Low)	26340 (Mid)	26665 (High)	26065 (Low)	26340 (Mid)	26665 (High)
Frequency (MHz)	1852.5	1880	1912.5	1852.5	1880	1912.5
Conducted Power P_T (dBm)	23.29	23.37	23.26	22.42	22.43	22.42
Conducted Power P_T (Watts)	0.21	0.22	0.21	0.17	0.17	0.17
EIRP(dBm)	22.03	22.11	22.00	21.16	21.17	21.16
EIRP(Watts)	0.1596	0.1626	0.1585	0.1306	0.1309	0.1306

LTE ($G_T - L_C = -1.26$ dB)						
Modes	LTE Band 25 (QPSK,BW=10M)			LTE Band 25 (16QAM,BW=10M)		
Channel	26090 (Low)	26340 (Mid)	26640 (High)	26090 (Low)	26340 (Mid)	26640 (High)
Frequency (MHz)	1855	1880	1910	1855	1880	1910
Conducted Power P_T (dBm)	23.33	23.43	23.32	22.52	22.53	22.48
Conducted Power P_T (Watts)	0.22	0.22	0.21	0.18	0.18	0.18
EIRP(dBm)	22.07	22.17	22.06	21.26	21.27	21.22
EIRP(Watts)	0.1611	0.1648	0.1607	0.1337	0.1340	0.1324

LTE ($G_T - L_C = -1.26$ dB)						
Modes	LTE Band 25 (QPSK, BW=15M)			LTE Band 25 (16QAM, BW=15M)		
Channel	26115 (Low)	26340 (Mid)	26615 (High)	26115 (Low)	26340 (Mid)	26615 (High)
Frequency (MHz)	1857.5	1880	1907.5	1857.5	1880	1907.5
Conducted Power P_T (dBm)	23.46	23.47	23.41	22.51	22.57	22.56
Conducted Power P_T (Watts)	0.22	0.22	0.22	0.18	0.18	0.18
EIRP(dBm)	22.20	22.21	22.15	21.25	21.31	21.30
EIRP(Watts)	0.1660	0.1663	0.1641	0.1334	0.1352	0.1349

LTE ($G_T - L_C = -1.26$ dB)						
Modes	LTE Band 25 (QPSK, BW=20M)			LTE Band 25 (16QAM, BW=20M)		
Channel	26140 (Low)	26340 (Mid)	26590 (High)	26140 (Low)	26340 (Mid)	26590 (High)
Frequency (MHz)	1860	1880	1905	1860	1880	1905
Conducted Power P_T (dBm)	23.46	23.51	23.43	22.6	22.61	22.58
Conducted Power P_T (Watts)	0.22	0.22	0.22	0.18	0.18	0.18
EIRP(dBm)	22.20	22.25	22.17	21.34	21.35	21.32
EIRP(Watts)	0.1660	0.1679	0.1648	0.1361	0.1365	0.1355

LTE ($G_T - L_C = -1.27$ dB)						
Modes	LTE Band 4 (QPSK, BW=1.4M)			LTE Band 4 (16QAM, BW=1.4M)		
Channel	19957 (Low)	20175 (Mid)	20393 (High)	19957 (Low)	20175 (Mid)	20393 (High)
Frequency (MHz)	1710.7	1732.5	1754.3	1710.7	1732.5	1754.3
Conducted Power P_T (dBm)	23.14	23.24	23.23	22.05	22.34	22.32
Conducted Power P_T (Watts)	0.21	0.21	0.21	0.16	0.17	0.17
EIRP(dBm)	21.87	21.97	21.96	20.78	21.07	21.05
EIRP(Watts)	0.1538	0.1574	0.1570	0.1197	0.1279	0.1274

LTE ($G_T - L_C = -1.27$ dB)						
Modes	LTE Band 4 (QPSK, BW=3M)			LTE Band 4 (16QAM, BW=3M)		
Channel	19965(Low)	20175 (Mid)	20385 (High)	19965(Low)	20175 (Mid)	20385 (High)
Frequency (MHz)	1711.5	1732.5	1753.5	1711.5	1732.5	1753.5
Conducted Power P_T (dBm)	23.22	23.28	23.23	22.12	22.35	22.34
Conducted Power P_T (Watts)	0.21	0.21	0.21	0.16	0.17	0.17
EIRP(dBm)	21.95	22.01	21.96	20.85	21.08	21.07
EIRP(Watts)	0.1567	0.1589	0.1570	0.1216	0.1282	0.1279



LTE ($G_T - L_C = -1.27$ dB)						
Modes	LTE Band 4 (QPSK,BW=5M)			LTE Band 4 (16QAM,BW=5M)		
Channel	19975(Low)	20175 (Mid)	20375 (High)	19975(Low)	20175 (Mid)	20375 (High)
Frequency (MHz)	1712.5	1732.5	1752.5	1712.5	1732.5	1752.5
Conducted Power P_T (dBm)	23.22	23.42	23.27	22.16	22.32	22.31
Conducted Power P_T (Watts)	0.21	0.22	0.21	0.16	0.17	0.17
EIRP(dBm)	21.95	22.15	22.00	20.89	21.05	21.04
EIRP(Watts)	0.1567	0.1641	0.1585	0.1227	0.1274	0.1271

LTE ($G_T - L_C = -1.27$ dB)						
Modes	LTE Band 4 (QPSK,BW=10M)			LTE Band 4 (16QAM,BW=10M)		
Channel	20000 (Low)	20175 (Mid)	20350 (High)	20000 (Low)	20175 (Mid)	20350 (High)
Frequency (MHz)	1715	1732.5	1750	1715	1732.5	1750
Conducted Power P_T (dBm)	23.28	23.42	23.37	22.22	22.41	22.36
Conducted Power P_T (Watts)	0.21	0.22	0.22	0.17	0.17	0.17
EIRP(dBm)	22.01	22.15	22.10	20.95	21.14	21.09
EIRP(Watts)	0.1589	0.1641	0.1622	0.1245	0.1300	0.1285

LTE ($G_T - L_C = -1.27$ dB)						
Modes	LTE Band 4 (QPSK,BW=15M)			LTE Band 4 (16QAM,BW=15M)		
Channel	20025 (Low)	20175 (Mid)	20325 (High)	20025 (Low)	20175 (Mid)	20325 (High)
Frequency (MHz)	1717.5	1732.5	1747.5	1717.5	1732.5	1747.5
Conducted Power P_T (dBm)	23.29	23.47	23.45	22.24	22.42	22.36
Conducted Power P_T (Watts)	0.21	0.22	0.22	0.17	0.17	0.17
EIRP(dBm)	22.02	22.20	22.18	20.97	21.15	21.09
EIRP(Watts)	0.1592	0.1660	0.1652	0.1250	0.1303	0.1285

LTE ($G_T - L_C = -1.27$ dB)						
Modes	LTE Band 4 (QPSK,BW=20M)			LTE Band 4 (16QAM,BW=20M)		
Channel	20050 (Low)	20175 (Mid)	20300 (High)	20050 (Low)	20175 (Mid)	20300 (High)
Frequency (MHz)	1720	1732.5	1745	1720	1732.5	1745
Conducted Power P_T (dBm)	23.38	23.50	23.47	22.30	22.46	22.45
Conducted Power P_T (Watts)	0.22	0.22	0.22	0.17	0.18	0.18
EIRP(dBm)	22.11	22.23	22.20	21.03	21.19	21.18
EIRP(Watts)	0.1626	0.1671	0.1660	0.1268	0.1315	0.1312

LTE ($G_T - L_C = -1.19$ dB)						
Modes	LTE Band 12 (QPSK,BW=1.4M)			LTE Band 12 (16QAM,BW=1.4M)		
Channel	23017(Low)	23095 (Mid)	23173 (High)	23017(Low)	23095 (Mid)	23173 (High)
Frequency (MHz)	699.7	707.5	715.3	699.7	707.5	715.3
Conducted Power P_T (dBm)	22.91	22.92	22.9	22.26	22.35	22.22
Conducted Power P_T (Watts)	0.20	0.20	0.19	0.17	0.17	0.17
ERP(dBm)	19.57	19.58	19.56	18.92	19.01	18.88
ERP(Watts)	0.0906	0.0908	0.0904	0.0780	0.0796	0.0773

LTE ($G_T - L_C = -1.19$ dB)						
Modes	LTE Band 12 (QPSK,BW=3M)			LTE Band 12 (16QAM,BW=3M)		
Channel	23025(Low)	23095 (Mid)	23165 (High)	23025(Low)	23095 (Mid)	23165 (High)
Frequency (MHz)	700.5	707.5	714.5	700.5	707.5	714.5
Conducted Power P_T (dBm)	22.89	22.89	22.87	22.14	22.27	22.03
Conducted Power P_T (Watts)	0.19	0.19	0.19	0.16	0.17	0.16
ERP(dBm)	19.55	19.55	19.53	18.80	18.93	18.69
ERP(Watts)	0.0902	0.0902	0.0897	0.0759	0.0782	0.0740



LTE ($G_T - L_C = -1.19$ dB)						
Modes	LTE Band 12 (QPSK,BW=5M)			LTE Band 12 (16QAM,BW=5M)		
Channel	23035(Low)	23095 (Mid)	23155 (High)	23035(Low)	23095 (Mid)	23155 (High)
Frequency (MHz)	701.5	707.5	713.5	701.5	707.5	713.5
Conducted Power P_T (dBm)	22.9	22.92	22.89	22.18	22.29	22.13
Conducted Power P_T (Watts)	0.19	0.20	0.19	0.17	0.17	0.16
ERP(dBm)	19.56	19.58	19.55	18.84	18.95	18.79
ERP(Watts)	0.0904	0.0908	0.0902	0.0766	0.0785	0.0757

LTE ($G_T - L_C = -1.19$ dB)						
Modes	LTE Band 12 (QPSK,BW=10M)			LTE Band 12 (16QAM,BW=10M)		
Channel	23060(Low)	23095 (Mid)	23130 (High)	23060(Low)	23095 (Mid)	23130 (High)
Frequency (MHz)	704	707.5	711	704	707.5	711
Conducted Power P_T (dBm)	22.93	22.96	22.94	22.2	22.23	22.18
Conducted Power P_T (Watts)	0.20	0.20	0.20	0.17	0.17	0.17
ERP(dBm)	19.59	19.62	19.60	18.86	18.89	18.84
ERP(Watts)	0.0910	0.0916	0.0912	0.0769	0.0774	0.0766



LTE ($G_T - L_C = -0.18$ dB)						
Modes	LTE Band 13 (QPSK, BW=5M)			LTE Band 13 (16QAM, BW=5M)		
Channel	23205 (Low)	23230 (Mid)	23255 (High)	23205 (Low)	23230 (Mid)	23255 (High)
Frequency (MHz)	779.5	782	784.5	779.5	782	784.5
Conducted Power P_T (dBm)	22.66	23.58	23.54	22.21	22.85	22.84
Conducted Power P_T (Watts)	0.18	0.23	0.23	0.17	0.19	0.19
ERP(dBm)	20.33	21.25	21.21	19.88	20.52	20.51
ERP(Watts)	0.1079	0.1334	0.1321	0.0973	0.1127	0.1125

LTE ($G_T - L_C = -0.18$ dB)		
Modes	LTE Band 13 (QPSK, BW=10M)	LTE Band 13 (16QAM, BW=10M)
Channel	23230 (Mid)	23230 (Mid)
Frequency (MHz)	782	782
Conducted Power P_T (dBm)	23.62	22.96
Conducted Power P_T (Watts)	0.23	0.20
ERP(dBm)	21.29	20.63
ERP(Watts)	0.1346	0.1156

LTE (G _T - L _C = 0.63 dB)						
Modes	LTE Band 26 (QPSK,BW=1.4M)			LTE Band 26 (16QAM,BW=1.4M)		
Channel	26697 (Low)	26865 (Mid)	27033 (High)	26697 (Low)	26865 (Mid)	27033 (High)
Frequency (MHz)	814.7	831.5	848.3	814.7	831.5	848.3
Conducted Power P _T (dBm)	22.57	22.67	22.61	21.86	22.00	21.94
Conducted Power P _T (Watts)	0.18	0.18	0.18	0.15	0.16	0.16
ERP(dBm)	21.05	21.15	21.09	20.34	20.48	20.42
ERP(Watts)	0.1274	0.1303	0.1285	0.1081	0.1117	0.1102

LTE (G _T - L _C = 0.63 dB)						
Modes	LTE Band 26 (QPSK,BW=3M)			LTE Band 26 (16QAM,BW=3M)		
Channel	26705 (Low)	26865 (Mid)	27025 (High)	26705 (Low)	26865 (Mid)	27025 (High)
Frequency (MHz)	815.5	831.5	847.5	815.5	831.5	847.5
Conducted Power P _T (dBm)	22.60	22.73	22.71	21.86	22.01	22.00
Conducted Power P _T (Watts)	0.18	0.19	0.19	0.15	0.16	0.16
ERP(dBm)	21.08	21.21	21.19	20.34	20.49	20.48
ERP(Watts)	0.1282	0.1321	0.1315	0.1081	0.1119	0.1117



LTE ($G_T - L_C = 0.63$ dB)						
Modes	LTE Band 26 (QPSK,BW=5M)			LTE Band 26 (16QAM,BW=5M)		
Channel	26715 (Low)	26865 (Mid)	27015 (High)	26715 (Low)	26865 (Mid)	27015 (High)
Frequency (MHz)	816.5	831.5	846.5	816.5	831.5	846.5
Conducted Power P_T (dBm)	22.65	22.79	22.77	21.87	22.04	22.02
Conducted Power P_T (Watts)	0.18	0.19	0.19	0.15	0.16	0.16
ERP(dBm)	21.13	21.27	21.25	20.35	20.52	20.50
ERP(Watts)	0.1297	0.1340	0.1334	0.1084	0.1127	0.1122

LTE ($G_T - L_C = 0.63$ dB)						
Modes	LTE Band 26 (QPSK,BW=10M)			LTE Band 26 (16QAM,BW=10M)		
Channel	26740 (Low)	26865 (Mid)	26990 (High)	26740 (Low)	26865 (Mid)	26990 (High)
Frequency (MHz)	819	831.5	844	819	831.5	844
Conducted Power P_T (dBm)	22.74	22.80	22.78	21.91	22.11	22.10
Conducted Power P_T (Watts)	0.19	0.19	0.19	0.16	0.16	0.16
ERP(dBm)	21.22	21.28	21.26	20.39	20.59	20.58
ERP(Watts)	0.1324	0.1343	0.1337	0.1094	0.1146	0.1143



LTE ($G_T - L_C = 0.63$ dB)						
Modes	LTE Band 26 (QPSK, BW=15M)			LTE Band 26 (16QAM, BW=15M)		
Channel	26765 (Low)	26865 (Mid)	26965 (High)	26765 (Low)	26865 (Mid)	26965 (High)
Frequency (MHz)	821.5	831.5	841.5	821.5	831.5	841.5
Conducted Power P_T (dBm)	22.76	22.87	22.81	21.96	22.11	22.10
Conducted Power P_T (Watts)	0.19	0.19	0.19	0.16	0.16	0.16
ERP(dBm)	21.24	21.35	21.29	20.44	20.59	20.58
ERP(Watts)	0.1330	0.1365	0.1346	0.1107	0.1146	0.1143

LTE ($G_T - L_C = -7.25$ dB)						
Modes	LTE Band 7 (QPSK, BW=5M)			LTE Band 7 (16QAM, BW=5M)		
Channel	20775 (Low)	21100 (Mid)	21425 (High)	20775 (Low)	21100 (Mid)	21425 (High)
Frequency (MHz)	2502.5	2535	2567.5	2502.5	2535	2567.5
Conducted Power P_T (dBm)	21.41	21.57	21.26	20.57	20.82	20.47
Conducted Power P_T (Watts)	0.14	0.14	0.13	0.11	0.12	0.11
ERP(dBm)	14.16	14.32	14.01	13.32	13.57	13.22
ERP(Watts)	0.0261	0.0270	0.0252	0.0215	0.0228	0.0210

LTE ($G_T - L_C = -7.25$ dB)						
Modes	LTE Band 7 (QPSK, BW=10M)			LTE Band 7 (16QAM, BW=10M)		
Channel	20800 (Low)	21100 (Mid)	21400 (High)	20800 (Low)	21100 (Mid)	21400 (High)
Frequency (MHz)	2505	2535	2565	2505	2535	2565
Conducted Power P_T (dBm)	21.53	21.63	21.36	20.74	20.88	20.52
Conducted Power P_T (Watts)	0.14	0.15	0.14	0.12	0.12	0.11
ERP(dBm)	14.28	14.38	14.11	13.49	13.63	13.27
ERP(Watts)	0.0268	0.0274	0.0258	0.0223	0.0231	0.0212

LTE ($G_T - L_C = -7.25$ dB)						
Modes	LTE Band 7 (QPSK,BW=15M)			LTE Band 7 (16QAM,BW=15M)		
Channel	20825 (Low)	21100 (Mid)	21375 (High)	20825 (Low)	21100 (Mid)	21375 (High)
Frequency (MHz)	2507.5	2535	2562.5	2507.5	2535	2562.5
Conducted Power P_T (dBm)	21.55	21.65	21.4	20.6	20.87	20.64
Conducted Power P_T (Watts)	0.14	0.15	0.14	0.11	0.12	0.12
ERP(dBm)	14.30	14.40	14.15	13.35	13.62	13.39
ERP(Watts)	0.0269	0.0275	0.0260	0.022	0.0230	0.0218

LTE ($G_T - L_C = -7.25$ dB)						
Modes	LTE Band 7 (QPSK,BW=20M)			LTE Band 7 (16QAM,BW=20M)		
Channel	20850 (Low)	21100 (Mid)	21350 (High)	20850 (Low)	21100 (Mid)	21350 (High)
Frequency (MHz)	2510	2535	2560	2510	2535	2560
Conducted Power P_T (dBm)	21.58	21.71	21.45	20.75	20.96	20.62
Conducted Power P_T (Watts)	0.14	0.15	0.14	0.12	0.12	0.12
ERP(dBm)	14.33	14.46	14.20	13.50	13.71	13.37
ERP(Watts)	0.0271	0.0279	0.0263	0.0224	0.0235	0.0217



LTE ($G_T - L_C = -7.20$ dB)						
Modes	LTE Band 41 (QPSK,BW=5M)			LTE Band 41 (16QAM,BW=5M)		
Channel	39675 (Low)	40620 (Mid)	41565 (High)	39675 (Low)	40620 (Mid)	41565 (High)
Frequency (MHz)	2498.5	2593	2687.5	2498.5	2593	2687.5
Conducted Power P_T (dBm)	21.43	21.55	21.35	20.37	20.51	20.5
Conducted Power P_T (Watts)	0.14	0.14	0.14	0.11	0.11	0.11
ERP(dBm)	14.23	14.35	14.15	13.17	13.31	13.30
ERP(Watts)	0.0265	0.0272	0.0260	0.0207	0.0214	0.0214

LTE ($G_T - L_C = -7.20$ dB)						
Modes	LTE Band 41 (QPSK,BW=10M)			LTE Band 41 (16QAM,BW=10M)		
Channel	39700 (Low)	40620 (Mid)	41540 (High)	39700 (Low)	40620 (Mid)	41540 (High)
Frequency (MHz)	2501	2593	2685	2501	2593	2685
Conducted Power P_T (dBm)	21.43	21.55	21.45	20.41	20.53	20.52
Conducted Power P_T (Watts)	0.14	0.14	0.14	0.11	0.11	0.11
ERP(dBm)	14.23	14.35	14.25	13.21	13.33	13.32
ERP(Watts)	0.0265	0.0272	0.0266	0.0209	0.0215	0.0215



LTE ($G_T - L_C = -7.20$ dB)						
Modes	LTE Band 41 (QPSK,BW=15M)			LTE Band 41 (16QAM,BW=15M)		
Channel	39725 (Low)	40620 (Mid)	41515 (High)	39725 (Low)	40620 (Mid)	41515 (High)
Frequency (MHz)	2503.5	2593	2682.5	2503.5	2593	2682.5
Conducted Power P_T (dBm)	21.45	21.56	21.46	20.48	20.57	20.56
Conducted Power P_T (Watts)	0.14	0.14	0.14	0.11	0.11	0.11
ERP(dBm)	14.25	14.36	14.26	13.28	13.37	13.36
ERP(Watts)	0.0266	0.0273	0.0267	0.0213	0.0217	0.0217

LTE ($G_T - L_C = -7.20$ dB)						
Modes	LTE Band 41 (QPSK,BW=20M)			LTE Band 41 (16QAM,BW=20M)		
Channel	39750 (Low)	40620 (Mid)	41490 (High)	39750 (Low)	40620 (Mid)	41490 (High)
Frequency (MHz)	2506	2593	2680	2506	2593	2680
Conducted Power P_T (dBm)	21.51	21.58	21.49	20.5	20.54	20.66
Conducted Power P_T (Watts)	0.14	0.14	0.14	0.11	0.11	0.12
ERP(dBm)	14.31	14.38	14.29	13.30	13.34	13.46
ERP(Watts)	0.0270	0.0274	0.0269	0.0214	0.0216	0.0222