


802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.34	74.00	-10.66	56.99	3	Horizontal	309	2.73	-	33.50	5.00	32.15
AV	5.15G	50.57	54.00	-3.43	44.22	3	Horizontal	309	2.73	-	33.50	5.00	32.15
PK	5.1988G	106.76	Inf	-Inf	100.31	3	Horizontal	309	2.73	-	33.50	5.10	32.15
AV	5.1992G	97.64	Inf	-Inf	91.19	3	Horizontal	309	2.73	-	33.50	5.10	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.59986G	52.49	74.00	-21.51	39.10	3	Vertical	158	2.53	-	37.60	9.06	33.27	
AV	15.60246G	39.20	54.00	-14.80	25.81	3	Vertical	158	2.53	-	37.60	9.06	33.27	

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59602G	52.56	74.00	-21.44	39.15	3	Horizontal	197	1.38	-	37.61	9.06	33.26
AV	15.59776G	39.33	54.00	-14.67	25.93	3	Horizontal	197	1.38	-	37.61	9.06	33.27

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	56.59	74.00	-17.41	50.24	3	Vertical	342	2.11	-	33.50	5.00	32.15
AV	5.15G	44.46	54.00	-9.54	38.11	3	Vertical	342	2.11	-	33.50	5.00	32.15
PK	5.2388G	108.11	Inf	-Inf	101.60	3	Vertical	342	2.11	-	33.58	5.08	32.15
AV	5.2394G	98.79	Inf	-Inf	92.28	3	Vertical	342	2.11	-	33.58	5.08	32.15
PK	5.3822G	55.88	74.00	-18.12	49.25	3	Vertical	342	2.11	-	33.76	5.01	32.14
AV	5.3876G	43.93	54.00	-10.07	37.28	3	Vertical	342	2.11	-	33.78	5.01	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1086G	56.71	74.00	-17.29	50.44	3	Horizontal	303	2.83	-	33.50	4.92	32.15
AV	5.1446G	43.94	54.00	-10.06	37.60	3	Horizontal	303	2.83	-	33.50	4.99	32.15
PK	5.2382G	109.02	Inf	-Inf	102.51	3	Horizontal	303	2.83	-	33.58	5.08	32.15
AV	5.2394G	99.50	Inf	-Inf	92.99	3	Horizontal	303	2.83	-	33.58	5.08	32.15
PK	5.3888G	55.70	74.00	-18.30	49.05	3	Horizontal	303	2.83	-	33.78	5.01	32.14
AV	5.351G	44.24	54.00	-9.76	37.66	3	Horizontal	303	2.83	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47232G	52.90	68.20	-15.30	40.26	3	Vertical	93	1.80	-	38.40	7.27	33.03
PK	15.70932G	52.90	74.00	-21.10	39.80	3	Vertical	342	1.00	-	37.40	9.10	33.40
AV	15.72336G	39.54	54.00	-14.46	26.45	3	Vertical	342	1.00	-	37.40	9.10	33.41

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46602G	51.90	68.20	-16.30	39.27	3	Horizontal	56	1.02	-	38.40	7.26	33.03
PK	15.70698G	52.20	74.00	-21.80	39.09	3	Horizontal	18	1.80	-	37.40	9.10	33.39
AV	15.73458G	38.91	54.00	-15.09	25.83	3	Horizontal	18	1.80	-	37.40	9.11	33.43

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	57.11	74.00	-16.89	50.78	3	Vertical	336	2.31	-	33.50	4.98	32.15
AV	5.1124G	44.08	54.00	-9.92	37.81	3	Vertical	336	2.31	-	33.50	4.92	32.15
PK	5.2594G	108.92	Inf	-Inf	102.37	3	Vertical	336	2.31	-	33.62	5.07	32.14
AV	5.2594G	99.40	Inf	-Inf	92.85	3	Vertical	336	2.31	-	33.62	5.07	32.14
PK	5.3506G	57.00	74.00	-17.00	50.42	3	Vertical	336	2.31	-	33.70	5.02	32.14
AV	5.35G	44.62	54.00	-9.38	38.03	3	Vertical	336	2.31	-	33.70	5.03	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1112G	56.27	74.00	-17.73	50.00	3	Horizontal	304	2.68	-	33.50	4.92	32.15
AV	5.11G	44.07	54.00	-9.93	37.80	3	Horizontal	304	2.68	-	33.50	4.92	32.15
PK	5.2594G	110.24	Inf	-Inf	103.69	3	Horizontal	304	2.68	-	33.62	5.07	32.14
AV	5.2594G	100.69	Inf	-Inf	94.14	3	Horizontal	304	2.68	-	33.62	5.07	32.14
PK	5.3572G	57.87	74.00	-16.13	51.28	3	Horizontal	304	2.68	-	33.71	5.02	32.14
AV	5.35G	45.11	54.00	-8.89	38.52	3	Horizontal	304	2.68	-	33.70	5.03	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77744G	52.88	74.00	-21.12	39.84	3	Vertical	195	1.62	-	37.40	9.12	33.48
AV	15.7793G	39.09	54.00	-14.91	26.05	3	Vertical	195	1.62	-	37.40	9.12	33.48

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7769G	51.81	74.00	-22.19	38.77	3	Horizontal	245	2.27	-	37.40	9.12	33.48	
AV	15.77516G	39.18	54.00	-14.82	26.13	3	Horizontal	245	2.27	-	37.40	9.12	33.47	

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 67
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2984G	108.51	Inf	-Inf	101.90	3	Vertical	338	2.18	-	33.70	5.05	32.14	
AV	5.2992G	98.82	Inf	-Inf	92.21	3	Vertical	338	2.18	-	33.70	5.05	32.14	
PK	5.3504G	64.19	74.00	-9.81	57.61	3	Vertical	338	2.18	-	33.70	5.02	32.14	
AV	5.35G	51.95	54.00	-2.05	45.36	3	Vertical	338	2.18	-	33.70	5.03	32.14	

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 67
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2984G	109.04	Inf	-Inf	102.43	3	Horizontal	305	2.77	-	33.70	5.05	32.14	
AV	5.2992G	99.30	Inf	-Inf	92.69	3	Horizontal	305	2.77	-	33.70	5.05	32.14	
PK	5.3528G	64.38	74.00	-9.62	57.79	3	Horizontal	305	2.77	-	33.71	5.02	32.14	
AV	5.35G	52.42	54.00	-1.58	45.83	3	Horizontal	305	2.77	-	33.70	5.03	32.14	

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 67
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90396G	52.67	74.00	-21.33	39.63	3	Vertical	1	2.09	-	37.50	9.17	33.63
AV	15.89806G	38.80	54.00	-15.20	25.76	3	Vertical	1	2.09	-	37.50	9.16	33.62

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 67
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89708G	52.76	74.00	-21.24	39.72	3	Horizontal	150	2.80	-	37.50	9.16	33.62
AV	15.90472G	38.96	54.00	-15.04	25.92	3	Horizontal	150	2.80	-	37.50	9.17	33.63

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 61
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3184G	107.27	Inf	-Inf	100.35	3	Vertical	341	2.62	-	33.70	5.36	32.14	
AV	5.3192G	97.83	Inf	-Inf	90.91	3	Vertical	341	2.62	-	33.70	5.36	32.14	
PK	5.351G	67.84	74.00	-6.16	60.90	3	Vertical	341	2.62	-	33.70	5.38	32.14	
AV	5.3502G	52.98	54.00	-1.02	46.04	3	Vertical	341	2.62	-	33.70	5.38	32.14	

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 61
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3182G	106.01	Inf	-Inf	99.09	3	Horizontal	300	2.83	-	33.70	5.36	32.14
AV	5.3194G	96.64	Inf	-Inf	89.72	3	Horizontal	300	2.83	-	33.70	5.36	32.14
PK	5.3512G	67.38	74.00	-6.62	60.44	3	Horizontal	300	2.83	-	33.70	5.38	32.14
AV	5.3514G	52.63	54.00	-1.37	45.69	3	Horizontal	300	2.83	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_V_1TX
Setting 61
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.63518G	50.96	74.00	-23.04	38.06	3	Vertical	173	2.29	-	38.46	7.55	33.11	
AV	10.63554G	37.24	54.00	-16.76	24.34	3	Vertical	173	2.29	-	38.46	7.55	33.11	
PK	15.96286G	52.77	74.00	-21.23	39.05	3	Vertical	293	1.79	-	37.44	9.98	33.70	
AV	15.95904G	39.64	54.00	-14.36	25.91	3	Vertical	293	1.79	-	37.44	9.98	33.69	

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_V_1TX
Setting 61
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64266G	50.70	74.00	-23.30	37.79	3	Horizontal	200	1.42	-	38.46	7.56	33.11
AV	10.63508G	37.34	54.00	-16.66	24.44	3	Horizontal	200	1.42	-	38.46	7.55	33.11
PK	15.95738G	52.50	74.00	-21.50	38.77	3	Horizontal	169	2.21	-	37.44	9.98	33.69
AV	15.95962G	39.51	54.00	-14.49	25.78	3	Horizontal	169	2.21	-	37.44	9.98	33.69

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 55
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4584G	60.41	74.00	-13.59	53.58	3	Vertical	335	2.50	-	33.90	5.06	32.13	
AV	5.4584G	46.60	54.00	-7.40	39.77	3	Vertical	335	2.50	-	33.90	5.06	32.13	
PK	5.468G	65.11	68.20	-3.09	58.27	3	Vertical	335	2.50	-	33.90	5.07	32.13	
PK	5.4982G	106.05	Inf	-Inf	99.18	3	Vertical	335	2.50	-	33.90	5.10	32.13	
AV	5.4994G	96.36	Inf	-Inf	89.49	3	Vertical	335	2.50	-	33.90	5.10	32.13	

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 55
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4598G	61.64	74.00	-12.36	54.81	3	Horizontal	302	2.74	-	33.90	5.06	32.13	
AV	5.4596G	47.82	54.00	-6.18	40.99	3	Horizontal	302	2.74	-	33.90	5.06	32.13	
PK	5.4676G	66.91	68.20	-1.29	60.07	3	Horizontal	302	2.74	-	33.90	5.07	32.13	
PK	5.4984G	106.75	Inf	-Inf	99.88	3	Horizontal	302	2.74	-	33.90	5.10	32.13	
AV	5.4994G	96.76	Inf	-Inf	89.89	3	Horizontal	302	2.74	-	33.90	5.10	32.13	

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 55
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99862G	51.53	74.00	-22.47	38.85	3	Vertical	25	1.66	-	38.50	7.45	33.27	
AV	11.00414G	38.33	54.00	-15.67	25.65	3	Vertical	25	1.66	-	38.50	7.45	33.27	

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 55
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00246G	51.67	74.00	-22.33	38.99	3	Horizontal	45	3.00	-	38.50	7.45	33.27
AV	11.00138G	38.45	54.00	-15.55	25.77	3	Horizontal	45	3.00	-	38.50	7.45	33.27

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4376G	56.28	74.00	-17.72	49.49	3	Vertical	330	2.54	-	33.88	5.04	32.13
AV	5.4336G	44.18	54.00	-9.82	37.41	3	Vertical	330	2.54	-	33.87	5.03	32.13
PK	5.464G	55.96	68.20	-12.24	49.13	3	Vertical	330	2.54	-	33.90	5.06	32.13
PK	5.5808G	108.69	Inf	-Inf	101.74	3	Vertical	330	2.54	-	33.90	5.18	32.13
AV	5.5792G	99.25	Inf	-Inf	92.30	3	Vertical	330	2.54	-	33.90	5.18	32.13
PK	5.7296G	56.24	68.20	-11.96	49.55	3	Vertical	330	2.54	-	33.76	5.07	32.14

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	56.44	74.00	-17.56	49.68	3	Horizontal	300	2.81	-	33.86	5.03	32.13
AV	5.4312G	44.27	54.00	-9.73	37.51	3	Horizontal	300	2.81	-	33.86	5.03	32.13
PK	5.4688G	55.83	68.20	-12.37	48.99	3	Horizontal	300	2.81	-	33.90	5.07	32.13
PK	5.5792G	110.37	Inf	-Inf	103.42	3	Horizontal	300	2.81	-	33.90	5.18	32.13
AV	5.5792G	100.93	Inf	-Inf	93.98	3	Horizontal	300	2.81	-	33.90	5.18	32.13
PK	5.7512G	56.29	68.20	-11.91	49.59	3	Horizontal	300	2.81	-	33.80	5.05	32.15

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16462G	51.83	74.00	-22.17	38.91	3	Vertical	146	1.83	-	38.66	7.51	33.25
AV	11.16042G	38.99	54.00	-15.01	26.07	3	Vertical	146	1.83	-	38.66	7.51	33.25

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16412G	52.26	74.00	-21.74	39.34	3	Horizontal	56	2.09	-	38.66	7.51	33.25
AV	11.1635G	38.84	54.00	-15.16	25.92	3	Horizontal	56	2.09	-	38.66	7.51	33.25

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_V_1TX
Setting 59
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	105.22	Inf	-Inf	98.56	3	Vertical	9	2.83	-	33.70	5.10	32.14
AV	5.6992G	95.71	Inf	-Inf	89.05	3	Vertical	9	2.83	-	33.70	5.10	32.14
PK	5.725G	64.14	68.20	-4.06	57.45	3	Vertical	9	2.83	-	33.75	5.08	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 59
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	107.10	Inf	-Inf	100.44	3	Horizontal	303	2.73	-	33.70	5.10	32.14
AV	5.6992G	97.58	Inf	-Inf	90.92	3	Horizontal	303	2.73	-	33.70	5.10	32.14
PK	5.725G	67.10	68.20	-1.10	60.41	3	Horizontal	303	2.73	-	33.75	5.08	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 59
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4011G	51.79	74.00	-22.21	38.63	3	Vertical	221	1.70	-	38.80	7.59	33.23
AV	11.39626G	38.89	54.00	-15.11	25.73	3	Vertical	221	1.70	-	38.80	7.59	33.23

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 59
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39646G	52.11	74.00	-21.89	38.95	3	Horizontal	20	1.04	-	38.80	7.59	33.23
AV	11.39594G	39.06	54.00	-14.94	25.90	3	Horizontal	20	1.04	-	38.80	7.59	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7192G	107.23	Inf	-Inf	100.55	3	Vertical	6	2.68	-	33.74	5.08	32.14	
AV	5.7192G	97.78	Inf	-Inf	91.10	3	Vertical	6	2.68	-	33.74	5.08	32.14	
PK	5.8552G	56.73	68.20	-11.47	49.89	3	Vertical	6	2.68	-	33.82	5.17	32.15	

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	108.96	Inf	-Inf	102.28	3	Horizontal	302	2.70	-	33.74	5.08	32.14
AV	5.7192G	99.54	Inf	-Inf	92.86	3	Horizontal	302	2.70	-	33.74	5.08	32.14

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4365G	52.39	74.00	-21.61	39.15	3	Vertical	170	2.64	-	38.87	7.60	33.23
AV	11.4443G	39.12	54.00	-14.88	25.85	3	Vertical	170	2.64	-	38.89	7.61	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44328G	52.12	74.00	-21.88	38.85	3	Horizontal	113	2.20	-	38.89	7.61	33.23
AV	11.44482G	39.19	54.00	-14.81	25.92	3	Horizontal	113	2.20	-	38.89	7.61	33.23

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6314G	57.30	68.20	-10.90	50.43	3	Vertical	315	1.13	-	33.84	5.17	32.14	
PK	5.7442G	107.22	Inf	-Inf	100.51	3	Vertical	315	1.13	-	33.79	5.06	32.14	
AV	5.7442G	97.69	Inf	-Inf	90.98	3	Vertical	315	1.13	-	33.79	5.06	32.14	
PK	5.929G	57.02	68.20	-11.18	49.73	3	Vertical	315	1.13	-	34.06	5.39	32.16	

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.5834G	56.28	68.20	-11.92	49.34	3	Horizontal	304	2.82	-	33.90	5.18	32.14	
PK	5.7442G	108.66	Inf	-Inf	101.95	3	Horizontal	304	2.82	-	33.79	5.06	32.14	
AV	5.7442G	99.18	Inf	-Inf	92.47	3	Horizontal	304	2.82	-	33.79	5.06	32.14	
PK	5.929G	55.90	68.20	-12.30	48.61	3	Horizontal	304	2.82	-	34.06	5.39	32.16	

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.495G	52.36	74.00	-21.64	38.97	3	Vertical	219	2.83	-	38.99	7.62	33.22	
AV	11.48988G	38.95	54.00	-15.05	25.57	3	Vertical	219	2.83	-	38.98	7.62	33.22	

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4859G	53.34	74.00	-20.66	39.97	3	Horizontal	111	2.42	-	38.97	7.62	33.22
AV	11.4886G	39.05	54.00	-14.95	25.67	3	Horizontal	111	2.42	-	38.98	7.62	33.22

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6354G	57.11	68.20	-11.09	50.26	3	Vertical	315	1.03	-	33.83	5.16	32.14	
PK	5.7842G	106.55	Inf	-Inf	99.95	3	Vertical	315	1.03	-	33.73	5.02	32.15	
AV	5.7842G	97.29	Inf	-Inf	90.69	3	Vertical	315	1.03	-	33.73	5.02	32.15	
PK	5.9842G	56.76	68.20	-11.44	49.27	3	Vertical	315	1.03	-	34.10	5.55	32.16	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6146G	57.78	68.20	-10.42	50.86	3	Horizontal	302	2.77	-	33.87	5.19	32.14	
PK	5.7842G	108.22	Inf	-Inf	101.62	3	Horizontal	302	2.77	-	33.73	5.02	32.15	
AV	5.7842G	98.90	Inf	-Inf	92.30	3	Horizontal	302	2.77	-	33.73	5.02	32.15	
PK	5.9666G	56.60	68.20	-11.60	49.16	3	Horizontal	302	2.77	-	34.10	5.50	32.16	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57144G	52.66	74.00	-21.34	39.04	3	Vertical	125	2.50	-	39.21	7.65	33.24	
AV	11.57236G	39.24	54.00	-14.76	25.61	3	Vertical	125	2.50	-	39.22	7.65	33.24	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.573G	52.62	74.00	-21.38	38.99	3	Horizontal	358	1.98	-	39.22	7.65	33.24	
AV	11.56728G	39.07	54.00	-14.93	25.46	3	Horizontal	358	1.98	-	39.20	7.65	33.24	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6386G	55.70	68.20	-12.50	48.86	3	Vertical	315	1.51	-	33.82	5.16	32.14	
PK	5.8242G	105.01	Inf	-Inf	98.34	3	Vertical	315	1.51	-	33.75	5.07	32.15	
AV	5.8242G	96.08	Inf	-Inf	89.41	3	Vertical	315	1.51	-	33.75	5.07	32.15	
PK	5.9722G	56.95	68.20	-11.25	49.49	3	Vertical	315	1.51	-	34.10	5.52	32.16	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6274G	56.31	68.20	-11.89	49.43	3	Horizontal	301	3.00	-	33.85	5.17	32.14
PK	5.8258G	107.42	Inf	-Inf	100.74	3	Horizontal	301	3.00	-	33.75	5.08	32.15
AV	5.8242G	97.92	Inf	-Inf	91.25	3	Horizontal	301	3.00	-	33.75	5.07	32.15
PK	6.0162G	57.51	68.20	-10.69	49.93	3	Horizontal	301	3.00	-	34.16	5.58	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64684G	52.68	74.00	-21.32	38.91	3	Vertical	40	1.82	-	39.35	7.68	33.26	
AV	11.65476G	39.46	54.00	-14.54	25.69	3	Vertical	40	1.82	-	39.35	7.68	33.26	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6531G	52.36	74.00	-21.64	38.59	3	Horizontal	29	2.57	-	39.35	7.68	33.26	
AV	11.65396G	39.63	54.00	-14.37	25.86	3	Horizontal	29	2.57	-	39.35	7.68	33.26	

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 58
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	70.58	74.00	-3.42	64.23	3	Vertical	342	2.39	-	33.50	5.00	32.15	
AV	5.1498G	52.71	54.00	-1.29	46.36	3	Vertical	342	2.39	-	33.50	5.00	32.15	
PK	5.1774G	105.74	Inf	-Inf	99.34	3	Vertical	342	2.39	-	33.50	5.05	32.15	
AV	5.1792G	96.21	Inf	-Inf	89.80	3	Vertical	342	2.39	-	33.50	5.06	32.15	

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 58
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1498G	68.46	74.00	-5.54	62.11	3	Horizontal	306	2.75	-	33.50	5.00	32.15	
AV	5.1486G	50.51	54.00	-3.49	44.16	3	Horizontal	306	2.75	-	33.50	5.00	32.15	
PK	5.1812G	104.62	Inf	-Inf	98.21	3	Horizontal	306	2.75	-	33.50	5.06	32.15	
AV	5.1816G	94.82	Inf	-Inf	88.41	3	Horizontal	306	2.75	-	33.50	5.06	32.15	

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 58
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54448G	52.24	74.00	-21.76	38.63	3	Vertical	298	2.91	-	37.77	9.04	33.20
AV	15.54442G	39.07	54.00	-14.93	25.46	3	Vertical	298	2.91	-	37.77	9.04	33.20

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 58
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53524G	51.81	74.00	-22.19	38.17	3	Horizontal	68	1.84	-	37.79	9.04	33.19
AV	15.5398G	39.30	54.00	-14.70	25.68	3	Horizontal	68	1.84	-	37.78	9.04	33.20

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	67.76	74.00	-6.24	61.41	3	Vertical	346	1.06	-	33.50	5.00	32.15	
AV	5.15G	52.97	54.00	-1.03	46.62	3	Vertical	346	1.06	-	33.50	5.00	32.15	
PK	5.2016G	106.79	Inf	-Inf	100.34	3	Vertical	346	1.06	-	33.50	5.10	32.15	
AV	5.1984G	97.39	Inf	-Inf	90.94	3	Vertical	346	1.06	-	33.50	5.10	32.15	

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	61.48	74.00	-12.52	55.13	3	Horizontal	302	2.71	-	33.50	5.00	32.15
AV	5.1488G	48.14	54.00	-5.86	41.79	3	Horizontal	302	2.71	-	33.50	5.00	32.15
PK	5.2G	106.04	Inf	-Inf	99.59	3	Horizontal	302	2.71	-	33.50	5.10	32.15
AV	5.1992G	96.14	Inf	-Inf	89.69	3	Horizontal	302	2.71	-	33.50	5.10	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60052G	52.18	74.00	-21.82	38.79	3	Vertical	270	1.94	-	37.60	9.06	33.27
AV	15.5987G	38.99	54.00	-15.01	25.60	3	Vertical	270	1.94	-	37.60	9.06	33.27

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60086G	52.41	74.00	-21.59	39.02	3	Horizontal	231	1.16	-	37.60	9.06	33.27
AV	15.60032G	39.09	54.00	-14.91	25.70	3	Horizontal	231	1.16	-	37.60	9.06	33.27

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	56.20	74.00	-17.80	49.85	3	Vertical	342	2.12	-	33.50	5.00	32.15
AV	5.15G	43.98	54.00	-10.02	37.63	3	Vertical	342	2.12	-	33.50	5.00	32.15
PK	5.2406G	108.32	Inf	-Inf	101.81	3	Vertical	342	2.12	-	33.58	5.08	32.15
AV	5.2412G	99.13	Inf	-Inf	92.62	3	Vertical	342	2.12	-	33.58	5.08	32.15
PK	5.354G	55.62	74.00	-18.38	49.03	3	Vertical	342	2.12	-	33.71	5.02	32.14
AV	5.3546G	43.83	54.00	-10.17	37.24	3	Vertical	342	2.12	-	33.71	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1164G	55.91	74.00	-18.09	49.63	3	Horizontal	303	2.82	-	33.50	4.93	32.15
AV	5.1056G	43.85	54.00	-10.15	37.59	3	Horizontal	303	2.82	-	33.50	4.91	32.15
PK	5.2412G	109.23	Inf	-Inf	102.72	3	Horizontal	303	2.82	-	33.58	5.08	32.15
AV	5.2388G	99.60	Inf	-Inf	93.09	3	Horizontal	303	2.82	-	33.58	5.08	32.15
PK	5.3666G	56.45	74.00	-17.55	49.84	3	Horizontal	303	2.82	-	33.73	5.02	32.14
AV	5.3888G	44.16	54.00	-9.84	37.51	3	Horizontal	303	2.82	-	33.78	5.01	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71934G	51.65	74.00	-22.35	38.56	3	Vertical	74	2.86	-	37.40	9.10	33.41
AV	15.71894G	38.47	54.00	-15.53	25.38	3	Vertical	74	2.86	-	37.40	9.10	33.41

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72318G	51.36	74.00	-22.64	38.27	3	Horizontal	315	1.85	-	37.40	9.10	33.41
AV	15.71862G	38.45	54.00	-15.55	25.36	3	Horizontal	315	1.85	-	37.40	9.10	33.41

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1328G	56.27	74.00	-17.73	49.95	3	Vertical	344	2.33	-	33.50	4.97	32.15
AV	5.1118G	43.89	54.00	-10.11	37.62	3	Vertical	344	2.33	-	33.50	4.92	32.15
PK	5.2612G	109.47	Inf	-Inf	102.92	3	Vertical	344	2.33	-	33.62	5.07	32.14
AV	5.2594G	99.96	Inf	-Inf	93.41	3	Vertical	344	2.33	-	33.62	5.07	32.14
PK	5.383G	56.23	74.00	-17.77	49.59	3	Vertical	344	2.33	-	33.77	5.01	32.14
AV	5.407G	44.14	54.00	-9.86	37.46	3	Vertical	344	2.33	-	33.81	5.01	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	55.50	74.00	-18.50	49.17	3	Horizontal	303	2.68	-	33.50	4.98	32.15
AV	5.1106G	43.73	54.00	-10.27	37.46	3	Horizontal	303	2.68	-	33.50	4.92	32.15
PK	5.2588G	108.76	Inf	-Inf	102.21	3	Horizontal	303	2.68	-	33.62	5.07	32.14
AV	5.2588G	99.45	Inf	-Inf	92.90	3	Horizontal	303	2.68	-	33.62	5.07	32.14
PK	5.4082G	56.26	74.00	-17.74	49.57	3	Horizontal	303	2.68	-	33.82	5.01	32.14
AV	5.3548G	44.47	54.00	-9.53	37.88	3	Horizontal	303	2.68	-	33.71	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7842G	51.71	74.00	-22.29	38.68	3	Vertical	244	2.73	-	37.40	9.12	33.49	
AV	15.78304G	38.98	54.00	-15.02	25.94	3	Vertical	244	2.73	-	37.40	9.12	33.48	

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.78356G	52.28	74.00	-21.72	39.24	3	Horizontal	225	1.33	-	37.40	9.12	33.48	
AV	15.7773G	39.05	54.00	-14.95	26.01	3	Horizontal	225	1.33	-	37.40	9.12	33.48	

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 67
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2992G	108.27	Inf	-Inf	101.66	3	Vertical	334	2.18	-	33.70	5.05	32.14	
AV	5.2992G	97.96	Inf	-Inf	91.35	3	Vertical	334	2.18	-	33.70	5.05	32.14	
PK	5.3516G	64.48	74.00	-9.52	57.90	3	Vertical	334	2.18	-	33.70	5.02	32.14	
AV	5.35G	52.41	54.00	-1.59	45.82	3	Vertical	334	2.18	-	33.70	5.03	32.14	

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 67
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2992G	108.78	Inf	-Inf	102.17	3	Horizontal	305	2.78	-	33.70	5.05	32.14	
AV	5.2992G	98.19	Inf	-Inf	91.58	3	Horizontal	305	2.78	-	33.70	5.05	32.14	
PK	5.35G	65.59	74.00	-8.41	59.00	3	Horizontal	305	2.78	-	33.70	5.03	32.14	
AV	5.35G	52.27	54.00	-1.73	45.68	3	Horizontal	305	2.78	-	33.70	5.03	32.14	

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 67
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.90062G	51.71	74.00	-22.29	38.66	3	Vertical	188	2.32	-	37.50	9.17	33.62	
AV	15.89878G	38.62	54.00	-15.38	25.58	3	Vertical	188	2.32	-	37.50	9.16	33.62	

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 67
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89936G	51.83	74.00	-22.17	38.79	3	Horizontal	290	1.59	-	37.50	9.16	33.62
AV	15.9024G	38.60	54.00	-15.40	25.55	3	Horizontal	290	1.59	-	37.50	9.17	33.62

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_V_1TX
Setting 59
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3198G	106.85	Inf	-Inf	100.25	3	Vertical	341	2.40	-	33.70	5.04	32.14	
AV	5.3206G	96.94	Inf	-Inf	90.34	3	Vertical	341	2.40	-	33.70	5.04	32.14	
PK	5.3532G	67.63	74.00	-6.37	61.04	3	Vertical	341	2.40	-	33.71	5.02	32.14	
AV	5.3502G	52.65	54.00	-1.35	46.07	3	Vertical	341	2.40	-	33.70	5.02	32.14	

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 59
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3214G	104.54	Inf	-Inf	97.94	3	Horizontal	304	2.80	-	33.70	5.04	32.14	
AV	5.3192G	94.96	Inf	-Inf	88.36	3	Horizontal	304	2.80	-	33.70	5.04	32.14	
PK	5.3506G	67.56	74.00	-6.44	60.98	3	Horizontal	304	2.80	-	33.70	5.02	32.14	
AV	5.3506G	51.39	54.00	-2.61	44.81	3	Horizontal	304	2.80	-	33.70	5.02	32.14	

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 59
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95998G	52.19	74.00	-21.81	39.25	3	Vertical	313	2.91	-	37.44	9.19	33.69
AV	15.95758G	38.38	54.00	-15.62	25.44	3	Vertical	313	2.91	-	37.44	9.19	33.69

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 59
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9558G	52.14	74.00	-21.86	39.21	3	Horizontal	281	2.66	-	37.44	9.18	33.69
AV	15.95682G	38.46	54.00	-15.54	25.53	3	Horizontal	281	2.66	-	37.44	9.18	33.69

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUTY_1TX
Setting 52
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4568G	65.09	74.00	-8.91	58.26	3	Vertical	333	1.00	-	33.90	5.06	32.13	
AV	5.4592G	47.49	54.00	-6.51	40.66	3	Vertical	333	1.00	-	33.90	5.06	32.13	
PK	5.47G	66.73	68.20	-1.47	59.89	3	Vertical	333	1.00	-	33.90	5.07	32.13	
PK	5.4982G	105.63	Inf	-Inf	98.76	3	Vertical	333	1.00	-	33.90	5.10	32.13	
AV	5.4988G	94.69	Inf	-Inf	87.82	3	Vertical	333	1.00	-	33.90	5.10	32.13	

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 52
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.452G	63.16	74.00	-10.84	56.34	3	Horizontal	301	2.76	-	33.90	5.05	32.13	
AV	5.46G	47.97	54.00	-6.03	41.14	3	Horizontal	301	2.76	-	33.90	5.06	32.13	
PK	5.4694G	66.99	68.20	-1.21	60.15	3	Horizontal	301	2.76	-	33.90	5.07	32.13	
PK	5.4984G	104.92	Inf	-Inf	98.05	3	Horizontal	301	2.76	-	33.90	5.10	32.13	
AV	5.501G	95.30	Inf	-Inf	88.43	3	Horizontal	301	2.76	-	33.90	5.10	32.13	

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 52
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00244G	52.04	74.00	-21.96	39.36	3	Vertical	39	1.94	-	38.50	7.45	33.27
AV	11.00118G	38.19	54.00	-15.81	25.51	3	Vertical	39	1.94	-	38.50	7.45	33.27

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 52
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00336G	51.25	74.00	-22.75	38.57	3	Horizontal	360	1.83	-	38.50	7.45	33.27
AV	10.99832G	38.06	54.00	-15.94	25.38	3	Horizontal	360	1.83	-	38.50	7.45	33.27

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	56.42	74.00	-17.58	49.73	3	Vertical	319	1.00	-	33.82	5.01	32.14
AV	5.4312G	44.06	54.00	-9.94	37.30	3	Vertical	319	1.00	-	33.86	5.03	32.13
PK	5.4632G	55.86	68.20	-12.34	49.03	3	Vertical	319	1.00	-	33.90	5.06	32.13
PK	5.5784G	109.20	Inf	-Inf	102.25	3	Vertical	319	1.00	-	33.90	5.18	32.13
AV	5.5808G	98.89	Inf	-Inf	91.94	3	Vertical	319	1.00	-	33.90	5.18	32.13
PK	5.7344G	56.00	68.20	-12.20	49.30	3	Vertical	319	1.00	-	33.77	5.07	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3968G	56.14	74.00	-17.86	49.49	3	Horizontal	301	2.82	-	33.79	5.00	32.14
AV	5.428G	44.39	54.00	-9.61	37.63	3	Horizontal	301	2.82	-	33.86	5.03	32.13
PK	5.4696G	55.77	68.20	-12.43	48.93	3	Horizontal	301	2.82	-	33.90	5.07	32.13
PK	5.5792G	110.02	Inf	-Inf	103.07	3	Horizontal	301	2.82	-	33.90	5.18	32.13
AV	5.5792G	100.05	Inf	-Inf	93.10	3	Horizontal	301	2.82	-	33.90	5.18	32.13
PK	5.7512G	56.91	68.20	-11.29	50.21	3	Horizontal	301	2.82	-	33.80	5.05	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.15684G	51.82	74.00	-22.18	38.91	3	Vertical	4	1.27	-	38.66	7.50	33.25
AV	11.15912G	38.79	54.00	-15.21	25.87	3	Vertical	4	1.27	-	38.66	7.51	33.25

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15678G	52.73	74.00	-21.27	39.82	3	Horizontal	17	1.38	-	38.66	7.50	33.25
AV	11.1592G	38.65	54.00	-15.35	25.73	3	Horizontal	17	1.38	-	38.66	7.51	33.25

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6988G	105.55	Inf	-Inf	98.39	3	Vertical	3	2.81	-	33.70	5.60	32.14	
AV	5.7006G	95.29	Inf	-Inf	88.13	3	Vertical	3	2.81	-	33.70	5.60	32.14	
PK	5.7252G	66.78	68.20	-1.42	59.57	3	Vertical	3	2.81	-	33.75	5.60	32.14	

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_V_1TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	105.80	Inf	-Inf	98.63	3	Horizontal	300	2.72	-	33.71	5.60	32.14
AV	5.6992G	96.35	Inf	-Inf	89.19	3	Horizontal	300	2.72	-	33.70	5.60	32.14
PK	5.7292G	66.30	68.20	-1.90	59.08	3	Horizontal	300	2.72	-	33.76	5.60	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_V_1TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39722G	51.30	74.00	-22.70	37.87	3	Vertical	16	2.39	-	38.80	7.86	33.23
AV	11.39862G	37.89	54.00	-16.11	24.46	3	Vertical	16	2.39	-	38.80	7.86	33.23
PK	17.10458G	57.89	68.20	-10.31	39.43	3	Vertical	19	2.66	-	41.33	10.55	33.42

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_V_1TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4002G	51.23	74.00	-22.77	37.80	3	Horizontal	123	1.14	-	38.80	7.86	33.23
AV	11.39636G	37.86	54.00	-16.14	24.43	3	Horizontal	123	1.14	-	38.80	7.86	33.23
PK	17.1038G	57.85	68.20	-10.35	39.39	3	Horizontal	251	1.75	-	41.33	10.55	33.42

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	107.59	Inf	-Inf	100.91	3	Vertical	8	2.67	-	33.74	5.08	32.14
AV	5.7192G	97.32	Inf	-Inf	90.64	3	Vertical	8	2.67	-	33.74	5.08	32.14
PK	5.8912G	56.50	68.20	-11.70	49.42	3	Vertical	8	2.67	-	33.96	5.27	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	108.56	Inf	-Inf	101.88	3	Horizontal	301	2.71	-	33.74	5.08	32.14
AV	5.7184G	99.29	Inf	-Inf	92.61	3	Horizontal	301	2.71	-	33.74	5.08	32.14
PK	5.876G	57.15	68.20	-11.05	50.17	3	Horizontal	301	2.71	-	33.90	5.23	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.43868G	52.83	74.00	-21.17	39.58	3	Vertical	181	1.27	-	38.88	7.60	33.23
AV	11.44484G	38.95	54.00	-15.05	25.68	3	Vertical	181	1.27	-	38.89	7.61	33.23

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.43896G	52.38	74.00	-21.62	39.13	3	Horizontal	177	2.80	-	38.88	7.60	33.23	
AV	11.44328G	39.08	54.00	-14.92	25.81	3	Horizontal	177	2.80	-	38.89	7.61	33.23	

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.569G	57.30	68.20	-10.90	50.36	3	Vertical	314	1.11	-	33.90	5.17	32.13	
PK	5.746G	106.97	Inf	-Inf	100.27	3	Vertical	314	1.11	-	33.79	5.05	32.14	
AV	5.744G	97.47	Inf	-Inf	90.76	3	Vertical	314	1.11	-	33.79	5.06	32.14	
PK	5.995G	56.86	68.20	-11.34	49.33	3	Vertical	314	1.11	-	34.10	5.59	32.16	

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.52G	56.79	68.20	-11.41	49.90	3	Horizontal	302	2.81	-	33.90	5.12	32.13
PK	5.746G	108.59	Inf	-Inf	101.89	3	Horizontal	302	2.81	-	33.79	5.05	32.14
AV	5.744G	98.76	Inf	-Inf	92.05	3	Horizontal	302	2.81	-	33.79	5.06	32.14
PK	5.972G	57.65	68.20	-10.55	50.19	3	Horizontal	302	2.81	-	34.10	5.52	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48818G	52.63	74.00	-21.37	39.25	3	Vertical	294	2.87	-	38.98	7.62	33.22	
AV	11.49368G	38.87	54.00	-15.13	25.48	3	Vertical	294	2.87	-	38.99	7.62	33.22	

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49342G	52.03	74.00	-21.97	38.64	3	Horizontal	136	2.22	-	38.99	7.62	33.22	
AV	11.49086G	38.82	54.00	-15.18	25.44	3	Horizontal	136	2.22	-	38.98	7.62	33.22	

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.564G	57.17	68.20	-11.03	50.24	3	Vertical	329	1.03	-	33.90	5.16	32.13	
PK	5.783G	106.16	Inf	-Inf	99.56	3	Vertical	329	1.03	-	33.73	5.02	32.15	
AV	5.784G	96.59	Inf	-Inf	89.99	3	Vertical	329	1.03	-	33.73	5.02	32.15	
PK	5.976G	56.92	68.20	-11.28	49.45	3	Vertical	329	1.03	-	34.10	5.53	32.16	

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	56.93	68.20	-11.27	50.00	3	Horizontal	304	2.78	-	33.90	5.16	32.13
PK	5.782G	107.33	Inf	-Inf	100.72	3	Horizontal	304	2.78	-	33.74	5.02	32.15
AV	5.784G	98.23	Inf	-Inf	91.63	3	Horizontal	304	2.78	-	33.73	5.02	32.15
PK	5.972G	57.68	68.20	-10.52	50.22	3	Horizontal	304	2.78	-	34.10	5.52	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56718G	52.30	74.00	-21.70	38.69	3	Vertical	98	2.82	-	39.20	7.65	33.24	
AV	11.56984G	39.13	54.00	-14.87	25.51	3	Vertical	98	2.82	-	39.21	7.65	33.24	

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5742G	52.67	74.00	-21.33	39.04	3	Horizontal	35	2.05	-	39.22	7.65	33.24	
AV	11.57406G	38.98	54.00	-15.02	25.35	3	Horizontal	35	2.05	-	39.22	7.65	33.24	

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.581G	56.44	68.20	-11.76	49.49	3	Vertical	313	1.51	-	33.90	5.18	32.13	
PK	5.825G	105.26	Inf	-Inf	98.58	3	Vertical	313	1.51	-	33.75	5.08	32.15	
AV	5.826G	95.42	Inf	-Inf	88.74	3	Vertical	313	1.51	-	33.75	5.08	32.15	
PK	6.011G	57.76	68.20	-10.44	50.20	3	Vertical	313	1.51	-	34.14	5.58	32.16	

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.613G	57.17	68.20	-11.03	50.25	3	Horizontal	301	3.00	-	33.87	5.19	32.14	
PK	5.827G	106.98	Inf	-Inf	100.30	3	Horizontal	301	3.00	-	33.75	5.08	32.15	
AV	5.826G	97.49	Inf	-Inf	90.81	3	Horizontal	301	3.00	-	33.75	5.08	32.15	
PK	5.94G	57.36	68.20	-10.84	50.02	3	Horizontal	301	3.00	-	34.08	5.42	32.16	

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65004G	52.61	74.00	-21.39	38.84	3	Vertical	34	1.00	-	39.35	7.68	33.26
AV	11.64512G	39.09	54.00	-14.91	25.32	3	Vertical	34	1.00	-	39.35	7.68	33.26

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64958G	52.14	74.00	-21.86	38.37	3	Horizontal	347	1.06	-	39.35	7.68	33.26
AV	11.65012G	39.16	54.00	-14.84	25.39	3	Horizontal	347	1.06	-	39.35	7.68	33.26

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 51
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.82	74.00	-6.18	61.47	3	Vertical	16	1.06	-	33.50	5.00	32.15
AV	5.1492G	52.63	54.00	-1.37	46.28	3	Vertical	16	1.06	-	33.50	5.00	32.15
PK	5.1956G	102.36	Inf	-Inf	95.92	3	Vertical	16	1.06	-	33.50	5.09	32.15
AV	5.1884G	93.75	Inf	-Inf	87.32	3	Vertical	16	1.06	-	33.50	5.08	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 51
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	61.73	74.00	-12.27	55.38	3	Horizontal	319	2.82	-	33.50	5.00	32.15
AV	5.1496G	47.02	54.00	-6.98	40.67	3	Horizontal	319	2.82	-	33.50	5.00	32.15
PK	5.1884G	95.18	Inf	-Inf	88.75	3	Horizontal	319	2.82	-	33.50	5.08	32.15
AV	5.1912G	85.97	Inf	-Inf	79.54	3	Horizontal	319	2.82	-	33.50	5.08	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 51
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.57244G	52.77	74.00	-21.23	39.28	3	Vertical	316	1.53	-	37.68	9.05	33.24	
AV	15.56848G	39.78	54.00	-14.22	26.27	3	Vertical	316	1.53	-	37.69	9.05	33.23	

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 51
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.57176G	52.48	74.00	-21.52	38.98	3	Horizontal	193	2.87	-	37.68	9.05	33.23	
AV	15.5676G	39.89	54.00	-14.11	26.37	3	Horizontal	193	2.87	-	37.70	9.05	33.23	

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_V_1TX
Setting 57
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	65.26	74.00	-8.74	58.93	3	Vertical	15	1.01	-	33.50	4.98	32.15
AV	5.149G	52.33	54.00	-1.67	45.98	3	Vertical	15	1.01	-	33.50	5.00	32.15
PK	5.2282G	104.40	Inf	-Inf	97.90	3	Vertical	15	1.01	-	33.56	5.09	32.15
AV	5.2288G	95.19	Inf	-Inf	88.69	3	Vertical	15	1.01	-	33.56	5.09	32.15
PK	5.3524G	56.57	74.00	-17.43	49.99	3	Vertical	15	1.01	-	33.70	5.02	32.14
AV	5.35G	45.91	54.00	-8.09	39.32	3	Vertical	15	1.01	-	33.70	5.03	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	60.11	74.00	-13.89	53.76	3	Horizontal	55	2.55	-	33.50	5.00	32.15
AV	5.149G	47.29	54.00	-6.71	40.94	3	Horizontal	55	2.55	-	33.50	5.00	32.15
PK	5.2324G	98.14	Inf	-Inf	91.65	3	Horizontal	55	2.55	-	33.56	5.08	32.15
AV	5.2312G	88.86	Inf	-Inf	82.37	3	Horizontal	55	2.55	-	33.56	5.08	32.15
PK	5.3512G	55.70	74.00	-18.30	49.12	3	Horizontal	55	2.55	-	33.70	5.02	32.14
AV	5.3716G	44.38	54.00	-9.62	37.77	3	Horizontal	55	2.55	-	33.74	5.01	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68698G	52.01	74.00	-21.99	38.86	3	Vertical	111	2.80	-	37.43	9.09	33.37
AV	15.69174G	39.39	54.00	-14.61	26.26	3	Vertical	111	2.80	-	37.42	9.09	33.38

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68614G	51.45	74.00	-22.55	38.30	3	Horizontal	17	1.53	-	37.43	9.09	33.37
AV	15.69276G	39.62	54.00	-14.38	26.50	3	Horizontal	17	1.53	-	37.41	9.09	33.38

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_V_1TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.29	74.00	-14.71	52.94	3	Vertical	17	1.01	-	33.50	5.00	32.15
AV	5.15G	46.89	54.00	-7.11	40.54	3	Vertical	17	1.01	-	33.50	5.00	32.15
PK	5.267G	107.17	Inf	-Inf	100.61	3	Vertical	17	1.01	-	33.63	5.07	32.14
AV	5.2688G	97.56	Inf	-Inf	90.99	3	Vertical	17	1.01	-	33.64	5.07	32.14
PK	5.351G	65.79	74.00	-8.21	59.21	3	Vertical	17	1.01	-	33.70	5.02	32.14
AV	5.35G	52.92	54.00	-1.08	46.34	3	Vertical	17	1.01	-	33.70	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_V_1TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	55.82	74.00	-18.18	49.49	3	Horizontal	41	1.80	-	33.50	4.98	32.15
AV	5.1458G	44.12	54.00	-9.88	37.78	3	Horizontal	41	1.80	-	33.50	4.99	32.15
PK	5.2682G	94.30	Inf	-Inf	87.73	3	Horizontal	41	1.80	-	33.64	5.07	32.14
AV	5.2718G	85.39	Inf	-Inf	78.83	3	Horizontal	41	1.80	-	33.64	5.06	32.14
PK	5.375G	55.44	74.00	-18.56	48.82	3	Horizontal	41	1.80	-	33.75	5.01	32.14
AV	5.3864G	44.57	54.00	-9.43	37.93	3	Horizontal	41	1.80	-	33.77	5.01	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.8085G	52.18	74.00	-21.82	39.15	3	Vertical	300	2.10	-	37.41	9.13	33.51	
AV	15.80686G	39.68	54.00	-14.32	26.65	3	Vertical	300	2.10	-	37.41	9.13	33.51	

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81274G	52.20	74.00	-21.80	39.18	3	Horizontal	119	1.74	-	37.41	9.13	33.52
AV	15.81016G	39.76	54.00	-14.24	26.74	3	Horizontal	119	1.74	-	37.41	9.13	33.52

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3144G	100.83	Inf	-Inf	94.23	3	Vertical	18	2.63	-	33.70	5.04	32.14	
AV	5.3088G	91.74	Inf	-Inf	85.13	3	Vertical	18	2.63	-	33.70	5.05	32.14	
PK	5.3528G	70.36	74.00	-3.64	63.77	3	Vertical	18	2.63	-	33.71	5.02	32.14	
AV	5.35G	52.85	54.00	-1.15	46.26	3	Vertical	18	2.63	-	33.70	5.03	32.14	

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	90.25	Inf	-Inf	83.64	3	Horizontal	44	2.14	-	33.70	5.05	32.14
AV	5.3084G	81.32	Inf	-Inf	74.71	3	Horizontal	44	2.14	-	33.70	5.05	32.14
PK	5.3652G	56.06	74.00	-17.94	49.45	3	Horizontal	44	2.14	-	33.73	5.02	32.14
AV	5.35G	44.56	54.00	-9.44	37.97	3	Horizontal	44	2.14	-	33.70	5.03	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92686G	52.02	74.00	-21.98	39.03	3	Vertical	168	2.03	-	37.47	9.17	33.65
AV	15.92632G	39.41	54.00	-14.59	26.42	3	Vertical	168	2.03	-	37.47	9.17	33.65

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.93294G	51.64	74.00	-22.36	38.65	3	Horizontal	128	2.47	-	37.47	9.18	33.66	
AV	15.93196G	39.61	54.00	-14.39	26.62	3	Horizontal	128	2.47	-	37.47	9.18	33.66	

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT Y_1TX
Setting 50
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	64.13	74.00	-9.87	57.30	3	Vertical	33	2.37	-	33.90	5.06	32.13
AV	5.46G	48.01	54.00	-5.99	41.18	3	Vertical	33	2.37	-	33.90	5.06	32.13
PK	5.5116G	102.49	Inf	-Inf	95.61	3	Vertical	33	2.37	-	33.90	5.11	32.13
AV	5.5112G	92.77	Inf	-Inf	85.89	3	Vertical	33	2.37	-	33.90	5.11	32.13
PK	5.4696G	66.86	68.20	-1.34	60.02	3	Vertical	33	2.37	-	33.90	5.07	32.13

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.52	74.00	-14.48	52.69	3	Horizontal	62	2.47	-	33.90	5.06	32.13
AV	5.46G	45.82	54.00	-8.18	38.99	3	Horizontal	62	2.47	-	33.90	5.06	32.13
PK	5.4668G	62.93	68.20	-5.27	56.09	3	Horizontal	62	2.47	-	33.90	5.07	32.13
PK	5.5136G	97.59	Inf	-Inf	90.71	3	Horizontal	62	2.47	-	33.90	5.11	32.13
AV	5.5116G	87.85	Inf	-Inf	80.97	3	Horizontal	62	2.47	-	33.90	5.11	32.13

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.02366G	52.36	74.00	-21.64	39.65	3	Vertical	321	2.85	-	38.52	7.46	33.27
AV	11.0164G	39.21	54.00	-14.79	26.50	3	Vertical	321	2.85	-	38.52	7.46	33.27

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_V_1TX
Setting 50
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.02466G	51.71	74.00	-22.29	39.00	3	Horizontal	194	2.39	-	38.52	7.46	33.27	
AV	11.01634G	39.81	54.00	-14.19	27.10	3	Horizontal	194	2.39	-	38.52	7.46	33.27	

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUTY_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	63.81	74.00	-10.19	56.98	3	Vertical	30	2.45	-	33.90	5.06	32.13
AV	5.4582G	52.11	54.00	-1.89	45.28	3	Vertical	30	2.45	-	33.90	5.06	32.13
PK	5.469G	65.74	68.20	-2.46	58.90	3	Vertical	30	2.45	-	33.90	5.07	32.13
PK	5.5512G	107.31	Inf	-Inf	100.39	3	Vertical	30	2.45	-	33.90	5.15	32.13
AV	5.5512G	97.76	Inf	-Inf	90.84	3	Vertical	30	2.45	-	33.90	5.15	32.13

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4258G	55.92	74.00	-18.08	49.17	3	Horizontal	238	3.00	-	33.85	5.03	32.13	
PK	5.4654G	55.35	68.20	-12.85	48.51	3	Horizontal	238	3.00	-	33.90	5.07	32.13	
AV	5.457G	45.11	54.00	-8.89	38.28	3	Horizontal	238	3.00	-	33.90	5.06	32.13	
PK	5.553G	96.05	Inf	-Inf	89.13	3	Horizontal	238	3.00	-	33.90	5.15	32.13	
AV	5.5512G	86.79	Inf	-Inf	79.87	3	Horizontal	238	3.00	-	33.90	5.15	32.13	

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.10168G	52.92	74.00	-21.08	40.09	3	Vertical	129	2.80	-	38.60	7.49	33.26	
AV	11.10056G	39.32	54.00	-14.68	26.49	3	Vertical	129	2.80	-	38.60	7.49	33.26	

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09518G	51.79	74.00	-22.21	38.97	3	Horizontal	115	2.76	-	38.60	7.48	33.26
AV	11.10428G	39.54	54.00	-14.46	26.71	3	Horizontal	115	2.76	-	38.60	7.49	33.26

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Y_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	103.92	Inf	-Inf	97.17	3	Vertical	358	2.97	-	33.76	5.13	32.14
AV	5.6688G	94.78	Inf	-Inf	88.03	3	Vertical	358	2.97	-	33.76	5.13	32.14
PK	5.7264G	66.51	68.20	-1.69	59.83	3	Vertical	358	2.97	-	33.75	5.07	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	104.06	Inf	-Inf	97.31	3	Horizontal	64	2.71	-	33.76	5.13	32.14
AV	5.6688G	94.67	Inf	-Inf	87.92	3	Horizontal	64	2.71	-	33.76	5.13	32.14
PK	5.7264G	65.53	68.20	-2.67	58.85	3	Horizontal	64	2.71	-	33.75	5.07	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34068G	52.09	74.00	-21.91	39.02	3	Vertical	266	1.21	-	38.74	7.57	33.24
AV	11.33918G	39.09	54.00	-14.91	26.02	3	Vertical	266	1.21	-	38.74	7.57	33.24

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34424G	52.15	74.00	-21.85	39.08	3	Horizontal	3	1.17	-	38.74	7.57	33.24
AV	11.33864G	39.10	54.00	-14.90	26.03	3	Horizontal	3	1.17	-	38.74	7.57	33.24

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	103.81	Inf	-Inf	97.14	3	Vertical	357	2.94	-	33.72	5.09	32.14
AV	5.7076G	94.53	Inf	-Inf	87.86	3	Vertical	357	2.94	-	33.72	5.09	32.14
PK	5.9092G	56.84	68.20	-11.36	49.64	3	Vertical	357	2.94	-	34.02	5.33	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	102.52	Inf	-Inf	95.86	3	Horizontal	63	2.70	-	33.71	5.09	32.14
AV	5.7076G	93.54	Inf	-Inf	86.87	3	Horizontal	63	2.70	-	33.72	5.09	32.14
PK	5.8764G	56.64	68.20	-11.56	49.65	3	Horizontal	63	2.70	-	33.91	5.23	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42322G	52.72	74.00	-21.28	39.50	3	Vertical	261	1.84	-	38.85	7.60	33.23
AV	11.42086G	39.81	54.00	-14.19	26.60	3	Vertical	261	1.84	-	38.84	7.60	33.23

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42414G	52.49	74.00	-21.51	39.27	3	Horizontal	7	2.76	-	38.85	7.60	33.23
AV	11.42304G	39.75	54.00	-14.25	26.53	3	Horizontal	7	2.76	-	38.85	7.60	33.23

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.629G	56.79	68.20	-11.41	49.92	3	Vertical	26	2.90	-	33.84	5.17	32.14	
PK	5.757G	101.45	Inf	-Inf	94.77	3	Vertical	26	2.90	-	33.79	5.04	32.15	
AV	5.754G	95.44	Inf	-Inf	88.75	3	Vertical	26	2.90	-	33.79	5.05	32.15	
PK	5.927G	57.06	68.20	-11.14	49.79	3	Vertical	26	2.90	-	34.05	5.38	32.16	

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.646G	57.11	68.20	-11.09	50.29	3	Horizontal	297	2.67	-	33.81	5.15	32.14	
PK	5.758G	101.07	Inf	-Inf	94.40	3	Horizontal	297	2.67	-	33.78	5.04	32.15	
AV	5.757G	92.15	Inf	-Inf	85.47	3	Horizontal	297	2.67	-	33.79	5.04	32.15	
PK	5.936G	56.99	68.20	-11.21	49.67	3	Horizontal	297	2.67	-	34.07	5.41	32.16	

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.51194G	51.69	74.00	-22.31	38.24	3	Vertical	134	1.12	-	39.04	7.63	33.22	
AV	11.51054G	39.90	54.00	-14.10	26.46	3	Vertical	134	1.12	-	39.03	7.63	33.22	

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.51032G	51.66	74.00	-22.34	38.22	3	Horizontal	294	2.70	-	39.03	7.63	33.22	
AV	11.5148G	39.72	54.00	-14.28	26.27	3	Horizontal	294	2.70	-	39.04	7.63	33.22	

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.553G	56.36	68.20	-11.84	49.44	3	Vertical	49	1.57	-	33.90	5.15	32.13	
PK	5.796G	102.43	Inf	-Inf	95.87	3	Vertical	49	1.57	-	33.71	5.00	32.15	
AV	5.794G	93.27	Inf	-Inf	86.70	3	Vertical	49	1.57	-	33.71	5.01	32.15	
PK	5.98G	57.64	68.20	-10.56	50.16	3	Vertical	49	1.57	-	34.10	5.54	32.16	

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.545G	56.65	68.20	-11.55	49.73	3	Horizontal	297	2.44	-	33.90	5.15	32.13	
PK	5.793G	101.55	Inf	-Inf	94.98	3	Horizontal	297	2.44	-	33.71	5.01	32.15	
AV	5.794G	91.94	Inf	-Inf	85.37	3	Horizontal	297	2.44	-	33.71	5.01	32.15	
PK	5.95G	57.18	68.20	-11.02	49.79	3	Horizontal	297	2.44	-	34.10	5.45	32.16	

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59268G	52.52	74.00	-21.48	38.82	3	Vertical	198	2.45	-	39.28	7.66	33.24	
AV	11.58892G	39.73	54.00	-14.27	26.04	3	Vertical	198	2.45	-	39.27	7.66	33.24	

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59122G	52.20	74.00	-21.80	38.51	3	Horizontal	7	1.94	-	39.27	7.66	33.24
AV	11.58742G	39.89	54.00	-14.11	26.21	3	Horizontal	7	1.94	-	39.26	7.66	33.24

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 47
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.48	74.00	-10.52	57.13	3	Vertical	346	2.36	-	33.50	5.00	32.15
AV	5.148G	52.93	54.00	-1.07	46.58	3	Vertical	346	2.36	-	33.50	5.00	32.15
PK	5.215G	98.21	Inf	-Inf	91.74	3	Vertical	346	2.36	-	33.53	5.09	32.15
AV	5.212G	89.68	Inf	-Inf	83.22	3	Vertical	346	2.36	-	33.52	5.09	32.15
PK	5.379G	56.58	74.00	-17.42	49.95	3	Vertical	346	2.36	-	33.76	5.01	32.14
AV	5.361G	46.51	54.00	-7.49	39.91	3	Vertical	346	2.36	-	33.72	5.02	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 47
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	62.58	74.00	-11.42	56.24	3	Horizontal	306	2.90	-	33.50	4.99	32.15
AV	5.15G	51.80	54.00	-2.20	45.45	3	Horizontal	306	2.90	-	33.50	5.00	32.15
PK	5.203G	94.57	Inf	-Inf	88.11	3	Horizontal	306	2.90	-	33.51	5.10	32.15
AV	5.211G	85.88	Inf	-Inf	79.42	3	Horizontal	306	2.90	-	33.52	5.09	32.15
PK	5.435G	55.92	74.00	-18.08	49.14	3	Horizontal	306	2.90	-	33.87	5.04	32.13
AV	5.355G	45.93	54.00	-8.07	39.34	3	Horizontal	306	2.90	-	33.71	5.02	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 47
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.63138G	52.18	74.00	-21.82	38.88	3	Vertical	354	1.85	-	37.54	9.07	33.31	
AV	15.63466G	41.29	54.00	-12.71	28.00	3	Vertical	354	1.85	-	37.53	9.07	33.31	

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_V_1TX
Setting 47
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.63056G	51.72	74.00	-22.28	38.41	3	Horizontal	65	2.43	-	37.54	9.07	33.30	
AV	15.63448G	41.10	54.00	-12.90	27.81	3	Horizontal	65	2.43	-	37.53	9.07	33.31	

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	57.14	74.00	-16.86	50.85	3	Vertical	345	2.42	-	33.50	4.94	32.15
AV	5.149G	46.31	54.00	-7.69	39.96	3	Vertical	345	2.42	-	33.50	5.00	32.15
PK	5.288G	98.59	Inf	-Inf	91.99	3	Vertical	345	2.42	-	33.68	5.06	32.14
AV	5.289G	89.98	Inf	-Inf	83.38	3	Vertical	345	2.42	-	33.68	5.06	32.14
PK	5.355G	64.33	74.00	-9.67	57.74	3	Vertical	345	2.42	-	33.71	5.02	32.14
AV	5.35G	49.55	54.00	-4.45	42.96	3	Vertical	345	2.42	-	33.70	5.03	32.14
PK	5.49G	56.95	68.20	-11.25	50.09	3	Vertical	345	2.42	-	33.90	5.09	32.13

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	55.95	74.00	-18.05	49.61	3	Horizontal	301	2.71	-	33.50	4.99	32.15
AV	5.143G	45.91	54.00	-8.09	39.57	3	Horizontal	301	2.71	-	33.50	4.99	32.15
PK	5.292G	95.78	Inf	-Inf	89.19	3	Horizontal	301	2.71	-	33.68	5.05	32.14
AV	5.291G	86.76	Inf	-Inf	80.17	3	Horizontal	301	2.71	-	33.68	5.05	32.14
PK	5.352G	67.03	74.00	-6.97	60.45	3	Horizontal	301	2.71	-	33.70	5.02	32.14
AV	5.351G	52.87	54.00	-1.13	46.29	3	Horizontal	301	2.71	-	33.70	5.02	32.14
PK	5.532G	56.46	68.20	-11.74	49.56	3	Horizontal	301	2.71	-	33.90	5.13	32.13

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86574G	51.91	74.00	-22.09	38.87	3	Vertical	47	1.41	-	37.47	9.15	33.58
AV	15.86796G	41.30	54.00	-12.70	28.26	3	Vertical	47	1.41	-	37.47	9.15	33.58

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87264G	52.47	74.00	-21.53	39.43	3	Horizontal	201	1.94	-	37.47	9.16	33.59
AV	15.8722G	41.53	54.00	-12.47	28.49	3	Horizontal	201	1.94	-	37.47	9.16	33.59

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Y_1TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	56.29	68.20	-11.91	49.70	3	Vertical	329	2.37	-	33.70	5.03	32.14
PK	5.46G	64.27	74.00	-9.73	57.44	3	Vertical	329	2.37	-	33.90	5.06	32.13
AV	5.459G	52.43	54.00	-1.57	45.60	3	Vertical	329	2.37	-	33.90	5.06	32.13
PK	5.468G	65.86	68.20	-2.34	59.02	3	Vertical	329	2.37	-	33.90	5.07	32.13
PK	5.541G	97.70	Inf	-Inf	90.79	3	Vertical	329	2.37	-	33.90	5.14	32.13
AV	5.528G	88.97	Inf	-Inf	82.07	3	Vertical	329	2.37	-	33.90	5.13	32.13
PK	5.728G	56.34	68.20	-11.86	49.65	3	Vertical	329	2.37	-	33.76	5.07	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_V_1TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	55.98	68.20	-12.22	49.39	3	Horizontal	301	2.71	-	33.70	5.03	32.14
PK	5.46G	65.97	74.00	-8.03	59.14	3	Horizontal	301	2.71	-	33.90	5.06	32.13
AV	5.459G	52.65	54.00	-1.35	45.82	3	Horizontal	301	2.71	-	33.90	5.06	32.13
PK	5.466G	65.27	68.20	-2.93	58.43	3	Horizontal	301	2.71	-	33.90	5.07	32.13
PK	5.524G	99.43	Inf	-Inf	92.54	3	Horizontal	301	2.71	-	33.90	5.12	32.13
AV	5.529G	90.22	Inf	-Inf	83.32	3	Horizontal	301	2.71	-	33.90	5.13	32.13
PK	5.733G	55.83	68.20	-12.37	49.13	3	Horizontal	301	2.71	-	33.77	5.07	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05716G	51.60	74.00	-22.40	38.83	3	Vertical	150	1.19	-	38.56	7.47	33.26
AV	11.056G	40.93	54.00	-13.07	28.16	3	Vertical	150	1.19	-	38.56	7.47	33.26

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.0611G	52.00	74.00	-22.00	39.23	3	Horizontal	137	1.90	-	38.56	7.47	33.26	
AV	11.065G	40.91	54.00	-13.09	28.13	3	Horizontal	137	1.90	-	38.57	7.47	33.26	

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_V_1TX
Setting 61
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.95	74.00	-14.05	53.12	3	Vertical	6	2.63	-	33.90	5.06	32.13
AV	5.458G	50.25	54.00	-3.75	43.42	3	Vertical	6	2.63	-	33.90	5.06	32.13
PK	5.468G	60.41	68.20	-7.79	53.57	3	Vertical	6	2.63	-	33.90	5.07	32.13
PK	5.613G	101.08	Inf	-Inf	94.16	3	Vertical	6	2.63	-	33.87	5.19	32.14
AV	5.611G	92.47	Inf	-Inf	85.54	3	Vertical	6	2.63	-	33.88	5.19	32.14
PK	5.727G	59.70	68.20	-8.50	53.02	3	Vertical	6	2.63	-	33.75	5.07	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT V_1TX
Setting 61
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.55	74.00	-11.45	55.72	3	Horizontal	302	2.77	-	33.90	5.06	32.13
AV	5.458G	51.75	54.00	-2.25	44.92	3	Horizontal	302	2.77	-	33.90	5.06	32.13
PK	5.462G	63.02	68.20	-5.18	56.19	3	Horizontal	302	2.77	-	33.90	5.06	32.13
PK	5.615G	101.94	Inf	-Inf	95.02	3	Horizontal	302	2.77	-	33.87	5.19	32.14
AV	5.611G	93.79	Inf	-Inf	86.86	3	Horizontal	302	2.77	-	33.88	5.19	32.14
PK	5.731G	60.72	68.20	-7.48	54.03	3	Horizontal	302	2.77	-	33.76	5.07	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_V_1TX
Setting 61
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22398G	51.98	74.00	-22.02	39.00	3	Vertical	96	1.69	-	38.70	7.53	33.25
AV	11.21574G	40.93	54.00	-13.07	27.95	3	Vertical	96	1.69	-	38.70	7.53	33.25

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT V_1TX
Setting 61
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2213G	52.63	74.00	-21.37	39.65	3	Horizontal	32	2.57	-	38.70	7.53	33.25
AV	11.21568G	40.90	54.00	-13.10	27.92	3	Horizontal	32	2.57	-	38.70	7.53	33.25

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	56.68	74.00	-17.32	49.86	3	Vertical	9	2.82	-	33.90	5.05	32.13
AV	5.446G	46.39	54.00	-7.61	39.58	3	Vertical	9	2.82	-	33.89	5.05	32.13
PK	5.462G	56.31	68.20	-11.89	49.48	3	Vertical	9	2.82	-	33.90	5.06	32.13
PK	5.696G	103.19	Inf	-Inf	96.52	3	Vertical	9	2.82	-	33.71	5.10	32.14
AV	5.689G	94.67	Inf	-Inf	87.98	3	Vertical	9	2.82	-	33.72	5.11	32.14
PK	5.854G	62.48	68.20	-5.72	55.65	3	Vertical	9	2.82	-	33.82	5.16	32.15

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	58.58	74.00	-15.42	51.76	3	Horizontal	299	2.72	-	33.90	5.05	32.13
AV	5.46G	47.61	54.00	-6.39	40.78	3	Horizontal	299	2.72	-	33.90	5.06	32.13
PK	5.466G	59.10	68.20	-9.10	52.26	3	Horizontal	299	2.72	-	33.90	5.07	32.13
PK	5.694G	104.44	Inf	-Inf	97.76	3	Horizontal	299	2.72	-	33.71	5.11	32.14
AV	5.676G	95.50	Inf	-Inf	88.77	3	Horizontal	299	2.72	-	33.75	5.12	32.14
PK	5.853G	63.58	68.20	-4.62	56.76	3	Horizontal	299	2.72	-	33.81	5.16	32.15

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz_TnomVnom




EUT_V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37972G	51.93	74.00	-22.07	38.80	3	Vertical	44	1.30	-	38.78	7.58	33.23
AV	11.3799G	41.17	54.00	-12.83	28.04	3	Vertical	44	1.30	-	38.78	7.58	33.23

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz_TnomVnom




EUT V_1TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38422G	52.14	74.00	-21.86	39.01	3	Horizontal	328	2.51	-	38.78	7.58	33.23
AV	11.37976G	41.69	54.00	-12.31	28.56	3	Horizontal	328	2.51	-	38.78	7.58	33.23

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 64
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.642G	65.28	68.20	-2.92	58.44	3	Vertical	311	1.19	-	33.82	5.16	32.14	
PK	5.778G	100.58	Inf	-Inf	93.97	3	Vertical	311	1.19	-	33.74	5.02	32.15	
AV	5.776G	92.02	Inf	-Inf	85.40	3	Vertical	311	1.19	-	33.75	5.02	32.15	
PK	5.931G	59.79	68.20	-8.41	52.50	3	Vertical	311	1.19	-	34.06	5.39	32.16	

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 64
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	66.41	68.20	-1.79	59.60	3	Horizontal	306	2.78	-	33.80	5.15	32.14	
PK	5.771G	102.53	Inf	-Inf	95.89	3	Horizontal	306	2.78	-	33.76	5.03	32.15	
AV	5.773G	93.88	Inf	-Inf	87.25	3	Horizontal	306	2.78	-	33.75	5.03	32.15	
PK	5.927G	60.85	68.20	-7.35	53.58	3	Horizontal	306	2.78	-	34.05	5.38	32.16	

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_V_1TX
Setting 64
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.54774G	52.39	74.00	-21.61	38.84	3	Vertical	6	1.54	-	39.14	7.64	33.23	
AV	11.54886G	41.15	54.00	-12.85	27.59	3	Vertical	6	1.54	-	39.15	7.64	33.23	

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT_V_1TX
Setting 64
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54748G	52.11	74.00	-21.89	38.56	3	Horizontal	267	1.33	-	39.14	7.64	33.23
AV	11.54864G	41.60	54.00	-12.40	28.04	3	Horizontal	267	1.33	-	39.15	7.64	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3502G	52.99	54.00	-1.01	3	Vertical	17	1.21	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1484G	69.17	74.00	-4.83	62.82	3	Vertical	13	1.05	-	33.50	5.00	32.15	
AV	5.15G	51.16	54.00	-2.84	44.81	3	Vertical	13	1.05	-	33.50	5.00	32.15	
PK	5.179G	107.72	Inf	-Inf	101.31	3	Vertical	13	1.05	-	33.50	5.06	32.15	
AV	5.1794G	98.50	Inf	-Inf	92.09	3	Vertical	13	1.05	-	33.50	5.06	32.15	

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1482G	59.91	74.00	-14.09	53.56	3	Horizontal	318	2.95	-	33.50	5.00	32.15	
AV	5.149G	45.57	54.00	-8.43	39.22	3	Horizontal	318	2.95	-	33.50	5.00	32.15	
PK	5.1782G	98.01	Inf	-Inf	91.60	3	Horizontal	318	2.95	-	33.50	5.06	32.15	
AV	5.1792G	88.62	Inf	-Inf	82.21	3	Horizontal	318	2.95	-	33.50	5.06	32.15	

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.54146G	52.00	74.00	-22.00	38.38	3	Vertical	59	1.57	-	37.78	9.04	33.20
AV	15.54152G	39.27	54.00	-14.73	25.65	3	Vertical	59	1.57	-	37.78	9.04	33.20

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_V_1TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53854G	52.29	74.00	-21.71	38.67	3	Horizontal	3	1.06	-	37.78	9.04	33.20
AV	15.53646G	39.40	54.00	-14.60	25.76	3	Horizontal	3	1.06	-	37.79	9.04	33.19

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.73	74.00	-7.27	60.38	3	Vertical	17	1.01	-	33.50	5.00	32.15
AV	5.15G	52.87	54.00	-1.13	46.52	3	Vertical	17	1.01	-	33.50	5.00	32.15
PK	5.1984G	109.09	Inf	-Inf	102.64	3	Vertical	17	1.01	-	33.50	5.10	32.15
AV	5.1992G	99.42	Inf	-Inf	92.97	3	Vertical	17	1.01	-	33.50	5.10	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	59.23	74.00	-14.77	52.88	3	Horizontal	328	2.20	-	33.50	5.00	32.15
AV	5.1488G	46.93	54.00	-7.07	40.58	3	Horizontal	328	2.20	-	33.50	5.00	32.15
PK	5.1984G	99.12	Inf	-Inf	92.67	3	Horizontal	328	2.20	-	33.50	5.10	32.15
AV	5.1992G	89.37	Inf	-Inf	82.92	3	Horizontal	328	2.20	-	33.50	5.10	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.60074G	52.30	74.00	-21.70	38.91	3	Vertical	304	1.73	-	37.60	9.06	33.27	
AV	15.59672G	39.15	54.00	-14.85	25.74	3	Vertical	304	1.73	-	37.61	9.06	33.26	

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60168G	52.60	74.00	-21.40	39.21	3	Horizontal	81	2.63	-	37.60	9.06	33.27
AV	15.60234G	39.14	54.00	-14.86	25.75	3	Horizontal	81	2.63	-	37.60	9.06	33.27

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	57.00	74.00	-17.00	50.66	3	Vertical	15	1.00	-	33.50	4.99	32.15
AV	5.1488G	44.92	54.00	-9.08	38.57	3	Vertical	15	1.00	-	33.50	5.00	32.15
PK	5.2394G	110.08	Inf	-Inf	103.57	3	Vertical	15	1.00	-	33.58	5.08	32.15
AV	5.2388G	100.09	Inf	-Inf	93.58	3	Vertical	15	1.00	-	33.58	5.08	32.15
PK	5.3798G	55.92	74.00	-18.08	49.29	3	Vertical	15	1.00	-	33.76	5.01	32.14
AV	5.3504G	44.20	54.00	-9.80	37.62	3	Vertical	15	1.00	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.09G	56.32	74.00	-17.68	50.13	3	Horizontal	328	2.29	-	33.46	4.88	32.15
AV	5.099G	43.86	54.00	-10.14	37.61	3	Horizontal	328	2.29	-	33.50	4.90	32.15
PK	5.2382G	101.65	Inf	-Inf	95.14	3	Horizontal	328	2.29	-	33.58	5.08	32.15
AV	5.2394G	91.99	Inf	-Inf	85.48	3	Horizontal	328	2.29	-	33.58	5.08	32.15
PK	5.3846G	56.55	74.00	-17.45	49.91	3	Horizontal	328	2.29	-	33.77	5.01	32.14
AV	5.381G	43.88	54.00	-10.12	37.25	3	Horizontal	328	2.29	-	33.76	5.01	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71776G	53.74	74.00	-20.26	40.65	3	Vertical	240	1.75	-	37.40	9.10	33.41
AV	15.71768G	40.22	54.00	-13.78	27.13	3	Vertical	240	1.75	-	37.40	9.10	33.41

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.72292G	56.76	74.00	-17.24	43.67	3	Horizontal	236	1.80	-	37.40	9.10	33.41	
AV	15.71732G	42.55	54.00	-11.45	29.46	3	Horizontal	236	1.80	-	37.40	9.10	33.41	

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	56.52	74.00	-17.48	50.22	3	Vertical	18	2.54	-	33.50	4.95	32.15
AV	5.1106G	44.17	54.00	-9.83	37.90	3	Vertical	18	2.54	-	33.50	4.92	32.15
PK	5.2576G	109.79	Inf	-Inf	103.24	3	Vertical	18	2.54	-	33.62	5.07	32.14
AV	5.2588G	100.12	Inf	-Inf	93.57	3	Vertical	18	2.54	-	33.62	5.07	32.14
PK	5.3536G	56.35	74.00	-17.65	49.76	3	Vertical	18	2.54	-	33.71	5.02	32.14
AV	5.3542G	44.49	54.00	-9.51	37.90	3	Vertical	18	2.54	-	33.71	5.02	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	55.94	74.00	-18.06	49.60	3	Horizontal	344	2.54	-	33.50	4.99	32.15
AV	5.1454G	44.02	54.00	-9.98	37.68	3	Horizontal	344	2.54	-	33.50	4.99	32.15
PK	5.2594G	102.39	Inf	-Inf	95.84	3	Horizontal	344	2.54	-	33.62	5.07	32.14
AV	5.2594G	93.06	Inf	-Inf	86.51	3	Horizontal	344	2.54	-	33.62	5.07	32.14
PK	5.395G	56.16	74.00	-17.84	49.51	3	Horizontal	344	2.54	-	33.79	5.00	32.14
AV	5.3536G	44.02	54.00	-9.98	37.43	3	Horizontal	344	2.54	-	33.71	5.02	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77806G	52.86	74.00	-21.14	39.82	3	Vertical	24	2.02	-	37.40	9.12	33.48
AV	15.77902G	39.03	54.00	-14.97	25.99	3	Vertical	24	2.02	-	37.40	9.12	33.48

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78204G	52.10	74.00	-21.90	39.06	3	Horizontal	207	1.99	-	37.40	9.12	33.48
AV	15.78094G	39.13	54.00	-14.87	26.09	3	Horizontal	207	1.99	-	37.40	9.12	33.48

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 65
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3012G	109.61	Inf	-Inf	103.00	3	Vertical	15	1.04	-	33.70	5.05	32.14	
AV	5.2992G	100.07	Inf	-Inf	93.46	3	Vertical	15	1.04	-	33.70	5.05	32.14	
PK	5.3508G	64.84	74.00	-9.16	58.26	3	Vertical	15	1.04	-	33.70	5.02	32.14	
AV	5.3508G	50.80	54.00	-3.20	44.22	3	Vertical	15	1.04	-	33.70	5.02	32.14	

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 65
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3008G	100.78	Inf	-Inf	94.17	3	Horizontal	345	2.66	-	33.70	5.05	32.14	
AV	5.2992G	91.47	Inf	-Inf	84.86	3	Horizontal	345	2.66	-	33.70	5.05	32.14	
PK	5.3532G	57.09	74.00	-16.91	50.50	3	Horizontal	345	2.66	-	33.71	5.02	32.14	
AV	5.3516G	44.10	54.00	-9.90	37.52	3	Horizontal	345	2.66	-	33.70	5.02	32.14	

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_V_1TX
Setting 65
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89918G	52.35	74.00	-21.65	39.31	3	Vertical	99	2.46	-	37.50	9.16	33.62
AV	15.90176G	39.07	54.00	-14.93	26.02	3	Vertical	99	2.46	-	37.50	9.17	33.62

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 65
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89782G	52.37	74.00	-21.63	39.33	3	Horizontal	100	1.32	-	37.50	9.16	33.62
AV	15.90208G	39.01	54.00	-14.99	25.96	3	Horizontal	100	1.32	-	37.50	9.17	33.62

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3184G	105.49	Inf	-Inf	98.89	3	Vertical	15	1.30	-	33.70	5.04	32.14	
AV	5.3192G	96.07	Inf	-Inf	89.47	3	Vertical	15	1.30	-	33.70	5.04	32.14	
PK	5.358G	67.46	74.00	-6.54	60.86	3	Vertical	15	1.30	-	33.72	5.02	32.14	
AV	5.3504G	52.78	54.00	-1.22	46.20	3	Vertical	15	1.30	-	33.70	5.02	32.14	

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3224G	94.89	Inf	-Inf	88.29	3	Horizontal	251	2.93	-	33.70	5.04	32.14	
AV	5.3194G	85.24	Inf	-Inf	78.64	3	Horizontal	251	2.93	-	33.70	5.04	32.14	
PK	5.352G	58.49	74.00	-15.51	51.91	3	Horizontal	251	2.93	-	33.70	5.02	32.14	
AV	5.3504G	45.18	54.00	-8.82	38.60	3	Horizontal	251	2.93	-	33.70	5.02	32.14	

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95808G	52.84	74.00	-21.16	39.90	3	Vertical	300	1.06	-	37.44	9.19	33.69
AV	15.95626G	38.96	54.00	-15.04	26.03	3	Vertical	300	1.06	-	37.44	9.18	33.69

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96414G	53.02	74.00	-20.98	40.09	3	Horizontal	40	2.57	-	37.44	9.19	33.70
AV	15.957G	38.92	54.00	-15.08	25.99	3	Horizontal	40	2.57	-	37.44	9.18	33.69

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 51
02-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4578G	61.94	74.00	-12.06	54.71	3	Vertical	22	2.51	-	33.90	5.46	32.13	
AV	5.46G	46.67	54.00	-7.33	39.44	3	Vertical	22	2.51	-	33.90	5.46	32.13	
PK	5.4678G	67.15	68.20	-1.05	59.91	3	Vertical	22	2.51	-	33.90	5.47	32.13	
PK	5.4984G	103.36	Inf	-Inf	96.09	3	Vertical	22	2.51	-	33.90	5.50	32.13	
AV	5.4992G	93.96	Inf	-Inf	86.69	3	Vertical	22	2.51	-	33.90	5.50	32.13	

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 51
02-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4576G	60.68	74.00	-13.32	53.45	3	Horizontal	56	2.69	-	33.90	5.46	32.13	
AV	5.46G	45.79	54.00	-8.21	38.56	3	Horizontal	56	2.69	-	33.90	5.46	32.13	
PK	5.4688G	64.34	68.20	-3.86	57.10	3	Horizontal	56	2.69	-	33.90	5.47	32.13	
PK	5.4984G	101.85	Inf	-Inf	94.58	3	Horizontal	56	2.69	-	33.90	5.50	32.13	
AV	5.4992G	92.49	Inf	-Inf	85.22	3	Horizontal	56	2.69	-	33.90	5.50	32.13	

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 51
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99618G	50.64	74.00	-23.36	37.71	3	Vertical	95	1.13	-	38.50	7.70	33.27
AV	11.00454G	37.34	54.00	-16.66	24.41	3	Vertical	95	1.13	-	38.50	7.70	33.27
PK	16.49706G	55.03	68.20	-13.17	39.16	3	Vertical	121	2.45	-	38.69	10.25	33.07

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 51
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00288G	50.73	74.00	-23.27	37.80	3	Horizontal	325	1.11	-	38.50	7.70	33.27
AV	11.0048G	37.43	54.00	-16.57	24.50	3	Horizontal	325	1.11	-	38.50	7.70	33.27
PK	16.49918G	54.99	68.20	-13.21	39.11	3	Horizontal	36	1.57	-	38.70	10.25	33.07

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	56.51	74.00	-17.49	49.68	3	Vertical	34	1.02	-	33.90	5.06	32.13
AV	5.4352G	44.24	54.00	-9.76	37.46	3	Vertical	34	1.02	-	33.87	5.04	32.13
PK	5.4664G	55.59	68.20	-12.61	48.75	3	Vertical	34	1.02	-	33.90	5.07	32.13
PK	5.5808G	108.47	Inf	-Inf	101.52	3	Vertical	34	1.02	-	33.90	5.18	32.13
AV	5.5792G	98.90	Inf	-Inf	91.95	3	Vertical	34	1.02	-	33.90	5.18	32.13
PK	5.7568G	56.11	68.20	-12.09	49.43	3	Vertical	34	1.02	-	33.79	5.04	32.15

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3872G	56.64	74.00	-17.36	50.00	3	Horizontal	70	2.66	-	33.77	5.01	32.14
PK	5.4696G	55.67	68.20	-12.53	48.83	3	Horizontal	70	2.66	-	33.90	5.07	32.13
AV	5.4584G	44.04	54.00	-9.96	37.21	3	Horizontal	70	2.66	-	33.90	5.06	32.13
PK	5.5792G	106.99	Inf	-Inf	100.04	3	Horizontal	70	2.66	-	33.90	5.18	32.13
AV	5.5792G	97.47	Inf	-Inf	90.52	3	Horizontal	70	2.66	-	33.90	5.18	32.13
PK	5.7384G	56.02	68.20	-12.18	49.32	3	Horizontal	70	2.66	-	33.78	5.06	32.14

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15898G	52.02	74.00	-21.98	39.10	3	Vertical	89	2.74	-	38.66	7.51	33.25
AV	11.16134G	38.71	54.00	-15.29	25.79	3	Vertical	89	2.74	-	38.66	7.51	33.25

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16432G	52.36	74.00	-21.64	39.44	3	Horizontal	2	1.66	-	38.66	7.51	33.25
AV	11.15606G	38.90	54.00	-15.10	25.99	3	Horizontal	2	1.66	-	38.66	7.50	33.25

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6982G	104.68	Inf	-Inf	98.02	3	Vertical	357	2.94	-	33.70	5.10	32.14	
AV	5.6992G	95.36	Inf	-Inf	88.70	3	Vertical	357	2.94	-	33.70	5.10	32.14	
PK	5.726G	66.72	68.20	-1.48	60.04	3	Vertical	357	2.94	-	33.75	5.07	32.14	

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_V_1TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6984G	101.66	Inf	-Inf	95.00	3	Horizontal	70	2.76	-	33.70	5.10	32.14
AV	5.6994G	92.19	Inf	-Inf	85.53	3	Horizontal	70	2.76	-	33.70	5.10	32.14
PK	5.726G	66.30	68.20	-1.90	59.62	3	Horizontal	70	2.76	-	33.75	5.07	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40362G	52.49	74.00	-21.51	39.32	3	Vertical	95	1.00	-	38.81	7.59	33.23
AV	11.39744G	38.96	54.00	-15.04	25.80	3	Vertical	95	1.00	-	38.80	7.59	33.23

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40206G	52.29	74.00	-21.71	39.13	3	Horizontal	198	2.21	-	38.80	7.59	33.23
AV	11.40028G	38.92	54.00	-15.08	25.76	3	Horizontal	198	2.21	-	38.80	7.59	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	105.51	Inf	-Inf	98.83	3	Vertical	47	1.41	-	33.74	5.08	32.14
AV	5.7192G	96.31	Inf	-Inf	89.63	3	Vertical	47	1.41	-	33.74	5.08	32.14
PK	5.8792G	56.87	68.20	-11.33	49.86	3	Vertical	47	1.41	-	33.92	5.24	32.15

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7184G	102.08	Inf	-Inf	95.40	3	Horizontal	302	2.58	-	33.74	5.08	32.14	
AV	5.7192G	92.76	Inf	-Inf	86.08	3	Horizontal	302	2.58	-	33.74	5.08	32.14	
PK	5.9192G	57.13	68.20	-11.07	49.89	3	Horizontal	302	2.58	-	34.04	5.36	32.16	

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43664G	52.19	74.00	-21.81	38.95	3	Vertical	225	2.71	-	38.87	7.60	33.23
AV	11.44306G	39.40	54.00	-14.60	26.13	3	Vertical	225	2.71	-	38.89	7.61	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4408G	52.42	74.00	-21.58	39.17	3	Horizontal	23	2.06	-	38.88	7.60	33.23
AV	11.44174G	39.18	54.00	-14.82	25.93	3	Horizontal	23	2.06	-	38.88	7.60	33.23

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.612G	57.34	68.20	-10.86	50.41	3	Vertical	31	1.06	-	33.88	5.19	32.14	
PK	5.743G	108.15	Inf	-Inf	101.44	3	Vertical	31	1.06	-	33.79	5.06	32.14	
AV	5.744G	98.25	Inf	-Inf	91.54	3	Vertical	31	1.06	-	33.79	5.06	32.14	
PK	5.923G	58.66	69.68	-11.02	51.40	3	Vertical	31	1.06	-	34.05	5.37	32.16	

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	56.91	68.20	-11.29	50.10	3	Horizontal	298	2.57	-	33.80	5.15	32.14	
PK	5.744G	103.02	Inf	-Inf	96.31	3	Horizontal	298	2.57	-	33.79	5.06	32.14	
AV	5.744G	93.31	Inf	-Inf	86.60	3	Horizontal	298	2.57	-	33.79	5.06	32.14	
PK	5.937G	57.70	68.20	-10.50	50.38	3	Horizontal	298	2.57	-	34.07	5.41	32.16	

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48554G	52.23	74.00	-21.77	38.86	3	Vertical	5	2.26	-	38.97	7.62	33.22
AV	11.48786G	39.20	54.00	-14.80	25.82	3	Vertical	5	2.26	-	38.98	7.62	33.22

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4864G	52.65	74.00	-21.35	39.28	3	Horizontal	298	1.32	-	38.97	7.62	33.22	
AV	11.48692G	39.12	54.00	-14.88	25.75	3	Horizontal	298	1.32	-	38.97	7.62	33.22	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.625G	56.78	68.20	-11.42	49.90	3	Vertical	47	1.47	-	33.85	5.17	32.14	
PK	5.784G	105.15	Inf	-Inf	98.55	3	Vertical	47	1.47	-	33.73	5.02	32.15	
AV	5.784G	95.30	Inf	-Inf	88.70	3	Vertical	47	1.47	-	33.73	5.02	32.15	
PK	5.962G	57.08	68.20	-11.12	49.65	3	Vertical	47	1.47	-	34.10	5.49	32.16	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	56.61	68.20	-11.59	49.66	3	Horizontal	298	2.65	-	33.89	5.20	32.14
PK	5.783G	104.59	Inf	-Inf	97.99	3	Horizontal	298	2.65	-	33.73	5.02	32.15
AV	5.784G	95.19	Inf	-Inf	88.59	3	Horizontal	298	2.65	-	33.73	5.02	32.15
PK	6.028G	57.91	68.20	-10.29	50.30	3	Horizontal	298	2.65	-	34.21	5.56	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56964G	53.58	74.00	-20.42	39.96	3	Vertical	45	1.13	-	39.21	7.65	33.24	
AV	11.5714G	39.23	54.00	-14.77	25.61	3	Vertical	45	1.13	-	39.21	7.65	33.24	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56704G	53.22	74.00	-20.78	39.61	3	Horizontal	22	2.35	-	39.20	7.65	33.24	
AV	11.57008G	39.45	54.00	-14.55	25.83	3	Horizontal	22	2.35	-	39.21	7.65	33.24	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.624G	56.89	68.20	-11.31	50.00	3	Vertical	32	2.71	-	33.85	5.18	32.14	
PK	5.826G	107.71	Inf	-Inf	101.03	3	Vertical	32	2.71	-	33.75	5.08	32.15	
AV	5.824G	98.01	Inf	-Inf	91.34	3	Vertical	32	2.71	-	33.75	5.07	32.15	
PK	5.96G	57.91	68.20	-10.29	50.49	3	Vertical	32	2.71	-	34.10	5.48	32.16	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.62G	56.62	68.20	-11.58	49.72	3	Horizontal	61	2.69	-	33.86	5.18	32.14	
PK	5.824G	105.75	Inf	-Inf	99.08	3	Horizontal	61	2.69	-	33.75	5.07	32.15	
AV	5.824G	96.01	Inf	-Inf	89.34	3	Horizontal	61	2.69	-	33.75	5.07	32.15	
PK	5.962G	57.57	68.20	-10.63	50.14	3	Horizontal	61	2.69	-	34.10	5.49	32.16	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.648G	52.61	74.00	-21.39	38.84	3	Vertical	299	3.00	-	39.35	7.68	33.26
AV	11.64714G	39.45	54.00	-14.55	25.68	3	Vertical	299	3.00	-	39.35	7.68	33.26

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64776G	53.03	74.00	-20.97	39.26	3	Horizontal	23	2.76	-	39.35	7.68	33.26
AV	11.64878G	39.33	54.00	-14.67	25.56	3	Horizontal	23	2.76	-	39.35	7.68	33.26

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1482G	69.79	74.00	-4.21	63.44	3	Vertical	14	1.04	-	33.50	5.00	32.15	
AV	5.149G	52.81	54.00	-1.19	46.46	3	Vertical	14	1.04	-	33.50	5.00	32.15	
PK	5.1808G	108.17	Inf	-Inf	101.76	3	Vertical	14	1.04	-	33.50	5.06	32.15	
AV	5.1792G	97.74	Inf	-Inf	91.33	3	Vertical	14	1.04	-	33.50	5.06	32.15	

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1494G	64.51	74.00	-9.49	58.16	3	Horizontal	323	2.83	-	33.50	5.00	32.15	
AV	5.15G	47.26	54.00	-6.74	40.91	3	Horizontal	323	2.83	-	33.50	5.00	32.15	
PK	5.182G	97.43	Inf	-Inf	91.02	3	Horizontal	323	2.83	-	33.50	5.06	32.15	
AV	5.1794G	87.70	Inf	-Inf	81.29	3	Horizontal	323	2.83	-	33.50	5.06	32.15	

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54012G	52.84	74.00	-21.16	39.22	3	Vertical	119	1.52	-	37.78	9.04	33.20
AV	15.5374G	39.18	54.00	-14.82	25.54	3	Vertical	119	1.52	-	37.79	9.04	33.19

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 57
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.53768G	52.19	74.00	-21.81	38.55	3	Horizontal	193	1.09	-	37.79	9.04	33.19	
AV	15.53986G	39.15	54.00	-14.85	25.53	3	Horizontal	193	1.09	-	37.78	9.04	33.20	

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 65
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	65.15	74.00	-8.85	58.80	3	Vertical	13	1.01	-	33.50	5.00	32.15	
AV	5.1496G	52.54	54.00	-1.46	46.19	3	Vertical	13	1.01	-	33.50	5.00	32.15	
PK	5.1992G	108.87	Inf	-Inf	102.42	3	Vertical	13	1.01	-	33.50	5.10	32.15	
AV	5.1992G	99.22	Inf	-Inf	92.77	3	Vertical	13	1.01	-	33.50	5.10	32.15	

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 65
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	59.59	74.00	-14.41	53.25	3	Horizontal	326	2.20	-	33.50	4.99	32.15
AV	5.1496G	46.81	54.00	-7.19	40.46	3	Horizontal	326	2.20	-	33.50	5.00	32.15
PK	5.1996G	99.34	Inf	-Inf	92.89	3	Horizontal	326	2.20	-	33.50	5.10	32.15
AV	5.1992G	89.58	Inf	-Inf	83.13	3	Horizontal	326	2.20	-	33.50	5.10	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 65
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.60316G	52.41	74.00	-21.59	39.03	3	Vertical	250	2.20	-	37.59	9.06	33.27	
AV	15.59596G	38.98	54.00	-15.02	25.57	3	Vertical	250	2.20	-	37.61	9.06	33.26	

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 65
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.60122G	52.89	74.00	-21.11	39.50	3	Horizontal	69	1.19	-	37.60	9.06	33.27	
AV	15.59954G	39.17	54.00	-14.83	25.78	3	Horizontal	69	1.19	-	37.60	9.06	33.27	

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	57.48	74.00	-16.52	51.17	3	Vertical	18	1.00	-	33.50	4.96	32.15
AV	5.1494G	45.76	54.00	-8.24	39.41	3	Vertical	18	1.00	-	33.50	5.00	32.15
PK	5.2388G	110.02	Inf	-Inf	103.51	3	Vertical	18	1.00	-	33.58	5.08	32.15
AV	5.2394G	100.88	Inf	-Inf	94.37	3	Vertical	18	1.00	-	33.58	5.08	32.15
PK	5.35G	58.05	74.00	-15.95	51.47	3	Vertical	18	1.00	-	33.70	5.02	32.14
AV	5.3504G	44.53	54.00	-9.47	37.95	3	Vertical	18	1.00	-	33.70	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1122G	56.67	74.00	-17.33	50.40	3	Horizontal	347	2.30	-	33.50	4.92	32.15
AV	5.1494G	44.04	54.00	-9.96	37.69	3	Horizontal	347	2.30	-	33.50	5.00	32.15
PK	5.2388G	100.71	Inf	-Inf	94.20	3	Horizontal	347	2.30	-	33.58	5.08	32.15
AV	5.2394G	91.31	Inf	-Inf	84.80	3	Horizontal	347	2.30	-	33.58	5.08	32.15
PK	5.3876G	56.70	74.00	-17.30	50.05	3	Horizontal	347	2.30	-	33.78	5.01	32.14
AV	5.36G	43.81	54.00	-10.19	37.21	3	Horizontal	347	2.30	-	33.72	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71518G	53.87	74.00	-20.13	40.77	3	Vertical	281	1.25	-	37.40	9.10	33.40
AV	15.72042G	40.15	54.00	-13.85	27.06	3	Vertical	281	1.25	-	37.40	9.10	33.41

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72386G	53.18	74.00	-20.82	40.09	3	Horizontal	283	1.20	-	37.40	9.10	33.41
AV	15.7225G	40.00	54.00	-14.00	26.91	3	Horizontal	283	1.20	-	37.40	9.10	33.41

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	57.26	74.00	-16.74	50.92	3	Vertical	17	1.00	-	33.50	4.99	32.15
AV	5.1478G	44.71	54.00	-9.29	38.36	3	Vertical	17	1.00	-	33.50	5.00	32.15
PK	5.26G	111.63	Inf	-Inf	105.08	3	Vertical	17	1.00	-	33.62	5.07	32.14
AV	5.2588G	101.87	Inf	-Inf	95.32	3	Vertical	17	1.00	-	33.62	5.07	32.14
PK	5.353G	59.68	74.00	-14.32	53.09	3	Vertical	17	1.00	-	33.71	5.02	32.14
AV	5.35G	47.27	54.00	-6.73	40.68	3	Vertical	17	1.00	-	33.70	5.03	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1322G	56.67	74.00	-17.33	50.36	3	Horizontal	330	2.27	-	33.50	4.96	32.15
AV	5.1424G	44.23	54.00	-9.77	37.90	3	Horizontal	330	2.27	-	33.50	4.98	32.15
PK	5.2588G	100.95	Inf	-Inf	94.40	3	Horizontal	330	2.27	-	33.62	5.07	32.14
AV	5.2612G	90.63	Inf	-Inf	84.08	3	Horizontal	330	2.27	-	33.62	5.07	32.14
PK	5.3998G	57.93	74.00	-16.07	51.27	3	Horizontal	330	2.27	-	33.80	5.00	32.14
AV	5.407G	44.22	54.00	-9.78	37.54	3	Horizontal	330	2.27	-	33.81	5.01	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77728G	52.43	74.00	-21.57	39.39	3	Vertical	207	2.73	-	37.40	9.12	33.48
AV	15.77952G	39.05	54.00	-14.95	26.01	3	Vertical	207	2.73	-	37.40	9.12	33.48

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.77618G	52.40	74.00	-21.60	39.36	3	Horizontal	360	2.93	-	37.40	9.12	33.48	
AV	15.77848G	39.03	54.00	-14.97	25.99	3	Horizontal	360	2.93	-	37.40	9.12	33.48	

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2976G	108.70	Inf	-Inf	102.09	3	Vertical	14	2.64	-	33.70	5.05	32.14	
AV	5.2992G	99.04	Inf	-Inf	92.43	3	Vertical	14	2.64	-	33.70	5.05	32.14	
PK	5.35G	66.23	74.00	-7.77	59.64	3	Vertical	14	2.64	-	33.70	5.03	32.14	
AV	5.3516G	52.87	54.00	-1.13	46.29	3	Vertical	14	2.64	-	33.70	5.02	32.14	

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3032G	101.25	Inf	-Inf	94.64	3	Horizontal	346	2.63	-	33.70	5.05	32.14	
AV	5.2992G	91.65	Inf	-Inf	85.04	3	Horizontal	346	2.63	-	33.70	5.05	32.14	
PK	5.3544G	58.37	74.00	-15.63	51.78	3	Horizontal	346	2.63	-	33.71	5.02	32.14	
AV	5.35G	46.51	54.00	-7.49	39.92	3	Horizontal	346	2.63	-	33.70	5.03	32.14	

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89636G	51.67	74.00	-22.33	38.63	3	Vertical	304	2.72	-	37.50	9.16	33.62
AV	15.89526G	39.01	54.00	-14.99	25.97	3	Vertical	304	2.72	-	37.50	9.16	33.62

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89544G	52.37	74.00	-21.63	39.33	3	Horizontal	128	2.25	-	37.50	9.16	33.62
AV	15.89832G	38.81	54.00	-15.19	25.77	3	Horizontal	128	2.25	-	37.50	9.16	33.62

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	107.87	Inf	-Inf	101.27	3	Vertical	17	1.21	-	33.70	5.04	32.14
AV	5.3212G	97.90	Inf	-Inf	91.30	3	Vertical	17	1.21	-	33.70	5.04	32.14
PK	5.3512G	68.63	74.00	-5.37	62.05	3	Vertical	17	1.21	-	33.70	5.02	32.14
AV	5.3502G	52.99	54.00	-1.01	46.41	3	Vertical	17	1.21	-	33.70	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_V_1TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3192G	95.53	Inf	-Inf	88.93	3	Horizontal	250	2.93	-	33.70	5.04	32.14	
AV	5.3212G	85.31	Inf	-Inf	78.71	3	Horizontal	250	2.93	-	33.70	5.04	32.14	
PK	5.3554G	59.27	74.00	-14.73	52.68	3	Horizontal	250	2.93	-	33.71	5.02	32.14	
AV	5.3502G	45.20	54.00	-8.80	38.62	3	Horizontal	250	2.93	-	33.70	5.02	32.14	

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95866G	51.95	74.00	-22.05	39.01	3	Vertical	173	1.25	-	37.44	9.19	33.69
AV	15.95798G	38.92	54.00	-15.08	25.98	3	Vertical	173	1.25	-	37.44	9.19	33.69

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96292G	51.92	74.00	-22.08	38.99	3	Horizontal	326	1.55	-	37.44	9.19	33.70
AV	15.95516G	38.77	54.00	-15.23	25.84	3	Horizontal	326	1.55	-	37.44	9.18	33.69

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4548G	63.70	74.00	-10.30	56.88	3	Vertical	25	2.86	-	33.90	5.05	32.13	
AV	5.4592G	47.22	54.00	-6.78	40.39	3	Vertical	25	2.86	-	33.90	5.06	32.13	
PK	5.4688G	65.84	68.20	-2.36	59.00	3	Vertical	25	2.86	-	33.90	5.07	32.13	
PK	5.4976G	103.20	Inf	-Inf	96.33	3	Vertical	25	2.86	-	33.90	5.10	32.13	
AV	5.4992G	92.90	Inf	-Inf	86.03	3	Vertical	25	2.86	-	33.90	5.10	32.13	

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	60.12	74.00	-13.88	53.29	3	Horizontal	67	2.48	-	33.90	5.06	32.13
AV	5.4588G	45.64	54.00	-8.36	38.81	3	Horizontal	67	2.48	-	33.90	5.06	32.13
PK	5.4696G	65.08	68.20	-3.12	58.24	3	Horizontal	67	2.48	-	33.90	5.07	32.13
PK	5.501G	99.48	Inf	-Inf	92.61	3	Horizontal	67	2.48	-	33.90	5.10	32.13
AV	5.4988G	89.64	Inf	-Inf	82.77	3	Horizontal	67	2.48	-	33.90	5.10	32.13

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99788G	51.33	74.00	-22.67	38.65	3	Vertical	110	1.94	-	38.50	7.45	33.27	
AV	11.00396G	38.36	54.00	-15.64	25.68	3	Vertical	110	1.94	-	38.50	7.45	33.27	

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.0039G	51.64	74.00	-22.36	38.96	3	Horizontal	48	2.39	-	38.50	7.45	33.27	
AV	11.0043G	38.60	54.00	-15.40	25.92	3	Horizontal	48	2.39	-	38.50	7.45	33.27	

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.428G	57.38	74.00	-16.62	50.62	3	Vertical	357	2.93	-	33.86	5.03	32.13
AV	5.428G	44.48	54.00	-9.52	37.72	3	Vertical	357	2.93	-	33.86	5.03	32.13
PK	5.4696G	57.26	68.20	-10.94	50.42	3	Vertical	357	2.93	-	33.90	5.07	32.13
PK	5.5816G	108.47	Inf	-Inf	101.52	3	Vertical	357	2.93	-	33.90	5.18	32.13
AV	5.5792G	97.72	Inf	-Inf	90.77	3	Vertical	357	2.93	-	33.90	5.18	32.13
PK	5.7504G	56.34	68.20	-11.86	49.64	3	Vertical	357	2.93	-	33.80	5.05	32.15

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	56.28	74.00	-17.72	49.45	3	Horizontal	70	2.66	-	33.90	5.06	32.13
AV	5.4536G	44.14	54.00	-9.86	37.32	3	Horizontal	70	2.66	-	33.90	5.05	32.13
PK	5.4648G	56.53	68.20	-11.67	49.70	3	Horizontal	70	2.66	-	33.90	5.06	32.13
PK	5.58G	107.08	Inf	-Inf	100.13	3	Horizontal	70	2.66	-	33.90	5.18	32.13
AV	5.5792G	97.37	Inf	-Inf	90.42	3	Horizontal	70	2.66	-	33.90	5.18	32.13
PK	5.7288G	57.32	68.20	-10.88	50.63	3	Horizontal	70	2.66	-	33.76	5.07	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.16106G	53.41	74.00	-20.59	40.49	3	Vertical	189	2.63	-	38.66	7.51	33.25	
AV	11.1634G	38.91	54.00	-15.09	25.99	3	Vertical	189	2.63	-	38.66	7.51	33.25	

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16048G	52.51	74.00	-21.49	39.59	3	Horizontal	41	1.44	-	38.66	7.51	33.25
AV	11.15918G	38.73	54.00	-15.27	25.81	3	Horizontal	41	1.44	-	38.66	7.51	33.25

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 55
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	104.47	Inf	-Inf	97.81	3	Vertical	33	1.00	-	33.70	5.10	32.14
AV	5.699G	94.90	Inf	-Inf	88.24	3	Vertical	33	1.00	-	33.70	5.10	32.14
PK	5.7252G	67.02	68.20	-1.18	60.34	3	Vertical	33	1.00	-	33.75	5.07	32.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 55
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.699G	99.62	Inf	-Inf	92.96	3	Horizontal	300	2.58	-	33.70	5.10	32.14	
AV	5.6994G	88.79	Inf	-Inf	82.13	3	Horizontal	300	2.58	-	33.70	5.10	32.14	
PK	5.7258G	61.59	68.20	-6.61	54.91	3	Horizontal	300	2.58	-	33.75	5.07	32.14	

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 55
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40202G	52.37	74.00	-21.63	39.21	3	Vertical	321	1.30	-	38.80	7.59	33.23
AV	11.39808G	39.07	54.00	-14.93	25.91	3	Vertical	321	1.30	-	38.80	7.59	33.23

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 55
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4025G	52.52	74.00	-21.48	39.36	3	Horizontal	219	2.73	-	38.80	7.59	33.23	
AV	11.399G	38.90	54.00	-15.10	25.74	3	Horizontal	219	2.73	-	38.80	7.59	33.23	

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.72G	107.05	Inf	-Inf	100.37	3	Vertical	358	2.93	-	33.74	5.08	32.14	
AV	5.7192G	97.64	Inf	-Inf	90.96	3	Vertical	358	2.93	-	33.74	5.08	32.14	
PK	5.8768G	57.73	68.20	-10.47	50.74	3	Vertical	358	2.93	-	33.91	5.23	32.15	

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7216G	101.96	Inf	-Inf	95.28	3	Horizontal	301	2.58	-	33.74	5.08	32.14	
AV	5.7208G	92.33	Inf	-Inf	85.65	3	Horizontal	301	2.58	-	33.74	5.08	32.14	
PK	5.872G	57.27	68.20	-10.93	50.31	3	Horizontal	301	2.58	-	33.89	5.22	32.15	

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43782G	52.79	74.00	-21.21	39.54	3	Vertical	194	1.37	-	38.88	7.60	33.23
AV	11.43942G	39.05	54.00	-14.95	25.80	3	Vertical	194	1.37	-	38.88	7.60	33.23

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44054G	52.50	74.00	-21.50	39.25	3	Horizontal	71	1.43	-	38.88	7.60	33.23
AV	11.44422G	39.32	54.00	-14.68	26.05	3	Horizontal	71	1.43	-	38.89	7.61	33.23

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.545G	56.86	68.20	-11.34	49.94	3	Vertical	360	2.91	-	33.90	5.15	32.13
PK	5.746G	106.50	Inf	-Inf	99.80	3	Vertical	360	2.91	-	33.79	5.05	32.14
AV	5.744G	97.04	Inf	-Inf	90.33	3	Vertical	360	2.91	-	33.79	5.06	32.14
PK	5.981G	57.97	68.20	-10.23	50.49	3	Vertical	360	2.91	-	34.10	5.54	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.503G	57.37	68.20	-10.83	50.50	3	Horizontal	298	2.48	-	33.90	5.10	32.13
PK	5.745G	103.04	Inf	-Inf	96.34	3	Horizontal	298	2.48	-	33.79	5.05	32.14
AV	5.744G	93.67	Inf	-Inf	86.96	3	Horizontal	298	2.48	-	33.79	5.06	32.14
PK	5.956G	57.34	68.20	-10.86	49.93	3	Horizontal	298	2.48	-	34.10	5.47	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48796G	52.26	74.00	-21.74	38.88	3	Vertical	341	2.11	-	38.98	7.62	33.22	
AV	11.48516G	39.06	54.00	-14.94	25.69	3	Vertical	341	2.11	-	38.97	7.62	33.22	

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4944G	52.40	74.00	-21.60	39.01	3	Horizontal	299	1.84	-	38.99	7.62	33.22	
AV	11.4946G	39.09	54.00	-14.91	25.70	3	Horizontal	299	1.84	-	38.99	7.62	33.22	

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57G	56.62	68.20	-11.58	49.68	3	Vertical	48	1.46	-	33.90	5.17	32.13
PK	5.786G	104.95	Inf	-Inf	98.36	3	Vertical	48	1.46	-	33.73	5.01	32.15
AV	5.784G	95.37	Inf	-Inf	88.77	3	Vertical	48	1.46	-	33.73	5.02	32.15
PK	5.957G	57.59	68.20	-10.61	50.18	3	Vertical	48	1.46	-	34.10	5.47	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.538G	57.28	68.20	-10.92	50.37	3	Horizontal	300	2.56	-	33.90	5.14	32.13	
PK	5.784G	104.19	Inf	-Inf	97.59	3	Horizontal	300	2.56	-	33.73	5.02	32.15	
AV	5.786G	94.54	Inf	-Inf	87.95	3	Horizontal	300	2.56	-	33.73	5.01	32.15	
PK	5.979G	58.03	68.20	-10.17	50.55	3	Horizontal	300	2.56	-	34.10	5.54	32.16	

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56522G	52.63	74.00	-21.37	39.02	3	Vertical	57	2.09	-	39.20	7.65	33.24
AV	11.57098G	39.20	54.00	-14.80	25.58	3	Vertical	57	2.09	-	39.21	7.65	33.24

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56524G	52.80	74.00	-21.20	39.19	3	Horizontal	75	1.80	-	39.20	7.65	33.24	
AV	11.57124G	39.22	54.00	-14.78	25.60	3	Horizontal	75	1.80	-	39.21	7.65	33.24	

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	56.35	68.20	-11.85	49.54	3	Vertical	52	1.73	-	33.80	5.15	32.14
PK	5.823G	105.86	Inf	-Inf	99.19	3	Vertical	52	1.73	-	33.75	5.07	32.15
AV	5.826G	95.34	Inf	-Inf	88.66	3	Vertical	52	1.73	-	33.75	5.08	32.15
PK	5.957G	57.90	68.20	-10.30	50.49	3	Vertical	52	1.73	-	34.10	5.47	32.16

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.633G	56.65	68.20	-11.55	49.79	3	Horizontal	298	2.53	-	33.83	5.17	32.14	
PK	5.824G	104.42	Inf	-Inf	97.75	3	Horizontal	298	2.53	-	33.75	5.07	32.15	
AV	5.824G	95.25	Inf	-Inf	88.58	3	Horizontal	298	2.53	-	33.75	5.07	32.15	
PK	6.074G	58.05	68.20	-10.15	50.37	3	Horizontal	298	2.53	-	34.35	5.49	32.16	

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6534G	53.27	74.00	-20.73	39.50	3	Vertical	15	2.05	-	39.35	7.68	33.26
AV	11.65434G	39.32	54.00	-14.68	25.55	3	Vertical	15	2.05	-	39.35	7.68	33.26

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64804G	53.38	74.00	-20.62	39.61	3	Horizontal	259	2.49	-	39.35	7.68	33.26	
AV	11.65102G	39.40	54.00	-14.60	25.63	3	Horizontal	259	2.49	-	39.35	7.68	33.26	

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_V_1TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	66.22	74.00	-7.78	59.88	3	Vertical	16	1.05	-	33.50	4.99	32.15
AV	5.1496G	52.56	54.00	-1.44	46.21	3	Vertical	16	1.05	-	33.50	5.00	32.15
PK	5.188G	102.32	Inf	-Inf	95.89	3	Vertical	16	1.05	-	33.50	5.08	32.15
AV	5.1912G	93.36	Inf	-Inf	86.93	3	Vertical	16	1.05	-	33.50	5.08	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.14	74.00	-12.86	54.79	3	Horizontal	318	2.82	-	33.50	5.00	32.15
AV	5.1492G	47.36	54.00	-6.64	41.01	3	Horizontal	318	2.82	-	33.50	5.00	32.15
PK	5.1856G	93.97	Inf	-Inf	87.55	3	Horizontal	318	2.82	-	33.50	5.07	32.15
AV	5.1888G	84.52	Inf	-Inf	78.09	3	Horizontal	318	2.82	-	33.50	5.08	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.57368G	53.50	74.00	-20.50	40.01	3	Vertical	24	2.79	-	37.68	9.05	33.24	
AV	15.56816G	39.61	54.00	-14.39	26.09	3	Vertical	24	2.79	-	37.70	9.05	33.23	

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_V_1TX
Setting 48
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.57286G	52.06	74.00	-21.94	38.57	3	Horizontal	305	1.47	-	37.68	9.05	33.24	
AV	15.57024G	39.47	54.00	-14.53	25.96	3	Horizontal	305	1.47	-	37.69	9.05	33.23	

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_V_1TX
Setting 59
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	65.74	74.00	-8.26	59.39	3	Vertical	16	1.01	-	33.50	5.00	32.15
AV	5.1496G	52.77	54.00	-1.23	46.42	3	Vertical	16	1.01	-	33.50	5.00	32.15
PK	5.2282G	106.07	Inf	-Inf	99.57	3	Vertical	16	1.01	-	33.56	5.09	32.15
AV	5.2282G	96.54	Inf	-Inf	90.04	3	Vertical	16	1.01	-	33.56	5.09	32.15
PK	5.353G	57.49	74.00	-16.51	50.90	3	Vertical	16	1.01	-	33.71	5.02	32.14
AV	5.3524G	45.75	54.00	-8.25	39.17	3	Vertical	16	1.01	-	33.70	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 59
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.95	74.00	-13.05	54.61	3	Horizontal	55	2.96	-	33.50	4.99	32.15
AV	5.1496G	48.08	54.00	-5.92	41.73	3	Horizontal	55	2.96	-	33.50	5.00	32.15
PK	5.2276G	100.41	Inf	-Inf	93.91	3	Horizontal	55	2.96	-	33.56	5.09	32.15
AV	5.2282G	90.63	Inf	-Inf	84.13	3	Horizontal	55	2.96	-	33.56	5.09	32.15
PK	5.3656G	56.50	74.00	-17.50	49.89	3	Horizontal	55	2.96	-	33.73	5.02	32.14
AV	5.3536G	44.51	54.00	-9.49	37.92	3	Horizontal	55	2.96	-	33.71	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 59
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68876G	51.88	74.00	-22.12	38.74	3	Vertical	114	1.67	-	37.42	9.09	33.37
AV	15.68706G	38.99	54.00	-15.01	25.84	3	Vertical	114	1.67	-	37.43	9.09	33.37

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 59
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69248G	51.93	74.00	-22.07	38.80	3	Horizontal	254	2.41	-	37.42	9.09	33.38
AV	15.68906G	39.11	54.00	-14.89	25.97	3	Horizontal	254	2.41	-	37.42	9.09	33.37

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_V_1TX
Setting 61
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	57.19	74.00	-16.81	50.85	3	Vertical	16	1.02	-	33.50	4.99	32.15
AV	5.1494G	46.11	54.00	-7.89	39.76	3	Vertical	16	1.02	-	33.50	5.00	32.15
PK	5.276G	107.52	Inf	-Inf	100.95	3	Vertical	16	1.02	-	33.65	5.06	32.14
AV	5.2688G	97.66	Inf	-Inf	91.09	3	Vertical	16	1.02	-	33.64	5.07	32.14
PK	5.351G	64.08	74.00	-9.92	57.50	3	Vertical	16	1.02	-	33.70	5.02	32.14
AV	5.3534G	51.14	54.00	-2.86	44.55	3	Vertical	16	1.02	-	33.71	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT V_1TX
Setting 61
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	56.27	74.00	-17.73	49.94	3	Horizontal	62	2.77	-	33.50	4.98	32.15
AV	5.1488G	44.62	54.00	-9.38	38.27	3	Horizontal	62	2.77	-	33.50	5.00	32.15
PK	5.2688G	99.76	Inf	-Inf	93.19	3	Horizontal	62	2.77	-	33.64	5.07	32.14
AV	5.2718G	90.59	Inf	-Inf	84.03	3	Horizontal	62	2.77	-	33.64	5.06	32.14
PK	5.3576G	57.71	74.00	-16.29	51.11	3	Horizontal	62	2.77	-	33.72	5.02	32.14
AV	5.3504G	46.35	54.00	-7.65	39.77	3	Horizontal	62	2.77	-	33.70	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT V_1TX
Setting 61
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.80638G	52.31	74.00	-21.69	39.28	3	Vertical	49	1.17	-	37.41	9.13	33.51	
AV	15.80778G	39.60	54.00	-14.40	26.57	3	Vertical	49	1.17	-	37.41	9.13	33.51	

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT V_1TX
Setting 61
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80662G	52.22	74.00	-21.78	39.19	3	Horizontal	61	1.35	-	37.41	9.13	33.51
AV	15.80636G	39.27	54.00	-14.73	26.24	3	Horizontal	61	1.35	-	37.41	9.13	33.51

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3084G	101.96	Inf	-Inf	95.35	3	Vertical	19	1.06	-	33.70	5.05	32.14	
AV	5.3088G	92.61	Inf	-Inf	86.00	3	Vertical	19	1.06	-	33.70	5.05	32.14	
PK	5.3508G	71.42	74.00	-2.58	64.84	3	Vertical	19	1.06	-	33.70	5.02	32.14	
AV	5.3508G	52.02	54.00	-1.98	45.44	3	Vertical	19	1.06	-	33.70	5.02	32.14	

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	95.49	Inf	-Inf	88.89	3	Horizontal	62	2.89	-	33.70	5.04	32.14
AV	5.3084G	86.43	Inf	-Inf	79.82	3	Horizontal	62	2.89	-	33.70	5.05	32.14
PK	5.3508G	61.98	74.00	-12.02	55.40	3	Horizontal	62	2.89	-	33.70	5.02	32.14
AV	5.3508G	46.28	54.00	-7.72	39.70	3	Horizontal	62	2.89	-	33.70	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93162G	51.85	74.00	-22.15	38.86	3	Vertical	288	1.92	-	37.47	9.18	33.66
AV	15.93488G	39.30	54.00	-14.70	26.31	3	Vertical	288	1.92	-	37.47	9.18	33.66

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 48
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92686G	52.14	74.00	-21.86	39.15	3	Horizontal	12	2.12	-	37.47	9.17	33.65
AV	15.9289G	39.28	54.00	-14.72	26.29	3	Horizontal	12	2.12	-	37.47	9.18	33.66

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT V_1TX
Setting 52
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4596G	64.06	74.00	-9.94	57.23	3	Vertical	29	2.71	-	33.90	5.06	32.13	
AV	5.46G	49.64	54.00	-4.36	42.81	3	Vertical	29	2.71	-	33.90	5.06	32.13	
PK	5.4636G	66.98	68.20	-1.22	60.15	3	Vertical	29	2.71	-	33.90	5.06	32.13	
PK	5.5116G	101.67	Inf	-Inf	94.79	3	Vertical	29	2.71	-	33.90	5.11	32.13	
AV	5.5088G	92.82	Inf	-Inf	85.94	3	Vertical	29	2.71	-	33.90	5.11	32.13	

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT V_1TX
Setting 52
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.68	74.00	-12.32	54.85	3	Horizontal	62	2.46	-	33.90	5.06	32.13
AV	5.4596G	48.10	54.00	-5.90	41.27	3	Horizontal	62	2.46	-	33.90	5.06	32.13
PK	5.4672G	65.13	68.20	-3.07	58.29	3	Horizontal	62	2.46	-	33.90	5.07	32.13
PK	5.5132G	97.92	Inf	-Inf	91.04	3	Horizontal	62	2.46	-	33.90	5.11	32.13
AV	5.512G	88.70	Inf	-Inf	81.82	3	Horizontal	62	2.46	-	33.90	5.11	32.13

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT V_1TX
Setting 52
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01504G	51.88	74.00	-22.12	39.17	3	Vertical	253	1.85	-	38.52	7.46	33.27
AV	11.01566G	39.31	54.00	-14.69	26.60	3	Vertical	253	1.85	-	38.52	7.46	33.27

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT V_1TX
Setting 52
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.02028G	52.11	74.00	-21.89	39.40	3	Horizontal	182	1.55	-	38.52	7.46	33.27	
AV	11.02336G	39.56	54.00	-14.44	26.85	3	Horizontal	182	1.55	-	38.52	7.46	33.27	

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	58.09	74.00	-15.91	51.27	3	Vertical	360	2.84	-	33.90	5.05	32.13
AV	5.4564G	46.41	54.00	-7.59	39.58	3	Vertical	360	2.84	-	33.90	5.06	32.13
PK	5.47G	63.03	68.20	-5.17	56.19	3	Vertical	360	2.84	-	33.90	5.07	32.13
PK	5.5476G	105.36	Inf	-Inf	98.44	3	Vertical	360	2.84	-	33.90	5.15	32.13
AV	5.5488G	96.11	Inf	-Inf	89.19	3	Vertical	360	2.84	-	33.90	5.15	32.13

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	61.33	74.00	-12.67	54.50	3	Horizontal	62	2.42	-	33.90	5.06	32.13
AV	5.46G	49.41	54.00	-4.59	42.58	3	Horizontal	62	2.42	-	33.90	5.06	32.13
PK	5.4666G	63.82	68.20	-4.38	56.98	3	Horizontal	62	2.42	-	33.90	5.07	32.13
PK	5.5536G	102.84	Inf	-Inf	95.92	3	Horizontal	62	2.42	-	33.90	5.15	32.13
AV	5.5512G	92.99	Inf	-Inf	86.07	3	Horizontal	62	2.42	-	33.90	5.15	32.13

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1035G	52.13	74.00	-21.87	39.30	3	Vertical	317	1.02	-	38.60	7.49	33.26
AV	11.1024G	39.24	54.00	-14.76	26.41	3	Vertical	317	1.02	-	38.60	7.49	33.26

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09948G	52.00	74.00	-22.00	39.18	3	Horizontal	113	2.89	-	38.60	7.48	33.26
AV	11.09944G	39.16	54.00	-14.84	26.34	3	Horizontal	113	2.89	-	38.60	7.48	33.26

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6688G	105.74	Inf	-Inf	98.99	3	Vertical	29	2.48	-	33.76	5.13	32.14
AV	5.6712G	96.59	Inf	-Inf	89.84	3	Vertical	29	2.48	-	33.76	5.13	32.14
PK	5.7252G	67.10	68.20	-1.10	60.42	3	Vertical	29	2.48	-	33.75	5.07	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	104.12	Inf	-Inf	97.36	3	Horizontal	64	2.71	-	33.77	5.13	32.14
AV	5.672G	94.36	Inf	-Inf	87.60	3	Horizontal	64	2.71	-	33.77	5.13	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.33784G	51.27	74.00	-22.73	38.20	3	Vertical	21	2.78	-	38.74	7.57	33.24	
AV	11.34338G	38.82	54.00	-15.18	25.75	3	Vertical	21	2.78	-	38.74	7.57	33.24	

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_V_1TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33958G	51.28	74.00	-22.72	38.21	3	Horizontal	43	2.27	-	38.74	7.57	33.24
AV	11.33692G	38.79	54.00	-15.21	25.72	3	Horizontal	43	2.27	-	38.74	7.57	33.24

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	104.31	Inf	-Inf	97.64	3	Vertical	360	2.94	-	33.72	5.09	32.14
AV	5.7116G	95.26	Inf	-Inf	88.59	3	Vertical	360	2.94	-	33.72	5.09	32.14
PK	5.8988G	56.54	68.20	-11.66	49.39	3	Vertical	360	2.94	-	34.00	5.30	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	103.52	Inf	-Inf	96.85	3	Horizontal	62	2.69	-	33.72	5.09	32.14
AV	5.7084G	94.12	Inf	-Inf	87.45	3	Horizontal	62	2.69	-	33.72	5.09	32.14
PK	5.8764G	56.99	68.20	-11.21	50.00	3	Horizontal	62	2.69	-	33.91	5.23	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41842G	52.05	74.00	-21.95	38.84	3	Vertical	107	2.97	-	38.84	7.60	33.23
AV	11.42084G	39.45	54.00	-14.55	26.24	3	Vertical	107	2.97	-	38.84	7.60	33.23

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41666G	52.78	74.00	-21.22	39.58	3	Horizontal	207	1.15	-	38.83	7.60	33.23
AV	11.41698G	39.50	54.00	-14.50	26.30	3	Horizontal	207	1.15	-	38.83	7.60	33.23

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	58.53	68.20	-9.67	51.71	3	Vertical	47	1.41	-	33.81	5.15	32.14	
PK	5.759G	101.43	Inf	-Inf	94.76	3	Vertical	47	1.41	-	33.78	5.04	32.15	
AV	5.756G	92.42	Inf	-Inf	85.74	3	Vertical	47	1.41	-	33.79	5.04	32.15	
PK	5.933G	57.14	68.20	-11.06	49.83	3	Vertical	47	1.41	-	34.07	5.40	32.16	

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.541G	57.04	68.20	-11.16	50.13	3	Horizontal	296	2.68	-	33.90	5.14	32.13	
PK	5.756G	101.39	Inf	-Inf	94.71	3	Horizontal	296	2.68	-	33.79	5.04	32.15	
AV	5.756G	92.37	Inf	-Inf	85.69	3	Horizontal	296	2.68	-	33.79	5.04	32.15	
PK	5.95G	57.07	68.20	-11.13	49.68	3	Horizontal	296	2.68	-	34.10	5.45	32.16	

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50726G	52.21	74.00	-21.79	38.78	3	Vertical	148	1.86	-	39.02	7.63	33.22	
AV	11.51088G	39.49	54.00	-14.51	26.05	3	Vertical	148	1.86	-	39.03	7.63	33.22	

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50574G	51.98	74.00	-22.02	38.55	3	Horizontal	74	1.03	-	39.02	7.63	33.22	
AV	11.51392G	39.70	54.00	-14.30	26.25	3	Horizontal	74	1.03	-	39.04	7.63	33.22	

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.587G	56.65	68.20	-11.55	49.70	3	Vertical	49	1.57	-	33.90	5.19	32.14	
PK	5.797G	102.23	Inf	-Inf	95.67	3	Vertical	49	1.57	-	33.71	5.00	32.15	
AV	5.794G	92.96	Inf	-Inf	86.39	3	Vertical	49	1.57	-	33.71	5.01	32.15	
PK	5.953G	56.96	68.20	-11.24	49.56	3	Vertical	49	1.57	-	34.10	5.46	32.16	

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	56.66	68.20	-11.54	49.82	3	Horizontal	295	2.45	-	33.82	5.16	32.14
PK	5.792G	100.70	Inf	-Inf	94.12	3	Horizontal	295	2.45	-	33.72	5.01	32.15
AV	5.797G	91.33	Inf	-Inf	84.77	3	Horizontal	295	2.45	-	33.71	5.00	32.15
PK	5.939G	58.02	68.20	-10.18	50.68	3	Horizontal	295	2.45	-	34.08	5.42	32.16

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59034G	52.56	74.00	-21.44	38.87	3	Vertical	198	2.36	-	39.27	7.66	33.24	
AV	11.59248G	39.70	54.00	-14.30	26.00	3	Vertical	198	2.36	-	39.28	7.66	33.24	

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58628G	52.24	74.00	-21.76	38.56	3	Horizontal	118	2.49	-	39.26	7.66	33.24	
AV	11.59392G	39.62	54.00	-14.38	25.92	3	Horizontal	118	2.49	-	39.28	7.66	33.24	

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_V_1TX
Setting 43
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.58	74.00	-10.42	57.23	3	Vertical	16	1.01	-	33.50	5.00	32.15
AV	5.147G	52.44	54.00	-1.56	46.10	3	Vertical	16	1.01	-	33.50	4.99	32.15
PK	5.202G	96.59	Inf	-Inf	90.14	3	Vertical	16	1.01	-	33.50	5.10	32.15
AV	5.208G	87.70	Inf	-Inf	81.23	3	Vertical	16	1.01	-	33.52	5.10	32.15
PK	5.359G	57.09	74.00	-16.91	50.49	3	Vertical	16	1.01	-	33.72	5.02	32.14
AV	5.35G	46.60	54.00	-7.40	40.01	3	Vertical	16	1.01	-	33.70	5.03	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 43
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	57.63	74.00	-16.37	51.28	3	Horizontal	54	2.24	-	33.50	5.00	32.15
AV	5.145G	47.80	54.00	-6.20	41.46	3	Horizontal	54	2.24	-	33.50	4.99	32.15
PK	5.204G	86.23	Inf	-Inf	79.77	3	Horizontal	54	2.24	-	33.51	5.10	32.15
AV	5.177G	77.15	Inf	-Inf	70.75	3	Horizontal	54	2.24	-	33.50	5.05	32.15
PK	5.387G	55.98	74.00	-18.02	49.34	3	Horizontal	54	2.24	-	33.77	5.01	32.14
AV	5.362G	45.93	54.00	-8.07	39.33	3	Horizontal	54	2.24	-	33.72	5.02	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 43
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62798G	52.30	74.00	-21.70	38.99	3	Vertical	251	2.95	-	37.54	9.07	33.30
AV	15.6317G	41.22	54.00	-12.78	27.92	3	Vertical	251	2.95	-	37.54	9.07	33.31

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_V_1TX
Setting 43
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63204G	51.79	74.00	-22.21	38.49	3	Horizontal	171	3.00	-	37.54	9.07	33.31
AV	15.62914G	40.67	54.00	-13.33	27.36	3	Horizontal	171	3.00	-	37.54	9.07	33.30

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 42
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	56.67	74.00	-17.33	50.35	3	Vertical	12	1.00	-	33.50	4.97	32.15
AV	5.136G	46.62	54.00	-7.38	40.30	3	Vertical	12	1.00	-	33.50	4.97	32.15
PK	5.288G	97.59	Inf	-Inf	90.99	3	Vertical	12	1.00	-	33.68	5.06	32.14
AV	5.289G	89.84	Inf	-Inf	83.24	3	Vertical	12	1.00	-	33.68	5.06	32.14
PK	5.35G	67.26	74.00	-6.74	60.67	3	Vertical	12	1.00	-	33.70	5.03	32.14
AV	5.35G	52.57	54.00	-1.43	45.98	3	Vertical	12	1.00	-	33.70	5.03	32.14
PK	5.465G	56.31	68.20	-11.89	49.48	3	Vertical	12	1.00	-	33.90	5.06	32.13

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 42
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.053G	56.12	74.00	-17.88	50.16	3	Horizontal	43	2.17	-	33.31	4.81	32.16
AV	5.14G	45.59	54.00	-8.41	39.26	3	Horizontal	43	2.17	-	33.50	4.98	32.15
PK	5.292G	86.48	Inf	-Inf	79.89	3	Horizontal	43	2.17	-	33.68	5.05	32.14
AV	5.288G	77.26	Inf	-Inf	70.66	3	Horizontal	43	2.17	-	33.68	5.06	32.14
PK	5.406G	55.64	74.00	-18.36	48.96	3	Horizontal	43	2.17	-	33.81	5.01	32.14
AV	5.457G	45.30	54.00	-8.70	38.47	3	Horizontal	43	2.17	-	33.90	5.06	32.13
PK	5.533G	56.38	68.20	-11.82	49.48	3	Horizontal	43	2.17	-	33.90	5.13	32.13

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 42
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87318G	51.87	74.00	-22.13	38.83	3	Vertical	206	2.29	-	37.47	9.16	33.59
AV	15.87478G	41.16	54.00	-12.84	28.12	3	Vertical	206	2.29	-	37.47	9.16	33.59

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 42
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87096G	51.66	74.00	-22.34	38.63	3	Horizontal	125	2.91	-	37.47	9.15	33.59
AV	15.87246G	41.18	54.00	-12.82	28.14	3	Horizontal	125	2.91	-	37.47	9.16	33.59

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	57.26	68.20	-10.94	50.67	3	Vertical	29	2.46	-	33.70	5.03	32.14
PK	5.455G	63.67	74.00	-10.33	56.85	3	Vertical	29	2.46	-	33.90	5.05	32.13
AV	5.458G	52.87	54.00	-1.13	46.04	3	Vertical	29	2.46	-	33.90	5.06	32.13
PK	5.469G	65.98	68.20	-2.22	59.14	3	Vertical	29	2.46	-	33.90	5.07	32.13
PK	5.532G	98.57	Inf	-Inf	91.67	3	Vertical	29	2.46	-	33.90	5.13	32.13
AV	5.531G	90.26	Inf	-Inf	83.36	3	Vertical	29	2.46	-	33.90	5.13	32.13
PK	5.731G	56.04	68.20	-12.16	49.35	3	Vertical	29	2.46	-	33.76	5.07	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	56.06	68.20	-12.14	49.47	3	Horizontal	63	2.46	-	33.70	5.03	32.14
PK	5.46G	62.95	74.00	-11.05	56.12	3	Horizontal	63	2.46	-	33.90	5.06	32.13
AV	5.46G	51.29	54.00	-2.71	44.46	3	Horizontal	63	2.46	-	33.90	5.06	32.13
PK	5.466G	62.75	68.20	-5.45	55.91	3	Horizontal	63	2.46	-	33.90	5.07	32.13
PK	5.532G	94.17	Inf	-Inf	87.27	3	Horizontal	63	2.46	-	33.90	5.13	32.13
AV	5.529G	86.21	Inf	-Inf	79.31	3	Horizontal	63	2.46	-	33.90	5.13	32.13
PK	5.745G	55.79	68.20	-12.41	49.09	3	Horizontal	63	2.46	-	33.79	5.05	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0579G	52.05	74.00	-21.95	39.28	3	Vertical	280	1.61	-	38.56	7.47	33.26
AV	11.0617G	40.52	54.00	-13.48	27.75	3	Vertical	280	1.61	-	38.56	7.47	33.26

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT V_1TX
Setting 50
02-B-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.05642G	52.31	74.00	-21.69	39.54	3	Horizontal	137	2.33	-	38.56	7.47	33.26	
AV	11.0599G	40.97	54.00	-13.03	28.20	3	Horizontal	137	2.33	-	38.56	7.47	33.26	

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT V_1TX
Setting 62
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.63	74.00	-10.37	56.80	3	Vertical	33	2.39	-	33.90	5.06	32.13
AV	5.46G	52.49	54.00	-1.51	45.66	3	Vertical	33	2.39	-	33.90	5.06	32.13
PK	5.47G	64.50	68.20	-3.70	57.66	3	Vertical	33	2.39	-	33.90	5.07	32.13
PK	5.613G	101.51	Inf	-Inf	94.59	3	Vertical	33	2.39	-	33.87	5.19	32.14
AV	5.612G	92.92	Inf	-Inf	85.99	3	Vertical	33	2.39	-	33.88	5.19	32.14
PK	5.725G	60.15	68.20	-8.05	53.46	3	Vertical	33	2.39	-	33.75	5.08	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_V_1TX
Setting 62
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.05	74.00	-14.95	52.22	3	Horizontal	68	2.65	-	33.90	5.06	32.13
AV	5.459G	49.53	54.00	-4.47	42.70	3	Horizontal	68	2.65	-	33.90	5.06	32.13
PK	5.463G	61.57	68.20	-6.63	54.74	3	Horizontal	68	2.65	-	33.90	5.06	32.13
PK	5.617G	99.71	Inf	-Inf	92.80	3	Horizontal	68	2.65	-	33.87	5.18	32.14
AV	5.608G	91.18	Inf	-Inf	84.25	3	Horizontal	68	2.65	-	33.88	5.19	32.14
PK	5.73G	60.65	68.20	-7.55	53.96	3	Horizontal	68	2.65	-	33.76	5.07	32.14

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_V_1TX
Setting 62
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21626G	51.76	74.00	-22.24	38.78	3	Vertical	100	1.40	-	38.70	7.53	33.25
AV	11.22032G	40.84	54.00	-13.16	27.86	3	Vertical	100	1.40	-	38.70	7.53	33.25

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_V_1TX
Setting 62
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.21886G	51.61	74.00	-22.39	38.63	3	Horizontal	185	2.16	-	38.70	7.53	33.25	
AV	11.22302G	41.17	54.00	-12.83	28.19	3	Horizontal	185	2.16	-	38.70	7.53	33.25	

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	57.17	74.00	-16.83	50.37	3	Vertical	31	2.45	-	33.89	5.04	32.13
AV	5.45G	46.58	54.00	-7.42	39.76	3	Vertical	31	2.45	-	33.90	5.05	32.13
PK	5.461G	57.45	68.20	-10.75	50.62	3	Vertical	31	2.45	-	33.90	5.06	32.13
PK	5.693G	102.90	Inf	-Inf	96.22	3	Vertical	31	2.45	-	33.71	5.11	32.14
AV	5.692G	93.51	Inf	-Inf	86.82	3	Vertical	31	2.45	-	33.72	5.11	32.14
PK	5.867G	60.79	68.20	-7.41	53.87	3	Vertical	31	2.45	-	33.87	5.20	32.15

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	56.64	74.00	-17.36	49.81	3	Horizontal	65	2.69	-	33.90	5.06	32.13
AV	5.459G	46.29	54.00	-7.71	39.46	3	Horizontal	65	2.69	-	33.90	5.06	32.13
PK	5.465G	57.86	68.20	-10.34	51.03	3	Horizontal	65	2.69	-	33.90	5.06	32.13
PK	5.695G	100.36	Inf	-Inf	93.69	3	Horizontal	65	2.69	-	33.71	5.10	32.14
AV	5.692G	92.12	Inf	-Inf	85.43	3	Horizontal	65	2.69	-	33.72	5.11	32.14
PK	5.857G	59.11	68.20	-9.09	52.26	3	Horizontal	65	2.69	-	33.83	5.17	32.15