

Report No.: KSCR220900171001V01

Page: 1 of 26

TEST REPORT

KSCR2209001710AT **Application No.:**

FCC ID: 2A8RBAN958NA

Applicant: Fibocom Auto Inc.

13th Floor, Building A, Building 6, International Innovation Valley, Xili Street, **Address of Applicant:**

Shenzhen

Manufacturer: Fibocom Auto Inc.

13th Floor, Building A, Building 6, International Innovation Valley, Xili Street, Address of Manufacturer:

Shenzhen

Factory

13th Floor, Building A, Building 6, International Innovation Valley, Xili Street, **Address of Factory**

Shenzhen

Equipment Under Test (EUT):

EUT Name: 5G Module Model No.: AN958-NA Trade Mark: Fibocom

47 CFR Part 2 Standard(s):

47 CFR Part 96 subpart E

Date of Receipt: 2022-09-08

Date of Test: 2022-10-13 to 2022-12-19

Date of Issue: 2023-02-23

Test Result: Pass

This report supersedes our previous report KSCR220900171001, issued on 2022-12-19, which is hereby deemed null void.

> Eric Lin Laboratory Manager

Foria fri



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's fany. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

t(86-512) 5735 5888 f(86-512) 57370818 www.sgsgroup.com.cn No.10 Weiye Road, Development Zone, Kunshan, Jiangsu, China 215300 f(86-512) 57370818 sgs.china@sgs.com 中国・江苏・昆山开发区伟业路10号 邮编: 215300 t(86-512) 57355888

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: KSCR220900171001V01

Page: 2 of 26

| Revision Record | | | | |
|---------------------|------------------------------|------------|-----------|--|
| Version Description | | Date | Remark | |
| 00 | Original | 2022-12-19 | / | |
| V01 | Modified address information | 2023-02-23 | Amendment | |
| | | | | |

| Authorized for issue by: | | |
|--------------------------|-----------------------------|--|
| | Damon zhou | |
| | Damon_Zhou/Project Engineer | |
| | Eni fri | |
| | Eric Lin /Reviewer | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com



Report No.: KSCR220900171001V01

Page: 3 of 26

Test Summary 2

| Test Item | FCC Rule No. | Requirements | Verdict |
|---|--|--------------------------------|---------|
| Effective (Isotropic) Radiated Output Power Data | §2.1046 §96.41(b) | EIRP≤ 23dBm/10MHz | PASS |
| Peak-Average Ratio | §96.41(g) | ≤13dB | PASS |
| Modulation Characteristics | ulation Characteristics §2.1047 Digital modulation | | PASS |
| Bandwidth | §2.1049(h) | OBW: No limit EBW: No limit | PASS |
| Band Edge Compliance | §96.41(e) | Refer to clause 6.4 | PASS |
| Spurious emissions at antenna terminals | §96.41(e) | Refer to clause 6.5 | PASS |
| Field strength of spurious \$2.1051 special strength of spurious \$96.41(e) | | Refer to clause 6.6 | PASS |
| Frequency stability | §2.1055 | ≤ ±2.5ppm. | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM.Doccheck@sgs.com

or email: CN_Doccheck@sgs.com No.10 Weiye Road, Development Zone, Kunshan, Jiangsu, China 215300 t(86-512) 57355888 f(86-512) 57370818 www.sgsgroup.com.cn

中国・江苏・昆山开发区伟业路10号



Report No.: KSCR220900171001V01

Page: 4 of 26

Contents

| | | | Page |
|---|-------|--|------|
| 1 | COVE | ER PAGE | 1 |
| 2 | TEST | SUMMARY | 3 |
| 3 | CON | TENTS | 4 |
| 4 | GENE | ERAL INFORMATION | 6 |
| | | DETAILS OF E.U.T. | |
| | | | |
| | | TEST FREQUENCY TEST ENVIRONMENT | |
| | - | DESCRIPTION OF SUPPORT UNITS | |
| | | MEASUREMENT UNCERTAINTY | |
| | - | TEST LOCATION | |
| | - | TEST FACILITY | |
| | | DEVIATION FROM STANDARDS | |
| | | ABNORMALITIES FROM STANDARD CONDITIONS | |
| | | | |
| 5 | | PMENT LIST | |
| 6 | RADI | O SPECTRUM MATTER TEST RESULTS | 10 |
| 6 | 5.1 | EFFECTIVE (ISOTROPIC) RADIATED OUTPUT POWER DATA | 10 |
| | 6.1.1 | E.U.T. Operation | 10 |
| | 6.1.2 | Test Setup Diagram | |
| | 6.1.3 | Measurement Data | |
| 6 | 5.2 | Peak-Average Ratio | 11 |
| | 6.2.1 | E.U.T. Operation | 11 |
| | 6.2.2 | Test Setup Diagram | 11 |
| | 6.2.3 | Measurement Data | 11 |
| 6 | 5.3 | Bandwidth | |
| | 6.3.1 | E.U.T. Operation | |
| | 6.3.2 | Test Setup Diagram | |
| | 6.3.3 | Measurement Data | |
| (| | BAND EDGE COMPLIANCE | |
| | 6.4.1 | E.U.T. Operation | |
| | 6.4.2 | Test Setup Diagram | |
| | 6.4.3 | Measurement Data | |
| (| | SPURIOUS EMISSIONS AT ANTENNA TERMINALS | |
| | 6.5.1 | • | |
| | 6.5.2 | Test Setup Diagram | |
| | 6.5.3 | Measurement Data | |
| (| | FIELD STRENGTH OF SPURIOUS RADIATION | |
| | 6.6.1 | E.U.T. Operation | |
| | 6.6.2 | Test Setup Diagram | |
| , | 6.6.3 | Measurement Procedure and Data | |
| (| 6.7 | FREQUENCY STABILITY | 24 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

or email: CN_Doccheck@sgs.com No.10 Weiye Road, Development Zone, Kunshan, Jiangsu, China 215300 t(86-512) 57355888 f(86-512) 57370818 www.sgsgroup.com.cn

中国・江苏・昆山开发区伟业路10号



| Report No.: | KSCR220900171001V0 |
|-------------|--------------------|
|-------------|--------------------|

| 2 | 26 |
|---|----|
| | 2 |

| 6.7.1 | E.U.T. Operation | 24 |
|--------|----------------------------|----|
| 6.7.2 | Test Setup Diagram | 24 |
| | Measurement Data | |
| 6.8 N | MODULATION CHARACTERISTICS | 25 |
| 6.8.1 | E.U.T. Operation | |
| | Test Setup Diagram | |
| | Measurement Data | |
| 7 TEST | SETUP PHOTOGRAPHS | 26 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

or email: CN_Doccheck@sgs.com No.10 Weiye Road, Development Zone, Kunshan, Jiangsu, China 215300 t(86-512) 57355888 f(86-512) 57370818 www.sgsgroup.com.cn 中国・江苏・昆山开发区伟业路10号



Report No.: KSCR220900171001V01

Page: 6 of 26

General Information

4.1 Details of E.U.T.

DC 3.8V Power supply:

Hardware Version: AN958-MAQC-NA-00

Software Version: AN958-GA-NA R2.1 V.B.1.20

Operation Frequency Band:

EN DC Band 2A n48A, 66A n48A

Modulation Type: PI/2 BPSK, QPSK, 16QAM, 64QAM, 256 QAM

SCS Information: 30KHz

External Antenna Antenna Type:

Antenna Gain: 5.3dBi(Provide by Manufacturer)

4.2 Test Frequency

| | Nominal | RF Channel | | |
|------------|-----------|--------------------|---------|----------|
| Test mode: | Bandwidth | Low (L) Middle (M) | | High (H) |
| | (MHz) | MHz | MHz | MHz |
| NR FDD | 20 | 3560.01 | 3624.99 | 3690.00 |
| n48 | 40 | 3570.00 | 3624.99 | 3679.98 |

4.3 Test Environment

| Environment Parameter | Selected Values During Tests | | |
|-----------------------|------------------------------|-------|--|
| Relative Humidity | 52% | | |
| Atmospheric Pressure: | 1015Pa | | |
| | TL | -40°C | |
| Temperature: | TN | +20°C | |
| | TH | +85°C | |
| | VL | 3.4 V | |
| Voltage: | VN | 3.8 V | |
| | VH | 4.2 V | |

NOTE: VL= lower extreme test voltage

VN= nominal voltage

VH= upper extreme test voltage TL= lower extreme test temperature

TN= normal temperature

TH= upper extreme test temperature



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sinders at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report for only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate. please contact us at telephone: (86-755) \$307,1443

of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



Report No.: KSCR220900171001V01

Page: 7 of 26

4.4 Description of Support Units

| Item No. | Mode No. | Description | Manufacturer |
|----------|----------|-------------|--------------|
| N/A | N/A | N/A | N/A |

4.5 Measurement Uncertainty

| No. | Item | Measurement Uncertainty |
|-----|---------------------------------|--------------------------|
| 1 | Radio Frequency | ± 5.4 x 10 ⁻⁸ |
| 2 | Duty cycle | ± 0.3% |
| 3 | Occupied Bandwidth | ± 3% |
| 4 | RF conducted power | ± 0.8dB |
| 5 | RF power density | ± 0.4dB |
| 6 | Conducted Spurious emissions | ± 2.7dB |
| 7 | Dadiated Churique emission test | ± 3.1dB (Below 1GHz) |
| / | Radiated Spurious emission test | ± 4.4dB (Above 1GHz) |
| 8 | Temperature test | ± 1°C |
| 9 | Humidity test | ± 3% |
| 10 | Supply voltages | ± 1.5% |
| 11 | Time | ± 3% |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

No.10 Weiye Road, Development Zone, Kunshan, Jiangsu, China 215300 t(86-512) 57355888 f(86-512) 57370818 www.sgsgroup.com.cn

中国・江苏・昆山开发区伟业路10号



Report No.: KSCR220900171001V01

Page: 8 of 26

4.6 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

Note:

1.SGS is not responsible for wrong test results due to incorrect information (e.g., max. internal working frequency, antenna gain, cable loss, etc) is provided by the applicant. (If applicable).

2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (If applicable).

4.7 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• FCC

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

• ISED

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory. Company Number: 2324E

VCCI

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.

4.8 Deviation from Standards

None

4.9 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sinders at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report for only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate. please contact us at telephone: (86-755) \$307,1443

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com
No. 10 Weige Road, Development Zone, Kunshan, Jiangsu, China 215300 t(86-512) 57355888 f(86-512) 57370818 www.sgsgroup.com.cn
中国・江苏・昆山开发区伟业路10号 邮编: 215300 t(86-512) 57355888 f(86-512) 57370818 sgs.china@sgs.com



Report No.: KSCR220900171001V01

Page: 9 of 26

Equipment List

| NO | Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. Date | Cal. Due date | |
|-------|---|-----------------------|--------------|-----------------------|--------------------------|--------------------------|--|
| RF Co | RF Conducted Test | | | | | | |
| 1 | Spectrum Analyzer | Keysight | N9020A | KUS1911E004-2 | 08/22/2022 | 08/21/2023 | |
| 2 | Spectrum Analyzer | R&S | FSV40 | KUS1806E003 | 08/22/2022 | 08/21/2023 | |
| 3 | Spectrum Analyzer | Keysight | N9030B | KSEM021-1 | 01/22/2022 | 01/21/2023 | |
| 4 | Signal Generator | R&S | SMW200A | KSEM020-1 | 08/22/2022 | 08/21/2023 | |
| 5 | Signal Generator | Agilent | N5182A | KUS2001M001-1 | 08/22/2022 | 08/21/2023 | |
| 6 | Radio Communication Test Station | Anritsu | MT8000A | KSEM001-1 | 08/22/2022 | 08/21/2023 | |
| 7 | Radio Communication Analyzer | Anritsu | MT8821C | KSEM002-1 | 08/22/2022 | 08/21/2023 | |
| 8 | Universal Radio Communication Tester | R&S | CMW500 | KUS1911E004-1 | 08/22/2022 | 08/21/2023 | |
| 9 | Switcher | CCSRF | FY562 | KUS2001M001-3 | 08/22/2022 | 08/21/2023 | |
| 10 | AC Power Source | EXTECH | 6605 | KS301178 | N.C.R | N.C.R | |
| 11 | DC Power Supply | Aglient | E3632A | KS301180 | N.C.R | N.C.R | |
| 12 | Conducted Test Cable | Thermax | RF01-RF04 | CZ301111- CZ301120 | 01/16/2022 | 01/15/2023 | |
| 13 | Temp. / Humidity Chamber | TERCHY | MHK-120AK | KS301190 | 04/01/2021 | 03/31/2023 | |
| 14 | Temperature & Humidity Recorder | Renke Control | RS-WS-N01-6J | KSEM024-5 | 04/01/2021 | 03/31/2023 | |
| 15 | Software | BST | TST-PASS | 1 | N/A | N/A | |
| RF Ra | diated Test | | | | | | |
| 1 | Spectrum Analyzer | R&S | FSV40 | KUS1806E003 | 08/22/2022 | 08/21/2023 | |
| 2 | Universal Radio Communication Tester | R&S | CMW500 | KSEM009-1 | 04/01/2022 | 03/31/2023 | |
| 3 | Signal Generator | Agilent | E8257C | KS301066 | 08/22/2022 | 08/21/2023 | |
| 4 | Loop Antenna | COM-POWER | AL-130R | KUS1806E001 | 04/13/2021 | 04/12/2023 | |
| 5 | Bilog Antenna | TESEQ | CBL 6112D | KUS1806E005 | 06/29/2021 | 06/28/2023 | |
| 6 | Bilog Antenna | SCHWARZBEC K | VULB9160 | CZ301016 | 04/13/2021 | 04/12/2024 | |
| 7 | Horn-antenna(1-18GHz) | Schwarzbeck | BBHA9120D | KS301079 | 04/02/2022 | 04/01/2024 | |
| 8 | Horn-antenna(1-18GHz) | ETS-LINDGREN | 3117 | KS301186 | 02/22/2021 | 02/21/2023 | |
| 9 | Horn Antenna(18-40GHz) | Schwarzbeck | BBHA9170 | CZ301058 | 03/22/2022 | 03/21/2023 | |
| 10 | Amplifier(30MHz~18GHz) | PANSHAN TECHNOLOGY | LNA:1~18G | KSEM010-1 | 01/22/2022 | 01/21/2023 | |
| 11 | Amplifier(18~40GHz) | COM-POWER | PAM-840A | KUS1710E001 | 01/22/2022 | 01/21/2023 | |
| 12 | RE Test Cable | REBES MICROWAVE | 1 | CZ301097 | 11/14/2021 11/14/2022 | 11/13/2022 11/13/2023 | |
| 13 | Radio Communication Test Station | Anritsu | MT8000A | KSEM001-1 | 08/22/2022 | 08/21/2023 | |
| 14 | Radio Communication Analyzer | Anritsu | MT8821C | KSEM002-1 | 08/22/2022 | 08/21/2023 | |
| 15 | Temperature & Humidity Recorder | Renke Control | RS-WS-N01-6J | KSEM024-4 | 01/04/2022 | 31/03/2023 | |
| 16 | Software | Faratronic | EZ_EMC-v 3A1 | 1 | N/A | N/A | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM.Doccheck@sgs.com



Report No.: KSCR220900171001V01

Page: 10 of 26

6 Radio Spectrum Matter Test Results

6.1 Effective (Isotropic) Radiated Output Power Data

Test Requirement: §2.1046; §96.41(b)

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: EIRP≤ 23dBm/10MHz


6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode Tx mode, Keep the EUT in transmitting mode.

6.1.2 Test Setup Diagram



Ground Reference Plane

6.1.3 Measurement Data

Please refer to Appendix A for KSCR220900171001



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com



Report No.: KSCR220900171001V01

Page: 11 of 26

6.2 Peak-Average Ratio

§96.41(g) Test Requirement:

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤13dB


6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode Tx mode, Keep the EUT in transmitting mode.

6.2.2 Test Setup Diagram



Ground Reference Plane

6.2.3 Measurement Data

Please refer to Appendix A for KSCR220900171001



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sinders at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report for only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate. please contact us at telephone: (86-755) \$307,1443

of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



Report No.: KSCR220900171001V01

Page: 12 of 26

6.3 Bandwidth

Test Requirement: §2.1049(h)

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: OBW: No limit

EBW: No limit


6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode Tx mode, Keep the EUT in transmitting mode.

6.3.2 Test Setup Diagram



Ground Reference Plane

6.3.3 Measurement Data

Please refer to Appendix A for KSCR220900171001



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report fer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate. please contact us at telephone: (86-755) \$30.7 1443

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com
No. 10 Weilye Road, Development Zone, Kunshan, Jiangsu, China 215300 t(86-512) 57355888 f(86-512) 57370818 www.sgsgroup.com.cn
中国・江苏・昆山开发区伟业路10号 邮编: 215300 t(86-512) 57355888 f(86-512) 57370818 sgs.china@sgs.com



Report No.: KSCR220900171001V01

Page: 13 of 26

6.4 Band Edge Compliance

§2.1051, §96.41(e) Test Requirement:

Test Method: ANSI C63.26, KDB 971168 D01 v03

Emission outside the fundamental emission (whether in or outside of the Limit:

authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz

(where B is the bandwidth in megahertz)

At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSDassigned channel edge, the conducted power of any End User Device

emission shall not exceed -25 dBm/MHz

Emissions below 3530MHz or above 3720 MHz shall not exceed

-40dBm/MHz


6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Tx mode, Keep the EUT in transmitting mode. Test mode

6.4.2 Test Setup Diagram



Ground Reference Plane

6.4.3 Measurement Data

Please refer to Appendix A for KSCR220900171001



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sinders at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report for only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate. please contact us at telephone: (86-755) \$307,1443

of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



Report No.: KSCR220900171001V01

Page: 14 of 26

6.5 Spurious emissions at antenna terminals

§2.1051, §96.41(e) Test Requirement:

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Emission outside the fundamental emission (whether in or outside of the

authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz

(where B is the bandwidth in megahertz)

At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSDassigned channel edge, the conducted power of any End User Device

emission shall not exceed -25 dBm/MHz

Emissions below 3530MHz or above 3720 MHz shall not exceed

-40dBm/MHz


6.5.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.

6.5.2 Test Setup Diagram



Ground Reference Plane

6.5.3 Measurement Data

Please refer to Appendix A for KSCR220900171001



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sinders at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report for only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate. please contact us at telephone: (86-755) \$307,1443

of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



Report No.: KSCR220900171001V01

Page: 15 of 26

6.6 Field strength of spurious radiation

§2.1051, §96.41(e) Test Requirement:

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Emission outside the fundamental emission (whether in or outside of the

authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz

(where B is the bandwidth in megahertz)

At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSDassigned channel edge, the conducted power of any End User Device

emission shall not exceed -25 dBm/MHz

Emissions below 3530MHz or above 3720 MHz shall not exceed

-40dBm/MHz

6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 18.5 °C Humidity: 39.5 % RH Atmospheric Pressure: 1020 mbar

Test mode Tx mode, Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com




Report No.: KSCR220900171001V01

Page: 16 of 26


6.6.2 Test Setup Diagram






EUT

Substiute Antenna+Signal Generator





EUT

Substiute Antenna+Signal Generator



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's soile responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: KSCR220900171001V01

Page: 17 of 26

6.6.3 Measurement Procedure and Data

Test Procedure:

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3)The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14)The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15)The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report fer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate. please contact us at telephone: (86-755) \$30.7 1443

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sqs.com No. 10 Weige Road, Development Zone, Kunshan, Jiangsu, China 215300 t(86-512) 57355888 f(86-512) 57370818 www.sgsgroup.com.cn 中国・江苏・昆山开发区伟业路10号 邮编: 215300 t(86-512) 57355888 f(86-512) 57370818 sgs.china@sgs.com



Report No.: KSCR220900171001V01

Page: 18 of 26

| | | | | n48_ | Low Chann | el | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|------------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 8206.7917 | 50.35 | -40.19 | 37.73 | -47.37 | -40.00 | 7.37 | 263 | 1 | Horizontal |
| 9209.2083 | 48.73 | -38.24 | 38.58 | -46.19 | -40.00 | 6.19 | 254 | 191 | Horizontal |
| 11914.5833 | 45.84 | -34.98 | 38.69 | -45.72 | -40.00 | 5.72 | 174 | 310 | Horizontal |
| 13646.2917 | 45.80 | -34.63 | 39.99 | -44.10 | -40.00 | 4.10 | 182 | 50 | Horizontal |
| 15364.5833 | 44.50 | -34.04 | 38.73 | -46.08 | -40.00 | 6.08 | 263 | 0 | Horizontal |
| 16945.8333 | 43.69 | -31.88 | 38.56 | -44.89 | -40.00 | 4.89 | 295 | 1 | Horizontal |

| | | | | n48 _ L | ow Channel | | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|----------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 7643.2917 | 51.06 | -41.26 | 36.79 | -48.67 | -40.00 | 8.67 | 102 | 143 | Vertical |
| 9309.8333 | 50.47 | -38.32 | 38.57 | -44.54 | -40.00 | 4.54 | 163 | 143 | Vertical |
| 13052.125 | 45.92 | -34.74 | 39.63 | -44.45 | -40.00 | 4.45 | 255 | 357 | Vertical |
| 14556.7083 | 44.87 | -34.54 | 39.64 | -45.28 | -40.00 | 5.28 | 145 | 349 | Vertical |
| 16398.625 | 44.71 | -32.20 | 38.18 | -44.57 | -40.00 | 4.57 | 206 | 339 | Vertical |
| 17052.2083 | 43.36 | -32.16 | 38.81 | -45.25 | -40.00 | 5.25 | 268 | 92 | Vertical |

| | | | | n48_ | Mid Chann | el | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|------------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 8743.4583 | 50.04 | -39.12 | 38.32 | -46.02 | -40.00 | 6.02 | 203 | 80 | Horizontal |
| 10662.0417 | 45.71 | -36.00 | 39.23 | -46.33 | -40.00 | 6.33 | 265 | 210 | Horizontal |
| 12592.125 | 45.89 | -34.57 | 39.19 | -44.75 | -40.00 | 4.75 | 241 | 357 | Horizontal |
| 14507.8333 | 45.42 | -35.11 | 39.69 | -45.26 | -40.00 | 5.26 | 174 | 130 | Horizontal |
| 16263.5 | 44.58 | -32.59 | 38.08 | -45.19 | -40.00 | 5.19 | 263 | 89 | Horizontal |
| 17696.2083 | 41.70 | -31.08 | 41.38 | -43.26 | -40.00 | 3.26 | 295 | 348 | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com



Report No.: KSCR220900171001V01

Page: 19 of 26

| | | | | n48_ N | lid Channel | | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|-------------|--------------|----------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 8267.1667 | 50.49 | -40.29 | 37.79 | -47.26 | -40.00 | 7.26 | 201 | 76 | Vertical |
| 9326.125 | 49.39 | -38.20 | 38.57 | -45.50 | -40.00 | 5.50 | 142 | 318 | Vertical |
| 10646.7083 | 45.83 | -36.03 | 39.21 | -46.25 | -40.00 | 6.25 | 263 | 67 | Vertical |
| 13067.4583 | 45.84 | -34.70 | 39.64 | -44.48 | -40.00 | 4.48 | 295 | 67 | Vertical |
| 15056.9583 | 44.73 | -34.13 | 39.13 | -45.54 | -40.00 | 5.54 | 284 | 0 | Vertical |
| 17016.75 | 42.90 | -31.84 | 38.67 | -45.53 | -40.00 | 5.53 | 174 | 18 | Vertical |

| | | | | n48_ | High Chanr | nel | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|------------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 7706.5417 | 50.85 | -41.25 | 36.91 | -48.75 | -40.00 | 8.75 | 201 | 59 | Horizontal |
| 9150.75 | 49.04 | -38.46 | 38.58 | -46.09 | -40.00 | 6.09 | 142 | 20 | Horizontal |
| 11154.625 | 45.59 | -35.11 | 39.45 | -45.34 | -40.00 | 5.34 | 263 | 29 | Horizontal |
| 13651.0833 | 45.81 | -34.66 | 39.99 | -44.11 | -40.00 | 4.11 | 265 | 29 | Horizontal |
| 16365.0833 | 45.86 | -32.45 | 38.16 | -43.70 | -40.00 | 3.70 | 284 | 318 | Horizontal |
| 17460.4583 | 42.37 | -31.84 | 40.44 | -44.29 | -40.00 | 4.29 | 176 | 198 | Horizontal |

| | | | | n48_H | igh Channel | | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|-------------|--------------|----------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 7713.25 | 50.80 | -41.23 | 36.93 | -48.76 | -40.00 | 8.76 | 201 | 189 | Vertical |
| 8371.625 | 49.72 | -39.87 | 37.91 | -47.51 | -40.00 | 7.51 | 142 | 150 | Vertical |
| 9320.375 | 48.90 | -38.24 | 38.57 | -46.03 | -40.00 | 6.03 | 263 | 211 | Vertical |
| 11172.8333 | 45.21 | -35.09 | 39.43 | -45.72 | -40.00 | 5.72 | 265 | 230 | Vertical |
| 13589.75 | 45.15 | -34.36 | 39.95 | -44.52 | -40.00 | 4.52 | 284 | 269 | Vertical |
| 17638.7083 | 41.24 | -31.56 | 41.15 | -44.43 | -40.00 | 4.43 | 175 | 6 | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com



Report No.: KSCR220900171001V01

Page: 20 of 26

| | | | EN_ | DC_2A_i | n48A _ Low | Channel | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|------------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 8071.6667 | 48.23 | -40.35 | 37.58 | -49.80 | -40.00 | 9.80 | 263 | 234 | Horizontal |
| 9289.7083 | 47.17 | -38.37 | 38.57 | -47.89 | -40.00 | 7.89 | 254 | 113 | Horizontal |
| 11229.375 | 43.69 | -35.11 | 39.37 | -47.31 | -40.00 | 7.31 | 142 | 33 | Horizontal |
| 13665.4583 | 42.80 | -34.72 | 40.00 | -47.18 | -40.00 | 7.18 | 296 | 264 | Horizontal |
| 15070.375 | 42.68 | -34.07 | 39.11 | -47.54 | -40.00 | 7.54 | 201 | 360 | Horizontal |
| 17291.7917 | 40.87 | -31.79 | 39.77 | -46.41 | -40.00 | 6.41 | 188 | 314 | Horizontal |

| | | | EN_D | C_2A_n4 | I8A _ Low C | hannel | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|-------------|--------------|----------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 7667.25 | 49.78 | -41.27 | 36.83 | -49.91 | -40.00 | 9.91 | 162 | 360 | Vertical |
| 9283 | 47.41 | -38.36 | 38.57 | -47.64 | -40.00 | 7.64 | 185 | 3 | Vertical |
| 11231.2917 | 42.97 | -35.11 | 39.37 | -48.03 | -40.00 | 8.03 | 169 | 345 | Vertical |
| 13211.2083 | 42.95 | -34.76 | 39.73 | -47.35 | -40.00 | 7.35 | 165 | 266 | Vertical |
| 15056 | 42.61 | -34.14 | 39.13 | -47.66 | -40.00 | 7.66 | 196 | 204 | Vertical |
| 17066.5833 | 42.37 | -32.29 | 38.87 | -46.31 | -40.00 | 6.31 | 115 | 359 | Vertical |

| | | | EN_ | DC_2A_ | n48A _ Mid | Channel | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|------------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 7767.875 | 49.58 | -41.01 | 37.04 | -49.65 | -40.00 | 9.65 | 263 | 3 | Horizontal |
| 9784.2083 | 45.71 | -37.10 | 38.52 | -48.13 | -40.00 | 8.13 | 254 | 235 | Horizontal |
| 11200.625 | 43.63 | -35.07 | 39.40 | -47.30 | -40.00 | 7.30 | 142 | 104 | Horizontal |
| 13693.25 | 43.25 | -34.86 | 40.02 | -46.85 | -40.00 | 6.85 | 201 | 296 | Horizontal |
| 14944.8333 | 42.87 | -34.27 | 39.26 | -47.41 | -40.00 | 7.41 | 263 | 225 | Horizontal |
| 17291.7917 | 41.24 | -31.79 | 39.77 | -46.04 | -40.00 | 6.04 | 244 | 23 | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com



Report No.: KSCR220900171001V01

Page: 21 of 26

| | | | EN_C | C_2A_n4 | I8A _ Mid Cl | hannel | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|-------------|--------------|----------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 7177.5417 | 51.09 | -42.15 | 36.31 | -50.02 | -40.00 | 10.02 | 163 | 64 | Vertical |
| 8685.9583 | 47.67 | -39.30 | 38.25 | -48.64 | -40.00 | 8.64 | 102 | 308 | Vertical |
| 11183.375 | 42.97 | -35.08 | 39.42 | -47.96 | -40.00 | 7.96 | 126 | 13 | Vertical |
| 13244.75 | 43.11 | -34.89 | 39.75 | -47.30 | -40.00 | 7.30 | 125 | 155 | Vertical |
| 14431.1667 | 42.42 | -34.83 | 39.77 | -47.90 | -40.00 | 7.90 | 196 | 174 | Vertical |
| 16970.75 | 41.94 | -31.79 | 38.58 | -46.53 | -40.00 | 6.53 | 103 | 23 | Vertical |

| | | | EN_ | DC_2A_r | n48A _ High | Channel | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|------------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 7665.3333 | 49.55 | -41.27 | 36.83 | -50.15 | -40.00 | 10.15 | 251 | 353 | Horizontal |
| 9297.375 | 47.43 | -38.39 | 38.57 | -47.65 | -40.00 | 7.65 | 142 | 360 | Horizontal |
| 10603.5833 | 45.47 | -36.10 | 39.16 | -46.73 | -40.00 | 6.73 | 263 | 44 | Horizontal |
| 13106.75 | 43.37 | -34.63 | 39.66 | -46.85 | -40.00 | 6.85 | 211 | 236 | Horizontal |
| 15047.375 | 42.76 | -34.18 | 39.14 | -47.54 | -40.00 | 7.54 | 142 | 155 | Horizontal |
| 17786.2917 | 41.39 | -30.90 | 41.75 | -43.03 | -40.00 | 3.03 | 296 | 360 | Horizontal |

| | | | EN_D | C_2A_n4 | I8A _High C | hannel | | | |
|--------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|----------|
| Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 7790.875 | 49.26 | -40.92 | 37.08 | -49.83 | -40.00 | 9.83 | 142 | 255 | Vertical |
| 9373.0833 | 46.98 | -37.85 | 38.56 | -47.57 | -40.00 | 7.57 | 265 | 275 | Vertical |
| 11211.1667 | 42.61 | -35.08 | 39.39 | -48.35 | -40.00 | 8.35 | 201 | 42 | Vertical |
| 13748.8333 | 43.42 | -35.11 | 40.05 | -46.91 | -40.00 | 6.91 | 142 | 84 | Vertical |
| 15012.875 | 42.48 | -34.34 | 39.18 | -47.94 | -40.00 | 7.94 | 285 | 336 | Vertical |
| 17476.75 | 40.84 | -31.86 | 40.51 | -45.77 | -40.00 | 5.77 | 263 | 123 | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com



Report No.: KSCR220900171001V01

Page: 22 of 26

| | EN_DC_66A_n48A _ Low Channel | | | | | | | | | | | |
|-----|------------------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|------------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 7764.0417 | 49.65 | -41.02 | 37.03 | -49.61 | -40.00 | 9.61 | 241 | 226 | Horizontal | | |
| 2 | 9417.1667 | 47.49 | -37.73 | 38.56 | -46.94 | -40.00 | 6.94 | 142 | 94 | Horizontal | | |
| 3 | 11214.0417 | 43.22 | -35.09 | 39.39 | -47.74 | -40.00 | 7.74 | 265 | 12 | Horizontal | | |
| 4 | 13142.2083 | 42.77 | -34.66 | 39.69 | -47.47 | -40.00 | 7.47 | 284 | 103 | Horizontal | | |
| 5 | 14428.2917 | 42.13 | -34.81 | 39.77 | -48.17 | -40.00 | 8.17 | 142 | 336 | Horizontal | | |
| 6 | 16600.8333 | 42.71 | -32.44 | 38.32 | -46.66 | -40.00 | 6.66 | 263 | 360 | Horizontal | | |

| | EN_DC_66A_n48A _ Low Channel | | | | | | | | | | | |
|-----|------------------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|----------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 7648.0833 | 49.80 | -41.26 | 36.80 | -49.92 | -40.00 | 9.92 | 142 | 286 | Vertical | | |
| 2 | 9282.0417 | 47.00 | -38.36 | 38.57 | -48.05 | -40.00 | 8.05 | 265 | 360 | Vertical | | |
| 3 | 11217.875 | 42.62 | -35.09 | 39.38 | -48.35 | -40.00 | 8.35 | 241 | 275 | Vertical | | |
| 4 | 12643.875 | 43.85 | -34.89 | 39.24 | -47.06 | -40.00 | 7.06 | 106 | 41 | Vertical | | |
| 5 | 15036.8333 | 42.36 | -34.23 | 39.15 | -47.97 | -40.00 | 7.97 | 196 | 359 | Vertical | | |
| 6 | 17601.3333 | 40.49 | -31.88 | 41.01 | -45.64 | -40.00 | 5.64 | 368 | 21 | Vertical | | |

| | EN DC 66A n48A Mid Channel | | | | | | | | | | | |
|-----|----------------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|------------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 7764.0417 | 49.53 | -41.02 | 37.03 | -49.73 | -40.00 | 9.73 | 263 | 256 | Horizontal | | |
| 2 | 9244.6667 | 47.79 | -38.30 | 38.58 | -47.19 | -40.00 | 7.19 | 254 | 135 | Horizontal | | |
| 3 | 11229.375 | 43.02 | -35.11 | 39.37 | -47.98 | -40.00 | 7.98 | 254 | 276 | Horizontal | | |
| 4 | 13239.9583 | 43.36 | -34.88 | 39.74 | -47.03 | -40.00 | 7.03 | 185 | 194 | Horizontal | | |
| 5 | 15296.5417 | 42.87 | -33.87 | 38.81 | -47.44 | -40.00 | 7.44 | 263 | 317 | Horizontal | | |
| 6 | 17032.0833 | 42.46 | -31.98 | 38.73 | -46.05 | -40.00 | 6.05 | 108 | 22 | Horizontal | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com



Report No.: KSCR220900171001V01

Page: 23 of 26

| | EN_DC_66A_n48A _ Mid Channel | | | | | | | | | | | |
|-----|------------------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|----------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 7771.7083 | 50.04 | -40.99 | 37.04 | -49.17 | -40.00 | 9.17 | 296 | 3 | Vertical | | |
| 2 | 9257.125 | 47.37 | -38.32 | 38.57 | -47.63 | -40.00 | 7.63 | 241 | 276 | Vertical | | |
| 3 | 11206.375 | 43.31 | -35.08 | 39.39 | -47.63 | -40.00 | 7.63 | 174 | 327 | Vertical | | |
| 4 | 13583.0417 | 43.24 | -34.34 | 39.95 | -46.41 | -40.00 | 6.41 | 142 | 174 | Vertical | | |
| 5 | 15274.5 | 42.24 | -33.79 | 38.84 | -47.97 | -40.00 | 7.97 | 265 | 316 | Vertical | | |
| 6 | 17791.0833 | 40.38 | -30.90 | 41.76 | -44.01 | -40.00 | 4.01 | 281 | 285 | Vertical | | |

| | EN_DC_66A_n48A _ High Channel | | | | | | | | | | | |
|-----|-------------------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|------------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 7534.0417 | 50.95 | -41.47 | 36.57 | -49.21 | -40.00 | 9.21 | 263 | 358 | Horizontal | | |
| 2 | 9287.7917 | 48.19 | -38.37 | 38.57 | -46.87 | -40.00 | 6.87 | 254 | 327 | Horizontal | | |
| 3 | 11471.8333 | 42.88 | -34.95 | 39.13 | -48.20 | -40.00 | 8.20 | 142 | 360 | Horizontal | | |
| 4 | 13502.5417 | 42.37 | -33.98 | 39.90 | -46.97 | -40.00 | 6.97 | 284 | 267 | Horizontal | | |
| 5 | 15877.2917 | 43.15 | -33.64 | 38.06 | -47.69 | -40.00 | 7.69 | 172 | 360 | Horizontal | | |
| 6 | 17651.1667 | 40.03 | -31.46 | 41.20 | -45.49 | -40.00 | 5.49 | 263 | 358 | Horizontal | | |

| | EN_DC_66A_n48A _ High Channel | | | | | | | | | | | |
|-----|-------------------------------|-------------------|----------------|----------|----------------|----------------|----------------|----------------|--------------|----------|--|--|
| NO. | Frequency [MHz] | Reading [dBµV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 7782.25 | 49.49 | -40.95 | 37.06 | -49.66 | -40.00 | 9.66 | 263 | 316 | Vertical | | |
| 2 | 9411.4167 | 46.46 | -37.70 | 38.56 | -47.94 | -40.00 | 7.94 | 254 | 307 | Vertical | | |
| 3 | 11072.2083 | 43.18 | -35.31 | 39.53 | -47.86 | -40.00 | 7.86 | 144 | 3 | Vertical | | |
| 4 | 13019.5417 | 42.87 | -34.82 | 39.61 | -47.60 | -40.00 | 7.60 | 252 | 143 | Vertical | | |
| 5 | 14406.25 | 42.53 | -34.69 | 39.79 | -47.63 | -40.00 | 7.63 | 263 | 225 | Vertical | | |
| 6 | 16942.9583 | 41.95 | -31.89 | 38.56 | -46.64 | -40.00 | 6.64 | 294 | 360 | Vertical | | |

Remark:

Pretest was performed at the EUT in required band, channel, modulation, bandwidth, and only the data of the worst case showed in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

No.10 Weiye Road, Development Zone, Kunshan, Jiangsu, China 215300 t(86-512) 57355888 f(86-512) 57370818 www.sgsgroup.com.cn



Report No.: KSCR220900171001V01

Page: 24 of 26

6.7 Frequency stability

Test Requirement: §2.1055

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: $\leq \pm 2.5$ ppm.


6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.

6.7.2 Test Setup Diagram



Ground Reference Plane

6.7.3 Measurement Data

Please refer to Appendix A for KSCR220900171001



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sinders at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report for only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *



Report No.: KSCR220900171001V01

Page: 25 of 26

6.8 Modulation Characteristics

Test Requirement: §2.1047

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Digital modulation


6.8.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode 30: Tx mode, Keep the EUT in transmitting mode.

6.8.2 Test Setup Diagram



Ground Reference Plane

6.8.3 Measurement Data

Please refer to Appendix A for KSCR220900171001



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com



Report No.: KSCR220900171001V01

Page: 26 of 26

Test Setup Photographs 7

Refer to Appendix - Test Setup Photo for KSCR2209001710AT - End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

No.10 Weiye Road, Development Zone, Kunshan, Jiangsu, China 215300 t(86-512) 57355888 f(86-512) 57370818 www.sgsgroup.com.cn

中国・江苏・昆山开发区伟业路10号