

EMC Technologies Report Number: M050422_Cert_WLL4070_11abg_NII_BT

APPENDIX J
BANDWIDTH - WLL4070 802.11a (NII)



26dB Bandwidth – Channel 36

Ref Lvl

17.5 dBm

Delta 1 [T1]

-0.23 dB

23.92785571 MHz

RBW

300 kHz

RF Att

30 dB

VBW


1 MHz

SWT

5 ms

Unit

dBm




Date: 15.FEB.2005 14:21:34



26 dB Bandwidth – Channel 52

Delta 1 [T1]	RBW	300 kHz	RF Att	30 dB
Ref Lvl	-0.01 dB	VBW	1 MHz	
17.5 dBm	23.50701403 MHz	SWT	5 ms	Unit dBm




Date: 15.FEB.2005 14:24:56



26dB Bandwidth – Channel 64

Ref Lvl	Delta 1 [T1]	RBW	300 kHz	RF Att	30 dB
17.5 dBm	-0.11 dB	VBW	1 MHz		
	22.96593186 MHz	SWT	5 ms	Unit	dBm




Date: 15.FEB.2005 14:27:11



26dB Bandwidth – Channel 42 Turbo

 Delta 1 [T1] REW 300 kHz RF Att 30 dB
Ref Lvl 0.18 dB VBW 1 MHz
17.5 dBm 40.58116232 MHz SWT 5 ms Unit dBm




Date: 17.FEB.2005 07:32:50



26dB Bandwidth – Channel 50 Turbo

 Delta 1 [T1] REW 300 kHz RF Att 30 dB
Ref Lvl 0.20 dB VBW 1 MHz
17.5 dBm 41.18236473 MHz SWT 5 ms Unit dBm




Date: 17.FEB.2005 07:34:44



26dB Bandwidth – Channel 58 Turbo

Delta 1 [T1] RBW 300 kHz RF Att 30 dB
Ref Lvl 0.30 dB VBW 1 MHz
17.5 dBm 41.68336673 MHz SWT 5 ms Unit dBm



Date: 17.FEB.2005 07:37:32

