





802.11n(HT40)_Ant1_5755



802.11n(HT40)_Ant2_5755



802.11n(HT40)_Ant1_5795




802.11n(HT40)_Ant2_5795



802.11ac(VHT20)_Ant1_5180



802.11ac(VHT20)_Ant2_5180



802.11ac(VHT20)_Ant1_5200



802.11ac(VHT20)_Ant2_5200



802.11ac(VHT20)_Ant1_5240




802.11ac(VHT20)_Ant2_5240



802.11ac(VHT20)_Ant1_5745




802.11ac(VHT20)_Ant2_5745



802.11ac(VHT20)_Ant1_5785



802.11ac(VHT20)_Ant2_5785



802.11ac(VHT20)_Ant1_5825




802.11ac(VHT20)_Ant2_5825



802.11ac(VHT40)_Ant1_5190




802.11ac(VHT40)_Ant2_5190



802.11ac(VHT40)_Ant1_5230



802.11ac(VHT40)_Ant2_5230




802.11ac(VHT40)_Ant1_5755




802.11ac(VHT40)_Ant2_5755



802.11ac(VHT40)_Ant1_5795



802.11ac(VHT40)_Ant2_5795




802.11ac(VHT80)_Ant1_5210



802.11ac(VHT80)_Ant2_5210



802.11ac(VHT80)_Ant1_5775



802.11ac(VHT80)_Ant2_5775




Appendix A3: Min emission bandwidth

Test Result

TestMode	Antenna	Freq[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
802.11a	Ant1	5745	16.360	5736.800	5753.160	>0.5	PASS
	Ant2	5745	16.320	5736.800	5753.120	>0.5	PASS
	Ant1	5785	16.320	5776.800	5793.120	>0.5	PASS
	Ant2	5785	16.360	5776.800	5793.160	>0.5	PASS
	Ant1	5825	16.360	5816.800	5833.160	>0.5	PASS
	Ant2	5825	16.280	5816.840	5833.120	>0.5	PASS
802.11n(HT20)	Ant1	5745	17.240	5736.200	5753.440	>0.5	PASS
	Ant2	5745	17.560	5736.200	5753.760	>0.5	PASS
	Ant1	5785	17.520	5776.200	5793.720	>0.5	PASS
	Ant2	5785	17.560	5776.200	5793.760	>0.5	PASS
	Ant1	5825	17.520	5816.200	5833.720	>0.5	PASS
	Ant2	5825	17.560	5816.200	5833.760	>0.5	PASS
802.11n(HT40)	Ant1	5755	35.600	5737.080	5772.680	>0.5	PASS
	Ant2	5755	35.120	5737.400	5772.520	>0.5	PASS
	Ant1	5795	32.960	5777.080	5810.040	>0.5	PASS
	Ant2	5795	35.120	5777.400	5812.520	>0.5	PASS
802.11ac(VHT20)	Ant1	5745	17.600	5736.160	5753.760	>0.5	PASS
	Ant2	5745	17.560	5736.200	5753.760	>0.5	PASS
	Ant1	5785	17.560	5776.200	5793.760	>0.5	PASS
	Ant2	5785	17.560	5776.200	5793.760	>0.5	PASS
	Ant1	5825	17.320	5816.440	5833.760	>0.5	PASS
	Ant2	5825	17.240	5816.480	5833.720	>0.5	PASS
802.11ac(VHT40)	Ant1	5755	35.120	5737.400	5772.520	>0.5	PASS
	Ant2	5755	34.960	5737.480	5772.440	>0.5	PASS
	Ant1	5795	35.120	5777.400	5812.520	>0.5	PASS
	Ant2	5795	35.280	5777.480	5812.760	>0.5	PASS
802.11ac(VHT80)	Ant1	5775	70.080	5737.400	5807.480	>0.5	PASS
	Ant2	5775	73.760	5738.680	5812.440	>0.5	PASS

Test Graphs


802.11a_Ant1_5745



802.11a_Ant2_5745



802.11a_Ant1_5785



802.11a_Ant2_5785




802.11a_Ant1_5825




802.11a_Ant2_5825



802.11n(HT20)_Ant1_5745



802.11n(HT20)_Ant2_5745



802.11n(HT20)_Ant1_5785




802.11n(HT20)_Ant2_5785




802.11n(HT20)_Ant1_5825




802.11n(HT20)_Ant2_5825



802.11n(HT40)_Ant1_5755




802.11n(HT40)_Ant2_5755




802.11n(HT40)_Ant1_5795




802.11n(HT40)_Ant2_5795



802.11ac(VHT20)_Ant1_5745



802.11ac(VHT20)_Ant2_5745



802.11ac(VHT20)_Ant1_5785




802.11ac(VHT20)_Ant2_5785




802.11ac(VHT20)_Ant1_5825




802.11ac(VHT20)_Ant2_5825




802.11ac(VHT40)_Ant1_5755




802.11ac(VHT40)_Ant2_5755




802.11ac(VHT40)_Ant1_5795



802.11ac(VHT40)_Ant2_5795



802.11ac(VHT80)_Ant1_5775



802.11ac(VHT80)_Ant2_5775



Appendix B: Maximum conducted output power

Test Result

Beamforming:

Test Mode	Antenna	Freq[MHz]	Result [dBm]	Limit [dBm]	Verdict
802.11a	Ant1	5180	17.16	≤23.98	PASS
	Ant2	5180	17.75	≤23.98	PASS
	Ant1	5200	17.42	≤23.98	PASS
	Ant2	5200	17.58	≤23.98	PASS
	Ant1	5240	17.48	≤23.98	PASS
	Ant2	5240	17.44	≤23.98	PASS
	Ant1	5745	17.92	≤30.00	PASS
	Ant2	5745	17.25	≤30.00	PASS
	Ant1	5785	17.69	≤30.00	PASS
	Ant2	5785	17.29	≤30.00	PASS
	Ant1	5825	17.71	≤30.00	PASS
	Ant2	5825	17.95	≤30.00	PASS
802.11n(HT20)	Ant1	5180	13.69	≤23.98	PASS
	Ant2	5180	12.92	≤23.98	PASS
	Total	5180	16.33	≤23.98	PASS
	Ant1	5200	13.70	≤23.98	PASS
	Ant2	5200	12.78	≤23.98	PASS
	Total	5200	16.27	≤23.98	PASS
	Ant1	5240	13.96	≤23.98	PASS
	Ant2	5240	12.45	≤23.98	PASS
	Total	5240	16.28	≤23.98	PASS
	Ant1	5745	13.52	≤30.00	PASS
	Ant2	5745	13.78	≤30.00	PASS
	Total	5745	16.66	≤30.00	PASS
	Ant1	5785	12.27	≤30.00	PASS
	Ant2	5785	13.26	≤30.00	PASS
	Total	5785	15.80	≤30.00	PASS
	Ant1	5825	12.18	≤30.00	PASS
	Ant2	5825	14.60	≤30.00	PASS
	Total	5825	16.57	≤30.00	PASS
802.11n(HT40)	Ant1	5190	12.55	≤23.98	PASS
	Ant2	5190	12.05	≤23.98	PASS
	Total	5190	15.32	≤23.98	PASS
	Ant1	5230	13.17	≤23.98	PASS
	Ant2	5230	11.71	≤23.98	PASS
	Total	5230	15.51	≤23.98	PASS
	Ant1	5755	12.81	≤30.00	PASS
	Ant2	5755	13.43	≤30.00	PASS
	Total	5755	16.14	≤30.00	PASS
	Ant1	5795	11.67	≤30.00	PASS
	Ant2	5795	13.23	≤30.00	PASS

	Total	5795	15.53	≤30.00	PASS
802.11ac(VHT20)	Ant1	5180	12.87	≤23.98	PASS
	Ant2	5180	12.65	≤23.98	PASS
	Total	5180	15.77	≤23.98	PASS
	Ant1	5200	13.27	≤23.98	PASS
	Ant2	5200	12.28	≤23.98	PASS
	Total	5200	15.81	≤23.98	PASS
	Ant1	5240	13.49	≤23.98	PASS
	Ant2	5240	12.25	≤23.98	PASS
	Total	5240	15.92	≤23.98	PASS
	Ant1	5745	13.58	≤30.00	PASS
	Ant2	5745	13.58	≤30.00	PASS
	Total	5745	16.59	≤30.00	PASS
	Ant1	5785	12.10	≤30.00	PASS
	Ant2	5785	13.09	≤30.00	PASS
	Total	5785	15.63	≤30.00	PASS
	Ant1	5825	11.76	≤30.00	PASS
	Ant2	5825	14.29	≤30.00	PASS
	Total	5825	16.22	≤30.00	PASS
802.11ac(VHT40)	Ant1	5190	12.76	≤23.98	PASS
	Ant2	5190	12.05	≤23.98	PASS
	Total	5190	15.43	≤23.98	PASS
	Ant1	5230	13.10	≤23.98	PASS
	Ant2	5230	11.92	≤23.98	PASS
	Total	5230	15.56	≤23.98	PASS
	Ant1	5755	12.98	≤30.00	PASS
	Ant2	5755	13.21	≤30.00	PASS
	Total	5755	16.11	≤30.00	PASS
	Ant1	5795	11.42	≤30.00	PASS
	Ant2	5795	13.02	≤30.00	PASS
	Total	5795	15.30	≤30.00	PASS
802.11ac(VHT80)	Ant1	5210	12.74	≤23.98	PASS
	Ant2	5210	11.39	≤23.98	PASS
	Total	5210	15.13	≤23.98	PASS
	Ant1	5775	12.25	≤30.00	PASS
	Ant2	5775	12.90	≤30.00	PASS
	Total	5775	15.60	≤30.00	PASS

Note: Test results increased RF cable loss by 2.5dB and Duty Cycle Factor.

CDD:

Test Mode	Antenna	Freq[MHz]	Result [dBm]	Limit [dBm]	Verdict
802.11a	Ant1	5180	17.16	≤23.98	PASS
	Ant2	5180	17.75	≤23.98	PASS
	Ant1	5200	17.42	≤23.98	PASS
	Ant2	5200	17.58	≤23.98	PASS
	Ant1	5240	17.48	≤23.98	PASS
	Ant2	5240	17.44	≤23.98	PASS
	Ant1	5745	17.92	≤30.00	PASS
	Ant2	5745	17.25	≤30.00	PASS
	Ant1	5785	17.69	≤30.00	PASS
	Ant2	5785	17.29	≤30.00	PASS
	Ant1	5825	17.71	≤30.00	PASS
	Ant2	5825	17.95	≤30.00	PASS
802.11n(HT20)	Ant1	5180	13.69	≤23.98	PASS
	Ant2	5180	12.92	≤23.98	PASS
	Total	5180	16.33	≤23.98	PASS
	Ant1	5200	13.70	≤23.98	PASS
	Ant2	5200	12.78	≤23.98	PASS
	Total	5200	16.27	≤23.98	PASS
	Ant1	5240	13.96	≤23.98	PASS
	Ant2	5240	12.45	≤23.98	PASS
	Total	5240	16.28	≤23.98	PASS
	Ant1	5745	13.52	≤30.00	PASS
	Ant2	5745	13.78	≤30.00	PASS
	Total	5745	16.66	≤30.00	PASS
	Ant1	5785	12.27	≤30.00	PASS
	Ant2	5785	13.26	≤30.00	PASS
	Total	5785	15.80	≤30.00	PASS
	Ant1	5825	12.18	≤30.00	PASS
	Ant2	5825	14.60	≤30.00	PASS
	Total	5825	16.57	≤30.00	PASS
802.11n(HT40)	Ant1	5190	12.55	≤23.98	PASS
	Ant2	5190	12.05	≤23.98	PASS
	Total	5190	15.32	≤23.98	PASS
	Ant1	5230	13.17	≤23.98	PASS
	Ant2	5230	11.71	≤23.98	PASS
	Total	5230	15.51	≤23.98	PASS
	Ant1	5755	12.81	≤30.00	PASS
	Ant2	5755	13.43	≤30.00	PASS
	Total	5755	16.14	≤30.00	PASS
	Ant1	5795	11.67	≤30.00	PASS
	Ant2	5795	13.23	≤30.00	PASS
	Total	5795	15.53	≤30.00	PASS
802.11ac(VHT20)	Ant1	5180	12.87	≤23.98	PASS

	Ant2	5180	12.65	≤23.98	PASS
	Total	5180	15.77	≤23.98	PASS
	Ant1	5200	13.27	≤23.98	PASS
	Ant2	5200	12.28	≤23.98	PASS
	Total	5200	15.81	≤23.98	PASS
	Ant1	5240	13.49	≤23.98	PASS
	Ant2	5240	12.25	≤23.98	PASS
	Total	5240	15.92	≤23.98	PASS
	Ant1	5745	13.58	≤30.00	PASS
	Ant2	5745	13.58	≤30.00	PASS
	Total	5745	16.59	≤30.00	PASS
	Ant1	5785	12.10	≤30.00	PASS
	Ant2	5785	13.09	≤30.00	PASS
	Total	5785	15.63	≤30.00	PASS
	Ant1	5825	11.76	≤30.00	PASS
	Ant2	5825	14.29	≤30.00	PASS
	Total	5825	16.22	≤30.00	PASS
802.11ac(VHT40)	Ant1	5190	12.76	≤23.98	PASS
	Ant2	5190	12.05	≤23.98	PASS
	Total	5190	15.43	≤23.98	PASS
	Ant1	5230	13.10	≤23.98	PASS
	Ant2	5230	11.92	≤23.98	PASS
	Total	5230	15.56	≤23.98	PASS
	Ant1	5755	12.98	≤30.00	PASS
	Ant2	5755	13.21	≤30.00	PASS
	Total	5755	16.11	≤30.00	PASS
	Ant1	5795	11.42	≤30.00	PASS
	Ant2	5795	13.02	≤30.00	PASS
	Total	5795	15.30	≤30.00	PASS
802.11ac(VHT80)	Ant1	5210	12.74	≤23.98	PASS
	Ant2	5210	11.39	≤23.98	PASS
	Total	5210	15.13	≤23.98	PASS
	Ant1	5775	12.25	≤30.00	PASS
	Ant2	5775	12.90	≤30.00	PASS
	Total	5775	15.60	≤30.00	PASS

Note: Test results increased RF cable loss by 2.5dB and Duty Cycle Factor.

Appendix C: Maximum power spectral density

Test Result

Beamforming:

Test Mode	Antenna	Freq[MHz]	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
802.11a	Ant1	5180	6.25	≤11.00	PASS
	Ant2	5180	6.72	≤11.00	PASS
	Ant1	5200	6.16	≤11.00	PASS
	Ant2	5200	6.72	≤11.00	PASS
	Ant1	5240	6.48	≤11.00	PASS
	Ant2	5240	6.33	≤11.00	PASS
	Ant1	5745	3.78	≤30.00	PASS
	Ant2	5745	3.49	≤30.00	PASS
	Ant1	5785	3.83	≤30.00	PASS
	Ant2	5785	3.65	≤30.00	PASS
	Ant1	5825	4.03	≤30.00	PASS
	Ant2	5825	4.40	≤30.00	PASS
802.11n(HT20)	Ant1	5180	2.25	≤11.00	PASS
	Ant2	5180	1.87	≤11.00	PASS
	Total	5180	5.07	≤11.00	PASS
	Ant1	5200	2.53	≤11.00	PASS
	Ant2	5200	1.36	≤11.00	PASS
	Total	5200	4.99	≤11.00	PASS
	Ant1	5240	2.76	≤11.00	PASS
	Ant2	5240	1.67	≤11.00	PASS
	Total	5240	5.26	≤11.00	PASS
	Ant1	5745	-0.83	≤30.00	PASS
	Ant2	5745	-0.38	≤30.00	PASS
	Total	5745	2.41	≤30.00	PASS
	Ant1	5785	-1.79	≤30.00	PASS
	Ant2	5785	-0.58	≤30.00	PASS
	Total	5785	1.87	≤30.00	PASS
	Ant1	5825	-1.83	≤30.00	PASS
	Ant2	5825	0.81	≤30.00	PASS
	Total	5825	2.70	≤30.00	PASS
802.11n(HT40)	Ant1	5190	-1.32	≤11.00	PASS
	Ant2	5190	-1.51	≤11.00	PASS
	Total	5190	1.60	≤11.00	PASS
	Ant1	5230	-1.07	≤11.00	PASS
	Ant2	5230	-1.81	≤11.00	PASS
	Total	5230	1.59	≤11.00	PASS
	Ant1	5755	-3.55	≤30.00	PASS
	Ant2	5755	-2.97	≤30.00	PASS
	Total	5755	-0.24	≤30.00	PASS
	Ant1	5795	-5.44	≤30.00	PASS

	Ant2	5795	-3.70	≤30.00	PASS
	Total	5795	-1.47	≤30.00	PASS
802.11ac(VHT20)	Ant1	5180	1.81	≤11.00	PASS
	Ant2	5180	1.50	≤11.00	PASS
	Total	5180	4.67	≤11.00	PASS
	Ant1	5200	1.83	≤11.00	PASS
	Ant2	5200	1.05	≤11.00	PASS
	Total	5200	4.47	≤11.00	PASS
	Ant1	5240	1.87	≤11.00	PASS
	Ant2	5240	0.77	≤11.00	PASS
	Total	5240	4.37	≤11.00	PASS
	Ant1	5745	-0.70	≤30.00	PASS
	Ant2	5745	-0.28	≤30.00	PASS
	Total	5745	2.53	≤30.00	PASS
	Ant2	5785	-1.02	≤30.00	PASS
	Total	5785	2.53	≤30.00	PASS
	Ant1	5825	-2.17	≤30.00	PASS
	Ant2	5825	0.18	≤30.00	PASS
	Total	5825	2.17	≤30.00	PASS
802.11ac(VHT40)	Ant1	5190	-0.99	≤11.00	PASS
	Ant2	5190	-1.36	≤11.00	PASS
	Total	5190	1.84	≤11.00	PASS
	Ant1	5230	-0.39	≤11.00	PASS
	Ant2	5230	-2.13	≤11.00	PASS
	Total	5230	1.84	≤11.00	PASS
	Ant1	5755	-3.53	≤30.00	PASS
	Ant2	5755	-3.27	≤30.00	PASS
	Total	5755	-0.39	≤30.00	PASS
	Ant1	5795	-4.88	≤30.00	PASS
	Ant2	5795	-4.03	≤30.00	PASS
	Total	5795	-1.42	≤30.00	PASS
802.11ac(VHT80)	Ant1	5210	-4.58	≤11.00	PASS
	Ant2	5210	-5.93	≤11.00	PASS
	Total	5210	-2.19	≤11.00	PASS
	Ant1	5775	-6.83	≤30.00	PASS
	Ant2	5775	-6.76	≤30.00	PASS
	Total	5775	-3.78	≤30.00	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725 - 5.85 GHz.

2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

CDD:

Test Mode	Antenna	Freq[MHz]	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
802.11a	Ant1	5180	6.25	≤11.00	PASS
	Ant2	5180	6.72	≤11.00	PASS
	Ant1	5200	6.16	≤11.00	PASS
	Ant2	5200	6.72	≤11.00	PASS
	Ant1	5240	6.48	≤11.00	PASS
	Ant2	5240	6.33	≤11.00	PASS
	Ant1	5745	3.78	≤30.00	PASS
	Ant2	5745	3.49	≤30.00	PASS
	Ant1	5785	3.83	≤30.00	PASS
	Ant2	5785	3.65	≤30.00	PASS
	Ant1	5825	4.03	≤30.00	PASS
	Ant2	5825	4.40	≤30.00	PASS
802.11n(HT20)	Ant1	5180	2.25	≤11.00	PASS
	Ant2	5180	1.87	≤11.00	PASS
	Total	5180	5.07	≤11.00	PASS
	Ant1	5200	2.53	≤11.00	PASS
	Ant2	5200	1.36	≤11.00	PASS
	Total	5200	4.99	≤11.00	PASS
	Ant1	5240	2.76	≤11.00	PASS
	Ant2	5240	1.67	≤11.00	PASS
	Total	5240	5.26	≤11.00	PASS
	Ant1	5745	-0.83	≤30.00	PASS
	Ant2	5745	-0.38	≤30.00	PASS
	Total	5745	2.41	≤30.00	PASS
	Ant1	5785	-1.79	≤30.00	PASS
	Ant2	5785	-0.58	≤30.00	PASS
	Total	5785	1.87	≤30.00	PASS
	Ant1	5825	-1.83	≤30.00	PASS
	Ant2	5825	0.81	≤30.00	PASS
	Total	5825	2.70	≤30.00	PASS
802.11n(HT40)	Ant1	5190	-1.32	≤11.00	PASS
	Ant2	5190	-1.51	≤11.00	PASS
	Total	5190	1.60	≤11.00	PASS
	Ant1	5230	-1.07	≤11.00	PASS
	Ant2	5230	-1.81	≤11.00	PASS
	Total	5230	1.59	≤11.00	PASS
	Ant1	5755	-3.55	≤30.00	PASS
	Ant2	5755	-2.97	≤30.00	PASS
	Total	5755	-0.24	≤30.00	PASS
	Ant1	5795	-5.44	≤30.00	PASS
	Ant2	5795	-3.70	≤30.00	PASS
	Total	5795	-1.47	≤30.00	PASS
802.11ac(VHT20)	Ant1	5180	1.81	≤11.00	PASS

	Ant2	5180	1.50	≤11.00	PASS
	Total	5180	4.67	≤11.00	PASS
	Ant1	5200	1.83	≤11.00	PASS
	Ant2	5200	1.05	≤11.00	PASS
	Total	5200	4.47	≤11.00	PASS
	Ant1	5240	1.87	≤11.00	PASS
	Ant2	5240	0.77	≤11.00	PASS
	Total	5240	4.37	≤11.00	PASS
	Ant1	5745	-0.70	≤30.00	PASS
	Ant2	5745	-0.28	≤30.00	PASS
	Total	5745	2.53	≤30.00	PASS
	Ant2	5785	-1.02	≤30.00	PASS
	Total	5785	2.53	≤30.00	PASS
	Ant1	5825	-2.17	≤30.00	PASS
	Ant2	5825	0.18	≤30.00	PASS
	Total	5825	2.17	≤30.00	PASS
802.11ac(VHT40)	Ant1	5190	-0.99	≤11.00	PASS
	Ant2	5190	-1.36	≤11.00	PASS
	Total	5190	1.84	≤11.00	PASS
	Ant1	5230	-0.39	≤11.00	PASS
	Ant2	5230	-2.13	≤11.00	PASS
	Total	5230	1.84	≤11.00	PASS
	Ant1	5755	-3.53	≤30.00	PASS
	Ant2	5755	-3.27	≤30.00	PASS
	Total	5755	-0.39	≤30.00	PASS
	Ant1	5795	-4.88	≤30.00	PASS
	Ant2	5795	-4.03	≤30.00	PASS
	Total	5795	-1.42	≤30.00	PASS
802.11ac(VHT80)	Ant1	5210	-4.58	≤11.00	PASS
	Ant2	5210	-5.93	≤11.00	PASS
	Total	5210	-2.19	≤11.00	PASS
	Ant1	5775	-6.83	≤30.00	PASS
	Ant2	5775	-6.76	≤30.00	PASS
	Total	5775	-3.78	≤30.00	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725 - 5.85 GHz.

2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs

802.11a_Ant1_5180



802.11a_Ant2_5180



802.11a_Ant1_5200



802.11a_Ant2_5200



802.11a_Ant1_5240



802.11a_Ant2_5240



802.11a_Ant1_5745



802.11a_Ant2_5745



802.11a_Ant1_5785



802.11a_Ant2_5785



802.11a_Ant1_5825



802.11a_Ant2_5825




802.11n(HT20)_Ant1_5180



802.11n(HT20)_Ant2_5180



802.11n(HT20)_Ant1_5200



802.11n(HT20)_Ant2_5200



802.11n(HT20)_Ant1_5240



802.11n(HT20)_Ant2_5240



802.11n(HT20)_Ant1_5745



802.11n(HT20)_Ant2_5745



802.11n(HT20)_Ant1_5785



802.11n(HT20)_Ant2_5785



802.11n(HT20)_Ant1_5825



802.11n(HT20)_Ant2_5825



802.11n(HT40)_Ant1_5190



802.11n(HT40)_Ant2_5190



802.11n(HT40)_Ant1_5230



802.11n(HT40)_Ant2_5230



802.11n(HT40)_Ant1_5755



802.11n(HT40)_Ant2_5755



802.11n(HT40)_Ant1_5795