












11N20MIMO-Ant1-5180




Date: 22.DEC.2023 15:23:19

11N20MIMO-Ant2-5180




Date: 22.DEC.2023 15:24:52

11N20MIMO-Ant1-5200




Date: 22.DEC.2023 15:34:47

11N20MIMO-Ant2-5200




Date: 22.DEC.2023 15:36:20

11N20MIMO-Ant1-5240



Date: 22.DEC.2023 15:42:05


11N20MIMO-Ant2-5240



Date: 22.DEC.2023 15:43:40




11N20MIMO-Ant1-5260




Date: 22.DEC.2023 16:11:59

11N20MIMO-Ant2-5260




Date: 22.DEC.2023 16:13:31

11N20MIMO-Ant1-5280




Date: 26.DEC.2023 08:40:20

11N20MIMO-Ant2-5280




Date: 26.DEC.2023 08:41:43

11N20MIMO-Ant1-5320




Date: 26.DEC.2023 08:43:56

11N20MIMO-Ant2-5320




Date: 26.DEC.2023 08:45:19

11N20MIMO-Ant1-5500




Date: 26.DEC.2023 08:47:16

11N20MIMO-Ant2-5500




Date: 26.DEC.2023 08:48:39

11N20MIMO-Ant1-5580




Date: 26.DEC.2023 08:50:45

11N20MIMO-Ant2-5580




Date: 26.DEC.2023 08:52:07

11N20MIMO-Ant1-5700





Date: 26.DEC.2023 08:55:14

11N20MIMO-Ant2-5700










Date: 26.DEC.2023 08:56:37
























11AC20SISO-Ant1-5580




Date: 29.DEC.2023 08:15:13

11AC20SISO-Ant2-5580




Date: 6.JAN.2024 16:17:11

11AC20SISO-Ant1-5700




Date: 29.DEC.2023 08:17:13

11AC20SISO-Ant2-5700




Date: 6.JAN.2024 16:19:15

11AC20MIMO-Ant1-5180




Date: 26.DEC.2023 10:18:52

11AC20MIMO-Ant2-5180




Date: 26.DEC.2023 10:20:15

11AC20MIMO-Ant1-5200




Date: 26.DEC.2023 10:26:36

11AC20MIMO-Ant2-5200




Date: 26.DEC.2023 10:27:59

11AC20MIMO-Ant1-5240




Date: 26.DEC.2023 12:12:10

11AC20MIMO-Ant2-5240




Date: 26.DEC.2023 12:13:39

11AC20MIMO-Ant1-5260




Date: 26.DEC.2023 12:15:41

11AC20MIMO-Ant2-5260




Date: 26.DEC.2023 12:17:07

11AC20MIMO-Ant1-5280




Date: 26.DEC.2023 12:28:53

11AC20MIMO-Ant2-5280




Date: 26.DEC.2023 12:30:19

11AC20MIMO-Ant1-5320




Date: 26.DEC.2023 12:34:57

11AC20MIMO-Ant2-5320




Date: 26.DEC.2023 12:36:23

11AC20MIMO-Ant1-5500



Date: 26.DEC.2023 13:27:32


11AC20MIMO-Ant2-5500



Date: 26.DEC.2023 13:29:01




11AC20MIMO-Ant1-5580




Date: 26.DEC.2023 13:34:26

11AC20MIMO-Ant2-5580




Date: 26.DEC.2023 13:35:54

11AC20MIMO-Ant1-5700




Date: 26.DEC.2023 13:49:35

11AC20MIMO-Ant2-5700




Date: 26.DEC.2023 13:51:03

11AC40SISO-Ant1-5190





Date: 29.DEC.2023 08:26:45

11AC40SISO-Ant2-5190




Date: 8.JAN.2024 08:55:31






11AC40MIMO-Ant1-5190




Date: 26.DEC.2023 14:07:59

11AC40MIMO-Ant2-5190




Date: 26.DEC.2023 14:09:33

11AC40MIMO-Ant1-5230




Date: 26.DEC.2023 14:12:07

11AC40MIMO-Ant2-5230




Date: 26.DEC.2023 14:13:40

11AC40MIMO-Ant1-5270



Date: 26.DEC.2023 14:16:51


11AC40MIMO-Ant2-5270



Date: 26.DEC.2023 14:18:19




11AC40MIMO-Ant1-5310




Date: 26.DEC.2023 14:21:29

11AC40MIMO-Ant2-5310




Date: 26.DEC.2023 14:22:57

11AC40MIMO-Ant1-5510




Date: 26.DEC.2023 14:25:18

11AC40MIMO-Ant2-5510




Date: 26.DEC.2023 14:26:47

11AC40MIMO-Ant1-5550




Date: 26.DEC.2023 14:30:28

11AC40MIMO-Ant2-5550




Date: 26.DEC.2023 14:31:57

11AC40MIMO-Ant1-5670




Date: 26.DEC.2023 14:33:49

11AC40MIMO-Ant2-5670




Date: 26.DEC.2023 14:35:19

11AC80SISO-Ant1-5210




Date: 6.JAN.2024 10:26:43

11AC80SISO-Ant2-5210




Date: 8.JAN.2024 09:22:51

11AC80SISO-Ant1-5290




Date: 6.JAN.2024 10:29:59


11AC80SISO-Ant2-5290



Date: 8.JAN.2024 09:26:13




11AC80MIMO-Ant1-5290




Date: 26.DEC.2023 14:55:20

11AC80MIMO-Ant2-5290




Date: 26.DEC.2023 14:58:20

11AC80MIMO-Ant1-5530




Date: 26.DEC.2023 15:03:19

11AC80MIMO-Ant2-5530




Date: 26.DEC.2023 15:06:21

11AC80MIMO-Ant1-5610









Date: 26.DEC.2023 15:10:44


11AC80MIMO-Ant2-5610




Date: 26.DEC.2023 15:13:44








11AX20SISO-Ant1-5500




Date: 6.JAN.2024 12:30:48

11AX20SISO-Ant2-5500




Date: 8.JAN.2024 10:03:59

11AX20SISO-Ant1-5580




Date: 6.JAN.2024 12:32:49

11AX20SISO-Ant2-5580




Date: 8.JAN.2024 10:05:52

11AX20SISO-Ant1-5700




Date: 6.JAN.2024 12:34:47

11AX20SISO-Ant2-5700




Date: 8.JAN.2024 10:07:56

11AX20MIMO-Ant1-5180




Date: 26.DEC.2023 15:29:23

11AX20MIMO-Ant2-5180




Date: 26.DEC.2023 15:30:53

11AX20MIMO-Ant1-5200




Date: 26.DEC.2023 15:33:02

11AX20MIMO-Ant2-5200




Date: 26.DEC.2023 15:34:33

11AX20MIMO-Ant1-5240



Date: 26.DEC.2023 15:45:45


11AX20MIMO-Ant2-5240



Date: 26.DEC.2023 15:47:20




11AX20MIMO-Ant1-5260




Date: 26.DEC.2023 15:49:42

11AX20MIMO-Ant2-5260




Date: 26.DEC.2023 15:51:14

11AX20MIMO-Ant1-5280




Date: 26.DEC.2023 15:53:25

11AX20MIMO-Ant2-5280




Date: 26.DEC.2023 15:54:57

11AX20MIMO-Ant1-5320




Date: 26.DEC.2023 16:02:58

11AX20MIMO-Ant2-5320




Date: 26.DEC.2023 16:04:32

11AX20MIMO-Ant1-5500




Date: 26.DEC.2023 16:06:41

11AX20MIMO-Ant2-5500




Date: 26.DEC.2023 16:08:12

11AX20MIMO-Ant1-5580




Date: 26.DEC.2023 16:11:31

11AX20MIMO-Ant2-5580




Date: 26.DEC.2023 16:13:05

11AX20MIMO-Ant1-5700





Date: 26.DEC.2023 16:15:07

11AX20MIMO-Ant2-5700




Date: 26.DEC.2023 16:16:41











11AX40MIMO-Ant1-5270




Date: 27.DEC.2023 08:54:35

11AX40MIMO-Ant2-5270




Date: 27.DEC.2023 08:56:00

11AX40MIMO-Ant1-5310




Date: 27.DEC.2023 08:58:06

11AX40MIMO-Ant2-5310




Date: 27.DEC.2023 08:59:30

11AX40MIMO-Ant1-5510




Date: 27.DEC.2023 09:02:33

11AX40MIMO-Ant2-5510




Date: 27.DEC.2023 09:03:57

11AX40MIMO-Ant1-5550




Date: 27.DEC.2023 09:06:12

11AX40MIMO-Ant2-5550




Date: 27.DEC.2023 09:07:36

11AX40MIMO-Ant1-5670




Date: 27.DEC.2023 09:10:53

11AX40MIMO-Ant2-5670




Date: 27.DEC.2023 09:12:17

11AX80SISO-Ant1-5210




Date: 6.JAN.2024 13:05:27

11AX80SISO-Ant2-5210




Date: 8.JAN.2024 12:33:49






11AX80MIMO-Ant1-5210




Date: 27.DEC.2023 09:24:18

11AX80MIMO-Ant2-5210




Date: 27.DEC.2023 09:27:01

11AX80MIMO-Ant1-5290




Date: 27.DEC.2023 09:30:40

11AX80MIMO-Ant2-5290




Date: 27.DEC.2023 09:33:23

11AX80MIMO-Ant1-5530




Date: 27.DEC.2023 09:36:47

11AX80MIMO-Ant2-5530



Date: 27.DEC.2023 09:39:27



## 6.6. Band Edges Compliance

### 6.6.1 Measurement Limit

Above 1G, non-restricted band

| Standard  | EIRP Limit   |
|-----------|--------------|
| 15.407(b) | < -27dBm/MHz |

Above 1G, Restricted band

| Standard  | EIRP Limit   |          |
|-----------|--------------|----------|
| 15.407(b) | < -27dBm/MHz |          |
| 15.209    | Peak         | 74dBμV/m |
|           | Average      | 54dBμV/m |

$$\text{EIRP[dBm]} = \text{E[dB}\mu\text{V/m]} + 20 \log(d[\text{m}]) - 104.7$$

$$\text{E[dB}\mu\text{V/m]} = \text{EIRP[dBm]} - 20 \log(d[\text{m}]) + 104.7$$

$$\text{E[dB}\mu\text{V/m]} = \text{EIRP[dBm]} + 95.2 = 68.2, \text{ for } d = 3\text{m}$$

### 6.6.2 Test Procedure

The measurement is made according to KDB 789033.

Marker-Delta Method: The marker-delta method, as described in ANSI C63.10, can be used to perform measurements of the radiated unwanted emissions level of emissions provided that the 99% occupied bandwidth of the fundamental is within 2 MHz of the authorized band-edge.

Procedure for peak unwanted emissions measurements above 1000 MHz

The procedure for peak unwanted emissions measurements above 1000 MHz is as follows:

a) Follow the requirements in 12.7.4.

b) Peak emission levels are measured by setting the instrument as follows:

- 1) RBW = 1 MHz.
- 2) VBW  $\geq [3 \times \text{RBW}]$ .
- 3) Detector = peak.
- 4) Sweep time = auto.
- 5) Trace mode = max hold.

6) Allow sweeps to continue until the trace stabilizes. Note that if the transmission is not continuous, then the time required for the trace to stabilize will increase by a factor of approximately  $1/D$ , where  $D$  is the duty cycle. For example, at 50% duty cycle, the measurement time will increase by a factor of two, relative to measurement time for continuous transmission.

Procedures for average unwanted emissions measurements above 1000 MHz



a) RBW = 1 MHz.

b) Video bandwidth:

1) If the EUT is configured to transmit with  $D \geq 98\%$ , then set  $VBW \leq RBW / 100$  (i.e., 10 kHz), but not less than 10 Hz.

2) If the EUT  $D$  is  $< 98\%$ , then set  $VBW \geq 1 / T$ , where  $T$  is defined in item a1) of 12.2.

c) Video bandwidth mode or display mode:

1) The instrument shall be set with video filtering applied in the power domain. Typically, this requires setting the detector mode to RMS (power averaging) and setting the average-VBW type to power (rms).

2) As an alternative, the instrument may be set to linear detector mode. Video filtering shall be applied in linear voltage domain (rather than in a log or dB domain). Some instruments require linear display mode to accomplish this. Others have a setting for average-VBW type, which can be set to "voltage" regardless of the display mode.

d) Detector = peak.

e) Sweep time = auto.

f) Trace mode = max hold.


g) Allow max hold to run for at least 50 traces if the transmitted signal is continuous or has at least 98% duty cycle. For lower duty cycles, increase the minimum number of traces by a factor of  $1/x$ , where  $D$  is the duty cycle. For example, use at least 200 traces if the duty cycle is 25%. (If a specific emission is demonstrated to be continuous—i.e., 100% duty cycle—then rather than turning ON and OFF with the transmit cycle, at least 50 traces should be averaged.)

The measurement was applied in a fully anechoic chamber. While testing for spurious emission higher than 1GHz, if applied, the pre-amplifier would be equipped just at the output terminal of the antenna. Tabletop devices shall be placed on a nonconducting platform with nominal top surface dimensions 1 m by 1.5 m. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turntable rotated 360 degrees to determine the position of the maximum emission level. The EUT was set 3 meters away from the receiving antenna which was mounted on an antenna mast. During the tests, the antenna height varied from 1m to 4m and the EUT azimuth were varied from  $0^\circ$  to  $360^\circ$  in order to identify the maximum level of emissions from the EUT. In making any tests involving handheld, body-worn, or ceiling-mounted equipment, it is essential to recognize that the measured levels may be dependent on the orientation (attitude) of the three orthogonal axes of the EUT. Thus, exploratory tests as specified in 8.3.1 shall be carried out for various axes orientations to determine the attitude having maximum or near-maximum emission level. This





maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

### 6.6.3 Test Setup




### 6.6.4 Measurement Result







Bandedge-11A-CH140-AV




Bandedge-11A-CH140-PK




Bandedge-11N-CH36-AV




Bandedge-11N-CH36-PK



Bandedge-11N-CH48-AV




Bandedge-11N-CH48-PK







Bandedge-11N-CH52-AV




Bandedge-11N-CH52-PK




Bandedge-11N-CH64-AV




Bandedge-11N-CH64-PK



Bandedge-11N-CH100-AV




Bandedge-11N-CH100-PK







Bandedge-11N-CH140-AV




Bandedge-11N-CH140-PK




Bandedge-11N(40M)-CH38-AV-YLD




Bandedge-11N(40M)-CH38-PK




Bandedge-11N(40M)-CH46-AV




Bandedge-11N(40M)-CH46-PK




Bandedge-11N(40M)-CH54-AV




Bandedge-11N(40M)-CH54-PK




Bandedge-11N(40M)-CH62-AV-YLD



Bandedge-11N(40M)-CH62-PK



Bandedge-11N(40M)-CH102-AV



Bandedge-11N(40M)-CH102-PK

