




















11AC20MIMO_Ant1_2412_30~1000




11AC20MIMO_Ant1_2412_1000~26500






11AC20MIMO_Ant2_2412_30~1000




11AC20MIMO_Ant2_2412_1000~26500






11AC20MIMO_Ant1_2437_30~1000




11AC20MIMO_Ant1_2437_1000~26500






11AC20MIMO_Ant2_2437_30~1000




11AC20MIMO_Ant2_2437_1000~26500






11AC20MIMO_Ant1_2462_30~1000




11AC20MIMO_Ant1_2462_1000~26500






11AC20MIMO_Ant2_2462_30~1000




11AC20MIMO_Ant2_2462_1000~26500






11AC40MIMO_Ant1_2422_30~1000




11AC40MIMO_Ant1_2422_1000~26500






11AC40MIMO_Ant2_2422_30~1000




11AC40MIMO_Ant2_2422_1000~26500






11AC40MIMO_Ant1_2437_30~1000




11AC40MIMO_Ant1_2437_1000~26500






11AC40MIMO_Ant2_2437_30~1000




11AC40MIMO_Ant2_2437_1000~26500






11AC40MIMO_Ant1_2452_30~1000




11AC40MIMO_Ant1_2452_1000~26500






11AC40MIMO_Ant2_2452_30~1000




11AC40MIMO_Ant2_2452_1000~26500






11AX20MIMO_Ant1_2412_30~1000




11AX20MIMO_Ant1_2412_1000~26500






11AX20MIMO_Ant2_2412_30~1000




11AX20MIMO_Ant2_2412_1000~26500






11AX20MIMO_Ant1_2437_30~1000




11AX20MIMO_Ant1_2437_1000~26500






11AX20MIMO_Ant2_2437_30~1000




11AX20MIMO_Ant2_2437_1000~26500






11AX20MIMO_Ant1_2462_30~1000




11AX20MIMO_Ant1_2462_1000~26500






11AX20MIMO_Ant2_2462_30~1000




11AX20MIMO_Ant2_2462_1000~26500






11AX40MIMO_Ant1_2422_30~1000




11AX40MIMO_Ant1_2422_1000~26500






11AX40MIMO_Ant2_2422_30~1000




11AX40MIMO_Ant2_2422_1000~26500






11AX40MIMO_Ant1_2437_30~1000




11AX40MIMO_Ant1_2437_1000~26500






11AX40MIMO_Ant2_2437_30~1000




11AX40MIMO_Ant2_2437_1000~26500






11AX40MIMO_Ant1_2452_30~1000




11AX40MIMO_Ant1_2452_1000~26500






11AX40MIMO_Ant2_2452_30~1000



11AX40MIMO_Ant2_2452_1000~26500




**Maximum power spectral density for Partial RU****Test Result**

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant1	2412	26Tone	RU0	-14.31	≤8.00	PASS
			52Tone	RU37	-14.35	≤8.00	PASS
			106Tone	RU53	-14.21	≤8.00	PASS
	Ant2	2412	26Tone	RU0	-14.92	≤8.00	PASS
			52Tone	RU37	-15.16	≤8.00	PASS
			106Tone	RU53	-15.10	≤8.00	PASS
	total	2412	26Tone	RU0	-11.59	≤8.00	PASS
			52Tone	RU37	-11.73	≤8.00	PASS
			106Tone	RU53	-11.62	≤8.00	PASS
	Ant1	2437	26Tone	RU0	-12.26	≤8.00	PASS
			52Tone	RU37	-12.41	≤8.00	PASS
			106Tone	RU53	-11.83	≤8.00	PASS
	Ant2	2437	26Tone	RU0	-12.51	≤8.00	PASS
			52Tone	RU37	-12.45	≤8.00	PASS
			106Tone	RU53	-12.17	≤8.00	PASS
	total	2437	26Tone	RU0	-9.37	≤8.00	PASS
			52Tone	RU37	-9.42	≤8.00	PASS
			106Tone	RU53	-8.99	≤8.00	PASS
	Ant1	2462	26Tone	RU8	-15.40	≤8.00	PASS
			52Tone	RU40	-15.32	≤8.00	PASS
			106Tone	RU54	-15.10	≤8.00	PASS
	Ant2	2462	26Tone	RU8	-15.94	≤8.00	PASS
			52Tone	RU40	-15.72	≤8.00	PASS
			106Tone	RU54	-15.44	≤8.00	PASS
	total	2462	26Tone	RU8	-12.65	≤8.00	PASS
			52Tone	RU40	-12.51	≤8.00	PASS
			106Tone	RU54	-12.26	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant1_2412_106Tone_RU53




11AX20MIMO_Ant2_2412_26Tone_RU0






11AX20MIMO_Ant2_2412_52Tone_RU37




11AX20MIMO_Ant2_2412_106Tone_RU53






11AX20MIMO_Ant1_2437_26Tone_RU0




11AX20MIMO_Ant1_2437_52Tone_RU37






11AX20MIMO_Ant1_2437_106Tone_RU53



Date: 16.APR.2024 21:35:57


11AX20MIMO_Ant2_2437_26Tone_RU0




Date: 16.APR.2024 21:29:18



11AX20MIMO_Ant2_2437_52Tone_RU37




11AX20MIMO_Ant2_2437_106Tone_RU53






11AX20MIMO_Ant1_2462_26Tone_RU8




11AX20MIMO_Ant1_2462_52Tone_RU40






11AX20MIMO_Ant1_2462_106Tone_RU54



Date: 16.APR.2024 21:45:21


11AX20MIMO_Ant2_2462_26Tone_RU8




Date: 16.APR.2024 21:42:17



11AX20MIMO_Ant2_2462_52Tone_RU40




11AX20MIMO_Ant2_2462_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.181	48.75	-15.71	64.46	38.30	0.04	10.41	QP
2	0.181	32.05	-22.41	54.46	21.60	0.04	10.41	Average
3	0.259	45.50	-15.97	61.47	35.10	0.04	10.36	QP
4	0.259	32.00	-19.47	51.47	21.60	0.04	10.36	Average
5	0.332	43.94	-15.46	59.40	33.60	0.03	10.31	QP
6	0.332	30.64	-18.76	49.40	20.30	0.03	10.31	Average
7 *	0.402	42.48	-15.33	57.81	32.20	0.00	10.28	QP
8	0.402	29.18	-18.63	47.81	18.90	0.00	10.28	Average
9	0.471	40.41	-16.08	56.49	30.19	-0.02	10.24	QP
10	0.471	28.41	-18.08	46.49	18.19	-0.02	10.24	Average
11	0.544	39.46	-16.54	56.00	29.30	-0.04	10.20	QP
12	0.544	29.56	-16.44	46.00	19.40	-0.04	10.20	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.179	49.06	-15.49	64.55	38.60	0.05	10.41	QP
2	0.179	33.06	-21.49	54.55	22.60	0.05	10.41	Average
3	0.247	44.87	-16.99	61.86	34.50	0.00	10.37	QP
4	0.247	31.67	-20.19	51.86	21.30	0.00	10.37	Average
5	0.327	41.77	-17.76	59.53	31.50	-0.05	10.32	QP
6	0.327	30.87	-18.66	49.53	20.60	-0.05	10.32	Average
7	0.406	39.42	-18.31	57.73	29.20	-0.06	10.28	QP
8	0.406	30.82	-16.91	47.73	20.60	-0.06	10.28	Average
9	0.471	39.37	-17.12	56.49	29.20	-0.07	10.24	QP
10	0.471	29.47	-17.02	46.49	19.30	-0.07	10.24	Average
11	0.544	38.93	-17.07	56.00	28.80	-0.07	10.20	QP
12	0.544	29.43	-16.57	46.00	19.30	-0.07	10.20	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 1+2	802.11b	01	2412	MCS0	-	-
Mode 2	2400-2483.5	CDD 1+2	802.11b	06	2437	MCS0	-	-
Mode 3	2400-2483.5	CDD 1+2	802.11b	11	2462	MCS0	-	-
Mode 4	2400-2483.5	CDD 1+2	802.11g	01	2412	MCS0	-	-
Mode 5	2400-2483.5	CDD 1+2	802.11g	06	2437	MCS0	-	-
Mode 6	2400-2483.5	CDD 1+2	802.11g	11	2462	MCS0	-	-
Mode 7	2400-2483.5	CDD 1+2	802.11ac VHT20	01	2412	MCS0	-	-
Mode 8	2400-2483.5	CDD 1+2	802.11ac VHT20	06	2437	MCS0	-	-
Mode 9	2400-2483.5	CDD 1+2	802.11ac VHT20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	CDD 1+2	802.11ac VHT40	03	2422	MCS0	-	-
Mode 11	2400-2483.5	CDD 1+2	802.11ac VHT40	06	2437	MCS0	-	-
Mode 12	2400-2483.5	CDD 1+2	802.11ac VHT40	09	2452	MCS0	-	-
Mode 13	2400-2483.5	CDD 1+2	802.11ax HE20	01	2412	MCS0	-	-
Mode 14	2400-2483.5	CDD 1+2	802.11ax HE20	06	2437	MCS0	-	-
Mode 15	2400-2483.5	CDD 1+2	802.11ax HE20	11	2462	MCS0	-	-
Mode 16	2400-2483.5	CDD 1+2	802.11ax HE20	01	2412	MCS0	Partial RU26/0	-
Mode 17	2400-2483.5	CDD 1+2	802.11ax HE20	01	2412	MCS0	Partial RU52/37	-
Mode 18	2400-2483.5	CDD 1+2	802.11ax HE20	01	2412	MCS0	Partial RU106/53	-
Mode 19	2400-2483.5	CDD 1+2	802.11ax HE20	11	2462	MCS0	Partial RU26/8	-
Mode 20	2400-2483.5	CDD 1+2	802.11ax HE20	11	2462	MCS0	Partial RU52/40	-
Mode 21	2400-2483.5	CDD 1+2	802.11ax HE20	11	2462	MCS0	Partial RU106/54	-
Mode 22	2400-2483.5	CDD 1+2	802.11ax HE40	03	2422	MCS0	-	-
Mode 23	2400-2483.5	CDD 1+2	802.11ax HE40	06	2437	MCS0	-	-
Mode 24	2400-2483.5	CDD 1+2	802.11ax HE40	09	2452	MCS0	-	-

CO-location

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 25	2400-2483.5	0	Bluetooth-LE	39	2480	1Mbps	-	-
	2400-2483.5	CDD 1+2	802.11ax HE40	09	2452	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2386.05	53.25	54.00	-0.75	H	AVERAGE	Pass	Band Edge
	802.11b	01	4990.00	48.32	74.00	-25.68	H	PEAK	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	4990.00	48.84	74.00	-25.16	H	PEAK	Pass	Harmonic
3	802.11b	11	2487.82	53.38	54.00	-0.62	H	AVERAGE	Pass	Band Edge
	802.11b	11	4990.00	48.55	74.00	-25.45	H	PEAK	Pass	Harmonic
4	802.11g	01	2389.95	53.01	54.00	-0.99	H	AVERAGE	Pass	Band Edge
	802.11g	01	4990.00	48.39	74.00	-25.61	H	PEAK	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
	802.11g	06	4990.00	48.18	74.00	-25.82	H	PEAK	Pass	Harmonic
6	802.11g	11	2483.56	52.83	54.00	-1.17	H	AVERAGE	Pass	Band Edge
	802.11g	11	4990.00	48.09	74.00	-25.91	H	PEAK	Pass	Harmonic
7	802.11ac VHT20	01	2389.56	52.91	54.00	-1.09	H	AVERAGE	Pass	Band Edge
	802.11ac VHT20	01	-	-	-	-	-	-	-	Harmonic
8	802.11ac VHT20	06	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	06	4990.00	48.94	74.00	-25.06	H	PEAK	Pass	Harmonic
9	802.11ac VHT20	11	2483.50	52.69	54.00	-1.31	V	AVERAGE	Pass	Band Edge
	802.11ac VHT20	11	4990.00	48.63	74.00	-25.37	H	PEAK	Pass	Harmonic
10	802.11ac VHT40	03	2385.66	53.35	54.00	-0.65	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	03	4990.00	48.02	74.00	-25.98	H	PEAK	Pass	Harmonic
11	802.11ac VHT40	06	2484.70	52.79	54.00	-1.21	V	AVERAGE	Pass	Band Edge
	802.11ac VHT40	06	4990.00	47.92	74.00	-26.08	H	PEAK	Pass	Harmonic
12	802.11ac VHT40	09	2488.12	52.87	54.00	-1.13	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	09	4990.00	48.58	74.00	-25.42	H	PEAK	Pass	Harmonic
13	802.11ax HE20	01	2389.95	53.34	54.00	-0.66	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	4990.00	48.61	74.00	-25.39	H	PEAK	Pass	Harmonic
14	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	06	4990.00	48.81	74.00	-25.19	H	PEAK	Pass	Harmonic
15	802.11ax HE20	11	2484.10	53.22	54.00	-0.78	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4990.00	48.90	74.00	-25.10	H	PEAK	Pass	Harmonic
16	802.11ax HE20	01	2387.09	42.88	54.00	-11.12	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	01	2389.30	43.02	54.00	-10.98	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
18	802.11ax HE20	01	2389.95	43.94	54.00	-10.06	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
19	802.11ax HE20	11	2495.80	42.82	54.00	-11.18	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	11	2498.14	42.95	54.00	-11.05	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	11	2483.56	43.14	54.00	-10.86	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE40	03	2388.39	52.95	54.00	-1.05	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	03	4990.00	48.37	74.00	-25.63	V	PEAK	Pass	Harmonic
23	802.11ax HE40	06	2485.18	52.93	54.00	-1.07	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	06	4990.00	48.91	74.00	-25.09	H	PEAK	Pass	Harmonic
24	802.11ax HE40	09	2485.78	53.47	54.00	-0.53	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	4990.00	48.71	74.00	-25.29	H	PEAK	Pass	Harmonic





CO-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
25	Bluetooth-LE	39	2483.50	53.33	54.00	-0.67	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	4990.00	49.96	74.00	-24.04	H	PEAK	Pass	Harmonic
	802.11ax HE40	09	2486.98	48.96	54.00	-5.04	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	4990.00	49.96	74.00	-24.04	H	PEAK	Pass	Harmonic



Mode	1																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2385.92 MHz. A red line indicates the FCC PART 15C limit at 65.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.92</td><td>60.66</td><td>74.00</td><td>-13.34</td><td>44.45</td><td>32.37</td><td>8.77</td><td>30.93</td><td>6.00</td><td>124</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.92	60.66	74.00	-13.34	44.45	32.37	8.77	30.93	6.00	124	0 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2412.00 MHz. A red line indicates the FCC PART 15C limit at 65.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.65</td><td>-----</td><td>-----</td><td>90.37</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>124</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.65	-----	-----	90.37	32.40	8.82	30.94	6.00	124	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2385.92	60.66	74.00	-13.34	44.45	32.37	8.77	30.93	6.00	124	0 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2412.00	106.65	-----	-----	90.37	32.40	8.82	30.94	6.00	124	0 PEAK																																																																																																			
Avg	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2386.05 MHz. A red line indicates the FCC PART 15C (AVG) limit at 48.8 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.05</td><td>53.25</td><td>54.00</td><td>-0.75</td><td>37.04</td><td>32.37</td><td>8.77</td><td>30.93</td><td>6.00</td><td>124</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	53.25	54.00	-0.75	37.04	32.37	8.77	30.93	6.00	124	0 AVERAGE	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2412.00 MHz. A red line indicates the FCC PART 15C (AVG) limit at 48.8 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>101.70</td><td>-----</td><td>-----</td><td>85.42</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>124</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.70	-----	-----	85.42	32.40	8.82	30.94	6.00	124	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2386.05	53.25	54.00	-0.75	37.04	32.37	8.77	30.93	6.00	124	0 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2412.00	101.70	-----	-----	85.42	32.40	8.82	30.94	6.00	124	0 AVERAGE																																																																																																			





Mode	1																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.44</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>41.18</td><td>32.37</td><td>8.77</td><td>30.93</td><td>6.00</td><td>286</td><td>266</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	57.39	74.00	-16.61	41.18	32.37	8.77	30.93	6.00	286	266	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.75</td><td>-----</td><td>-----</td><td>92.46</td><td>32.40</td><td>8.82</td><td>30.93</td><td>6.00</td><td>286</td><td>266</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.75	-----	-----	92.46	32.40	8.82	30.93	6.00	286	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.44	57.39	74.00	-16.61	41.18	32.37	8.77	30.93	6.00	286	266	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	108.75	-----	-----	92.46	32.40	8.82	30.93	6.00	286	266	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.05</td><td>46.50</td><td>54.00</td><td>-7.50</td><td>30.29</td><td>32.37</td><td>8.77</td><td>30.93</td><td>6.00</td><td>286</td><td>266</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	46.50	54.00	-7.50	30.29	32.37	8.77	30.93	6.00	286	266	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.54</td><td>-----</td><td>-----</td><td>87.25</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>286</td><td>266</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.54	-----	-----	87.25	32.40	8.83	30.94	6.00	286	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.05	46.50	54.00	-7.50	30.29	32.37	8.77	30.93	6.00	286	266	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	103.54	-----	-----	87.25	32.40	8.83	30.94	6.00	286	266	AVERAGE																																																																																																			







Mode	1																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																														
ANT	CDD 1+2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4824.00</td><td>39.85</td><td>74.00</td><td>-34.15</td><td>58.87</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>67.34</td><td>34.06</td><td>12.26</td><td>65.34</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.85	74.00	-34.15	58.87	34.25	12.38	65.65	0.00	--	--	PEAK	2	4990.00	48.32	74.00	-25.68	67.34	34.06	12.26	65.34	0.00	300	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4824.00</td><td>38.82</td><td>74.00</td><td>-35.18</td><td>57.84</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>40.91</td><td>74.00</td><td>-33.09</td><td>59.93</td><td>34.06</td><td>12.26</td><td>65.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	38.82	74.00	-35.18	57.84	34.25	12.38	65.65	0.00	--	--	PEAK	2	4990.00	40.91	74.00	-33.09	59.93	34.06	12.26	65.34	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	4824.00	39.85	74.00	-34.15	58.87	34.25	12.38	65.65	0.00	--	--	PEAK																																																																																																																			
2	4990.00	48.32	74.00	-25.68	67.34	34.06	12.26	65.34	0.00	300	360	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4824.00	38.82	74.00	-35.18	57.84	34.25	12.38	65.65	0.00	--	--	PEAK																																																																																																																			
2	4990.00	40.91	74.00	-33.09	59.93	34.06	12.26	65.34	0.00	100	360	PEAK																																																																																																																			







Mode	2																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																																				
ANT	CDD 1+2																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>42.11</td><td>74.00</td><td>-31.89</td><td>61.38</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.84</td><td>74.00</td><td>-25.16</td><td>67.85</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>58.18</td><td>35.80</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4874.00	42.11	74.00	-31.89	61.38	34.20	12.09	65.56	0.00	--	--	PEAK	2	4990.00	48.84	74.00	-25.16	67.85	34.07	12.26	65.34	0.00	300	360	PEAK	3	7311.00	44.10	74.00	-29.90	58.18	35.80	14.95	64.83	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>39.43</td><td>74.00</td><td>-34.57</td><td>58.70</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>59.95</td><td>34.06</td><td>12.27</td><td>65.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>55.75</td><td>35.80</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4874.00	39.43	74.00	-34.57	58.70	34.20	12.09	65.56	0.00	--	--	PEAK	2	4990.00	40.94	74.00	-33.06	59.95	34.06	12.27	65.34	0.00	100	360	PEAK	3	7311.00	41.67	74.00	-32.33	55.75	35.80	14.95	64.83	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	4874.00	42.11	74.00	-31.89	61.38	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																																									
2	4990.00	48.84	74.00	-25.16	67.85	34.07	12.26	65.34	0.00	300	360	PEAK																																																																																																																																																									
3	7311.00	44.10	74.00	-29.90	58.18	35.80	14.95	64.83	0.00	--	--	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	4874.00	39.43	74.00	-34.57	58.70	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																																									
2	4990.00	40.94	74.00	-33.06	59.95	34.06	12.27	65.34	0.00	100	360	PEAK																																																																																																																																																									
3	7311.00	41.67	74.00	-32.33	55.75	35.80	14.95	64.83	0.00	--	--	PEAK																																																																																																																																																									





Mode	3																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.22</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>44.02</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>112</td><td>128</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.22	60.33	74.00	-13.67	44.02	32.40	8.88	30.97	6.00	112	128	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.49</td><td>-----</td><td>-----</td><td>93.16</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>112</td><td>128</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.49	-----	-----	93.16	32.40	8.89	30.96	6.00	112	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2487.22	60.33	74.00	-13.67	44.02	32.40	8.88	30.97	6.00	112	128	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	109.49	-----	-----	93.16	32.40	8.89	30.96	6.00	112	128	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.82</td><td>53.38</td><td>54.00</td><td>-0.62</td><td>37.07</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>112</td><td>128</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.82	53.38	54.00	-0.62	37.07	32.40	8.88	30.97	6.00	112	128	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.41</td><td>-----</td><td>-----</td><td>88.08</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>112</td><td>128</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.41	-----	-----	88.08	32.40	8.89	30.96	6.00	112	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2487.82	53.38	54.00	-0.62	37.07	32.40	8.88	30.97	6.00	112	128	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	104.41	-----	-----	88.08	32.40	8.89	30.96	6.00	112	128	AVERAGE																																																																																																			







Mode	3																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>59.35</td><td>74.00</td><td>-14.65</td><td>43.04</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>283</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	59.35	74.00	-14.65	43.04	32.40	8.88	30.97	6.00	283	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.68	59.35	74.00	-14.65	43.04	32.40	8.88	30.97	6.00	283	272	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.13</td><td>-----</td><td>-----</td><td>92.80</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>283</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.13	-----	-----	92.80	32.40	8.89	30.96	6.00	283	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	109.13	-----	-----	92.80	32.40	8.89	30.96	6.00	283	272	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.88</td><td>49.40</td><td>54.00</td><td>-4.60</td><td>33.09</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>283</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.88	49.40	54.00	-4.60	33.09	32.40	8.88	30.97	6.00	283	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2487.88	49.40	54.00	-4.60	33.09	32.40	8.88	30.97	6.00	283	272	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.87</td><td>-----</td><td>-----</td><td>87.54</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>283</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.87	-----	-----	87.54	32.40	8.89	30.96	6.00	283	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	103.87	-----	-----	87.54	32.40	8.89	30.96	6.00	283	272	AVERAGE																																											



Mode	3																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																																				
ANT	CDD 1+2																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>39.90</td><td>74.00</td><td>-34.10</td><td>59.11</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.55</td><td>74.00</td><td>-25.45</td><td>67.56</td><td>34.05</td><td>12.28</td><td>65.34</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>42.83</td><td>74.00</td><td>-31.17</td><td>57.20</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	39.90	74.00	-34.10	59.11	34.25	12.00	65.46	0.00	--	--	PEAK	2	4990.00	48.55	74.00	-25.45	67.56	34.05	12.28	65.34	0.00	300	360	PEAK	3	7386.00	42.83	74.00	-31.17	57.20	35.80	14.87	65.04	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>40.10</td><td>74.00</td><td>-33.90</td><td>59.31</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>59.51</td><td>34.07</td><td>12.26</td><td>65.35</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>43.24</td><td>74.00</td><td>-30.76</td><td>57.61</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	40.10	74.00	-33.90	59.31	34.25	12.00	65.46	0.00	--	--	PEAK	2	4990.00	40.49	74.00	-33.51	59.51	34.07	12.26	65.35	0.00	100	360	PEAK	3	7386.00	43.24	74.00	-30.76	57.61	35.80	14.87	65.04	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	39.90	74.00	-34.10	59.11	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																																																									
2	4990.00	48.55	74.00	-25.45	67.56	34.05	12.28	65.34	0.00	300	360	PEAK																																																																																																																																																									
3	7386.00	42.83	74.00	-31.17	57.20	35.80	14.87	65.04	0.00	--	--	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	40.10	74.00	-33.90	59.31	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																																																									
2	4990.00	40.49	74.00	-33.51	59.51	34.07	12.26	65.35	0.00	100	360	PEAK																																																																																																																																																									
3	7386.00	43.24	74.00	-30.76	57.61	35.80	14.87	65.04	0.00	--	--	PEAK																																																																																																																																																									





Mode	4																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																												
ANT	CDD 1+2																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>66.48</td><td>74.00</td><td>-7.52</td><td>50.26</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>125</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	66.48	74.00	-7.52	50.26	32.38	8.77	30.93	6.00	125	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.50</td><td>-----</td><td>-----</td><td>92.21</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>125</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.50	-----	-----	92.21	32.40	8.83	30.94	6.00	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.17	66.48	74.00	-7.52	50.26	32.38	8.77	30.93	6.00	125	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2412.00	108.50	-----	-----	92.21	32.40	8.83	30.94	6.00	125	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>53.01</td><td>54.00</td><td>-0.99</td><td>36.78</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>125</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.01	54.00	-0.99	36.78	32.38	8.78	30.93	6.00	125	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.51</td><td>-----</td><td>-----</td><td>83.22</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>125</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.51	-----	-----	83.22	32.40	8.83	30.94	6.00	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.95	53.01	54.00	-0.99	36.78	32.38	8.78	30.93	6.00	125	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2412.00	99.51	-----	-----	83.22	32.40	8.83	30.94	6.00	125	0 AVERAGE																																																																																																		





Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>58.21</td><td>74.00</td><td>-15.79</td><td>41.98</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>286</td><td>265</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	58.21	74.00	-15.79	41.98	32.38	8.78	30.93	6.00	286	265	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.59</td><td>-----</td><td>-----</td><td>94.30</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>286</td><td>265</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.59	-----	-----	94.30	32.40	8.83	30.94	6.00	286	265	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.69	58.21	74.00	-15.79	41.98	32.38	8.78	30.93	6.00	286	265	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	110.59	-----	-----	94.30	32.40	8.83	30.94	6.00	286	265	PEAK																																																																														
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.81</td><td>54.00</td><td>-5.19</td><td>32.58</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>286</td><td>265</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.81	54.00	-5.19	32.58	32.38	8.78	30.93	6.00	286	265	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.65</td><td>-----</td><td>-----</td><td>85.36</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>286</td><td>265</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.65	-----	-----	85.36	32.40	8.83	30.94	6.00	286	265	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.95	48.81	54.00	-5.19	32.58	32.38	8.78	30.93	6.00	286	265	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	101.65	-----	-----	85.36	32.40	8.83	30.94	6.00	286	265	AVERAGE																																																																														







Mode	4																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																					
ANT	CDD 1+2																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>59.16</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.39</td><td>74.00</td><td>-25.61</td><td>67.40</td><td>34.05</td><td>12.28</td><td>65.34</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.14	74.00	-33.86	59.16	34.25	12.38	65.65	0.00	--	--	PEAK	2	4990.00	48.39	74.00	-25.61	67.40	34.05	12.28	65.34	0.00	100	0	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.18</td><td>74.00</td><td>-34.82</td><td>58.20</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>59.63</td><td>34.05</td><td>12.28</td><td>65.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	39.18	74.00	-34.82	58.20	34.25	12.38	65.65	0.00	--	--	PEAK	2	4990.00	40.62	74.00	-33.38	59.63	34.05	12.28	65.34	0.00	100	360	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	4824.00	40.14	74.00	-33.86	59.16	34.25	12.38	65.65	0.00	--	--	PEAK																																																																																																																										
2	4990.00	48.39	74.00	-25.61	67.40	34.05	12.28	65.34	0.00	100	0	PEAK																																																																																																																										
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	4824.00	39.18	74.00	-34.82	58.20	34.25	12.38	65.65	0.00	--	--	PEAK																																																																																																																										
2	4990.00	40.62	74.00	-33.38	59.63	34.05	12.28	65.34	0.00	100	360	PEAK																																																																																																																										



Mode	5																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																						
ANT	CDD 1+2																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>59.81</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>67.21</td><td>34.07</td><td>12.25</td><td>65.35</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>59.44</td><td>35.00</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.54	74.00	-33.46	59.81	34.20	12.09	65.56	0.00	--	--	PEAK	2	4990.00	48.18	74.00	-25.82	67.21	34.07	12.25	65.35	0.00	100	0	PEAK	3	7311.00	45.36	74.00	-28.64	59.44	35.00	14.95	64.83	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>39.34</td><td>74.00</td><td>-34.66</td><td>58.61</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>59.55</td><td>34.05</td><td>12.28</td><td>65.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>57.26</td><td>35.00</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	39.34	74.00	-34.66	58.61	34.20	12.09	65.56	0.00	--	--	PEAK	2	4990.00	40.54	74.00	-33.46	59.55	34.05	12.28	65.34	0.00	100	360	PEAK	3	7311.00	43.18	74.00	-30.82	57.26	35.00	14.95	64.83	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4874.00	40.54	74.00	-33.46	59.81	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																											
2	4990.00	48.18	74.00	-25.82	67.21	34.07	12.25	65.35	0.00	100	0	PEAK																																																																																																																																											
3	7311.00	45.36	74.00	-28.64	59.44	35.00	14.95	64.83	0.00	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4874.00	39.34	74.00	-34.66	58.61	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																											
2	4990.00	40.54	74.00	-33.46	59.55	34.05	12.28	65.34	0.00	100	360	PEAK																																																																																																																																											
3	7311.00	43.18	74.00	-30.82	57.26	35.00	14.95	64.83	0.00	--	--	PEAK																																																																																																																																											





Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>64.20</td><td>74.00</td><td>-9.80</td><td>47.89</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>113</td><td>130</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	64.20	74.00	-9.80	47.89	32.40	8.88	30.97	6.00	113	130	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.42</td><td>-----</td><td>-----</td><td>94.09</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>113</td><td>130</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.42	-----	-----	94.09	32.40	8.89	30.96	6.00	113	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.28	64.20	74.00	-9.80	47.89	32.40	8.88	30.97	6.00	113	130	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	110.42	-----	-----	94.09	32.40	8.89	30.96	6.00	113	130	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>52.83</td><td>54.00</td><td>-1.17</td><td>36.52</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>113</td><td>130</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	52.83	54.00	-1.17	36.52	32.40	8.88	30.97	6.00	113	130	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.45</td><td>-----</td><td>-----</td><td>85.11</td><td>32.40</td><td>8.90</td><td>30.96</td><td>6.00</td><td>113</td><td>130</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.45	-----	-----	85.11	32.40	8.90	30.96	6.00	113	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.56	52.83	54.00	-1.17	36.52	32.40	8.88	30.97	6.00	113	130	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	101.45	-----	-----	85.11	32.40	8.90	30.96	6.00	113	130	AVERAGE																																																																																							







Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.58</td><td>63.70</td><td>74.00</td><td>-10.30</td><td>47.39</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>273</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.58	63.70	74.00	-10.30	47.39	32.40	8.88	30.97	6.00	273	265	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>112.36</td><td>-----</td><td>-----</td><td>96.03</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>273</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.36	-----	-----	96.03	32.40	8.89	30.96	6.00	273	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.58	63.70	74.00	-10.30	47.39	32.40	8.88	30.97	6.00	273	265	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	112.36	-----	-----	96.03	32.40	8.89	30.96	6.00	273	265	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>51.25</td><td>54.00</td><td>-2.75</td><td>34.94</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>273</td><td>265</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	51.25	54.00	-2.75	34.94	32.40	8.88	30.97	6.00	273	265	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>102.73</td><td>-----</td><td>-----</td><td>86.40</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>273</td><td>265</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.73	-----	-----	86.40	32.40	8.89	30.96	6.00	273	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	51.25	54.00	-2.75	34.94	32.40	8.88	30.97	6.00	273	265	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	102.73	-----	-----	86.40	32.40	8.89	30.96	6.00	273	265	AVERAGE																																																																																							







Mode	6																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																											
ANT	CDD 1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>59.60</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>67.12</td><td>34.07</td><td>12.25</td><td>65.35</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.00	40.39	74.00	-33.61	59.60	34.25	12.00	65.46	0.00	--	--	PEAK	2	4990.00	48.09	74.00	-25.91	67.12	34.07	12.25	65.35	0.00	100	0	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>40.40</td><td>74.00</td><td>-33.60</td><td>59.61</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>40.86</td><td>74.00</td><td>-33.14</td><td>59.89</td><td>34.07</td><td>12.25</td><td>65.35</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.00	40.40	74.00	-33.60	59.61	34.25	12.00	65.46	0.00	--	--	PEAK	2	4990.00	40.86	74.00	-33.14	59.89	34.07	12.25	65.35	0.00	100	360	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	4924.00	40.39	74.00	-33.61	59.60	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																																
2	4990.00	48.09	74.00	-25.91	67.12	34.07	12.25	65.35	0.00	100	0	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	4924.00	40.40	74.00	-33.60	59.61	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																																
2	4990.00	40.86	74.00	-33.14	59.89	34.07	12.25	65.35	0.00	100	360	PEAK																																																																																																																																





Mode	7																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_802.11ac VHT20_CH01_2412MHz																																																																																																												
ANT	CDD 1+2																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>68.93</td><td>74.00</td><td>-5.07</td><td>52.70</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>100</td><td>113 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	68.93	74.00	-5.07	52.70	32.38	8.78	30.93	6.00	100	113 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.53</td><td>-----</td><td>-----</td><td>94.24</td><td>32.40</td><td>8.82</td><td>30.93</td><td>6.00</td><td>100</td><td>113 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.53	-----	-----	94.24	32.40	8.82	30.93	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.95	68.93	74.00	-5.07	52.70	32.38	8.78	30.93	6.00	100	113 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2412.00	110.53	-----	-----	94.24	32.40	8.82	30.93	6.00	100	113 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.91</td><td>54.00</td><td>-1.09</td><td>36.69</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>100</td><td>113 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.91	54.00	-1.09	36.69	32.38	8.77	30.93	6.00	100	113 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.43</td><td>-----</td><td>-----</td><td>85.14</td><td>32.40</td><td>8.82</td><td>30.93</td><td>6.00</td><td>100</td><td>113 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.43	-----	-----	85.14	32.40	8.82	30.93	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.95	52.91	54.00	-1.09	36.69	32.38	8.77	30.93	6.00	100	113 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2412.00	101.43	-----	-----	85.14	32.40	8.82	30.93	6.00	100	113 AVERAGE																																																																																																		







Mode	7																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11ac VHT20_CH01_2412MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>67.98</td><td>74.00</td><td>-6.02</td><td>51.75</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>288</td><td>263</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	67.98	74.00	-6.02	51.75	32.38	8.78	30.93	6.00	288	263	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.40</td><td>-----</td><td>-----</td><td>95.10</td><td>32.40</td><td>8.84</td><td>30.94</td><td>6.00</td><td>288</td><td>263</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.40	-----	-----	95.10	32.40	8.84	30.94	6.00	288	263
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	67.98	74.00	-6.02	51.75	32.38	8.78	30.93	6.00	288	263	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	111.40	-----	-----	95.10	32.40	8.84	30.94	6.00	288	263	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.49</td><td>54.00</td><td>-1.51</td><td>36.27</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>288</td><td>263</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.49	54.00	-1.51	36.27	32.38	8.77	30.93	6.00	288	263	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.37</td><td>-----</td><td>-----</td><td>86.08</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>288</td><td>263</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.37	-----	-----	86.08	32.40	8.83	30.94	6.00	288	263
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	52.49	54.00	-1.51	36.27	32.38	8.77	30.93	6.00	288	263	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	102.37	-----	-----	86.08	32.40	8.83	30.94	6.00	288	263	AVERAGE																																																																																																			







Mode	8																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11ac VHT20_CH06_2437MHz																																																																																																																																																							
ANT	CDD 1+2																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.13</td><td>74.00</td><td>-33.87</td><td>59.40</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>67.96</td><td>34.05</td><td>12.27</td><td>65.34</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>41.84</td><td>74.00</td><td>-32.16</td><td>55.92</td><td>35.00</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.13	74.00	-33.87	59.40	34.20	12.09	65.56	0.00	--	--	PEAK	2	4990.00	48.94	74.00	-25.06	67.96	34.05	12.27	65.34	0.00	300	360	PEAK	3	7311.00	41.84	74.00	-32.16	55.92	35.00	14.95	64.83	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.17</td><td>74.00</td><td>-33.83</td><td>59.44</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>40.58</td><td>74.00</td><td>-33.42</td><td>59.59</td><td>34.06</td><td>12.27</td><td>65.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>41.44</td><td>74.00</td><td>-32.56</td><td>55.52</td><td>35.00</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.17	74.00	-33.83	59.44	34.20	12.09	65.56	0.00	--	--	PEAK	2	4990.00	40.58	74.00	-33.42	59.59	34.06	12.27	65.34	0.00	100	360	PEAK	3	7311.00	41.44	74.00	-32.56	55.52	35.00	14.95	64.83	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4874.00	40.13	74.00	-33.87	59.40	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																												
2	4990.00	48.94	74.00	-25.06	67.96	34.05	12.27	65.34	0.00	300	360	PEAK																																																																																																																																												
3	7311.00	41.84	74.00	-32.16	55.92	35.00	14.95	64.83	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4874.00	40.17	74.00	-33.83	59.44	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																												
2	4990.00	40.58	74.00	-33.42	59.59	34.06	12.27	65.34	0.00	100	360	PEAK																																																																																																																																												
3	7311.00	41.44	74.00	-32.56	55.52	35.00	14.95	64.83	0.00	--	--	PEAK																																																																																																																																												





Mode	9																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ac VHT20_CH11_2462MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>64.28</td><td>74.00</td><td>-9.72</td><td>47.97</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>118</td><td>250</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	64.28	74.00	-9.72	47.97	32.40	8.88	30.97	6.00	118	250	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>111.65</td><td>-----</td><td>-----</td><td>95.32</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>118</td><td>250</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.65	-----	-----	95.32	32.40	8.89	30.96	6.00	118	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	64.28	74.00	-9.72	47.97	32.40	8.88	30.97	6.00	118	250	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	111.65	-----	-----	95.32	32.40	8.89	30.96	6.00	118	250	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>51.77</td><td>54.00</td><td>-2.23</td><td>35.46</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>118</td><td>250</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	51.77	54.00	-2.23	35.46	32.40	8.88	30.97	6.00	118	250	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>102.45</td><td>-----</td><td>-----</td><td>86.12</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>118</td><td>250</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.45	-----	-----	86.12	32.40	8.89	30.96	6.00	118	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	51.77	54.00	-2.23	35.46	32.40	8.88	30.97	6.00	118	250	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	102.45	-----	-----	86.12	32.40	8.89	30.96	6.00	118	250	AVERAGE																																																																																							







Mode	9																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11ac VHT20_CH11_2462MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>68.18</td><td>74.00</td><td>-5.82</td><td>51.87</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>278</td><td>269</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	68.18	74.00	-5.82	51.87	32.40	8.88	30.97	6.00	278	269	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.30</td><td>-----</td><td>-----</td><td>96.96</td><td>32.40</td><td>8.90</td><td>30.96</td><td>6.00</td><td>278</td><td>269</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.30	-----	-----	96.96	32.40	8.90	30.96	6.00	278	269
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2484.28	68.18	74.00	-5.82	51.87	32.40	8.88	30.97	6.00	278	269	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	113.30	-----	-----	96.96	32.40	8.90	30.96	6.00	278	269	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>36.38</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>278</td><td>269</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	52.69	74.00	-21.31	36.38	32.40	8.88	30.97	6.00	278	269	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.28</td><td>-----</td><td>-----</td><td>87.95</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>278</td><td>269</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.28	-----	-----	87.95	32.40	8.89	30.96	6.00	278	269
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.50	52.69	74.00	-21.31	36.38	32.40	8.88	30.97	6.00	278	269	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	104.28	-----	-----	87.95	32.40	8.89	30.96	6.00	278	269	AVERAGE																																																																																																			





Mode	9																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11ac VHT20_CH11_2462MHz																																																																																																																																																							
ANT	CDD 1+2																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>59.03</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>67.66</td><td>34.07</td><td>12.25</td><td>65.35</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>56.92</td><td>35.00</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	39.82	74.00	-34.18	59.03	34.25	12.00	65.46	0.00	--	--	PEAK	2	4990.00	48.63	74.00	-25.37	67.66	34.07	12.25	65.35	0.00	100	0	PEAK	3	7386.00	42.55	74.00	-31.45	56.92	35.00	14.87	65.04	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.01</td><td>74.00</td><td>-33.99</td><td>59.22</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>41.07</td><td>74.00</td><td>-32.93</td><td>60.08</td><td>34.06</td><td>12.27</td><td>65.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>57.89</td><td>35.00</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.01	74.00	-33.99	59.22	34.25	12.00	65.46	0.00	--	--	PEAK	2	4990.00	41.07	74.00	-32.93	60.08	34.06	12.27	65.34	0.00	100	360	PEAK	3	7386.00	43.52	74.00	-30.48	57.89	35.00	14.87	65.04	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4924.00	39.82	74.00	-34.18	59.03	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																																												
2	4990.00	48.63	74.00	-25.37	67.66	34.07	12.25	65.35	0.00	100	0	PEAK																																																																																																																																												
3	7386.00	42.55	74.00	-31.45	56.92	35.00	14.87	65.04	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4924.00	40.01	74.00	-33.99	59.22	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																																												
2	4990.00	41.07	74.00	-32.93	60.08	34.06	12.27	65.34	0.00	100	360	PEAK																																																																																																																																												
3	7386.00	43.52	74.00	-30.48	57.89	35.00	14.87	65.04	0.00	--	--	PEAK																																																																																																																																												







Mode	10																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_802.11ac VHT40_CH03_2422MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>62.73</td><td>74.00</td><td>-11.27</td><td>46.51</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>141</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	62.73	74.00	-11.27	46.51	32.38	8.77	30.93	6.00	141	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>102.61</td><td>-----</td><td>-----</td><td>86.28</td><td>32.40</td><td>8.88</td><td>30.95</td><td>6.00</td><td>141</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	102.61	-----	-----	86.28	32.40	8.88	30.95	6.00	141	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.78	62.73	74.00	-11.27	46.51	32.38	8.77	30.93	6.00	141	118	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2422.00	102.61	-----	-----	86.28	32.40	8.88	30.95	6.00	141	118	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.66</td><td>53.35</td><td>54.00</td><td>-0.65</td><td>37.14</td><td>32.37</td><td>8.77</td><td>30.93</td><td>6.00</td><td>141</td><td>118</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.66	53.35	54.00	-0.65	37.14	32.37	8.77	30.93	6.00	141	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>93.53</td><td>-----</td><td>-----</td><td>77.20</td><td>32.40</td><td>8.88</td><td>30.95</td><td>6.00</td><td>141</td><td>118</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	93.53	-----	-----	77.20	32.40	8.88	30.95	6.00	141	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2385.66	53.35	54.00	-0.65	37.14	32.37	8.77	30.93	6.00	141	118	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2422.00	93.53	-----	-----	77.20	32.40	8.88	30.95	6.00	141	118	AVERAGE																																																																																																			





Mode	10																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ac VHT40_CH03_2422MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>56.06</td><td>74.00</td><td>-17.94</td><td>39.75</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>141</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.58	56.06	74.00	-17.94	39.75	32.40	8.88	30.97	6.00	141	118	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.58	56.06	74.00	-17.94	39.75	32.40	8.88	30.97	6.00	141	118	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.14</td><td>46.32</td><td>54.00</td><td>-7.68</td><td>30.02</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>141</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.14	46.32	54.00	-7.68	30.02	32.40	8.87	30.97	6.00	141	118	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2492.14	46.32	54.00	-7.68	30.02	32.40	8.87	30.97	6.00	141	118	AVERAGE																																												





Mode	10																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11ac VHT40_CH03_2422MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.39</td><td>58.87</td><td>74.00</td><td>-15.13</td><td>42.65</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>315</td><td>272</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.39	58.87	74.00	-15.13	42.65	32.38	8.77	30.93	6.00	315	272	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>104.12</td><td>-----</td><td>-----</td><td>87.79</td><td>32.40</td><td>8.88</td><td>30.95</td><td>6.00</td><td>315</td><td>272</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	104.12	-----	-----	87.79	32.40	8.88	30.95	6.00	315	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.39	58.87	74.00	-15.13	42.65	32.38	8.77	30.93	6.00	315	272	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	104.12	-----	-----	87.79	32.40	8.88	30.95	6.00	315	272	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.56</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>32.60</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>315</td><td>272</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	48.82	54.00	-5.18	32.60	32.38	8.77	30.93	6.00	315	272	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>95.27</td><td>-----</td><td>-----</td><td>78.95</td><td>32.40</td><td>8.86</td><td>30.94</td><td>6.00</td><td>315</td><td>272</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	95.27	-----	-----	78.95	32.40	8.86	30.94	6.00	315	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.56	48.82	54.00	-5.18	32.60	32.38	8.77	30.93	6.00	315	272	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	95.27	-----	-----	78.95	32.40	8.86	30.94	6.00	315	272	AVERAGE																																																																																							



Mode	10																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ac VHT40_CH03_2422MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.82</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>39.71</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>315</td><td>272</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.82	56.02	74.00	-17.98	39.71	32.40	8.88	30.97	6.00	315	272	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.82	56.02	74.00	-17.98	39.71	32.40	8.88	30.97	6.00	315	272	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.60</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>29.79</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>315</td><td>272</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.60	46.10	54.00	-7.90	29.79	32.40	8.88	30.97	6.00	315	272	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.60	46.10	54.00	-7.90	29.79	32.40	8.88	30.97	6.00	315	272	AVERAGE																																												



Mode	10																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	2400-2483.5_802.11ac VHT40_CH03_2422MHz																																																																																																																																																																				
ANT	CDD 1+2																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4844.00</td><td>40.19</td><td>74.00</td><td>-33.81</td><td>59.37</td><td>34.21</td><td>12.22</td><td>65.61</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>67.04</td><td>34.07</td><td>12.26</td><td>65.35</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>7266.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>57.09</td><td>35.00</td><td>14.81</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4844.00	40.19	74.00	-33.81	59.37	34.21	12.22	65.61	0.00	--	--	PEAK	2	4990.00	48.02	74.00	-25.98	67.04	34.07	12.26	65.35	0.00	100	0	PEAK	3	7266.00	43.00	74.00	-31.00	57.09	35.00	14.81	64.70	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4844.00</td><td>39.69</td><td>74.00</td><td>-34.31</td><td>58.87</td><td>34.21</td><td>12.22</td><td>65.61</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>40.76</td><td>74.00</td><td>-33.24</td><td>59.77</td><td>34.05</td><td>12.28</td><td>65.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7266.00</td><td>42.43</td><td>74.00</td><td>-31.57</td><td>56.52</td><td>35.00</td><td>14.81</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4844.00	39.69	74.00	-34.31	58.87	34.21	12.22	65.61	0.00	--	--	PEAK	2	4990.00	40.76	74.00	-33.24	59.77	34.05	12.28	65.34	0.00	100	360	PEAK	3	7266.00	42.43	74.00	-31.57	56.52	35.00	14.81	64.70	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4844.00	40.19	74.00	-33.81	59.37	34.21	12.22	65.61	0.00	--	--	PEAK																																																																																																																																																									
2	4990.00	48.02	74.00	-25.98	67.04	34.07	12.26	65.35	0.00	100	0	PEAK																																																																																																																																																									
3	7266.00	43.00	74.00	-31.00	57.09	35.00	14.81	64.70	0.00	--	--	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4844.00	39.69	74.00	-34.31	58.87	34.21	12.22	65.61	0.00	--	--	PEAK																																																																																																																																																									
2	4990.00	40.76	74.00	-33.24	59.77	34.05	12.28	65.34	0.00	100	360	PEAK																																																																																																																																																									
3	7266.00	42.43	74.00	-31.57	56.52	35.00	14.81	64.70	0.00	--	--	PEAK																																																																																																																																																									