Calibration Laboratory of Schmid & Partner

Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



s

С

s

Schweizerischer Kallbrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Federal Office of Metrology and Accreditation The Swiss Accreditation Service Is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

sensitivity in free space
diode compression point
φ rotation around probe axis
9 rotation around an axis that is in the plane normal to probe axis (at measurement center), i.e., 9 = 0 is normal to probe axis
information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

 a) IEEE Std 1309-1996, "IEEE Standard for calibration of electromagnetic field sensors and probes, excluding antennas, from 9 kHz to 40 GHz", 1996.

Methods Applied and Interpretation of Parameters:

- X, Y,Z_a0a1a2: Assessed for E-field polarization 3 = 90 for XY sensors and 3 = 0 for Z sensor (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide).
- X, Y,Z(f)_a0a1a2= X, Y, Z_a0a1a2* frequency_response (see Frequency Response Chart).
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep (no uncertainty required). DCP does not depend on frequency.
- Spherical isotropy (3D deviation from isotropy): in a locally homogeneous field realized using an open waveguide setup.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the X_a0a1a2 (no uncertainty required).

Certificate No: H3-6180_Oct04

Page 2 of 8

PCTEST™ HAC REPORT	CAPCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dogo 45 of 69
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 45 01 00
@ 2005 DOTEST Engineering L	aharatan (laa			

Probe H3DV6

SN:6180

Manufactured: Calibrated: July 6, 2004 October 6, 2004

Calibrated for DASY Systems

(Note: non-compatible with DASY2 system!)

Certificate No: H3-6180_Oct04

1

Page 3 of 8

PCTEST™ HAC REPORT	CALCENT.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Page 46 of 68
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	1 age 40 01 00
© 2005 PCTEST Engineering L	aboratory, Inc.			

H3DV6 SN:6180

October 6, 2004

DASY - Parameters of Probe: H3DV6 SN:6180

Sensitivity in Free Space [A/m / \(\u03c0V)]

	a0	a1	a2	
х	2.490E-03	1.788E-05	-2.842E-05	± 5.0 % (k=2)
Y	2.681E-03	3.017E-05	-3.113E-05	± 5.0 % (k=2)
z	2.912E-03	-1.610E-05	1.858E-05	± 5.0 % (k=2)

Diode Compression¹

DCP X	85 mV
DCP Y	85 mV
DCP Z	87 mV

Sensor Offset

(Probe Tip to Sensor Center)

x	3.0 mm
Y	3.0 mm
z	3.0 mm
onnector Angle	4 °

Connector Angle

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

¹ numerical Incarization parameter: uncertainty not required

Certificate No: H3-6180_Oct04

Page 4 of 8

PCTEST™ HAC REPORT	CAPCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dage 47 of 69
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 47 01 00
© DOTE OT Fasile series	ala anatanyi Jura		···	

Frequency Response of H-Field

(TEM-Cell:ifi110, Waveguide R22)





Certificate No: H3-6180_Oct04

Page 5 of 8

PCTEST™ HAC REPORT	CAPCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Page 48 of 68
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 40 01 00
© 2005 PCTEST Engineering L	aboratory, Inc.			

October 6, 2004



Receiving Pattern (ϕ), ϑ = 90°

Receiving Pattern (ϕ), ϑ = 0°



Certificate No: H3-6180_Oct04

Page 6 of 8

PCTEST™ HAC REPORT	CAPCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dogo 40 of 69
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Faye 49 01 00
© 2005 DOTEST Engineering L	abaratarı Ina			



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)



Receiving Pattern (\$), 9 = 0°

Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

Certificate No: H3-6180_Oct04

Page 7 of 8

PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dogo 50 of 69
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 50 01 06
© OOOF DOTFOT Family a site and	ala awata wu lua a			





Certificate No: H3-6180_Oct04

Page 8 of 8

PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Page 51 of 68
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 51 01 00
© 2005 PCTEST Engineering L	aboratory, Inc.			

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland

	inal to make we have a strand to the solution of the solution		
<u>PALIBRATIONS</u>	<u>gastij(ojsti</u>		
Dbject	CD1880V3 - SN:	1002	
Calibration procedure(s)	QA CAL-20.v2 Calibration proce	dure for dipoles in air.	
Calibration date:	February, 23, 200)5	
Condition of the calibrated item	In Tolerance		
Calibration Equipment used (M& Primary Standards	TE critical for calibration)	Cal Date (Calibrated by, Certificate No.)	Scheduled Calibration
Calibration Equipment used (M& Primary Standards Power meter EPM E442	TE critical for calibration)	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412)	Scheduled Calibration
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A	LTE critical for calibration)	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412)	Scheduled Calibration Oct-05 Oct-05
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator	LTE critical for calibration)	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402)	Scheduled Calibration Oct-05 Oct-05 Aug-05
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator	LTE critical for calibration)	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402)	Scheduled Calibration Oct-05 Oct-05 Aug-05 Aug-05
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6	LTE critical for calibration) ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04)	Scheduled Calibration Oct-05 Oct-05 Aug-05 Aug-05 Oct-05
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4	LTE critical for calibration) ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05)	Scheduled Calibration Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards	LTE critical for calibration) ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID #	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house)	Scheduled Calibration Oct-05 Oct-05 Aug-05 Oct-05 Jan-06 Scheduled Check
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A	LTE critical for calibration) ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04)	Scheduled Calibration Oct-05 Oct-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A	LTE critical for calibration) ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41093315	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (SPEAG, in house check Jan-04)	Scheduled Calibration Oct-05 Oct-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A	LTE critical for calibration) ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41093315 US41140111	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (Agilent)	Scheduled Calibration Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 in house check: Aug-05
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E	LTE critical for calibration) ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41093315 US41140111 US37390585 S4206	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (Agilent) 18-Oct-01 (SPEAG, in house check Nov-04)	Scheduled Calibration Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Nov-05
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E Probe H3DV6	LTE critical for calibration) ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41092315 US41140111 US37390585 S4206 SN: 6065	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (SPEAG, in house check Jan-04) 4-Aug-03 (Agilent) 18-Oct-01 (SPEAG, in house check Nov-04) 10-Oct-04 (SPEAG, No. H3-6065-Oct04)	Scheduled Calibration Oct-05 Oct-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Nov-05 Calibration, Oct-05
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E Probe H3DV6	ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 601 ID # MY41092312 MY41092315 US41140111 US37390585 S4206 SN: 6065 Name	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2322_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (Agilent) 18-Oct-01 (SPEAG, in house check Nov-04) 10-Oct-04 (SPEAG, No. H3-6065-Oct04) Function	Scheduled Calibration Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Aug-05 In house check: Nov-05 Calibration, Oct-05 Signature
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E Probe H3DV6 Calibrated by:	ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 601 ID # MY41092312 MY41092315 US41140111 US37390585 S4206 SN: 6065 Name Mike Meili	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (Agilent) 18-Oct-01 (SPEAG, in house check Nov-04) 10-Oct-04 (SPEAG, No. H3-6065-Oct04) Function Laboratory Technician	Scheduled Calibration Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Nov-05 Calibration, Oct-05 Signature
Calibration Equipment used (M& Primary Standards Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E Probe H3DV6 Calibrated by: Approved by:	ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5087 (20g) SN: 5047.2 (10r) SN 601 ID # MY41092312 MY41092315 US41140111 US37390585 S4206 SN: 6065 Name Mike Meili.	Cal Date (Calibrated by, Certificate No.) 12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-3238_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (Agilent) 18-Oct-01 (SPEAG, in house check Nov-04) 10-Oct-04 (SPEAG, No. H3-6065-Oct04) Function Laboratory Technician	Scheduled Calibration Oct-05 Oct-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Nov-05 Calibration, Oct-05 Signature

Certificate No: CD1880V3-1002_Feb05

Page 1 of 6

PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT		Reviewed by: Quality Manager			
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dago 52 of 69			
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 52 01 00			
© 2005 PCTEST Engineering	2005 DCTEST Engineering Laboratory Inc.						

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland

References

 ANSI-PC63.19-2003 (Draft)
 American National Standard for Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids.

Methods Applied and Interpretation of Parameters:

- Coordinate System: y-axis is in the direction of the dipole arms. z-axis is from the basis of the antenna (mounted on the table) towards its feed point between the two dipole arms. x-axis is normal to the other axes. In coincidence with standard [1], the measurement planes (probe sensor center) are selected to be at a distance of 10 mm above the the top edge of the dipole arms.
- Measurement Conditions: Further details are available from the hardcopies at the end of the certificate. All
 figures stated in the certificate are valid at the frequency indicated. The forward power to the dipole connector
 is set with a calibrated power meter connected and monitored with an auxiliary power meter connected to a
 directional coupler. While the dipole under test is connected, the forward power is adjusted to the same level.
- Antenna Positioning: The dipole is mounted on a HAC Test Arch phantom using the matching dipole positioner with the arms horizontal and the feeding cable coming from the floor. The measurements are performed in a shielded room with absorbers around the setup to reduce the reflections. It is verified before the mounting of the dipole under the Test Arch phantom, that its arms are perfectly in a line. It is installed on the HAC dipole positioner with its arms parallel below the dielectric reference wire and able to move elastically in vertical direction without changing its relative position to the top center of the Test Arch phantom. The vertical distance to the probe is adjusted after dipole mounting with a DASY4 Surface Check job. Before the measurement, the distance between phantom surface and probe tip is verified. The proper measurement distance is selected by choosing the matching section of the HAC Test Arch phantom with the proper device reference point (upper surface of the dipole) and the matching grid reference point (tip of the probe) considering the probe sensor offset. The vertical distance to the probe is essential for the accuracy.
- Feed Point Impedance and Return Loss: These parameters are measured using a HP 8753E Vector Network Analyzer. The impedance is specified at the SMA connector of the dipole. The influence of reflections was eliminating by applying the averaging function while moving the dipole in the air, at least 70cm away from any obstacles.
- E- field distribution: E field is measured in the x-y-plane with an isotropic ER3D-field probe with 100 mW forward power to the antenna feed point. In accordance with [1], the scan area is 20mm wide, its length exceeds the dipole arm length (180 or 90mm). The sensor center is 10 mm (in z) above the top of the dipole arms. Two 3D maxima are available near the end of the dipole arms. Assuming the dipole arms are perfectly in one line, the average of these two maxima (in subgrid 2 and subgrid 8) is determined to compensate for any non-parallelity to the measurement plane as well as the sensor displacement. The E-field value stated as calibration value represents the maximum of the interpolated 3D-E-field, 10mm above the dipole surface.
- H-field distribution: H-field is measured with an isotropic H-field probe with 100mW forward power to the
 antenna feed point, in the x-y-plane. The scan area and sensor distance is equivalent to the E-field scan. The
 maximum of the field is available at the center (subgrid 5) above the feed point. The H-field value stated as
 calibration value represents the maximum of the interpolated H-field, 10mm above the dipole surface at the
 feed point.

Certificate No: CD1880V3-1002_Feb05

Page 2 of 6

PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager			
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dogo 52 of 69			
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 55 01 00			
@ 2005 DOTEST Engineering L							

1 Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY PP Version SEMCAD Phantom HAC Test Ard Distance Dipole Ten - Brobe Center 10 mm	V4.0 D444
Phantom HAC Test Are Distance Dipole Ten - Broke Center 10 mm	V1.8 B144
Distance Dinole Ton - Brohe Center 10 mm	ch SD HAC P01 BA, #1002
Distance Dipole rop - Probe Center 10 min	
Scan resolution dx, dy = 5 mi	m area = 20 x 90 mm
Frequency 1880 MHz ± 1 1	MHz
Forward power at dipole connector 20.0 dBm = 100	JmW
Input power drift < 0.05 dB	

2 Maximum Field values

H-field 10 mm above dipole surface	condition	interpolated maximum	
Maximum measured	100 mW forward power	0.450 A/m	
Lecertainty for H field measurement: 19 5% (k=2)			

Uncertainty for H-field measurement: 19.5% (k=2)

E-field 10 mm above dipole surface	condition	interpolated maximum
Maximum measured above high end	100 mW forward power	146.0 V/m
Maximum measured above low end	100 mW forward power	145.6 V/m
Averaged maximum above arm	100 mW forward power	145.8 V/m

Uncertainty for E-field measurement: 21.7% (k=2)

3 Appendix

3.1 Antenna Parameters

Frequency	Return Loss	Impedance
1710 MHz	23.4 dB	(55.2 + j6.1) Ohm
1880 MHz	21.4 dB	(53.9 + j7.4) Ohm
1900 MHz	20.9 dB	(55.8 + j6.7) Ohm
1950 MHz	28.0 dB	(54.1 + j1.9) Ohm
2000 MHz	18.9 dB	(51.2 + j11.9) Ohm

3.2 Antenna Design and Handling

The calibration dipole has a symmetric geometry with a built-in two stub matching network, which leads to the enhanced bandwidth.

The dipole is built of standard semirigid coaxial cable. The internal matching line is open ended. The antenna is therefore open for DC signals.

Do not apply force to dipole arms, as they are liable to bend. The soldered connections near the feedpoint may be damaged. After excessive mechanical stress or overheating, check the impedance characteristics to ensure that the internal matching network is not affected.

After long term use with 40W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

Certificate No: CD1880V3-1002_Feb05

Page 3 of 6

PCTEST AC REPORT	Wirdlada	FCC MEASUREMENT REPORT		Quality Manager
HAC Filename: T	est Dates:	EUT Type:	FCC ID:	Dogo E4 of 69
HAC.0507270534.QMN A	ugust 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 54 01 00

3.3 Measurement Sheets





3.3.2 DASY4 H-field result

See page 5

3.3.3 DASY4 E-Field result

See page 6

Certificate No: CD1880V3-1002_Feb05

Page 4 of 6

PCTEST™ HAC REPORT	CAPCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager		
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Page 55 of 68		
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	raye 55 01 00		

Test Laboratory: SPEAG, Zurich, Switzerland File Name: <u>H CD1880 1002 050223.da4</u>

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1002 Program Name: HAC H Dipole

Communication System: CW; Frequency: 1880 MHz; Duty Cycle: 1:1 Medium parameters used: $\sigma = 0$; mho/m, $\varepsilon_r = 1$; $\rho = 1$ kg/m³

Phantom section: H Dipole Section

DASY4 Configuration:

- Probe: H3DV6 SN6065; ; Calibrated: 10.12.2004
- Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn901; Calibrated: 29.06.2004
- Phantom: HAC Phantom; Type: SD HAC P01 BA;
 Measurement SW: DASY4, V4.5 Build 13; Postprocessing SW: SEMCAD, V1.8 Build 144

H Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (41x181x1): Measurement grid: dx=5mm, dy=5mm, dz=5.5555mm Maximum value of Total field (slot averaged) = 0.450 A/m

Hearing Aid Near-Field Category: M2 (AWF 0 dB)

H in A/m (Time averaged) H in A/m (Slot averaged)							
Grid 1	Grid 2	Grid 3		Grid 1	Grid 2	Grid 3	
0.385	0.413	0.395		0.385	0.413	0.395	
Grid 4	Grid 5	Grid 6		Grid 4	Grid 5	Grid 6	
0.421	0.450	0.432		0.421	0.450	0.432	
Grid 7	Grid 8	Grid 9		Grid 7	Grid 8	Grid 9	
0.376	0.401	0.386		0.376	0.401	0.386	



PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager			
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dago 56 of 69			
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 50 01 00			
© 2005 DOTEST Engineering L	2005 DOTEST Engineering Laboratory Inc.						

Test Laboratory: SPEAG, Zurich, Switzerland File Name: <u>E_CD1880_1002_050223.da4</u>

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1002 Program Name: HAC E Dipole

Communication System: CW; Frequency: 1880 MHz;Duty Cycle: 1:1 Medium parameters used: $\sigma = 0$; mho/m, $\varepsilon_r = 1$; $\rho = 1000 \text{ kg/m}^3$ Phantom section: E Dipole Section

DASY4 Configuration:

- Probe: ER3DV6 SN2328; ConvF(1, 1, 1); Calibrated: 06.10.2004
- Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn901; Calibrated: 29.06.2004
- Phantom: HAC Phantom; Type: SD HAC P01 BA;

- Measurement SW: DASY4, V4.5 Build 13; Postprocessing SW: SEMCAD, V1.8 Build 144

E Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (41x181x1): Measurement grid: dx=5mm, dy=5mm, dz=5.5555mm Maximum value of Total field (slot averaged) = 146.0 V/m

Hearing Aid Near-Field Category: M2 (AWF 0 dB)

E in V/m (Time averaged) E in V/m (Slot averaged)							
Grid 1	Grid 2	Grid 3	Grid 1	Grid 2	Grid 3		
128.7	145.6	130.5	128.7	145.6	130.5		
Grid 4	Grid 5	Grid 6	Grid 4	Grid 5	Grid 6		
90.1	92.4	88.8	90.1	92.4	88.8		
Grid 7	Grid 8	Grid 9	Grid 7	Grid 8	Grid 9		
126.7	146.0	131.8	126.7	146.0	131.8		



PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager			
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dogo 57 of 69			
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 57 01 00			
© 2005 DCTEST Engineering	2005 DOTEST Engineering Laboratory Inc.						

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland

WHI-PMERANE			
7. SISAVANA SIAN		-	
Dbject	CD835V3 - SN: 1	003	
Calibration procedure(s)	QA CAL-20 v2 Calibration proce	dure for dipoles in air	
Calibration date:	February, 23, 200	95	
Condition of the calibrated item	In Tolerance		
This calibration certificate docum All calibrations have been condu	ents the traceability to nation cted in the closed laborator	onal standards, which realize the physical units of y facility: environment temperature (22 ± 3)°C and	measurements (SI). I humidity < 70%.
Calibration Equipment used (M&	TE critical for calibration)		
Primary Standards	ID#	Cal Date (Calibrated by, Certificate No.)	Scheduled Calibration
Power meter EPM E442	GB37480704	12-Oct-04 (METAS, No. 251-00412)	Oct-05
Power meter EPM E442 Power sensor HP 8481A	GB37480704 US37292783	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412)	Oct-05 Oct-05
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator	GB37480704 US37292783 SN: 5086 (20g)	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402)	Oct-05 Oct-05 Aug-05
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r)	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402)	Oct-05 Oct-05 Aug-05 Aug-05
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04)	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05)	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID #	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house)	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04)	Oct-05 Oct-05 Aug-05 Oct-05 Jan-06 Scheduled Check
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41093315	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (SPEAG, in house check Jan-04)	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41093315 US41140111	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (Agilent)	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41093315 US41140111 US37390585 S4206	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (SPEAG, in house check Jan-04) 4-Aug-03 (Agilent) 18-Oct-01 (SPEAG, in house check Nov-04)	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Nov-05
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E Probe H3DV6	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41092315 US41140111 US37390585 S4206 SN: 6065	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (Agilent) 18-Oct-01 (SPEAG, in house check Nov-04) 10-Oct-04 (SPEAG, No. H3-6065-Oct04)	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Nov-05 Calibration, Oct-05
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E Probe H3DV6	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41093315 US41140111 US37390585 S4206 SN: 6065 Name	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (SPEAG, in house check Jan-04) 4-Aug-03 (SPEAG, in house check Jan-04) 18-Oct-01 (SPEAG, in house check Nov-04) 10-Oct-04 (SPEAG, No. H3-6065-Oct04) Function	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Nov-05 Calibration, Oct-05 Signature
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E Probe H3DV6 Calibrated by:	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41093315 US41140111 US37390585 S4206 SN: 6065 Name Mike Meili	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (SPEAG, in house check Jan-04) 4-Aug-03 (SPEAG, in house check Jan-04) 10-Oct-01 (SPEAG, in house check Nov-04) 10-Oct-04 (SPEAG, No. H3-6065-Oct04) Function Laboratory Technician	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Nov-05 Calibration, Oct-05 Signature
Power meter EPM E442 Power sensor HP 8481A Reference 20 dB Attenuator Reference 10 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards Power sensor HP 8481A Power sensor HP 8481A RF generator Agilent E8251A Network Analyzer HP 8753E Probe H3DV6 Calibrated by:	GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 (10r) SN 2328 SN 601 ID # MY41092312 MY41092315 US41140111 US37390585 S4206 SN: 6065 Name Mike Mail Fin Bomholt	12-Oct-04 (METAS, No. 251-00412) 12-Oct-04 (METAS, No. 251-00412) 10-Aug-04 (METAS, No 251-00402) 10-Aug-04 (METAS, No 251-00402) 06-Oct-04 (SPEAG, No. ER3-2328_Oct04) 07-Jan-05 (SPEAG, No. DAE4-601_Jan05) Check Date (in house) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Aug-03 (SPEAG, in house check Jan-04) 10-Oct-01 (SPEAG, in house check Nov-04) 10-Oct-04 (SPEAG, No. H3-6065-Oct04) Function Laboratory Technician	Oct-05 Oct-05 Aug-05 Aug-05 Oct-05 Jan-06 Scheduled Check In house check: Oct-05 In house check: Oct-05 In house check: Aug-05 In house check: Nov-05 Calibration, Oct-05 Signature

Certificate No: CD835V3-1003_Feb05

Page 1 of 6

PCTEST™ HAC REPORT	CAPCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dogo 59 of 69
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 56 01 06
@ 2005 DOTEST Engineering	aharatan (laa			

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland

References

[1] ANSI-PC63.19-2003 (Draft)

American National Standard for Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids.

Methods Applied and Interpretation of Parameters:

- Coordinate System: y-axis is in the direction of the dipole arms. z-axis is from the basis of the antenna (mounted on the table) towards its feed point between the two dipole arms. x-axis is normal to the other axes. In coincidence with standard [1], the measurement planes (probe sensor center) are selected to be at a distance of 10 mm above the the top edge of the dipole arms.
- Measurement Conditions: Further details are available from the hardcopies at the end of the certificate. All
 figures stated in the certificate are valid at the frequency indicated. The forward power to the dipole connector
 is set with a calibrated power meter connected and monitored with an auxiliary power meter connected to a
 directional coupler. While the dipole under test is connected, the forward power is adjusted to the same level.
- Antenna Positioning: The dipole is mounted on a HAC Test Arch phantom using the matching dipole positioner with the arms horizontal and the feeding cable coming from the floor. The measurements are performed in a shielded room with absorbers around the setup to reduce the reflections. It is verified before the mounting of the dipole under the Test Arch phantom, that its arms are perfectly in a line. It is installed on the HAC dipole positioner with its arms parallel below the dielectric reference wire and able to move elastically in vertical direction without changing its relative position to the top center of the Test Arch phantom. The vertical distance to the probe is adjusted after dipole mounting with a DASY4 Surface Check job. Before the measurement, the distance between phantom surface and probe tip is verified. The proper measurement distance is selected by choosing the matching section of the HAC Test Arch phantom with the proper device reference point (upper surface of the dipole) and the matching grid reference point (tip of the probe) considering the probe sensor offset. The vertical distance to the probe is essential for the accuracy.
- Feed Point Impedance and Return Loss: These parameters are measured using a HP 8753E Vector Network Analyzer. The impedance is specified at the SMA connector of the dipole. The influence of reflections was eliminating by applying the averaging function while moving the dipole in the air, at least 70cm away from any obstacles.
- E- field distribution: E field is measured in the x-y-plane with an isotropic ER3D-field probe with 100 mW forward power to the antenna feed point. In accordance with [1], the scan area is 20mm wide, its length exceeds the dipole arm length (180 or 90mm). The sensor center is 10 mm (in z) above the top of the dipole arms. Two 3D maxima are available near the end of the dipole arms. Assuming the dipole arms are perfectly in one line, the average of these two maxima (in subgrid 2 and subgrid 8) is determined to compensate for any non-parallelity to the measurement plane as well as the sensor displacement. The E-field value stated as calibration value represents the maximum of the interpolated 3D-E-field, 10mm above the dipole surface.
- H-field distribution: H-field is measured with an isotropic H-field probe with 100mW forward power to the
 antenna feed point, in the x-y-plane. The scan area and sensor distance is equivalent to the E-field scan. The
 maximum of the field is available at the center (subgrid 5) above the feed point. The H-field value stated as
 calibration value represents the maximum of the interpolated H-field, 10mm above the dipole surface at the
 feed point.

Certificate No: CD835V3-1003_Feb05

Page 2 of 6

PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dago 50 of 69
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 59 01 00
© 2005 DOTEST Engineering L	abaratan, Ina			

1 Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY4	V4.5 B13
DASY PP Version	SEMCAD	V1.8 B144
Phantom	HAC Test Arch	SD HAC P01 BA, #1002
Distance Dipole Top - Probe Center	10 mm	
Scan resolution	dx, dy = 5 mm	area = 20 x 180 mm
Frequency	835 MHz ± 1 MHz	
Forward power at dipole connector	20.0 dBm = 100mW	
Input power drift	< 0.05 dB	

2 Maximum Field values

H-field 10 mm above dipole surface	condition	interpolated maximum	
Maximum measured	100 mW forward power	0.470 A/m	
In containty for LI field managements 10 E9/ //	(=2)		

Uncertainty for H-field measurement: 19.5% (k=2)

E-field 10 mm above dipole surface	condition	interpolated maximum	
Maximum measured above high end	100 mW forward power	187.0 V/m	
Maximum measured above low end	100 mW forward power	183.2 V/m	
Averaged maximum above arm	100 mW forward power	185.1 V/m	

Uncertainty for E-field measurement: 21.7% (k=2)

3 Appendix

3.1 Antenna Parameters

Frequency	Return Loss	Impedance
800 MHz	16.6 dB	(40.5 - j9.6) Ohm
835 MHz	25.2 dB	(55.3 + j2.4) Ohm
900 MHz	16.6 dB	(52.7 - j15.2) Ohm
950 MHz	25.1 dB	(50.9 + j5.5) Ohm
960 MHz	17.2 dB	(61.0 + j10.9) Ohm

3.2 Antenna Design and Handling

The calibration dipole has a symmetric geometry with a built-in two stub matching network, which leads to the enhanced bandwidth.

The dipole is built of standard semirigid coaxial cable. The internal matching line is open ended. The antenna is therefore open for DC signals.

Do not apply force to dipole arms, as they are liable to bend. The soldered connections near the feedpoint may be damaged. After excessive mechanical stress or overheating, check the impedance characteristics to ensure that the internal matching network is not affected.

After long term use with 40W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

Certificate No: CD835V3-1003_Feb05

Page 3 of 6

	V	CC MEASUREMENT REPORT	NOKIA	Quality Manager
HAC Filename: Te	st Dates:	EUT Type:	FCC ID:	Dogo 60 of 69
HAC.0507270534.QMN Au	gust 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 60 01 66

3.3 Measurement Sheets

3.3.1 Return Loss and Smith Chart



3.3.2 DASY4 H-field result

See page 5

3.3.3 DASY4 E-Field result

See page 6

06/11/04/01/06/06/06/1000 1 0000	Certificate No:	CD835V3-1003	Feb05
----------------------------------	-----------------	--------------	-------

Page 4 of 6

PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager		
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Page 61 of 68		
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage of 0100		
© 2005 PCTEST Engineering Laboratory, Inc.						

Test Laboratory: SPEAG, Zurich, Switzerland File Name: <u>H CD835 1003 050222.da4</u>

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1003 Program Name: HAC H Dipole

 $\begin{array}{l} \mbox{Communication System: CW; Frequency: $35 MHz; Duty Cycle: 1:1 \\ \mbox{Medium parameters used: $\sigma=0$; mho/m, $\epsilon_r=1$; $\rho=1 kg/m^3$ } \end{array}$

Phantom section: H Dipole Section

DASY4 Configuration:

- Probe: H3DV6 SN6065; ; Calibrated: 10.12.2004
- Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn901; Calibrated: 29.06.2004
- Phantom: HAC Phantom; Type: SD HAC P01 BA; Serial: 1002

- Measurement SW: DASY4, V4.5 Build 13; Postprocessing SW: SEMCAD, V1.8 Build 144

H Scan 10mm above CD 835 MHz/Hearing Aid Compatibility Test (41x361x1): Measurement grid: dx=5mm, dy=5mm, dz=5.5555mm

Maximum value of Total field (slot averaged) = 0.470 A/m Hearing Aid Near-Field Category: M2 (AWF 0 dB)

H in A/	m (Tim	e avera	ged) H in A/	m (Slot	average	d)
Grid 1	Grid 2	Grid 3	Grid 1	Grid 2	Grid 3	
0.365	0.397	0.380	0.365	0.397	0.380	
Grid 4	Grid 5	Grid 6	Grid 4	Grid 5	Grid 6	
0.408	0.470	0.425	0.408	0.470	0.425	
Grid 7	Grid 8	Grid 9	Grid 7	Grid 8	Grid 9	
0.350	0.380	0.368	0.350	0.380	0.368	



PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dage 62 of 69
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Page 62 01 66
© 2005 DCTEST Engineering	aboratory Inc			

Test Laboratory: SPEAG, Zurich, Switzerland File Name: <u>E CD835 1003 050223.da4</u>

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1003 Program Name: HAC E Dipole

Communication System: CW; Frequency: 835 MHz;Duty Cycle: 1:1 Medium parameters used: $\sigma = 0$; mho/m, $\epsilon_{\mu} = 1$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: E Dipole Section

DASY4 Configuration:

- Probe: ER3DV6 SN2328; ConvF(1, 1, 1); Calibrated: 06.10.2004
- Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn901; Calibrated: 29.06.2004
- Phantom: HAC Phantom; Type: SD HAC P01 BA; Serial: 1002

- Measurement SW: DASY4, V4.5 Build 13; Postprocessing SW: SEMCAD, V1.8 Build 144

E Scan 10mm above CD 835 MHz/Hearing Aid Compatibility Test (41x361x1): Measurement grid: dx=5mm, dy=5mm, dz=5.5555mm Maximum value of Total field (slot averaged) = 187.0 V/m

Hearing Aid Near-Field Category: M2 (AWF 0 dB)





PCTEST™ HAC REPORT	CAPCTEST,	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager	
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dage 62 of 69	
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Page 63 01 66	

15. CONCLUSION

The measurements indicate that the wireless communications device complies with the HAC limits specified in accordance with the ANSI PC63.19 Standard and FCC WT Docket No. 01-309 RM-8658. Precise laboratory measures were taken to assure repeatability of the tests. The tested device complies with the requirements in respect to all parameters specific to the test. The test results and statements relate only to the item(s) tested.

Please note that the M-rating for this equipment only represents the field interference possible against a hypothetical and typical hearing aid. The measurement system and techniques presented in this evaluation are proposed in the ANSI standard as a means of best approximating wireless device compatibility with a hearing-aid. The literature is under continual re-construction.

PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager	
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dogo 66 of 69	
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 00 01 08	
© 2005 DCTEST Engineering Laboratory Inc.					

16. REFERENCES

- ANSI PC63.19-2005 D3.6, American National Standard for Methods of Measurement of Compatibility between Wireless communication devices and Hearing Aids.", New York, NY, IEEE, April 2005.
- 2. Berger, H. S., "Compatibility Between Hearing Aids and Wireless Devices," Electronic Industries Forum, Boston, MA, May, 1997
- 3. Berger, H. S., "Hearing Aid and Cellular Phone Compatibility: Working Toward Solutions," Wireless Telephones and Hearing Aids: New Challenges for Audiology, Gallaudet University, Washington, D.C., May, 1997 (To be reprinted in the American Journal of Audiology).
- 4. Berger, H. S., "Hearing Aid Compatibility with Wireless Communications Devices, " IEEE International Symposium on Electromagnetic Compatibility, Austin, TX, August, 1997.
- Bronaugh, E. L., "Simplifying EMI Immunity (Susceptibility) Tests in TEM Cells," in the 1990 IEEE International Symposium on Electromagnetic Compatibility Symposium Record, Washington, D.C., August 1990, pp. 488-491
- 6. Byme, D. and Dillon, H., The National Acoustics Laboratory (NAL) New Procedure for Selecting the Gain and Frequency Response of a Hearing Aid, Ear and Hearing 7:257-265, 1986.
- Crawford, M. L., "Measurement of Electromagnetic Radiation from Electronic Equipment using TEM Transmission Cells, "U.S. Department of Commerce, National Bureau of Standards, NBSIR 73-306, Feb. 1973.
- Crawford, M. L., and Workman, J. L., "Using a TEM Cell for EMC Measurements of Electronic Equipment," U.S. Department of Commerce, National Bureau of Standards. Technical Note 1013, July 1981.
- 9. EHIMA GSM Project, Development phase, Project Report (1st part) Revision A. Technical-Audiological Laboratory and Telecom Denmark, October 1993.
- 10. EHIMA GSM Project, Development phase, Part II Project Report. Technical-Audiological Laboratory and Telecom Denmark, June 1994.
- 11. EHIMA GSM Project Final Report, Hearing Aids and GSM Mobile Telephones: Interference Problems, Methods of Measurement and Levels of Immunity. Technical-Audiological Laboratory and Telecom Denmark, 1995.
- 12. HAMPIS Report, Comparison of Mobile phone electromagnetic near field with an upscaled electromagnetic far field, using hearing aid as reference, 21 October 1999.
- 13. Hearing Aids/GSM, Report from OTWIDAM, Technical-Audiological Laboratory and Telecom Denmark, April 1993.
- 14. IEEE 100, The Authoritative Dictionary of IEEE Standards Terms, Seventh Edition.

PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dogo 67 of 69
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Fage 07 01 00

- 15. Joyner, K. H, et. al., Interference to Hearing Aids by the New Digital Mobile Telephone System, Global System for Mobile (GSM) Communication Standard, National Acoustic Laboratory, Australian Hearing Series, Sydney 1993.
- Joyner, K. H., et. al., Interference to Hearing Aids by the Digital Mobile Telephone System, Global System for Mobile Communications (GSM), NAL Report #131, National Acoustic Laboratory, Australian Hearing Series, Sydney, 1995.
- Kecker, W. T., Crawford, M. L., and Wilson, W. A., "Contruction of a Transverse Electromagnetic Cell", U.S. Department of Commerce, National Bureau of Standards, Technical Note 1011, Nov. 1978.
- Konigstein, D., and Hansen, D., "A New Family of TEM Cells with enlarged bandwidth and Optimized working Volume," in the Proceedings of the 7th International Symposium on EMC, Zurich, Switzerland, March 1987; 50:9, pp. 127-132.
- 19. Kuk, F., and Hjorstgaard, N. K., "Factors affecting interference from digital cellular telephones," Hearing Journal, 1997; 50:9, pp 32-34.
- Ma, M. A., and Kanda, M., "Electromagnetic Compatibility and Interference Metrology," U.S. Department of Commerce, National Bureau of Standards, Technical Note 1099, July 1986, pp. 17-43.
- Ma, M. A., Sreenivashiah, I., and Chang, D. C., "A Method of Determining the Emission and Susceptibility Levels of Electrically Small Objects Using a TEM Cell," U.S. Department of Commerce, National Bureau of Standards, Technial Note 1040, July 1981.
- 22. McCandless, G. A., and Lyregaard, P. E., Prescription of Gain/Output (POGO) for Hearing Aids, Hearing Instruments 1:16-21, 1983
- 23. Skopec, M., "Hearing Aid Electromagnetic Interference from Digital Wireless Telephones, "IEEE Transactions on Rehabilitation Engineering, vol. 6, no. 2, pp. 235-239, June 1998.
- 24. Technical Report, GSM 05.90, GSM EMC Considerations, European Telecommunications Standards Institute, January 1993.
- 25. Victorian, T. A., "Digital Cellular Telephone Interference and Hearing Aid Compatibility—an Update," Hearing Journal 1998; 51:10, pp. 53-60
- 26. Wong, G. S. K., and Embleton, T. F. W., eds., AIP Handbook of Condenser Microphones: Theory, Calibration and Measurements, AIP Press.

PCTEST™ HAC REPORT	PCTEST.	FCC MEASUREMENT REPORT	NOKIA	Reviewed by: Quality Manager	
HAC Filename:	Test Dates:	EUT Type:	FCC ID:	Dogo 69 of 69	
HAC.0507270534.QMN	August 22 - 25, 2005	Dual-Band CDMA Phone	QMNRM-142	Faye 00 01 00	
© 2005 DOTEST Engineering Laboratory Inc.					