

APPENDIX REPORT

Project No.	SHT2208180705EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT22060506003	Model No.	B8U
Start test date	2022-07-28	Finish date	2022-07-28
Temperature	26.2℃	Humidity	32%
Test Engineer	Xiaoxiao Li	Auditor	Xiaodong Zhuo


Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions(coducted)	PASS

Appendix A: Conducted Peak Output Power


Type	Channel	Peak Output power (dBm)			Average Output power (dBm)			Limit (dBm)	Result
		Antenna 0	Antenna 1	Total	Antenna 0	Antenna 1	Total		
802.11b	01	15.18	14.81	-	12.74	12.46	-	≤30.00	Pass
	06	15.80	15.57	-	13.45	13.57	-		
	11	15.34	15.03	-	12.88	12.72	-		
802.11g	01	15.67	15.55	-	12.98	12.90	-	≤30.00	Pass
	06	16.07	15.97	-	13.40	13.25	-		
	11	15.81	15.75	-	13.33	13.14	-		
802.11n (HT20)	01	15.63	16.01	18.81	12.73	14.71	16.84	≤30.00	Pass
	06	16.00	16.28	19.16	13.09	15.02	17.17		
	11	15.83	16.18	19.01	12.94	15.04	17.13		
802.11n (HT40)	03	15.77	15.91	18.86	12.82	14.23	16.59	≤30.00	Pass
	06	15.99	16.06	19.06	13.01	14.41	16.78		
	09	15.88	16.12	19.01	13.12	14.42	16.83		


Appendix B: Power Spectral Density


Type	Channel	Power Spectral Density (dBm/30KHz)		Total Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
		Antenna 0	Antenna 1			
802.11b	01	1.99	1.96	-	≤7.86	Pass
	06	2.43	2.41	-		
	11	2.38	2.15	-		
802.11g	01	-8.96	-8.60	-	≤7.86	Pass
	06	-8.08	-7.83	-		
	11	-8.23	-8.35	-		
802.11n(HT20)	01	-6.98	-7.04	-4.00	≤7.86	Pass
	06	-6.78	-6.77	-3.76		
	11	-8.52	-7.50	-4.97		
802.11n(HT40)	03	-11.54	-11.01	-8.26	≤7.86	Pass
	06	-10.39	-10.58	-7.47		
	09	-12.09	-12.18	-9.12		





802.11 b		Antenna 1
CH01		















Appendix C: 6dB Bandwidth


Type	Channel	6dB Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	9.09	≥500	Pass
	06	9.09		
	11	9.09		
802.11g	01	15.18	≥500	Pass
	06	15.18		
	11	15.18		
802.11n(HT20)	01	15.18	≥500	Pass
	06	15.18		
	11	15.18		
802.11n(HT40)	03	35.28	≥500	Pass
	06	35.22		
	09	35.28		

802.11 b


CH01



CH06




CH11




802.11 g


CH01



CH06




CH11




802.11n(HT20)


CH01



CH06




CH11




802.11n(HT40)


CH03



CH06



CH09




Appendix D: 99% Occupied Bandwidth


Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	13.28	-	Pass
	06	13.25		
	11	13.25		
802.11g	01	16.75	-	Pass
	06	16.78		
	11	16.78		
802.11n(HT20)	01	17.62	-	Pass
	06	17.65		
	11	17.65		
802.11n(HT40)	03	36.14	-	Pass
	06	35.96		
	09	36.08		

802.11 b


CH01



CH06




CH11




802.11 g


CH01



CH06




CH11




802.11n(HT20)


CH01



CH06




CH11




802.11n(HT40)


CH03



CH06




CH09




Appendix E: Duty Cycle


Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	8.35	8.40	99.4%	0.1
11g	2437	1.39	1.44	96.5%	0.7
11n20	2437	1.29	1.35	95.6%	0.8
11n40	2437	0.69	0.72	95.8%	1.4

11b







11g





Appendix F: Band Edge and Spurious Emissions (Conducted)

Test Item:	Bandedge	802.11 b	Antenna 0																																										
CH01	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.41143 GHz</td><td>-2.78 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-45.30 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-61.67 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-62.53 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.397024 GHz</td><td>-44.09 dBm</td><td></td><td></td></tr></tbody></table> Date: 28_Jul_2022 14:35:33			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41143 GHz	-2.78 dBm			M2	1		2.4 GHz	-45.30 dBm			M3	1		2.39 GHz	-61.67 dBm			M4	1		2.31 GHz	-62.53 dBm			M5	1		2.397024 GHz	-44.09 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41143 GHz	-2.78 dBm																																									
M2	1		2.4 GHz	-45.30 dBm																																									
M3	1		2.39 GHz	-61.67 dBm																																									
M4	1		2.31 GHz	-62.53 dBm																																									
M5	1		2.397024 GHz	-44.09 dBm																																									
CH11	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.460991 GHz</td><td>-3.52 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-60.61 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-60.39 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.483968 GHz</td><td>-55.83 dBm</td><td></td><td></td></tr></tbody></table> Date: 28_Jul_2022 14:44:05			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460991 GHz	-3.52 dBm			M2	1		2.4835 GHz	-60.61 dBm			M3	1		2.5 GHz	-60.39 dBm			M4	1		2.483968 GHz	-55.83 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.460991 GHz	-3.52 dBm																																									
M2	1		2.4835 GHz	-60.61 dBm																																									
M3	1		2.5 GHz	-60.39 dBm																																									
M4	1		2.483968 GHz	-55.83 dBm																																									

Test Item:	Bandedge	802.11 g	Antenna 0																																										
CH01	MultiviewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41064 GHz</td><td>-2.95 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-49.01 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-57.68 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-62.16 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399824 GHz</td><td>-45.93 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 15:15:42			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41064 GHz	-2.95 dBm			M2	1		2.4 GHz	-49.01 dBm			M3	1		2.39 GHz	-57.68 dBm			M4	1		2.31 GHz	-62.16 dBm			M5	1		2.399824 GHz	-45.93 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41064 GHz	-2.95 dBm																																									
M2	1		2.4 GHz	-49.01 dBm																																									
M3	1		2.39 GHz	-57.68 dBm																																									
M4	1		2.31 GHz	-62.16 dBm																																									
M5	1		2.399824 GHz	-45.93 dBm																																									
CH11	MultiviewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.463245 GHz</td><td>-2.31 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-56.87 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.77 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.485168 GHz</td><td>-55.52 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 15:19:26			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.463245 GHz	-2.31 dBm			M2	1		2.4835 GHz	-56.87 dBm			M3	1		2.5 GHz	-59.77 dBm			M4	1		2.485168 GHz	-55.52 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.463245 GHz	-2.31 dBm																																									
M2	1		2.4835 GHz	-56.87 dBm																																									
M3	1		2.5 GHz	-59.77 dBm																																									
M4	1		2.485168 GHz	-55.52 dBm																																									



Test Item:	Bandedge	802.11 n(HT20)	Antenna 0																																										
CH01	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWF 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1 M2 M3 M4 M5 -22.490 dBm -2.49 dBm -47.94 dBm -62.61 dBm -45.48 dBm 2.31 GHz 2.41322 GHz 2.4 GHz 2.39 GHz 2.399824 GHz 2.422 GHz 1001 pts 11.2 MHz/ <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41322 GHz</td><td>-2.49 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-47.94 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-56.38 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-62.61 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399824 GHz</td><td>-45.48 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 15:40:58			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41322 GHz	-2.49 dBm			M2	1		2.4 GHz	-47.94 dBm			M3	1		2.39 GHz	-56.38 dBm			M4	1		2.31 GHz	-62.61 dBm			M5	1		2.399824 GHz	-45.48 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41322 GHz	-2.49 dBm																																									
M2	1		2.4 GHz	-47.94 dBm																																									
M3	1		2.39 GHz	-56.38 dBm																																									
M4	1		2.31 GHz	-62.61 dBm																																									
M5	1		2.399824 GHz	-45.48 dBm																																									
CH11	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWF 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1 M2 M3 M4 -22.010 dBm -2.01 dBm -55.03 dBm -52.83 dBm 2.452 GHz 2.463245 GHz 2.4835 GHz 2.5 GHz 2.484928 GHz 2.4835000 GHz 1001 pts 4.8 MHz/ <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.463245 GHz</td><td>-2.01 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-55.03 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.58 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484928 GHz</td><td>-52.83 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 15:44:59			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.463245 GHz	-2.01 dBm			M2	1		2.4835 GHz	-55.03 dBm			M3	1		2.5 GHz	-59.58 dBm			M4	1		2.484928 GHz	-52.83 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.463245 GHz	-2.01 dBm																																									
M2	1		2.4835 GHz	-55.03 dBm																																									
M3	1		2.5 GHz	-59.58 dBm																																									
M4	1		2.484928 GHz	-52.83 dBm																																									




Test Item:	Bandedge	802.11 n(HT40)	Antenna 0																																										
CH03	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.02 ms VBW 300 kHz Mode Auto Sweep Count 200/200 1 Frequency Sweep 30 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 13.2 MHz/ 2.442 GHz M1[1] -5.43 dBm M2[1] 2.419380 GHz -49.46 dBm M3[1] 2.400000 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41938 GHz</td><td>-5.43 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-49.46 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-55.48 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-60.87 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.398176 GHz</td><td>-46.86 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 16:02:01			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41938 GHz	-5.43 dBm			M2	1		2.4 GHz	-49.46 dBm			M3	1		2.39 GHz	-55.48 dBm			M4	1		2.31 GHz	-60.87 dBm			M5	1		2.398176 GHz	-46.86 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41938 GHz	-5.43 dBm																																									
M2	1		2.4 GHz	-49.46 dBm																																									
M3	1		2.39 GHz	-55.48 dBm																																									
M4	1		2.31 GHz	-60.87 dBm																																									
M5	1		2.398176 GHz	-46.86 dBm																																									
CH09	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 30 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.432 GHz 1001 pts 6.8 MHz/ 2.5 GHz M1[1] -5.10 dBm M2[1] 2.4494930 GHz -51.04 dBm M3[1] 2.4835000 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.449493 GHz</td><td>-5.10 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-51.04 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-57.44 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484496 GHz</td><td>-48.08 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 16:00:25			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.449493 GHz	-5.10 dBm			M2	1		2.4835 GHz	-51.04 dBm			M3	1		2.5 GHz	-57.44 dBm			M4	1		2.484496 GHz	-48.08 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.449493 GHz	-5.10 dBm																																									
M2	1		2.4835 GHz	-51.04 dBm																																									
M3	1		2.5 GHz	-57.44 dBm																																									
M4	1		2.484496 GHz	-48.08 dBm																																									


Test Item:	Bandedge	802.11 b	Antenna 1																																										
CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWF 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 2.71 dBm M2[1] 2.411430 GHz M3[1] -46.17 dBm M4[1] 2.400000 GHz 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41143 GHz</td><td>2.71 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-46.17 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-61.39 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-62.44 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399936 GHz</td><td>-45.70 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 14:52:09			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41143 GHz	2.71 dBm			M2	1		2.4 GHz	-46.17 dBm			M3	1		2.39 GHz	-61.39 dBm			M4	1		2.31 GHz	-62.44 dBm			M5	1		2.399936 GHz	-45.70 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41143 GHz	2.71 dBm																																									
M2	1		2.4 GHz	-46.17 dBm																																									
M3	1		2.39 GHz	-61.39 dBm																																									
M4	1		2.31 GHz	-62.44 dBm																																									
M5	1		2.399936 GHz	-45.70 dBm																																									
CH11	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWF 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 2.96 dBm M2[1] 2.4614710 GHz M3[1] -59.71 dBm M4[1] 2.4835000 GHz 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.461471 GHz</td><td>2.96 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-59.71 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-60.44 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484016 GHz</td><td>-57.99 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 14:56:49			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461471 GHz	2.96 dBm			M2	1		2.4835 GHz	-59.71 dBm			M3	1		2.5 GHz	-60.44 dBm			M4	1		2.484016 GHz	-57.99 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.461471 GHz	2.96 dBm																																									
M2	1		2.4835 GHz	-59.71 dBm																																									
M3	1		2.5 GHz	-60.44 dBm																																									
M4	1		2.484016 GHz	-57.99 dBm																																									


Test Item:	Bandedge	802.11 g	Antenna 1
CH01	<		

Test Item:	Bandedge	802.11 n(HT20)	Antenna 1																																										
CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWF 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] -2.94 dBm 2.413220 GHz M2[1] -50.08 dBm 2.400000 GHz H1 -22.940 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41322 GHz</td><td>-2.94 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-50.08 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-56.71 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-61.76 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399824 GHz</td><td>-46.81 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 15:47:25			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41322 GHz	-2.94 dBm			M2	1		2.4 GHz	-50.08 dBm			M3	1		2.39 GHz	-56.71 dBm			M4	1		2.31 GHz	-61.76 dBm			M5	1		2.399824 GHz	-46.81 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41322 GHz	-2.94 dBm																																									
M2	1		2.4 GHz	-50.08 dBm																																									
M3	1		2.39 GHz	-56.71 dBm																																									
M4	1		2.31 GHz	-61.76 dBm																																									
M5	1		2.399824 GHz	-46.81 dBm																																									
CH11	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWF 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] -2.55 dBm 2.460751 GHz M2[1] -51.33 dBm 2.4835000 GHz H1 -22.690 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.460751 GHz</td><td>-2.55 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-51.33 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.96 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484784 GHz</td><td>-49.43 dBm</td><td></td><td></td></tr></table> Date: 28_JUL_2022 15:49:47			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460751 GHz	-2.55 dBm			M2	1		2.4835 GHz	-51.33 dBm			M3	1		2.5 GHz	-59.96 dBm			M4	1		2.484784 GHz	-49.43 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.460751 GHz	-2.55 dBm																																									
M2	1		2.4835 GHz	-51.33 dBm																																									
M3	1		2.5 GHz	-59.96 dBm																																									
M4	1		2.484784 GHz	-49.43 dBm																																									

Test Item:	Bandedge	802.11 n(HT40)	Antenna 1																																										
CH03	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Count 300/300 Att 30 dB SWF 1.32 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41938 GHz</td><td>-5.18 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-48.64 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-55.36 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-62.56 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399496 GHz</td><td>-43.78 dBm</td><td></td><td></td></tr></table> Date: 28_01_2022 16:24:08			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41938 GHz	-5.18 dBm			M2	1		2.4 GHz	-48.64 dBm			M3	1		2.39 GHz	-55.36 dBm			M4	1		2.31 GHz	-62.56 dBm			M5	1		2.399496 GHz	-43.78 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41938 GHz	-5.18 dBm																																									
M2	1		2.4 GHz	-48.64 dBm																																									
M3	1		2.39 GHz	-55.36 dBm																																									
M4	1		2.31 GHz	-62.56 dBm																																									
M5	1		2.399496 GHz	-43.78 dBm																																									
CH09	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Count 300/300 Att 30 dB SWF 1.1 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.449493 GHz</td><td>-4.86 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-50.55 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-55.73 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484496 GHz</td><td>-47.76 dBm</td><td></td><td></td></tr></table> Date: 28_01_2022 16:26:23			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.449493 GHz	-4.86 dBm			M2	1		2.4835 GHz	-50.55 dBm			M3	1		2.5 GHz	-55.73 dBm			M4	1		2.484496 GHz	-47.76 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.449493 GHz	-4.86 dBm																																									
M2	1		2.4835 GHz	-50.55 dBm																																									
M3	1		2.5 GHz	-55.73 dBm																																									
M4	1		2.484496 GHz	-47.76 dBm																																									

Test Item:	SE	802.11 b	Antenna 0
Reference level CH01			
CH01			
			





Test Item:	SE	802.11 g	Antenna 0
Reference level CH01	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Mode Auto Sweep Att 30.0 dB SWF 1.04 ms VBW 300 kHz Count 100/100 1 Frequency Sweep MU[1] -25.53 dBm 2.4107410 GHz 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 28_JUL_2022 15:15:49		
	CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Mode Auto Sweep Att 30.0 dB SWF 30.1 ms VBW 300 kHz Count 10/10 1 Frequency Sweep MU[1] -51.75 dBm 425.9570 MHz -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm H1 -22.530 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 28_JUL_2022 15:16:05	
MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Mode Auto Sweep Att 30.0 dB SWF 250 ms VBW 300 kHz Count 10/10 1 Frequency Sweep MU[1] -52.29 dBm 25.967500 GHz -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm H1 -22.530 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 28_JUL_2022 15:16:22			

