


|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 1/ TX A Mode 5240MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5235.300     | 56.81                    | 42.34                   | 99.15                      | 68.30           | 30.85      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5236.700     | 49.21                    | 42.34                   | 91.55                      | 54.00           | 37.55      | AVG      | Fundamental frequency, no limit |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 1/ TX A Mode 5240MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10480.36     | 34.78                    | 15.51                   | 50.29                      | 68.00           | -17.71     | peak     |         |
| 2   | *   | 10480.56     | 22.93                    | 15.51                   | 38.44                      | 54.00           | -15.56     | AVG      |         |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 1/ TX A Mode 5240MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5236.400     | 58.35                    | 42.34                   | 100.69                     | 68.30           | 32.39      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5236.600     | 51.36                    | 42.34                   | 93.70                      | 54.00           | 39.70      | AVG      | Fundamental frequency, no limit |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 1/ TX A Mode 5240MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10479.73     | 34.21                    | 15.52                   | 49.73                      | 68.00           | -18.27     | peak     |         |
| 2   | *   | 10479.86     | 22.76                    | 15.52                   | 38.28                      | 54.00           | -15.72     | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5180MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   |     | 5150.000     | 7.19                     | 41.99                   | 49.18                      | 68.30           | -19.12     | peak     |                                 |
| 2   |     | 5150.000     | 0.28                     | 41.99                   | 42.27                      | 54.00           | -11.73     | AVG      |                                 |
| 3   | *   | 5176.100     | 47.03                    | 42.09                   | 89.12                      | 54.00           | 35.12      | AVG      | Fundamental frequency, no limit |
| 4   | X   | 5176.400     | 58.58                    | 42.10                   | 100.68                     | 68.30           | 32.38      | peak     | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5180MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10360.45     | 35.14                    | 15.70                   | 50.84                      | 68.00           | -17.16     | peak     |         |
| 2   | *   | 10360.46     | 23.79                    | 15.70                   | 39.49                      | 54.00           | -14.51     | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5180MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   |     | 5150.000     | 9.34                     | 41.99                   | 51.33                      | 68.30           | -16.97     | peak     |                                 |
| 2   |     | 5150.000     | 1.05                     | 41.99                   | 43.04                      | 54.00           | -10.96     | AVG      |                                 |
| 3   | *   | 5176.300     | 48.94                    | 42.09                   | 91.03                      | 54.00           | 37.03      | AVG      | Fundamental frequency, no limit |
| 4   | X   | 5176.400     | 60.84                    | 42.10                   | 102.94                     | 68.30           | 34.64      | peak     | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5180MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10359.78     | 34.81                    | 15.70                   | 50.51                      | 68.00           | -17.49     | peak     |         |
| 2   | *   | 10359.81     | 23.00                    | 15.70                   | 38.70                      | 54.00           | -15.30     | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5200MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5203.000     | 58.62                    | 42.21                   | 100.83                     | 68.30           | 32.53      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5203.000     | 50.27                    | 42.21                   | 92.48                      | 54.00           | 38.48      | AVG      | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5200MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10400.57     | 34.93                    | 15.63                   | 50.56                      | 68.00           | -17.44     | peak     |         |
| 2   | *   | 10400.98     | 23.48                    | 15.63                   | 39.11                      | 54.00           | -14.89     | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5200MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | *   | 5201.500     | 53.51                    | 42.21                   | 95.72                      | 54.00           | 41.72      | AVG      | Fundamental frequency, no limit |
| 2   | X   | 5202.500     | 62.72                    | 42.21                   | 104.93                     | 68.30           | 36.63      | peak     | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5200MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10400.75     | 34.56                    | 15.63                   | 50.19                      | 68.00           | -17.81     | peak     |         |
| 2   | *   | 10400.96     | 23.62                    | 15.63                   | 39.25                      | 54.00           | -14.75     | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5240MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5243.000     | 59.16                    | 42.37                   | 101.53                     | 68.30           | 33.23      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5243.000     | 51.77                    | 42.37                   | 94.14                      | 54.00           | 40.14      | AVG      | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5240MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10479.43     | 34.93                    | 15.52                   | 50.45                      | 68.00           | -17.55     | peak     |         |
| 2   | *   | 10480.67     | 24.22                    | 15.51                   | 39.73                      | 54.00           | -14.27     | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5240MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5235.800     | 63.68                    | 42.34                   | 106.02                     | 68.30           | 37.72      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5236.300     | 54.23                    | 42.34                   | 96.57                      | 54.00           | 42.57      | AVG      | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N20 Mode 5240MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10479.23     | 34.52                    | 15.52                   | 50.04                      | 68.00           | -17.96     | peak     |         |
| 2   | *   | 10480.76     | 23.82                    | 15.51                   | 39.33                      | 54.00           | -14.67     | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N40 Mode 5190MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   |     | 5150.000     | 16.42                    | 41.99                   | 58.41                      | 68.30           | -9.89      | peak     |                                 |
| 2   |     | 5150.000     | 4.82                     | 41.99                   | 46.81                      | 54.00           | -7.19      | AVG      |                                 |
| 3   | *   | 5176.400     | 45.08                    | 42.10                   | 87.18                      | 54.00           | 33.18      | AVG      | Fundamental frequency, no limit |
| 4   | X   | 5185.200     | 55.56                    | 42.14                   | 97.70                      | 68.30           | 29.40      | peak     | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N40 Mode 5190MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10379.45     | 37.49                    | 15.67                   | 53.16                      | 68.00           | -14.84     | peak     |         |
| 2   | *   | 10380.78     | 28.87                    | 15.67                   | 44.54                      | 54.00           | -9.46      | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N40 Mode 5190MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   |     | 5150.000     | 23.44                    | 41.99                   | 65.43                      | 68.30           | -2.87      | peak     |                                 |
| 2   |     | 5150.000     | 8.26                     | 41.99                   | 50.25                      | 54.00           | -3.75      | AVG      |                                 |
| 3   | X   | 5175.800     | 62.17                    | 42.09                   | 104.26                     | 68.30           | 35.96      | peak     | Fundamental frequency, no limit |
| 4   | *   | 5176.400     | 50.79                    | 42.10                   | 92.89                      | 54.00           | 38.89      | AVG      | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N40 Mode 5190MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10380.78     | 36.56                    | 15.67                   | 52.23                      | 68.00           | -15.77     | peak     |         |
| 2   | *   | 10380.98     | 27.63                    | 15.67                   | 43.30                      | 54.00           | -10.70     | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N40 Mode 5230MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5212.600     | 55.15                    | 42.25                   | 97.40                      | 68.30           | 29.10      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5212.600     | 46.64                    | 42.25                   | 88.89                      | 54.00           | 34.89      | AVG      | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N40 Mode 5230MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10429.72     | 39.00                    | 15.59                   | 54.59                      | 68.00           | -13.41     | peak     |         |
| 2   | *   | 10460.87     | 29.76                    | 15.54                   | 45.30                      | 54.00           | -8.70      | AVG      |         |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N40 Mode 5230MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5212.600     | 60.19                    | 42.25                   | 102.44                     | 68.30           | 34.14      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5212.600     | 51.81                    | 42.25                   | 94.06                      | 54.00           | 40.06      | AVG      | Fundamental frequency, no limit |

|                   |                             |
|-------------------|-----------------------------|
| Orthogonal Axis : | X                           |
| Test Mode :       | Band 1/ TX N40 Mode 5230MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10460.65     | 37.44                    | 15.54                   | 52.98                      | 68.00           | -15.02     | peak     |         |
| 2   | *   | 10460.86     | 29.06                    | 15.54                   | 44.60                      | 54.00           | -9.40      | AVG      |         |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 2/ TX A Mode 5260MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5262.100     | 56.11                    | 42.45                   | 98.56                      | 68.30           | 30.26      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5263.500     | 47.83                    | 42.46                   | 90.29                      | 54.00           | 36.29      | AVG      | Fundamental frequency, no limit |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 2/ TX A Mode 5260MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10519.43     | 34.45                    | 15.47                   | 49.92                      | 68.00           | -18.08     | peak     |         |
| 2   | *   | 10519.67     | 22.64                    | 15.47                   | 38.11                      | 54.00           | -15.89     | AVG      |         |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 2/ TX A Mode 5260MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5256.100     | 57.49                    | 42.42                   | 99.91                      | 68.30           | 31.61      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5256.100     | 50.65                    | 42.42                   | 93.07                      | 54.00           | 39.07      | AVG      | Fundamental frequency, no limit |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 2/ TX A Mode 5260MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10519.64     | 34.54                    | 15.47                   | 50.01                      | 68.00           | -17.99     | peak     |         |
| 2   | *   | 10520.85     | 22.19                    | 15.47                   | 37.66                      | 54.00           | -16.34     | AVG      |         |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 2/ TX A Mode 5300MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5293.500     | 53.05                    | 42.58                   | 95.63                      | 68.30           | 27.33      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5304.000     | 45.37                    | 42.62                   | 87.99                      | 54.00           | 33.99      | AVG      | Fundamental frequency, no limit |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 2/ TX A Mode 5300MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10599.63     | 34.88                    | 15.45                   | 50.33                      | 68.00           | -17.67     | peak     |         |
| 2   | *   | 10599.85     | 22.73                    | 15.45                   | 38.18                      | 54.00           | -15.82     | AVG      |         |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 2/ TX A Mode 5300MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | X   | 5303.000     | 57.46                    | 42.62                   | 100.08                     | 68.30           | 31.78      | peak     | Fundamental frequency, no limit |
| 2   | *   | 5303.100     | 50.06                    | 42.62                   | 92.68                      | 54.00           | 38.68      | AVG      | Fundamental frequency, no limit |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 2/ TX A Mode 5300MHz |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 10600.23     | 34.21                    | 15.45                   | 49.66                      | 68.00           | -18.34     | peak     |         |
| 2   | *   | 10600.76     | 22.37                    | 15.45                   | 37.82                      | 54.00           | -16.18     | AVG      |         |

|                   |                           |
|-------------------|---------------------------|
| Orthogonal Axis : | X                         |
| Test Mode :       | Band 2/ TX A Mode 5320MHz |

### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment                         |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1   | *   | 5316.200     | 46.70                    | 42.67                   | 89.37                      | 54.00           | 35.37      | AVG      | Fundamental frequency, no limit |
| 2   | X   | 5316.500     | 54.62                    | 42.67                   | 97.29                      | 68.30           | 28.99      | peak     | Fundamental frequency, no limit |
| 3   |     | 5350.000     | 10.94                    | 42.81                   | 53.75                      | 68.30           | -14.55     | peak     |                                 |
| 4   |     | 5350.000     | 0.09                     | 42.81                   | 42.90                      | 54.00           | -11.10     | AVG      |                                 |