


802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT X_4TX
SET 85
80\92\86\83\85
1.79\ -8.34\ -1.31\ 1.12\ 0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4589G	67.84	74.00	-6.16	60.34	3	Horizontal	311	1.80	85	33.70	6.46	32.66
AV	5.46G	53.43	54.00	-0.57	45.93	3	Horizontal	311	1.80	85	33.70	6.46	32.66
PK	5.4674G	68.08	68.20	-0.12	60.56	3	Horizontal	311	1.80	85	33.70	6.47	32.65
PK	5.4987G	123.52	Inf	-Inf	115.96	3	Horizontal	311	1.80	85	33.70	6.50	32.64
AV	5.4974G	106.13	Inf	-Inf	98.57	3	Horizontal	311	1.80	85	33.70	6.50	32.64

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99288G	56.96	74.00	-17.04	41.74	3	Vertical	23	2.12	76	38.50	8.75	32.03
AV	10.99656G	43.45	54.00	-10.55	28.24	3	Vertical	23	2.12	76	38.50	8.75	32.04
PK	16.50356G	68.01	68.20	-0.19	46.01	3	Vertical	272	1.80	76	40.30	10.65	28.95

802.11ax HEW20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99668G	60.07	74.00	-13.93	44.86	3	Horizontal	301	2.43	85	38.50	8.75	32.04
AV	11.00272G	46.38	54.00	-7.62	31.17	3	Horizontal	301	2.43	85	38.50	8.75	32.04
PK	16.4938G	68.17	68.20	-0.03	46.21	3	Horizontal	126	1.80	76	40.27	10.65	28.96

802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
SET 107
107
4.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45808G	61.61	74.00	-12.39	54.11	3	Vertical	1	2.95	107	33.70	6.46	32.66
AV	5.46G	49.22	54.00	-4.78	41.72	3	Vertical	1	2.95	107	33.70	6.46	32.66
PK	5.46736G	64.07	68.20	-4.13	56.55	3	Vertical	1	2.95	107	33.70	6.47	32.65
PK	5.57552G	122.34	Inf	-Inf	114.58	3	Vertical	1	2.95	107	33.85	6.58	32.67
AV	5.57744G	104.71	Inf	-Inf	96.95	3	Vertical	1	2.95	107	33.85	6.58	32.67
PK	5.73232G	60.73	68.20	-7.47	52.60	3	Vertical	1	2.95	107	34.26	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
SET 107
80\98\107\108\107
5.13\3.76\0.52\~1.55\1.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45072G	65.80	74.00	-8.20	58.31	3	Horizontal	314	1.78	107	33.70	6.45	32.66
PK	5.46128G	66.16	68.20	-2.04	58.66	3	Horizontal	314	1.78	107	33.70	6.46	32.66
AV	5.46G	52.35	54.00	-1.65	44.85	3	Horizontal	314	1.78	107	33.70	6.46	32.66
PK	5.57904G	126.54	Inf	-Inf	118.79	3	Horizontal	314	1.78	107	33.84	6.58	32.67
AV	5.57744G	109.52	Inf	-Inf	101.76	3	Horizontal	314	1.78	107	33.85	6.58	32.67
PK	5.73328G	63.67	68.20	-4.53	55.53	3	Horizontal	314	1.78	107	34.27	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15724G	57.70	74.00	-16.30	42.52	3	Vertical	0	2.50	83	38.34	8.79	31.95
AV	11.16308G	43.25	54.00	-10.75	28.06	3	Vertical	0	2.50	83	38.34	8.79	31.94
PK	16.7302G	67.33	68.20	-0.87	45.52	3	Vertical	259	1.95	83	40.43	10.72	29.34

802.11ax HEW20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15524G	57.51	74.00	-16.49	42.33	3	Horizontal	304	1.44	107	38.34	8.79	31.95
AV	11.1534G	44.43	54.00	-9.57	29.24	3	Horizontal	304	1.44	107	38.35	8.79	31.95
PK	16.73128G	68.12	68.20	-0.08	46.31	3	Horizontal	288	1.80	83	40.43	10.72	29.34

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.696G	110.78	Inf	-Inf	102.89	3	Vertical	1	2.93	62	34.01	6.60	32.72
AV	5.6973G	94.32	Inf	-Inf	86.43	3	Vertical	1	2.93	62	34.01	6.60	32.72
PK	5.725G	67.07	68.20	-1.13	59.00	3	Vertical	1	2.93	62	34.20	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	115.56	Inf	-Inf	107.68	3	Horizontal	314	1.79	62	34.00	6.60	32.72
AV	5.6964G	98.39	Inf	-Inf	90.50	3	Horizontal	314	1.79	62	34.01	6.60	32.72
PK	5.7252G	67.79	68.20	-0.41	59.72	3	Horizontal	314	1.79	62	34.20	6.60	32.73

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41584G	57.38	74.00	-16.62	41.92	3	Vertical	349	1.80	62	38.40	8.85	31.79
AV	11.41692G	43.78	54.00	-10.22	28.32	3	Vertical	349	1.80	62	38.40	8.85	31.79
PK	17.08604G	67.12	68.20	-1.08	44.87	3	Vertical	159	1.81	62	41.36	10.83	29.94

802.11ax HEW20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40164G	57.07	74.00	-16.93	41.62	3	Horizontal	177	1.80	62	38.40	8.85	31.80
AV	11.41076G	43.66	54.00	-10.34	28.20	3	Horizontal	177	1.80	62	38.40	8.85	31.79
PK	17.0824G	66.64	68.20	-1.56	44.41	3	Horizontal	357	1.81	62	41.35	10.82	29.94

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 108
108
5.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	59.97	74.00	-14.03	52.47	3	Vertical	2	2.95	108	33.70	6.46	32.66
AV	5.45702G	47.93	54.00	-6.07	40.43	3	Vertical	2	2.95	108	33.70	6.46	32.66
PK	5.46944G	60.79	68.20	-7.41	53.27	3	Vertical	2	2.95	108	33.70	6.47	32.65
PK	5.71568G	121.07	Inf	-Inf	113.07	3	Vertical	2	2.95	108	34.13	6.60	32.73
AV	5.7173G	103.42	Inf	-Inf	95.41	3	Vertical	2	2.95	108	34.14	6.60	32.73
PK	5.8523G	63.12	68.20	-5.08	54.50	3	Vertical	2	2.95	108	34.80	6.60	32.78

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 108
80\98\107\108
5.03\4.01\4.50\4.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.23	74.00	-12.77	53.73	3	Horizontal	317	1.78	108	33.70	6.46	32.66
AV	5.4581G	49.39	54.00	-4.61	41.89	3	Horizontal	317	1.78	108	33.70	6.46	32.66
PK	5.46458G	61.57	68.20	-6.63	54.06	3	Horizontal	317	1.78	108	33.70	6.46	32.65
PK	5.71784G	123.10	Inf	-Inf	115.09	3	Horizontal	317	1.78	108	34.14	6.60	32.73
AV	5.71622G	106.78	Inf	-Inf	98.78	3	Horizontal	317	1.78	108	34.13	6.60	32.73
PK	5.85068G	63.32	68.20	-4.88	54.70	3	Horizontal	317	1.78	108	34.80	6.60	32.78

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44244G	57.19	74.00	-16.81	41.70	3	Vertical	287	1.80	67	38.40	8.86	31.77
AV	11.44824G	44.10	54.00	-9.90	28.61	3	Vertical	287	1.80	67	38.40	8.86	31.77
PK	17.1406G	68.12	68.20	-0.08	45.83	3	Vertical	340	1.81	67	41.48	10.84	30.03

802.11ax HEW20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43188G	59.01	74.00	-14.99	43.53	3	Horizontal	291	2.85	108	38.40	8.86	31.78
AV	11.43732G	45.69	54.00	-8.31	30.21	3	Horizontal	291	2.85	108	38.40	8.86	31.78
PK	17.15588G	67.19	68.20	-1.01	44.88	3	Horizontal	294	1.80	67	41.51	10.85	30.05

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT X_4TX
SET 81
81
4.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	58.44	74.00	-15.56	52.15	3	Vertical	327	1.80	81	32.71	6.37	32.79
AV	5.14932G	47.64	54.00	-6.36	41.36	3	Vertical	327	1.80	81	32.70	6.37	32.79
PK	5.26496G	111.96	Inf	-Inf	105.47	3	Vertical	327	1.80	81	32.83	6.40	32.74
AV	5.27728G	100.32	Inf	-Inf	93.80	3	Vertical	327	1.80	81	32.85	6.40	32.73
PK	5.35708G	61.88	74.00	-12.12	55.15	3	Vertical	327	1.80	81	33.03	6.40	32.70
AV	5.35092G	49.39	54.00	-4.61	42.69	3	Vertical	327	1.80	81	33.00	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
SET 81
80\89\84\81\83\82\81
1.12\ -4.19\ -0.83\0.64\ -0.59\ -0.16\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1426G	61.60	74.00	-12.40	55.31	3	Horizontal	310	1.80	81	32.71	6.37	32.79
AV	5.14792G	49.81	54.00	-4.19	43.53	3	Horizontal	310	1.80	81	32.70	6.37	32.79
PK	5.27476G	118.56	Inf	-Inf	112.04	3	Horizontal	310	1.80	81	32.85	6.40	32.73
AV	5.27168G	106.39	Inf	-Inf	99.89	3	Horizontal	310	1.80	81	32.84	6.40	32.74
PK	5.35G	65.25	74.00	-8.75	58.55	3	Horizontal	310	1.80	81	33.00	6.40	32.70
AV	5.35176G	53.77	54.00	-0.23	47.06	3	Horizontal	310	1.80	81	33.01	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54216G	58.94	68.20	-9.26	43.43	3	Vertical	360	2.33	81	38.54	8.64	31.67
PK	15.8292G	62.06	74.00	-11.94	43.91	3	Vertical	187	1.80	81	38.33	10.45	30.63
AV	15.8436G	49.05	54.00	-4.95	30.89	3	Vertical	187	1.80	81	38.34	10.45	30.63

802.11ax HEW40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54064G	62.33	68.20	-5.87	46.82	3	Horizontal	61	2.22	81	38.54	8.64	31.67
PK	15.81136G	63.07	74.00	-10.93	44.96	3	Horizontal	268	1.80	81	38.31	10.44	30.64
AV	15.8064G	49.47	54.00	-4.53	31.36	3	Horizontal	268	1.80	81	38.31	10.44	30.64

802.11ax HEW40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
SET 66
66
4.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31132G	108.97	Inf	-Inf	102.37	3	Vertical	323	1.60	66	32.92	6.40	32.72
AV	5.31816G	96.02	Inf	-Inf	89.40	3	Vertical	323	1.60	66	32.94	6.40	32.72
PK	5.3502G	62.08	74.00	-11.92	55.38	3	Vertical	323	1.60	66	33.00	6.40	32.70
AV	5.35164G	49.75	54.00	-4.25	43.04	3	Vertical	323	1.60	66	33.01	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
SET 66
80\62\71\66
-4.88\1.45\1.14\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32428G	114.13	Inf	-Inf	107.49	3	Horizontal	312	1.80	66	32.95	6.40	32.71
AV	5.31828G	102.09	Inf	-Inf	95.47	3	Horizontal	312	1.80	66	32.94	6.40	32.72
PK	5.35056G	66.57	74.00	-7.43	59.87	3	Horizontal	312	1.80	66	33.00	6.40	32.70
AV	5.35008G	53.91	54.00	-0.09	47.21	3	Horizontal	312	1.80	66	33.00	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX


EUT X_4TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.62208G	57.77	74.00	-16.23	42.25	3	Vertical	360	2.38	66	38.60	8.66	31.74	
AV	10.62064G	43.78	54.00	-10.22	28.26	3	Vertical	360	2.38	66	38.60	8.66	31.74	
PK	15.95048G	63.63	74.00	-10.37	45.33	3	Vertical	132	1.80	66	38.40	10.49	30.59	
AV	15.96176G	50.46	54.00	-3.54	32.16	3	Vertical	132	1.80	66	38.40	10.49	30.59	

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX


EUT X_4TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6276G	56.83	74.00	-17.17	41.31	3	Horizontal	308	2.53	66	38.60	8.66	31.74	
AV	10.61704G	43.72	54.00	-10.28	28.20	3	Horizontal	308	2.53	66	38.60	8.65	31.73	
PK	15.95232G	64.24	74.00	-9.76	45.94	3	Horizontal	103	1.80	66	38.40	10.49	30.59	
AV	15.95328G	50.46	54.00	-3.54	32.16	3	Horizontal	103	1.80	66	38.40	10.49	30.59	

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT X_4TX
SET 65
65
4.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45276G	60.94	74.00	-13.06	53.45	3	Vertical	354	2.64	65	33.70	6.45	32.66
AV	5.45972G	49.55	54.00	-4.45	42.05	3	Vertical	354	2.64	65	33.70	6.46	32.66
PK	5.46776G	62.92	68.20	-5.28	55.40	3	Vertical	354	2.64	65	33.70	6.47	32.65
PK	5.5064G	111.08	Inf	-Inf	103.48	3	Vertical	354	2.64	65	33.73	6.51	32.64
AV	5.50616G	97.61	Inf	-Inf	90.02	3	Vertical	354	2.64	65	33.72	6.51	32.64

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
SET 65
80\62\71\66\63\65
-5.98\1.74\1.83\0.46\1.73\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45732G	63.07	74.00	-10.93	55.57	3	Horizontal	315	1.80	65	33.70	6.46	32.66
AV	5.45984G	51.90	54.00	-2.10	44.40	3	Horizontal	315	1.80	65	33.70	6.46	32.66
PK	5.46992G	68.16	68.20	-0.04	60.64	3	Horizontal	315	1.80	65	33.70	6.47	32.65
PK	5.50904G	114.94	Inf	-Inf	107.33	3	Horizontal	315	1.80	65	33.74	6.51	32.64
AV	5.52584G	102.65	Inf	-Inf	94.97	3	Horizontal	315	1.80	65	33.80	6.53	32.65

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT X_4TX
SET 48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05624G	56.55	74.00	-17.45	41.36	3	Vertical	18	1.80	59	38.44	8.76	32.01
AV	11.03656G	43.17	54.00	-10.83	27.97	3	Vertical	18	1.80	59	38.46	8.76	32.02
PK	16.556G	67.89	68.20	-0.31	45.96	3	Vertical	15	1.80	48	40.30	10.67	29.04

802.11ax HEW40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.01208G	56.51	74.00	-17.49	41.30	3	Horizontal	301	1.80	65	38.49	8.75	32.03	
AV	11.01424G	43.37	54.00	-10.63	28.16	3	Horizontal	301	1.80	65	38.49	8.75	32.03	
PK	16.534G	67.89	68.20	-0.31	45.93	3	Horizontal	270	1.80	59	40.30	10.66	29.00	

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
SET 81
81
1.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	61.39	74.00	-12.61	53.90	3	Vertical	353	2.92	81	33.70	6.45	32.66
AV	5.4524G	50.28	54.00	-3.72	42.79	3	Vertical	353	2.92	81	33.70	6.45	32.66
PK	5.464G	66.37	68.20	-1.83	58.87	3	Vertical	353	2.92	81	33.70	6.46	32.66
PK	5.534G	113.07	Inf	-Inf	105.35	3	Vertical	353	2.92	81	33.84	6.53	32.65
AV	5.5364G	101.06	Inf	-Inf	93.32	3	Vertical	353	2.92	81	33.85	6.54	32.65
PK	5.7276G	60.69	68.20	-7.51	52.60	3	Vertical	353	2.92	81	34.22	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
SET 81
80\92\86\83\81
1.45\ -6.22\ -2.79\ -0.98\ 0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.01	74.00	-9.99	56.51	3	Horizontal	316	1.78	81	33.70	6.46	32.66
AV	5.4592G	52.75	54.00	-1.25	45.25	3	Horizontal	316	1.78	81	33.70	6.46	32.66
PK	5.4624G	67.96	68.20	-0.24	60.46	3	Horizontal	316	1.78	81	33.70	6.46	32.66
PK	5.5544G	118.15	Inf	-Inf	110.37	3	Horizontal	316	1.78	81	33.89	6.55	32.66
AV	5.5444G	106.35	Inf	-Inf	98.59	3	Horizontal	316	1.78	81	33.88	6.54	32.66
PK	5.7292G	61.92	68.20	-6.28	53.82	3	Horizontal	316	1.78	81	34.23	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT X_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10064G	56.98	74.00	-17.02	41.78	3	Vertical	356	2.50	78	38.40	8.78	31.98
AV	11.10072G	43.60	54.00	-10.40	28.40	3	Vertical	356	2.50	78	38.40	8.78	31.98
PK	16.63312G	67.89	68.20	-0.31	46.04	3	Vertical	63	1.80	78	40.33	10.69	29.17

802.11ax HEW40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09896G	57.10	74.00	-16.90	41.91	3	Horizontal	308	2.91	81	38.40	8.77	31.98
AV	11.11232G	44.06	54.00	-9.94	28.86	3	Horizontal	308	2.91	81	38.39	8.78	31.97
PK	16.63328G	67.71	68.20	-0.49	45.86	3	Horizontal	288	1.80	78	40.33	10.69	29.17

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_X_4TX
SET 67
67
5.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6652G	110.06	Inf	-Inf	102.10	3	Vertical	0	2.88	67	34.07	6.60	32.71
AV	5.65592G	98.00	Inf	-Inf	90.01	3	Vertical	0	2.88	67	34.09	6.60	32.70
PK	5.72616G	63.18	68.20	-5.02	55.10	3	Vertical	0	2.88	67	34.21	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_X_4TX
SET 67
80\62\71\66\69\67
-8.40\5.37\3.89\2.20\1.44\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65608G	114.61	Inf	-Inf	106.62	3	Horizontal	313	1.80	67	34.09	6.60	32.70
AV	5.66248G	101.92	Inf	-Inf	93.94	3	Horizontal	313	1.80	67	34.08	6.60	32.70
PK	5.72744G	67.72	68.20	-0.48	59.63	3	Horizontal	313	1.80	67	34.22	6.60	32.73

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_X_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35328G	56.76	74.00	-17.24	41.35	3	Vertical	280	1.80	67	38.40	8.84	31.83
AV	11.37032G	43.80	54.00	-10.20	28.38	3	Vertical	280	1.80	67	38.40	8.84	31.82
PK	17.04592G	67.29	68.20	-0.91	45.12	3	Vertical	80	1.62	67	41.24	10.81	29.88

802.11ax HEW40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT X_4TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.30768G	56.81	74.00	-17.19	41.44	3	Horizontal	110	1.80	67	38.40	8.83	31.86	
AV	11.3788G	43.75	54.00	-10.25	28.32	3	Horizontal	110	1.80	67	38.40	8.84	31.81	
PK	16.9888G	67.60	68.20	-0.60	45.50	3	Horizontal	304	1.80	67	41.09	10.80	29.79	

802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 102
102
4.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45104G	61.09	74.00	-12.91	53.60	3	Vertical	1	2.95	102	33.70	6.45	32.66
AV	5.45728G	49.99	54.00	-4.01	42.49	3	Vertical	1	2.95	102	33.70	6.46	32.66
PK	5.46872G	60.89	68.20	-7.31	53.37	3	Vertical	1	2.95	102	33.70	6.47	32.65
PK	5.70636G	115.90	Inf	-Inf	107.97	3	Vertical	1	2.95	102	34.05	6.60	32.72
AV	5.7126G	104.08	Inf	-Inf	96.11	3	Vertical	1	2.95	102	34.10	6.60	32.73
PK	5.85196G	61.99	68.20	-6.21	53.37	3	Vertical	1	2.95	102	34.80	6.60	32.78

802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 102
80\98\107\102
3.49\2.09\5.50\0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45156G	62.66	74.00	-11.34	55.17	3	Horizontal	316	1.77	102	33.70	6.45	32.66
AV	5.45052G	52.52	54.00	-1.48	45.03	3	Horizontal	316	1.77	102	33.70	6.45	32.66
PK	5.46664G	63.77	68.20	-4.43	56.25	3	Horizontal	316	1.77	102	33.70	6.47	32.65
PK	5.69648G	119.22	Inf	-Inf	111.33	3	Horizontal	316	1.77	102	34.01	6.60	32.72
AV	5.70688G	107.55	Inf	-Inf	99.61	3	Horizontal	316	1.77	102	34.06	6.60	32.72
PK	5.85G	67.76	68.20	-0.44	59.14	3	Horizontal	316	1.77	102	34.80	6.60	32.78

802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45592G	56.96	74.00	-17.04	41.47	3	Vertical	92	1.80	70	38.40	8.86	31.77
AV	11.45248G	44.33	54.00	-9.67	28.84	3	Vertical	92	1.80	70	38.40	8.86	31.77
PK	17.134G	67.81	68.20	-0.39	45.52	3	Vertical	40	1.80	70	41.47	10.84	30.02

802.11ax HEW40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41872G	58.57	74.00	-15.43	43.11	3	Horizontal	298	2.95	102	38.40	8.85	31.79
AV	11.42136G	44.94	54.00	-9.06	29.47	3	Horizontal	298	2.95	102	38.40	8.86	31.79
PK	17.16152G	68.08	68.20	-0.12	45.77	3	Horizontal	307	1.80	70	41.52	10.85	30.06

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_X_4TX
SET 65
65
4.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	58.54	74.00	-15.46	52.25	3	Vertical	324	1.80	65	32.71	6.37	32.79
AV	5.14472G	47.17	54.00	-6.83	40.88	3	Vertical	324	1.80	65	32.71	6.37	32.79
PK	5.2612G	105.64	Inf	-Inf	99.16	3	Vertical	324	1.80	65	32.82	6.40	32.74
AV	5.29768G	92.77	Inf	-Inf	86.19	3	Vertical	324	1.80	65	32.90	6.40	32.72
PK	5.37704G	60.41	74.00	-13.59	53.59	3	Vertical	324	1.80	65	33.11	6.40	32.69
AV	5.35368G	49.47	54.00	-4.53	42.76	3	Vertical	324	1.80	65	33.01	6.40	32.70

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_X_4TX
SET 65
80\62\71\66\63\65
-4.95\1.73\1.65\0.32\0.82\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14824G	60.35	74.00	-13.65	54.07	3	Horizontal	311	1.92	65	32.70	6.37	32.79
AV	5.14888G	48.82	54.00	-5.18	42.54	3	Horizontal	311	1.92	65	32.70	6.37	32.79
PK	5.26344G	112.35	Inf	-Inf	105.86	3	Horizontal	311	1.92	65	32.83	6.40	32.74
AV	5.27752G	98.68	Inf	-Inf	92.15	3	Horizontal	311	1.92	65	32.86	6.40	32.73
PK	5.35G	65.68	74.00	-8.32	58.98	3	Horizontal	311	1.92	65	33.00	6.40	32.70
AV	5.35G	53.77	54.00	-0.23	47.07	3	Horizontal	311	1.92	65	33.00	6.40	32.70

802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX


EUT X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5192G	56.69	68.20	-11.51	41.20	3	Vertical	1	1.32	65	38.52	8.63	31.66
PK	15.92968G	63.37	74.00	-10.63	45.09	3	Vertical	323	2.58	65	38.40	10.48	30.60
AV	15.94456G	50.20	54.00	-3.80	31.92	3	Vertical	323	2.58	65	38.40	10.48	30.60

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT X_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5424G	56.74	68.20	-11.46	41.23	3	Horizontal	286	1.37	65	38.54	8.64	31.67
PK	15.94376G	63.32	74.00	-10.68	45.04	3	Horizontal	37	1.08	65	38.40	10.48	30.60
AV	15.9444G	50.25	54.00	-3.75	31.97	3	Horizontal	37	1.08	65	38.40	10.48	30.60

802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_X_4TX
SET 71
71
3.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45752G	63.56	74.00	-10.44	56.06	3	Vertical	0	2.92	71	33.70	6.46	32.66	
AV	5.45928G	50.57	54.00	-3.43	43.07	3	Vertical	0	2.92	71	33.70	6.46	32.66	
PK	5.47G	63.88	68.20	-4.32	56.36	3	Vertical	0	2.92	71	33.70	6.47	32.65	
PK	5.50632G	108.85	Inf	-Inf	101.25	3	Vertical	0	2.92	71	33.73	6.51	32.64	
AV	5.51224G	95.17	Inf	-Inf	87.55	3	Vertical	0	2.92	71	33.75	6.51	32.64	

802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_X_4TX
SET 71
80\62\71
-3.23\2.27\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45304G	65.23	74.00	-8.77	57.74	3	Horizontal	310	1.80	71	33.70	6.45	32.66
AV	5.4588G	53.58	54.00	-0.42	46.08	3	Horizontal	310	1.80	71	33.70	6.46	32.66
PK	5.46968G	66.51	68.20	-1.69	58.99	3	Horizontal	310	1.80	71	33.70	6.47	32.65
PK	5.518G	112.45	Inf	-Inf	104.81	3	Horizontal	310	1.80	71	33.77	6.52	32.65
AV	5.51784G	99.91	Inf	-Inf	92.27	3	Horizontal	310	1.80	71	33.77	6.52	32.65

802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT X_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02864G	56.10	74.00	-17.90	40.89	3	Vertical	181	1.80	60	38.47	8.76	32.02
AV	11.13296G	42.81	54.00	-11.19	27.62	3	Vertical	181	1.80	60	38.37	8.78	31.96
PK	16.55576G	67.24	68.20	-0.96	45.31	3	Vertical	102	1.81	60	40.30	10.67	29.04

802.11ax HEW80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_X_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11904G	56.04	74.00	-17.96	40.85	3	Horizontal	1	1.80	71	38.38	8.78	31.97
AV	11.13552G	42.85	54.00	-11.15	27.67	3	Horizontal	1	1.80	71	38.36	8.78	31.96
PK	16.53624G	67.19	68.20	-1.01	45.23	3	Horizontal	341	1.81	60	40.30	10.66	29.00

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT X_4TX
SET 74
74
2.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45672G	61.25	74.00	-12.75	53.75	3	Vertical	0	2.95	74	33.70	6.46	32.66
AV	5.45736G	49.84	54.00	-4.16	42.34	3	Vertical	0	2.95	74	33.70	6.46	32.66
PK	5.46568G	61.80	68.20	-6.40	54.28	3	Vertical	0	2.95	74	33.70	6.47	32.65
PK	5.58632G	108.03	Inf	-Inf	100.28	3	Vertical	0	2.95	74	33.83	6.59	32.67
AV	5.59208G	95.90	Inf	-Inf	88.17	3	Vertical	0	2.95	74	33.82	6.59	32.68
PK	5.72616G	65.70	68.20	-2.50	57.62	3	Vertical	0	2.95	74	34.21	6.60	32.73

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_X_4TX
SET 74
80\62\71\76\73\75\74
-3.32\4.07\1.85\1.13\1.43\1.46\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45704G	65.05	74.00	-8.95	57.55	3	Horizontal	312	1.80	74	33.70	6.46	32.66
AV	5.45352G	51.65	54.00	-2.35	44.16	3	Horizontal	312	1.80	74	33.70	6.45	32.66
PK	5.46888G	67.36	68.20	-0.84	59.84	3	Horizontal	312	1.80	74	33.70	6.47	32.65
PK	5.62312G	113.66	Inf	-Inf	105.81	3	Horizontal	312	1.80	74	33.94	6.60	32.69
AV	5.58344G	100.17	Inf	-Inf	92.43	3	Horizontal	312	1.80	74	33.83	6.58	32.67
PK	5.7284G	68.13	68.20	-0.07	60.03	3	Horizontal	312	1.80	74	34.23	6.60	32.73

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_X_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.29184G	56.20	74.00	-17.80	40.85	3	Vertical	77	1.80	74	38.39	8.82	31.86	
AV	11.2536G	42.93	54.00	-11.07	27.66	3	Vertical	77	1.80	74	38.35	8.81	31.89	
PK	16.86152G	66.19	68.20	-2.01	44.19	3	Vertical	360	1.87	74	40.81	10.76	29.57	

802.11ax HEW80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT X_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.20832G	56.07	74.00	-17.93	40.88	3	Horizontal	39	1.78	74	38.31	8.80	31.92	
AV	11.224G	42.90	54.00	-11.10	27.68	3	Horizontal	39	1.78	74	38.32	8.81	31.91	
PK	16.846G	66.08	68.20	-2.12	44.14	3	Horizontal	326	1.50	74	40.73	10.75	29.54	

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
SET 91
91
3.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.94	74.00	-13.06	53.44	3	Vertical	0	2.82	91	33.70	6.46	32.66
AV	5.4524G	50.44	54.00	-3.56	42.95	3	Vertical	0	2.82	91	33.70	6.45	32.66
PK	5.46536G	61.87	68.20	-6.33	54.35	3	Vertical	0	2.82	91	33.70	6.47	32.65
PK	5.66648G	111.08	Inf	-Inf	103.12	3	Vertical	0	2.82	91	34.07	6.60	32.71
AV	5.65832G	97.36	Inf	-Inf	89.38	3	Vertical	0	2.82	91	34.08	6.60	32.70
PK	5.8532G	64.86	68.20	-3.34	56.23	3	Vertical	0	2.82	91	34.81	6.60	32.78

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 91
80\92\86\89\91
2.86\0.24\1.66\0.79\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45192G	66.14	74.00	-7.86	58.65	3	Horizontal	315	1.80	91	33.70	6.45	32.66
AV	5.45624G	53.83	54.00	-0.17	46.33	3	Horizontal	315	1.80	91	33.70	6.46	32.66
PK	5.46728G	66.38	68.20	-1.82	58.86	3	Horizontal	315	1.80	91	33.70	6.47	32.65
PK	5.6588G	115.11	Inf	-Inf	107.13	3	Horizontal	315	1.80	91	34.08	6.60	32.70
AV	5.66168G	102.96	Inf	-Inf	94.98	3	Horizontal	315	1.80	91	34.08	6.60	32.70
PK	5.8532G	67.41	68.20	-0.79	58.78	3	Horizontal	315	1.80	91	34.81	6.60	32.78

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.44944G	56.54	74.00	-17.46	41.05	3	Vertical	79	1.80	79	38.40	8.86	31.77	
AV	11.45376G	43.71	54.00	-10.29	28.22	3	Vertical	79	1.80	79	38.40	8.86	31.77	
PK	17.13016G	68.05	68.20	-0.15	45.76	3	Vertical	300	2.31	79	41.46	10.84	30.01	

802.11ax HEW80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43984G	57.37	74.00	-16.63	41.89	3	Horizontal	360	1.80	91	38.40	8.86	31.78
AV	11.45376G	43.65	54.00	-10.35	28.16	3	Horizontal	360	1.80	91	38.40	8.86	31.77
PK	17.05784G	67.94	68.20	-0.26	45.75	3	Horizontal	280	1.48	79	41.27	10.82	29.90

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
SET 45
45
4.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14512G	60.78	74.00	-13.22	54.49	3	Vertical	325	1.86	45	32.71	6.37	32.79
AV	5.14296G	49.34	54.00	-4.66	43.05	3	Vertical	325	1.86	45	32.71	6.37	32.79
PK	5.22336G	99.19	Inf	-Inf	92.80	3	Vertical	325	1.86	45	32.75	6.40	32.76
AV	5.23008G	87.39	Inf	-Inf	80.98	3	Vertical	325	1.86	45	32.76	6.40	32.75
PK	5.35464G	59.05	74.00	-14.95	52.33	3	Vertical	325	1.86	45	33.02	6.40	32.70
AV	5.352G	49.61	54.00	-4.39	42.90	3	Vertical	325	1.86	45	33.01	6.40	32.70

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
SET 45
80\50\40\45
-19.50\ -1.09\1.96\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14632G	63.16	74.00	-10.84	56.87	3	Horizontal	307	1.80	45	32.71	6.37	32.79
AV	5.14704G	53.98	54.00	-0.02	47.69	3	Horizontal	307	1.80	45	32.71	6.37	32.79
PK	5.26752G	106.07	Inf	-Inf	99.57	3	Horizontal	307	1.80	45	32.84	6.40	32.74
AV	5.26872G	93.73	Inf	-Inf	87.23	3	Horizontal	307	1.80	45	32.84	6.40	32.74
PK	5.36592G	61.48	74.00	-12.52	54.72	3	Horizontal	307	1.80	45	33.06	6.40	32.70
AV	5.36544G	50.69	54.00	-3.31	43.93	3	Horizontal	307	1.80	45	33.06	6.40	32.70

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58832G	56.53	68.20	-11.67	41.00	3	Vertical	144	1.30	45	38.59	8.65	31.71
PK	15.60568G	62.60	74.00	-11.40	45.13	3	Vertical	199	2.21	45	37.79	10.38	30.70
AV	15.622G	49.43	54.00	-4.57	31.95	3	Vertical	199	2.21	45	37.78	10.39	30.69

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49424G	56.36	68.20	-11.84	40.90	3	Horizontal	0	2.51	45	38.49	8.62	31.65
PK	15.67512G	62.40	74.00	-11.60	44.96	3	Horizontal	119	1.80	45	37.72	10.40	30.68
AV	15.59768G	49.58	54.00	-4.42	32.09	3	Horizontal	119	1.80	45	37.81	10.38	30.70

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT X_4TX
SET 50
50
2.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45984G	60.86	74.00	-13.14	53.36	3	Vertical	0	2.95	50	33.70	6.46	32.66
AV	5.45372G	51.85	54.00	-2.15	44.36	3	Vertical	0	2.95	50	33.70	6.45	32.66
PK	5.46524G	62.50	68.20	-5.70	54.98	3	Vertical	0	2.95	50	33.70	6.47	32.65
PK	5.58656G	101.31	Inf	-Inf	93.56	3	Vertical	0	2.95	50	33.83	6.59	32.67
AV	5.59232G	89.11	Inf	-Inf	81.38	3	Vertical	0	2.95	50	33.82	6.59	32.68
PK	5.7266G	60.37	68.20	-7.83	52.29	3	Vertical	0	2.95	50	34.21	6.60	32.73

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_X_4TX
SET 50
80\50\65\57\53\51\52\51\50
-17.87\0.85\ -4.49\ -1.60\ -0.36\0.54\ -0.03\ -0.00\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42636G	63.47	74.00	-10.53	56.25	3	Horizontal	314	1.80	50	33.46	6.43	32.67
AV	5.44112G	53.60	54.00	-0.40	46.21	3	Horizontal	314	1.80	50	33.61	6.44	32.66
PK	5.46596G	65.92	68.20	-2.28	58.40	3	Horizontal	314	1.80	50	33.70	6.47	32.65
PK	5.54732G	105.59	Inf	-Inf	97.81	3	Horizontal	314	1.80	50	33.89	6.55	32.66
AV	5.54264G	93.71	Inf	-Inf	85.96	3	Horizontal	314	1.80	50	33.87	6.54	32.66
PK	5.72516G	62.61	68.20	-5.59	54.54	3	Horizontal	314	1.80	50	34.20	6.60	32.73

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_X_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.27056G	57.83	74.00	-16.17	42.52	3	Vertical	340	1.80	50	38.37	8.82	31.88
AV	11.29648G	43.65	54.00	-10.35	28.29	3	Vertical	340	1.80	50	38.40	8.82	31.86
PK	16.61048G	67.58	68.20	-0.62	45.72	3	Vertical	265	1.15	50	40.31	10.68	29.13

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX



EUT_X_4TX
SET 50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16912G	57.00	74.00	-17.00	41.82	3	Horizontal	148	1.80	50	38.33	8.79	31.94
AV	11.27984G	43.48	54.00	-10.52	28.15	3	Horizontal	148	1.80	50	38.38	8.82	31.87
PK	16.61976G	67.33	68.20	-0.87	45.47	3	Horizontal	185	1.80	50	40.32	10.69	29.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.35178G	53.99	54.00	-0.01	3	Vertical	354	1.80	100

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
SET 103
80\98\107\102\105\103\104\103
5.76\4.11\1.09\0.58\1.55\0.98\0.16\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14846G	65.50	74.00	-8.50	59.22	3	Vertical	353	1.79	103	32.70	6.37	32.79
AV	5.14976G	50.77	54.00	-3.23	44.49	3	Vertical	353	1.79	103	32.70	6.37	32.79
PK	5.25324G	122.86	Inf	-Inf	116.39	3	Vertical	353	1.79	103	32.81	6.40	32.74
AV	5.25766G	111.57	Inf	-Inf	105.09	3	Vertical	353	1.79	103	32.82	6.40	32.74
PK	5.35126G	69.12	74.00	-4.88	62.41	3	Vertical	353	1.79	103	33.01	6.40	32.70
AV	5.35048G	53.11	54.00	-0.89	46.41	3	Vertical	353	1.79	103	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 103
103
2.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14794G	63.22	74.00	-10.78	56.94	3	Horizontal	37	1.80	103	32.70	6.37	32.79
AV	5.14846G	49.45	54.00	-4.55	43.17	3	Horizontal	37	1.80	103	32.70	6.37	32.79
PK	5.26286G	120.88	Inf	-Inf	114.39	3	Horizontal	37	1.80	103	32.83	6.40	32.74
AV	5.25272G	109.87	Inf	-Inf	103.40	3	Horizontal	37	1.80	103	32.81	6.40	32.74
PK	5.35022G	65.63	74.00	-8.37	58.93	3	Horizontal	37	1.80	103	33.00	6.40	32.70
AV	5.35G	51.63	54.00	-2.37	44.93	3	Horizontal	37	1.80	103	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUTY_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52608G	57.35	68.20	-10.85	41.85	3	Vertical	1	1.77	84	38.53	8.63	31.66
PK	15.78092G	64.29	74.00	-9.71	46.32	3	Vertical	46	1.80	84	38.19	10.43	30.65
AV	15.78404G	50.62	54.00	-3.38	32.62	3	Vertical	46	1.80	84	38.20	10.44	30.64

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUTY_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5276G	57.30	68.20	-10.90	41.80	3	Horizontal	209	2.55	103	38.53	8.63	31.66
PK	15.78736G	69.41	74.00	-4.59	51.39	3	Horizontal	36	2.87	84	38.22	10.44	30.64
AV	15.7776G	53.88	54.00	-0.12	35.93	3	Horizontal	36	2.87	84	38.17	10.43	30.65

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 88
80\98\89\84\87\88
4.43\ -6.80\ -0.38\ 2.79\ 1.16\ 0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.30266G	119.49	Inf	-Inf	112.90	3	Vertical	353	1.73	88	32.91	6.40	32.72	
AV	5.30238G	109.23	Inf	-Inf	102.65	3	Vertical	353	1.73	88	32.90	6.40	32.72	
PK	5.35152G	70.18	74.00	-3.82	63.47	3	Vertical	353	1.73	88	33.01	6.40	32.70	
AV	5.35166G	53.38	54.00	-0.62	46.67	3	Vertical	353	1.73	88	33.01	6.40	32.70	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT V_2TX
SET 88
88
0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.30126G	117.98	Inf	-Inf	111.40	3	Horizontal	32	1.77	88	32.90	6.40	32.72	
AV	5.30168G	108.35	Inf	-Inf	101.77	3	Horizontal	32	1.77	88	32.90	6.40	32.72	
PK	5.35124G	71.26	74.00	-2.74	64.56	3	Horizontal	32	1.77	88	33.00	6.40	32.70	
AV	5.35068G	53.42	54.00	-0.58	46.72	3	Horizontal	32	1.77	88	33.00	6.40	32.70	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59324G	57.27	68.20	-10.93	41.74	3	Vertical	231	1.93	85	38.59	8.65	31.71
PK	15.90048G	67.57	74.00	-6.43	49.31	3	Vertical	1	1.79	85	38.40	10.47	30.61
AV	15.90256G	53.60	54.00	-0.40	35.34	3	Vertical	1	1.79	85	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX


EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58732G	57.31	68.20	-10.89	41.78	3	Horizontal	189	1.80	88	38.59	8.65	31.71
PK	15.89476G	67.54	74.00	-6.46	49.29	3	Horizontal	317	1.80	85	38.39	10.47	30.61
AV	15.89864G	53.64	54.00	-0.36	35.38	3	Horizontal	317	1.80	85	38.40	10.47	30.61

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 80
80\86\83\81\80
0.89\6.11\3.14\0.25\0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3226G	116.80	Inf	-Inf	110.16	3	Vertical	355	1.80	80	32.95	6.40	32.71	
AV	5.3225G	106.98	Inf	-Inf	100.34	3	Vertical	355	1.80	80	32.95	6.40	32.71	
PK	5.3531G	68.92	74.00	-5.08	62.21	3	Vertical	355	1.80	80	33.01	6.40	32.70	
AV	5.3518G	53.19	54.00	-0.81	46.48	3	Vertical	355	1.80	80	33.01	6.40	32.70	

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 80
80
0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3157G	116.51	Inf	-Inf	109.90	3	Horizontal	30	1.79	80	32.93	6.40	32.72	
AV	5.316G	106.35	Inf	-Inf	99.74	3	Horizontal	30	1.79	80	32.93	6.40	32.72	
PK	5.3558G	66.95	74.00	-7.05	60.23	3	Horizontal	30	1.79	80	33.02	6.40	32.70	
AV	5.3505G	53.57	54.00	-0.43	46.87	3	Horizontal	30	1.79	80	33.00	6.40	32.70	

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62208G	56.89	74.00	-17.11	41.37	3	Vertical	321	1.87	80	38.60	8.66	31.74
AV	10.62268G	43.36	54.00	-10.64	27.84	3	Vertical	321	1.87	80	38.60	8.66	31.74
PK	15.97156G	65.03	74.00	-8.97	46.73	3	Vertical	44	1.76	80	38.40	10.49	30.59
AV	15.95748G	50.75	54.00	-3.25	32.45	3	Vertical	44	1.76	80	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63592G	56.84	74.00	-17.16	41.33	3	Horizontal	290	2.61	80	38.60	8.66	31.75
AV	10.62156G	43.40	54.00	-10.60	27.88	3	Horizontal	290	2.61	80	38.60	8.66	31.74
PK	15.9628G	63.32	74.00	-10.68	45.02	3	Horizontal	42	1.80	80	38.40	10.49	30.59
AV	15.97408G	50.50	54.00	-3.50	32.20	3	Horizontal	42	1.80	80	38.40	10.49	30.59

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 82
80\92\86\83\81\82
2.55\ -8.24\ -3.73\ -0.18\ 0.93\ 0.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4591G	64.11	74.00	-9.89	56.61	3	Vertical	360	1.80	82	33.70	6.46	32.66
AV	5.4586G	52.10	54.00	-1.90	44.60	3	Vertical	360	1.80	82	33.70	6.46	32.66
PK	5.4689G	67.61	68.20	-0.59	60.09	3	Vertical	360	1.80	82	33.70	6.47	32.65
PK	5.4986G	118.28	Inf	-Inf	110.72	3	Vertical	360	1.80	82	33.70	6.50	32.64
AV	5.4983G	108.86	Inf	-Inf	101.30	3	Vertical	360	1.80	82	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 82
82
3.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	62.14	74.00	-11.86	54.64	3	Horizontal	32	1.62	82	33.70	6.46	32.66
AV	5.4563G	50.44	54.00	-3.56	42.94	3	Horizontal	32	1.62	82	33.70	6.46	32.66
PK	5.4698G	64.83	68.20	-3.37	57.31	3	Horizontal	32	1.62	82	33.70	6.47	32.65
PK	5.4962G	116.50	Inf	-Inf	108.94	3	Horizontal	32	1.62	82	33.70	6.50	32.64
AV	5.496G	107.08	Inf	-Inf	99.52	3	Horizontal	32	1.62	82	33.70	6.50	32.64

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01096G	55.95	74.00	-18.05	40.74	3	Vertical	1	1.80	82	38.49	8.75	32.03
AV	11.01796G	43.13	54.00	-10.87	27.93	3	Vertical	1	1.80	82	38.48	8.75	32.03
PK	16.50828G	67.75	68.20	-0.45	45.75	3	Vertical	264	2.58	82	40.30	10.65	28.95

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01824G	55.69	74.00	-18.31	40.49	3	Horizontal	360	2.74	82	38.48	8.75	32.03
AV	10.9932G	42.82	54.00	-11.18	27.60	3	Horizontal	360	2.74	82	38.50	8.75	32.03
PK	16.5088G	68.00	68.20	-0.20	46.01	3	Horizontal	9	1.59	82	40.30	10.65	28.96

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
SET 108
80\98\107\108
4.99\4.30\3.79\3.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	63.55	74.00	-10.45	56.05	3	Vertical	15	1.80	108	33.70	6.46	32.66
AV	5.45744G	49.92	54.00	-4.08	42.42	3	Vertical	15	1.80	108	33.70	6.46	32.66
PK	5.4632G	64.84	68.20	-3.36	57.34	3	Vertical	15	1.80	108	33.70	6.46	32.66
PK	5.57648G	123.06	Inf	-Inf	115.30	3	Vertical	15	1.80	108	33.85	6.58	32.67
AV	5.5816G	113.03	Inf	-Inf	105.28	3	Vertical	15	1.80	108	33.84	6.58	32.67
PK	5.73712G	60.94	68.20	-7.26	52.77	3	Vertical	15	1.80	108	34.30	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT V_2TX
SET 108
108
4.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45072G	62.94	74.00	-11.06	55.45	3	Horizontal	31	1.68	108	33.70	6.45	32.66
PK	5.4616G	63.69	68.20	-4.51	56.19	3	Horizontal	31	1.68	108	33.70	6.46	32.66
AV	5.46G	49.38	54.00	-4.62	41.88	3	Horizontal	31	1.68	108	33.70	6.46	32.66
PK	5.58608G	122.34	Inf	-Inf	114.59	3	Horizontal	31	1.68	108	33.83	6.59	32.67
AV	5.57616G	112.31	Inf	-Inf	104.55	3	Horizontal	31	1.68	108	33.85	6.58	32.67
PK	5.73936G	60.63	68.20	-7.57	52.46	3	Horizontal	31	1.68	108	34.31	6.60	32.74

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15972G	56.48	74.00	-17.52	41.29	3	Vertical	0	1.80	85	38.34	8.79	31.94
AV	11.1448G	42.75	54.00	-11.25	27.55	3	Vertical	0	1.80	85	38.36	8.79	31.95
PK	16.74292G	67.78	68.20	-0.42	45.98	3	Vertical	322	1.80	85	40.44	10.72	29.36

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15088G	56.31	74.00	-17.69	41.12	3	Horizontal	40	1.80	108	38.35	8.79	31.95
AV	11.1504G	42.72	54.00	-11.28	27.53	3	Horizontal	40	1.80	108	38.35	8.79	31.95
PK	16.7388G	67.25	68.20	-0.95	45.45	3	Horizontal	71	1.79	85	40.44	10.72	29.36

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7041G	112.44	Inf	-Inf	104.53	3	Vertical	344	1.77	64	34.03	6.60	32.72
AV	5.6941G	102.98	Inf	-Inf	95.09	3	Vertical	344	1.77	64	34.01	6.60	32.72
PK	5.7251G	67.74	68.20	-0.46	59.67	3	Vertical	344	1.77	64	34.20	6.60	32.73

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_V_2TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7012G	111.13	Inf	-Inf	103.24	3	Horizontal	281	1.66	62	34.01	6.60	32.72	
AV	5.7012G	101.93	Inf	-Inf	94.04	3	Horizontal	281	1.66	62	34.01	6.60	32.72	
PK	5.73G	66.16	68.20	-2.04	58.05	3	Horizontal	281	1.66	62	34.24	6.60	32.73	

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40916G	56.65	74.00	-17.35	41.19	3	Vertical	1	2.03	62	38.40	8.85	31.79
AV	11.41464G	43.32	54.00	-10.68	27.86	3	Vertical	1	2.03	62	38.40	8.85	31.79
PK	17.09712G	67.11	68.20	-1.09	44.85	3	Vertical	240	2.95	62	41.39	10.83	29.96

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39744G	56.77	74.00	-17.23	41.32	3	Horizontal	228	1.80	62	38.40	8.85	31.80
AV	11.4124G	43.48	54.00	-10.52	28.02	3	Horizontal	228	1.80	62	38.40	8.85	31.79
PK	17.10708G	67.06	68.20	-1.14	44.80	3	Horizontal	35	2.95	62	41.41	10.83	29.98

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 108
80\98\107\108
4.97\4.28\4.86\4.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4581G	60.24	74.00	-13.76	52.74	3	Vertical	346	1.80	108	33.70	6.46	32.66
AV	5.45972G	48.90	54.00	-5.10	41.40	3	Vertical	346	1.80	108	33.70	6.46	32.66
PK	5.46782G	60.60	68.20	-7.60	53.08	3	Vertical	346	1.80	108	33.70	6.47	32.65
PK	5.71406G	121.35	Inf	-Inf	113.37	3	Vertical	346	1.80	108	34.11	6.60	32.73
AV	5.71406G	110.67	Inf	-Inf	102.69	3	Vertical	346	1.80	108	34.11	6.60	32.73
PK	5.85284G	63.23	68.20	-4.97	54.60	3	Vertical	346	1.80	108	34.81	6.60	32.78

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 108
108
5.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	59.65	74.00	-14.35	52.15	3	Horizontal	280	1.69	108	33.70	6.46	32.66
AV	5.45918G	48.26	54.00	-5.74	40.76	3	Horizontal	280	1.69	108	33.70	6.46	32.66
PK	5.46458G	60.91	68.20	-7.29	53.40	3	Horizontal	280	1.69	108	33.70	6.46	32.65
PK	5.71622G	121.09	Inf	-Inf	113.09	3	Horizontal	280	1.69	108	34.13	6.60	32.73
AV	5.71568G	110.16	Inf	-Inf	102.16	3	Horizontal	280	1.69	108	34.13	6.60	32.73
PK	5.87606G	62.43	68.20	-5.77	53.77	3	Horizontal	280	1.69	108	34.85	6.60	32.79

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42736G	57.52	74.00	-16.48	42.04	3	Vertical	84	2.47	68	38.40	8.86	31.78
AV	11.45396G	43.59	54.00	-10.41	28.10	3	Vertical	84	2.47	68	38.40	8.86	31.77
PK	17.146G	68.15	68.20	-0.05	45.86	3	Vertical	215	1.32	54	41.49	10.84	30.04

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4442G	57.00	74.00	-17.00	41.51	3	Horizontal	277	1.80	108	38.40	8.86	31.77
AV	11.4558G	43.46	54.00	-10.54	27.97	3	Horizontal	277	1.80	108	38.40	8.86	31.77
PK	17.15156G	68.04	68.20	-0.16	45.74	3	Horizontal	314	1.76	68	41.50	10.85	30.05

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
SET 100
80\98\107\102\99\101\100
5.13\2.04\4.17\2.32\1.23\0.82\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14794G	63.37	74.00	-10.63	57.09	3	Vertical	354	1.80	100	32.70	6.37	32.79
AV	5.14534G	50.52	54.00	-3.48	44.23	3	Vertical	354	1.80	100	32.71	6.37	32.79
PK	5.25402G	120.84	Inf	-Inf	114.37	3	Vertical	354	1.80	100	32.81	6.40	32.74
AV	5.25636G	109.07	Inf	-Inf	102.60	3	Vertical	354	1.80	100	32.81	6.40	32.74
PK	5.3511G	67.65	74.00	-6.35	60.95	3	Vertical	354	1.80	100	33.00	6.40	32.70
AV	5.35178G	53.99	54.00	-0.01	47.28	3	Vertical	354	1.80	100	33.01	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 100
100
1.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	62.22	74.00	-11.78	55.93	3	Horizontal	33	1.74	100	32.71	6.37	32.79
AV	5.14976G	49.95	54.00	-4.05	43.67	3	Horizontal	33	1.74	100	32.70	6.37	32.79
PK	5.25272G	119.42	Inf	-Inf	112.95	3	Horizontal	33	1.74	100	32.81	6.40	32.74
AV	5.26338G	107.87	Inf	-Inf	101.38	3	Horizontal	33	1.74	100	32.83	6.40	32.74
PK	5.3575G	68.19	74.00	-5.81	61.46	3	Horizontal	33	1.74	100	33.03	6.40	32.70
AV	5.35048G	52.79	54.00	-1.21	46.09	3	Horizontal	33	1.74	100	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX


5260MHz_TX


EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51216G	57.06	68.20	-11.14	41.57	3	Vertical	95	2.95	83	38.51	8.63	31.65
PK	15.78624G	65.25	74.00	-8.75	47.23	3	Vertical	24	2.79	83	38.22	10.44	30.64
AV	15.77972G	50.78	54.00	-3.22	32.82	3	Vertical	24	2.79	83	38.18	10.43	30.65

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53716G	57.16	68.20	-11.04	41.66	3	Horizontal	28	2.68	100	38.54	8.63	31.67
PK	15.7856G	69.03	74.00	-4.97	51.02	3	Horizontal	35	2.87	83	38.21	10.44	30.64
AV	15.78276G	53.55	54.00	-0.45	35.57	3	Horizontal	35	2.87	83	38.20	10.43	30.65

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 83
80\92\86\83\85\84\83
2.57\4.92\1.12\0.81\0.65\0.38\0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29608G	118.05	Inf	-Inf	111.49	3	Vertical	355	1.79	83	32.89	6.40	32.73
AV	5.29608G	105.53	Inf	-Inf	98.97	3	Vertical	355	1.79	83	32.89	6.40	32.73
PK	5.3511G	67.48	74.00	-6.52	60.78	3	Vertical	355	1.79	83	33.00	6.40	32.70
AV	5.35026G	53.21	54.00	-0.79	46.51	3	Vertical	355	1.79	83	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 83
83
0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30112G	118.15	Inf	-Inf	111.57	3	Horizontal	34	1.76	83	32.90	6.40	32.72
AV	5.29832G	104.99	Inf	-Inf	98.41	3	Horizontal	34	1.76	83	32.90	6.40	32.72
PK	5.35G	68.51	74.00	-5.49	61.81	3	Horizontal	34	1.76	83	33.00	6.40	32.70
AV	5.35012G	53.19	54.00	-0.81	46.49	3	Horizontal	34	1.76	83	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59408G	57.11	68.20	-11.09	41.59	3	Vertical	55	1.05	83	38.59	8.65	31.72
PK	15.89908G	68.55	74.00	-5.45	50.29	3	Vertical	0	1.71	83	38.40	10.47	30.61
AV	15.89976G	53.18	54.00	-0.82	34.92	3	Vertical	0	1.71	83	38.40	10.47	30.61

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUTY_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58892G	56.77	68.20	-11.43	41.24	3	Horizontal	337	2.65	83	38.59	8.65	31.71
PK	15.90512G	68.05	74.00	-5.95	49.79	3	Horizontal	318	1.80	83	38.40	10.47	30.61
AV	15.90032G	52.56	54.00	-1.44	34.30	3	Horizontal	318	1.80	83	38.40	10.47	30.61

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 78
80\71\76\79\77\78
-0.88\3.89\2.17\0.10\1.72\0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	117.15	Inf	-Inf	110.51	3	Vertical	356	1.80	78	32.95	6.40	32.71
AV	5.3238G	104.65	Inf	-Inf	98.01	3	Vertical	356	1.80	78	32.95	6.40	32.71
PK	5.3535G	67.12	74.00	-6.88	60.41	3	Vertical	356	1.80	78	33.01	6.40	32.70
AV	5.3502G	53.19	54.00	-0.81	46.49	3	Vertical	356	1.80	78	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 78
78
0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3155G	115.12	Inf	-Inf	108.51	3	Horizontal	30	1.80	78	32.93	6.40	32.72
AV	5.3181G	103.68	Inf	-Inf	97.06	3	Horizontal	30	1.80	78	32.94	6.40	32.72
PK	5.3501G	65.56	74.00	-8.44	58.86	3	Horizontal	30	1.80	78	33.00	6.40	32.70
AV	5.3501G	53.08	54.00	-0.92	46.38	3	Horizontal	30	1.80	78	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62992G	56.79	74.00	-17.21	41.27	3	Vertical	167	1.80	78	38.60	8.66	31.74
AV	10.6202G	43.20	54.00	-10.80	27.68	3	Vertical	167	1.80	78	38.60	8.66	31.74
PK	15.97688G	63.26	74.00	-10.74	44.96	3	Vertical	38	1.88	78	38.40	10.49	30.59
AV	15.97776G	50.61	54.00	-3.39	32.31	3	Vertical	38	1.88	78	38.40	10.49	30.59

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63984G	56.42	74.00	-17.58	40.91	3	Horizontal	122	2.31	78	38.60	8.66	31.75
AV	10.63636G	43.63	54.00	-10.37	28.12	3	Horizontal	122	2.31	78	38.60	8.66	31.75
PK	15.97696G	63.55	74.00	-10.45	45.25	3	Horizontal	284	2.94	78	38.40	10.49	30.59
AV	15.97756G	50.14	54.00	-3.86	31.84	3	Horizontal	284	2.94	78	38.40	10.49	30.59

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT V_2TX
SET 84
80\92\86\83\85\84
1.27\ -8.18\ -2.17\ 0.90\ -1.42\ 0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4597G	65.17	74.00	-8.83	57.67	3	Vertical	360	1.80	84	33.70	6.46	32.66
AV	5.4597G	53.62	54.00	-0.38	46.12	3	Vertical	360	1.80	84	33.70	6.46	32.66
PK	5.4607G	67.85	68.20	-0.35	60.35	3	Vertical	360	1.80	84	33.70	6.46	32.66
PK	5.5057G	118.87	Inf	-Inf	111.28	3	Vertical	360	1.80	84	33.72	6.51	32.64
AV	5.5018G	107.14	Inf	-Inf	99.57	3	Vertical	360	1.80	84	33.71	6.50	32.64

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 84
84
0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.459G	63.96	74.00	-10.04	56.46	3	Horizontal	31	1.54	84	33.70	6.46	32.66	
AV	5.4589G	52.25	54.00	-1.75	44.75	3	Horizontal	31	1.54	84	33.70	6.46	32.66	
PK	5.4677G	68.10	68.20	-0.10	60.58	3	Horizontal	31	1.54	84	33.70	6.47	32.65	
PK	5.4976G	117.00	Inf	-Inf	109.44	3	Horizontal	31	1.54	84	33.70	6.50	32.64	
AV	5.4978G	104.96	Inf	-Inf	97.40	3	Horizontal	31	1.54	84	33.70	6.50	32.64	

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00676G	55.85	74.00	-18.15	40.65	3	Vertical	360	2.28	84	38.49	8.75	32.04
AV	11.01012G	43.05	54.00	-10.95	27.84	3	Vertical	360	2.28	84	38.49	8.75	32.03
PK	16.48332G	67.89	68.20	-0.31	46.02	3	Vertical	214	2.92	84	40.22	10.64	28.99

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01704G	56.54	74.00	-17.46	41.34	3	Horizontal	138	1.80	84	38.48	8.75	32.03
AV	10.98924G	43.00	54.00	-11.00	27.78	3	Horizontal	138	1.80	84	38.50	8.75	32.03
PK	16.48136G	67.60	68.20	-0.60	45.75	3	Horizontal	193	2.40	84	40.21	10.64	29.00

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 108
80\98\107\108
4.40\3.60\1.14\2.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.91	74.00	-10.09	56.41	3	Vertical	17	1.78	108	33.70	6.46	32.66
AV	5.4584G	51.72	54.00	-2.28	44.22	3	Vertical	17	1.78	108	33.70	6.46	32.66
PK	5.4616G	65.84	68.20	-2.36	58.34	3	Vertical	17	1.78	108	33.70	6.46	32.66
PK	5.58224G	122.11	Inf	-Inf	114.36	3	Vertical	17	1.78	108	33.84	6.58	32.67
AV	5.57616G	110.85	Inf	-Inf	103.09	3	Vertical	17	1.78	108	33.85	6.58	32.67
PK	5.7304G	61.97	68.20	-6.23	53.86	3	Vertical	17	1.78	108	34.24	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 108
108
2.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.44816G	63.11	74.00	-10.89	55.64	3	Horizontal	30	1.79	108	33.68	6.45	32.66	
PK	5.468G	64.67	68.20	-3.53	57.15	3	Horizontal	30	1.79	108	33.70	6.47	32.65	
AV	5.45936G	51.02	54.00	-2.98	43.52	3	Horizontal	30	1.79	108	33.70	6.46	32.66	
PK	5.57552G	121.45	Inf	-Inf	113.69	3	Horizontal	30	1.79	108	33.85	6.58	32.67	
AV	5.57872G	109.95	Inf	-Inf	102.20	3	Horizontal	30	1.79	108	33.84	6.58	32.67	
PK	5.73616G	61.45	68.20	-6.75	53.29	3	Horizontal	30	1.79	108	34.29	6.60	32.73	

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15988G	55.86	74.00	-18.14	40.67	3	Vertical	243	1.80	86	38.34	8.79	31.94
AV	11.14548G	42.67	54.00	-11.33	27.48	3	Vertical	243	1.80	86	38.35	8.79	31.95
PK	16.74424G	66.56	68.20	-1.64	44.76	3	Vertical	320	1.80	86	40.44	10.72	29.36

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.1712G	56.19	74.00	-17.81	41.01	3	Horizontal	57	1.80	108	38.33	8.79	31.94	
AV	11.14868G	42.61	54.00	-11.39	27.42	3	Horizontal	57	1.80	108	38.35	8.79	31.95	
PK	16.73708G	68.19	68.20	-0.01	46.38	3	Horizontal	71	1.76	86	40.44	10.72	29.35	

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 61
80\62\71\66\63\61\60\62\61
-12.46\1.08\ -10.25\ -4.18\ -2.93\ -0.94\1.86\ -0.86\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7032G	111.88	Inf	-Inf	103.97	3	Vertical	344	1.77	61	34.03	6.60	32.72
AV	5.7035G	100.26	Inf	-Inf	92.35	3	Vertical	344	1.77	61	34.03	6.60	32.72
PK	5.7252G	68.11	68.20	-0.09	60.04	3	Vertical	344	1.77	61	34.20	6.60	32.73

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_V_2TX
SET 61
61
0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6987G	113.15	Inf	-Inf	105.27	3	Horizontal	281	2.38	61	34.00	6.60	32.72	
AV	5.703G	100.31	Inf	-Inf	92.41	3	Horizontal	281	2.38	61	34.02	6.60	32.72	
PK	5.726G	67.54	68.20	-0.66	59.46	3	Horizontal	281	2.38	61	34.21	6.60	32.73	

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUTY_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41076G	55.86	74.00	-18.14	40.40	3	Vertical	310	1.80	60	38.40	8.85	31.79
AV	11.41908G	43.20	54.00	-10.80	27.74	3	Vertical	310	1.80	60	38.40	8.85	31.79
PK	17.08052G	67.44	68.20	-0.76	45.22	3	Vertical	186	1.80	60	41.34	10.82	29.94

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39448G	56.53	74.00	-17.47	41.08	3	Horizontal	360	1.80	61	38.40	8.85	31.80
AV	11.41216G	43.19	54.00	-10.81	27.73	3	Horizontal	360	1.80	61	38.40	8.85	31.79
PK	17.10736G	68.06	68.20	-0.14	45.80	3	Horizontal	196	2.88	60	41.41	10.83	29.98

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 108
80\98\107\108
4.27\4.15\2.93\4.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45918G	60.95	74.00	-13.05	53.45	3	Vertical	343	1.79	108	33.70	6.46	32.66
AV	5.45216G	49.25	54.00	-4.75	41.76	3	Vertical	343	1.79	108	33.70	6.45	32.66
PK	5.46026G	60.42	68.20	-7.78	52.92	3	Vertical	343	1.79	108	33.70	6.46	32.66
PK	5.71892G	119.50	Inf	-Inf	111.48	3	Vertical	343	1.79	108	34.15	6.60	32.73
AV	5.7146G	107.98	Inf	-Inf	99.99	3	Vertical	343	1.79	108	34.12	6.60	32.73
PK	5.85446G	64.16	68.20	-4.04	55.53	3	Vertical	343	1.79	108	34.81	6.60	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 108
108
4.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45486G	59.92	74.00	-14.08	52.43	3	Horizontal	284	2.38	108	33.70	6.45	32.66
AV	5.45756G	48.72	54.00	-5.28	41.22	3	Horizontal	284	2.38	108	33.70	6.46	32.66
PK	5.46458G	59.23	68.20	-8.97	51.72	3	Horizontal	284	2.38	108	33.70	6.46	32.65
PK	5.72648G	119.53	Inf	-Inf	111.45	3	Horizontal	284	2.38	108	34.21	6.60	32.73
AV	5.71838G	108.59	Inf	-Inf	100.57	3	Horizontal	284	2.38	108	34.15	6.60	32.73
PK	5.85122G	63.70	68.20	-4.50	55.08	3	Horizontal	284	2.38	108	34.80	6.60	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45568G	56.84	74.00	-17.16	41.35	3	Vertical	231	1.80	71	38.40	8.86	31.77
AV	11.4558G	43.58	54.00	-10.42	28.09	3	Vertical	231	1.80	71	38.40	8.86	31.77
PK	17.14844G	68.00	68.20	-0.20	45.70	3	Vertical	101	2.65	71	41.50	10.84	30.04

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45804G	56.97	74.00	-17.03	41.48	3	Horizontal	68	1.80	108	38.40	8.86	31.77
AV	11.44984G	43.46	54.00	-10.54	27.97	3	Horizontal	68	1.80	108	38.40	8.86	31.77
PK	17.14992G	68.12	68.20	-0.08	45.82	3	Horizontal	310	1.81	71	41.50	10.84	30.04

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 82
80\92\86\83\81\82
1.45\ -5.62\ -2.23\ -0.15\ 0.94\ 0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14316G	60.72	74.00	-13.28	54.43	3	Vertical	354	1.78	82	32.71	6.37	32.79
AV	5.14372G	49.49	54.00	-4.51	43.20	3	Vertical	354	1.78	82	32.71	6.37	32.79
PK	5.256G	115.04	Inf	-Inf	108.57	3	Vertical	354	1.78	82	32.81	6.40	32.74
AV	5.28204G	102.46	Inf	-Inf	95.93	3	Vertical	354	1.78	82	32.86	6.40	32.73
PK	5.35204G	69.53	74.00	-4.47	62.82	3	Vertical	354	1.78	82	33.01	6.40	32.70
AV	5.35G	53.67	54.00	-0.33	46.97	3	Vertical	354	1.78	82	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 82
82
0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14904G	59.69	74.00	-14.31	53.41	3	Horizontal	32	1.79	82	32.70	6.37	32.79
AV	5.14988G	48.67	54.00	-5.33	42.39	3	Horizontal	32	1.79	82	32.70	6.37	32.79
PK	5.26832G	112.87	Inf	-Inf	106.37	3	Horizontal	32	1.79	82	32.84	6.40	32.74
AV	5.2784G	102.11	Inf	-Inf	95.58	3	Horizontal	32	1.79	82	32.86	6.40	32.73
PK	5.3568G	67.36	74.00	-6.64	60.63	3	Horizontal	32	1.79	82	33.03	6.40	32.70
AV	5.35036G	53.38	54.00	-0.62	46.68	3	Horizontal	32	1.79	82	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52608G	56.92	68.20	-11.28	41.42	3	Vertical	336	1.80	82	38.53	8.63	31.66
PK	15.8236G	62.49	74.00	-11.51	44.35	3	Vertical	36	1.88	82	38.32	10.45	30.63
AV	15.80024G	49.20	54.00	-4.80	31.10	3	Vertical	36	1.88	82	38.30	10.44	30.64

802.11ax HEW40_Nss2,(MCS0)_2TX


5270MHz_TX


EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53744G	57.02	68.20	-11.18	41.52	3	Horizontal	302	1.74	82	38.54	8.63	31.67
PK	15.80872G	63.98	74.00	-10.02	45.87	3	Horizontal	34	1.80	82	38.31	10.44	30.64
AV	15.80072G	50.21	54.00	-3.79	32.11	3	Horizontal	34	1.80	82	38.30	10.44	30.64

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 67
80\62\71\66\69\67
-10.24\2.33\1.59\0.63\0.67\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	110.70	Inf	-Inf	104.12	3	Vertical	354	1.80	67	32.90	6.40	32.72
AV	5.32356G	98.44	Inf	-Inf	91.80	3	Vertical	354	1.80	67	32.95	6.40	32.71
PK	5.35368G	66.09	74.00	-7.91	59.38	3	Vertical	354	1.80	67	33.01	6.40	32.70
AV	5.35G	53.55	54.00	-0.45	46.85	3	Vertical	354	1.80	67	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
SET 67
67
0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3058G	109.23	Inf	-Inf	102.64	3	Horizontal	31	1.78	67	32.91	6.40	32.72
AV	5.31456G	97.87	Inf	-Inf	91.26	3	Horizontal	31	1.78	67	32.93	6.40	32.72
PK	5.35164G	64.83	74.00	-9.17	58.12	3	Horizontal	31	1.78	67	33.01	6.40	32.70
AV	5.35G	53.14	54.00	-0.86	46.44	3	Horizontal	31	1.78	67	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX


EUT Y_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60448G	56.78	74.00	-17.22	41.25	3	Vertical	301	2.90	67	38.60	8.65	31.72
AV	10.60096G	43.44	54.00	-10.56	27.91	3	Vertical	301	2.90	67	38.60	8.65	31.72
PK	15.92304G	62.92	74.00	-11.08	44.64	3	Vertical	77	1.80	67	38.40	10.48	30.60
AV	15.96976G	49.93	54.00	-4.07	31.63	3	Vertical	77	1.80	67	38.40	10.49	30.59

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX


EUT Y_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61416G	57.35	74.00	-16.65	41.83	3	Horizontal	96	1.88	67	38.60	8.65	31.73
PK	15.96624G	62.92	74.00	-11.08	44.62	3	Horizontal	72	1.80	67	38.40	10.49	30.59
AV	15.9696G	49.91	54.00	-4.09	31.61	3	Horizontal	72	1.80	67	38.40	10.49	30.59

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
SET 74
80\68\74
-1.87\2.42\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45972G	64.53	74.00	-9.47	57.03	3	Vertical	359	1.79	74	33.70	6.46	32.66	
AV	5.45936G	52.97	54.00	-1.03	45.47	3	Vertical	359	1.79	74	33.70	6.46	32.66	
PK	5.46884G	67.94	68.20	-0.26	60.42	3	Vertical	359	1.79	74	33.70	6.47	32.65	
PK	5.49212G	113.75	Inf	-Inf	106.20	3	Vertical	359	1.79	74	33.70	6.49	32.64	
AV	5.50172G	101.45	Inf	-Inf	93.88	3	Vertical	359	1.79	74	33.71	6.50	32.64	

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 74
74
1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45996G	63.47	74.00	-10.53	55.97	3	Horizontal	326	1.80	74	33.70	6.46	32.66	
AV	5.459G	51.84	54.00	-2.16	44.34	3	Horizontal	326	1.80	74	33.70	6.46	32.66	
PK	5.47G	67.10	68.20	-1.10	59.58	3	Horizontal	326	1.80	74	33.70	6.47	32.65	
PK	5.51372G	112.69	Inf	-Inf	105.08	3	Horizontal	326	1.80	74	33.75	6.51	32.65	
AV	5.51324G	99.49	Inf	-Inf	91.88	3	Horizontal	326	1.80	74	33.75	6.51	32.65	

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04376G	56.86	74.00	-17.14	41.65	3	Vertical	1	1.80	74	38.46	8.76	32.01
AV	10.99632G	42.97	54.00	-11.03	27.76	3	Vertical	1	1.80	74	38.50	8.75	32.04
PK	16.5648G	68.03	68.20	-0.17	46.11	3	Vertical	92	1.92	65	40.30	10.67	29.05

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05696G	56.12	74.00	-17.88	40.93	3	Horizontal	223	1.80	74	38.44	8.76	32.01
AV	11.052G	43.06	54.00	-10.94	27.86	3	Horizontal	223	1.80	74	38.45	8.76	32.01
PK	16.49064G	68.09	68.20	-0.11	46.16	3	Horizontal	174	1.80	74	40.25	10.65	28.97

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 84
80\92\86\83\85\84
2.85\ -4.07\ -0.59\ 1.62\ -0.98\ 0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.84	74.00	-15.16	52.14	3	Vertical	360	1.76	84	33.00	6.40	32.70
AV	5.35G	48.60	54.00	-5.40	41.90	3	Vertical	360	1.76	84	33.00	6.40	32.70
PK	5.4592G	64.47	74.00	-9.53	56.97	3	Vertical	360	1.76	84	33.70	6.46	32.66
AV	5.4592G	52.69	54.00	-1.31	45.19	3	Vertical	360	1.76	84	33.70	6.46	32.66
PK	5.4692G	67.31	68.20	-0.89	59.79	3	Vertical	360	1.76	84	33.70	6.47	32.65
PK	5.5432G	115.40	Inf	-Inf	107.65	3	Vertical	360	1.76	84	33.87	6.54	32.66
AV	5.5368G	104.45	Inf	-Inf	96.71	3	Vertical	360	1.76	84	33.85	6.54	32.65
PK	5.7428G	61.48	68.20	-6.72	53.28	3	Vertical	360	1.76	84	34.34	6.60	32.74

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT V_2TX
SET 84
84
2.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.50	74.00	-14.50	52.80	3	Horizontal	29	1.80	84	33.00	6.40	32.70
AV	5.35G	48.29	54.00	-5.71	41.59	3	Horizontal	29	1.80	84	33.00	6.40	32.70
PK	5.4596G	63.14	74.00	-10.86	55.64	3	Horizontal	29	1.80	84	33.70	6.46	32.66
AV	5.4596G	51.48	54.00	-2.52	43.98	3	Horizontal	29	1.80	84	33.70	6.46	32.66
PK	5.47G	65.17	68.20	-3.03	57.65	3	Horizontal	29	1.80	84	33.70	6.47	32.65
PK	5.5352G	113.74	Inf	-Inf	106.01	3	Horizontal	29	1.80	84	33.84	6.54	32.65
AV	5.5352G	102.30	Inf	-Inf	94.57	3	Horizontal	29	1.80	84	33.84	6.54	32.65
PK	5.736G	60.88	68.20	-7.32	52.72	3	Horizontal	29	1.80	84	34.29	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10688G	56.73	74.00	-17.27	41.54	3	Vertical	1	1.76	84	38.39	8.78	31.98
AV	11.09696G	42.86	54.00	-11.14	27.67	3	Vertical	1	1.76	84	38.40	8.77	31.98
PK	16.61688G	67.68	68.20	-0.52	45.81	3	Vertical	189	1.80	84	40.32	10.69	29.14

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11848G	55.90	74.00	-18.10	40.71	3	Horizontal	286	1.80	84	38.38	8.78	31.97
AV	11.07432G	42.73	54.00	-11.27	27.53	3	Horizontal	286	1.80	84	38.43	8.77	32.00
PK	16.62096G	67.48	68.20	-0.72	45.62	3	Horizontal	36	1.75	84	40.32	10.69	29.15

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_V_2TX
SET 70
80\62\71\66\69\70
-4.34\4.98\ -0.25\3.00\1.05\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.68424G	110.81	Inf	-Inf	102.89	3	Vertical	346	1.80	70	34.03	6.60	32.71
AV	5.6644G	99.22	Inf	-Inf	91.26	3	Vertical	346	1.80	70	34.07	6.60	32.71
PK	5.72888G	67.71	68.20	-0.49	59.61	3	Vertical	346	1.80	70	34.23	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT V_2TX
SET 69
70\64\67\69
-0.27\5.20\3.74\0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66248G	110.54	Inf	-Inf	102.56	3	Horizontal	48	1.80	69	34.08	6.60	32.70
AV	5.65624G	98.80	Inf	-Inf	90.81	3	Horizontal	48	1.80	69	34.09	6.60	32.70
PK	5.72504G	67.49	68.20	-0.71	59.42	3	Horizontal	48	1.80	69	34.20	6.60	32.73

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.372G	56.07	74.00	-17.93	40.65	3	Vertical	360	1.73	69	38.40	8.84	31.82	
AV	11.378G	43.59	54.00	-10.41	28.16	3	Vertical	360	1.73	69	38.40	8.84	31.81	
PK	17.018G	67.11	68.20	-1.09	44.99	3	Vertical	354	1.05	69	41.15	10.81	29.84	

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33368G	56.09	74.00	-17.91	40.70	3	Horizontal	353	1.80	69	38.40	8.83	31.84
AV	11.3688G	43.17	54.00	-10.83	27.75	3	Horizontal	353	1.80	69	38.40	8.84	31.82
PK	17.04608G	67.52	68.20	-0.68	45.35	3	Horizontal	184	2.00	69	41.24	10.81	29.88

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 98
80\98\107\102\99\97\98
4.19\1.10\5.55\2.14\1.68\1.47\0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	61.53	74.00	-12.47	54.04	3	Vertical	344	1.80	98	33.70	6.45	32.66
AV	5.45364G	50.55	54.00	-3.45	43.06	3	Vertical	344	1.80	98	33.70	6.45	32.66
PK	5.46768G	62.76	68.20	-5.44	55.24	3	Vertical	344	1.80	98	33.70	6.47	32.65
PK	5.71364G	116.10	Inf	-Inf	108.12	3	Vertical	344	1.80	98	34.11	6.60	32.73
AV	5.71208G	104.38	Inf	-Inf	96.40	3	Vertical	344	1.80	98	34.10	6.60	32.72
PK	5.85872G	67.45	68.20	-0.75	58.81	3	Vertical	344	1.80	98	34.82	6.60	32.78

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 97
98\92\95\97
-0.19\4.23\2.37\2.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45104G	60.26	74.00	-13.74	52.77	3	Horizontal	284	2.39	97	33.70	6.45	32.66
AV	5.45624G	49.58	54.00	-4.42	42.08	3	Horizontal	284	2.39	97	33.70	6.46	32.66
PK	5.4656G	60.50	68.20	-7.70	52.98	3	Horizontal	284	2.39	97	33.70	6.47	32.65
PK	5.70064G	116.36	Inf	-Inf	108.47	3	Horizontal	284	2.39	97	34.01	6.60	32.72
AV	5.71208G	104.77	Inf	-Inf	96.79	3	Horizontal	284	2.39	97	34.10	6.60	32.72
PK	5.86132G	66.15	68.20	-2.05	57.51	3	Horizontal	284	2.39	97	34.82	6.60	32.78

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43696G	56.26	74.00	-17.74	40.78	3	Vertical	260	1.80	70	38.40	8.86	31.78
AV	11.45872G	43.98	54.00	-10.02	28.48	3	Vertical	260	1.80	70	38.40	8.86	31.76
PK	17.12752G	67.90	68.20	-0.30	45.61	3	Vertical	102	1.81	61	41.46	10.84	30.01

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43768G	57.17	74.00	-16.83	41.69	3	Horizontal	360	1.28	97	38.40	8.86	31.78
AV	11.45016G	43.63	54.00	-10.37	28.14	3	Horizontal	360	1.28	97	38.40	8.86	31.77
PK	17.14552G	68.13	68.20	-0.07	45.84	3	Horizontal	312	1.76	70	41.49	10.84	30.04

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 62
80\62
-12.86\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	59.36	74.00	-14.64	53.06	3	Vertical	354	1.80	62	32.72	6.37	32.79
AV	5.13064G	49.82	54.00	-4.18	43.51	3	Vertical	354	1.80	62	32.74	6.37	32.80
PK	5.28232G	105.56	Inf	-Inf	99.03	3	Vertical	354	1.80	62	32.86	6.40	32.73
AV	5.27496G	95.77	Inf	-Inf	89.25	3	Vertical	354	1.80	62	32.85	6.40	32.73
PK	5.36264G	64.24	74.00	-9.76	57.49	3	Vertical	354	1.80	62	33.05	6.40	32.70
AV	5.36648G	53.95	54.00	-0.05	47.18	3	Vertical	354	1.80	62	33.07	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 62
62
0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.97	74.00	-15.03	52.69	3	Horizontal	33	1.79	62	32.70	6.37	32.79
AV	5.14824G	48.81	54.00	-5.19	42.53	3	Horizontal	33	1.79	62	32.70	6.37	32.79
PK	5.28168G	105.48	Inf	-Inf	98.95	3	Horizontal	33	1.79	62	32.86	6.40	32.73
AV	5.27944G	94.77	Inf	-Inf	88.24	3	Horizontal	33	1.79	62	32.86	6.40	32.73
PK	5.37192G	63.04	74.00	-10.96	56.24	3	Horizontal	33	1.79	62	33.09	6.40	32.69
AV	5.3668G	53.61	54.00	-0.39	46.84	3	Horizontal	33	1.79	62	33.07	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59632G	56.92	68.20	-11.28	41.39	3	Vertical	4	1.80	62	38.60	8.65	31.72
PK	15.89752G	62.68	74.00	-11.32	44.42	3	Vertical	249	2.95	62	38.40	10.47	30.61
AV	15.93368G	49.66	54.00	-4.34	31.38	3	Vertical	249	2.95	62	38.40	10.48	30.60

802.11ax HEW80_Nss2,(MCS0)_2TX


5290MHz_TX


EUT Y_2TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56432G	56.39	68.20	-11.81	40.88	3	Horizontal	326	1.80	62	38.56	8.64	31.69
PK	15.93672G	62.70	74.00	-11.30	44.42	3	Horizontal	214	1.80	62	38.40	10.48	30.60
AV	15.9396G	49.56	54.00	-4.44	31.28	3	Horizontal	214	1.80	62	38.40	10.48	30.60

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 65
80\62\71\66\63\65
-5.16\1.68\1.14\0.10\1.08\1.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45288G	63.44	74.00	-10.56	55.95	3	Vertical	360	1.79	65	33.70	6.45	32.66
AV	5.45352G	52.91	54.00	-1.09	45.42	3	Vertical	360	1.79	65	33.70	6.45	32.66
PK	5.46376G	63.66	68.20	-4.54	56.16	3	Vertical	360	1.79	65	33.70	6.46	32.66
PK	5.51784G	108.75	Inf	-Inf	101.11	3	Vertical	360	1.79	65	33.77	6.52	32.65
AV	5.51432G	97.69	Inf	-Inf	90.07	3	Vertical	360	1.79	65	33.76	6.51	32.65

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT V_2TX
SET 65
65
1.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.45112G	62.48	74.00	-11.52	54.99	3	Horizontal	328	1.80	65	33.70	6.45	32.66	
PK	5.46616G	62.56	68.20	-5.64	55.04	3	Horizontal	328	1.80	65	33.70	6.47	32.65	
AV	5.45992G	52.40	54.00	-1.60	44.90	3	Horizontal	328	1.80	65	33.70	6.46	32.66	
PK	5.51512G	105.61	Inf	-Inf	97.98	3	Horizontal	328	1.80	65	33.76	6.52	32.65	
AV	5.51512G	95.86	Inf	-Inf	88.23	3	Horizontal	328	1.80	65	33.76	6.52	32.65	

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00576G	55.95	74.00	-18.05	40.75	3	Vertical	360	2.77	65	38.49	8.75	32.04
AV	11.07456G	42.66	54.00	-11.34	27.46	3	Vertical	360	2.77	65	38.43	8.77	32.00
PK	16.55528G	67.06	68.20	-1.14	45.13	3	Vertical	59	2.33	62	40.30	10.67	29.04

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0224G	56.58	74.00	-17.42	41.37	3	Horizontal	157	1.06	65	38.48	8.76	32.03
AV	11.11728G	42.79	54.00	-11.21	27.60	3	Horizontal	157	1.06	65	38.38	8.78	31.97
PK	16.56504G	67.02	68.20	-1.18	45.10	3	Horizontal	325	2.80	65	40.30	10.67	29.05

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 80
80
0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45704G	68.27	74.00	-5.73	60.77	3	Vertical	17	1.79	80	33.70	6.46	32.66
AV	5.45704G	53.60	54.00	-0.40	46.10	3	Vertical	17	1.79	80	33.70	6.46	32.66
PK	5.46248G	67.68	68.20	-0.52	60.18	3	Vertical	17	1.79	80	33.70	6.46	32.66
PK	5.63848G	110.84	Inf	-Inf	102.91	3	Vertical	17	1.79	80	34.03	6.60	32.70
AV	5.57352G	100.32	Inf	-Inf	92.57	3	Vertical	17	1.79	80	33.85	6.57	32.67
PK	5.7316G	66.62	68.20	-1.58	58.50	3	Vertical	17	1.79	80	34.25	6.60	32.73

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT V_2TX
SET 80
80
0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45608G	66.38	74.00	-7.62	58.88	3	Horizontal	32	1.80	80	33.70	6.46	32.66
AV	5.4564G	53.41	54.00	-0.59	45.91	3	Horizontal	32	1.80	80	33.70	6.46	32.66
PK	5.4692G	65.38	68.20	-2.82	57.86	3	Horizontal	32	1.80	80	33.70	6.47	32.65
PK	5.57288G	109.70	Inf	-Inf	101.95	3	Horizontal	32	1.80	80	33.85	6.57	32.67
AV	5.5796G	99.82	Inf	-Inf	92.07	3	Horizontal	32	1.80	80	33.84	6.58	32.67
PK	5.72744G	67.67	68.20	-0.53	59.58	3	Horizontal	32	1.80	80	34.22	6.60	32.73

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.29296G	56.03	74.00	-17.97	40.68	3	Vertical	31	1.80	80	38.39	8.82	31.86
AV	11.1592G	42.89	54.00	-11.11	27.70	3	Vertical	31	1.80	80	38.34	8.79	31.94
PK	16.76424G	65.85	68.20	-2.35	44.06	3	Vertical	1	1.80	80	40.46	10.73	29.40

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.27328G	56.24	74.00	-17.76	40.93	3	Horizontal	356	1.80	80	38.37	8.82	31.88
AV	11.26912G	43.03	54.00	-10.97	27.72	3	Horizontal	356	1.80	80	38.37	8.82	31.88
PK	16.76088G	65.79	68.20	-2.41	43.99	3	Horizontal	161	1.60	80	40.46	10.73	29.39

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 88
80\92\86\89\87\88
2.62\1.83\1.00\1.40\1.08\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45288G	62.43	74.00	-11.57	54.94	3	Vertical	360	1.80	88	33.70	6.45	32.66
AV	5.4524G	53.33	54.00	-0.67	45.84	3	Vertical	360	1.80	88	33.70	6.45	32.66
PK	5.4644G	64.05	68.20	-4.15	56.54	3	Vertical	360	1.80	88	33.70	6.46	32.65
PK	5.66072G	110.62	Inf	-Inf	102.64	3	Vertical	360	1.80	88	34.08	6.60	32.70
AV	5.6588G	100.90	Inf	-Inf	92.92	3	Vertical	360	1.80	88	34.08	6.60	32.70
PK	5.85128G	68.17	68.20	-0.03	59.55	3	Vertical	360	1.80	88	34.80	6.60	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 88
88
0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45816G	61.06	74.00	-12.94	53.56	3	Horizontal	48	1.80	88	33.70	6.46	32.66
AV	5.45672G	51.51	54.00	-2.49	44.01	3	Horizontal	48	1.80	88	33.70	6.46	32.66
PK	5.46488G	63.99	68.20	-4.21	56.48	3	Horizontal	48	1.80	88	33.70	6.46	32.65
PK	5.65352G	110.08	Inf	-Inf	102.09	3	Horizontal	48	1.80	88	34.09	6.60	32.70
AV	5.65976G	100.52	Inf	-Inf	92.54	3	Horizontal	48	1.80	88	34.08	6.60	32.70
PK	5.8508G	67.91	68.20	-0.29	59.29	3	Horizontal	48	1.80	88	34.80	6.60	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX


EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42448G	56.75	74.00	-17.25	41.28	3	Vertical	200	2.26	87	38.40	8.86	31.79
AV	11.45408G	43.78	54.00	-10.22	28.29	3	Vertical	200	2.26	87	38.40	8.86	31.77
PK	17.12744G	67.64	68.20	-0.56	45.36	3	Vertical	201	1.37	87	41.45	10.84	30.01

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUTY_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43296G	56.58	74.00	-17.42	41.10	3	Horizontal	253	1.80	87	38.40	8.86	31.78
AV	11.44144G	43.64	54.00	-10.36	28.16	3	Horizontal	253	1.80	87	38.40	8.86	31.78
PK	17.10472G	67.89	68.20	-0.31	45.62	3	Horizontal	309	2.58	87	41.41	10.83	29.97