





Mode	6																																																																																															
	Harmonic																																																																																															
	2400-2483.5_Bluetooth LE(CH0-39)_CH39_2480MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-01-10 Frequency (MHz)								Level (dBuV/m) Date: 2024-01-10 Frequency (MHz)																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>51.90</td><td>34.88</td><td>11.14</td></tr><tr><td>2</td><td>7440.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>48.57</td><td>36.38</td><td>12.97</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	46.41	74.00	-27.59	51.90	34.88	11.14	2	7440.00	46.73	74.00	-27.27	48.57	36.38	12.97	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>51.31</td><td>34.88</td><td>11.14</td></tr><tr><td>2</td><td>7440.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>49.19</td><td>36.38</td><td>12.97</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	45.82	74.00	-28.18	51.31	34.88	11.14	2	7440.00	47.35	74.00	-26.65	49.19	36.38	12.97
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4960.00	46.41	74.00	-27.59	51.90	34.88	11.14																																																																																									
2	7440.00	46.73	74.00	-27.27	48.57	36.38	12.97																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4960.00	45.82	74.00	-28.18	51.31	34.88	11.14																																																																																									
2	7440.00	47.35	74.00	-26.65	49.19	36.38	12.97																																																																																									
<table><tr><th></th><th>Remark</th></tr><tr><td>1</td><td>-- Peak</td></tr><tr><td>2</td><td>-- Peak</td></tr></table>									Remark	1	-- Peak	2	-- Peak	<table><tr><th></th><th>Remark</th></tr><tr><td>1</td><td>-- Peak</td></tr><tr><td>2</td><td>-- Peak</td></tr></table>									Remark	1	-- Peak	2	-- Peak																																																																					
	Remark																																																																																															
1	-- Peak																																																																																															
2	-- Peak																																																																																															
	Remark																																																																																															
1	-- Peak																																																																																															
2	-- Peak																																																																																															



Mode	7																																																																																																																																																								
	LF																																																																																																																																																								
	2400-2483.5_Bluetooth LE(CH0-39)_CH39_2480MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																																			
QP/ Peak	Data: 1 Level (dBuV/m) Date: 2024-01-12  FCC CLASS-B					Data: 2 Level (dBuV/m) Date: 2024-01-12  FCC CLASS-B																																																																																																																																																			
	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
<table><tr><td>1</td><td>47.460</td><td>17.91</td><td>-22.09</td><td>40.00</td><td>31.64</td><td>19.62</td><td>1.62</td><td>34.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>145.430</td><td>17.18</td><td>-26.32</td><td>43.50</td><td>31.00</td><td>18.59</td><td>2.30</td><td>34.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>440.310</td><td>23.16</td><td>-22.84</td><td>46.00</td><td>31.73</td><td>22.49</td><td>3.44</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>628.490</td><td>25.89</td><td>-20.11</td><td>46.00</td><td>30.61</td><td>26.18</td><td>3.64</td><td>34.54</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>898.150</td><td>29.79</td><td>-16.21</td><td>46.00</td><td>31.03</td><td>28.64</td><td>4.42</td><td>34.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>953.440</td><td>29.94</td><td>-16.06</td><td>46.00</td><td>29.93</td><td>29.78</td><td>4.52</td><td>34.29</td><td>---</td><td>---</td><td>Peak</td></tr></table>					1	47.460	17.91	-22.09	40.00	31.64	19.62	1.62	34.97	---	---	Peak	2	145.430	17.18	-26.32	43.50	31.00	18.59	2.30	34.71	---	---	Peak	3	440.310	23.16	-22.84	46.00	31.73	22.49	3.44	34.50	---	---	Peak	4	628.490	25.89	-20.11	46.00	30.61	26.18	3.64	34.54	---	---	Peak	5	898.150	29.79	-16.21	46.00	31.03	28.64	4.42	34.30	---	---	Peak	6	953.440	29.94	-16.06	46.00	29.93	29.78	4.52	34.29	---	---	Peak	<table><tr><td>1</td><td>34.850</td><td>20.43</td><td>-19.57</td><td>40.00</td><td>35.26</td><td>18.68</td><td>1.29</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>161.920</td><td>17.70</td><td>-25.80</td><td>43.50</td><td>31.73</td><td>18.28</td><td>2.39</td><td>34.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>260.860</td><td>17.52</td><td>-28.48</td><td>46.00</td><td>31.25</td><td>17.90</td><td>3.05</td><td>34.68</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>451.950</td><td>22.49</td><td>-23.51</td><td>46.00</td><td>30.75</td><td>22.77</td><td>3.47</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>709.000</td><td>26.96</td><td>-19.04</td><td>46.00</td><td>30.43</td><td>27.19</td><td>3.74</td><td>34.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>942.770</td><td>29.64</td><td>-16.36</td><td>46.00</td><td>29.84</td><td>29.60</td><td>4.50</td><td>34.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>					1	34.850	20.43	-19.57	40.00	35.26	18.68	1.29	34.80	---	---	Peak	2	161.920	17.70	-25.80	43.50	31.73	18.28	2.39	34.70	---	---	Peak	3	260.860	17.52	-28.48	46.00	31.25	17.90	3.05	34.68	---	---	Peak	4	451.950	22.49	-23.51	46.00	30.75	22.77	3.47	34.50	---	---	Peak	5	709.000	26.96	-19.04	46.00	30.43	27.19	3.74	34.40	---	---	Peak	6	942.770	29.64	-16.36	46.00	29.84	29.60	4.50	34.30	---	---	Peak
1	47.460	17.91	-22.09	40.00	31.64	19.62	1.62	34.97	---	---	Peak																																																																																																																																														
2	145.430	17.18	-26.32	43.50	31.00	18.59	2.30	34.71	---	---	Peak																																																																																																																																														
3	440.310	23.16	-22.84	46.00	31.73	22.49	3.44	34.50	---	---	Peak																																																																																																																																														
4	628.490	25.89	-20.11	46.00	30.61	26.18	3.64	34.54	---	---	Peak																																																																																																																																														
5	898.150	29.79	-16.21	46.00	31.03	28.64	4.42	34.30	---	---	Peak																																																																																																																																														
6	953.440	29.94	-16.06	46.00	29.93	29.78	4.52	34.29	---	---	Peak																																																																																																																																														
1	34.850	20.43	-19.57	40.00	35.26	18.68	1.29	34.80	---	---	Peak																																																																																																																																														
2	161.920	17.70	-25.80	43.50	31.73	18.28	2.39	34.70	---	---	Peak																																																																																																																																														
3	260.860	17.52	-28.48	46.00	31.25	17.90	3.05	34.68	---	---	Peak																																																																																																																																														
4	451.950	22.49	-23.51	46.00	30.75	22.77	3.47	34.50	---	---	Peak																																																																																																																																														
5	709.000	26.96	-19.04	46.00	30.43	27.19	3.74	34.40	---	---	Peak																																																																																																																																														
6	942.770	29.64	-16.36	46.00	29.84	29.60	4.50	34.30	---	---	Peak																																																																																																																																														



Mode	8																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth LE(CH2-76)_CH 02_2404MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Date: 2024-01-11 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2314.31</td><td>48.71</td><td>74.00</td><td>-25.29</td><td>41.13</td><td>32.09</td><td>7.55</td><td>32.06</td><td>362 189 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2314.31	48.71	74.00	-25.29	41.13	32.09	7.55	32.06	362 189 PEAK	Date: 2024-01-11 Level (dBuV/m) Frequency (MHz) PEAK_74 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>94.59</td><td>-----</td><td>-----</td><td>86.58</td><td>32.29</td><td>7.80</td><td>32.08</td><td>362 189 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2404.00	94.59	-----	-----	86.58	32.29	7.80	32.08	362 189 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1	2314.31	48.71	74.00	-25.29	41.13	32.09	7.55	32.06	362 189 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1	2404.00	94.59	-----	-----	86.58	32.29	7.80	32.08	362 189 PEAK																																																																			
Avg	Date: 2024-01-11 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2373.95</td><td>38.36</td><td>54.00</td><td>-15.64</td><td>30.49</td><td>32.22</td><td>7.72</td><td>32.07</td><td>362 189 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2373.95	38.36	54.00	-15.64	30.49	32.22	7.72	32.07	362 189 AVERAGE	Date: 2024-01-11 Level (dBuV/m) Frequency (MHz) AVG_54 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>94.19</td><td>-----</td><td>-----</td><td>86.18</td><td>32.29</td><td>7.80</td><td>32.08</td><td>362 189 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2404.00	94.19	-----	-----	86.18	32.29	7.80	32.08	362 189 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1	2373.95	38.36	54.00	-15.64	30.49	32.22	7.72	32.07	362 189 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1	2404.00	94.19	-----	-----	86.18	32.29	7.80	32.08	362 189 AVERAGE																																																																			



Mode	8																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth LE(CH2-76)_CH 02_2404MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Date: 2024-01-11 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2380.04</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>41.03</td><td>32.24</td><td>7.73</td><td>32.08</td><td>392 188 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2380.04	48.92	74.00	-25.08	41.03	32.24	7.73	32.08	392 188 PEAK	Date: 2024-01-11 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2404.00</td><td>96.48</td><td>-----</td><td>-----</td><td>88.47</td><td>32.29</td><td>7.80</td><td>32.08</td><td>392 188 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2404.00	96.48	-----	-----	88.47	32.29	7.80	32.08	392 188 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2380.04	48.92	74.00	-25.08	41.03	32.24	7.73	32.08	392 188 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2404.00	96.48	-----	-----	88.47	32.29	7.80	32.08	392 188 PEAK																																																																		
Avg	Date: 2024-01-11 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2370.48</td><td>38.29</td><td>54.00</td><td>-15.71</td><td>30.43</td><td>32.22</td><td>7.71</td><td>32.07</td><td>392 188 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2370.48	38.29	54.00	-15.71	30.43	32.22	7.71	32.07	392 188 AVERAGE	Date: 2024-01-11 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2404.00</td><td>95.44</td><td>-----</td><td>-----</td><td>87.43</td><td>32.29</td><td>7.80</td><td>32.08</td><td>392 188 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2404.00	95.44	-----	-----	87.43	32.29	7.80	32.08	392 188 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2370.48	38.29	54.00	-15.71	30.43	32.22	7.71	32.07	392 188 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2404.00	95.44	-----	-----	87.43	32.29	7.80	32.08	392 188 AVERAGE																																																																		



Mode	8																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth LE(CH2-76)_CH 02_2404MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-01-11 PEAK_74 AVG_54						Level (dBuV/m) Date: 2024-01-11 PEAK_74 AVG_54																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>51.94</td><td>34.82</td><td>11.07</td><td>51.58</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	46.25	74.00	-27.75	51.94	34.82	11.07	51.58	--	-- Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>55.05</td><td>34.82</td><td>11.07</td><td>51.58</td><td>161</td><td>98 Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	49.36	74.00	-24.64	55.05	34.82	11.07	51.58	161	98 Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4808.00	46.25	74.00	-27.75	51.94	34.82	11.07	51.58	--	-- Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4808.00	49.36	74.00	-24.64	55.05	34.82	11.07	51.58	161	98 Peak																																																																																							







Mode	9																																																																																	
	Harmonic																																																																																	
	2400-2483.5_Bluetooth LE(CH2-76)_CH 22_2424MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4848.00</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>53.63</td><td>34.84</td><td>11.09</td></tr><tr><td>2</td><td>7272.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>49.37</td><td>36.31</td><td>13.05</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4848.00	48.00	74.00	-26.00	53.63	34.84	11.09	2	7272.00	47.58	74.00	-26.42	49.37	36.31	13.05	Level (dBuV/m) Date: 2024-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4848.00</td><td>49.18</td><td>74.00</td><td>-24.82</td><td>54.81</td><td>34.84</td><td>11.09</td></tr><tr><td>2</td><td>7272.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>50.07</td><td>36.31</td><td>13.05</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4848.00	49.18	74.00	-24.82	54.81	34.84	11.09	2	7272.00	48.28	74.00	-25.72	50.07	36.31	13.05
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	4848.00	48.00	74.00	-26.00	53.63	34.84	11.09																																																																											
2	7272.00	47.58	74.00	-26.42	49.37	36.31	13.05																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	4848.00	49.18	74.00	-24.82	54.81	34.84	11.09																																																																											
2	7272.00	48.28	74.00	-25.72	50.07	36.31	13.05																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4848.00</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>53.63</td><td>34.84</td><td>11.09</td></tr><tr><td>2</td><td>7272.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>49.37</td><td>36.31</td><td>13.05</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4848.00	48.00	74.00	-26.00	53.63	34.84	11.09	2	7272.00	47.58	74.00	-26.42	49.37	36.31	13.05	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4848.00</td><td>49.18</td><td>74.00</td><td>-24.82</td><td>54.81</td><td>34.84</td><td>11.09</td></tr><tr><td>2</td><td>7272.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>50.07</td><td>36.31</td><td>13.05</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4848.00	49.18	74.00	-24.82	54.81	34.84	11.09	2	7272.00	48.28	74.00	-25.72	50.07	36.31	13.05
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	4848.00	48.00	74.00	-26.00	53.63	34.84	11.09																																																																											
2	7272.00	47.58	74.00	-26.42	49.37	36.31	13.05																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	4848.00	49.18	74.00	-24.82	54.81	34.84	11.09																																																																											
2	7272.00	48.28	74.00	-25.72	50.07	36.31	13.05																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4848.00</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>53.63</td><td>34.84</td><td>11.09</td></tr><tr><td>2</td><td>7272.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>49.37</td><td>36.31</td><td>13.05</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4848.00	48.00	74.00	-26.00	53.63	34.84	11.09	2	7272.00	47.58	74.00	-26.42	49.37	36.31	13.05	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4848.00</td><td>49.18</td><td>74.00</td><td>-24.82</td><td>54.81</td><td>34.84</td><td>11.09</td></tr><tr><td>2</td><td>7272.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>50.07</td><td>36.31</td><td>13.05</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4848.00	49.18	74.00	-24.82	54.81	34.84	11.09	2	7272.00	48.28	74.00	-25.72	50.07	36.31	13.05
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	4848.00	48.00	74.00	-26.00	53.63	34.84	11.09																																																																											
2	7272.00	47.58	74.00	-26.42	49.37	36.31	13.05																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	4848.00	49.18	74.00	-24.82	54.81	34.84	11.09																																																																											
2	7272.00	48.28	74.00	-25.72	50.07	36.31	13.05																																																																											



Mode	10																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth LE(CH2-76)_CH 26_2428MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-01-11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 4856.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>53.49</td><td>34.84</td><td>11.09</td><td>51.56</td></tr><tr><td>2 7284.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>49.44</td><td>36.31</td><td>13.06</td><td>51.16</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 4856.00	47.86	74.00	-26.14	53.49	34.84	11.09	51.56	2 7284.00	47.65	74.00	-26.35	49.44	36.31	13.06	51.16	Level (dBuV/m) Date: 2024-01-11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 4856.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>55.33</td><td>34.84</td><td>11.09</td><td>51.56</td></tr><tr><td>2 7284.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>49.50</td><td>36.31</td><td>13.06</td><td>51.16</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 4856.00	49.70	74.00	-24.30	55.33	34.84	11.09	51.56	2 7284.00	47.71	74.00	-26.29	49.50	36.31	13.06	51.16
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1 4856.00	47.86	74.00	-26.14	53.49	34.84	11.09	51.56																																																																																			
2 7284.00	47.65	74.00	-26.35	49.44	36.31	13.06	51.16																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1 4856.00	49.70	74.00	-24.30	55.33	34.84	11.09	51.56																																																																																			
2 7284.00	47.71	74.00	-26.29	49.50	36.31	13.06	51.16																																																																																			



Mode	11																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth LE(CH2-76)_CH 76_2478MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-01-11  PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2493.66</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>40.63</td><td>32.49</td><td>7.89</td><td>32.10</td><td>361 181 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2493.66	48.91	74.00	-25.09	40.63	32.49	7.89	32.10	361 181 PEAK	Level (dBuV/m) Date: 2024-01-11  PEAK_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>97.71</td><td>-----</td><td>-----</td><td>89.48</td><td>32.45</td><td>7.87</td><td>32.09</td><td>361 181 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.71	-----	-----	89.48	32.45	7.87	32.09	361 181 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2493.66	48.91	74.00	-25.09	40.63	32.49	7.89	32.10	361 181 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2478.00	97.71	-----	-----	89.48	32.45	7.87	32.09	361 181 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-01-11  AVG_BE_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.25</td><td>38.77</td><td>54.00</td><td>-15.23</td><td>30.52</td><td>32.47</td><td>7.88</td><td>32.10</td><td>361 181 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.25	38.77	54.00	-15.23	30.52	32.47	7.88	32.10	361 181 AVERAGE	Level (dBuV/m) Date: 2024-01-11  AVG_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>96.75</td><td>-----</td><td>-----</td><td>88.52</td><td>32.45</td><td>7.87</td><td>32.09</td><td>361 181 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	96.75	-----	-----	88.52	32.45	7.87	32.09	361 181 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2486.25	38.77	54.00	-15.23	30.52	32.47	7.88	32.10	361 181 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2478.00	96.75	-----	-----	88.52	32.45	7.87	32.09	361 181 AVERAGE																																																																									



Mode	11																																									
	Band Edge																																									
	2400-2483.5_Bluetooth LE(CH2-76)_CH 76_2478MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-01-11 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2488.12</td><td>49.68</td><td>74.00</td><td>-24.32</td><td>41.43</td><td>32.47</td><td>7.88</td><td>32.10</td><td>393</td><td>194 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2488.12	49.68	74.00	-24.32	41.43	32.47	7.88	32.10	393	194 PEAK	Level (dBuV/m) Date: 2024-01-11 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2478.00</td><td>99.43</td><td>-----</td><td>-----</td><td>91.20</td><td>32.45</td><td>7.87</td><td>32.09</td><td>393</td><td>194 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2478.00	99.43	-----	-----	91.20	32.45	7.87	32.09	393	194 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 2488.12	49.68	74.00	-24.32	41.43	32.47	7.88	32.10	393	194 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2478.00	99.43	-----	-----	91.20	32.45	7.87	32.09	393	194 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-01-11 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2487.72</td><td>38.86</td><td>54.00</td><td>-15.14</td><td>30.61</td><td>32.47</td><td>7.88</td><td>32.10</td><td>393</td><td>194 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2487.72	38.86	54.00	-15.14	30.61	32.47	7.88	32.10	393	194 AVERAGE	Level (dBuV/m) Date: 2024-01-11 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2478.00</td><td>98.38</td><td>-----</td><td>-----</td><td>90.15</td><td>32.45</td><td>7.87</td><td>32.09</td><td>393</td><td>194 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2478.00	98.38	-----	-----	90.15	32.45	7.87	32.09	393	194 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2487.72	38.86	54.00	-15.14	30.61	32.47	7.88	32.10	393	194 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2478.00	98.38	-----	-----	90.15	32.45	7.87	32.09	393	194 AVERAGE																																	




Mode	11																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_Bluetooth LE(CH2-76)_CH 76_2478MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal										Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>53.15</td><td>34.88</td><td>11.13</td><td>51.52 -- Peak</td></tr><tr><td>2</td><td>7434.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>49.96</td><td>36.37</td><td>12.99</td><td>51.19 -- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	4956.00	47.64	74.00	-26.36	53.15	34.88	11.13	51.52 -- Peak	2	7434.00	48.13	74.00	-25.87	49.96	36.37	12.99	51.19 -- Peak	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>54.63</td><td>34.88</td><td>11.13</td><td>51.52 157 99 Peak</td></tr><tr><td>2</td><td>7434.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>49.54</td><td>36.37</td><td>12.99</td><td>51.19 -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	4956.00	49.12	74.00	-24.88	54.63	34.88	11.13	51.52 157 99 Peak	2	7434.00	47.71	74.00	-26.29	49.54	36.37	12.99	51.19 -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	4956.00	47.64	74.00	-26.36	53.15	34.88	11.13	51.52 -- Peak																																																																																													
2	7434.00	48.13	74.00	-25.87	49.96	36.37	12.99	51.19 -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	4956.00	49.12	74.00	-24.88	54.63	34.88	11.13	51.52 157 99 Peak																																																																																													
2	7434.00	47.71	74.00	-26.29	49.54	36.37	12.99	51.19 -- Peak																																																																																													

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
BLE(CH0-39) 1Mbps	48.51	2.12	0.47	1KHz
BLE(CH0-39) 2Mbps	32.02	1.06	0.94	1KHz
BLE(CH2-76) 1Mbps	100	-	-	10Hz

BLE(CH0-39) 1Mbps





BLE(CH0-39) 2Mbps



BLE (CH2-76) 1Mbps

