

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 1 of 40

TEST REPORT

Application No.: FYCR2209000379AT

Applicant: ASAP Technology(Jiangxi) Co., Ltd.

Address of Applicant: Ji'an Industrial Park, Ji'an, 343100, Jiangxi, China

Manufacturer: ASAP Technology(Jiangxi) Co., Ltd.

Address of Manufacturer: Ji'an Industrial Park, Ji'an, 343100, Jiangxi, China

Equipment Under Test (EUT):

EUT Name: Wireless Charger

Model No.: 10WCH

FCC ID: 2APXNLACA221

Standard(s): 47 CFR Part 15, Subpart C

Date of Receipt: 2022-09-22

Date of Test: 2022-09-27 to 2022-10-22

Date of Issue: 2022-10-26

Test Result: Pass*

Winkey Wang

Winkey Wang

EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained need need received the company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to at transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the lawful extended of the Company is a supplication of the content of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (88-755)83071443

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 2 of 40

| | Revision Record | | | | | | | |
|---------|--------------------------------------|------------|--|----------|--|--|--|--|
| Version | Version Chapter Date Modifier Remark | | | | | | | |
| 01 | | 2022-10-26 | | Original | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Authorized for issue by: | | |
|--------------------------|----------------------------|--|
| | Tree Zhan | |
| | Tree Zhan/Project Engineer | |
| | WinkeyWarg | |
| | Winkey Wang/Reviewer | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 3 of 40

2 Test Summary

| Radio Spectrum Technical Requirement | | | | | | |
|--------------------------------------|------------------------------|--------|-------------------------------------|--------|--|--|
| Item | Standard | Method | Requirement | Result | | |
| Antenna Requirement | 47 CFR Part 15, Subpart C | N/A | 47 CFR Part 15, Subpart C 15.203 | Pass | | |

| Radio Spectrum Matter Part | | | | | | | |
|---|------------------------------|--------------------------------------|--|--------|--|--|--|
| Item | Standard | Method | Requirement | Result | | | |
| Conducted Emissions at AC Mains Power Port (150kHz-30MHz) | | ANSI C63.10 (2013) Section 6.2 | 47 CFR Part 15, Subpart C 15.207 | Pass | | | |
| Radiated Emissions (30MHz-1GHz) | | ANSI C63.10 (2013) Section 6.5 | 47 CFR Part 15, Subpart C 15.205 & 15.209 | Pass | | | |
| Radiated Emissions (9kHz-30MHz) | 47 CFR Part 15, Subpart C | ANSI C63.10 (2013) Section 6.4 | 47 CFR Part 15, Subpart C 15.205 & 15.209 | Pass | | | |
| 20dB Bandwidth | | ANSI C63.10 (2013) Section 6.9.2 | 47 CFR Part 15, Subpart C 15.215 | Pass | | | |
| Restricted Bands | | ANSI C63.10 (2013) Section 6.10.5 | 47 CFR Part 15, Subpart C 15.205 | Pass | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 4 of 40

3 Contents

| | | Page |
|---|---|------|
| 1 | COVER PAGE | 1 |
| 2 | TEST SUMMARY | 3 |
| 3 | CONTENTS | 1 |
| J | CONTENTS | 4 |
| 4 | GENERAL INFORMATION | 6 |
| | 4.1 DETAILS OF E.U.T. | |
| | 4.2 DESCRIPTION OF SUPPORT UNITS | |
| | 4.3 MEASUREMENT UNCERTAINTY | |
| | 4.4 Test Location | |
| | 4.5 Test Facility | |
| | 4.6 DEVIATION FROM STANDARDS | |
| | 4.7 ABNORMALITIES FROM STANDARD CONDITIONS | 7 |
| 5 | EQUIPMENT LIST | 8 |
| _ | DADIO ODECTRUM TECUNICAL RECUIREMENT | 40 |
| 6 | | |
| | 6.1 ANTENNA REQUIREMENT | |
| | 6.1.1 Test Requirement: | |
| | 6.1.2 Conclusion | |
| 7 | RADIO SPECTRUM MATTER TEST RESULTS | 11 |
| | 7.1 CONDUCTED EMISSIONS AT AC MAINS POWER PORT (150kHz-30MHz) | 11 |
| | 7.1.1 E.U.T. Operation | 11 |
| | 7.1.2 Test Mode Description | |
| | 7.1.3 Test Setup Diagram | |
| | 7.1.4 Measurement Procedure and Data | |
| | 7.2 RADIATED EMISSIONS (30MHz-1GHz) | |
| | 7.2.1 E.U.T. Operation | |
| | 7.2.2 Test Mode Description | |
| | 7.2.3 Test Setup Diagram | |
| | 7.2.4 Measurement Procedure and Data | |
| | 7.3 RADIATED EMISSIONS (9KHz-30MHz) | |
| | 7.3.2 Test Mode Description | |
| | 7.3.3 Test Setup Diagram | |
| | 7.3.4 Measurement Procedure and Data | |
| | 7.3.4 Measurement Procedure and Data | |
| | 7.4.1 E.U.T. Operation | |
| | 7.4.2 Test Mode Description | |
| | 7.4.3 Test Setup Diagram | |
| | 7.4.4 Measurement Procedure and Data | |
| | 7.5 RESTRICTED BANDS | |
| | 7.5.1 E.U.T. Operation | |
| | , | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 5 of 40

| 9 | EUT C | ONSTRUCTIONAL DETAILS (EUT PHOTOS) | 40 |
|---|-------|------------------------------------|----|
| 8 | TEST | SETUP PHOTO | 40 |
| | | Measurement Procedure and Data | |
| | | Test Setup Diagram | |
| | 7.5.2 | Test Mode Description | 38 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 6 of 40

4 General Information

4.1 Details of E.U.T.

| Power supply: | Input: 5V=3A, 9V=2A |
|----------------------|---------------------------------|
| | Output: 10W Max. |
| Cable(s): | USB C to C cable: 94cm shielded |
| Operation frequency: | 114.4kHz to 145.6kHz |
| Modulation type: | Load modulation |
| Antenna type: | Loop Antenna |

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

| Description | Manufacturer | Model No. | Serial No. |
|--------------|--------------|-------------|------------------|
| iPhone 8 | Apple | A1863 | K68247GBP14582 |
| Mobile Phone | Nexus | MRA58K | REF. No.SEA16P00 |
| Mobile Phone | SAMSUNG | SM-G9500 | REF. No.SEA16J00 |
| Adapter | INSIGNIA | NS-MWC30W2W | Client supply |

4.3 Measurement Uncertainty

| no measurement officertainty | |
|---|--------------------------|
| Test Item | Measurement Uncertainty |
| Conducted Emissions at AC Mains Power Port (150kHz-30MHz) | ± 2.1 dB (9kHz to 30MHz) |
| Radiated Emissions (30MHz-1GHz) | ± 5.6dB |
| Radiated Emissions (9kHz-30MHz) | ± 2.7dB |
| 20dB Bandwidth | ± 0.3% |
| Restricted Bands | ± 0.3% |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ss.com*



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 7 of 40

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 8 of 40

5 Equipment List

| Conducted Emissions at AC Mains Power Port (150kHz-30MHz) | | | | | | |
|---|-----------------|---------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| Shielding Room | CRT | N/A | SEM001-14 | 2021/7/13 | 2024/7/12 | |
| EMI Test Receiver | Rohde & Schwarz | ESCI | SEM004-01 | 2022/7/12 | 2023/7/11 | |
| Two-Line V-Network | Rohde & Schwarz | ENV216 | SEM007-16 | 2022/7/12 | 2023/7/11 | |
| Two-Line V-Network | Rohde & Schwarz | ESH3-Z5 | SEM007-22 | 2022/1/10 | 2023/1/9 | |
| Measurement software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A | |

| Radiated Emissions (30MHz-1GHz) | | | | | | |
|---------------------------------|-----------------|---------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 | |
| MXE EMI receiver | Agilent | N9038A | SEM004-05 | 2022/7/12 | 2023/7/11 | |
| Broad-Band Horn Antenna | Schwarzbeck | BBHA 9170 | SEM003-15 | 2021/7/11 | 2024/7/10 | |
| Broad-Band Horn Antenna | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 | |
| Double-ridged waveguide horn | ETS-LINDGREN | 3117 | SEM003-34 | 2021/9/25 | 2024/9/24 | |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-23 | 2022/4/24 | 2023/4/23 | |
| Pre-amplifier | Rohde & Schwarz | CH14-H052 | SEM005-17 | 2022/7/12 | 2023/7/11 | |
| Measurement software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A | |

| Radiated Emissions (9kHz-30MHz) | | | | | | |
|---------------------------------|--------------|---------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 | |
| Loop Antenna | ETS-LINDGREN | 6502 | SEM003-36 | 2021/9/26 | 2024/9/25 | |
| MXE EMI receiver | Agilent | N9038A | SEM004-05 | 2022/7/12 | 2023/7/11 | |
| Measurement software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 9 of 40

| 20dB Bandwidth | | | | | | | | |
|----------------------|--------------|------------------|---------------|-----------|--------------|--|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | | |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-25 | 2022/5/30 | 2023/5/29 | | | |
| Measurement software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A | | | |

| Restricted Bands | | | | | | | | |
|----------------------|--------------|------------------|---------------|-----------|--------------|--|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | | |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-25 | 2022/5/30 | 2023/5/29 | | | |
| Measurement software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A | | | |

| General used equipment | | | | | | | | |
|---------------------------------|--------------|-----------|---------------|------------|--------------|--|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | | |
| Humidity/ Temperature Indicator | Mingle | TH607 | SEM002-22 | 2022-07-12 | 2023-07-11 | | | |
| Humidity/ Temperature Indicator | Mingle | TH607 | SEM002-23 | 2022-07-12 | 2023-07-11 | | | |
| Barometer | DUMAI | DYM3 | SEM002-24 | 2022-07-12 | 2023-07-11 | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 10 of 40

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement.

Refer to internal photos



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPD.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 11 of 40

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Mains Power Port (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

| Eroguanay of amission (MUT) | Conducted limit(dBµV) | | | | | |
|---|-----------------------|-----------|--|--|--|--|
| Frequency of emission(MHz) | Quasi-peak | Average | | | | |
| 0.15-0.5 | 66 to 56* | 56 to 46* | | | | |
| 0.5-5 | 56 | 46 | | | | |
| 5-30 | 60 | 50 | | | | |
| *Decreases with the logarithm of the frequency. | | | | | | |

7.1.1 E.U.T. Operation


Operating Environment:

Temperature: 20.4 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

| ···- | | | | | | | | |
|--------------------------|--------------|---|--|--|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | | | | |
| Final test | 00 | Charge mode_Keep the EUT charging(5W) | | | | | | |
| Final test | 01 | Charge mode_Keep the EUT charging(7.5W) | | | | | | |
| Final test | 02 | Charge mode_Keep the EUT charging(10W) | | | | | | |

7.1.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPD.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 12 of 40

7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 13 of 40

Test Mode: 00; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00379AT

Test mode: 00

| | Freq | Cable Loss | LISN Factor | Read Level | Level | Limit Line | Over Limit | Remark |
|----|--------|---------------|----------------|---------------|-------|---------------|---------------|---------|
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | 0.1712 | 0.02 | 0.25 | 28.80 | 29.07 | 54.90 | -25.83 | Average |
| 2 | 0.1712 | 0.02 | 0.25 | 46.89 | 47.16 | 64.90 | -17.74 | QP |
| 3 | 0.4444 | 0.02 | 0.27 | 29.89 | 30.18 | 46.98 | -16.80 | Average |
| 4 | 0.4444 | 0.02 | 0.27 | 41.64 | 41.93 | 56.98 | -15.05 | QP |
| 5 | 0.8349 | 0.05 | 0.21 | 23.01 | 23.27 | 46.00 | -22.73 | Average |
| 6 | 0.8349 | 0.05 | 0.21 | 33.22 | 33.48 | 56.00 | -22.52 | QP |
| 7 | 1.1719 | 0.03 | 0.19 | 25.28 | 25.50 | 46.00 | -20.50 | Average |
| 8 | 1.1719 | 0.03 | 0.19 | 32.51 | 32.73 | 56.00 | -23.27 | QP |
| 9 | 2.7794 | 0.02 | 0.15 | 32.16 | 32.33 | 46.00 | -13.67 | Average |
| 10 | 2.7794 | 0.02 | 0.15 | 34.83 | 35.00 | 56.00 | -21.00 | QP |
| 11 | 3.3105 | 0.02 | 0.14 | 31.21 | 31.37 | 46.00 | -14.63 | Average |
| 12 | 3.3105 | 0.02 | 0.14 | 34.21 | 34.37 | 56.00 | -21.63 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 14 of 40

Test Mode: 00; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00379AT

Test mode: 00

| | | Cable | LISN | Read | | Limit | 0ver | |
|----|--------|-------|--------|-------|-------|-------|--------|---------|
| | Freq | Loss | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | |
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| | | | | | | | | _ |
| 1 | 0.1685 | 0.02 | 0.30 | 27.33 | 27.65 | 55.03 | -27.38 | Average |
| 2 | 0.1685 | 0.02 | 0.30 | 45.60 | 45.92 | 65.03 | -19.11 | QP |
| 3 | 0.2481 | 0.03 | 0.29 | 14.31 | 14.63 | 51.82 | -37.19 | Average |
| 4 | 0.2481 | 0.03 | 0.29 | 32.51 | 32.83 | 61.82 | -28.99 | QP |
| 5 | 0.4492 | 0.02 | 0.27 | 25.07 | 25.36 | 46.89 | -21.53 | Average |
| 6 | 0.4492 | 0.02 | 0.27 | 38.51 | 38.80 | 56.89 | -18.09 | QP |
| 7 | 0.8897 | 0.02 | 0.09 | 28.24 | 28.35 | 46.00 | -17.65 | Average |
| 8 | 0.8897 | 0.02 | 0.09 | 34.81 | 34.92 | 56.00 | -21.08 | QP |
| 9 | 1.1173 | 0.03 | 0.07 | 27.08 | 27.18 | 46.00 | -18.82 | Average |
| 10 | 1.1173 | 0.03 | 0.07 | 32.59 | 32.69 | 56.00 | -23.31 | QP |
| 11 | 3.3105 | 0.02 | 0.12 | 31.94 | 32.08 | 46.00 | -13.92 | Average |
| 12 | 3.3105 | 0.02 | 0.12 | 32.84 | 32.98 | 56.00 | -23.02 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Terma-d-Conditions.for electronic Document sapt. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 15 of 40

Test Mode: 01; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00379AT

Test mode: 01

| | Freq | Cable Loss | LISN Factor | Read Level | Level | Limit Line | Over Limit | Remark |
|----|--------|---------------|----------------|---------------|-------|---------------|---------------|---------|
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | 0.1668 | 0.02 | 0.25 | 26.41 | 26.68 | 55.12 | -28.44 | Average |
| 2 | 0.1668 | 0.02 | 0.25 | 44.89 | 45.16 | 65.12 | -19.96 | QP |
| 3 | 0.1945 | 0.02 | 0.26 | 19.93 | 20.21 | 53.84 | -33.63 | Average |
| 4 | 0.1945 | 0.02 | 0.26 | 38.55 | 38.83 | 63.84 | -25.01 | QP |
| 5 | 0.4193 | 0.03 | 0.27 | 24.83 | 25.13 | 47.46 | -22.33 | Average |
| 6 | 0.4193 | 0.03 | 0.27 | 34.55 | 34.85 | 57.46 | -22.61 | QP |
| 7 | 0.4588 | 0.02 | 0.27 | 19.61 | 19.90 | 46.71 | -26.81 | Average |
| 8 | 0.4588 | 0.02 | 0.27 | 31.70 | 31.99 | 56.71 | -24.72 | QP |
| 9 | 1.0375 | 0.03 | 0.19 | 27.83 | 28.05 | 46.00 | -17.95 | Average |
| 10 | 1.0375 | 0.03 | 0.19 | 34.01 | 34.23 | 56.00 | -21.77 | QP |
| 11 | 1.4953 | 0.02 | 0.18 | 26.65 | 26.85 | 46.00 | -19.15 | Average |
| 12 | 1.4953 | 0.02 | 0.18 | 33.98 | 34.18 | 56.00 | -21.82 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of festing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 16 of 40

Test Mode: 01; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00379AT

Test mode: 01

| | | Cable | LISN | Read | | Limit | 0ver | |
|----|--------|-------|--------|-------|-------|-------|--------|---------|
| | Freq | Loss | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | |
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| | | | | | | | | |
| 1 | 0.1731 | 0.02 | 0.30 | 20.00 | 20.32 | 54.81 | -34.49 | Average |
| 2 | 0.1731 | 0.02 | 0.30 | 40.07 | 40.39 | 64.81 | -24.42 | QP |
| 3 | 0.4736 | 0.01 | 0.27 | 23.35 | 23.63 | 46.45 | -22.82 | Average |
| 4 | 0.4736 | 0.01 | 0.27 | 32.45 | 32.73 | 56.45 | -23.72 | QP |
| 5 | 0.6205 | 0.04 | 0.20 | 27.22 | 27.46 | 46.00 | -18.54 | Average |
| 6 | 0.6205 | 0.04 | 0.20 | 29.87 | 30.11 | 56.00 | -25.89 | QP |
| 7 | 0.8664 | 0.03 | 0.10 | 26.15 | 26.28 | 46.00 | -19.72 | Average |
| 8 | 0.8664 | 0.03 | 0.10 | 29.38 | 29.51 | 56.00 | -26.49 | QP |
| 9 | 0.9684 | 0.02 | 0.07 | 21.49 | 21.58 | 46.00 | -24.42 | Average |
| 10 | 0.9684 | 0.02 | 0.07 | 27.09 | 27.18 | 56.00 | -28.82 | QP |
| 11 | 1.3665 | 0.02 | 0.09 | 25.38 | 25.49 | 46.00 | -20.51 | Average |
| 12 | 1.3665 | 0.02 | 0.09 | 28.37 | 28.48 | 56.00 | -27.52 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Terma-d-Conditions.for electronic Document sapt. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 17 of 40

Test Mode: 02; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00379AT

Test mode: 02

| | | Cable | LISN | Read | | Limit | 0ver | |
|----|--------|-------|--------|-------|-------|-------|--------|---------|
| | Freq | Loss | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | |
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| | | | | | | | | |
| 1 | 0.3832 | 0.03 | 0.27 | 43.96 | 44.26 | 48.21 | -3.95 | Average |
| 2 | 0.3832 | 0.03 | 0.27 | 46.97 | 47.27 | 58.21 | -10.94 | QP |
| 3 | 0.6372 | 0.03 | 0.23 | 41.46 | 41.72 | 46.00 | -4.28 | Average |
| 4 | 0.6372 | 0.03 | 0.23 | 46.35 | 46.61 | 56.00 | -9.39 | QP |
| 5 | 1.4032 | 0.02 | 0.18 | 42.31 | 42.51 | 46.00 | -3.49 | Average |
| 6 | 1.4032 | 0.02 | 0.18 | 47.18 | 47.38 | 56.00 | -8.62 | QP |
| 7 | 1.9139 | 0.01 | 0.17 | 34.27 | 34.45 | 46.00 | -11.55 | Average |
| 8 | 1.9139 | 0.01 | 0.17 | 37.65 | 37.83 | 56.00 | -18.17 | QP |
| 9 | 2.1668 | 0.01 | 0.16 | 37.50 | 37.67 | 46.00 | -8.33 | Average |
| 10 | 2.1668 | 0.01 | 0.16 | 40.52 | 40.69 | 56.00 | -15.31 | QP |
| 11 | 3.4450 | 0.02 | 0.13 | 41.32 | 41.47 | 46.00 | -4.53 | Average |
| 12 | 3.4450 | 0.02 | 0.13 | 43.67 | 43.82 | 56.00 | -12.18 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Terma-d-Conditions.for electronic Document sapt. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 18 of 40

Test Mode: 02; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00379AT

Test mode: 02

| | Freq | Cable Loss | LISN Factor | Read Level | Level | Limit Line | Over Limit | Remark |
|----|--------|---------------|----------------|---------------|-------|---------------|---------------|---------|
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | 0.3832 | 0.03 | 0.28 | 43.47 | 43.78 | 48.21 | -4.43 | Average |
| 2 | 0.3832 | 0.03 | 0.28 | 44.71 | 45.02 | 58.21 | -13.19 | QP |
| 3 | 0.6379 | 0.03 | 0.19 | 42.37 | 42.59 | 46.00 | -3.41 | Average |
| 4 | 0.6379 | 0.03 | 0.19 | 44.80 | 45.02 | 56.00 | -10.98 | QP |
| 5 | 1.4035 | 0.02 | 0.09 | 42.70 | 42.81 | 46.00 | -3.19 | Average |
| 6 | 1.4035 | 0.02 | 0.09 | 45.19 | 45.30 | 56.00 | -10.70 | QP |
| 7 | 1.6593 | 0.02 | 0.11 | 42.06 | 42.19 | 46.00 | -3.81 | Average |
| 8 | 1.6593 | 0.02 | 0.11 | 44.24 | 44.37 | 56.00 | -11.63 | QP |
| 9 | 2.4218 | 0.01 | 0.13 | 40.67 | 40.81 | 46.00 | -5.19 | Average |
| 10 | 2.4218 | 0.01 | 0.13 | 41.93 | 42.07 | 56.00 | -13.93 | QP |
| 11 | 3.4546 | 0.02 | 0.12 | 38.17 | 38.31 | 46.00 | -7.69 | Average |
| 12 | 3.4546 | 0.02 | 0.12 | 41.28 | 41.42 | 56.00 | -14.58 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 19 of 40

7.2 Radiated Emissions (30MHz-1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.5

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector.

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 23.2 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

| 7.2.2 103t IV | iouc bc. | sonption |
|--------------------------|--------------|---|
| Pre-scan / Final test | Mode Code | Description |
| Final test | 00 | Charge mode_Keep the EUT charging(5W) |
| Final test | 01 | Charge mode_Keep the EUT charging(7.5W) |
| Final test | 02 | Charge mode Keep the EUT charging(10W) |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.rems-and-Conditions.apx.and-Conditi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 20 of 40

7.2.3 Test Setup Diagram



7.2.4 Measurement Procedure and Data

- a. The EUT was placed on the top of a rotating table 0.8 meters above the ground for below 1GHz at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- i. Repeat above procedures until all frequencies measured was complete.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 21 of 40

Test Mode: 00; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00379AT

Mode : 00

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 83.8156 | 0.56 | 14.03 | 25.76 | 34.54 | 23.37 | 40.00 | -16.63 | QP |
| 2 | 110.5687 | 0.94 | 15.24 | 25.58 | 30.42 | 21.02 | 43.50 | -22.48 | QP |
| 3 | 176.2686 | 0.70 | 16.43 | 25.50 | 37.41 | 29.04 | 43.50 | -14.46 | QP |
| 4 | 192.4186 | 0.68 | 15.41 | 25.48 | 36.61 | 27.22 | 43.50 | -16.28 | QP |
| 5 | 214.5143 | 0.74 | 15.67 | 25.46 | 35.98 | 26.93 | 43.50 | -16.57 | QP |
| 6 | 330.1949 | 1.33 | 19.51 | 25.42 | 33.69 | 29.11 | 46.00 | -16.89 | OP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 22 of 40

Test Mode: 00; Polarity: Vertical



Site : chamber

Condition: 3m VERTICAL Job No : 00379AT

Mode : 00

| | Freq | | | Preamp Factor | | | | | Remark |
|--------|----------------------|------|-------|------------------|-------|-------|-------|--------|--------|
| | MHz | dB | | dB | | | | | |
| 1 | 39.9942 | | | | | - | - | | OP |
| 2 | 49.3594 | 0.21 | 17.35 | 26.00 | 42.68 | 34.24 | 40.00 | -5.76 | QP |
| 3 4 | 87.1117 113.7143 | | | | | | | | _ |
| 5 | 176.8878 346.8092 | 0.70 | 16.38 | 25.50 | 33.06 | 24.64 | 43.50 | -18.86 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 23 of 40

Test Mode: 01; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00379AT

Mode : 01

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 73.3593 | 0.36 | 15.04 | 25.84 | 32.86 | 22.42 | 40.00 | -17.58 | QP |
| 2 | 83.8156 | 0.56 | 14.03 | 25.76 | 36.36 | 25.19 | 40.00 | -14.81 | QP |
| 3 | 175.6516 | 0.71 | 16.47 | 25.50 | 38.30 | 29.98 | 43.50 | -13.52 | QP |
| 4 | 203.5228 | 0.70 | 15.25 | 25.47 | 36.59 | 27.07 | 43.50 | -16.43 | QP |
| 5 | 214.5143 | 0.74 | 15.67 | 25.46 | 35.55 | 26.50 | 43.50 | -17.00 | QP |
| 6 | 346.8092 | 1.49 | 19.81 | 25.43 | 32.30 | 28.17 | 46.00 | -17.83 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as this property of the second of the company for electronic Documents and the first of the second of the second




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 24 of 40

Test Mode: 01; Polarity: Vertical



Site : chamber

Condition: 3m VERTICAL Job No : 00379AT

Mode : 01

| | Freq | | | Preamp Factor | | | | | Remark |
|---|----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | ——dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 39.8542 | 0.20 | 16.70 | 26.01 | 37.81 | 28.70 | 40.00 | -11.30 | QP |
| 2 | 49.3594 | 0.21 | 17.35 | 26.00 | 41.61 | 33.17 | 40.00 | -6.83 | QP |
| 3 | 77.8654 | 0.44 | 14.50 | 25.81 | 34.02 | 23.15 | 40.00 | -16.85 | QP |
| 4 | 109.7960 | 0.93 | 15.21 | 25.58 | 40.06 | 30.62 | 43.50 | -12.88 | QP |
| 5 | 175.6516 | 0.71 | 16.47 | 25.50 | 32.42 | 24.10 | 43.50 | -19.40 | QP |
| 6 | 305.6800 | 1.07 | 18.57 | 25.40 | 27.33 | 21.57 | 46.00 | -24.43 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of festing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 25 of 40

Test Mode: 02; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00379AT

Mode : 02

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 83.5222 | 0.56 | 14.06 | 25.76 | 35.12 | 23.98 | 40.00 | -16.02 | QP |
| 2 | 128.5630 | 0.98 | 16.49 | 25.55 | 28.85 | 20.77 | 43.50 | -22.73 | QP |
| 3 | 175.6516 | 0.71 | 16.47 | 25.50 | 36.71 | 28.39 | 43.50 | -15.11 | QP |
| 4 | 222.9502 | 0.77 | 15.90 | 25.45 | 36.61 | 27.83 | 46.00 | -18.17 | QP |
| 5 | 247.6819 | 0.84 | 16.72 | 25.43 | 32.49 | 24.62 | 46.00 | -21.38 | QP |
| 6 | 346.8092 | 1.49 | 19.81 | 25.43 | 33.67 | 29.54 | 46.00 | -16.46 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 26 of 40

Test Mode: 02; Polarity: Vertical



Site : chamber

Condition: 3m VERTICAL Job No : 00379AT

Mode : 02

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|-----------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 39.9942 | 0.20 | 16.73 | 26.01 | 34.88 | 25.80 | 40.00 | -14.20 | QP |
| 2 | 49.3594 | 0.21 | 17.35 | 26.00 | 38.69 | 30.25 | 40.00 | -9.75 | QP |
| 3 | 85.8984 | 0.60 | 13.76 | 25.74 | 39.58 | 28.20 | 40.00 | -11.80 | QP |
| 4 | 109.7960 | 0.93 | 15.21 | 25.58 | 41.17 | 31.73 | 43.50 | -11.77 | QP |
| 5 | 180.6488 | 0.67 | 16.12 | 25.49 | 33.54 | 24.84 | 43.50 | -18.66 | QP |
| 6 | 348.0274 | 1.50 | 19.81 | 25.43 | 31.61 | 27.49 | 46.00 | -18.51 | OP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of festing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 27 of 40

7.3 Radiated Emissions (9kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30.0 | 30 | 30 |

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

If field strength is measured at only a single point, then that point shall be at the radial from the EUT that produces the maximum emission at the frequency being measured, as described in 5.4. If that point is closer to the EUT than $\lambda/2\pi$ and the limit distance is greater than $\lambda/2\pi$, the measurement shall be extrapolated to the limit distance by conservatively presuming that the field strength decreases at a 40 dB/decade of distance rate to the $\lambda/2\pi$ distance, and at a 20 dB/decade of distance rate beyond $\lambda/2\pi$. This shall be accomplished using Equation (2):

$$FS_{(10m)} = FS_{(30/300m)} + 40log\{d_{(near field)}/d_{(10m)}\} + 20log\{d_{(30/300m)}/d_{(near field)}\}$$
(2)

If the single point measured is at a distance greater than $\lambda/2\pi$, then extrapolation to the limit distance shall be calculated using Equation (3):

$$FS_{(10m)} = FS_{(30/300m)} + 20log\{d_{(30/300m)}/d_{(10m)}\}$$
(3)

If both the single point and the limit distance are equal to or closer to the EUT than $\lambda/2\pi$, then extrapolation to the limit distance shall be calculated using Equation (4):

$$FS_{(10m)} = FS_{(30/300m)} + 40log\{d_{(30/300m)}/d_{(10m)}\}$$
(4)

Remark:

 $d_{near field} = 47.77 / f_{MHz}$

where f_{MHz} is the frequency of the emission being measured in MHz.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents afther the transparent of the Imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 28 of 40

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 23.2 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|---|
| Final test | 00 | Charge mode_Keep the EUT charging(5W) |
| Final test | 01 | Charge mode_Keep the EUT charging(7.5W) |
| Final test | 02 | Charge mode_Keep the EUT charging(10W) |

7.3.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ss.com*



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 29 of 40

7.3.4 Measurement Procedure and Data

- a. All radiated emission measurements in terms of magnetic field strength shall be performed with a shielded loop antenna.
- b. For all radiated emission measurements in terms of magnetic field strength, the loop antenna were placed such that:
- i. its centre shall be at 1.3 m height above the ground plane;
- ii. the projection of its centre onto the ground plane shall be at the specified measurement distance from the projection on the ground plane of the closest point on the boundary of the equipment under test (EUT); and
- iii. measurements shall be performed with the loop antenna placed vertically, in turn, in two polarizations (the measurement axis specified below is the line segment connecting the projections on the ground plane of the centre of the loop antenna and the centre of the EUT arrangement):
- · coaxial (loop plane perpendicular to the ground plane and to the measurement axis); and
- · coplanar (loop plane perpendicular to the ground plane and coplanar with the measurement axis).

Remark: Both polarizations of the loop antenna have been tested and the worst case coaxial was shown in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lunless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone (66-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 30 of 40

Test Mode: 00; Polarity: Coaxial



Condition: 3m

Job No. : 00379AT

Test Mode: 00

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|--------|-------|--------|--------|--------|--------|--------|--------|---------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 0.0094 | 0.29 | 18.71 | 30.15 | 71.34 | 60.19 | 128.18 | -67.99 | Average | |
| 2 | 0.0419 | 0.30 | 11.29 | 31.33 | 71.80 | 52.06 | 115.15 | -63.09 | Average | |
| 3 | 0.1337 | 0.29 | 10.43 | 31.89 | 105.73 | 84.56 | 105.08 | -20.52 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of festing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 31 of 40

Test Mode: 00; Polarity: Coaxial



Condition: 3m

Job No. : 00379AT

Test Mode: 00

| | Freq | | | Preamp Factor | | | | | | |
|---|--------|------|-------|------------------|-------|--------|--------|--------|---------|--|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| 1 | 0.1615 | 0.29 | 10.40 | 31.88 | 74.55 | 53.36 | 103.44 | -50.08 | Average | |
| 2 | 0.3997 | 0.39 | 10.31 | 31.84 | 73.71 | 52.57 | 95.57 | -43.00 | Average | |
| 3 | 0.6719 | 0.37 | 10.29 | 31.82 | 66.29 | 45.13 | 71.06 | -25.93 | QP | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of festing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 32 of 40

Test Mode: 01; Polarity: Coaxial



Condition: 3m

Job No. : 00379AT

Test Mode: 01

| | Freq | | | | Read Level | | | | Remark |
|---|--------|------|-------|-------|---------------|--------|--------|--------|---------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 0.0104 | 0.29 | 18.00 | 30.43 | 70.42 | 58.28 | 127.25 | -68.97 | Average |
| 2 | 0.0421 | 0.30 | 11.28 | 31.34 | 71.21 | 51.45 | 115.13 | -63.68 | Average |
| 3 | 0.1278 | 0.29 | 10.43 | 31.89 | 106.83 | 85.66 | 105.48 | -19.82 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of festing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 33 of 40

Test Mode: 01; Polarity: Coaxial



Condition: 3m

Job No. : 00379AT

Test Mode: 01

| | Freq | | | Preamp Factor | | | | | Remark | |
|---|--------|------|-------|------------------|-------|--------|--------|--------|---------|---|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | _ |
| 1 | 0.1685 | 0.29 | 10.39 | 31.88 | 72.01 | 50.81 | 103.07 | -52.26 | Average | |
| 2 | 0.5020 | 0.42 | 10.31 | 31.83 | 63.55 | 42.45 | 73.59 | -31.14 | QP | |
| 3 | 0.8573 | 0.33 | 10.28 | 31.81 | 60.00 | 38.80 | 68.94 | -30.14 | OP | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 34 of 40

Test Mode: 02; Polarity: Coaxial



Condition: 3m

Job No. : 00379AT

Test Mode: 02

| | | | | | Read | | | | | |
|---|--------|------|--------|--------|--------|--------|--------|--------|---------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | _ |
| | MHz | dВ | dB/m | dВ | dBuV | dBuV/m | dBuV/m | dB | | |
| 1 | 0.0091 | 0.29 | 18.90 | 30.04 | 70.76 | 59.91 | 128.42 | -68.51 | Average | |
| 2 | | | | | | | | | Average | |
| 3 | 0.1278 | 0.29 | 10.43 | 31.89 | 106.09 | 84.92 | 105.48 | -20.56 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of festing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 35 of 40

Test Mode: 02; Polarity: Coaxial



Condition: 3m

Job No. : 00379AT

Test Mode: 02

1 2

| | Frea | | | Preamp Factor | | | | | Remark | |
|---|--------|------|-------|------------------|-------|--------|--------|--------|---------|---|
| _ | | | | | | | | | | _ |
| | MHz | ав | aB/m | dB | abuv | aBuv/m | aBuv/m | dB | | |
| | 0.1722 | 0.29 | 10.39 | 31.88 | 72.37 | 51.17 | 102.89 | -51.72 | Average | |
| | 0.2803 | 0.33 | 10.34 | 31.86 | 69.31 | 48.12 | 98.65 | -50.53 | Average | |
| | 0 8528 | 0 33 | 10 28 | 31 81 | 59 68 | 38 48 | 68 99 | -30 51 | OP | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 36 of 40

7.4 20dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.215 Test Method: ANSI C63.10 (2013) Section 6.9.2

Limit:

For report reference only

7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 21.5 °C Humidity: 54.3 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|---|
| Pre-scan | 00 | Charge mode_Keep the EUT charging(5W) |
| Pre-scan | 01 | Charge mode_Keep the EUT charging(7.5W) |
| Final test | 02 | Charge mode_Keep the EUT charging(10W) |

7.4.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as this property of the second of the company for electronic Documents and the first of the second of the second




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 37 of 40

7.4.4 Measurement Procedure and Data





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 38 of 40

7.5 Restricted Bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 Test Method: ANSI C63.10 (2013) Section 6.10.5

Limit:

The fundamental wave could not fall in the restricted band 90KHz-110KHz

7.5.1 E.U.T. Operation


Operating Environment:

Temperature: 21.5 °C Humidity: 54.3 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|---|
| Pre-scan | 00 | Charge mode_Keep the EUT charging(5W) |
| Pre-scan | 01 | Charge mode_Keep the EUT charging(7.5W) |
| Final test | 02 | Charge mode_Keep the EUT charging(10W) |

7.5.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document aspt. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 39 of 40

7.5.4 Measurement Procedure and Data





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037901

Page: 40 of 40

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2209000379AT

9 EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal Photos for FYCR2209000379AT.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an