



## 802.11ax HE20 CH60



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1291.375000     | 40.04            | ---              | 68.20          | 28.16       | 500.0           | 200.0       | H   | 0.0           | -8.1         |
| 1395.500000     | ---              | 29.19            | 54.00          | 24.81       | 500.0           | 100.0       | V   | 238.0         | -7.5         |
| 1607.250000     | ---              | 30.25            | 54.00          | 23.75       | 500.0           | 100.0       | V   | 317.0         | -6.3         |
| 1907.375000     | 42.35            | ---              | 68.20          | 25.85       | 500.0           | 100.0       | V   | 90.0          | -4.9         |
| 2261.750000     | ---              | 32.05            | 54.00          | 21.95       | 500.0           | 200.0       | H   | 325.0         | -3.3         |
| 2608.250000     | 44.42            | ---              | 68.20          | 23.78       | 500.0           | 100.0       | V   | 106.0         | -2.1         |
| 2778.875000     | ---              | 33.82            | 54.00          | 20.18       | 500.0           | 200.0       | H   | 22.0          | -1.5         |
| 3450.000000     | 48.45            | ---              | 68.20          | 19.75       | 500.0           | 200.0       | V   | 80.0          | 1.1          |
| 3988.125000     | ---              | 38.04            | 54.00          | 15.96       | 500.0           | 200.0       | H   | 199.0         | 2.9          |
| 4444.000000     | 47.94            | ---              | 68.20          | 20.26       | 500.0           | 200.0       | H   | 352.0         | 3.9          |
| 7066.375000     | 55.86            | ---              | 68.20          | 12.34       | 500.0           | 200.0       | H   | 332.0         | 6.6          |
| 7529.250000     | ---              | 41.02            | 54.00          | 12.98       | 500.0           | 100.0       | H   | 54.0          | 7.4          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8045.000000     | ---              | 32.14            | 54.00          | 21.86       | 500.0           | 200.0       | V   | 85.0          | -1.5         |
| 8932.500000     | 43.45            | ---              | 68.20          | 24.75       | 500.0           | 200.0       | V   | 98.0          | -1.4         |
| 9473.750000     | ---              | 32.93            | 54.00          | 21.07       | 500.0           | 200.0       | V   | 91.0          | -0.2         |
| 10207.500000    | 44.97            | ---              | 68.20          | 23.23       | 500.0           | 200.0       | V   | 11.0          | -0.9         |
| 10562.500000    | 43.89            | ---              | 68.20          | 24.31       | 500.0           | 200.0       | H   | 339.0         | -0.8         |
| 10656.250000    | ---              | 33.15            | 54.00          | 20.85       | 500.0           | 200.0       | V   | 26.0          | -0.7         |
| 13321.250000    | ---              | 35.19            | 54.00          | 18.81       | 500.0           | 100.0       | H   | 177.0         | 3.3          |
| 13552.500000    | 46.88            | ---              | 68.20          | 21.32       | 500.0           | 100.0       | V   | 336.0         | 3.6          |
| 15298.750000    | 48.45            | ---              | 68.20          | 19.75       | 500.0           | 100.0       | H   | 252.0         | 5.9          |
| 15540.000000    | ---              | 38.08            | 54.00          | 15.92       | 500.0           | 100.0       | V   | 48.0          | 6.5          |
| 17670.000000    | 51.73            | ---              | 68.20          | 16.47       | 500.0           | 200.0       | V   | 91.0          | 10.2         |
| 17753.750000    | ---              | 40.26            | 54.00          | 13.74       | 500.0           | 100.0       | H   | 269.0         | 10.3         |

## 802.11ax HE20 CH64



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1296.625000     | 40.88            | ---              | 68.20          | 27.32       | 500.0           | 100.0       | H   | 0.0           | -8.1         |
| 1371.875000     | ---              | 29.20            | 54.00          | 24.80       | 500.0           | 100.0       | V   | 273.0         | -7.6         |
| 1692.125000     | ---              | 30.15            | 54.00          | 23.85       | 500.0           | 100.0       | V   | 317.0         | -5.9         |
| 1938.000000     | 43.72            | ---              | 68.20          | 24.48       | 500.0           | 100.0       | V   | 268.0         | -4.7         |
| 2275.750000     | ---              | 31.83            | 54.00          | 22.17       | 500.0           | 200.0       | H   | 219.0         | -3.3         |
| 2425.375000     | 44.87            | ---              | 68.20          | 23.33       | 500.0           | 100.0       | V   | 317.0         | -2.8         |
| 2747.375000     | ---              | 33.63            | 54.00          | 20.37       | 500.0           | 200.0       | H   | 124.0         | -1.6         |
| 3479.750000     | 48.40            | ---              | 68.20          | 19.80       | 500.0           | 200.0       | V   | 282.0         | 1.2          |
| 3991.625000     | ---              | 38.20            | 54.00          | 15.80       | 500.0           | 200.0       | H   | 298.0         | 2.9          |
| 4467.625000     | 49.50            | ---              | 68.20          | 18.70       | 500.0           | 200.0       | V   | 36.0          | 4.1          |
| 7093.500000     | 54.58            | ---              | 68.20          | 13.62       | 500.0           | 100.0       | V   | 23.0          | 6.7          |
| 7538.875000     | ---              | 41.02            | 54.00          | 12.98       | 500.0           | 200.0       | V   | 127.0         | 7.4          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8042.500000     | ---              | 31.90            | 54.00          | 22.10       | 500.0           | 200.0       | H   | 254.0         | -1.5         |
| 8991.250000     | 43.65            | ---              | 68.20          | 24.55       | 500.0           | 100.0       | H   | 15.0          | -1.4         |
| 9471.250000     | ---              | 33.27            | 54.00          | 20.73       | 500.0           | 100.0       | H   | 286.0         | -0.2         |
| 10143.750000    | 45.04            | ---              | 68.20          | 23.16       | 500.0           | 200.0       | H   | 100.0         | -0.8         |
| 10535.000000    | 44.40            | ---              | 68.20          | 23.80       | 500.0           | 200.0       | V   | 0.0           | -0.9         |
| 10700.000000    | ---              | 32.97            | 54.00          | 21.03       | 500.0           | 100.0       | H   | 10.0          | -0.8         |
| 13318.750000    | ---              | 34.95            | 54.00          | 19.05       | 500.0           | 200.0       | H   | 208.0         | 3.3          |
| 13536.250000    | 46.35            | ---              | 68.20          | 21.85       | 500.0           | 200.0       | H   | 95.0          | 3.6          |
| 15230.000000    | 48.46            | ---              | 68.20          | 19.74       | 500.0           | 200.0       | V   | 249.0         | 5.8          |
| 15562.500000    | ---              | 38.04            | 54.00          | 15.96       | 500.0           | 100.0       | H   | 156.0         | 6.6          |
| 17670.000000    | 51.19            | ---              | 68.20          | 17.01       | 500.0           | 200.0       | V   | 0.0           | 10.2         |
| 17886.250000    | ---              | 40.24            | 54.00          | 13.76       | 500.0           | 100.0       | H   | 102.0         | 10.2         |

## 802.11ax HE20 CH100



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1294.000000     | 44.78            | ---              | 68.20          | 23.42       | 500.0           | 200.0       | V   | 232.0         | 3.2          |
| 1362.250000     | ---              | 34.12            | 54.00          | 19.88       | 500.0           | 100.0       | V   | 87.0          | 3.5          |
| 1701.750000     | ---              | 34.92            | 54.00          | 19.08       | 500.0           | 100.0       | V   | 105.0         | 5.3          |
| 1972.125000     | 46.96            | ---              | 68.20          | 21.25       | 500.0           | 100.0       | H   | 212.0         | 6.3          |
| 2646.750000     | 49.91            | ---              | 68.20          | 18.29       | 500.0           | 200.0       | H   | 78.0          | 8.6          |
| 2799.875000     | ---              | 37.97            | 54.00          | 16.03       | 500.0           | 200.0       | H   | 0.0           | 9.1          |
| 3521.750000     | 52.57            | ---              | 68.20          | 15.63       | 500.0           | 100.0       | H   | 198.0         | 11.5         |
| 3986.375000     | ---              | 41.28            | 54.00          | 12.72       | 500.0           | 200.0       | H   | 229.0         | 12.5         |
| 5040.750000     | ---              | 41.34            | 54.00          | 12.66       | 500.0           | 200.0       | H   | 83.0          | 13.3         |
| 5214.000000     | 52.11            | ---              | 68.20          | 16.09       | 500.0           | 200.0       | V   | 246.0         | 14.1         |
| 7536.250000     | ---              | 44.73            | 54.00          | 9.27        | 500.0           | 200.0       | V   | 256.0         | 17.8         |
| 7959.750000     | 57.16            | ---              | 68.20          | 11.04       | 500.0           | 200.0       | V   | 354.0         | 19.0         |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8982.500000     | 44.25            | ---              | 68.20          | 23.95       | 500.0           | 100.0       | H   | 197.0         | -1.3         |
| 9152.500000     | ---              | 32.25            | 54.00          | 21.75       | 500.0           | 100.0       | H   | 137.0         | -1.1         |
| 9631.250000     | 45.64            | ---              | 68.20          | 22.56       | 500.0           | 100.0       | V   | 166.0         | -0.6         |
| 10532.500000    | 43.67            | ---              | 68.20          | 24.53       | 500.0           | 100.0       | H   | 137.0         | -1.0         |
| 10808.750000    | ---              | 32.28            | 54.00          | 21.72       | 500.0           | 200.0       | V   | 291.0         | -0.9         |
| 12485.000000    | ---              | 32.72            | 54.00          | 21.28       | 500.0           | 100.0       | V   | 214.0         | 0.3          |
| 13397.500000    | ---              | 34.26            | 54.00          | 19.74       | 500.0           | 200.0       | V   | 306.0         | 2.4          |
| 13581.250000    | 46.52            | ---              | 68.20          | 21.68       | 500.0           | 100.0       | H   | 337.0         | 2.9          |
| 14897.500000    | 48.58            | ---              | 68.20          | 19.62       | 500.0           | 200.0       | H   | 221.0         | 5.0          |
| 15596.250000    | ---              | 37.97            | 54.00          | 16.03       | 500.0           | 100.0       | H   | 267.0         | 6.5          |
| 17557.500000    | 51.87            | ---              | 68.20          | 16.33       | 500.0           | 200.0       | V   | 230.0         | 10.0         |
| 17981.250000    | ---              | 40.80            | 54.00          | 13.20       | 500.0           | 100.0       | H   | 283.0         | 10.9         |

## 802.11ax HE20 CH116



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1137.375000     | ---              | 27.97            | 54.00          | 26.03       | 500.0           | 200.0       | V   | 199.0         | -9.0         |
| 1270.375000     | 40.23            | ---              | 68.20          | 27.97       | 500.0           | 100.0       | V   | 250.0         | -8.2         |
| 1382.375000     | ---              | 29.30            | 54.00          | 24.70       | 500.0           | 100.0       | V   | 64.0          | -7.5         |
| 1609.875000     | ---              | 30.53            | 54.00          | 23.47       | 500.0           | 200.0       | V   | 126.0         | -6.3         |
| 1880.250000     | 43.01            | ---              | 68.20          | 25.19       | 500.0           | 200.0       | H   | 134.0         | -5.0         |
| 2639.750000     | 44.44            | ---              | 68.20          | 23.76       | 500.0           | 100.0       | H   | 29.0          | -2.0         |
| 2787.625000     | ---              | 33.66            | 54.00          | 20.34       | 500.0           | 100.0       | V   | 44.0          | -1.5         |
| 3219.000000     | 46.03            | ---              | 68.20          | 22.17       | 500.0           | 200.0       | V   | 204.0         | 0.1          |
| 3590.875000     | 47.77            | ---              | 68.20          | 20.43       | 500.0           | 100.0       | V   | 38.0          | 1.6          |
| 4033.625000     | ---              | 36.83            | 54.00          | 17.17       | 500.0           | 100.0       | V   | 152.0         | 2.8          |
| 6597.375000     | 52.84            | ---              | 68.20          | 15.36       | 500.0           | 200.0       | H   | 30.0          | 6.5          |
| 7553.750000     | ---              | 40.87            | 54.00          | 13.13       | 500.0           | 200.0       | V   | 204.0         | 7.4          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8056.250000     | ---              | 32.22            | 54.00          | 21.78       | 500.0           | 200.0       | V   | 5.0           | -1.5         |
| 8927.500000     | 44.22            | ---              | 68.20          | 23.98       | 500.0           | 100.0       | V   | 93.0          | -1.4         |
| 9468.750000     | ---              | 33.14            | 54.00          | 20.86       | 500.0           | 200.0       | H   | 49.0          | -0.3         |
| 10140.000000    | 44.45            | ---              | 68.20          | 23.75       | 500.0           | 100.0       | V   | 62.0          | -0.8         |
| 10550.000000    | 44.24            | ---              | 68.20          | 23.96       | 500.0           | 100.0       | H   | 354.0         | -0.8         |
| 10670.000000    | ---              | 33.13            | 54.00          | 20.87       | 500.0           | 100.0       | H   | 271.0         | -0.7         |
| 13320.000000    | ---              | 35.21            | 54.00          | 18.79       | 500.0           | 200.0       | V   | 169.0         | 3.3          |
| 13552.500000    | 46.84            | ---              | 68.20          | 21.36       | 500.0           | 200.0       | V   | 219.0         | 3.6          |
| 15258.750000    | 48.73            | ---              | 68.20          | 19.47       | 500.0           | 200.0       | H   | 237.0         | 5.8          |
| 15563.750000    | ---              | 38.29            | 54.00          | 15.71       | 500.0           | 100.0       | V   | 67.0          | 6.6          |
| 17676.250000    | 51.79            | ---              | 68.20          | 16.41       | 500.0           | 200.0       | H   | 111.0         | 10.2         |
| 17885.000000    | ---              | 40.30            | 54.00          | 13.70       | 500.0           | 100.0       | V   | 136.0         | 10.2         |

## 802.11ax HE20 CH144



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1169.750000     | ---              | 32.63            | 54.00          | 21.37       | 500.0           | 200.0       | V   | 325.0         | 2.1          |
| 1286.125000     | 44.98            | ---              | 68.20          | 23.22       | 500.0           | 100.0       | V   | 249.0         | 3.1          |
| 1672.000000     | ---              | 35.19            | 54.00          | 18.81       | 500.0           | 100.0       | H   | 186.0         | 5.2          |
| 1948.500000     | 48.21            | ---              | 68.20          | 19.99       | 500.0           | 100.0       | H   | 94.0          | 6.3          |
| 2299.375000     | ---              | 36.73            | 54.00          | 17.27       | 500.0           | 200.0       | V   | 165.0         | 7.9          |
| 2637.125000     | 49.00            | ---              | 68.20          | 19.20       | 500.0           | 200.0       | V   | 136.0         | 8.6          |
| 3418.500000     | 52.94            | ---              | 68.20          | 15.26       | 500.0           | 200.0       | H   | 121.0         | 11.3         |
| 3987.250000     | ---              | 41.39            | 54.00          | 12.61       | 500.0           | 200.0       | V   | 291.0         | 12.5         |
| 5085.375000     | ---              | 42.68            | 54.00          | 11.32       | 500.0           | 100.0       | H   | 219.0         | 13.7         |
| 5240.250000     | 53.18            | ---              | 68.20          | 15.02       | 500.0           | 100.0       | H   | 140.0         | 14.1         |
| 6699.750000     | 53.60            | ---              | 68.20          | 14.60       | 500.0           | 100.0       | V   | 44.0          | 16.0         |
| 7311.375000     | ---              | 44.89            | 54.00          | 9.11        | 500.0           | 200.0       | V   | 188.0         | 17.7         |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8867.500000     | 44.70            | ---              | 68.20          | 23.50       | 500.0           | 100.0       | H   | 235.0         | -1.4         |
| 9468.750000     | ---              | 33.92            | 54.00          | 20.08       | 500.0           | 200.0       | H   | 106.0         | -0.1         |
| 9772.500000     | 45.27            | ---              | 68.20          | 22.93       | 500.0           | 100.0       | H   | 333.0         | -0.5         |
| 10488.750000    | 43.81            | ---              | 68.20          | 24.39       | 500.0           | 100.0       | H   | 240.0         | -1.0         |
| 10670.000000    | ---              | 33.77            | 54.00          | 20.23       | 500.0           | 100.0       | H   | 348.0         | -0.8         |
| 12555.000000    | ---              | 32.50            | 54.00          | 21.50       | 500.0           | 200.0       | H   | 148.0         | 0.2          |
| 13357.500000    | ---              | 34.03            | 54.00          | 19.97       | 500.0           | 100.0       | V   | 26.0          | 2.4          |
| 13722.500000    | 46.49            | ---              | 68.20          | 21.71       | 500.0           | 200.0       | V   | 207.0         | 3.3          |
| 15018.750000    | 48.65            | ---              | 68.20          | 19.55       | 500.0           | 100.0       | H   | 245.0         | 5.2          |
| 15592.500000    | ---              | 38.02            | 54.00          | 15.98       | 500.0           | 100.0       | V   | 0.0           | 6.5          |
| 17553.750000    | 52.38            | ---              | 68.20          | 15.82       | 500.0           | 200.0       | H   | 222.0         | 10.0         |
| 17985.000000    | ---              | 41.00            | 54.00          | 13.00       | 500.0           | 200.0       | H   | 316.0         | 11.0         |

## 802.11ax HE20 CH149



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1247.625000     | 40.15            | ---              | 68.20          | 28.05       | 500.0           | 100.0       | H   | 315.0         | -8.3         |
| 1410.375000     | ---              | 29.27            | 54.00          | 24.73       | 500.0           | 100.0       | V   | 19.0          | -7.4         |
| 1690.375000     | ---              | 30.27            | 54.00          | 23.73       | 500.0           | 100.0       | V   | 96.0          | -5.9         |
| 1988.750000     | 43.98            | ---              | 68.20          | 24.22       | 500.0           | 200.0       | V   | 222.0         | -4.5         |
| 2641.500000     | 44.38            | ---              | 68.20          | 23.82       | 500.0           | 200.0       | H   | 269.0         | -2.0         |
| 2812.125000     | ---              | 33.62            | 54.00          | 20.38       | 500.0           | 200.0       | V   | 166.0         | -1.3         |
| 3550.625000     | 48.72            | ---              | 68.20          | 19.48       | 500.0           | 200.0       | V   | 74.0          | 1.4          |
| 3897.125000     | ---              | 38.05            | 54.00          | 15.95       | 500.0           | 200.0       | H   | 36.0          | 2.4          |
| 4451.000000     | 48.65            | ---              | 68.20          | 19.55       | 500.0           | 200.0       | V   | 227.0         | 3.9          |
| 4521.875000     | ---              | 38.50            | 54.00          | 15.50       | 500.0           | 100.0       | V   | 43.0          | 4.3          |
| 6698.875000     | 52.61            | ---              | 68.20          | 15.59       | 500.0           | 200.0       | V   | 286.0         | 6.5          |
| 7536.250000     | ---              | 40.90            | 54.00          | 13.10       | 500.0           | 200.0       | V   | 358.0         | 7.4          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8895.000000     | 43.90            | ---              | 68.20          | 24.30       | 500.0           | 200.0       | V   | 244.0         | -1.4         |
| 9151.250000     | ---              | 39.13            | 54.00          | 14.87       | 500.0           | 100.0       | V   | 90.0          | -1.1         |
| 9462.500000     | ---              | 33.08            | 54.00          | 20.92       | 500.0           | 200.0       | V   | 112.0         | -0.3         |
| 10112.500000    | 44.59            | ---              | 68.20          | 23.61       | 500.0           | 100.0       | H   | 241.0         | -0.8         |
| 10523.750000    | 43.96            | ---              | 68.20          | 24.24       | 500.0           | 100.0       | V   | 184.0         | -0.9         |
| 10657.500000    | ---              | 32.99            | 54.00          | 21.01       | 500.0           | 100.0       | H   | 277.0         | -0.7         |
| 13317.500000    | ---              | 35.34            | 54.00          | 18.66       | 500.0           | 100.0       | V   | 358.0         | 3.3          |
| 13555.000000    | 46.76            | ---              | 68.20          | 21.44       | 500.0           | 200.0       | H   | 351.0         | 3.7          |
| 15290.000000    | 48.70            | ---              | 68.20          | 19.50       | 500.0           | 100.0       | H   | 195.0         | 5.9          |
| 15562.500000    | ---              | 37.94            | 54.00          | 16.06       | 500.0           | 100.0       | V   | 169.0         | 6.6          |
| 17380.000000    | 51.73            | ---              | 68.20          | 16.47       | 500.0           | 200.0       | V   | 207.0         | 9.5          |
| 17906.250000    | ---              | 40.25            | 54.00          | 13.75       | 500.0           | 200.0       | H   | 216.0         | 10.2         |

## 802.11ax HE20 CH157



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1245.875000     | 39.76            | ---              | 68.20          | 28.44       | 500.0           | 200.0       | V   | 263.0         | -8.3         |
| 1379.750000     | ---              | 28.93            | 54.00          | 25.07       | 500.0           | 100.0       | H   | 150.0         | -7.5         |
| 1681.625000     | ---              | 29.93            | 54.00          | 24.07       | 500.0           | 200.0       | H   | 320.0         | -6.0         |
| 1896.000000     | 42.53            | ---              | 68.20          | 25.67       | 500.0           | 200.0       | H   | 213.0         | -5.0         |
| 2576.750000     | 44.86            | ---              | 68.20          | 23.34       | 500.0           | 100.0       | H   | 71.0          | -2.2         |
| 2779.750000     | ---              | 33.59            | 54.00          | 20.41       | 500.0           | 100.0       | V   | 307.0         | -1.5         |
| 3368.625000     | 49.48            | ---              | 68.20          | 18.72       | 500.0           | 200.0       | V   | 154.0         | 0.8          |
| 3986.375000     | ---              | 38.19            | 54.00          | 15.81       | 500.0           | 200.0       | V   | 252.0         | 2.9          |
| 4437.000000     | 50.16            | ---              | 68.20          | 18.04       | 500.0           | 200.0       | H   | 330.0         | 3.9          |
| 4512.250000     | ---              | 38.34            | 54.00          | 15.66       | 500.0           | 200.0       | V   | 26.0          | 4.3          |
| 6595.625000     | 52.77            | ---              | 68.20          | 15.43       | 500.0           | 200.0       | V   | 61.0          | 6.5          |
| 7549.375000     | ---              | 40.95            | 54.00          | 13.05       | 500.0           | 100.0       | H   | 8.0           | 7.4          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8036.250000     | ---              | 32.40            | 54.00          | 21.60       | 500.0           | 100.0       | V   | 123.0         | -1.5         |
| 8990.000000     | 44.08            | ---              | 68.20          | 24.12       | 500.0           | 200.0       | H   | 347.0         | -1.4         |
| 9255.000000     | 45.81            | ---              | 68.20          | 22.39       | 500.0           | 100.0       | V   | 89.0          | -0.9         |
| 9463.750000     | ---              | 33.43            | 54.00          | 20.57       | 500.0           | 200.0       | V   | 263.0         | -0.3         |
| 10527.500000    | 43.88            | ---              | 68.20          | 24.32       | 500.0           | 100.0       | V   | 113.0         | -0.9         |
| 11570.000000    | ---              | 34.78            | 54.00          | 19.22       | 500.0           | 100.0       | V   | 48.0          | -0.1         |
| 13336.250000    | ---              | 34.86            | 54.00          | 19.14       | 500.0           | 200.0       | H   | 170.0         | 3.3          |
| 13503.750000    | 46.79            | ---              | 68.20          | 21.41       | 500.0           | 200.0       | V   | 113.0         | 3.5          |
| 15300.000000    | 48.47            | ---              | 68.20          | 19.73       | 500.0           | 100.0       | V   | 348.0         | 5.9          |
| 15561.250000    | ---              | 38.18            | 54.00          | 15.83       | 500.0           | 200.0       | V   | 137.0         | 6.6          |
| 17370.000000    | 51.05            | ---              | 68.20          | 17.15       | 500.0           | 100.0       | V   | 338.0         | 9.5          |
| 17906.250000    | ---              | 40.16            | 54.00          | 13.84       | 500.0           | 100.0       | H   | 48.0          | 10.2         |

## 802.11ax HE20 CH165



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1293.125000     | 39.68            | ---              | 68.20          | 28.52       | 500.0           | 100.0       | H   | 58.0          | -8.1         |
| 1399.000000     | ---              | 29.37            | 54.00          | 24.63       | 500.0           | 100.0       | H   | 230.0         | -7.5         |
| 1682.500000     | ---              | 30.45            | 54.00          | 23.55       | 500.0           | 100.0       | V   | 276.0         | -6.0         |
| 1945.000000     | 43.07            | ---              | 68.20          | 25.13       | 500.0           | 200.0       | H   | 10.0          | -4.7         |
| 2675.625000     | 44.64            | ---              | 68.20          | 23.56       | 500.0           | 200.0       | V   | 262.0         | -1.9         |
| 2789.375000     | ---              | 33.89            | 54.00          | 20.11       | 500.0           | 200.0       | H   | 109.0         | -1.4         |
| 3085.125000     | 46.57            | ---              | 68.20          | 21.63       | 500.0           | 100.0       | H   | 33.0          | -0.2         |
| 3480.625000     | 49.17            | ---              | 68.20          | 19.03       | 500.0           | 200.0       | V   | 26.0          | 1.2          |
| 3994.250000     | ---              | 38.21            | 54.00          | 15.79       | 500.0           | 100.0       | V   | 322.0         | 2.9          |
| 5120.375000     | ---              | 38.71            | 54.00          | 15.29       | 500.0           | 200.0       | V   | 174.0         | 5.1          |
| 7209.000000     | 52.53            | ---              | 68.20          | 15.67       | 500.0           | 200.0       | V   | 201.0         | 6.8          |
| 7535.375000     | ---              | 41.08            | 54.00          | 12.92       | 500.0           | 100.0       | V   | 95.0          | 7.4          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8028.750000     | ---              | 31.87            | 54.00          | 22.13       | 500.0           | 100.0       | H   | 282.0         | -1.5         |
| 8528.750000     | 44.14            | ---              | 68.20          | 24.06       | 500.0           | 100.0       | H   | 125.0         | -1.6         |
| 9463.750000     | ---              | 33.07            | 54.00          | 20.93       | 500.0           | 100.0       | V   | 226.0         | -0.3         |
| 9735.000000     | 44.84            | ---              | 68.20          | 23.36       | 500.0           | 100.0       | H   | 180.0         | -0.7         |
| 10557.500000    | 43.93            | ---              | 68.20          | 24.27       | 500.0           | 200.0       | H   | 243.0         | -0.8         |
| 11651.250000    | ---              | 36.12            | 54.00          | 17.88       | 500.0           | 100.0       | V   | 81.0          | 0.0          |
| 13311.250000    | ---              | 35.14            | 54.00          | 18.86       | 500.0           | 200.0       | H   | 291.0         | 3.3          |
| 13505.000000    | 46.85            | ---              | 68.20          | 21.35       | 500.0           | 200.0       | V   | 33.0          | 3.5          |
| 15297.500000    | 49.22            | ---              | 68.20          | 18.98       | 500.0           | 200.0       | H   | 0.0           | 5.9          |
| 15566.250000    | ---              | 38.09            | 54.00          | 15.91       | 500.0           | 100.0       | V   | 309.0         | 6.6          |
| 17687.500000    | 51.76            | ---              | 68.20          | 16.44       | 500.0           | 200.0       | H   | 281.0         | 10.2         |
| 17908.750000    | ---              | 40.15            | 54.00          | 13.85       | 500.0           | 100.0       | H   | 140.0         | 10.2         |

## 802.11ax HE40 CH38



## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1169.750000     | ---              | 32.81            | 54.00          | 21.19       | 500.0           | 200.0       | H   | 103.0         | 2.1          |
| 1286.125000     | 44.48            | ---              | 68.20          | 23.72       | 500.0           | 200.0       | H   | 356.0         | 3.1          |
| 1674.625000     | ---              | 35.08            | 54.00          | 18.92       | 500.0           | 100.0       | H   | 226.0         | 5.2          |
| 1979.125000     | 48.00            | ---              | 68.20          | 20.21       | 500.0           | 100.0       | H   | 70.0          | 6.4          |
| 2225.000000     | ---              | 36.44            | 54.00          | 17.56       | 500.0           | 200.0       | H   | 352.0         | 7.6          |
| 2626.625000     | 49.23            | ---              | 68.20          | 18.97       | 500.0           | 100.0       | H   | 46.0          | 8.6          |
| 2817.375000     | ---              | 37.85            | 54.00          | 16.15       | 500.0           | 100.0       | V   | 90.0          | 9.1          |
| 3513.000000     | 50.83            | ---              | 68.20          | 17.37       | 500.0           | 200.0       | H   | 341.0         | 11.6         |
| 4689.000000     | ---              | 41.38            | 54.00          | 12.62       | 500.0           | 100.0       | H   | 202.0         | 13.2         |
| 5760.000000     | 56.87            | ---              | 68.20          | 11.33       | 500.0           | 100.0       | H   | 266.0         | 14.6         |
| 6920.250000     | 59.25            | ---              | 68.20          | 8.95        | 500.0           | 100.0       | H   | 341.0         | 16.8         |
| 7259.750000     | ---              | 44.71            | 54.00          | 9.29        | 500.0           | 100.0       | V   | 295.0         | 17.6         |



## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8993.750000     | 43.47            | ---              | 68.20          | 24.73       | 500.0           | 100.0       | H   | 117.0         | -1.3         |
| 9148.750000     | ---              | 32.05            | 54.00          | 21.95       | 500.0           | 100.0       | H   | 112.0         | -1.1         |
| 9503.750000     | 45.30            | ---              | 68.20          | 22.90       | 500.0           | 100.0       | V   | 312.0         | 0.0          |
| 10567.500000    | 44.14            | ---              | 68.20          | 24.06       | 500.0           | 100.0       | H   | 55.0          | -0.9         |
| 10675.000000    | ---              | 33.25            | 54.00          | 20.75       | 500.0           | 100.0       | V   | 342.0         | -0.8         |
| 12416.250000    | ---              | 32.14            | 54.00          | 21.86       | 500.0           | 200.0       | H   | 0.0           | 0.4          |
| 13356.250000    | ---              | 34.32            | 54.00          | 19.68       | 500.0           | 200.0       | H   | 169.0         | 2.4          |
| 13727.500000    | 46.15            | ---              | 68.20          | 22.05       | 500.0           | 100.0       | H   | 117.0         | 3.3          |
| 15286.250000    | 48.31            | ---              | 68.20          | 19.89       | 500.0           | 100.0       | H   | 11.0          | 5.6          |
| 15586.250000    | ---              | 37.83            | 54.00          | 16.17       | 500.0           | 100.0       | V   | 318.0         | 6.5          |
| 17365.000000    | 51.68            | ---              | 68.20          | 16.52       | 500.0           | 200.0       | H   | 236.0         | 9.6          |
| 17978.750000    | ---              | 40.70            | 54.00          | 13.30       | 500.0           | 100.0       | H   | 92.0          | 10.9         |