






Date: 17.NOV.2023 11:45:27

11N20MIMO_Ant1_5745




Date: 17.NOV.2023 11:54:44

11N20MIMO_Ant2_5745




Date: 17.NOV.2023 13:45:19

11N20MIMO_Ant1_5785




Date: 17.NOV.2023 13:58:36

11N20MIMO_Ant2_5785




Date: 17.NOV.2023 14:03:43

11N20MIMO_Ant1_5825




Date: 17.NOV.2023 14:09:19

11N20MIMO_Ant2_5825




Date: 17.NOV.2023 14:15:41

11N40MIMO_Ant1_5755




Date: 17.NOV.2023 14:24:15

11N40MIMO_Ant2_5755




Date: 17.NOV.2023 14:30:35

11N40MIMO_Ant1_5795




Date: 17.NOV.2023 14:37:22

11N40MIMO_Ant2_5795




Date: 17.NOV.2023 14:43:41

11AC20MIMO_Ant1_5745




Date: 17.NOV.2023 14:51:26

11AC20MIMO_Ant2_5745




Date: 17.NOV.2023 14:57:48

11AC20MIMO_Ant1_5785




Date: 17.NOV.2023 15:09:03

11AC20MIMO_Ant2_5785




Date: 17.NOV.2023 15:14:15


11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825



11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




Date: 17.NOV.2023 15:39:44

11AC40MIMO_Ant1_5795




Date: 17.NOV.2023 15:46:34

11AC40MIMO_Ant2_5795




Date: 17.NOV.2023 15:52:53

11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775



4. Maximum conducted output power

4.1. Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	9.62	≤23.98	PASS
	Ant2	5180	9.29	≤23.98	PASS
	Ant1	5200	9.34	≤23.98	PASS
	Ant2	5200	8.28	≤23.98	PASS
	Ant1	5240	8.99	≤23.98	PASS
	Ant2	5240	8.12	≤23.98	PASS
	Ant1	5745	8.31	≤30.00	PASS
	Ant2	5745	7.83	≤30.00	PASS
	Ant1	5785	8.57	≤30.00	PASS
	Ant2	5785	7.69	≤30.00	PASS
	Ant1	5825	8.79	≤30.00	PASS
	Ant2	5825	7.47	≤30.00	PASS
11N20MIMO	Ant1	5180	6.60	≤23.98	PASS
	Ant2	5180	5.91	≤23.98	PASS
	total	5180	9.28	≤23.98	PASS
	Ant1	5200	6.82	≤23.98	PASS
	Ant2	5200	5.71	≤23.98	PASS
	total	5200	9.31	≤23.98	PASS
	Ant1	5240	6.96	≤23.98	PASS
	Ant2	5240	6.00	≤23.98	PASS
	total	5240	9.52	≤23.98	PASS
	Ant1	5745	4.90	≤30.00	PASS
	Ant2	5745	4.12	≤30.00	PASS
	total	5745	7.54	≤30.00	PASS
	Ant1	5785	5.53	≤30.00	PASS
	Ant2	5785	4.83	≤30.00	PASS
	total	5785	8.20	≤30.00	PASS
	Ant1	5825	6.09	≤30.00	PASS
	Ant2	5825	4.53	≤30.00	PASS
	total	5825	8.39	≤30.00	PASS
11N40MIMO	Ant1	5190	6.27	≤23.98	PASS
	Ant2	5190	5.59	≤23.98	PASS
	total	5190	8.95	≤23.98	PASS
	Ant1	5230	6.57	≤23.98	PASS
	Ant2	5230	6.05	≤23.98	PASS
	total	5230	9.33	≤23.98	PASS
	Ant1	5755	5.61	≤30.00	PASS
	Ant2	5755	5.34	≤30.00	PASS
	total	5755	8.49	≤30.00	PASS
	Ant1	5795	5.91	≤30.00	PASS

	Ant2	5795	4.77	≤30.00	PASS
	total	5795	8.39	≤30.00	PASS
11AC20MIMO	Ant1	5180	6.69	≤23.98	PASS
	Ant2	5180	5.85	≤23.98	PASS
	total	5180	9.30	≤23.98	PASS
	Ant1	5200	6.94	≤23.98	PASS
	Ant2	5200	5.89	≤23.98	PASS
	total	5200	9.46	≤23.98	PASS
	Ant1	5240	6.56	≤23.98	PASS
	Ant2	5240	5.74	≤23.98	PASS
	total	5240	9.18	≤23.98	PASS
	Ant1	5745	5.85	≤30.00	PASS
	Ant2	5745	5.90	≤30.00	PASS
	total	5745	8.89	≤30.00	PASS
	Ant1	5785	5.76	≤30.00	PASS
	Ant2	5785	4.94	≤30.00	PASS
	total	5785	8.38	≤30.00	PASS
	Ant1	5825	6.08	≤30.00	PASS
	Ant2	5825	4.33	≤30.00	PASS
	total	5825	8.30	≤30.00	PASS
11AC40MIMO	Ant1	5190	6.41	≤23.98	PASS
	Ant2	5190	5.72	≤23.98	PASS
	total	5190	9.09	≤23.98	PASS
	Ant1	5230	6.92	≤23.98	PASS
	Ant2	5230	5.98	≤23.98	PASS
	total	5230	9.49	≤23.98	PASS
	Ant1	5755	5.83	≤30.00	PASS
	Ant2	5755	5.85	≤30.00	PASS
	total	5755	8.85	≤30.00	PASS
	Ant1	5795	5.68	≤30.00	PASS
	Ant2	5795	4.95	≤30.00	PASS
	total	5795	8.34	≤30.00	PASS
11AC80MIMO	Ant1	5210	7.32	≤23.98	PASS
	Ant2	5210	6.38	≤23.98	PASS
	total	5210	9.89	≤23.98	PASS
	Ant1	5775	5.09	≤30.00	PASS
	Ant2	5775	3.88	≤30.00	PASS
	total	5775	7.54	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.

5. Maximum power spectral density

5.1. Test Result


TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	-1.81	≤11.00	PASS
	Ant2	5180	-2.12	≤11.00	PASS
	Ant1	5200	-1.77	≤11.00	PASS
	Ant2	5200	-3.16	≤11.00	PASS
	Ant1	5240	-2.13	≤11.00	PASS
	Ant2	5240	-2.87	≤11.00	PASS
	Ant1	5745	-5.59	≤30.00	PASS
	Ant2	5745	-5.88	≤30.00	PASS
	Ant1	5785	-5.25	≤30.00	PASS
	Ant2	5785	-7.07	≤30.00	PASS
	Ant1	5825	-5.35	≤30.00	PASS
	Ant2	5825	-7.28	≤30.00	PASS
11N20MIMO	Ant1	5180	-5.27	≤11.00	PASS
	Ant2	5180	-5.93	≤11.00	PASS
	total	5180	-2.58	≤11.00	PASS
	Ant1	5200	-4.94	≤11.00	PASS
	Ant2	5200	-5.89	≤11.00	PASS
	total	5200	-2.38	≤11.00	PASS
	Ant1	5240	-4.99	≤11.00	PASS
	Ant2	5240	-5.97	≤11.00	PASS
	total	5240	-2.44	≤11.00	PASS
	Ant1	5745	-9.31	≤30.00	PASS
	Ant2	5745	-10.60	≤30.00	PASS
	total	5745	-6.90	≤30.00	PASS
	Ant1	5785	-8.53	≤30.00	PASS
	Ant2	5785	-10.29	≤30.00	PASS
	total	5785	-6.31	≤30.00	PASS
	Ant1	5825	-8.11	≤30.00	PASS
	Ant2	5825	-10.61	≤30.00	PASS
	total	5825	-6.17	≤30.00	PASS
11N40MIMO	Ant1	5190	-7.84	≤11.00	PASS
	Ant2	5190	-8.86	≤11.00	PASS
	total	5190	-5.31	≤11.00	PASS
	Ant1	5230	-7.16	≤11.00	PASS
	Ant2	5230	-8.52	≤11.00	PASS
	total	5230	-4.78	≤11.00	PASS
	Ant1	5755	-11.16	≤30.00	PASS
	Ant2	5755	-11.89	≤30.00	PASS
	total	5755	-8.50	≤30.00	PASS
	Ant1	5795	-10.88	≤30.00	PASS


	Ant2	5795	-12.95	≤30.00	PASS
	total	5795	-8.78	≤30.00	PASS
11AC20MIMO	Ant1	5180	-5.27	≤11.00	PASS
	Ant2	5180	-6.16	≤11.00	PASS
	total	5180	-2.68	≤11.00	PASS
	Ant1	5200	-5.10	≤11.00	PASS
	Ant2	5200	-5.93	≤11.00	PASS
	total	5200	-2.48	≤11.00	PASS
	Ant1	5240	-4.96	≤11.00	PASS
	Ant2	5240	-5.75	≤11.00	PASS
	total	5240	-2.33	≤11.00	PASS
	Ant1	5745	-8.15	≤30.00	PASS
	Ant2	5745	-8.34	≤30.00	PASS
	total	5745	-5.23	≤30.00	PASS
	Ant1	5785	-8.14	≤30.00	PASS
	Ant2	5785	-10.08	≤30.00	PASS
	total	5785	-5.99	≤30.00	PASS
	Ant1	5825	-8.06	≤30.00	PASS
	Ant2	5825	-10.80	≤30.00	PASS
	total	5825	-6.21	≤30.00	PASS
11AC40MIMO	Ant1	5190	-8.00	≤11.00	PASS
	Ant2	5190	-8.85	≤11.00	PASS
	total	5190	-5.39	≤11.00	PASS
	Ant1	5230	-7.72	≤11.00	PASS
	Ant2	5230	-8.30	≤11.00	PASS
	total	5230	-4.99	≤11.00	PASS
	Ant1	5755	-10.83	≤30.00	PASS
	Ant2	5755	-11.14	≤30.00	PASS
	total	5755	-7.97	≤30.00	PASS
	Ant1	5795	-10.80	≤30.00	PASS
	Ant2	5795	-12.62	≤30.00	PASS
	total	5795	-8.61	≤30.00	PASS
11AC80MIMO	Ant1	5210	-10.55	≤11.00	PASS
	Ant2	5210	-11.20	≤11.00	PASS
	total	5210	-7.85	≤11.00	PASS
	Ant1	5775	-14.73	≤30.00	PASS
	Ant2	5775	-16.30	≤30.00	PASS
	total	5775	-12.43	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

5.2. Test Graphs







11A_Ant2_5200




11A_Ant1_5240




11A_Ant2_5240




11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785




11A_Ant2_5785




11A_Ant1_5825




11A_Ant2_5825




11N20MIMO_Ant1_5180




11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200




11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785



11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




Date: 17.NOV.2023 14:16:46

11N40MIMO_Ant1_5190




Date: 13.NOV.2023 15:07:10

11N40MIMO_Ant2_5190




Date: 13.NOV.2023 15:08:00


11N40MIMO_Ant1_5230




11N40MIMO_Ant2_5230




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5180




11AC20MIMO_Ant2_5180




11AC20MIMO_Ant1_5200




11AC20MIMO_Ant2_5200




11AC20MIMO_Ant1_5240




11AC20MIMO_Ant2_5240




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5190




11AC40MIMO_Ant2_5190




11AC40MIMO_Ant1_5230




11AC40MIMO_Ant2_5230




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5210




11AC80MIMO_Ant2_5210



11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775



6. Band edge measurements

6.1. Test Result

TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-45.51	≤-27	PASS
	Ant2	Low	5180	-44.08	≤-27	PASS
	Ant1	High	5240	-44.24	≤-27	PASS
	Ant2	High	5240	-44.55	≤-27	PASS
11N20MIMO	Ant1	Low	5180	-42.46	≤-27	PASS
	Ant2	Low	5180	-42.28	≤-27	PASS
	Ant1	High	5240	-45.19	≤-27	PASS
	Ant2	High	5240	-45.26	≤-27	PASS
11N40MIMO	Ant1	Low	5190	-38.97	≤-27	PASS
	Ant2	Low	5190	-37.98	≤-27	PASS
	Ant1	High	5230	-46.08	≤-27	PASS
	Ant2	High	5230	-45.26	≤-27	PASS
11AC20MIMO	Ant1	Low	5180	-42.08	≤-27	PASS
	Ant2	Low	5180	-42.08	≤-27	PASS
	Ant1	High	5240	-46.16	≤-27	PASS
	Ant2	High	5240	-45.6	≤-27	PASS
11AC40MIMO	Ant1	Low	5190	-42.22	≤-27	PASS
	Ant2	Low	5190	-38.96	≤-27	PASS
	Ant1	High	5230	-45.96	≤-27	PASS
	Ant2	High	5230	-45.46	≤-27	PASS
11AC80MIMO	Ant1	Low	5210	-42.39	≤-27	PASS
	Ant2	Low	5210	-41.86	≤-27	PASS
	Ant1	High	5210	-45.34	≤-27	PASS
	Ant2	High	5210	-45.32	≤-27	PASS


TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-45.5	≤-11.09	PASS
				5700~5720	-44.71	≤15.55	PASS
				5720~5725	-40.89	≤27.00	PASS
				5760~5650	-49.02	≤-27	PASS
	Ant2	Low	5745	5650~5700	-41.57	≤10.00	PASS
				5700~5720	-33.4	≤15.60	PASS
				5720~5725	-20.09	≤26.24	PASS
				5760~5650	-50.43	≤-27	PASS
	Ant1	High	5825	5850~5855	-45.54	≤18.03	PASS
				5855~5875	-46.02	≤10.27	PASS
				5875~5925	-42.96	≤-1.28	PASS
				5925~5935	-48.62	≤-27	PASS

	Ant2	High	5825	5850~5855	-35.41	≤15.80	PASS
				5855~5875	-37.27	≤10.05	PASS
				5875~5925	-47.8	≤-26.90	PASS
				5925~5935	-50.1	≤-27	PASS
11N20MIM O	Ant1	Low	5745	5650~5700	-48.92	≤-18.49	PASS
				5700~5720	-48.43	≤12.99	PASS
				5720~5725	-42.03	≤26.62	PASS
				5760~5650	-50.33	≤-27	PASS
	Ant2	Low	5745	5650~5700	-47.04	≤8.89	PASS
				5700~5720	-36.94	≤15.46	PASS
				5720~5725	-28.87	≤27.00	PASS
				5760~5650	-50.83	≤-27	PASS
	Ant1	High	5825	5850~5855	-46.25	≤21.60	PASS
				5855~5875	-47.27	≤11.31	PASS
				5875~5925	-44.98	≤-9.67	PASS
				5925~5935	-50.16	≤-27	PASS
	Ant2	High	5825	5850~5855	-37.97	≤20.70	PASS
				5855~5875	-42.52	≤10.05	PASS
				5875~5925	-49.11	≤-25.17	PASS
				5925~5935	-49.11	≤-27	PASS
11N40MIM O	Ant1	Low	5755	5650~5700	-46.77	≤2.45	PASS
				5700~5720	-37.9	≤14.92	PASS
				5720~5725	-37.79	≤22.14	PASS
				5780~5650	-49.35	≤-27	PASS
	Ant2	Low	5755	5650~5700	-38.07	≤5.78	PASS
				5700~5720	-25.01	≤13.72	PASS
				5720~5725	-22.65	≤26.60	PASS
				5780~5650	-47.2	≤-27	PASS
	Ant1	High	5795	5850~5855	-47.48	≤26.21	PASS
				5855~5875	-44.06	≤13.72	PASS
				5875~5925	-47.11	≤-21.18	PASS
				5925~5935	-49.39	≤-27	PASS
	Ant2	High	5795	5850~5855	-43.78	≤22.93	PASS
				5855~5875	-44.31	≤10.30	PASS
				5875~5925	-48.07	≤-9.67	PASS
				5925~5935	-49.97	≤-27	PASS
11AC20MI MO	Ant1	Low	5745	5650~5700	-47.68	≤-15.41	PASS
				5700~5720	-46.69	≤15.04	PASS
				5720~5725	-42.12	≤25.10	PASS
				5760~5650	-50.16	≤-27	PASS
	Ant2	Low	5745	5650~5700	-44.7	≤9.75	PASS
				5700~5720	-30.85	≤15.60	PASS
				5720~5725	-20.6	≤25.86	PASS
				5760~5650	-50.19	≤-27	PASS
	Ant1	High	5825	5850~5855	-44.79	≤26.06	PASS


				5855~5875	-46.11	≤10.05	PASS
				5875~5925	-47.72	≤21.69	PASS
				5925~5935	-50.33	≤-27	PASS
	Ant2	High	5825	5850~5855	-36.17	≤15.80	PASS
				5855~5875	-41.2	≤10.21	PASS
				5875~5925	-49.22	≤-18.80	PASS
				5925~5935	-49.92	≤-27	PASS
11AC40MI MO	Ant1	Low	5755	5650~5700	-46.48	≤-10.29	PASS
				5700~5720	-40.3	≤15.36	PASS
				5720~5725	-40.62	≤24.37	PASS
				5780~5650	-50.09	≤-27	PASS
	Ant2	Low	5755	5650~5700	-36.36	≤7.23	PASS
				5700~5720	-25.04	≤14.92	PASS
				5720~5725	-22	≤26.60	PASS
				5780~5650	-49.51	≤-27	PASS
	Ant1	High	5795	5850~5855	-47.61	≤23.48	PASS
				5855~5875	-46.96	≤13.65	PASS
				5875~5925	-47.3	≤-25.78	PASS
				5925~5935	-49.3	≤-27	PASS
	Ant2	High	5795	5850~5855	-42.13	≤22.93	PASS
				5855~5875	-44.63	≤10.57	PASS
				5875~5925	-48.26	≤-20.29	PASS
				5925~5935	-49.95	≤-27	PASS
11AC80MI MO	Ant1	Low	5775	5650~5700	-47.33	≤7.20	PASS
				5700~5720	-44.36	≤12.78	PASS
				5720~5725	-43.6	≤23.86	PASS
				5800~5650	-49.34	≤-27	PASS
	Ant1	High	5775	5850~5855	-47.7	≤17.45	PASS
				5855~5875	-48.03	≤11.38	PASS
				5875~5925	-47.13	≤1.92	PASS
				5925~5935	-47.63	≤-27	PASS
	Ant2	Low	5775	5650~5700	-33.98	≤5.87	PASS
				5700~5720	-29.95	≤15.29	PASS
				5720~5725	-29.17	≤26.93	PASS
				5800~5650	-45.19	≤-27	PASS
		High	5775	5850~5855	-39.96	≤22.95	PASS
				5855~5875	-39.39	≤10.40	PASS
				5875~5925	-45.19	≤-18.91	PASS
				5925~5935	-47.62	≤-27	PASS

6.2. Test Graphs







11A_Ant2_High_5240




11N20MIMO_Ant1_Low_5180




11N20MIMO_Ant2_Low_5180




11N20MIMO_Ant1_High_5240




11N20MIMO_Ant2_High_5240




11N40MIMO_Ant1_Low_5190




11N40MIMO_Ant2_Low_5190




11N40MIMO_Ant1_High_5230




11N40MIMO_Ant2_High_5230




11AC20MIMO_Ant1_Low_5180




11AC20MIMO_Ant2_Low_5180




11AC20MIMO_Ant1_High_5240




11AC20MIMO_Ant2_High_5240




11AC40MIMO_Ant1_Low_5190




11AC40MIMO_Ant2_Low_5190




11AC40MIMO_Ant1_High_5230




11AC40MIMO_Ant2_High_5230




11AC80MIMO_Ant1_Low_5210



11AC80MIMO_Ant2_Low_5210



11AC80MIMO_Ant1_High_5210



11AC80MIMO_Ant2_High_5210