



Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-4.14	0.31	-3.83	11.00	Complies
110	5550	-3.72	0.31	-3.41	11.00	Complies
134	5670	-3.49	0.31	-3.18	11.00	Complies



Date: 7.FEB.2022 13:41:47




Date: 7.FEB.2022 13:43:08




Date: 7.FEB.2022 13:44:22

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.81	0.49	-5.32	11.00	Complies
122	5610	-5.91	0.49	-5.42	11.00	Complies




Date: 7.FEB.2022 13:51:12




Date: 7.FEB.2022 13:52:28

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.05	0.14	0.09	30.00	Complies
157	5785	-0.67	0.14	-0.53	30.00	Complies
165	5825	-0.76	0.14	-0.62	30.00	Complies



Date: 7.FEB.2022 10:52:50




Date: 7.FEB.2022 10:53:51




Date: 7.FEB.2022 10:54:49

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.96	0.11	-0.85	30.00	Complies
157	5785	-1.45	0.11	-1.34	30.00	Complies
165	5825	-1.73	0.11	-1.62	30.00	Complies



Date: 7.FEB.2022 11:13:46



Date: 7.FEB.2022 11:15:02




Date: 7.FEB.2022 11:15:53

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.16	0.14	-7.02	30.00	Complies
159	5795	-7.63	0.14	-7.49	30.00	Complies

CH151



Date: 7.FEB.2022 11:55:18

CH159




Date: 7.FEB.2022 11:57:10

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.93	0.31	-1.62	30.00	Complies
157	5785	-2.32	0.31	-2.01	30.00	Complies
165	5825	-2.52	0.31	-2.21	30.00	Complies

CH149




Date: 7.FEB.2022 11:30:45

CH157



Date: 7.FEB.2022 11:31:51


CH165




Date: 7.FEB.2022 11:32:48

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-6.29	0.31	-5.98	30.00	Complies
159	5795	-6.86	0.31	-6.55	30.00	Complies




Date: 7.FEB.2022 13:45:29



Date: 7.FEB.2022 13:46:40

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-9.14	0.49	-8.65	30.00	Complies



Date: 7.FEB.2022 13:53:48

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9500
120	5179.9500
102	5179.9500
Maximum Deviation (MHz)	0.0500
Maximum Deviation (ppm)	9.6525

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9500
5	5179.9504
15	5179.9504
25	5179.9504
35	5179.9508
45	5179.9508
Maximum Deviation (MHz)	0.0500
Maximum Deviation (ppm)	9.6525

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9488
120	5259.9492
102	5259.9496
Maximum Deviation (MHz)	0.0512
Maximum Deviation (ppm)	9.7338

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9500
5	5259.9504
15	5259.9508
25	5259.9508
35	5259.9508
45	5259.9508
Maximum Deviation (MHz)	0.0500
Maximum Deviation (ppm)	9.5057

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5499.9468
120	5499.9468
102	5499.9472
Maximum Deviation (MHz)	0.0532
Maximum Deviation (ppm)	9.6727

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9472
5	5499.9476
15	5499.9476
25	5499.9476
35	5499.9480
45	5499.9480
Maximum Deviation (MHz)	0.0528
Maximum Deviation (ppm)	9.6000

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9456
120	5744.9456
102	5744.9456
Maximum Deviation (MHz)	0.0544
Maximum Deviation (ppm)	9.4691

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9456
5	5744.9456
15	5744.9456
25	5744.9456
35	5744.9456
45	5744.9456
Maximum Deviation (MHz)	0.0544
Maximum Deviation (ppm)	9.4691

End of Test Report