



Project No.: 2503P28739E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: horizontal  
Note: ax20 RU Full High Channel 2462MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	4924.000	33.74	8.98	42.72	74.00	31.28	Peak
2	4924.000	21.55	8.98	30.53	54.00	23.47	Average

Project No.: 2503P28739E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: vertical  
Note: ax20 RU Full High Channel 2462MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	4924.000	33.46	8.98	42.44	74.00	31.56	Peak
2	4924.000	21.53	8.98	30.51	54.00	23.49	Average

Project No.: 2503P28739E-RF  
 Tester: Tao Zhu  
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto  
 Polarization: horizontal  
 Note: ax20 RU Full High Channel 2462MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7386.000	34.51	11.51	46.02	74.00	27.98	Peak
2	7386.000	23.07	11.51	34.58	54.00	19.42	Average
3	17700.000	33.67	25.84	59.51	74.00	14.49	Peak
4	17700.000	21.75	25.84	47.59	54.00	6.41	Average

Project No.: 2503P28739E-RF  
 Tester: Tao Zhu  
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto  
 Polarization: vertical  
 Note: ax20 RU Full High Channel 2462MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7386.000	34.86	11.51	46.37	74.00	27.63	Peak
2	7386.000	23.03	11.51	34.54	54.00	19.46	Average
3	17709.600	33.90	25.83	59.73	74.00	14.27	Peak
4	17709.600	21.44	25.83	47.27	54.00	6.73	Average

Project No.: 2503P28739E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: horizontal  
Note: ax20 26-8 High Channel 2462MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	4924.000	33.61	8.98	42.59	74.00	31.41	Peak
2	4924.000	21.60	8.98	30.58	54.00	23.42	Average

Project No.: 2503P28739E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: vertical  
Note: ax20 26-8 High Channel 2462MHz



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	4924.000	33.60	8.98	42.58	74.00	31.42	Peak
2	4924.000	21.73	8.98	30.71	54.00	23.29	Average


Project No.: 2503P28739E-RF  
 Tester: Tao Zhu  
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto  
 Polarization: horizontal  
 Note: ax20 26-8 High Channel 2462MHz



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7386.000	34.36	11.51	45.87	74.00	28.13	Peak
2	7386.000	22.01	11.51	33.52	54.00	20.48	Average
3	17628.000	34.61	24.79	59.40	74.00	14.60	Peak
4	17628.000	22.77	24.79	47.56	54.00	6.44	Average



Project No.: 2503P28739E-RF  
 Tester: Tao Zhu  
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto  
 Polarization: vertical  
 Note: ax20 26-8 High Channel 2462MHz



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7386.000	34.19	11.51	45.70	74.00	28.30	Peak
2	7386.000	22.38	11.51	33.89	54.00	20.11	Average
3	17716.800	33.66	25.83	59.49	74.00	14.51	Peak
4	17716.800	21.72	25.83	47.55	54.00	6.45	Average



### **4.3 RF Conducted Data**

Please refer to Annex "2503P28739E-RF-00C \_Appendix A" for detail test data.

## **5. EUT PHOTOGRAPHS**

---

Please refer to the attachment 2503P28739E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2503P28739E-RF-INP EUT INTERNAL PHOTOGRAPHS

## **6. TEST SETUP PHOTOGRAPHS**

---

Please refer to the attachment 2503P28739E-RF-00C-TSP TEST SETUP PHOTOGRAPHS.

**==== END OF REPORT ====**