Appendix

1.1 Appendix FCC data for Low Power(1~25W).

1. RF Output Power

Modulation Type	Channel Separation	Frequency (MHz)	Power Level	RF Output Power(dBm)	RF Output Power(W)	Remark
		400.005	Max	43.89	24.49	For Fodorol
		400.025	Low	29.66	0.92	For Federal
		450.025	Max	43.85	24.27	For Port74
Analog	12.5KHz/	450.025	Low	29.86	0.97	FOI Fail/4
FM	25KHz	450 105	Max	43.91	24.60	For Dort00
		459.125	Low	29.88	0.97	For Part22
		469.975	Max	43.92	24.66	For Part90 &
			Low	29.78	0.95	Part80
Digital 4FSK		400.025	Max	43.94	24.77	For Fodoral
		400.025	Low	29.84	0.96	For Federal For Part74 For Part22 For Part90 &
		450.005	Max	43.86	24.32	
	12.5KHz	450.025	Low	30.00	1.00	FOI Fail/4
	12.3802	450 105	Max	43.98	25.00	For Borton
		459.125	Low	29.98	1.00	רטו רמונ22
		460.075	Max	43.96	24.89	For Part90 &
		469.975	Low	29.97	0.99	Part80

Note: The max rated power is 25W(44dBm), the low rated power is 1W(30dBm).


2. Frequency Stability

Z.i requericy Stability						
12.5KHz/25KHz, Analog modulation, Assigned Frequency:400.025MHz						
Voltage(V)	Temperature	Measured	Frequency	FCC Limit	Result	
	(°C)	Frequency(MHz)	Deviation(ppm)	(ppm)	nesuit	
	-30	400.025116	0.29			
	-20	400.025126	0.31			
	-10	400.025154	0.38			
13.6	0	400.025145	0.36			
	10	400.025108	0.27			
	20	400.025121	0.30	±2.5	Pass	
	30	400.025124	0.31			
	40	400.025154	0.38			
	50	400.025145	0.36			
11.6	25	400.025228	0.57			
15.6	25	400.025239	0.60			


12.5KHz, Digital modulation, Assigned Frequency:400.025MHz					
Voltage(V)	Temperature	Measured	Frequency	FCC Limit	Decult
	(°C)	Frequency(MHz)	Deviation(ppm)	(ppm)	Result
	-30	400.025114	0.28		
	-20	400.025118	0.29		
	-10	400.025148	0.37		
	0	400.025123	0.31		
13.6	10	400.025098	0.24		
	20	400.025114	0.28	±2.5	Pass
	30	400.025124	0.31		
	40	400.025134	0.33		
	50	400.025138	0.34		
11.6	25	400.025217	0.54		
15.6	25	400.025208	0.52		

3. Audio Frequency Response


12.5KHz, Analog modulation, Assigned Frequency:400.025MHz				
Audio Frequency(Hz)	Response Attenuation(dB)			
300	-10.98			
400	-8.43			
500	-6.06			
600	-4.33			
700	-3.28			
800	-2.27			
900	-1.05			
1000	0			
1200	1.22			
1400	2.83			
1600	3.59			
1800	4.91			
2000	5.6			
2100	6.32			
2200	6.98			
2300	7.32			
2400	7.56			
2500	8.07			
2600	8.47			
2700	8.52			
2800	8.6			
2900	8.99			
3000	8.87			




12.5KHz, Analog modulation, Assigned Frequency:450.025MHz				
Audio Frequency(Hz)	Response Attenuation(dB)			
300	-11.06			
400	-8.46			
500	-6.1			
600	-4.38			
700	-3.31			
800	-2.3			
900	-1.07			
1000	-0.01			
1200	1.23			
1400	2.86			
1600	3.65			
1800	4.99			
2000	5.68			
2100	6.32			
2200	6.96			
2300	7.18			
2400	7.37			
2500	7.81			
2600	8.2			
2700	8.21			
2800	8.29			
2900	8.7			
3000	8.55			




12.5KHz, Analog modulation, Assigned Frequency:459.125MHz				
Audio Frequency(Hz)	Response Attenuation(dB)			
300	-11.02			
400	-8.45			
500	-6.1			
600	-4.32			
700	-3.32			
800	-2.26			
900	-1.03			
1000	0			
1200	1.24			
1400	2.88			
1600	3.71			
1800	5.24			
2000	5.86			
2100	6.44			
2200	6.95			
2300	7.19			
2400	7.32			
2500	7.77			
2600	8.12			
2700	8.12			
2800	8.2			
2900	8.59			
3000	8.45			




12.5KHz, Analog modulation, Assigned Frequency:469.975MHz				
Audio Frequency(Hz)	Response Attenuation(dB)			
300	-10.93			
400	-8.35			
500	-6.01			
600	-4.3			
700	-3.23			
800	-2.24			
900	-1.01			
1000	0			
1200	1.2			
1400	2.94			
1600	4.12			
1800	5.53			
2000	6.13			
2100	6.69			
2200	7.25			
2300	7.41			
2400	7.55			
2500	7.97			
2600	8.33			
2700	8.34			
2800	8.42			
2900	8.81			
3000	8.67			




25KHz, Analog modulation, Assigned Frequency:400.025MHz				
Audio Frequency(Hz)	Response Attenuation(dB)			
300	-11.05			
400	-8.46			
500	-6.1			
600	-4.35			
700	-3.29			
800	-2.27			
900	-1.03			
1000	0.01			
1200	1.26			
1400	2.9			
1600	3.7			
1800	5.01			
2000	5.67			
2100	6.31			
2200	6.88			
2300	7.19			
2400	7.37			
2500	7.87			
2600	8.26			
2700	8.27			
2800	8.35			
2900	8.75			
3000	8.61			




25KHz, Analog modulation, Assigned Frequency:450.025MHz				
Audio Frequency(Hz)	Response Attenuation(dB)			
300	-11.06			
400	-8.46			
500	-6.09			
600	-4.37			
700	-3.3			
800	-2.28			
900	-1.04			
1000	0.01			
1200	1.26			
1400	2.91			
1600	3.72			
1800	5.02			
2000	5.68			
2100	6.38			
2200	6.95			
2300	7.17			
2400	7.4			
2500	7.82			
2600	8.2			
2700	8.22			
2800	8.3			
2900	8.69			
3000	8.57			



25KHz, Analog modulation, Assigned Frequency:459.125MHz				
Audio Frequency(Hz)	Response Attenuation(dB)			
300	-11.02			
400	-8.42			
500	-6.07			
600	-4.33			
700	-3.27			
800	-2.25			
900	-1.04			
1000	0			
1200	1.24			
1400	2.91			
1600	3.78			
1800	5.3			
2000	5.94			
2100	6.54			
2200	7.04			
2300	7.22			
2400	7.39			
2500	7.81			
2600	8.16			
2700	8.17			
2800	8.25			
2900	8.64			
3000	8.5			



25KHz, Analog modulation, Assigned Frequency:469.975MHz				
Audio Frequency(Hz)	Response Attenuation(dB)			
300	-10.98			
400	-8.39			
500	-6.02			
600	-4.29			
700	-3.24			
800	-2.23			
900	-1.01			
1000	0.02			
1200	1.23			
1400	2.94			
1600	4.08			
1800	5.56			
2000	6.14			
2100	6.73			
2200	7.24			
2300	7.42			
2400	7.57			
2500	7.98			
2600	8.35			
2700	8.36			
2800	8.43			
2900	8.83			
3000	8.68			



4. Audio Low Pass Filter Response

12.5KHz/25KHz, Ana	12.5KHz/25KHz, Analog modulation, Assigned Frequency: 400.025MHz				
Audio Frequency(KHz)	ResponseAttenuation(dB)	Limit (dB)			
1	N/A	N/A			
2	N/A	N/A			
3	N/A	N/A			
4	N/A	N/A			
5	N/A	N/A			
6	N/A	N/A			
7	N/A	N/A			
8	N/A	N/A			
9	N/A	N/A			
10	N/A	N/A			
12	N/A	N/A			
14	N/A	N/A			
16	N/A	N/A			
18	N/A	N/A			
20	N/A	N/A			


12.5KHz/25KHz, Ana	12.5KHz/25KHz, Analog modulation, Assigned Frequency: 450.025MHz					
Audio Frequency(KHz)	ResponseAttenuation(dB)	Limit (dB)				
1	N/A	N/A				
2	N/A	N/A				
3	N/A	N/A				
4	N/A	N/A				
5	N/A	N/A				
6	N/A	N/A				
7	N/A	N/A				
8	N/A	N/A				
9	N/A	N/A				
10	N/A	N/A				
12	N/A	N/A				
14	N/A	N/A				
16	N/A	N/A				
18	N/A	N/A				
20	N/A	N/A				

12.5KHz/25KHz, Analog modulation, Assigned Frequency:459.125MHz					
Audio Frequency(KHz)	ResponseAttenuation(dB)	Limit (dB)			
1	N/A	N/A			
2	N/A	N/A			
3	N/A	N/A			
4	N/A	N/A			
5	N/A	N/A			
6	N/A	N/A			
7	N/A	N/A			
8	N/A	N/A			
9	N/A	N/A			
10	N/A	N/A			
12	N/A	N/A			
14	N/A	N/A			
16	N/A	N/A			
18	N/A	N/A			
20	N/A	N/A			


12.5KHz/25KHz, Analog modulation, Assigned Frequency: 469.975MHz					
Audio Frequency(KHz)	ResponseAttenuation(dB)	Limit (dB)			
1	N/A	N/A			
2	N/A	N/A			
3	N/A	N/A			
4	N/A	N/A			
5	N/A	N/A			
6	N/A	N/A			
7	N/A	N/A			
8	N/A	N/A			
9	N/A	N/A			
10	N/A	N/A			
12	N/A	N/A			
14	N/A	N/A			
16	N/A	N/A			
18	N/A	N/A			
20	N/A	N/A			

5. Modulation Limiting

25KHz	z, Analog modu	lation, Assign	ed Frequency:	400.025MHz	
	Instanta	ineous	Stead	y-state	
Audio	Deviation	Deviation	Deviation	Deviation	Limit
Frequency(Hz)	(peak positive)	(peak negative)	(peak positive)	(peak negative)	(KHz)
	(KHz)	(KHz)	(KHz)	(KHz)	
300	4.570	4.570	4.570	4.630	5.0
400	4.620	4.610	4.620	4.640	5.0
500	4.590	4.590	4.600	4.580	5.0
600	4.600	4.600	4.590	4.590	5.0
700	4.590	4.590	4.590	4.590	5.0
800	4.570	4.570	4.620	4.580	5.0
900	4.580	4.580	4.580	4.580	5.0
1000	4.580	4.590	4.580	4.580	5.0
1200	4.580	4.580	4.580	4.570	5.0
1400	4.600	4.600	4.610	4.600	5.0
1600	4.600	4.600	4.590	4.600	5.0
1800	4.600	4.600	4.600	4.600	5.0
2000	4.570	4.590	4.580	4.580	5.0
2100	4.560	4.570	4.560	4.570	5.0
2200	4.560	4.550	4.560	4.550	5.0
2300	4.530	4.540	4.510	4.530	5.0
2400	4.510	4.510	4.530	4.500	5.0
2500	4.500	4.480	4.490	4.480	5.0
2600	4.450	4.450	4.470	4.440	5.0
2700	4.420	4.390	4.410	4.410	5.0
2800	4.370	4.360	4.370	4.340	5.0
2900	4.300	4.280	4.290	4.290	5.0
3000	4.190	4.190	4.200	4.190	5.0




25KHz, Analog modulation, Assigned Frequency:450.025MHz						
	Instanta	ineous	Stead	y-state		
۸ا	Deviation	Deviation	Deviation	Deviation	Limit	
Audio Frequency(Hz)	(peak positive)	(peak negative)	(peak positive)	(peak negative)	(KHz)	
	(KHz)	(KHz)	(KHz)	(KHz)		
300	4.580	4.570	4.570	4.590	5.0	
400	4.620	4.610	4.630	4.610	5.0	
500	4.600	4.590	4.610	4.690	5.0	
600	4.590	4.590	4.610	4.600	5.0	
700	4.590	4.590	4.650	4.590	5.0	
800	4.560	4.570	4.600	4.570	5.0	
900	4.570	4.570	4.580	4.570	5.0	
1000	4.560	4.570	4.580	4.580	5.0	
1200	4.560	4.560	4.560	4.560	5.0	
1400	4.570	4.570	4.580	4.570	5.0	
1600	4.560	4.550	4.550	4.540	5.0	
1800	4.540	4.540	4.540	4.550	5.0	
2000	4.540	4.530	4.550	4.550	5.0	
2100	4.610	4.610	4.620	4.610	5.0	
2200	4.660	4.640	4.640	4.650	5.0	
2300	4.670	4.660	4.690	4.670	5.0	
2400	4.690	4.680	4.680	4.670	5.0	
2500	4.670	4.680	4.670	4.660	5.0	
2600	4.640	4.650	4.630	4.630	5.0	
2700	4.600	4.590	4.590	4.600	5.0	
2800	4.540	4.550	4.550	4.550	5.0	
2900	4.470	4.470	4.460	4.470	5.0	
3000	4.350	4.360	4.370	4.360	5.0	




25KHz, Analog modulation, Assigned Frequency:459.125MHz					
	Instanta	nstantaneous Steady-state			
Audio	Deviation	Deviation	Deviation	Deviation	Limit
Frequency(Hz)	(peak positive)	(peak negative)	(peak positive)	(peak negative)	(KHz)
	(KHz)	(KHz)	(KHz)	(KHz)	
300	4.560	4.550	4.570	4.560	5.0
400	4.620	4.610	4.630	4.620	5.0
500	4.590	4.590	4.600	4.580	5.0
600	4.600	4.580	4.670	4.570	5.0
700	4.590	4.570	4.590	4.580	5.0
800	4.570	4.550	4.570	4.560	5.0
900	4.560	4.560	4.560	4.560	5.0
1000	4.570	4.560	4.570	4.560	5.0
1200	4.560	4.550	4.560	4.590	5.0
1400	4.550	4.550	4.540	4.540	5.0
1600	4.550	4.540	4.560	4.570	5.0
1800	4.590	4.570	4.620	4.600	5.0
2000	4.650	4.640	4.650	4.640	5.0
2100	4.650	4.660	4.670	4.660	5.0
2200	4.660	4.630	4.650	4.610	5.0
2300	4.620	4.610	4.610	4.600	5.0
2400	4.600	4.600	4.610	4.600	5.0
2500	4.580	4.570	4.580	4.580	5.0
2600	4.530	4.530	4.540	4.530	5.0
2700	4.500	4.480	4.500	4.460	5.0
2800	4.430	4.420	4.430	4.430	5.0
2900	4.350	4.340	4.350	4.340	5.0
3000	4.250	4.240	4.250	4.120	5.0


Modulation Limiting




	25KHz, Analog modulation, Assigned Frequency:469.975MHz					
	Instantar	neous	Steady-state			
Audio Frequency(Hz)	Deviation (peak positive) (KHz)	Deviation (peak negative) (KHz)	Deviation (peak positive) (KHz)	Deviation (peak negative) (KHz)	Limit (KHz)	
300	4.510	4.510	4.510	4.510	5.0	
400	4.590	4.600	4.600	4.610	5.0	
500	4.570	4.580	4.570	4.660	5.0	
600	4.580	4.580	4.580	4.570	5.0	
700	4.560	4.560	4.560	4.560	5.0	
800	4.540	4.540	4.550	4.600	5.0	
900	4.550	4.540	4.540	4.530	5.0	
1000	4.530	4.530	4.550	4.520	5.0	
1200	4.510	4.500	4.500	4.500	5.0	
1400	4.490	4.480	4.480	4.480	5.0	
1600	4.510	4.520	4.520	4.520	5.0	
1800	4.700	4.710	4.710	4.700	5.0	
2000	4.750	4.750	4.750	4.740	5.0	
2100	4.750	4.730	4.740	4.720	5.0	
2200	4.730	4.710	4.720	4.720	5.0	
2300	4.690	4.690	4.690	4.680	5.0	
2400	4.670	4.660	4.670	4.670	5.0	
2500	4.640	4.640	4.640	4.590	5.0	
2600	4.600	4.590	4.610	4.590	5.0	
2700	4.550	4.540	4.540	4.550	5.0	
2800	4.490	4.480	4.480	4.490	5.0	
2900	4.430	4.410	4.410	4.410	5.0	
3000	4.310	4.310	4.300	4.310	5.0	




12.5KHz, Analog modulation, Assigned Frequency:400.025MHz					
	Instanta	neous	Stea		
Audio	Deviation	Deviation	Deviation	Deviation	Limit
Frequency(Hz)	(peak positive)	(peak negative)	(peak positive)	(peak negative)	(KHz)
	(KHz)	(KHz)	(KHz)	(KHz)	
300	2.300	2.300	2.300	2.290	2.5
400	2.320	2.320	2.320	2.320	2.5
500	2.310	2.300	2.310	2.310	2.5
600	2.310	2.310	2.310	2.310	2.5
700	2.310	2.300	2.300	2.300	2.5
800	2.290	2.290	2.300	2.330	2.5
900	2.300	2.300	2.300	2.300	2.5
1000	2.300	2.300	2.310	2.300	2.5
1200	2.300	2.300	2.310	2.300	2.5
1400	2.310	2.300	2.300	2.310	2.5
1600	2.310	2.300	2.300	2.310	2.5
1800	2.310	2.300	2.300	2.310	2.5
2000	2.310	2.300	2.290	2.300	2.5
2100	2.300	2.310	2.300	2.310	2.5
2200	2.300	2.300	2.310	2.300	2.5
2300	2.290	2.290	2.300	2.300	2.5
2400	2.300	2.300	2.300	2.280	2.5
2500	2.300	2.290	2.290	2.280	2.5
2600	2.270	2.270	2.280	2.270	2.5
2700	2.250	2.240	2.250	2.250	2.5
2800	2.230	2.220	2.240	2.180	2.5
2900	2.190	2.170	2.190	2.180	2.5
3000	2.130	2.120	2.140	2.140	2.5




12.5KHz, Analog modulation, Assigned Frequency:450.025MHz					
	Instanta	ineous	Stea	dy-state	
Audio	Deviation	Deviation	Deviation	Deviation	Limit
Frequency(Hz)	(peak positive)	(peak negative)	(peak positive)	(peak negative)	(KHz)
	(KHz)	(KHz)	(KHz)	(KHz)	
300	2.300	2.290	2.340	2.290	2.5
400	2.330	2.340	2.350	2.320	2.5
500	2.310	2.310	2.310	2.310	2.5
600	2.320	2.310	2.320	2.290	2.5
700	2.310	2.310	2.310	2.300	2.5
800	2.290	2.300	2.300	2.300	2.5
900	2.300	2.290	2.300	2.300	2.5
1000	2.310	2.290	2.300	2.300	2.5
1200	2.290	2.290	2.300	2.290	2.5
1400	2.300	2.280	2.290	2.290	2.5
1600	2.280	2.290	2.290	2.290	2.5
1800	2.280	2.270	2.280	2.280	2.5
2000	2.280	2.280	2.300	2.280	2.5
2100	2.320	2.310	2.320	2.300	2.5
2200	2.340	2.350	2.320	2.320	2.5
2300	2.340	2.340	2.340	2.350	2.5
2400	2.350	2.370	2.350	2.370	2.5
2500	2.340	2.350	2.340	2.360	2.5
2600	2.320	2.340	2.330	2.320	2.5
2700	2.300	2.320	2.310	2.320	2.5
2800	2.280	2.280	2.290	2.280	2.5
2900	2.260	2.240	2.240	2.250	2.5
3000	2.190	2.190	2.200	2.190	2.5



12.5KHz, Analog modulation, Assigned Frequency:459.125MHz					
	Instanta	ineous	Stea		
Audio	Deviation	Deviation	Deviation	Deviation	Limit
Frequency(Hz)	(peak positive)	(peak negative)	(peak positive)	(peak negative)	(KHz)
	(KHz)	(KHz)	(KHz)	(KHz)	
300	2.300	2.290	2.300	2.300	2.5
400	2.320	2.310	2.360	2.300	2.5
500	2.300	2.300	2.310	2.300	2.5
600	2.300	2.300	2.330	2.300	2.5
700	2.310	2.300	2.290	2.300	2.5
800	2.300	2.290	2.300	2.290	2.5
900	2.290	2.300	2.310	2.290	2.5
1000	2.300	2.300	2.300	2.300	2.5
1200	2.290	2.290	2.300	2.290	2.5
1400	2.290	2.300	2.300	2.300	2.5
1600	2.300	2.300	2.300	2.290	2.5
1800	2.320	2.310	2.320	2.340	2.5
2000	2.340	2.340	2.350	2.340	2.5
2100	2.350	2.360	2.350	2.350	2.5
2200	2.330	2.340	2.350	2.340	2.5
2300	2.340	2.320	2.330	2.330	2.5
2400	2.330	2.320	2.320	2.330	2.5
2500	2.310	2.300	2.310	2.310	2.5
2600	2.290	2.280	2.280	2.290	2.5
2700	2.260	2.260	2.270	2.230	2.5
2800	2.230	2.230	2.230	2.230	2.5
2900	2.190	2.190	2.190	2.190	2.5
3000	2.140	2.140	2.140	2.130	2.5




12.5KHz, Analog modulation, Assigned Frequency:469.975MHz					
	Instanta	ineous	Steady-state		
Audio	Deviation	Deviation	Deviation	Deviation	Limit
Frequency(Hz)	(peak positive)	(peak negative)	(peak positive)	(peak negative)	(KHz)
	(KHz)	(KHz)	(KHz)	(KHz)	
300	2.260	2.260	2.270	2.260	2.5
400	2.310	2.300	2.310	2.310	2.5
500	2.300	2.300	2.300	2.300	2.5
600	2.300	2.290	2.310	2.290	2.5
700	2.290	2.290	2.300	2.290	2.5
800	2.290	2.280	2.290	2.290	2.5
900	2.280	2.290	2.280	2.270	2.5
1000	2.270	2.270	2.270	2.280	2.5
1200	2.270	2.280	2.270	2.260	2.5
1400	2.240	2.230	2.240	2.240	2.5
1600	2.250	2.240	2.240	2.250	2.5
1800	2.320	2.330	2.320	2.320	2.5
2000	2.370	2.370	2.360	2.360	2.5
2100	2.360	2.370	2.360	2.360	2.5
2200	2.360	2.360	2.360	2.360	2.5
2300	2.350	2.340	2.340	2.340	2.5
2400	2.330	2.350	2.340	2.340	2.5
2500	2.330	2.330	2.320	2.320	2.5
2600	2.300	2.300	2.310	2.310	2.5
2700	2.280	2.280	2.280	2.280	2.5
2800	2.250	2.260	2.250	2.260	2.5
2900	2.220	2.220	2.210	2.220	2.5
3000	2.160	2.170	2.170	2.160	2.5



6.Occupied Bandwidth


Modulation	Channel	Frequency	Power	99% Occupied	26dB Emissions	_										
Туре	Type Separation		Level	Bandwidth	Bandwidth	Remark										
				(kHz)	(kHz)											
		400.025	Max	14.938	19.938	For Federal										
		400.025	Low	14.938	19.938	i di i edelal										
		450.025	Max	15.063	19.938	For Part74										
	25KHz	430.023	Low	15.125	19.938	1011 41174										
	251(112	459.125	Max	15.000	20.000	For Part22										
		409.120	Low	15.063	20.000	TOTT ATLE										
		469.975	Max	15.000	15.626	For Part90 &										
Amalan		409.973	Low	15.000	20.000	Part80										
Analog FM			400.025	Max	9.875	10.500	For Federal									
I IVI		400.023	Low	9.938	10.563	i oi i caciai										
	12.5KHz	12.5KHz	450.025	Max	10.063	10.563	For Part74									
			12.5KHz	12.5KHz	12.5KHz	12.5KHz	450.025	Low	10.063	10.563	FOI FAIL/4					
							12.51(112	12.51(112	12.51(112	459.125	Max	9.938	10.563	For Part22		
							409.120	Low	9.938	10.563	FOI FAILEZ					
																469.975
			409.975	Low	10.000	10.563	Part80									
		400.025	Max	7.313	10.070	For Federal										
		400.025	Low	7.531	9.563	FOI Federal										
		450.025	Max	7.625	9.781	For Part74										
Digital	12.5KHz	400.020	Low	7.656	9.907	FUI Fait/4										
4FSK	12.01(112	459.125	Max	7.594	9.750	For Part22										
		+03.120	Low	7.594	9.875	ι Οι ι αιίζε										
		469.975	Max	7.594	9.626	For Part90 &										
]		-t08.813	Low	7.219	9.313	Part80										

25KHz, Analog modulation, Assigned Frequency:400.025MHz, High Power




Date: 29.MAY.2018 04:55:42

25KHz, Analog modulation, Assigned Frequency:400.025MHz, Low Power




Date: 29.MAY.2018 05:18:08

12.5KHz, Analog modulation, Assigned Frequency:400.025MHz, High Power




Date: 29.MAY.2018 04:57:14

12.5KHz, Analog modulation, Assigned Frequency:400.025MHz, Low Power




Date: 29.MAY.2018 05:19:23

12.5KHz, Digital modulation, Assigned Frequency: 400.025MHz, High Power




Date: 29.MAY.2018 13:09:46

12.5KHz, Digital modulation, Assigned Frequency: 400.025MHz, Low Power




Date: 29.MAY.2018 13:07:11

25KHz, Analog modulation, Assigned Frequency:450.025MHz, High Power




Date: 30.MAY.2018 08:05:04

25KHz, Analog modulation, Assigned Frequency: 450.025MHz, Low Power




Date: 30.MAY.2018 08:06:25

12.5KHz, Analog modulation, Assigned Frequency:450.025MHz, High Power




Date: 30.MAY.2018 08:10:53

12.5KHz, Analog modulation, Assigned Frequency:450.025MHz, Low Power




Date: 30.MAY.2018 08:11:50

12.5KHz, Digital modulation, Assigned Frequency: 450.025MHz, High Power




Date: 30.MAY.2018 08:17:51

12.5KHz, Digital modulation, Assigned Frequency:450.025MHz, Low Power




Date: 30.MAY.2018 08:21:26

25KHz, Analog modulation, Assigned Frequency:459.125MHz, High Power




Date: 30.MAY.2018 08:09:32

25KHz, Analog modulation, Assigned Frequency:459.125MHz, Low Power




Date: 30.MAY.2018 08:07:44

12.5KHz, Analog modulation, Assigned Frequency:459.125MHz, High Power




Date: 30.MAY.2018 08:14:32

12.5KHz, Analog modulation, Assigned Frequency:459.125MHz, Low Power




Date: 30.MAY.2018 08:13:24

12.5KHz, Digital modulation, Assigned Frequency: 459.125MHz, High Power




Date: 30.MAY.2018 08:23:56

12.5KHz, Digital modulation, Assigned Frequency:459.125MHz, Low Power




Date: 30.MAY.2018 08:25:19

25KHz, Analog modulation, Assigned Frequency:469.975MHz, High Power




Date: 29.MAY.2018 05:06:22

25KHz, Analog modulation, Assigned Frequency:469.975MHz, Low Power




Date: 29.MAY.2018 05:09:47

12.5KHz, Analog modulation, Assigned Frequency:469.975MHz, High Power




Date: 29.MAY.2018 05:05:12

12.5KHz, Analog modulation, Assigned Frequency:469.975MHz, Low Power




Date: 29.MAY.2018 05:11:52

12.5KHz, Digital modulation, Assigned Frequency: 469.975MHz, High Power



Date: 29.MAY.2018 13:13:10


12.5KHz, Digital modulation, Assigned Frequency: 469.975MHz, Low Power



Date: 29.MAY.2018 13:00:28


7. Emission Mask

25KHz, Analog modulation, Assigned Frequency:400.025MHz, High Power




Date: 29.MAY.2018 11:32:00

25KHz, Analog modulation, Assigned Frequency:400.025MHz, Low Power




Date: 29.MAY.2018 10:51:16

12.5KHz, Analog modulation, Assigned Frequency:400.025MHz, High Power




Date: 29.MAY.2018 11:07:54

12.5KHz, Analog modulation, Assigned Frequency:400.025MHz, Low Power




Date: 29.MAY.2018 05:40:58

12.5KHz, Digital modulation, Assigned Frequency: 400.025MHz, High Power




Date: 29.MAY.2018 13:25:47

12.5KHz, Digital modulation, Assigned Frequency: 400.025MHz, Low Power




Date: 29.MAY.2018 13:31:27

25KHz, Analog modulation, Assigned Frequency:450.025MHz, High Power




Date: 30.MAY.2018 06:51:51

25KHz, Analog modulation, Assigned Frequency:450.025MHz, Low Power




Date: 30.MAY.2018 06:56:42

12.5KHz, Analog modulation, Assigned Frequency:450.025MHz, High Power




Date: 30.MAY.2018 07:03:58

12.5KHz, Analog modulation, Assigned Frequency:450.025MHz, Low Power




Date: 30.MAY.2018 07:02:27

12.5KHz, Digital modulation, Assigned Frequency:450.025MHz, High Power




Date: 30.MAY.2018 07:12:52

12.5KHz, Digital modulation, Assigned Frequency:450.025MHz, Low Power




Date: 30.MAY.2018 07:18:54

25KHz, Analog modulation, Assigned Frequency:459.125MHz, High Power




Date: 30.MAY.2018 06:53:50

25KHz, Analog modulation, Assigned Frequency:459.125MHz, Low Power




Date: 30.MAY.2018 06:55:32

12.5KHz, Analog modulation, Assigned Frequency: 459.125MHz, High Power




Date: 30.MAY.2018 07:05:15

12.5KHz, Analog modulation, Assigned Frequency: 459.125MHz, Low Power




Date: 30.MAY.2018 07:06:24

12.5KHz, Digital modulation, Assigned Frequency: 459.125MHz, High Power




Date: 30.MAY.2018 07:24:34

12.5KHz, Digital modulation, Assigned Frequency: 459.125MHz, Low Power




Date: 30.MAY.2018 07:27:24

25KHz, Analog modulation, Assigned Frequency:469.975MHz, High Power




Date: 29.MAY.2018 11:33:50

25KHz, Analog modulation, Assigned Frequency:469.975MHz, Low Power




Date: 29.MAY.2018 10:53:45

12.5KHz, Analog modulation, Assigned Frequency:469.975MHz, High Power




Date: 29.MAY.2018 11:10:52

12.5KHz, Analog modulation, Assigned Frequency:469.975MHz, Low Power




Date: 29.MAY.2018 05:45:31

12.5KHz, Digital modulation, Assigned Frequency: 469.975MHz, High Power



Date: 29.MAY.2018 13:28:43


12.5KHz, Digital modulation, Assigned Frequency:469.975MHz, Low Power




Date: 29.MAY.2018 13:34:15

8. Transient Frequency Behavior


12.5KHz, Analog modulation, Assigned Frequency:467.775MHz, Turn On




12.5KHz, Analog modulation, Assigned Frequency:467.775MHz, Turn Off



25KHz, Analog modulation, Assigned Frequency:467.775MHz, Turn On





25KHz, Analog modulation, Assigned Frequency:467.775MHz, Turn Off




9. Conducted Spurious Emission

--Remark: Add the HPF(>600MHz) for 1G~12.75G Spurious Emission testing






Date: 28.MAY.2018 14:44:34




Date: 28.MAY.2018 14:32:42

12.5KHz, Analog modulation, Assigned Frequency:400.025MHz, High Power




Date: 28.MAY.2018 14:43:59




Date: 28.MAY.2018 14:32:18

25KHz, Analog modulation, Assigned Frequency:450.025MHz, High Power




Date: 30.MAY.2018 10:05:02




Date: 30.MAY.2018 10:06:48

12.5KHz, Analog modulation, Assigned Frequency:450.025MHz, High Power




Date: 30.MAY.2018 10:09:40




Date: 30.MAY.2018 10:07:22

25KHz, Analog modulation, Assigned Frequency:459.125MHz, High Power




Date: 30.MAY.2018 10:10:12




Date: 30.MAY.2018 10:11:29

12.5KHz, Analog modulation, Assigned Frequency:459.125MHz, High Power




Date: 30.MAY.2018 10:08:26




Date: 30.MAY.2018 10:11:19

25KHz, Analog modulation, Assigned Frequency:469.975MHz, High Power




Date: 28.MAY.2018 14:46:47




Date: 28.MAY.2018 14:35:34

12.5KHz, Analog modulation, Assigned Frequency:469.975MHz, High Power



Date: 28.MAY.2018 14:47:18



Date: 28.MAY.2018 14:36:23

10.Radiated Spurious Emission

12.5KHz, Analog modulation, Assigned Frequency:400.025MHz, High Power				
Frequency	Polarity	Emission Level	Limit	Over Limit
MHz	H/V	dBm	dBm	dBm
1202.258	Н	-26.74	-20.00	-6.74
6800.173	Н	-30.86	-20.00	-10.86
7605.976	Н	-31.09	-20.00	-11.09
7605.976	V	-24.63	-20.00	-4.63
8003.17	V	-28.84	-20.00	-8.84
8399.702	V	-31.79	-20.00	-11.79

12.5KHz, Analog modulation, Assigned Frequency:450.025MHz, High Power				
Frequency	Polarity	Emission Level	Limit	Over Limit
MHz	H/V	dBm	dBm	dBm
1287.715	Н	-28.08	-20.00	-8.08
7723.018	Н	-31.93	-20.00	-11.93
8147.034	Н	-35.8	-20.00	-15.8
1287.715	V	-37.11	-20.00	-17.11
7723.018	V	-30.65	-20.00	-10.65
8147.034	V	-30.65	-20.00	-10.65

12.5KHz, Analog modulation, Assigned Frequency:459.125MHz, High Power				
Frequency	Polarity	Emission Level	Limit	Over Limit
MHz	H/V	dBm	dBm	dBm
1222.252	Н	-26.55	-20.00	-6.55
6793.174	Н	-30.67	-20.00	-10.67
7625.936	Н	-30.9	-20.00	-10.9
7615.936	V	-24.44	-20.00	-4.44
8033.175	V	-28.65	-20.00	-8.65
8392.704	V	-31.6	-20.00	-11.6

12.5KHz, Analog modulation, Assigned Frequency:469.975MHz, High Power				
Frequency	Polarity	Emission Level	Limit	Over Limit
MHz	H/V	dBm	dBm	dBm
1287.71	Н	-26.5	-20.00	-6.50
7723.013	Н	-30.62	-20.00	-10.62
8147.038	Н	-30.85	-20.00	-10.85
1287.712	V	-24.39	-20.00	-4.39
7723.014	V	-28.6	-20.00	-8.60
8147.031	V	-31.55	-20.00	-11.55

Note: Margin = Emission level - Limit.

All modes have been tested and we found 12.5KHz bandwidth, analog modulation has the worst test result. Only record the worst test result.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-end-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.