


802.11ax HEW20_Nss1,(MCS0)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4512G	47.83	54.00	-6.17	8.98	3	Horizontal	68	2.30	-	38.85	33.90	9.34	34.26
AV	5.7236G	114.32	Inf	-Inf	8.87	3	Horizontal	68	2.30	-	105.45	33.65	9.50	34.28
PK	5.4608G	59.87	68.20	-8.33	8.95	3	Horizontal	68	2.30	-	50.92	33.86	9.35	34.26
PK	5.7236G	127.12	Inf	-Inf	8.87	3	Horizontal	68	2.30	-	118.25	33.65	9.50	34.28
PK	5.9168G	60.70	68.20	-7.50	9.44	3	Horizontal	68	2.30	-	51.26	34.13	9.61	34.30

802.11ax HEW20_Nss1,(MCS0)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43856G	40.38	54.00	-13.62	-1.90	3	Vertical	355	1.00	-	42.28	40.58	12.81	55.29
AV	22.87994G	22.16	54.00	-31.84	-8.38	3	Vertical	351	1.28	-	30.54	39.46	17.83	56.13
PK	11.43886G	53.59	74.00	-20.41	-1.90	3	Vertical	355	1.00	-	55.49	40.58	12.81	55.29
PK	17.1618G	67.17	68.20	-1.03	7.35	3	Vertical	334	2.95	-	59.82	44.93	15.63	53.21
PK	22.89266G	35.17	74.00	-38.83	-8.39	3	Vertical	351	1.28	-	43.56	39.47	17.83	56.15

802.11ax HEW20_Nss1,(MCS0)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4367G	42.52	54.00	-11.48	-1.92	3	Horizontal	58	1.65	-	44.44	40.57	12.81	55.30
AV	22.8648G	21.55	54.00	-32.45	-8.39	3	Horizontal	287	1.50	-	29.94	39.44	17.82	56.11
PK	11.43646G	55.71	74.00	-18.29	-1.92	3	Horizontal	58	1.65	-	57.63	40.57	12.81	55.30
PK	17.16474G	67.18	68.20	-1.02	7.37	3	Horizontal	289	2.81	-	59.81	44.95	15.63	53.21
PK	22.8628G	34.73	74.00	-39.27	-8.39	3	Horizontal	287	1.50	-	43.12	39.44	17.82	56.11

802.11ax HEW40_Nss1,(MCS0)_8TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2844G	106.82	Inf	-Inf	8.83	3	Vertical	360	2.98	-	97.99	33.90	9.17	34.24
AV	5.3572G	49.15	54.00	-4.85	9.06	3	Vertical	360	2.98	-	40.09	34.06	9.25	34.25
PK	5.2836G	118.43	Inf	-Inf	8.83	3	Vertical	360	2.98	-	109.60	33.90	9.17	34.24
PK	5.3564G	62.62	74.00	-11.38	9.06	3	Vertical	360	2.98	-	53.56	34.06	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_8TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2716G	110.34	Inf	-Inf	8.82	3	Horizontal	65	2.54	-	101.52	33.90	9.16	34.24
AV	5.354G	50.85	54.00	-3.15	9.08	3	Horizontal	65	2.54	-	41.77	34.08	9.25	34.25
PK	5.2724G	123.27	Inf	-Inf	8.82	3	Horizontal	65	2.54	-	114.45	33.90	9.16	34.24
PK	5.3516G	63.66	74.00	-10.34	9.09	3	Horizontal	65	2.54	-	54.57	34.09	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_8TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.807G	50.18	54.00	-3.82	23.25	3	Vertical	0	1.12	-	26.93	42.98	14.89	34.62
AV	21.08G	29.51	54.00	-24.49	-8.26	3	Vertical	340	1.35	-	37.77	38.60	17.08	54.40
PK	10.537G	59.65	68.20	-8.55	17.11	3	Vertical	14	1.00	-	42.54	39.21	12.44	34.54
PK	15.82272G	63.91	74.00	-10.09	23.18	3	Vertical	0	1.12	-	40.73	42.93	14.89	34.64
PK	21.07946G	43.87	74.00	-30.13	-8.26	3	Vertical	340	1.35	-	52.13	38.60	17.08	54.40

802.11ax HEW40_Nss1,(MCS0)_8TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.82056G	50.08	54.00	-3.92	23.20	3	Horizontal	0	2.69	-	26.88	42.94	14.89	34.63
AV	21.0875G	27.02	54.00	-26.98	-8.25	3	Horizontal	355	1.67	-	35.27	38.60	17.09	54.40
PK	10.52672G	63.22	68.20	-4.98	17.06	3	Horizontal	80	1.68	-	46.16	39.18	12.43	34.55
PK	15.8145G	63.41	74.00	-10.59	23.22	3	Horizontal	0	2.69	-	40.19	42.96	14.89	34.63
PK	21.08834G	39.85	74.00	-34.15	-8.25	3	Horizontal	355	1.67	-	48.10	38.60	17.09	54.40

802.11ax HEW40_Nss1,(MCS0)_8TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	102.14	Inf	-Inf	8.93	3	Vertical	41	1.77	-	93.21	33.97	9.21	34.25
AV	5.3572G	51.67	54.00	-2.33	9.06	3	Vertical	41	1.77	-	42.61	34.06	9.25	34.25
PK	5.3168G	114.03	Inf	-Inf	8.93	3	Vertical	41	1.77	-	105.10	33.97	9.21	34.25
PK	5.3584G	65.52	74.00	-8.48	9.05	3	Vertical	41	1.77	-	56.47	34.05	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_8TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.324G	107.39	Inf	-Inf	8.97	3	Horizontal	298	1.82	-	98.42	34.00	9.22	34.25
AV	5.3636G	53.34	54.00	-0.66	9.03	3	Horizontal	298	1.82	-	44.31	34.02	9.26	34.25
PK	5.3232G	119.28	Inf	-Inf	8.96	3	Horizontal	298	1.82	-	110.32	33.99	9.22	34.25
PK	5.35G	67.16	74.00	-6.84	9.10	3	Horizontal	298	1.82	-	58.06	34.10	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_8TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61995G	44.26	54.00	-9.74	17.33	3	Vertical	340	1.00	-	26.93	39.34	12.47	34.48
AV	15.9268G	50.32	54.00	-3.68	22.87	3	Vertical	360	1.19	-	27.45	42.67	14.93	34.73
AV	21.24096G	25.54	54.00	-28.46	-8.17	3	Vertical	358	1.79	-	33.71	38.60	17.17	54.40
PK	10.61979G	55.77	74.00	-18.23	17.33	3	Vertical	340	1.00	-	38.44	39.34	12.47	34.48
PK	15.929G	64.23	74.00	-9.77	22.87	3	Vertical	360	1.19	-	41.36	42.67	14.93	34.73
PK	21.24102G	39.36	74.00	-34.64	-8.17	3	Vertical	358	1.79	-	47.53	38.60	17.17	54.40

802.11ax HEW40_Nss1,(MCS0)_8TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61992G	44.96	54.00	-9.04	17.33	3	Horizontal	21	1.64	-	27.63	39.34	12.47	34.48
AV	15.92706G	50.36	54.00	-3.64	22.87	3	Horizontal	24	1.50	-	27.49	42.67	14.93	34.73
AV	21.23622G	24.16	54.00	-29.84	-8.18	3	Horizontal	31	1.84	-	32.34	38.60	17.16	54.40
PK	10.6199G	56.21	74.00	-17.79	17.33	3	Horizontal	21	1.64	-	38.88	39.34	12.47	34.48
PK	15.93328G	64.39	74.00	-9.61	22.86	3	Horizontal	24	1.50	-	41.53	42.67	14.93	34.74
PK	21.23574G	37.78	74.00	-36.22	-8.18	3	Horizontal	31	1.84	-	45.96	38.60	17.16	54.40

802.11ax HEW40_Nss1,(MCS0)_8TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	48.24	54.00	-5.76	8.97	3	Vertical	39	2.94	-	39.27	33.89	9.34	34.26
AV	5.5036G	101.83	Inf	-Inf	8.82	3	Vertical	39	2.94	-	93.01	33.70	9.38	34.26
PK	5.464G	62.19	68.20	-6.01	8.93	3	Vertical	39	2.94	-	53.26	33.84	9.35	34.26
PK	5.5036G	113.65	Inf	-Inf	8.82	3	Vertical	39	2.94	-	104.83	33.70	9.38	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	49.88	54.00	-4.12	8.97	3	Horizontal	63	1.87	-	40.91	33.89	9.34	34.26
AV	5.5032G	106.32	Inf	-Inf	8.82	3	Horizontal	63	1.87	-	97.50	33.70	9.38	34.26
PK	5.4628G	66.01	68.20	-2.19	8.94	3	Horizontal	63	1.87	-	57.07	33.85	9.35	34.26
PK	5.5036G	118.07	Inf	-Inf	8.82	3	Horizontal	63	1.87	-	109.25	33.70	9.38	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01646G	41.30	54.00	-12.70	17.77	3	Vertical	0	1.90	-	23.53	39.32	12.64	34.19
AV	22.03094G	21.94	54.00	-32.06	-8.95	3	Vertical	26	1.41	-	30.89	38.90	17.57	55.88
PK	11.02244G	55.48	74.00	-18.52	17.77	3	Vertical	0	1.90	-	37.71	39.32	12.64	34.19
PK	16.53G	64.66	68.20	-3.54	22.64	3	Vertical	124	1.50	-	42.02	41.60	15.26	34.22
PK	22.02896G	35.56	74.00	-38.44	-8.95	3	Vertical	26	1.41	-	44.51	38.90	17.57	55.88

802.11ax HEW40_Nss1,(MCS0)_8TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01704G	41.95	54.00	-12.05	17.77	3	Horizontal	55	1.44	-	24.18	39.32	12.64	34.19
AV	22.0337G	21.72	54.00	-32.28	-8.95	3	Horizontal	187	1.50	-	30.67	38.90	17.57	55.88
PK	11.01512G	55.42	74.00	-18.58	17.77	3	Horizontal	55	1.44	-	37.65	39.32	12.64	34.19
PK	16.52908G	64.90	68.20	-3.30	22.63	3	Horizontal	240	1.50	-	42.27	41.59	15.26	34.22
PK	22.0469G	35.43	74.00	-38.57	-8.94	3	Horizontal	187	1.50	-	44.37	38.90	17.57	55.87

802.11ax HEW40_Nss1,(MCS0)_8TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4556G	47.72	54.00	-6.28	8.96	3	Vertical	26	3.00	-	38.76	33.88	9.34	34.26
AV	5.5392G	107.58	Inf	-Inf	8.85	3	Vertical	26	3.00	-	98.73	33.70	9.41	34.26
PK	5.4644G	59.59	68.20	-8.61	8.93	3	Vertical	26	3.00	-	50.66	33.84	9.35	34.26
PK	5.5388G	119.08	Inf	-Inf	8.85	3	Vertical	26	3.00	-	110.23	33.70	9.41	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.28	54.00	-3.72	8.95	3	Horizontal	59	2.07	-	41.33	33.86	9.35	34.26
AV	5.5508G	109.93	Inf	-Inf	8.85	3	Horizontal	59	2.07	-	101.08	33.70	9.42	34.27
PK	5.4696G	66.66	68.20	-1.54	8.92	3	Horizontal	59	2.07	-	57.74	33.82	9.36	34.26
PK	5.5632G	121.83	Inf	-Inf	8.81	3	Horizontal	59	2.07	-	113.02	33.65	9.43	34.27

802.11ax HEW40_Nss1,(MCS0)_8TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.10708G	41.84	54.00	-12.16	17.93	3	Vertical	355	1.67	-	23.91	39.44	12.67	34.18
AV	22.19304G	23.48	54.00	-30.52	-8.80	3	Vertical	18	1.50	-	32.28	38.90	17.62	55.78
PK	11.1066G	54.61	74.00	-19.39	17.92	3	Vertical	355	1.67	-	36.69	39.43	12.67	34.18
PK	16.65356G	65.43	68.20	-2.77	24.01	3	Vertical	90	1.96	-	41.42	42.67	15.33	33.99
PK	22.21044G	36.38	74.00	-37.62	-8.79	3	Vertical	18	1.50	-	45.17	38.90	17.62	55.77

802.11ax HEW40_Nss1,(MCS0)_8TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0977G	43.65	54.00	-10.35	17.89	3	Horizontal	55	1.50	-	25.76	39.40	12.67	34.18
AV	22.18752G	23.19	54.00	-30.81	-8.81	3	Horizontal	-0	1.50	-	32.00	38.90	17.62	55.79
PK	11.0971G	56.36	74.00	-17.64	17.89	3	Horizontal	55	1.50	-	38.47	39.40	12.67	34.18
PK	16.6537G	64.99	68.20	-3.21	24.02	3	Horizontal	18	2.96	-	40.97	42.68	15.33	33.99
PK	22.18512G	36.83	74.00	-37.17	-8.81	3	Horizontal	-0	1.50	-	45.64	38.90	17.62	55.79

802.11ax HEW40_Nss1,(MCS0)_8TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6838G	102.78	Inf	-Inf	8.85	3	Vertical	39	3.00	-	93.93	33.64	9.49	34.28
PK	5.6844G	114.86	Inf	-Inf	8.85	3	Vertical	39	3.00	-	106.01	33.64	9.49	34.28
PK	5.7264G	60.82	68.20	-7.38	8.87	3	Vertical	39	3.00	-	51.95	33.65	9.50	34.28

802.11ax HEW40_Nss1,(MCS0)_8TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6832G	107.47	Inf	-Inf	8.83	3	Horizontal	64	1.97	-	98.64	33.63	9.48	34.28
PK	5.685G	118.98	Inf	-Inf	8.85	3	Horizontal	64	1.97	-	110.13	33.64	9.49	34.28
PK	5.7252G	65.95	68.20	-2.25	8.87	3	Horizontal	64	1.97	-	57.08	33.65	9.50	34.28

802.11ax HEW40_Nss1,(MCS0)_8TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33608G	41.63	54.00	-12.37	11.93	3	Vertical	158	1.27	-	29.70	40.24	12.77	41.08
AV	22.67982G	22.25	54.00	-31.75	-8.40	3	Vertical	201	1.50	-	30.65	39.22	17.77	55.85
PK	11.3328G	55.12	74.00	-18.88	11.92	3	Vertical	158	1.27	-	43.20	40.23	12.77	41.08
PK	17.01872G	60.49	68.20	-7.71	18.13	3	Vertical	223	1.33	-	42.36	44.50	15.55	41.92
PK	22.6704G	35.13	74.00	-38.87	-8.42	3	Vertical	201	1.50	-	43.55	39.20	17.76	55.84

802.11ax HEW40_Nss1,(MCS0)_8TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33864G	42.90	54.00	-11.10	11.94	3	Horizontal	308	1.80	-	30.96	40.25	12.77	41.08
AV	22.67724G	21.39	54.00	-32.61	-8.41	3	Horizontal	0	1.50	-	29.80	39.21	17.77	55.85
PK	11.34832G	55.73	74.00	-18.27	11.98	3	Horizontal	308	1.80	-	43.75	40.29	12.78	41.09
PK	17.01144G	61.09	68.20	-7.11	18.12	3	Horizontal	64	2.37	-	42.97	44.50	15.54	41.92
PK	22.66914G	35.06	74.00	-38.94	-8.42	3	Horizontal	0	1.50	-	43.48	39.20	17.76	55.84

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4328G	47.41	54.00	-6.59	8.95	3	Vertical	23	2.98	-	38.46	33.87	9.33	34.25
AV	5.6992G	108.45	Inf	-Inf	8.91	3	Vertical	23	2.98	-	99.54	33.70	9.49	34.28
PK	5.4676G	60.32	68.20	-7.88	8.92	3	Vertical	23	2.98	-	51.40	33.83	9.35	34.26
PK	5.6992G	118.88	Inf	-Inf	8.91	3	Vertical	23	2.98	-	109.97	33.70	9.49	34.28
PK	5.8528G	61.17	68.20	-7.03	9.08	3	Vertical	23	2.98	-	52.09	33.82	9.56	34.30

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4496G	48.14	54.00	-5.86	8.98	3	Horizontal	310	1.84	-	39.16	33.90	9.34	34.26
AV	5.7124G	113.33	Inf	-Inf	8.89	3	Horizontal	310	1.84	-	104.44	33.68	9.49	34.28
PK	5.46G	58.99	68.20	-9.21	8.95	3	Horizontal	310	1.84	-	50.04	33.86	9.35	34.26
PK	5.7112G	124.85	Inf	-Inf	8.89	3	Horizontal	310	1.84	-	115.96	33.68	9.49	34.28
PK	5.8564G	64.12	68.20	-4.08	9.12	3	Horizontal	310	1.84	-	55.00	33.85	9.57	34.30

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.417G	43.91	54.00	-10.09	12.24	3	Vertical	2	1.58	-	31.67	40.53	12.81	41.10
AV	22.83172G	23.98	54.00	-30.02	-8.39	3	Vertical	331	1.32	-	32.37	39.40	17.81	56.06
PK	11.528G	56.17	74.00	-17.83	12.59	3	Vertical	2	1.58	-	43.58	40.84	12.85	41.10
PK	17.1132G	65.56	68.20	-2.64	18.25	3	Vertical	23	2.82	-	47.31	44.59	15.60	41.94
PK	22.83148G	37.44	74.00	-36.56	-8.39	3	Vertical	331	1.32	-	45.83	39.40	17.81	56.06

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41848G	44.70	54.00	-9.30	12.25	3	Horizontal	319	1.50	-	32.45	40.54	12.81	41.10
AV	22.8316G	23.97	54.00	-30.03	-8.39	3	Horizontal	46	1.73	-	32.36	39.40	17.81	56.06
PK	11.4188G	58.35	74.00	-15.65	12.25	3	Horizontal	319	1.50	-	46.10	40.54	12.81	41.10
PK	17.12864G	67.19	68.20	-1.01	18.37	3	Horizontal	13	3.15	-	48.82	44.70	15.61	41.94
PK	22.83142G	36.66	74.00	-37.34	-8.39	3	Horizontal	46	1.73	-	45.05	39.40	17.81	56.06

802.11ax HEW80_Nss1,(MCS0)_8TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.52	54.00	-6.48	8.84	3	Vertical	0	3.00	-	38.68	34.00	9.07	34.23
AV	5.289G	99.90	Inf	-Inf	8.84	3	Vertical	0	3.00	-	91.06	33.90	9.18	34.24
AV	5.361G	51.38	54.00	-2.62	9.04	3	Vertical	0	3.00	-	42.34	34.03	9.26	34.25
PK	5.146G	59.57	74.00	-14.43	8.83	3	Vertical	0	3.00	-	50.74	33.99	9.07	34.23
PK	5.287G	111.73	Inf	-Inf	8.84	3	Vertical	0	3.00	-	102.89	33.90	9.18	34.24
PK	5.529G	59.10	68.20	-9.10	8.84	3	Vertical	0	3.00	-	50.26	33.70	9.40	34.26

802.11ax HEW80_Nss1,(MCS0)_8TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	47.64	54.00	-6.36	8.82	3	Horizontal	69	1.73	-	38.82	33.98	9.07	34.23
AV	5.302G	103.03	Inf	-Inf	8.86	3	Horizontal	69	1.73	-	94.17	33.91	9.19	34.24
AV	5.363G	52.86	54.00	-1.14	9.03	3	Horizontal	69	1.73	-	43.83	34.02	9.26	34.25
PK	5.141G	59.74	74.00	-14.26	8.82	3	Horizontal	69	1.73	-	50.92	33.98	9.07	34.23
PK	5.302G	114.55	Inf	-Inf	8.86	3	Horizontal	69	1.73	-	105.69	33.91	9.19	34.24
PK	5.362G	67.46	74.00	-6.54	9.04	3	Horizontal	69	1.73	-	58.42	34.03	9.26	34.25

802.11ax HEW80_Nss1,(MCS0)_8TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8841G	50.03	54.00	-3.97	22.97	3	Vertical	14	2.46	-	27.06	42.75	14.91	34.69
AV	21.14512G	24.92	54.00	-29.08	-8.22	3	Vertical	346	1.72	-	33.14	38.60	17.12	54.40
PK	10.58G	55.26	68.20	-12.94	17.28	3	Vertical	50	2.05	-	37.98	39.34	12.45	34.51
PK	15.8667G	64.10	74.00	-9.90	23.03	3	Vertical	14	2.46	-	41.07	42.80	14.91	34.68
PK	21.14518G	37.95	74.00	-36.05	-8.22	3	Vertical	346	1.72	-	46.17	38.60	17.12	54.40

802.11ax HEW80_Nss1,(MCS0)_8TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8729G	49.94	54.00	-4.06	23.01	3	Horizontal	235	2.19	-	26.93	42.78	14.91	34.68
AV	21.145G	24.68	54.00	-29.32	-8.22	3	Horizontal	314	1.50	-	32.90	38.60	17.12	54.40
PK	10.57986G	55.72	68.20	-12.48	17.28	3	Horizontal	20	1.67	-	38.44	39.34	12.45	34.51
PK	15.8703G	64.42	74.00	-9.58	23.02	3	Horizontal	235	2.19	-	41.40	42.79	14.91	34.68
PK	21.15028G	38.03	74.00	-35.97	-8.22	3	Horizontal	314	1.50	-	46.25	38.60	17.12	54.40

802.11ax HEW80_Nss1,(MCS0)_8TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	49.12	54.00	-4.88	8.96	3	Vertical	27	3.00	-	40.16	33.87	9.35	34.26
AV	5.559G	98.71	Inf	-Inf	8.82	3	Vertical	27	3.00	-	89.89	33.66	9.43	34.27
PK	5.465G	60.32	68.20	-7.88	8.93	3	Vertical	27	3.00	-	51.39	33.84	9.35	34.26
PK	5.559G	109.91	Inf	-Inf	8.82	3	Vertical	27	3.00	-	101.09	33.66	9.43	34.27
PK	5.729G	58.38	68.20	-9.82	8.86	3	Vertical	27	3.00	-	49.52	33.64	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_8TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.451G	52.50	54.00	-1.50	8.98	3	Horizontal	64	1.92	-	43.52	33.90	9.34	34.26
AV	5.543G	101.67	Inf	-Inf	8.85	3	Horizontal	64	1.92	-	92.82	33.70	9.41	34.26
PK	5.464G	67.49	68.20	-0.71	8.93	3	Horizontal	64	1.92	-	58.56	33.84	9.35	34.26
PK	5.543G	114.04	Inf	-Inf	8.85	3	Horizontal	64	1.92	-	105.19	33.70	9.41	34.26
PK	5.729G	59.75	68.20	-8.45	8.86	3	Horizontal	64	1.92	-	50.89	33.64	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_8TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0842G	41.12	54.00	-12.88	17.87	3	Vertical	147	1.93	-	23.25	39.38	12.67	34.18
AV	22.10506G	22.21	54.00	-31.79	-8.89	3	Vertical	360	1.72	-	31.10	38.90	17.59	55.84
PK	11.0812G	54.66	74.00	-19.34	17.85	3	Vertical	147	1.93	-	36.81	39.38	12.66	34.19
PK	16.5755G	64.63	68.20	-3.57	23.21	3	Vertical	227	2.18	-	41.42	42.05	15.29	34.13
PK	22.10902G	35.48	74.00	-38.52	-8.88	3	Vertical	360	1.72	-	44.36	38.90	17.59	55.83

802.11ax HEW80_Nss1,(MCS0)_8TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0627G	40.82	54.00	-13.18	17.83	3	Horizontal	248	2.15	-	22.99	39.36	12.66	34.19
AV	22.12312G	22.16	54.00	-31.84	-8.87	3	Horizontal	306	2.35	-	31.03	38.90	17.60	55.83
PK	11.0807G	53.88	74.00	-20.12	17.85	3	Horizontal	248	2.15	-	36.03	39.38	12.66	34.19
PK	16.5998G	64.47	68.20	-3.73	23.51	3	Horizontal	128	1.75	-	40.96	42.30	15.30	34.09
PK	22.12036G	36.11	74.00	-37.89	-8.87	3	Horizontal	306	2.35	-	44.98	38.90	17.60	55.83

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	47.41	54.00	-6.59	8.97	3	Vertical	39	2.97	-	38.44	33.89	9.34	34.26
AV	5.604G	100.40	Inf	-Inf	8.69	3	Vertical	39	2.97	-	91.71	33.50	9.46	34.27
PK	5.469G	58.84	68.20	-9.36	8.92	3	Vertical	39	2.97	-	49.92	33.82	9.36	34.26
PK	5.603G	113.27	Inf	-Inf	8.69	3	Vertical	39	2.97	-	104.58	33.50	9.46	34.27
PK	5.732G	60.94	68.20	-7.26	8.86	3	Vertical	39	2.97	-	52.08	33.64	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	48.73	54.00	-5.27	8.97	3	Horizontal	63	1.96	-	39.76	33.89	9.34	34.26
AV	5.603G	105.65	Inf	-Inf	8.69	3	Horizontal	63	1.96	-	96.96	33.50	9.46	34.27
PK	5.462G	61.05	68.20	-7.15	8.94	3	Horizontal	63	1.96	-	52.11	33.85	9.35	34.26
PK	5.603G	117.56	Inf	-Inf	8.69	3	Horizontal	63	1.96	-	108.87	33.50	9.46	34.27
PK	5.725G	65.52	68.20	-2.68	8.87	3	Horizontal	63	1.96	-	56.65	33.65	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21176G	43.24	54.00	-10.76	11.58	3	Vertical	52	2.20	-	31.66	39.92	12.72	41.06
AV	22.4472G	22.47	54.00	-31.53	-8.49	3	Vertical	326	1.44	-	30.96	38.98	17.70	55.63
PK	11.22408G	56.36	74.00	-17.64	11.60	3	Vertical	52	2.20	-	44.76	39.95	12.72	41.07
PK	16.82952G	60.00	68.20	-8.20	17.57	3	Vertical	269	1.07	-	42.43	43.96	15.44	41.83
PK	22.42668G	36.16	74.00	-37.84	-8.52	3	Vertical	326	1.44	-	44.68	38.97	17.69	55.64

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22472G	43.40	54.00	-10.60	11.60	3	Horizontal	90	2.29	-	31.80	39.95	12.72	41.07
AV	22.43988G	22.95	54.00	-31.05	-8.51	3	Horizontal	71	1.84	-	31.46	38.98	17.69	55.64
PK	11.22416G	57.22	74.00	-16.78	11.60	3	Horizontal	90	2.29	-	45.62	39.95	12.72	41.07
PK	17.008G	60.87	68.20	-7.33	18.12	3	Horizontal	123	1.23	-	42.75	44.50	15.54	41.92
PK	22.43232G	35.64	74.00	-38.36	-8.52	3	Horizontal	71	1.84	-	44.16	38.97	17.69	55.64

802.11ax HEW80_Nss1,(MCS0)_8TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	47.21	54.00	-6.79	8.93	3	Vertical	22	3.00	-	38.28	33.86	9.32	34.25
AV	5.6804G	103.53	Inf	-Inf	8.82	3	Vertical	22	3.00	-	94.71	33.62	9.48	34.28
PK	5.462G	59.16	68.20	-9.04	8.94	3	Vertical	22	3.00	-	50.22	33.85	9.35	34.26
PK	5.6804G	114.19	Inf	-Inf	8.82	3	Vertical	22	3.00	-	105.37	33.62	9.48	34.28
PK	5.8628G	61.36	68.20	-6.84	9.17	3	Vertical	22	3.00	-	52.19	33.90	9.57	34.30

802.11ax HEW80_Nss1,(MCS0)_8TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.432G	48.34	54.00	-5.66	8.94	3	Horizontal	305	1.91	-	39.40	33.86	9.33	34.25
AV	5.6936G	108.48	Inf	-Inf	8.88	3	Horizontal	305	1.91	-	99.60	33.67	9.49	34.28
PK	5.4668G	60.18	68.20	-8.02	8.92	3	Horizontal	305	1.91	-	51.26	33.83	9.35	34.26
PK	5.6936G	119.05	Inf	-Inf	8.88	3	Horizontal	305	1.91	-	110.17	33.67	9.49	34.28
PK	5.8544G	67.66	68.20	-0.54	9.10	3	Horizontal	305	1.91	-	58.56	33.84	9.56	34.30

802.11ax HEW80_Nss1,(MCS0)_8TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3688G	43.26	54.00	-10.74	12.07	3	Vertical	317	2.75	-	31.19	40.38	12.78	41.09
AV	22.75811G	26.45	54.00	-27.55	-8.40	3	Vertical	80	1.50	-	34.85	39.31	17.79	55.96
PK	11.38696G	56.34	74.00	-17.66	12.15	3	Vertical	317	2.75	-	44.19	40.45	12.79	41.09
PK	17.06256G	61.77	68.20	-6.43	18.14	3	Vertical	145	1.60	-	43.63	44.50	15.57	41.93
PK	22.76122G	39.63	74.00	-34.37	-8.41	3	Vertical	80	1.50	-	48.04	39.31	17.79	55.97

802.11ax HEW80_Nss1,(MCS0)_8TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39904G	42.96	54.00	-11.04	12.21	3	Horizontal	157	2.09	-	30.75	40.50	12.80	41.09
AV	22.75982G	28.40	54.00	-25.60	-8.40	3	Horizontal	50	1.60	-	36.80	39.31	17.79	55.96
PK	11.39608G	55.88	74.00	-18.12	12.19	3	Horizontal	157	2.09	-	43.69	40.48	12.80	41.09
PK	17.06048G	61.64	68.20	-6.56	18.14	3	Horizontal	10	1.08	-	43.50	44.50	15.57	41.93
PK	22.76008G	40.26	74.00	-33.74	-8.40	3	Horizontal	50	1.60	-	48.66	39.31	17.79	55.96

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5210MHz,#5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.84	54.00	-5.16	8.84	3	Vertical	342	2.60	-	40.00	34.00	9.07	34.23
AV	5.2116G	95.11	Inf	-Inf	8.67	3	Vertical	342	2.60	-	86.44	33.82	9.09	34.24
AV	5.35G	49.69	54.00	-4.31	9.10	3	Vertical	342	2.60	-	40.59	34.10	9.25	34.25
PK	5.15G	62.22	74.00	-11.78	8.84	3	Vertical	342	2.60	-	53.38	34.00	9.07	34.23
PK	5.2116G	105.87	Inf	-Inf	8.67	3	Vertical	342	2.60	-	97.20	33.82	9.09	34.24
PK	5.3332G	59.27	68.20	-8.93	8.85	3	Vertical	342	2.60	-	50.42	33.70	9.41	34.26

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	51.13	54.00	-2.87	8.83	3	Horizontal	70	1.78	-	42.30	33.99	9.07	34.23
AV	5.2872G	100.44	Inf	-Inf	8.84	3	Horizontal	70	1.78	-	91.60	33.90	9.18	34.24
AV	5.3664G	53.43	54.00	-0.57	9.01	3	Horizontal	70	1.78	-	44.42	34.00	9.26	34.25
PK	5.136G	66.62	74.00	-7.38	8.81	3	Horizontal	70	1.78	-	57.81	33.97	9.07	34.23
PK	5.2872G	112.28	Inf	-Inf	8.84	3	Horizontal	70	1.78	-	103.44	33.90	9.18	34.24
PK	5.5068G	59.94	68.20	-8.26	8.83	3	Horizontal	70	1.78	-	51.11	33.70	9.39	34.26

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5210MHz,#5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7639G	49.67	54.00	-4.33	23.19	3	Vertical	40	1.82	-	26.48	42.89	14.88	34.58
AV	20.98506G	24.45	54.00	-29.55	-8.33	3	Vertical	201	2.02	-	32.78	38.57	17.03	54.39
PK	10.4889G	54.07	68.20	-14.13	16.95	3	Vertical	5	1.88	-	37.12	39.11	12.42	34.58
PK	15.7366G	63.27	74.00	-10.73	23.12	3	Vertical	40	1.82	-	40.15	42.81	14.87	34.56
PK	20.9958G	37.48	74.00	-36.52	-8.31	3	Vertical	201	2.02	-	45.79	38.59	17.04	54.40

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7621G	49.78	54.00	-4.22	23.19	3	Horizontal	28	1.58	-	26.59	42.89	14.88	34.58
AV	20.985G	24.50	54.00	-29.50	-8.32	3	Horizontal	348	2.02	-	32.82	38.57	17.03	54.38
PK	10.494G	54.51	68.20	-13.69	16.96	3	Horizontal	278	1.27	-	37.55	39.11	12.42	34.57
PK	15.7502G	63.13	74.00	-10.87	23.15	3	Horizontal	28	1.58	-	39.98	42.85	14.87	34.57
PK	20.99316G	37.91	74.00	-36.09	-8.30	3	Horizontal	348	2.02	-	46.21	38.59	17.04	54.39

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5530MHz,#5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4464G	49.68	54.00	-4.32	8.97	3	Vertical	336	1.06	-	40.71	33.89	9.34	34.26
AV	5.5268G	95.53	Inf	-Inf	8.84	3	Vertical	336	1.06	-	86.69	33.70	9.40	34.26
PK	5.4668G	62.44	68.20	-5.76	8.92	3	Vertical	336	1.06	-	53.52	33.83	9.35	34.26
PK	5.5268G	106.34	Inf	-Inf	8.84	3	Vertical	336	1.06	-	97.50	33.70	9.40	34.26
PK	5.798G	60.01	68.20	-8.19	9.02	3	Vertical	336	1.06	-	50.99	33.79	9.52	34.29

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5530MHz,#5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4428G	53.33	54.00	-0.67	8.96	3	Horizontal	72	2.47	-	44.37	33.89	9.33	34.26
AV	5.522G	100.97	Inf	-Inf	8.84	3	Horizontal	72	2.47	-	92.13	33.70	9.40	34.26
PK	5.4632G	67.24	68.20	-0.96	8.94	3	Horizontal	72	2.47	-	58.30	33.85	9.35	34.26
PK	5.5448G	112.57	Inf	-Inf	8.86	3	Horizontal	72	2.47	-	103.71	33.70	9.42	34.26
PK	5.7824G	60.89	68.20	-7.31	8.95	3	Horizontal	72	2.47	-	51.94	33.73	9.51	34.29

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5530MHz,#5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.21956G	42.18	54.00	-11.82	18.48	3	Vertical	162	1.94	-	23.70	39.94	12.72	34.18
AV	22.26638G	23.92	54.00	-30.08	-8.73	3	Vertical	29	2.16	-	32.65	38.91	17.64	55.74
PK	11.19712G	55.54	74.00	-18.46	18.42	3	Vertical	162	1.94	-	37.12	39.89	12.71	34.18
PK	16.7176G	65.28	68.20	-2.92	24.66	3	Vertical	40	2.12	-	40.62	43.16	15.37	33.87
PK	22.27388G	37.73	74.00	-36.27	-8.73	3	Vertical	29	2.16	-	46.46	38.91	17.64	55.74

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5530MHz,#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1603G	41.91	54.00	-12.09	18.22	3	Horizontal	22	2.37	-	23.69	39.70	12.70	34.18
AV	22.26896G	23.37	54.00	-30.63	-8.73	3	Horizontal	82	1.50	-	32.10	38.91	17.64	55.74
PK	11.1608G	56.13	74.00	-17.87	18.22	3	Horizontal	22	2.37	-	37.91	39.70	12.70	34.18
PK	16.7094G	65.73	68.20	-2.47	24.55	3	Horizontal	123	1.63	-	41.18	43.08	15.36	33.89
PK	22.27148G	36.50	74.00	-37.50	-8.73	3	Horizontal	82	1.50	-	45.23	38.91	17.64	55.74

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.488G	67.45	68.20	-0.75	3	Horizontal	308	2.01	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	PK	5.4736G	67.58	68.20	-0.62	3	Horizontal	307	2.05	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4404G	53.26	54.00	-0.74	3	Horizontal	70	1.96	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.03	54.00	-0.97	3	Vertical	341	1.21	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.47G	67.65	68.20	-0.55	3	Horizontal	308	2.08	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	5.4396G	52.81	54.00	-1.19	3	Horizontal	312	1.96	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4396G	53.12	54.00	-0.88	3	Horizontal	309	1.87	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	5.47G	67.44	68.20	-0.76	3	Horizontal	308	1.95	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	4.9996G	48.29	54.00	-5.71	3	Vertical	9	1.91	-
5260MHz	Pass	AV	5.2672G	105.34	Inf	-Inf	3	Vertical	9	1.91	-
5260MHz	Pass	AV	5.428G	52.30	54.00	-1.70	3	Vertical	9	1.91	-
5260MHz	Pass	PK	5.1028G	58.86	74.00	-15.14	3	Vertical	9	1.91	-
5260MHz	Pass	PK	5.266G	115.38	Inf	-Inf	3	Vertical	9	1.91	-
5260MHz	Pass	PK	5.4712G	61.81	68.20	-6.39	3	Vertical	9	1.91	-
5260MHz	Pass	AV	4.9996G	47.32	54.00	-6.68	3	Horizontal	70	1.80	-
5260MHz	Pass	AV	5.266G	103.62	Inf	-Inf	3	Horizontal	70	1.80	-
5260MHz	Pass	AV	5.4268G	52.30	54.00	-1.70	3	Horizontal	70	1.80	-
5260MHz	Pass	PK	5.0968G	59.22	74.00	-14.78	3	Horizontal	70	1.80	-
5260MHz	Pass	PK	5.2576G	113.45	Inf	-Inf	3	Horizontal	70	1.80	-
5260MHz	Pass	PK	5.4628G	61.18	68.20	-7.02	3	Horizontal	70	1.80	-
5260MHz	Pass	AV	15.7556G	44.74	54.00	-9.26	3	Vertical	360	1.50	-
5260MHz	Pass	PK	10.5176G	54.93	68.20	-13.27	3	Vertical	219	1.50	-
5260MHz	Pass	PK	15.7933G	58.11	74.00	-15.89	3	Vertical	360	1.50	-
5260MHz	Pass	AV	15.7711G	44.88	54.00	-9.12	3	Horizontal	360	2.12	-
5260MHz	Pass	PK	10.5155G	55.33	68.20	-12.87	3	Horizontal	216	2.31	-
5260MHz	Pass	PK	15.7757G	58.08	74.00	-15.92	3	Horizontal	360	2.12	-
5300MHz	Pass	AV	5G	48.90	54.00	-5.10	3	Vertical	342	1.42	-
5300MHz	Pass	AV	5.306G	105.43	Inf	-Inf	3	Vertical	342	1.42	-
5300MHz	Pass	AV	5.456G	52.70	54.00	-1.30	3	Vertical	342	1.42	-
5300MHz	Pass	PK	5.1416G	58.88	74.00	-15.12	3	Vertical	342	1.42	-
5300MHz	Pass	PK	5.306G	115.36	Inf	-Inf	3	Vertical	342	1.42	-
5300MHz	Pass	PK	5.4644G	64.31	68.20	-3.89	3	Vertical	342	1.42	-
5300MHz	Pass	AV	5G	47.39	54.00	-6.61	3	Horizontal	69	1.92	-
5300MHz	Pass	AV	5.3048G	104.22	Inf	-Inf	3	Horizontal	69	1.92	-
5300MHz	Pass	AV	5.456G	52.92	54.00	-1.08	3	Horizontal	69	1.92	-
5300MHz	Pass	PK	5.144G	58.19	74.00	-15.81	3	Horizontal	69	1.92	-
5300MHz	Pass	PK	5.3048G	113.70	Inf	-Inf	3	Horizontal	69	1.92	-
5300MHz	Pass	PK	5.4632G	64.90	68.20	-3.30	3	Horizontal	69	1.92	-
5300MHz	Pass	AV	10.6185G	42.27	54.00	-11.73	3	Vertical	256	1.50	-
5300MHz	Pass	AV	15.92G	45.49	54.00	-8.51	3	Vertical	85	1.50	-
5300MHz	Pass	PK	10.615G	55.64	74.00	-18.36	3	Vertical	256	1.50	-
5300MHz	Pass	PK	15.9245G	59.03	74.00	-14.97	3	Vertical	85	1.50	-
5300MHz	Pass	AV	10.6081G	42.31	54.00	-11.69	3	Horizontal	240	2.86	-
5300MHz	Pass	AV	15.9018G	45.27	54.00	-8.73	3	Horizontal	360	1.50	-
5300MHz	Pass	PK	10.6214G	55.44	74.00	-18.56	3	Horizontal	240	2.86	-
5300MHz	Pass	PK	15.8915G	58.63	74.00	-15.37	3	Horizontal	360	1.50	-
5320MHz	Pass	AV	5.1256G	46.26	54.00	-7.74	3	Vertical	345	1.45	-
5320MHz	Pass	AV	5.326G	102.26	Inf	-Inf	3	Vertical	345	1.45	-
5320MHz	Pass	AV	5.44G	51.26	54.00	-2.74	3	Vertical	345	1.45	-
5320MHz	Pass	PK	5.0764G	57.66	74.00	-16.34	3	Vertical	345	1.45	-
5320MHz	Pass	PK	5.3236G	112.05	Inf	-Inf	3	Vertical	345	1.45	-
5320MHz	Pass	PK	5.4868G	66.64	68.20	-1.56	3	Vertical	345	1.45	-
5320MHz	Pass	AV	5.1484G	46.21	54.00	-7.79	3	Horizontal	308	2.01	-
5320MHz	Pass	AV	5.3248G	102.03	Inf	-Inf	3	Horizontal	308	2.01	-
5320MHz	Pass	AV	5.44G	51.64	54.00	-2.36	3	Horizontal	308	2.01	-
5320MHz	Pass	PK	5.134G	57.85	74.00	-16.15	3	Horizontal	308	2.01	-
5320MHz	Pass	PK	5.3272G	111.89	Inf	-Inf	3	Horizontal	308	2.01	-
5320MHz	Pass	PK	5.488G	67.45	68.20	-0.75	3	Horizontal	308	2.01	-
5320MHz	Pass	AV	10.6496G	42.44	54.00	-11.56	3	Vertical	80	1.18	-
5320MHz	Pass	AV	15.95504G	45.45	54.00	-8.55	3	Vertical	190	2.34	-
5320MHz	Pass	PK	10.63976G	55.12	74.00	-18.88	3	Vertical	80	1.18	-
5320MHz	Pass	PK	15.96832G	58.85	74.00	-15.15	3	Vertical	190	2.34	-
5320MHz	Pass	AV	10.64268G	42.36	54.00	-11.64	3	Horizontal	213	2.21	-
5320MHz	Pass	AV	15.95308G	45.28	54.00	-8.72	3	Horizontal	86	1.29	-
5320MHz	Pass	PK	10.6322G	55.87	74.00	-18.13	3	Horizontal	213	2.21	-
5320MHz	Pass	PK	15.96576G	59.04	74.00	-14.96	3	Horizontal	86	1.29	-
5500MHz	Pass	AV	5.46G	46.64	54.00	-7.36	3	Vertical	9	1.88	-
5500MHz	Pass	AV	5.494G	102.10	Inf	-Inf	3	Vertical	9	1.88	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	5.47G	64.95	68.20	-3.25	3	Vertical	9	1.88	-
5500MHz	Pass	PK	5.4952G	112.33	Inf	-Inf	3	Vertical	9	1.88	-
5500MHz	Pass	PK	5.7892G	58.41	68.20	-9.79	3	Vertical	9	1.88	-
5500MHz	Pass	AV	5.4592G	46.96	54.00	-7.04	3	Horizontal	308	2.08	-
5500MHz	Pass	AV	5.506G	103.90	Inf	-Inf	3	Horizontal	308	2.08	-
5500MHz	Pass	PK	5.47G	67.65	68.20	-0.55	3	Horizontal	308	2.08	-
5500MHz	Pass	PK	5.5048G	113.77	Inf	-Inf	3	Horizontal	308	2.08	-
5500MHz	Pass	PK	5.7688G	59.49	68.20	-8.71	3	Horizontal	308	2.08	-
5500MHz	Pass	AV	11.00644G	42.87	54.00	-11.13	3	Vertical	196	1.60	-
5500MHz	Pass	PK	11.00248G	56.00	74.00	-18.00	3	Vertical	196	1.60	-
5500MHz	Pass	PK	16.49984G	61.49	68.20	-6.71	3	Vertical	222	1.86	-
5500MHz	Pass	AV	10.99544G	42.87	54.00	-11.13	3	Horizontal	24	1.44	-
5500MHz	Pass	PK	11.006G	56.03	74.00	-17.97	3	Horizontal	24	1.44	-
5500MHz	Pass	PK	16.5036G	62.48	68.20	-5.72	3	Horizontal	206	2.09	-
5580MHz	Pass	AV	5.4396G	52.26	54.00	-1.74	3	Vertical	11	1.85	-
5580MHz	Pass	AV	5.5776G	104.05	Inf	-Inf	3	Vertical	11	1.85	-
5580MHz	Pass	PK	5.4636G	61.59	68.20	-6.61	3	Vertical	11	1.85	-
5580MHz	Pass	PK	5.5836G	114.43	Inf	-Inf	3	Vertical	11	1.85	-
5580MHz	Pass	PK	5.7252G	59.93	68.20	-8.27	3	Vertical	11	1.85	-
5580MHz	Pass	AV	5.4396G	53.23	54.00	-0.77	3	Horizontal	310	2.05	-
5580MHz	Pass	AV	5.574G	107.61	Inf	-Inf	3	Horizontal	310	2.05	-
5580MHz	Pass	PK	5.4624G	62.93	68.20	-5.27	3	Horizontal	310	2.05	-
5580MHz	Pass	PK	5.574G	117.20	Inf	-Inf	3	Horizontal	310	2.05	-
5580MHz	Pass	PK	5.7372G	60.98	68.20	-7.22	3	Horizontal	310	2.05	-
5580MHz	Pass	AV	11.16388G	42.67	54.00	-11.33	3	Vertical	309	1.24	-
5580MHz	Pass	PK	11.16G	55.76	74.00	-18.24	3	Vertical	309	1.24	-
5580MHz	Pass	PK	16.73488G	62.53	68.20	-5.67	3	Vertical	336	1.42	-
5580MHz	Pass	AV	11.16992G	42.56	54.00	-11.44	3	Horizontal	230	1.34	-
5580MHz	Pass	PK	11.1578G	55.59	74.00	-18.41	3	Horizontal	230	1.34	-
5580MHz	Pass	PK	16.74648G	62.68	68.20	-5.52	3	Horizontal	298	2.17	-
5700MHz	Pass	AV	5.4288G	45.34	54.00	-8.66	3	Vertical	348	2.23	-
5700MHz	Pass	AV	5.6952G	100.85	Inf	-Inf	3	Vertical	348	2.23	-
5700MHz	Pass	PK	5.466G	57.22	68.20	-10.98	3	Vertical	348	2.23	-
5700MHz	Pass	PK	5.694G	110.94	Inf	-Inf	3	Vertical	348	2.23	-
5700MHz	Pass	PK	5.7264G	63.97	68.20	-4.23	3	Vertical	348	2.23	-
5700MHz	Pass	AV	5.4528G	46.30	54.00	-7.70	3	Horizontal	316	1.93	-
5700MHz	Pass	AV	5.694G	103.35	Inf	-Inf	3	Horizontal	316	1.93	-
5700MHz	Pass	PK	5.4624G	58.37	68.20	-9.83	3	Horizontal	316	1.93	-
5700MHz	Pass	PK	5.6952G	113.47	Inf	-Inf	3	Horizontal	316	1.93	-
5700MHz	Pass	PK	5.7252G	65.64	68.20	-2.56	3	Horizontal	316	1.93	-
5700MHz	Pass	AV	11.39996G	42.49	54.00	-11.51	3	Vertical	86	2.29	-
5700MHz	Pass	PK	11.4004G	55.80	74.00	-18.20	3	Vertical	86	2.29	-
5700MHz	Pass	PK	17.09004G	64.56	68.20	-3.64	3	Vertical	90	2.47	-
5700MHz	Pass	AV	11.39928G	42.11	54.00	-11.89	3	Horizontal	59	2.24	-
5700MHz	Pass	PK	11.39256G	55.40	74.00	-18.60	3	Horizontal	59	2.24	-
5700MHz	Pass	PK	17.10412G	63.93	68.20	-4.27	3	Horizontal	304	2.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	48.26	54.00	-5.74	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	103.16	Inf	-Inf	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.39	68.20	-9.81	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	113.11	Inf	-Inf	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	59.79	68.20	-8.41	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	50.65	54.00	-3.35	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	105.18	Inf	-Inf	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.02	68.20	-9.18	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	115.13	Inf	-Inf	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	62.71	68.20	-5.49	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43164G	42.23	54.00	-11.77	3	Vertical	325	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.443G	55.75	74.00	-18.25	3	Vertical	325	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15396G	64.10	68.20	-4.10	3	Vertical	78	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4366G	42.15	54.00	-11.85	3	Horizontal	104	1.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43124G	54.93	74.00	-19.07	3	Horizontal	104	1.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15176G	64.05	68.20	-4.15	3	Horizontal	15	2.23	-



RSE TX above 1GHz_Radio 3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.092G	46.78	54.00	-7.22	3	Vertical	9	1.83	-
5260MHz	Pass	AV	5.266G	104.88	Inf	-Inf	3	Vertical	9	1.83	-
5260MHz	Pass	AV	5.428G	52.21	54.00	-1.79	3	Vertical	9	1.83	-
5260MHz	Pass	PK	5.0968G	59.70	74.00	-14.30	3	Vertical	9	1.83	-
5260MHz	Pass	PK	5.2672G	114.57	Inf	-Inf	3	Vertical	9	1.83	-
5260MHz	Pass	PK	5.4616G	61.57	68.20	-6.63	3	Vertical	9	1.83	-
5260MHz	Pass	AV	5.1004G	46.67	54.00	-7.33	3	Horizontal	72	1.88	-
5260MHz	Pass	AV	5.266G	103.43	Inf	-Inf	3	Horizontal	72	1.88	-
5260MHz	Pass	AV	5.4136G	52.77	54.00	-1.23	3	Horizontal	72	1.88	-
5260MHz	Pass	PK	5.1052G	58.73	74.00	-15.27	3	Horizontal	72	1.88	-
5260MHz	Pass	PK	5.2624G	113.50	Inf	-Inf	3	Horizontal	72	1.88	-
5260MHz	Pass	PK	5.4988G	62.14	68.20	-6.06	3	Horizontal	72	1.88	-
5260MHz	Pass	AV	15.78464G	44.96	54.00	-9.04	3	Vertical	165	1.88	-
5260MHz	Pass	PK	10.51772G	55.38	68.20	-12.82	3	Vertical	48	1.14	-
5260MHz	Pass	PK	15.78512G	58.28	74.00	-15.72	3	Vertical	165	1.88	-
5260MHz	Pass	AV	15.77028G	45.12	54.00	-8.88	3	Horizontal	64	2.03	-
5260MHz	Pass	PK	10.5258G	56.13	68.20	-12.07	3	Horizontal	342	1.77	-
5260MHz	Pass	PK	15.77088G	58.45	74.00	-15.55	3	Horizontal	64	2.03	-
5300MHz	Pass	AV	5G	47.57	54.00	-6.43	3	Vertical	15	1.89	-
5300MHz	Pass	AV	5.3084G	105.08	Inf	-Inf	3	Vertical	15	1.89	-
5300MHz	Pass	AV	5.35G	51.98	54.00	-2.02	3	Vertical	15	1.89	-
5300MHz	Pass	PK	5.1392G	58.78	74.00	-15.22	3	Vertical	15	1.89	-
5300MHz	Pass	PK	5.3072G	115.51	Inf	-Inf	3	Vertical	15	1.89	-
5300MHz	Pass	PK	5.468G	63.16	68.20	-5.04	3	Vertical	15	1.89	-
5300MHz	Pass	AV	5G	47.75	54.00	-6.25	3	Horizontal	66	1.91	-
5300MHz	Pass	AV	5.306G	104.15	Inf	-Inf	3	Horizontal	66	1.91	-
5300MHz	Pass	AV	5.456G	52.98	54.00	-1.02	3	Horizontal	66	1.91	-
5300MHz	Pass	PK	5.1488G	59.93	74.00	-14.07	3	Horizontal	66	1.91	-
5300MHz	Pass	PK	5.3036G	114.01	Inf	-Inf	3	Horizontal	66	1.91	-
5300MHz	Pass	PK	5.4644G	65.66	68.20	-2.54	3	Horizontal	66	1.91	-
5300MHz	Pass	AV	15.9064G	45.77	54.00	-8.23	3	Vertical	104	2.38	-
5300MHz	Pass	PK	10.59676G	54.96	68.20	-13.24	3	Vertical	225	2.25	-
5300MHz	Pass	PK	15.9044G	59.22	74.00	-14.78	3	Vertical	104	2.38	-
5300MHz	Pass	AV	15.90116G	45.42	54.00	-8.58	3	Horizontal	267	2.25	-
5300MHz	Pass	PK	10.59528G	55.71	68.20	-12.49	3	Horizontal	274	1.28	-
5300MHz	Pass	PK	15.90072G	59.19	74.00	-14.81	3	Horizontal	267	2.25	-
5320MHz	Pass	AV	5.146G	46.37	54.00	-7.63	3	Vertical	347	1.43	-
5320MHz	Pass	AV	5.326G	101.23	Inf	-Inf	3	Vertical	347	1.43	-
5320MHz	Pass	AV	5.44G	51.58	54.00	-2.42	3	Vertical	347	1.43	-
5320MHz	Pass	PK	5.1124G	57.77	74.00	-16.23	3	Vertical	347	1.43	-
5320MHz	Pass	PK	5.3224G	110.66	Inf	-Inf	3	Vertical	347	1.43	-
5320MHz	Pass	PK	5.4784G	66.78	68.20	-1.42	3	Vertical	347	1.43	-
5320MHz	Pass	AV	5.1484G	46.07	54.00	-7.93	3	Horizontal	307	2.05	-
5320MHz	Pass	AV	5.3248G	101.27	Inf	-Inf	3	Horizontal	307	2.05	-
5320MHz	Pass	AV	5.44G	51.85	54.00	-2.15	3	Horizontal	307	2.05	-
5320MHz	Pass	PK	5.1496G	58.75	74.00	-15.25	3	Horizontal	307	2.05	-
5320MHz	Pass	PK	5.3224G	110.86	Inf	-Inf	3	Horizontal	307	2.05	-
5320MHz	Pass	PK	5.4736G	67.58	68.20	-0.62	3	Horizontal	307	2.05	-
5320MHz	Pass	AV	10.64912G	42.32	54.00	-11.68	3	Vertical	140	1.36	-
5320MHz	Pass	AV	15.96544G	45.35	54.00	-8.65	3	Vertical	42	1.45	-
5320MHz	Pass	PK	10.64052G	55.62	74.00	-18.38	3	Vertical	140	1.36	-
5320MHz	Pass	PK	15.96668G	58.43	74.00	-15.57	3	Vertical	42	1.45	-
5320MHz	Pass	AV	10.64776G	42.38	54.00	-11.62	3	Horizontal	63	1.22	-
5320MHz	Pass	AV	15.95452G	45.42	54.00	-8.58	3	Horizontal	243	1.07	-
5320MHz	Pass	PK	10.6362G	55.84	74.00	-18.16	3	Horizontal	63	1.22	-
5320MHz	Pass	PK	15.9654G	58.69	74.00	-15.31	3	Horizontal	243	1.07	-
5500MHz	Pass	AV	5.4592G	46.58	54.00	-7.42	3	Vertical	12	1.63	-
5500MHz	Pass	AV	5.4928G	101.61	Inf	-Inf	3	Vertical	12	1.63	-
5500MHz	Pass	PK	5.4688G	65.07	68.20	-3.13	3	Vertical	12	1.63	-
5500MHz	Pass	PK	5.494G	111.69	Inf	-Inf	3	Vertical	12	1.63	-
5500MHz	Pass	PK	5.7688G	57.75	68.20	-10.45	3	Vertical	12	1.63	-



RSE TX above 1GHz_Radio 3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.46G	47.25	54.00	-6.75	3	Horizontal	308	2.10	-
5500MHz	Pass	AV	5.506G	103.28	Inf	-Inf	3	Horizontal	308	2.10	-
5500MHz	Pass	PK	5.47G	66.41	68.20	-1.79	3	Horizontal	308	2.10	-
5500MHz	Pass	PK	5.4964G	113.53	Inf	-Inf	3	Horizontal	308	2.10	-
5500MHz	Pass	PK	5.7796G	58.43	68.20	-9.77	3	Horizontal	308	2.10	-
5500MHz	Pass	AV	11.00304G	42.21	54.00	-11.79	3	Vertical	360	1.87	-
5500MHz	Pass	PK	11.00596G	55.98	74.00	-18.02	3	Vertical	360	1.87	-
5500MHz	Pass	PK	16.49276G	61.46	68.20	-6.74	3	Vertical	360	1.66	-
5500MHz	Pass	AV	11.00064G	42.75	54.00	-11.25	3	Horizontal	249	1.43	-
5500MHz	Pass	PK	10.99504G	56.93	74.00	-17.07	3	Horizontal	249	1.43	-
5500MHz	Pass	PK	16.50204G	62.71	68.20	-5.49	3	Horizontal	359	2.59	-
5580MHz	Pass	AV	5.4396G	52.35	54.00	-1.65	3	Vertical	9	1.85	-
5580MHz	Pass	AV	5.5776G	104.37	Inf	-Inf	3	Vertical	9	1.85	-
5580MHz	Pass	PK	5.4612G	62.21	68.20	-5.99	3	Vertical	9	1.85	-
5580MHz	Pass	PK	5.5788G	114.81	Inf	-Inf	3	Vertical	9	1.85	-
5580MHz	Pass	PK	5.7336G	59.64	68.20	-8.56	3	Vertical	9	1.85	-
5580MHz	Pass	AV	5.4396G	52.81	54.00	-1.19	3	Horizontal	312	1.96	-
5580MHz	Pass	AV	5.5752G	107.36	Inf	-Inf	3	Horizontal	312	1.96	-
5580MHz	Pass	PK	5.4636G	62.44	68.20	-5.76	3	Horizontal	312	1.96	-
5580MHz	Pass	PK	5.574G	117.52	Inf	-Inf	3	Horizontal	312	1.96	-
5580MHz	Pass	PK	5.7276G	60.89	68.20	-7.31	3	Horizontal	312	1.96	-
5580MHz	Pass	AV	11.15924G	42.33	54.00	-11.67	3	Vertical	303	1.87	-
5580MHz	Pass	PK	11.16748G	55.32	74.00	-18.68	3	Vertical	303	1.87	-
5580MHz	Pass	PK	16.73852G	63.27	68.20	-4.93	3	Vertical	261	2.49	-
5580MHz	Pass	AV	11.16388G	42.38	54.00	-11.62	3	Horizontal	262	1.96	-
5580MHz	Pass	PK	11.16372G	56.24	74.00	-17.76	3	Horizontal	262	1.96	-
5580MHz	Pass	PK	16.73548G	62.80	68.20	-5.40	3	Horizontal	291	1.16	-
5700MHz	Pass	AV	5.4588G	45.66	54.00	-8.34	3	Vertical	348	2.07	-
5700MHz	Pass	AV	5.694G	100.63	Inf	-Inf	3	Vertical	348	2.07	-
5700MHz	Pass	PK	5.4624G	57.97	68.20	-10.23	3	Vertical	348	2.07	-
5700MHz	Pass	PK	5.6964G	110.43	Inf	-Inf	3	Vertical	348	2.07	-
5700MHz	Pass	PK	5.7276G	63.15	68.20	-5.05	3	Vertical	348	2.07	-
5700MHz	Pass	AV	5.4396G	45.95	54.00	-8.05	3	Horizontal	318	1.89	-
5700MHz	Pass	AV	5.694G	102.69	Inf	-Inf	3	Horizontal	318	1.89	-
5700MHz	Pass	PK	5.4696G	57.87	68.20	-10.33	3	Horizontal	318	1.89	-
5700MHz	Pass	PK	5.6952G	112.25	Inf	-Inf	3	Horizontal	318	1.89	-
5700MHz	Pass	PK	5.7264G	64.70	68.20	-3.50	3	Horizontal	318	1.89	-
5700MHz	Pass	AV	11.39584G	42.00	54.00	-12.00	3	Vertical	330	1.85	-
5700MHz	Pass	PK	11.39472G	55.53	74.00	-18.47	3	Vertical	330	1.85	-
5700MHz	Pass	PK	17.09628G	63.83	68.20	-4.37	3	Vertical	0	2.98	-
5700MHz	Pass	AV	11.396G	42.31	54.00	-11.69	3	Horizontal	152	1.73	-
5700MHz	Pass	PK	11.41G	55.75	74.00	-18.25	3	Horizontal	152	1.73	-
5700MHz	Pass	PK	17.10476G	64.23	68.20	-3.97	3	Horizontal	0	2.28	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	46.30	54.00	-7.70	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	101.19	Inf	-Inf	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.71	68.20	-10.49	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	111.53	Inf	-Inf	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	59.59	68.20	-8.61	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	46.62	54.00	-7.38	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	103.85	Inf	-Inf	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.34	68.20	-10.86	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	113.53	Inf	-Inf	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8832G	60.16	68.20	-8.04	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43732G	42.58	54.00	-11.42	3	Vertical	85	1.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43088G	55.85	74.00	-18.15	3	Vertical	85	1.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17G	64.49	68.20	-3.71	3	Vertical	48	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44976G	42.82	54.00	-11.18	3	Horizontal	351	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43768G	56.21	74.00	-17.79	3	Horizontal	351	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15072G	63.87	68.20	-4.33	3	Horizontal	10	2.31	-
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5G	50.08	54.00	-3.92	3	Vertical	10	1.91	-
5270MHz	Pass	AV	5.282G	95.05	Inf	-Inf	3	Vertical	10	1.91	-



RSE TX above 1GHz_Radio 3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	AV	5.36G	52.09	54.00	-1.91	3	Vertical	10	1.91	-
5270MHz	Pass	PK	5.114G	58.92	74.00	-15.08	3	Vertical	10	1.91	-
5270MHz	Pass	PK	5.2796G	104.47	Inf	-Inf	3	Vertical	10	1.91	-
5270MHz	Pass	PK	5.4824G	63.17	68.20	-5.03	3	Vertical	10	1.91	-
5270MHz	Pass	AV	5G	49.90	54.00	-4.10	3	Horizontal	70	1.96	-
5270MHz	Pass	AV	5.2856G	93.90	Inf	-Inf	3	Horizontal	70	1.96	-
5270MHz	Pass	AV	5.4404G	53.26	54.00	-0.74	3	Horizontal	70	1.96	-
5270MHz	Pass	PK	5.1428G	57.96	74.00	-16.04	3	Horizontal	70	1.96	-
5270MHz	Pass	PK	5.2796G	103.36	Inf	-Inf	3	Horizontal	70	1.96	-
5270MHz	Pass	PK	5.5292G	64.24	68.20	-3.96	3	Horizontal	70	1.96	-
5270MHz	Pass	AV	15.81824G	46.03	54.00	-7.97	3	Vertical	49	1.72	-
5270MHz	Pass	PK	10.5292G	55.12	68.20	-13.08	3	Vertical	143	2.00	-
5270MHz	Pass	PK	15.81192G	58.68	74.00	-15.32	3	Vertical	49	1.72	-
5270MHz	Pass	AV	15.82856G	45.91	54.00	-8.09	3	Horizontal	173	1.23	-
5270MHz	Pass	PK	10.52544G	55.36	68.20	-12.84	3	Horizontal	100	2.49	-
5270MHz	Pass	PK	15.81344G	58.19	74.00	-15.81	3	Horizontal	173	1.23	-
5310MHz	Pass	AV	5.136G	47.08	54.00	-6.92	3	Vertical	342	1.19	-
5310MHz	Pass	AV	5.322G	96.18	Inf	-Inf	3	Vertical	342	1.19	-
5310MHz	Pass	AV	5.4588G	50.53	54.00	-3.47	3	Vertical	342	1.19	-
5310MHz	Pass	PK	5.1492G	58.53	74.00	-15.47	3	Vertical	342	1.19	-
5310MHz	Pass	PK	5.3232G	105.28	Inf	-Inf	3	Vertical	342	1.19	-
5310MHz	Pass	PK	5.4792G	61.22	68.20	-6.98	3	Vertical	342	1.19	-
5310MHz	Pass	AV	5.1384G	47.21	54.00	-6.79	3	Horizontal	306	2.00	-
5310MHz	Pass	AV	5.3232G	95.35	Inf	-Inf	3	Horizontal	306	2.00	-
5310MHz	Pass	AV	5.4564G	50.69	54.00	-3.31	3	Horizontal	306	2.00	-
5310MHz	Pass	PK	5.1432G	58.13	74.00	-15.87	3	Horizontal	306	2.00	-
5310MHz	Pass	PK	5.3208G	104.62	Inf	-Inf	3	Horizontal	306	2.00	-
5310MHz	Pass	PK	5.4648G	62.67	68.20	-5.53	3	Horizontal	306	2.00	-
5310MHz	Pass	AV	10.60032G	43.01	54.00	-10.99	3	Vertical	269	1.76	-
5310MHz	Pass	AV	15.92648G	46.29	54.00	-7.71	3	Vertical	71	2.26	-
5310MHz	Pass	PK	10.61944G	55.10	74.00	-18.90	3	Vertical	269	1.76	-
5310MHz	Pass	PK	15.94792G	58.85	74.00	-15.15	3	Vertical	71	2.26	-
5310MHz	Pass	AV	10.6376G	42.96	54.00	-11.04	3	Horizontal	69	1.87	-
5310MHz	Pass	AV	15.9288G	46.23	54.00	-7.77	3	Horizontal	145	2.00	-
5310MHz	Pass	PK	10.61648G	55.07	74.00	-18.93	3	Horizontal	69	1.87	-
5310MHz	Pass	PK	15.94192G	58.64	74.00	-15.36	3	Horizontal	145	2.00	-
5510MHz	Pass	AV	5.4596G	50.47	54.00	-3.53	3	Vertical	12	1.64	-
5510MHz	Pass	AV	5.4956G	98.72	Inf	-Inf	3	Vertical	12	1.64	-
5510MHz	Pass	PK	5.4656G	64.39	68.20	-3.81	3	Vertical	12	1.64	-
5510MHz	Pass	PK	5.498G	107.34	Inf	-Inf	3	Vertical	12	1.64	-
5510MHz	Pass	PK	5.7524G	57.95	68.20	-10.25	3	Vertical	12	1.64	-
5510MHz	Pass	AV	5.4596G	51.47	54.00	-2.53	3	Horizontal	308	2.00	-
5510MHz	Pass	AV	5.5136G	100.40	Inf	-Inf	3	Horizontal	308	2.00	-
5510MHz	Pass	PK	5.468G	66.58	68.20	-1.62	3	Horizontal	308	2.00	-
5510MHz	Pass	PK	5.5028G	110.05	Inf	-Inf	3	Horizontal	308	2.00	-
5510MHz	Pass	PK	5.7956G	57.65	68.20	-10.55	3	Horizontal	308	2.00	-
5510MHz	Pass	AV	11.01728G	43.27	54.00	-10.73	3	Vertical	304	1.43	-
5510MHz	Pass	PK	11.01296G	55.49	74.00	-18.51	3	Vertical	304	1.43	-
5510MHz	Pass	PK	16.5164G	61.02	68.20	-7.18	3	Vertical	221	1.37	-
5510MHz	Pass	AV	11.00792G	42.84	54.00	-11.16	3	Horizontal	177	1.26	-
5510MHz	Pass	PK	11.03312G	55.37	74.00	-18.63	3	Horizontal	177	1.26	-
5510MHz	Pass	PK	16.54816G	61.34	68.20	-6.86	3	Horizontal	358	1.62	-
5550MHz	Pass	AV	5.4396G	52.99	54.00	-1.01	3	Vertical	16	1.63	-
5550MHz	Pass	AV	5.538G	100.71	Inf	-Inf	3	Vertical	16	1.63	-
5550MHz	Pass	PK	5.4696G	65.49	68.20	-2.71	3	Vertical	16	1.63	-
5550MHz	Pass	PK	5.5392G	110.31	Inf	-Inf	3	Vertical	16	1.63	-
5550MHz	Pass	PK	5.7288G	59.42	68.20	-8.78	3	Vertical	16	1.63	-
5550MHz	Pass	AV	5.4396G	53.12	54.00	-0.88	3	Horizontal	309	1.87	-
5550MHz	Pass	AV	5.562G	103.60	Inf	-Inf	3	Horizontal	309	1.87	-
5550MHz	Pass	PK	5.4696G	66.72	68.20	-1.48	3	Horizontal	309	1.87	-
5550MHz	Pass	PK	5.562G	113.35	Inf	-Inf	3	Horizontal	309	1.87	-
5550MHz	Pass	PK	5.8272G	60.48	68.20	-7.72	3	Horizontal	309	1.87	-



RSE TX above 1GHz_Radio 3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	AV	11.09184G	43.10	54.00	-10.90	3	Vertical	5	1.09	-
5550MHz	Pass	PK	11.10296G	56.32	74.00	-17.68	3	Vertical	5	1.09	-
5550MHz	Pass	PK	16.6624G	61.39	68.20	-6.81	3	Vertical	59	1.74	-
5550MHz	Pass	AV	11.09744G	43.01	54.00	-10.99	3	Horizontal	292	1.10	-
5550MHz	Pass	PK	11.08768G	55.33	74.00	-18.67	3	Horizontal	292	1.10	-
5550MHz	Pass	PK	16.66728G	61.27	68.20	-6.93	3	Horizontal	289	1.20	-
5670MHz	Pass	AV	5.4396G	48.59	54.00	-5.41	3	Vertical	15	1.74	-
5670MHz	Pass	AV	5.6568G	98.77	Inf	-Inf	3	Vertical	15	1.74	-
5670MHz	Pass	PK	5.4636G	58.67	68.20	-9.53	3	Vertical	15	1.74	-
5670MHz	Pass	PK	5.6556G	107.81	Inf	-Inf	3	Vertical	15	1.74	-
5670MHz	Pass	PK	5.7276G	63.14	68.20	-5.06	3	Vertical	15	1.74	-
5670MHz	Pass	AV	5.4132G	46.46	54.00	-7.54	3	Horizontal	318	1.95	-
5670MHz	Pass	AV	5.6604G	102.43	Inf	-Inf	3	Horizontal	318	1.95	-
5670MHz	Pass	PK	5.4696G	58.93	68.20	-9.27	3	Horizontal	318	1.95	-
5670MHz	Pass	PK	5.658G	111.31	Inf	-Inf	3	Horizontal	318	1.95	-
5670MHz	Pass	PK	5.7276G	66.30	68.20	-1.90	3	Horizontal	318	1.95	-
5670MHz	Pass	AV	11.35592G	43.29	54.00	-10.71	3	Vertical	149	1.50	-
5670MHz	Pass	PK	11.32224G	55.25	74.00	-18.75	3	Vertical	149	1.50	-
5670MHz	Pass	PK	17.02176G	63.86	68.20	-4.34	3	Vertical	131	1.14	-
5670MHz	Pass	AV	11.35216G	42.98	54.00	-11.02	3	Horizontal	145	2.65	-
5670MHz	Pass	PK	11.34464G	54.95	74.00	-19.05	3	Horizontal	145	2.65	-
5670MHz	Pass	PK	17.00792G	63.67	68.20	-4.53	3	Horizontal	55	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4112G	46.40	54.00	-7.60	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	98.96	Inf	-Inf	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	57.94	68.20	-10.26	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	108.05	Inf	-Inf	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8756G	59.08	68.20	-9.12	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	47.58	54.00	-6.42	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.698G	102.21	Inf	-Inf	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	57.96	68.20	-10.24	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6968G	111.80	Inf	-Inf	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8852G	60.26	68.20	-7.94	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4004G	43.53	54.00	-10.47	3	Vertical	314	1.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41352G	55.57	74.00	-18.43	3	Vertical	314	1.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13752G	63.34	68.20	-4.86	3	Vertical	178	2.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4048G	43.68	54.00	-10.32	3	Horizontal	141	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.44G	55.54	74.00	-18.46	3	Horizontal	141	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11648G	64.01	68.20	-4.19	3	Horizontal	120	1.82	-
802.11ac VHT80_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	4.9996G	50.91	54.00	-3.09	3	Vertical	341	1.21	-
5290MHz	Pass	AV	5.3236G	85.12	Inf	-Inf	3	Vertical	341	1.21	-
5290MHz	Pass	AV	5.35G	53.03	54.00	-0.97	3	Vertical	341	1.21	-
5290MHz	Pass	PK	5.0908G	57.27	74.00	-16.73	3	Vertical	341	1.21	-
5290MHz	Pass	PK	5.3248G	93.86	Inf	-Inf	3	Vertical	341	1.21	-
5290MHz	Pass	PK	5.35G	65.09	74.00	-8.91	3	Vertical	341	1.21	-
5290MHz	Pass	AV	4.9996G	48.58	54.00	-5.42	3	Horizontal	70	1.93	-
5290MHz	Pass	AV	5.3188G	83.52	Inf	-Inf	3	Horizontal	70	1.93	-
5290MHz	Pass	AV	5.35G	50.96	54.00	-3.04	3	Horizontal	70	1.93	-
5290MHz	Pass	PK	5.1496G	57.22	74.00	-16.78	3	Horizontal	70	1.93	-
5290MHz	Pass	PK	5.3212G	92.54	Inf	-Inf	3	Horizontal	70	1.93	-
5290MHz	Pass	PK	5.5312G	57.92	68.20	-10.28	3	Horizontal	70	1.93	-
5290MHz	Pass	AV	15.89112G	46.18	54.00	-7.82	3	Vertical	278	1.04	-
5290MHz	Pass	PK	10.59536G	54.74	68.20	-13.46	3	Vertical	265	1.35	-
5290MHz	Pass	PK	15.87304G	58.08	74.00	-15.92	3	Vertical	278	1.04	-
5290MHz	Pass	AV	15.86472G	46.36	54.00	-7.64	3	Horizontal	124	1.83	-
5290MHz	Pass	PK	10.59904G	54.76	68.20	-13.44	3	Horizontal	288	1.24	-
5290MHz	Pass	PK	15.88888G	58.43	74.00	-15.57	3	Horizontal	124	1.83	-
5530MHz	Pass	AV	5.46G	49.10	54.00	-4.90	3	Vertical	10	1.79	-
5530MHz	Pass	AV	5.5G	91.01	Inf	-Inf	3	Vertical	10	1.79	-
5530MHz	Pass	PK	5.47G	65.32	68.20	-2.88	3	Vertical	10	1.79	-
5530MHz	Pass	PK	5.5192G	101.17	Inf	-Inf	3	Vertical	10	1.79	-
5530MHz	Pass	PK	5.8264G	57.52	68.20	-10.68	3	Vertical	10	1.79	-




RSE TX above 1GHz_Radio 3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5530MHz	Pass	AV	5.4592G	50.04	54.00	-3.96	3	Horizontal	308	1.95	-
5530MHz	Pass	AV	5.5516G	92.80	Inf	-Inf	3	Horizontal	308	1.95	-
5530MHz	Pass	PK	5.47G	67.44	68.20	-0.76	3	Horizontal	308	1.95	-
5530MHz	Pass	PK	5.5192G	103.80	Inf	-Inf	3	Horizontal	308	1.95	-
5530MHz	Pass	PK	5.8264G	57.65	68.20	-10.55	3	Horizontal	308	1.95	-
5530MHz	Pass	AV	11.02448G	43.47	54.00	-10.53	3	Vertical	72	1.52	-
5530MHz	Pass	PK	11.07744G	55.23	74.00	-18.77	3	Vertical	72	1.52	-
5530MHz	Pass	PK	16.55256G	60.64	68.20	-7.56	3	Vertical	185	2.45	-
5530MHz	Pass	AV	11.02032G	43.82	54.00	-10.18	3	Horizontal	296	1.30	-
5530MHz	Pass	PK	11.0376G	55.14	74.00	-18.86	3	Horizontal	296	1.30	-
5530MHz	Pass	PK	16.55336G	60.97	68.20	-7.23	3	Horizontal	266	2.37	-
5610MHz	Pass	AV	5.4576G	51.01	54.00	-2.99	3	Vertical	9	1.86	-
5610MHz	Pass	AV	5.5776G	96.55	Inf	-Inf	3	Vertical	9	1.86	-
5610MHz	Pass	PK	5.4636G	64.38	68.20	-3.82	3	Vertical	9	1.86	-
5610MHz	Pass	PK	5.5992G	107.26	Inf	-Inf	3	Vertical	9	1.86	-
5610MHz	Pass	PK	5.7276G	61.75	68.20	-6.45	3	Vertical	9	1.86	-
5610MHz	Pass	AV	5.46G	51.28	54.00	-2.72	3	Horizontal	310	1.94	-
5610MHz	Pass	AV	5.5764G	99.13	Inf	-Inf	3	Horizontal	310	1.94	-
5610MHz	Pass	PK	5.4648G	65.13	68.20	-3.07	3	Horizontal	310	1.94	-
5610MHz	Pass	PK	5.5992G	110.88	Inf	-Inf	3	Horizontal	310	1.94	-
5610MHz	Pass	PK	5.7348G	65.28	68.20	-2.92	3	Horizontal	310	1.94	-
5610MHz	Pass	AV	11.22972G	43.52	54.00	-10.48	3	Vertical	232	1.60	-
5610MHz	Pass	PK	11.22024G	55.82	74.00	-18.18	3	Vertical	232	1.60	-
5610MHz	Pass	PK	16.8177G	62.17	68.20	-6.03	3	Vertical	165	1.50	-
5610MHz	Pass	AV	11.22576G	43.48	54.00	-10.52	3	Horizontal	348	1.15	-
5610MHz	Pass	PK	11.22636G	55.83	74.00	-18.17	3	Horizontal	348	1.15	-
5610MHz	Pass	PK	16.82424G	62.26	68.20	-5.94	3	Horizontal	298	2.20	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	47.75	54.00	-6.25	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.666G	95.86	Inf	-Inf	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.04	68.20	-9.16	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	106.03	Inf	-Inf	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9132G	59.05	68.20	-9.15	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	46.95	54.00	-7.05	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6684G	99.44	Inf	-Inf	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.60	68.20	-10.60	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	110.45	Inf	-Inf	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	61.65	68.20	-6.55	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35264G	43.07	54.00	-10.93	3	Vertical	325	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35568G	55.44	74.00	-18.56	3	Vertical	325	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0884G	63.57	68.20	-4.63	3	Vertical	343	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38784G	43.71	54.00	-10.29	3	Horizontal	282	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34384G	55.51	74.00	-18.49	3	Horizontal	282	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0612G	63.88	68.20	-4.32	3	Horizontal	268	2.25	-

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.9996G	48.29	54.00	-5.71	6.33	3	Vertical	9	1.91	-	41.96	31.50	9.05	34.22
AV	5.2672G	105.34	Inf	-Inf	6.28	3	Vertical	9	1.91	-	99.06	31.37	9.15	34.24
AV	5.428G	52.30	54.00	-1.70	6.77	3	Vertical	9	1.91	-	45.53	31.70	9.32	34.25
PK	5.1028G	58.86	74.00	-15.14	6.74	3	Vertical	9	1.91	-	52.12	31.90	9.07	34.23
PK	5.266G	115.38	Inf	-Inf	6.28	3	Vertical	9	1.91	-	109.10	31.37	9.15	34.24
PK	5.4712G	61.81	68.20	-6.39	6.84	3	Vertical	9	1.91	-	54.97	31.74	9.36	34.26

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	47.32	54.00	-6.68	6.33	3	Horizontal	70	1.80	-	40.99	31.50	9.05	34.22
AV	5.266G	103.62	Inf	-Inf	6.28	3	Horizontal	70	1.80	-	97.34	31.37	9.15	34.24
AV	5.4268G	52.30	54.00	-1.70	6.77	3	Horizontal	70	1.80	-	45.53	31.70	9.32	34.25
PK	5.0968G	59.22	74.00	-14.78	6.72	3	Horizontal	70	1.80	-	52.50	31.89	9.06	34.23
PK	5.2576G	113.45	Inf	-Inf	6.28	3	Horizontal	70	1.80	-	107.17	31.38	9.14	34.24
PK	5.4628G	61.18	68.20	-7.02	6.82	3	Horizontal	70	1.80	-	54.36	31.73	9.35	34.26

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7556G	44.74	54.00	-9.26	17.71	3	Vertical	360	1.50	-	27.03	37.42	14.87	34.58
PK	10.5176G	54.93	68.20	-13.27	17.57	3	Vertical	219	1.50	-	37.36	39.70	12.43	34.56
PK	15.7933G	58.11	74.00	-15.89	17.50	3	Vertical	360	1.50	-	40.61	37.23	14.88	34.61

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7711G	44.88	54.00	-9.12	17.63	3	Horizontal	360	2.12	-	27.25	37.34	14.88	34.59
PK	10.5155G	55.33	68.20	-12.87	17.57	3	Horizontal	216	2.31	-	37.76	39.70	12.43	34.56
PK	15.7757G	58.08	74.00	-15.92	17.61	3	Horizontal	360	2.12	-	40.47	37.32	14.88	34.59

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	48.90	54.00	-5.10	6.33	3	Vertical	342	1.42	-	42.57	31.50	9.05	34.22
AV	5.306G	105.43	Inf	-Inf	6.26	3	Vertical	342	1.42	-	99.17	31.30	9.20	34.24
AV	5.456G	52.70	54.00	-1.30	6.79	3	Vertical	342	1.42	-	45.91	31.71	9.34	34.26
PK	5.1416G	58.88	74.00	-15.12	6.74	3	Vertical	342	1.42	-	52.14	31.90	9.07	34.23
PK	5.306G	115.36	Inf	-Inf	6.26	3	Vertical	342	1.42	-	109.10	31.30	9.20	34.24
PK	5.4644G	64.31	68.20	-3.89	6.82	3	Vertical	342	1.42	-	57.49	31.73	9.35	34.26

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	47.39	54.00	-6.61	6.33	3	Horizontal	69	1.92	-	41.06	31.50	9.05	34.22
AV	5.3048G	104.22	Inf	-Inf	6.26	3	Horizontal	69	1.92	-	97.96	31.30	9.20	34.24
AV	5.456G	52.92	54.00	-1.08	6.79	3	Horizontal	69	1.92	-	46.13	31.71	9.34	34.26
PK	5.144G	58.19	74.00	-15.81	6.74	3	Horizontal	69	1.92	-	51.45	31.90	9.07	34.23
PK	5.3048G	113.70	Inf	-Inf	6.26	3	Horizontal	69	1.92	-	107.44	31.30	9.20	34.24
PK	5.4632G	64.90	68.20	-3.30	6.82	3	Horizontal	69	1.92	-	58.08	31.73	9.35	34.26

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6185G	42.27	54.00	-11.73	17.69	3	Vertical	256	1.50	-	24.58	39.70	12.47	34.48
AV	15.92G	45.49	54.00	-8.51	17.13	3	Vertical	85	1.50	-	28.36	36.94	14.92	34.73
PK	10.615G	55.64	74.00	-18.36	17.69	3	Vertical	256	1.50	-	37.95	39.70	12.47	34.48
PK	15.9245G	59.03	74.00	-14.97	17.15	3	Vertical	85	1.50	-	41.88	36.95	14.93	34.73

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6081G	42.31	54.00	-11.69	17.68	3	Horizontal	240	2.86	-	24.63	39.70	12.47	34.49
AV	15.9018G	45.27	54.00	-8.73	17.11	3	Horizontal	360	1.50	-	28.16	36.90	14.92	34.71
PK	10.6214G	55.44	74.00	-18.56	17.69	3	Horizontal	240	2.86	-	37.75	39.70	12.47	34.48
PK	15.8915G	58.63	74.00	-15.37	17.15	3	Horizontal	360	1.50	-	41.48	36.93	14.92	34.70

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1256G	46.26	54.00	-7.74	6.74	3	Vertical	345	1.45	-	39.52	31.90	9.07	34.23
AV	5.326G	102.26	Inf	-Inf	6.27	3	Vertical	345	1.45	-	95.99	31.30	9.22	34.25
AV	5.44G	51.26	54.00	-2.74	6.77	3	Vertical	345	1.45	-	44.49	31.70	9.33	34.26
PK	5.0764G	57.66	74.00	-16.34	6.68	3	Vertical	345	1.45	-	50.98	31.85	9.06	34.23
PK	5.3236G	112.05	Inf	-Inf	6.27	3	Vertical	345	1.45	-	105.78	31.30	9.22	34.25
PK	5.4868G	66.64	68.20	-1.56	6.88	3	Vertical	345	1.45	-	59.76	31.77	9.37	34.26

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.21	54.00	-7.79	6.74	3	Horizontal	308	2.01	-	39.47	31.90	9.07	34.23
AV	5.3248G	102.03	Inf	-Inf	6.27	3	Horizontal	308	2.01	-	95.76	31.30	9.22	34.25
AV	5.44G	51.64	54.00	-2.36	6.77	3	Horizontal	308	2.01	-	44.87	31.70	9.33	34.26
PK	5.134G	57.85	74.00	-16.15	6.74	3	Horizontal	308	2.01	-	51.11	31.90	9.07	34.23
PK	5.3272G	111.89	Inf	-Inf	6.27	3	Horizontal	308	2.01	-	105.62	31.30	9.22	34.25
PK	5.488G	67.45	68.20	-0.75	6.89	3	Horizontal	308	2.01	-	60.56	31.78	9.37	34.26

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6496G	42.44	54.00	-11.56	17.72	3	Vertical	80	1.18	-	24.72	39.70	12.48	34.46
AV	15.95504G	45.45	54.00	-8.55	17.19	3	Vertical	190	2.34	-	28.26	37.01	14.94	34.76
PK	10.63976G	55.12	74.00	-18.88	17.72	3	Vertical	80	1.18	-	37.40	39.70	12.48	34.46
PK	15.96832G	58.85	74.00	-15.15	17.21	3	Vertical	190	2.34	-	41.64	37.04	14.94	34.77

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64268G	42.36	54.00	-11.64	17.72	3	Horizontal	213	2.21	-	24.64	39.70	12.48	34.46
AV	15.95308G	45.28	54.00	-8.72	17.19	3	Horizontal	86	1.29	-	28.09	37.01	14.94	34.76
PK	10.6322G	55.87	74.00	-18.13	17.71	3	Horizontal	213	2.21	-	38.16	39.70	12.48	34.47
PK	15.96576G	59.04	74.00	-14.96	17.20	3	Horizontal	86	1.29	-	41.84	37.03	14.94	34.77

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.64	54.00	-7.36	6.81	3	Vertical	9	1.88	-	39.83	31.72	9.35	34.26
AV	5.494G	102.10	Inf	-Inf	6.91	3	Vertical	9	1.88	-	95.19	31.79	9.38	34.26
PK	5.47G	64.95	68.20	-3.25	6.84	3	Vertical	9	1.88	-	58.11	31.74	9.36	34.26
PK	5.4952G	112.33	Inf	-Inf	6.91	3	Vertical	9	1.88	-	105.42	31.79	9.38	34.26
PK	5.7892G	58.41	68.20	-9.79	7.31	3	Vertical	9	1.88	-	51.10	32.08	9.52	34.29

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	46.96	54.00	-7.04	6.81	3	Horizontal	308	2.08	-	40.15	31.72	9.35	34.26
AV	5.506G	103.90	Inf	-Inf	6.92	3	Horizontal	308	2.08	-	96.98	31.80	9.38	34.26
PK	5.47G	67.65	68.20	-0.55	6.84	3	Horizontal	308	2.08	-	60.81	31.74	9.36	34.26
PK	5.5048G	113.77	Inf	-Inf	6.92	3	Horizontal	308	2.08	-	106.85	31.80	9.38	34.26
PK	5.7688G	59.49	68.20	-8.71	7.26	3	Horizontal	308	2.08	-	52.23	32.04	9.51	34.29

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00644G	42.87	54.00	-11.13	18.71	3	Vertical	196	1.60	-	24.16	40.27	12.63	34.19
PK	11.00248G	56.00	74.00	-18.00	18.73	3	Vertical	196	1.60	-	37.27	40.29	12.63	34.19
PK	16.49984G	61.49	68.20	-6.71	19.57	3	Vertical	222	1.86	-	41.92	38.60	15.24	34.27

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99544G	42.87	54.00	-11.13	18.73	3	Horizontal	24	1.44	-	24.14	40.29	12.63	34.19
PK	11.006G	56.03	74.00	-17.97	18.72	3	Horizontal	24	1.44	-	37.31	40.28	12.63	34.19
PK	16.5036G	62.48	68.20	-5.72	19.57	3	Horizontal	206	2.09	-	42.91	38.59	15.24	34.26

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	52.26	54.00	-1.74	6.77	3	Vertical	11	1.85	-	45.49	31.70	9.33	34.26
AV	5.5776G	104.05	Inf	-Inf	6.91	3	Vertical	11	1.85	-	97.14	31.74	9.44	34.27
PK	5.4636G	61.59	68.20	-6.61	6.82	3	Vertical	11	1.85	-	54.77	31.73	9.35	34.26
PK	5.5836G	114.43	Inf	-Inf	6.91	3	Vertical	11	1.85	-	107.52	31.73	9.45	34.27
PK	5.7252G	59.93	68.20	-8.27	7.17	3	Vertical	11	1.85	-	52.76	31.95	9.50	34.28

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	53.23	54.00	-0.77	6.77	3	Horizontal	310	2.05	-	46.46	31.70	9.33	34.26
AV	5.574G	107.61	Inf	-Inf	6.92	3	Horizontal	310	2.05	-	100.69	31.75	9.44	34.27
PK	5.4624G	62.93	68.20	-5.27	6.81	3	Horizontal	310	2.05	-	56.12	31.72	9.35	34.26
PK	5.574G	117.20	Inf	-Inf	6.92	3	Horizontal	310	2.05	-	110.28	31.75	9.44	34.27
PK	5.7372G	60.98	68.20	-7.22	7.19	3	Horizontal	310	2.05	-	53.79	31.97	9.50	34.28

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16388G	42.67	54.00	-11.33	18.16	3	Vertical	309	1.24	-	24.51	39.64	12.70	34.18
PK	11.16G	55.76	74.00	-18.24	18.18	3	Vertical	309	1.24	-	37.58	39.66	12.70	34.18
PK	16.73488G	62.53	68.20	-5.67	20.88	3	Vertical	336	1.42	-	41.65	39.34	15.38	33.84

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16992G	42.56	54.00	-11.44	18.14	3	Horizontal	230	1.34	-	24.42	39.62	12.70	34.18
PK	11.1578G	55.59	74.00	-18.41	18.19	3	Horizontal	230	1.34	-	37.40	39.67	12.70	34.18
PK	16.74648G	62.68	68.20	-5.52	20.96	3	Horizontal	298	2.17	-	41.72	39.39	15.39	33.82

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4288G	45.34	54.00	-8.66	6.77	3	Vertical	348	2.23	-	38.57	31.70	9.32	34.25
AV	5.6952G	100.85	Inf	-Inf	7.08	3	Vertical	348	2.23	-	93.77	31.87	9.49	34.28
PK	5.466G	57.22	68.20	-10.98	6.82	3	Vertical	348	2.23	-	50.40	31.73	9.35	34.26
PK	5.694G	110.94	Inf	-Inf	7.07	3	Vertical	348	2.23	-	103.87	31.86	9.49	34.28
PK	5.7264G	63.97	68.20	-4.23	7.17	3	Vertical	348	2.23	-	56.80	31.95	9.50	34.28

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	46.30	54.00	-7.70	6.79	3	Horizontal	316	1.93	-	39.51	31.71	9.34	34.26
AV	5.694G	103.35	Inf	-Inf	7.07	3	Horizontal	316	1.93	-	96.28	31.86	9.49	34.28
PK	5.4624G	58.37	68.20	-9.83	6.81	3	Horizontal	316	1.93	-	51.56	31.72	9.35	34.26
PK	5.6952G	113.47	Inf	-Inf	7.08	3	Horizontal	316	1.93	-	106.39	31.87	9.49	34.28
PK	5.7252G	65.64	68.20	-2.56	7.17	3	Horizontal	316	1.93	-	58.47	31.95	9.50	34.28

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39996G	42.49	54.00	-11.51	18.53	3	Vertical	86	2.29	-	23.96	39.90	12.80	34.17
PK	11.4004G	55.80	74.00	-18.20	18.53	3	Vertical	86	2.29	-	37.27	39.90	12.80	34.17
PK	17.09004G	64.56	68.20	-3.64	21.95	3	Vertical	90	2.47	-	42.61	39.69	15.59	33.33

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39928G	42.11	54.00	-11.89	18.53	3	Horizontal	59	2.24	-	23.58	39.90	12.80	34.17
PK	11.39256G	55.40	74.00	-18.60	18.50	3	Horizontal	59	2.24	-	36.90	39.88	12.79	34.17
PK	17.10412G	63.93	68.20	-4.27	21.97	3	Horizontal	304	2.09	-	41.96	39.69	15.60	33.32

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	48.26	54.00	-5.74	6.77	3	Vertical	346	2.12	-	41.49	31.70	9.33	34.26
AV	5.7152G	103.16	Inf	-Inf	7.14	3	Vertical	346	2.12	-	96.02	31.93	9.49	34.28
PK	5.4644G	58.39	68.20	-9.81	6.82	3	Vertical	346	2.12	-	51.57	31.73	9.35	34.26
PK	5.714G	113.11	Inf	-Inf	7.14	3	Vertical	346	2.12	-	105.97	31.93	9.49	34.28
PK	5.858G	59.79	68.20	-8.41	7.60	3	Vertical	346	2.12	-	52.19	32.33	9.57	34.30

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	50.65	54.00	-3.35	6.77	3	Horizontal	320	1.85	-	43.88	31.70	9.33	34.26
AV	5.7128G	105.18	Inf	-Inf	7.14	3	Horizontal	320	1.85	-	98.04	31.93	9.49	34.28
PK	5.4668G	59.02	68.20	-9.18	6.82	3	Horizontal	320	1.85	-	52.20	31.73	9.35	34.26
PK	5.726G	115.13	Inf	-Inf	7.17	3	Horizontal	320	1.85	-	107.96	31.95	9.50	34.28
PK	5.8664G	62.71	68.20	-5.49	7.64	3	Horizontal	320	1.85	-	55.07	32.37	9.57	34.30

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43164G	42.23	54.00	-11.77	18.61	3	Vertical	325	1.68	-	23.62	39.96	12.81	34.16
PK	11.443G	55.75	74.00	-18.25	18.65	3	Vertical	325	1.68	-	37.10	39.99	12.82	34.16
PK	17.15396G	64.10	68.20	-4.10	21.91	3	Vertical	78	1.90	-	42.19	39.59	15.63	33.31

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4366G	42.15	54.00	-11.85	18.62	3	Horizontal	104	1.52	-	23.53	39.97	12.81	34.16
PK	11.43124G	54.93	74.00	-19.07	18.61	3	Horizontal	104	1.52	-	36.32	39.96	12.81	34.16
PK	17.15176G	64.05	68.20	-4.15	21.91	3	Horizontal	15	2.23	-	42.14	39.60	15.62	33.31

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.092G	46.78	54.00	-7.22	6.71	3	Vertical	9	1.83	-	40.07	31.88	9.06	34.23
AV	5.266G	104.88	Inf	-Inf	6.28	3	Vertical	9	1.83	-	98.60	31.37	9.15	34.24
AV	5.428G	52.21	54.00	-1.79	6.77	3	Vertical	9	1.83	-	45.44	31.70	9.32	34.25
PK	5.0968G	59.70	74.00	-14.30	6.72	3	Vertical	9	1.83	-	52.98	31.89	9.06	34.23
PK	5.2672G	114.57	Inf	-Inf	6.28	3	Vertical	9	1.83	-	108.29	31.37	9.15	34.24
PK	5.4616G	61.57	68.20	-6.63	6.81	3	Vertical	9	1.83	-	54.76	31.72	9.35	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1004G	46.67	54.00	-7.33	6.74	3	Horizontal	72	1.88	-	39.93	31.90	9.07	34.23
AV	5.266G	103.43	Inf	-Inf	6.28	3	Horizontal	72	1.88	-	97.15	31.37	9.15	34.24
AV	5.4136G	52.77	54.00	-1.23	6.76	3	Horizontal	72	1.88	-	46.01	31.70	9.31	34.25
PK	5.1052G	58.73	74.00	-15.27	6.74	3	Horizontal	72	1.88	-	51.99	31.90	9.07	34.23
PK	5.2624G	113.50	Inf	-Inf	6.29	3	Horizontal	72	1.88	-	107.21	31.38	9.15	34.24
PK	5.4988G	62.14	68.20	-6.06	6.92	3	Horizontal	72	1.88	-	55.22	31.80	9.38	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78464G	44.96	54.00	-9.04	17.56	3	Vertical	165	1.88	-	27.40	37.28	14.88	34.60
PK	10.51772G	55.38	68.20	-12.82	17.57	3	Vertical	48	1.14	-	37.81	39.70	12.43	34.56
PK	15.78512G	58.28	74.00	-15.72	17.55	3	Vertical	165	1.88	-	40.73	37.27	14.88	34.60

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77028G	45.12	54.00	-8.88	17.64	3	Horizontal	64	2.03	-	27.48	37.35	14.88	34.59
PK	10.5258G	56.13	68.20	-12.07	17.58	3	Horizontal	342	1.77	-	38.55	39.70	12.43	34.55
PK	15.77088G	58.45	74.00	-15.55	17.64	3	Horizontal	64	2.03	-	40.81	37.35	14.88	34.59

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	47.57	54.00	-6.43	6.33	3	Vertical	15	1.89	-	41.24	31.50	9.05	34.22
AV	5.3084G	105.08	Inf	-Inf	6.26	3	Vertical	15	1.89	-	98.82	31.30	9.20	34.24
AV	5.35G	51.98	54.00	-2.02	6.30	3	Vertical	15	1.89	-	45.68	31.30	9.25	34.25
PK	5.1392G	58.78	74.00	-15.22	6.74	3	Vertical	15	1.89	-	52.04	31.90	9.07	34.23
PK	5.3072G	115.51	Inf	-Inf	6.26	3	Vertical	15	1.89	-	109.25	31.30	9.20	34.24
PK	5.468G	63.16	68.20	-5.04	6.83	3	Vertical	15	1.89	-	56.33	31.74	9.35	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	47.75	54.00	-6.25	6.33	3	Horizontal	66	1.91	-	41.42	31.50	9.05	34.22
AV	5.306G	104.15	Inf	-Inf	6.26	3	Horizontal	66	1.91	-	97.89	31.30	9.20	34.24
AV	5.456G	52.98	54.00	-1.02	6.79	3	Horizontal	66	1.91	-	46.19	31.71	9.34	34.26
PK	5.1488G	59.93	74.00	-14.07	6.74	3	Horizontal	66	1.91	-	53.19	31.90	9.07	34.23
PK	5.3036G	114.01	Inf	-Inf	6.25	3	Horizontal	66	1.91	-	107.76	31.30	9.19	34.24
PK	5.4644G	65.66	68.20	-2.54	6.82	3	Horizontal	66	1.91	-	58.84	31.73	9.35	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.9064G	45.77	54.00	-8.23	17.12	3	Vertical	104	2.38	-	28.65	36.91	14.92	34.71
PK	10.59676G	54.96	68.20	-13.24	17.66	3	Vertical	225	2.25	-	37.30	39.70	12.46	34.50
PK	15.9044G	59.22	74.00	-14.78	17.12	3	Vertical	104	2.38	-	42.10	36.91	14.92	34.71

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90116G	45.42	54.00	-8.58	17.11	3	Horizontal	267	2.25	-	28.31	36.90	14.92	34.71
PK	10.59528G	55.71	68.20	-12.49	17.66	3	Horizontal	274	1.28	-	38.05	39.70	12.46	34.50
PK	15.90072G	59.19	74.00	-14.81	17.11	3	Horizontal	267	2.25	-	42.08	36.90	14.92	34.71

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.146G	46.37	54.00	-7.63	6.74	3	Vertical	347	1.43	-	39.63	31.90	9.07	34.23
AV	5.326G	101.23	Inf	-Inf	6.27	3	Vertical	347	1.43	-	94.96	31.30	9.22	34.25
AV	5.44G	51.58	54.00	-2.42	6.77	3	Vertical	347	1.43	-	44.81	31.70	9.33	34.26
PK	5.1124G	57.77	74.00	-16.23	6.74	3	Vertical	347	1.43	-	51.03	31.90	9.07	34.23
PK	5.3224G	110.66	Inf	-Inf	6.26	3	Vertical	347	1.43	-	104.40	31.30	9.21	34.25
PK	5.4784G	66.78	68.20	-1.42	6.86	3	Vertical	347	1.43	-	59.92	31.76	9.36	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.07	54.00	-7.93	6.74	3	Horizontal	307	2.05	-	39.33	31.90	9.07	34.23
AV	5.3248G	101.27	Inf	-Inf	6.27	3	Horizontal	307	2.05	-	95.00	31.30	9.22	34.25
AV	5.44G	51.85	54.00	-2.15	6.77	3	Horizontal	307	2.05	-	45.08	31.70	9.33	34.26
PK	5.1496G	58.75	74.00	-15.25	6.74	3	Horizontal	307	2.05	-	52.01	31.90	9.07	34.23
PK	5.3224G	110.86	Inf	-Inf	6.26	3	Horizontal	307	2.05	-	104.60	31.30	9.21	34.25
PK	5.4736G	67.58	68.20	-0.62	6.85	3	Horizontal	307	2.05	-	60.73	31.75	9.36	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64912G	42.32	54.00	-11.68	17.72	3	Vertical	140	1.36	-	24.60	39.70	12.48	34.46
AV	15.96544G	45.35	54.00	-8.65	17.20	3	Vertical	42	1.45	-	28.15	37.03	14.94	34.77
PK	10.64052G	55.62	74.00	-18.38	17.72	3	Vertical	140	1.36	-	37.90	39.70	12.48	34.46
PK	15.96668G	58.43	74.00	-15.57	17.20	3	Vertical	42	1.45	-	41.23	37.03	14.94	34.77

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64776G	42.38	54.00	-11.62	17.72	3	Horizontal	63	1.22	-	24.66	39.70	12.48	34.46
AV	15.95452G	45.42	54.00	-8.58	17.19	3	Horizontal	243	1.07	-	28.23	37.01	14.94	34.76
PK	10.6362G	55.84	74.00	-18.16	17.71	3	Horizontal	63	1.22	-	38.13	39.70	12.48	34.47
PK	15.9654G	58.69	74.00	-15.31	17.20	3	Horizontal	243	1.07	-	41.49	37.03	14.94	34.77

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4592G	46.58	54.00	-7.42	6.81	3	Vertical	12	1.63	-	39.77	31.72	9.35	34.26
AV	5.4928G	101.61	Inf	-Inf	6.90	3	Vertical	12	1.63	-	94.71	31.79	9.37	34.26
PK	5.4688G	65.07	68.20	-3.13	6.84	3	Vertical	12	1.63	-	58.23	31.74	9.36	34.26
PK	5.494G	111.69	Inf	-Inf	6.91	3	Vertical	12	1.63	-	104.78	31.79	9.38	34.26
PK	5.7688G	57.75	68.20	-10.45	7.26	3	Vertical	12	1.63	-	50.49	32.04	9.51	34.29

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	47.25	54.00	-6.75	6.81	3	Horizontal	308	2.10	-	40.44	31.72	9.35	34.26
AV	5.506G	103.28	Inf	-Inf	6.92	3	Horizontal	308	2.10	-	96.36	31.80	9.38	34.26
PK	5.47G	66.41	68.20	-1.79	6.84	3	Horizontal	308	2.10	-	59.57	31.74	9.36	34.26
PK	5.4964G	113.53	Inf	-Inf	6.91	3	Horizontal	308	2.10	-	106.62	31.79	9.38	34.26
PK	5.7796G	58.43	68.20	-9.77	7.28	3	Horizontal	308	2.10	-	51.15	32.06	9.51	34.29

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00304G	42.21	54.00	-11.79	18.73	3	Vertical	360	1.87	-	23.48	40.29	12.63	34.19
PK	11.00596G	55.98	74.00	-18.02	18.72	3	Vertical	360	1.87	-	37.26	40.28	12.63	34.19
PK	16.49276G	61.46	68.20	-6.74	19.52	3	Vertical	360	1.66	-	41.94	38.56	15.24	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00064G	42.75	54.00	-11.25	18.74	3	Horizontal	249	1.43	-	24.01	40.30	12.63	34.19
PK	10.99504G	56.93	74.00	-17.07	18.73	3	Horizontal	249	1.43	-	38.20	40.29	12.63	34.19
PK	16.50204G	62.71	68.20	-5.49	19.56	3	Horizontal	359	2.59	-	43.15	38.59	15.24	34.27

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	52.35	54.00	-1.65	6.77	3	Vertical	9	1.85	-	45.58	31.70	9.33	34.26
AV	5.5776G	104.37	Inf	-Inf	6.91	3	Vertical	9	1.85	-	97.46	31.74	9.44	34.27
PK	5.4612G	62.21	68.20	-5.99	6.81	3	Vertical	9	1.85	-	55.40	31.72	9.35	34.26
PK	5.5788G	114.81	Inf	-Inf	6.91	3	Vertical	9	1.85	-	107.90	31.74	9.44	34.27
PK	5.7336G	59.64	68.20	-8.56	7.19	3	Vertical	9	1.85	-	52.45	31.97	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	52.81	54.00	-1.19	6.77	3	Horizontal	312	1.96	-	46.04	31.70	9.33	34.26
AV	5.5752G	107.36	Inf	-Inf	6.92	3	Horizontal	312	1.96	-	100.44	31.75	9.44	34.27
PK	5.4636G	62.44	68.20	-5.76	6.82	3	Horizontal	312	1.96	-	55.62	31.73	9.35	34.26
PK	5.574G	117.52	Inf	-Inf	6.92	3	Horizontal	312	1.96	-	110.60	31.75	9.44	34.27
PK	5.7276G	60.89	68.20	-7.31	7.18	3	Horizontal	312	1.96	-	53.71	31.96	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15924G	42.33	54.00	-11.67	18.18	3	Vertical	303	1.87	-	24.15	39.66	12.70	34.18
PK	11.16748G	55.32	74.00	-18.68	18.15	3	Vertical	303	1.87	-	37.17	39.63	12.70	34.18
PK	16.73852G	63.27	68.20	-4.93	20.89	3	Vertical	261	2.49	-	42.38	39.35	15.38	33.84

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16388G	42.38	54.00	-11.62	18.16	3	Horizontal	262	1.96	-	24.22	39.64	12.70	34.18
PK	11.16372G	56.24	74.00	-17.76	18.17	3	Horizontal	262	1.96	-	38.07	39.65	12.70	34.18
PK	16.73548G	62.80	68.20	-5.40	20.88	3	Horizontal	291	1.16	-	41.92	39.34	15.38	33.84

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.66	54.00	-8.34	6.81	3	Vertical	348	2.07	-	38.85	31.72	9.35	34.26
AV	5.694G	100.63	Inf	-Inf	7.07	3	Vertical	348	2.07	-	93.56	31.86	9.49	34.28
PK	5.4624G	57.97	68.20	-10.23	6.81	3	Vertical	348	2.07	-	51.16	31.72	9.35	34.26
PK	5.6964G	110.43	Inf	-Inf	7.09	3	Vertical	348	2.07	-	103.34	31.88	9.49	34.28
PK	5.7276G	63.15	68.20	-5.05	7.18	3	Vertical	348	2.07	-	55.97	31.96	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	45.95	54.00	-8.05	6.77	3	Horizontal	318	1.89	-	39.18	31.70	9.33	34.26
AV	5.694G	102.69	Inf	-Inf	7.07	3	Horizontal	318	1.89	-	95.62	31.86	9.49	34.28
PK	5.4696G	57.87	68.20	-10.33	6.84	3	Horizontal	318	1.89	-	51.03	31.74	9.36	34.26
PK	5.6952G	112.25	Inf	-Inf	7.08	3	Horizontal	318	1.89	-	105.17	31.87	9.49	34.28
PK	5.7264G	64.70	68.20	-3.50	7.17	3	Horizontal	318	1.89	-	57.53	31.95	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39584G	42.00	54.00	-12.00	18.52	3	Vertical	330	1.85	-	23.48	39.89	12.80	34.17
PK	11.39472G	55.53	74.00	-18.47	18.51	3	Vertical	330	1.85	-	37.02	39.88	12.80	34.17
PK	17.09628G	63.83	68.20	-4.37	21.96	3	Vertical	0	2.98	-	41.87	39.70	15.59	33.33

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.396G	42.31	54.00	-11.69	18.52	3	Horizontal	152	1.73	-	23.79	39.89	12.80	34.17
PK	11.41G	55.75	74.00	-18.25	18.55	3	Horizontal	152	1.73	-	37.20	39.92	12.80	34.17
PK	17.10476G	64.23	68.20	-3.97	21.97	3	Horizontal	0	2.28	-	42.26	39.69	15.60	33.32

802.11ac VHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	46.30	54.00	-7.70	6.77	3	Vertical	316	2.65	-	39.53	31.70	9.33	34.26
AV	5.7152G	101.19	Inf	-Inf	7.14	3	Vertical	316	2.65	-	94.05	31.93	9.49	34.28
PK	5.4608G	57.71	68.20	-10.49	6.81	3	Vertical	316	2.65	-	50.90	31.72	9.35	34.26
PK	5.7176G	111.53	Inf	-Inf	7.16	3	Vertical	316	2.65	-	104.37	31.94	9.50	34.28
PK	5.8736G	59.59	68.20	-8.61	7.67	3	Vertical	316	2.65	-	51.92	32.39	9.58	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	46.62	54.00	-7.38	6.77	3	Horizontal	316	1.85	-	39.85	31.70	9.33	34.26
AV	5.7128G	103.85	Inf	-Inf	7.14	3	Horizontal	316	1.85	-	96.71	31.93	9.49	34.28
PK	5.4692G	57.34	68.20	-10.86	6.84	3	Horizontal	316	1.85	-	50.50	31.74	9.36	34.26
PK	5.7248G	113.53	Inf	-Inf	7.17	3	Horizontal	316	1.85	-	106.36	31.95	9.50	34.28
PK	5.8832G	60.16	68.20	-8.04	7.72	3	Horizontal	316	1.85	-	52.44	32.43	9.59	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43732G	42.58	54.00	-11.42	18.62	3	Vertical	85	1.46	-	23.96	39.97	12.81	34.16
PK	11.43088G	55.85	74.00	-18.15	18.61	3	Vertical	85	1.46	-	37.24	39.96	12.81	34.16
PK	17.17G	64.49	68.20	-3.71	21.89	3	Vertical	48	2.41	-	42.60	39.56	15.63	33.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44976G	42.82	54.00	-11.18	18.66	3	Horizontal	351	1.48	-	24.16	40.00	12.82	34.16
PK	11.43768G	56.21	74.00	-17.79	18.63	3	Horizontal	351	1.48	-	37.58	39.98	12.81	34.16
PK	17.15072G	63.87	68.20	-4.33	21.91	3	Horizontal	10	2.31	-	41.96	39.60	15.62	33.31

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	50.08	54.00	-3.92	6.33	3	Vertical	10	1.91	-	43.75	31.50	9.05	34.22
AV	5.282G	95.05	Inf	-Inf	6.27	3	Vertical	10	1.91	-	88.78	31.34	9.17	34.24
AV	5.36G	52.09	54.00	-1.91	6.39	3	Vertical	10	1.91	-	45.70	31.38	9.26	34.25
PK	5.114G	58.92	74.00	-15.08	6.74	3	Vertical	10	1.91	-	52.18	31.90	9.07	34.23
PK	5.2796G	104.47	Inf	-Inf	6.27	3	Vertical	10	1.91	-	98.20	31.34	9.17	34.24
PK	5.4824G	63.17	68.20	-5.03	6.87	3	Vertical	10	1.91	-	56.30	31.76	9.37	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	49.90	54.00	-4.10	6.33	3	Horizontal	70	1.96	-	43.57	31.50	9.05	34.22
AV	5.2856G	93.90	Inf	-Inf	6.26	3	Horizontal	70	1.96	-	87.64	31.33	9.17	34.24
AV	5.4404G	53.26	54.00	-0.74	6.77	3	Horizontal	70	1.96	-	46.49	31.70	9.33	34.26
PK	5.1428G	57.96	74.00	-16.04	6.74	3	Horizontal	70	1.96	-	51.22	31.90	9.07	34.23
PK	5.2796G	103.36	Inf	-Inf	6.27	3	Horizontal	70	1.96	-	97.09	31.34	9.17	34.24
PK	5.5292G	64.24	68.20	-3.96	6.94	3	Horizontal	70	1.96	-	57.30	31.80	9.40	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.81824G	46.03	54.00	-7.97	17.41	3	Vertical	49	1.72	-	28.62	37.15	14.89	34.63
PK	10.5292G	55.12	68.20	-13.08	17.58	3	Vertical	143	2.00	-	37.54	39.70	12.43	34.55
PK	15.81192G	58.68	74.00	-15.32	17.42	3	Vertical	49	1.72	-	41.26	37.16	14.89	34.63

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.82856G	45.91	54.00	-8.09	17.37	3	Horizontal	173	1.23	-	28.54	37.11	14.90	34.64
PK	10.52544G	55.36	68.20	-12.84	17.58	3	Horizontal	100	2.49	-	37.78	39.70	12.43	34.55
PK	15.81344G	58.19	74.00	-15.81	17.42	3	Horizontal	173	1.23	-	40.77	37.16	14.89	34.63

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.136G	47.08	54.00	-6.92	6.74	3	Vertical	342	1.19	-	40.34	31.90	9.07	34.23
AV	5.322G	96.18	Inf	-Inf	6.26	3	Vertical	342	1.19	-	89.92	31.30	9.21	34.25
AV	5.4588G	50.53	54.00	-3.47	6.81	3	Vertical	342	1.19	-	43.72	31.72	9.35	34.26
PK	5.1492G	58.53	74.00	-15.47	6.74	3	Vertical	342	1.19	-	51.79	31.90	9.07	34.23
PK	5.3232G	105.28	Inf	-Inf	6.27	3	Vertical	342	1.19	-	99.01	31.30	9.22	34.25
PK	5.4792G	61.22	68.20	-6.98	6.86	3	Vertical	342	1.19	-	54.36	31.76	9.36	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	47.21	54.00	-6.79	6.74	3	Horizontal	306	2.00	-	40.47	31.90	9.07	34.23
AV	5.3232G	95.35	Inf	-Inf	6.27	3	Horizontal	306	2.00	-	89.08	31.30	9.22	34.25
AV	5.4564G	50.69	54.00	-3.31	6.80	3	Horizontal	306	2.00	-	43.89	31.71	9.35	34.26
PK	5.1432G	58.13	74.00	-15.87	6.74	3	Horizontal	306	2.00	-	51.39	31.90	9.07	34.23
PK	5.3208G	104.62	Inf	-Inf	6.26	3	Horizontal	306	2.00	-	98.36	31.30	9.21	34.25
PK	5.4648G	62.67	68.20	-5.53	6.82	3	Horizontal	306	2.00	-	55.85	31.73	9.35	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60032G	43.01	54.00	-10.99	17.67	3	Vertical	269	1.76	-	25.34	39.70	12.46	34.49
AV	15.92648G	46.29	54.00	-7.71	17.15	3	Vertical	71	2.26	-	29.14	36.95	14.93	34.73
PK	10.61944G	55.10	74.00	-18.90	17.69	3	Vertical	269	1.76	-	37.41	39.70	12.47	34.48
PK	15.94792G	58.85	74.00	-15.15	17.18	3	Vertical	71	2.26	-	41.67	37.00	14.93	34.75

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6376G	42.96	54.00	-11.04	17.71	3	Horizontal	69	1.87	-	25.25	39.70	12.48	34.47
AV	15.9288G	46.23	54.00	-7.77	17.16	3	Horizontal	145	2.00	-	29.07	36.96	14.93	34.73
PK	10.61648G	55.07	74.00	-18.93	17.69	3	Horizontal	69	1.87	-	37.38	39.70	12.47	34.48
PK	15.94192G	58.64	74.00	-15.36	17.16	3	Horizontal	145	2.00	-	41.48	36.98	14.93	34.75

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.47	54.00	-3.53	6.81	3	Vertical	12	1.64	-	43.66	31.72	9.35	34.26
AV	5.4956G	98.72	Inf	-Inf	6.91	3	Vertical	12	1.64	-	91.81	31.79	9.38	34.26
PK	5.4656G	64.39	68.20	-3.81	6.82	3	Vertical	12	1.64	-	57.57	31.73	9.35	34.26
PK	5.498G	107.34	Inf	-Inf	6.92	3	Vertical	12	1.64	-	100.42	31.80	9.38	34.26
PK	5.7524G	57.95	68.20	-10.25	7.22	3	Vertical	12	1.64	-	50.73	32.00	9.51	34.29

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.47	54.00	-2.53	6.81	3	Horizontal	308	2.00	-	44.66	31.72	9.35	34.26
AV	5.5136G	100.40	Inf	-Inf	6.93	3	Horizontal	308	2.00	-	93.47	31.80	9.39	34.26
PK	5.468G	66.58	68.20	-1.62	6.83	3	Horizontal	308	2.00	-	59.75	31.74	9.35	34.26
PK	5.5028G	110.05	Inf	-Inf	6.92	3	Horizontal	308	2.00	-	103.13	31.80	9.38	34.26
PK	5.7956G	57.65	68.20	-10.55	7.32	3	Horizontal	308	2.00	-	50.33	32.09	9.52	34.29

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.01728G	43.27	54.00	-10.73	18.68	3	Vertical	304	1.43	-	24.59	40.23	12.64	34.19
PK	11.01296G	55.49	74.00	-18.51	18.70	3	Vertical	304	1.43	-	36.79	40.25	12.64	34.19
PK	16.5164G	61.02	68.20	-7.18	19.54	3	Vertical	221	1.37	-	41.48	38.53	15.25	34.24

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00792G	42.84	54.00	-11.16	18.71	3	Horizontal	177	1.26	-	24.13	40.27	12.63	34.19
PK	11.03312G	55.37	74.00	-18.63	18.62	3	Horizontal	177	1.26	-	36.75	40.17	12.64	34.19
PK	16.54816G	61.34	68.20	-6.86	19.50	3	Horizontal	358	1.62	-	41.84	38.41	15.27	34.18

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4396G	52.99	54.00	-1.01	6.77	3	Vertical	16	1.63	-	46.22	31.70	9.33	34.26
AV	5.538G	100.71	Inf	-Inf	6.95	3	Vertical	16	1.63	-	93.76	31.80	9.41	34.26
PK	5.4696G	65.49	68.20	-2.71	6.84	3	Vertical	16	1.63	-	58.65	31.74	9.36	34.26
PK	5.5392G	110.31	Inf	-Inf	6.95	3	Vertical	16	1.63	-	103.36	31.80	9.41	34.26
PK	5.7288G	59.42	68.20	-8.78	7.18	3	Vertical	16	1.63	-	52.24	31.96	9.50	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	53.12	54.00	-0.88	6.77	3	Horizontal	309	1.87	-	46.35	31.70	9.33	34.26
AV	5.562G	103.60	Inf	-Inf	6.94	3	Horizontal	309	1.87	-	96.66	31.78	9.43	34.27
PK	5.4696G	66.72	68.20	-1.48	6.84	3	Horizontal	309	1.87	-	59.88	31.74	9.36	34.26
PK	5.562G	113.35	Inf	-Inf	6.94	3	Horizontal	309	1.87	-	106.41	31.78	9.43	34.27
PK	5.8272G	60.48	68.20	-7.72	7.46	3	Horizontal	309	1.87	-	53.02	32.21	9.54	34.29

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.09184G	43.10	54.00	-10.90	18.42	3	Vertical	5	1.09	-	24.68	39.93	12.67	34.18
PK	11.10296G	56.32	74.00	-17.68	18.38	3	Vertical	5	1.09	-	37.94	39.89	12.67	34.18
PK	16.6624G	61.39	68.20	-6.81	20.19	3	Vertical	59	1.74	-	41.20	38.82	15.34	33.97

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.09744G	43.01	54.00	-10.99	18.40	3	Horizontal	292	1.10	-	24.61	39.91	12.67	34.18
PK	11.08768G	55.33	74.00	-18.67	18.44	3	Horizontal	292	1.10	-	36.89	39.95	12.67	34.18
PK	16.66728G	61.27	68.20	-6.93	20.24	3	Horizontal	289	1.20	-	41.03	38.87	15.34	33.97

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	48.59	54.00	-5.41	6.77	3	Vertical	15	1.74	-	41.82	31.70	9.33	34.26
AV	5.6568G	98.77	Inf	-Inf	6.84	3	Vertical	15	1.74	-	91.93	31.64	9.48	34.28
PK	5.4636G	58.67	68.20	-9.53	6.82	3	Vertical	15	1.74	-	51.85	31.73	9.35	34.26
PK	5.6556G	107.81	Inf	-Inf	6.83	3	Vertical	15	1.74	-	100.98	31.63	9.48	34.28
PK	5.7276G	63.14	68.20	-5.06	7.18	3	Vertical	15	1.74	-	55.96	31.96	9.50	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4132G	46.46	54.00	-7.54	6.76	3	Horizontal	318	1.95	-	39.70	31.70	9.31	34.25
AV	5.6604G	102.43	Inf	-Inf	6.86	3	Horizontal	318	1.95	-	95.57	31.66	9.48	34.28
PK	5.4696G	58.93	68.20	-9.27	6.84	3	Horizontal	318	1.95	-	52.09	31.74	9.36	34.26
PK	5.658G	111.31	Inf	-Inf	6.85	3	Horizontal	318	1.95	-	104.46	31.65	9.48	34.28
PK	5.7276G	66.30	68.20	-1.90	7.18	3	Horizontal	318	1.95	-	59.12	31.96	9.50	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.35592G	43.29	54.00	-10.71	18.38	3	Vertical	149	1.50	-	24.91	39.77	12.78	34.17
PK	11.32224G	55.25	74.00	-18.75	18.27	3	Vertical	149	1.50	-	36.98	39.67	12.77	34.17
PK	17.02176G	63.86	68.20	-4.34	21.82	3	Vertical	131	1.14	-	42.04	39.62	15.55	33.35

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.35216G	42.98	54.00	-11.02	18.37	3	Horizontal	145	2.65	-	24.61	39.76	12.78	34.17
PK	11.34464G	54.95	74.00	-19.05	18.33	3	Horizontal	145	2.65	-	36.62	39.73	12.77	34.17
PK	17.00792G	63.67	68.20	-4.53	21.79	3	Horizontal	55	1.50	-	41.88	39.61	15.54	33.36

802.11ac VHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4112G	46.40	54.00	-7.60	6.76	3	Vertical	344	2.04	-	39.64	31.70	9.31	34.25
AV	5.6944G	98.96	Inf	-Inf	7.08	3	Vertical	344	2.04	-	91.88	31.87	9.49	34.28
PK	5.4664G	57.94	68.20	-10.26	6.82	3	Vertical	344	2.04	-	51.12	31.73	9.35	34.26
PK	5.7076G	108.05	Inf	-Inf	7.13	3	Vertical	344	2.04	-	100.92	31.92	9.49	34.28
PK	5.8756G	59.08	68.20	-9.12	7.68	3	Vertical	344	2.04	-	51.40	32.40	9.58	34.30

802.11ac VHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	47.58	54.00	-6.42	6.80	3	Horizontal	315	1.95	-	40.78	31.71	9.35	34.26
AV	5.698G	102.21	Inf	-Inf	7.10	3	Horizontal	315	1.95	-	95.11	31.89	9.49	34.28
PK	5.4628G	57.96	68.20	-10.24	6.82	3	Horizontal	315	1.95	-	51.14	31.73	9.35	34.26
PK	5.6968G	111.80	Inf	-Inf	7.09	3	Horizontal	315	1.95	-	104.71	31.88	9.49	34.28
PK	5.8852G	60.26	68.20	-7.94	7.73	3	Horizontal	315	1.95	-	52.53	32.44	9.59	34.30

802.11ac VHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4004G	43.53	54.00	-10.47	18.53	3	Vertical	314	1.94	-	25.00	39.90	12.80	34.17
PK	11.41352G	55.57	74.00	-18.43	18.56	3	Vertical	314	1.94	-	37.01	39.93	12.80	34.17
PK	17.13752G	63.34	68.20	-4.86	21.93	3	Vertical	178	2.06	-	41.41	39.62	15.62	33.31

802.11ac VHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4048G	43.68	54.00	-10.32	18.54	3	Horizontal	141	1.56	-	25.14	39.91	12.80	34.17
PK	11.44G	55.54	74.00	-18.46	18.63	3	Horizontal	141	1.56	-	36.91	39.98	12.81	34.16
PK	17.11648G	64.01	68.20	-4.19	21.95	3	Horizontal	120	1.82	-	42.06	39.67	15.60	33.32

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	50.91	54.00	-3.09	6.33	3	Vertical	341	1.21	-	44.58	31.50	9.05	34.22
AV	5.3236G	85.12	Inf	-Inf	6.27	3	Vertical	341	1.21	-	78.85	31.30	9.22	34.25
AV	5.35G	53.03	54.00	-0.97	6.30	3	Vertical	341	1.21	-	46.73	31.30	9.25	34.25
PK	5.0908G	57.27	74.00	-16.73	6.71	3	Vertical	341	1.21	-	50.56	31.88	9.06	34.23
PK	5.3248G	93.86	Inf	-Inf	6.27	3	Vertical	341	1.21	-	87.59	31.30	9.22	34.25
PK	5.35G	65.09	74.00	-8.91	6.30	3	Vertical	341	1.21	-	58.79	31.30	9.25	34.25

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	48.58	54.00	-5.42	6.33	3	Horizontal	70	1.93	-	42.25	31.50	9.05	34.22
AV	5.3188G	83.52	Inf	-Inf	6.26	3	Horizontal	70	1.93	-	77.26	31.30	9.21	34.25
AV	5.35G	50.96	54.00	-3.04	6.30	3	Horizontal	70	1.93	-	44.66	31.30	9.25	34.25
PK	5.1496G	57.22	74.00	-16.78	6.74	3	Horizontal	70	1.93	-	50.48	31.90	9.07	34.23
PK	5.3212G	92.54	Inf	-Inf	6.26	3	Horizontal	70	1.93	-	86.28	31.30	9.21	34.25
PK	5.5312G	57.92	68.20	-10.28	6.94	3	Horizontal	70	1.93	-	50.98	31.80	9.40	34.26

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.89112G	46.18	54.00	-7.82	17.15	3	Vertical	278	1.04	-	29.03	36.93	14.92	34.70
PK	10.59536G	54.74	68.20	-13.46	17.66	3	Vertical	265	1.35	-	37.08	39.70	12.46	34.50
PK	15.87304G	58.08	74.00	-15.92	17.21	3	Vertical	278	1.04	-	40.87	36.98	14.91	34.68

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.86472G	46.36	54.00	-7.64	17.24	3	Horizontal	124	1.83	-	29.12	37.01	14.91	34.68
PK	10.59904G	54.76	68.20	-13.44	17.67	3	Horizontal	288	1.24	-	37.09	39.70	12.46	34.49
PK	15.88888G	58.43	74.00	-15.57	17.14	3	Horizontal	124	1.83	-	41.29	36.93	14.91	34.70

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.10	54.00	-4.90	6.81	3	Vertical	10	1.79	-	42.29	31.72	9.35	34.26
AV	5.5G	91.01	Inf	-Inf	6.92	3	Vertical	10	1.79	-	84.09	31.80	9.38	34.26
PK	5.47G	65.32	68.20	-2.88	6.84	3	Vertical	10	1.79	-	58.48	31.74	9.36	34.26
PK	5.5192G	101.17	Inf	-Inf	6.94	3	Vertical	10	1.79	-	94.23	31.80	9.40	34.26
PK	5.8264G	57.52	68.20	-10.68	7.46	3	Vertical	10	1.79	-	50.06	32.21	9.54	34.29

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.04	54.00	-3.96	6.81	3	Horizontal	308	1.95	-	43.23	31.72	9.35	34.26
AV	5.5516G	92.80	Inf	-Inf	6.95	3	Horizontal	308	1.95	-	85.85	31.80	9.42	34.27
PK	5.47G	67.44	68.20	-0.76	6.84	3	Horizontal	308	1.95	-	60.60	31.74	9.36	34.26
PK	5.5192G	103.80	Inf	-Inf	6.94	3	Horizontal	308	1.95	-	96.86	31.80	9.40	34.26
PK	5.8264G	57.65	68.20	-10.55	7.46	3	Horizontal	308	1.95	-	50.19	32.21	9.54	34.29

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02448G	43.47	54.00	-10.53	18.65	3	Vertical	72	1.52	-	24.82	40.20	12.64	34.19
PK	11.07744G	55.23	74.00	-18.77	18.46	3	Vertical	72	1.52	-	36.77	39.99	12.66	34.19
PK	16.55256G	60.64	68.20	-7.56	19.49	3	Vertical	185	2.45	-	41.15	38.39	15.27	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02032G	43.82	54.00	-10.18	18.67	3	Horizontal	296	1.30	-	25.15	40.22	12.64	34.19
PK	11.0376G	55.14	74.00	-18.86	18.61	3	Horizontal	296	1.30	-	36.53	40.15	12.65	34.19
PK	16.55336G	60.97	68.20	-7.23	19.49	3	Horizontal	266	2.37	-	41.48	38.39	15.27	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	51.01	54.00	-2.99	6.81	3	Vertical	9	1.86	-	44.20	31.72	9.35	34.26
AV	5.5776G	96.55	Inf	-Inf	6.91	3	Vertical	9	1.86	-	89.64	31.74	9.44	34.27
PK	5.4636G	64.38	68.20	-3.82	6.82	3	Vertical	9	1.86	-	57.56	31.73	9.35	34.26
PK	5.5992G	107.26	Inf	-Inf	6.89	3	Vertical	9	1.86	-	100.37	31.70	9.46	34.27
PK	5.7276G	61.75	68.20	-6.45	7.18	3	Vertical	9	1.86	-	54.57	31.96	9.50	34.28

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	51.28	54.00	-2.72	6.81	3	Horizontal	310	1.94	-	44.47	31.72	9.35	34.26
AV	5.5764G	99.13	Inf	-Inf	6.92	3	Horizontal	310	1.94	-	92.21	31.75	9.44	34.27
PK	5.4648G	65.13	68.20	-3.07	6.82	3	Horizontal	310	1.94	-	58.31	31.73	9.35	34.26
PK	5.5992G	110.88	Inf	-Inf	6.89	3	Horizontal	310	1.94	-	103.99	31.70	9.46	34.27
PK	5.7348G	65.28	68.20	-2.92	7.19	3	Horizontal	310	1.94	-	58.09	31.97	9.50	34.28

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22972G	43.52	54.00	-10.48	18.08	3	Vertical	232	1.60	-	25.44	39.53	12.73	34.18
PK	11.22024G	55.82	74.00	-18.18	18.06	3	Vertical	232	1.60	-	37.76	39.52	12.72	34.18
PK	16.8177G	62.17	68.20	-6.03	21.29	3	Vertical	165	1.50	-	40.88	39.55	15.43	33.69

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.22576G	43.48	54.00	-10.52	18.07	3	Horizontal	348	1.15	-	25.41	39.53	12.72	34.18
PK	11.22636G	55.83	74.00	-18.17	18.08	3	Horizontal	348	1.15	-	37.75	39.53	12.73	34.18
PK	16.82424G	62.26	68.20	-5.94	21.28	3	Horizontal	298	2.20	-	40.98	39.53	15.43	33.68

802.11ac VHT80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	47.75	54.00	-6.25	6.77	3	Vertical	12	1.92	-	40.98	31.70	9.33	34.26
AV	5.666G	95.86	Inf	-Inf	6.90	3	Vertical	12	1.92	-	88.96	31.70	9.48	34.28
PK	5.4668G	59.04	68.20	-9.16	6.82	3	Vertical	12	1.92	-	52.22	31.73	9.35	34.26
PK	5.678G	106.03	Inf	-Inf	6.97	3	Vertical	12	1.92	-	99.06	31.77	9.48	34.28
PK	5.9132G	59.05	68.20	-9.15	7.81	3	Vertical	12	1.92	-	51.24	32.50	9.61	34.30

802.11ac VHT80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	46.95	54.00	-7.05	6.77	3	Horizontal	317	1.81	-	40.18	31.70	9.33	34.26
AV	5.6684G	99.44	Inf	-Inf	6.91	3	Horizontal	317	1.81	-	92.53	31.71	9.48	34.28
PK	5.4656G	57.60	68.20	-10.60	6.82	3	Horizontal	317	1.81	-	50.78	31.73	9.35	34.26
PK	5.6792G	110.45	Inf	-Inf	6.98	3	Horizontal	317	1.81	-	103.47	31.78	9.48	34.28
PK	5.8508G	61.65	68.20	-6.55	7.56	3	Horizontal	317	1.81	-	54.09	32.30	9.56	34.30

802.11ac VHT80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.35264G	43.07	54.00	-10.93	18.37	3	Vertical	325	1.50	-	24.70	39.76	12.78	34.17
PK	11.35568G	55.44	74.00	-18.56	18.38	3	Vertical	325	1.50	-	37.06	39.77	12.78	34.17
PK	17.0884G	63.57	68.20	-4.63	21.95	3	Vertical	343	1.55	-	41.62	39.69	15.59	33.33

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.38784G	43.71	54.00	-10.29	18.48	3	Horizontal	282	1.79	-	25.23	39.86	12.79	34.17
PK	11.34384G	55.51	74.00	-18.49	18.33	3	Horizontal	282	1.79	-	37.18	39.73	12.77	34.17
PK	17.0612G	63.88	68.20	-4.32	21.89	3	Horizontal	268	2.25	-	41.99	39.66	15.57	33.34