



FCC 47 CFR PART 15 SUBPART C 15.247

TEST REPORT

FOR

WIFI SMART PLUG MINI

Model : MK100, MK101, MK102, MK103, MK104, MK105,
MK106, MK107, MK108, MK109, MK110

Issued to

MOKO TECHNOLOGY LIMITED

2F, Building1, No.37 Xixintang Xintang village, Fucheng Street, Longhua
District, Shenzhen, Guangdong Province, China

Issued by
WH Technology Corp.



Open Site		No.120, Ln. 5, Hudong St., Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
EMC Test Site	Xizhi Office and Lab	7F., No.262, Sec. 3, Datong Rd., Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
Tel.: +886-7729-7707 Fax: +886-2- 8648-1311		

Note: This test refers exclusively to the test presented test model and sample. This report shall not be reproduced except in full, without the written approval of WH Technology Corp.. This document may be altered or revised by WH Technology Corp.. Personnel only, and shall be noted in the revision section of the document.



1. GENERAL INFORMATION

Applicant/ Manufacturer : MOKO TECHNOLOGY LIMITED
Address : 2F, Building1, No.37 Xiaxintang Xintang village, Fucheng Street, Longhua District, Shenzhen, Guangdong Province, China
Factory : MOKO TECHNOLOGY LIMITED
Address : 2F, Building1, No.37 Xiaxintang Xintang village, Fucheng Street, Longhua District, Shenzhen, Guangdong Province, China
EUT : WiFi Smart Plug Mini
Model Name : MK100, MK101, MK102, MK103, MK104, MK105, MK106, MK107, MK108, MK109, MK110
Trade Name : N/A
Model Differences : Only model name is different, the other exactly the same. Model name difference is only for different customer needs.

Is here with confirmed to comply with the requirements set out in the FCC Rules and Regulations Part 15 Subpart C and the measurement procedures were according to ANSI C63.10-2013. The said equipment in the configuration described in this report shows the maximum emission levels emanating

FCC part 15 Subpart C

Receipt Date : 04/02/2018

Final Test Date : 04/02/2018

Tested By:

Reviewed by:

April 2,
2018
(Date)

Bing Chang/ Engineer

April 2, 2018

(Date)



Bell Wei / Manager

Designation Number: TW2954



EUT Specification

EUT:	WiFi Smart Plug Mini
M/N:	MK100
Frequency band: (Operating)	☒ WLAN:2.142G~2.462GHz ☐ WLAN:5.18G~5.32GHz/5.50GHz~5.70GHz ☐ WLAN:5.745G~5.825GHz ☐ Others(Bluetooth:2.402GHz~2.480GHz)
Device category:	☐ Portable (<20cm separation) ☒ Mobile (>20cm separation) ☐ Others ____
Antenna diversity:	☒ Single antenna ☐ Multiple antennas ☐ Tx diversity ☐ Rx diversity ☐ Tx/Rx diversity
Max. Output Power:	22.34dBm
Antenna Type:	PCB Antenna
Antenna gain:	3dBi
Evaluation applied:	☒ MPE Evaluation ☐ SAR Evaluation

**Limits for Maximum Permissible Exposure (MPE)**

Frequency Range(MHz)	Electric Field Strength(V/m)	Magnetic Field Strength(A/m)	Power Density(mW/cm ²)	Average Time
(A) Limits for Occupational/Control Exposures				
300-1500	--	--	F/300	6
1500-1	--	--	5	6
(B) Limits for General Population/Uncontrol Exposures				
300-1500	--	--	F/1500	6
1500-100000	--	--	1	30

Friis transmission formula: $P_d = (P_{out} * G) / (4 * \pi * R^2)$

Where

Pd= Power density in mW/cm²

Pout=output power to antenna in mW

G= gain of antenna in linear scale

Pi=3.1416

R= distance between observation point and center of the radiator in cm

Pd the limit of MPE, 1mW/cm². If we know the maximum gain of the antenna and total power input to the antenna, through the calculation, we will know the distance where the MPE limit is Reached.

Measurement Result

Channel	Channel Frequency (MHz)	Max Output power (dBm)	Tolerance	Antenna gain	Max Tune-UP power (mW)	Power density at 20cm (mW/cm ²)	Power density Limits (mW/cm ²)
Test Mode: 802.11b							
Low	2412	22.09	±0.5	3dBi	181.5515	0.072066	1
Middle	2437	21.72	±0.5	3dBi	166.7247	0.066180	1
High	2462	22.29	±0.5	3dBi	190.1078	0.075462	1
Test Mode: 802.11g							
Low	2412	22.22	±0.5	3dBi	187.0682	0.074256	1
Middle	2437	22.34	±0.5	3dBi	192.3091	0.076336	1
High	2462	22.24	±0.5	3dBi	187.9316	0.074598	1
Test Mode: 802.11n(HT20)							
Low	2412	21.27	±0.5	3dBi	150.3141	0.059666	1
Middle	2437	21.34	±0.5	3dBi	152.7566	0.060636	1
High	2462	21.11	±0.5	3dBi	144.8771	0.057508	1

---END---