

**Use Responsibly**Do not use Rockerz 480 when it's unsafe to do so-while operating a vehicle,

cooking street, or during my activity or in so so-wine specialing a vehicle, according street, or during my activity or in so-wine where your full attention to your activations of the street on the your substrated in the your surroundings is removed. It is damperous to drive while wearing on-ear headphones, and in many places, alternate your control of the work of

1. On/Off/Play/Pause/call 2. Volume Up / Forward 3. Volume Down / Previous 4. Micro USB Jack 5 LED indicator 6. Bass effect/Enable or Disable LED



Power ON / OFF Fress and hold the Multifunction button to turn the headphones ON. The LED Indicator will flash when the headphones are turned ON. Press and hold the button to turn the headphones OFF. The LED indicator will stop flashing when the headphones are turned OFF.

Charging the headphones
Use the Micro USB cable and connect headphones to your
computer or adapter device made for USB charging. A LED indicator will turn on when the headphones are charging. The LED light
will turn of when headphones are fully charges.

- Make sure your phone, computer or music device is turned on and within 1 meter of each other. Hold down the centre multifunction ON/OFF button for
- about 3 seconds until LED starts to flash
- about 3 seconds until LED starts to hash
  Activate the Bluetooth feature on your phone or device
  and set it to search for Bluetooth device (discoverable).
  Select "boAt Rockerz 640" from the list of found devices. If necessary, enter passcode "0000" to pair and connect the
- headphones to your device.
  Once successfully paired, the LED light will flash for a few

- Press multifunction button Play/Pause to start and pause audio.
- Press the Vol + button to increase volume. Press and hold Vol + to skip forward to the next track. Press the Vol - button to decrease volume.
- Press the viol button to decrease volume.

  Press and hold this button to go back to the previous track.

  Press the other Multifunction button to
- activate BASS Boost.
- Press and hold the other multifunction (bass boost) button for 3 seconds to enable or disable the LED.
- Once successfully paired, the LED light will flash for a few seconds.

- To answer an incoming call, press the centre
- multifunction button.
  To end call, press the multifunction button
- To redial last number, press multifunction
- button for 2 seconds.

# FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expresslyapproved by the party responsible for compliance could void the users authority to operate the

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can raciate radio frequency energy and, if not installed and used in accordance with the instructions may cause harmful interference to radio communications. However, there is no quarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which car be determined by turring the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or reocate the receiving antenna.
- . Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- . Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without

