

Band: 26b / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.38	-9.22	11.01	<=38.45	Pass
			7	22.20	-9.22	10.83	<=38.45	Pass
			14	22.31	-9.22	10.94	<=38.45	Pass
		8	0	21.35	-9.22	9.98	<=38.45	Pass
			4	21.43	-9.22	10.06	<=38.45	Pass
			7	21.35	-9.22	9.98	<=38.45	Pass
		15	0	21.33	-9.22	9.96	<=38.45	Pass
	836.5	1	0	22.43	-9.22	11.06	<=38.45	Pass
			7	22.28	-9.22	10.91	<=38.45	Pass
			14	22.23	-9.22	10.86	<=38.45	Pass
		8	0	21.35	-9.22	9.98	<=38.45	Pass
			4	21.16	-9.22	9.79	<=38.45	Pass
			7	21.18	-9.22	9.81	<=38.45	Pass
		15	0	21.17	-9.22	9.80	<=38.45	Pass
	847.5	1	0	22.06	-9.22	10.69	<=38.45	Pass
			7	22.12	-9.22	10.75	<=38.45	Pass
			14	22.07	-9.22	10.70	<=38.45	Pass
		8	0	21.55	-9.22	10.18	<=38.45	Pass
			4	21.48	-9.22	10.11	<=38.45	Pass
			7	21.00	-9.22	9.63	<=38.45	Pass
		15	0	21.58	-9.22	10.21	<=38.45	Pass
16QAM	825.5	1	0	22.23	-9.22	10.86	<=38.45	Pass
			7	22.53	-9.22	11.16	<=38.45	Pass
			14	21.48	-9.22	10.11	<=38.45	Pass
		8	0	20.60	-9.22	9.23	<=38.45	Pass
			4	20.43	-9.22	9.06	<=38.45	Pass
			7	20.51	-9.22	9.14	<=38.45	Pass
		15	0	20.35	-9.22	8.98	<=38.45	Pass
	836.5	1	0	21.37	-9.22	10.00	<=38.45	Pass
			7	21.99	-9.22	10.62	<=38.45	Pass
			14	22.41	-9.22	11.04	<=38.45	Pass
		8	0	20.44	-9.22	9.07	<=38.45	Pass
			4	20.43	-9.22	9.06	<=38.45	Pass
			7	20.33	-9.22	8.96	<=38.45	Pass
		15	0	20.28	-9.22	8.91	<=38.45	Pass
	847.5	1	0	22.98	-9.22	11.61	<=38.45	Pass
			7	21.61	-9.22	10.24	<=38.45	Pass
			14	21.79	-9.22	10.42	<=38.45	Pass
		8	0	20.64	-9.22	9.27	<=38.45	Pass
			4	20.70	-9.22	9.33	<=38.45	Pass
			7	20.88	-9.22	9.51	<=38.45	Pass
		15	0	20.65	-9.22	9.28	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.15	-9.22	10.78	<=38.45	Pass
			13	22.08	-9.22	10.71	<=38.45	Pass
			24	22.38	-9.22	11.01	<=38.45	Pass
		12	0	21.24	-9.22	9.87	<=38.45	Pass
			6	21.34	-9.22	9.97	<=38.45	Pass
			13	21.28	-9.22	9.91	<=38.45	Pass
		25	0	21.27	-9.22	9.90	<=38.45	Pass



16QAM	836.5	1	0	22.26	-9.22	10.89	<=38.45	Pass
			13	22.20	-9.22	10.83	<=38.45	Pass
			24	22.12	-9.22	10.75	<=38.45	Pass
		12	0	21.36	-9.22	9.99	<=38.45	Pass
			6	21.13	-9.22	9.76	<=38.45	Pass
			13	21.18	-9.22	9.81	<=38.45	Pass
		25	0	21.17	-9.22	9.80	<=38.45	Pass
	846.5	1	0	22.18	-9.22	10.81	<=38.45	Pass
			13	22.19	-9.22	10.82	<=38.45	Pass
			24	22.10	-9.22	10.73	<=38.45	Pass
		12	0	21.28	-9.22	9.91	<=38.45	Pass
			6	21.59	-9.22	10.22	<=38.45	Pass
			13	21.54	-9.22	10.17	<=38.45	Pass
		25	0	21.60	-9.22	10.23	<=38.45	Pass
	826.5	1	0	20.82	-9.22	9.45	<=38.45	Pass
			13	21.68	-9.22	10.31	<=38.45	Pass
			24	22.15	-9.22	10.78	<=38.45	Pass
		12	0	20.40	-9.22	9.03	<=38.45	Pass
			6	20.26	-9.22	8.89	<=38.45	Pass
			13	20.32	-9.22	8.95	<=38.45	Pass
		25	0	20.42	-9.22	9.05	<=38.45	Pass
	836.5	1	0	21.74	-9.22	10.37	<=38.45	Pass
			13	20.66	-9.22	9.29	<=38.45	Pass
			24	21.61	-9.22	10.24	<=38.45	Pass
		12	0	20.31	-9.22	8.94	<=38.45	Pass
			6	20.21	-9.22	8.84	<=38.45	Pass
			13	20.23	-9.22	8.86	<=38.45	Pass
		25	0	20.30	-9.22	8.93	<=38.45	Pass
	846.5	1	0	21.90	-9.22	10.53	<=38.45	Pass
			13	22.06	-9.22	10.69	<=38.45	Pass
			24	20.56	-9.22	9.19	<=38.45	Pass
		12	0	20.41	-9.22	9.04	<=38.45	Pass
			6	20.62	-9.22	9.25	<=38.45	Pass
			13	20.55	-9.22	9.18	<=38.45	Pass
		25	0	20.65	-9.22	9.28	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.21	-9.22	10.84	<=38.45	Pass
			25	22.28	-9.22	10.91	<=38.45	Pass
			49	22.31	-9.22	10.94	<=38.45	Pass
		25	0	21.37	-9.22	10.00	<=38.45	Pass
			13	21.66	-9.22	10.29	<=38.45	Pass
			25	21.32	-9.22	9.95	<=38.45	Pass
		50	0	21.59	-9.22	10.22	<=38.45	Pass
	836.5	1	0	22.20	-9.22	10.83	<=38.45	Pass
			25	22.26	-9.22	10.89	<=38.45	Pass
			49	22.37	-9.22	11.00	<=38.45	Pass
		25	0	21.35	-9.22	9.98	<=38.45	Pass
			13	21.12	-9.22	9.75	<=38.45	Pass
			25	21.26	-9.22	9.89	<=38.45	Pass
		50	0	21.11	-9.22	9.74	<=38.45	Pass
	844	1	0	22.43	-9.22	11.06	<=38.45	Pass
			25	22.39	-9.22	11.02	<=38.45	Pass

16QAM	829	25	49	22.30	-9.22	10.93	<=38.45	Pass
			0	21.22	-9.22	9.85	<=38.45	Pass
			13	21.17	-9.22	9.80	<=38.45	Pass
			25	21.67	-9.22	10.30	<=38.45	Pass
		50	0	21.11	-9.22	9.74	<=38.45	Pass
	836.5	1	0	22.23	-9.22	10.86	<=38.45	Pass
			25	22.53	-9.22	11.16	<=38.45	Pass
			49	22.19	-9.22	10.82	<=38.45	Pass
		25	0	20.35	-9.22	8.98	<=38.45	Pass
			13	20.65	-9.22	9.28	<=38.45	Pass
			25	20.28	-9.22	8.91	<=38.45	Pass
		50	0	20.66	-9.22	9.29	<=38.45	Pass
		1	0	21.32	-9.22	9.95	<=38.45	Pass
			25	21.72	-9.22	10.35	<=38.45	Pass
			49	21.94	-9.22	10.57	<=38.45	Pass
		25	0	20.51	-9.22	9.14	<=38.45	Pass
			13	20.20	-9.22	8.83	<=38.45	Pass
			25	20.20	-9.22	8.83	<=38.45	Pass
	844	1	0	20.29	-9.22	8.92	<=38.45	Pass
			0	21.92	-9.22	10.55	<=38.45	Pass
			25	21.87	-9.22	10.50	<=38.45	Pass
		25	49	21.81	-9.22	10.44	<=38.45	Pass
			0	20.79	-9.22	9.42	<=38.45	Pass
			13	20.40	-9.22	9.03	<=38.45	Pass
		50	25	20.70	-9.22	9.33	<=38.45	Pass
			0	20.36	-9.22	8.99	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	22.29	-9.22	10.92	<=38.45	Pass
			38	22.30	-9.22	10.93	<=38.45	Pass
			74	22.32	-9.22	10.95	<=38.45	Pass
		36	0	21.59	-9.22	10.22	<=38.45	Pass
			18	21.37	-9.22	10.00	<=38.45	Pass
			39	21.35	-9.22	9.98	<=38.45	Pass
		75	0	21.31	-9.22	9.94	<=38.45	Pass
	836.5	1	0	22.14	-9.22	10.77	<=38.45	Pass
			38	22.14	-9.22	10.77	<=38.45	Pass
			74	22.06	-9.22	10.69	<=38.45	Pass
		36	0	21.32	-9.22	9.95	<=38.45	Pass
			18	21.16	-9.22	9.79	<=38.45	Pass
			39	21.23	-9.22	9.86	<=38.45	Pass
		75	0	21.24	-9.22	9.87	<=38.45	Pass
	841.5	1	0	22.50	-9.22	11.13	<=38.45	Pass
			38	22.49	-9.22	11.12	<=38.45	Pass
			74	22.31	-9.22	10.94	<=38.45	Pass
		36	0	21.23	-9.22	9.86	<=38.45	Pass
			18	21.26	-9.22	9.89	<=38.45	Pass
			39	21.41	-9.22	10.04	<=38.45	Pass
		75	0	21.21	-9.22	9.84	<=38.45	Pass
16QAM	831.5	1	0	22.21	-9.22	10.84	<=38.45	Pass
			38	22.24	-9.22	10.87	<=38.45	Pass
			74	22.05	-9.22	10.68	<=38.45	Pass
		36	0	20.63	-9.22	9.26	<=38.45	Pass



			18	20.28	-9.22	8.91	<=38.45	Pass	
			39	20.41	-9.22	9.04	<=38.45	Pass	
		75	0	20.16	-9.22	8.79	<=38.45	Pass	
	836.5	1	0	22.36	-9.22	10.99	<=38.45	Pass	
			38	21.95	-9.22	10.58	<=38.45	Pass	
			74	21.81	-9.22	10.44	<=38.45	Pass	
		36	0	20.65	-9.22	9.28	<=38.45	Pass	
			18	20.22	-9.22	8.85	<=38.45	Pass	
			39	20.74	-9.22	9.37	<=38.45	Pass	
		75	0	20.22	-9.22	8.85	<=38.45	Pass	
		841.5	1	0	22.09	-9.22	10.72	<=38.45	Pass
				38	21.94	-9.22	10.57	<=38.45	Pass
	74			21.79	-9.22	10.42	<=38.45	Pass	
	36		0	20.36	-9.22	8.99	<=38.45	Pass	
			18	20.86	-9.22	9.49	<=38.45	Pass	
			39	20.58	-9.22	9.21	<=38.45	Pass	
	75		0	20.71	-9.22	9.34	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	-29.154	-0.0354	-2.5 to 2.5	Pass
					3.85	-36.993	-0.0449	-2.5 to 2.5	Pass
					4.43	-12.703	-0.0154	-2.5 to 2.5	Pass
				-30	3.85	-13.447	-0.0163	-2.5 to 2.5	Pass
				-20	3.85	-6.022	-0.0073	-2.5 to 2.5	Pass
				-10	3.85	-33.474	-0.0406	-2.5 to 2.5	Pass
				0	3.85	-36.035	-0.0437	-2.5 to 2.5	Pass
				10	3.85	-11.802	-0.0143	-2.5 to 2.5	Pass
				30	3.85	-31.142	-0.0378	-2.5 to 2.5	Pass
				40	3.85	-2.804	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-22.502	-0.0273	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-28.067	-0.0336	-2.5 to 2.5	Pass
					3.85	-41.227	-0.0493	-2.5 to 2.5	Pass
					4.43	-29.440	-0.0352	-2.5 to 2.5	Pass
				-30	3.85	-10.028	-0.0120	-2.5 to 2.5	Pass
				-20	3.85	-30.727	-0.0367	-2.5 to 2.5	Pass
				-10	3.85	0.587	0.0007	-2.5 to 2.5	Pass
				0	3.85	-18.311	-0.0219	-2.5 to 2.5	Pass
				10	3.85	-31.700	-0.0379	-2.5 to 2.5	Pass
				30	3.85	-38.452	-0.0460	-2.5 to 2.5	Pass
				40	3.85	-3.176	-0.0038	-2.5 to 2.5	Pass
				50	3.85	-9.699	-0.0116	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	33.345	0.0393	-2.5 to 2.5	Pass
					3.85	-16.651	-0.0196	-2.5 to 2.5	Pass
					4.43	-20.599	-0.0243	-2.5 to 2.5	Pass
				-30	3.85	-18.826	-0.0222	-2.5 to 2.5	Pass
				-20	3.85	-16.079	-0.0190	-2.5 to 2.5	Pass
				-10	3.85	-13.533	-0.0160	-2.5 to 2.5	Pass



16QAM	824.7	6	0	0	3.85	-13.490	-0.0159	-2.5 to 2.5	Pass
				10	3.85	-10.471	-0.0123	-2.5 to 2.5	Pass
				30	3.85	-6.394	-0.0075	-2.5 to 2.5	Pass
				40	3.85	-1.144	-0.0013	-2.5 to 2.5	Pass
				50	3.85	4.835	0.0057	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	24.920	0.0302	-2.5 to 2.5	Pass
					3.85	-11.759	-0.0143	-2.5 to 2.5	Pass
					4.43	-8.712	-0.0106	-2.5 to 2.5	Pass
				-30	3.85	-7.968	-0.0097	-2.5 to 2.5	Pass
				-20	3.85	-6.166	-0.0075	-2.5 to 2.5	Pass
				-10	3.85	-4.821	-0.0058	-2.5 to 2.5	Pass
				0	3.85	-2.661	-0.0032	-2.5 to 2.5	Pass
				10	3.85	-1.345	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-4.749	-0.0058	-2.5 to 2.5	Pass
				40	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
				50	3.85	6.566	0.0080	-2.5 to 2.5	Pass
				20	3.27	19.484	0.0233	-2.5 to 2.5	Pass
					3.85	-10.042	-0.0120	-2.5 to 2.5	Pass
					4.43	-8.698	-0.0104	-2.5 to 2.5	Pass
				-30	3.85	-5.279	-0.0063	-2.5 to 2.5	Pass
				-20	3.85	-1.101	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-6.652	-0.0080	-2.5 to 2.5	Pass
				0	3.85	-1.202	-0.0014	-2.5 to 2.5	Pass
				10	3.85	4.034	0.0048	-2.5 to 2.5	Pass
				30	3.85	5.050	0.0060	-2.5 to 2.5	Pass
				40	3.85	5.121	0.0061	-2.5 to 2.5	Pass
				50	3.85	5.436	0.0065	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	11.430	0.0135	-2.5 to 2.5	Pass
					3.85	-28.424	-0.0335	-2.5 to 2.5	Pass
					4.43	-10.829	-0.0128	-2.5 to 2.5	Pass
				-30	3.85	2.890	0.0034	-2.5 to 2.5	Pass
				-20	3.85	14.205	0.0167	-2.5 to 2.5	Pass
				-10	3.85	18.682	0.0220	-2.5 to 2.5	Pass
				0	3.85	30.184	0.0356	-2.5 to 2.5	Pass
				10	3.85	39.282	0.0463	-2.5 to 2.5	Pass
				30	3.85	45.805	0.0540	-2.5 to 2.5	Pass
				40	3.85	4.749	0.0056	-2.5 to 2.5	Pass
				50	3.85	13.332	0.0157	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	15.621	0.0189	-2.5 to 2.5	Pass
					3.85	-23.532	-0.0285	-2.5 to 2.5	Pass
					4.43	-17.467	-0.0212	-2.5 to 2.5	Pass
				-30	3.85	-4.606	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-0.973	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	6.366	0.0077	-2.5 to 2.5	Pass
				0	3.85	11.988	0.0145	-2.5 to 2.5	Pass
				10	3.85	18.382	0.0223	-2.5 to 2.5	Pass
				30	3.85	25.020	0.0303	-2.5 to 2.5	Pass
				40	3.85	32.043	0.0388	-2.5 to 2.5	Pass
				50	3.85	39.611	0.0480	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-10.972	-0.0131	-2.5 to 2.5	Pass
					3.85	-2.646	-0.0032	-2.5 to 2.5	Pass
					4.43	8.254	0.0099	-2.5 to 2.5	Pass



				-30	3.85	17.138	0.0205	-2.5 to 2.5	Pass
				-20	3.85	21.343	0.0255	-2.5 to 2.5	Pass
				-10	3.85	26.550	0.0317	-2.5 to 2.5	Pass
				0	3.85	28.439	0.0340	-2.5 to 2.5	Pass
				10	3.85	31.629	0.0378	-2.5 to 2.5	Pass
				30	3.85	32.701	0.0391	-2.5 to 2.5	Pass
				40	3.85	34.046	0.0407	-2.5 to 2.5	Pass
				50	3.85	35.963	0.0430	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-19.512	-0.0230	-2.5 to 2.5	Pass
					3.85	-10.872	-0.0128	-2.5 to 2.5	Pass
					4.43	20.585	0.0243	-2.5 to 2.5	Pass
				-30	3.85	45.033	0.0531	-2.5 to 2.5	Pass
				-20	3.85	9.871	0.0116	-2.5 to 2.5	Pass
				-10	3.85	25.735	0.0304	-2.5 to 2.5	Pass
				0	3.85	37.808	0.0446	-2.5 to 2.5	Pass
				10	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				30	3.85	9.542	0.0113	-2.5 to 2.5	Pass
				40	3.85	17.710	0.0209	-2.5 to 2.5	Pass
				50	3.85	34.390	0.0406	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.27	1.917	0.0023	-2.5 to 2.5	Pass
					3.85	-35.419	-0.0429	-2.5 to 2.5	Pass
					4.43	-17.238	-0.0209	-2.5 to 2.5	Pass
				-30	3.85	-3.619	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	7.381	0.0089	-2.5 to 2.5	Pass
				-10	3.85	16.079	0.0195	-2.5 to 2.5	Pass
				0	3.85	20.814	0.0252	-2.5 to 2.5	Pass
				10	3.85	31.443	0.0381	-2.5 to 2.5	Pass
				30	3.85	42.057	0.0509	-2.5 to 2.5	Pass
				40	3.85	47.536	0.0576	-2.5 to 2.5	Pass
				50	3.85	11.058	0.0134	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-15.264	-0.0182	-2.5 to 2.5	Pass
					3.85	-11.172	-0.0134	-2.5 to 2.5	Pass
					4.43	-0.672	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	5.136	0.0061	-2.5 to 2.5	Pass
				-20	3.85	10.185	0.0122	-2.5 to 2.5	Pass
				-10	3.85	18.668	0.0223	-2.5 to 2.5	Pass
				0	3.85	21.100	0.0252	-2.5 to 2.5	Pass
				10	3.85	27.337	0.0327	-2.5 to 2.5	Pass
				30	3.85	30.398	0.0363	-2.5 to 2.5	Pass
				40	3.85	29.840	0.0357	-2.5 to 2.5	Pass
				50	3.85	32.544	0.0389	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-31.543	-0.0372	-2.5 to 2.5	Pass
					3.85	-31.185	-0.0368	-2.5 to 2.5	Pass
					4.43	7.310	0.0086	-2.5 to 2.5	Pass
				-30	3.85	38.152	0.0450	-2.5 to 2.5	Pass
				-20	3.85	12.016	0.0142	-2.5 to 2.5	Pass
				-10	3.85	29.426	0.0347	-2.5 to 2.5	Pass
				0	3.85	43.359	0.0512	-2.5 to 2.5	Pass
				10	3.85	11.144	0.0131	-2.5 to 2.5	Pass
				30	3.85	19.584	0.0231	-2.5 to 2.5	Pass
				40	3.85	31.056	0.0366	-2.5 to 2.5	Pass
				50	3.85	39.167	0.0462	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	

QPSK	826.5	25	0	20	3.27	-29.254	-0.0354	-2.5 to 2.5	Pass
					3.85	-19.255	-0.0233	-2.5 to 2.5	Pass
					4.43	6.723	0.0081	-2.5 to 2.5	Pass
				-30	3.85	24.533	0.0297	-2.5 to 2.5	Pass
				-20	3.85	35.634	0.0431	-2.5 to 2.5	Pass
				-10	3.85	43.130	0.0522	-2.5 to 2.5	Pass
				0	3.85	0.658	0.0008	-2.5 to 2.5	Pass
				10	3.85	7.825	0.0095	-2.5 to 2.5	Pass
				30	3.85	19.898	0.0241	-2.5 to 2.5	Pass
	836.5	25	0	20	3.85	27.838	0.0337	-2.5 to 2.5	Pass
					3.85	39.067	0.0473	-2.5 to 2.5	Pass
					3.85	39.067	0.0473	-2.5 to 2.5	Pass
				-30	3.27	-30.227	-0.0361	-2.5 to 2.5	Pass
				-20	3.85	-29.755	-0.0356	-2.5 to 2.5	Pass
				-10	4.43	-17.338	-0.0207	-2.5 to 2.5	Pass
				0	3.85	-11.573	-0.0138	-2.5 to 2.5	Pass
				10	3.85	-2.890	-0.0035	-2.5 to 2.5	Pass
				30	3.85	0.529	0.0006	-2.5 to 2.5	Pass
16QAM	846.5	25	0	20	3.85	4.821	0.0058	-2.5 to 2.5	Pass
					3.85	7.381	0.0088	-2.5 to 2.5	Pass
					3.85	7.381	0.0088	-2.5 to 2.5	Pass
				-30	3.85	8.097	0.0097	-2.5 to 2.5	Pass
				-20	3.85	10.858	0.0130	-2.5 to 2.5	Pass
				-10	3.85	10.715	0.0128	-2.5 to 2.5	Pass
				0	3.85	10.715	0.0128	-2.5 to 2.5	Pass
				10	3.27	-31.142	-0.0368	-2.5 to 2.5	Pass
				30	3.85	-22.974	-0.0271	-2.5 to 2.5	Pass
	826.5	25	0	20	4.43	5.422	0.0064	-2.5 to 2.5	Pass
					3.85	35.734	0.0422	-2.5 to 2.5	Pass
					3.85	35.734	0.0422	-2.5 to 2.5	Pass
				-30	3.85	6.566	0.0078	-2.5 to 2.5	Pass
				-20	3.85	22.001	0.0260	-2.5 to 2.5	Pass
				-10	3.85	35.362	0.0418	-2.5 to 2.5	Pass
				0	3.85	-0.830	-0.0010	-2.5 to 2.5	Pass
				10	3.85	11.158	0.0132	-2.5 to 2.5	Pass
				30	3.85	20.728	0.0245	-2.5 to 2.5	Pass
16QAM	836.5	25	0	20	3.85	31.843	0.0376	-2.5 to 2.5	Pass
					3.85	31.843	0.0376	-2.5 to 2.5	Pass
					3.85	31.843	0.0376	-2.5 to 2.5	Pass
				-30	3.27	-28.224	-0.0341	-2.5 to 2.5	Pass
				-20	3.85	-4.978	-0.0060	-2.5 to 2.5	Pass
				-10	4.43	13.261	0.0160	-2.5 to 2.5	Pass
				0	3.85	26.751	0.0324	-2.5 to 2.5	Pass
				10	3.85	35.162	0.0425	-2.5 to 2.5	Pass
				30	3.85	39.024	0.0472	-2.5 to 2.5	Pass
16QAM	846.5	25	0	20	3.85	45.218	0.0547	-2.5 to 2.5	Pass
					3.85	46.005	0.0557	-2.5 to 2.5	Pass
					3.85	46.005	0.0557	-2.5 to 2.5	Pass
				-30	3.85	0.429	0.0005	-2.5 to 2.5	Pass
				-20	3.85	1.473	0.0018	-2.5 to 2.5	Pass
				-10	3.85	4.692	0.0057	-2.5 to 2.5	Pass
				0	3.27	-27.366	-0.0327	-2.5 to 2.5	Pass
				10	3.85	-13.962	-0.0167	-2.5 to 2.5	Pass
				30	4.43	-6.008	-0.0072	-2.5 to 2.5	Pass
16QAM	836.5	25	0	20	3.85	-1.888	-0.0023	-2.5 to 2.5	Pass
					3.85	0.272	0.0003	-2.5 to 2.5	Pass
					3.85	0.272	0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.930	0.0011	-2.5 to 2.5	Pass
				-20	3.85	-1.330	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	-1.860	-0.0022	-2.5 to 2.5	Pass
				0	3.85	-1.659	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-6.022	-0.0072	-2.5 to 2.5	Pass
				30	3.85	-1.674	-0.0020	-2.5 to 2.5	Pass
16QAM	846.5	25	0	20	3.85	-29.368	-0.0347	-2.5 to 2.5	Pass
					3.85	-18.554	-0.0219	-2.5 to 2.5	Pass
					3.85	-18.554	-0.0219	-2.5 to 2.5	Pass
				-30	4.43	13.247	0.0156	-2.5 to 2.5	Pass
				-20	3.85	32.415	0.0383	-2.5 to 2.5	Pass
				-10	3.85	32.415	0.0383	-2.5 to 2.5	Pass
				0	3.85	32.415	0.0383	-2.5 to 2.5	Pass
				10	3.85	32.415	0.0383	-2.5 to 2.5	Pass
				30	3.85	32.415	0.0383	-2.5 to 2.5	Pass



				-20	3.85	11.230	0.0133	-2.5 to 2.5	Pass
				-10	3.85	25.649	0.0303	-2.5 to 2.5	Pass
				0	3.85	33.374	0.0394	-2.5 to 2.5	Pass
				10	3.85	41.957	0.0496	-2.5 to 2.5	Pass
				30	3.85	46.506	0.0549	-2.5 to 2.5	Pass
				40	3.85	-2.861	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-0.815	-0.0010	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-14.391	-0.0174	-2.5 to 2.5	Pass
					3.85	27.952	0.0337	-2.5 to 2.5	Pass
					4.43	32.830	0.0396	-2.5 to 2.5	Pass
				-30	3.85	16.966	0.0205	-2.5 to 2.5	Pass
				-20	3.85	34.289	0.0414	-2.5 to 2.5	Pass
				-10	3.85	24.090	0.0291	-2.5 to 2.5	Pass
				0	3.85	14.606	0.0176	-2.5 to 2.5	Pass
				10	3.85	23.074	0.0278	-2.5 to 2.5	Pass
				30	3.85	33.445	0.0403	-2.5 to 2.5	Pass
				40	3.85	39.353	0.0475	-2.5 to 2.5	Pass
				50	3.85	39.039	0.0471	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-32.043	-0.0383	-2.5 to 2.5	Pass
					3.85	4.950	0.0059	-2.5 to 2.5	Pass
					4.43	14.262	0.0170	-2.5 to 2.5	Pass
				-30	3.85	17.209	0.0206	-2.5 to 2.5	Pass
				-20	3.85	17.695	0.0212	-2.5 to 2.5	Pass
				-10	3.85	14.119	0.0169	-2.5 to 2.5	Pass
				0	3.85	12.689	0.0152	-2.5 to 2.5	Pass
				10	3.85	11.315	0.0135	-2.5 to 2.5	Pass
				30	3.85	7.567	0.0090	-2.5 to 2.5	Pass
				40	3.85	5.536	0.0066	-2.5 to 2.5	Pass
				50	3.85	11.373	0.0136	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-24.004	-0.0284	-2.5 to 2.5	Pass
					3.85	7.410	0.0088	-2.5 to 2.5	Pass
					4.43	42.000	0.0498	-2.5 to 2.5	Pass
				-30	3.85	13.518	0.0160	-2.5 to 2.5	Pass
				-20	3.85	29.898	0.0354	-2.5 to 2.5	Pass
				-10	3.85	43.459	0.0515	-2.5 to 2.5	Pass
				0	3.85	10.300	0.0122	-2.5 to 2.5	Pass
				10	3.85	24.562	0.0291	-2.5 to 2.5	Pass
				30	3.85	35.090	0.0416	-2.5 to 2.5	Pass
				40	3.85	12.975	0.0154	-2.5 to 2.5	Pass
				50	3.85	9.727	0.0115	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.27	16.265	0.0196	-2.5 to 2.5	Pass
					3.85	12.760	0.0154	-2.5 to 2.5	Pass
					4.43	7.095	0.0086	-2.5 to 2.5	Pass
				-30	3.85	7.997	0.0096	-2.5 to 2.5	Pass
				-20	3.85	5.579	0.0067	-2.5 to 2.5	Pass
				-10	3.85	1.774	0.0021	-2.5 to 2.5	Pass
				0	3.85	-1.616	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-3.877	-0.0047	-2.5 to 2.5	Pass
				30	3.85	-4.721	-0.0057	-2.5 to 2.5	Pass
				40	3.85	-8.812	-0.0106	-2.5 to 2.5	Pass
				50	3.85	-11.630	-0.0140	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-22.316	-0.0267	-2.5 to 2.5	Pass



					3.85	-24.834	-0.0297	-2.5 to 2.5	Pass
					4.43	-16.737	-0.0200	-2.5 to 2.5	Pass
				-30	3.85	-15.507	-0.0185	-2.5 to 2.5	Pass
				-20	3.85	-15.535	-0.0186	-2.5 to 2.5	Pass
				-10	3.85	-17.309	-0.0207	-2.5 to 2.5	Pass
				0	3.85	-20.785	-0.0248	-2.5 to 2.5	Pass
				10	3.85	-22.602	-0.0270	-2.5 to 2.5	Pass
				30	3.85	-14.992	-0.0179	-2.5 to 2.5	Pass
				40	3.85	-14.091	-0.0168	-2.5 to 2.5	Pass
				50	3.85	-10.357	-0.0124	-2.5 to 2.5	Pass
	844	50	0	20	3.27	18.725	0.0222	-2.5 to 2.5	Pass
					3.85	13.204	0.0156	-2.5 to 2.5	Pass
					4.43	7.896	0.0094	-2.5 to 2.5	Pass
				-30	3.85	6.223	0.0074	-2.5 to 2.5	Pass
				-20	3.85	5.565	0.0066	-2.5 to 2.5	Pass
				-10	3.85	5.751	0.0068	-2.5 to 2.5	Pass
				0	3.85	8.368	0.0099	-2.5 to 2.5	Pass
				10	3.85	7.195	0.0085	-2.5 to 2.5	Pass
				30	3.85	7.710	0.0091	-2.5 to 2.5	Pass
				40	3.85	11.916	0.0141	-2.5 to 2.5	Pass
				50	3.85	13.590	0.0161	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	-27.981	-0.0337	-2.5 to 2.5	Pass
					3.85	25.234	0.0303	-2.5 to 2.5	Pass
					4.43	9.828	0.0118	-2.5 to 2.5	Pass
				-30	3.85	28.381	0.0341	-2.5 to 2.5	Pass
				-20	3.85	40.612	0.0488	-2.5 to 2.5	Pass
				-10	3.85	8.712	0.0105	-2.5 to 2.5	Pass
				0	3.85	22.373	0.0269	-2.5 to 2.5	Pass
				10	3.85	32.644	0.0393	-2.5 to 2.5	Pass
				30	3.85	41.513	0.0499	-2.5 to 2.5	Pass
				40	3.85	32.315	0.0389	-2.5 to 2.5	Pass
				50	3.85	8.311	0.0100	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	-22.559	-0.0270	-2.5 to 2.5	Pass
					3.85	3.848	0.0046	-2.5 to 2.5	Pass
					4.43	25.992	0.0311	-2.5 to 2.5	Pass
				-30	3.85	39.883	0.0477	-2.5 to 2.5	Pass
				-20	3.85	36.864	0.0441	-2.5 to 2.5	Pass
				-10	3.85	1.116	0.0013	-2.5 to 2.5	Pass
				0	3.85	13.032	0.0156	-2.5 to 2.5	Pass
				10	3.85	17.524	0.0209	-2.5 to 2.5	Pass
				30	3.85	20.628	0.0247	-2.5 to 2.5	Pass
				40	3.85	24.376	0.0291	-2.5 to 2.5	Pass
				50	3.85	30.155	0.0360	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	-26.822	-0.0319	-2.5 to 2.5	Pass
					3.85	4.878	0.0058	-2.5 to 2.5	Pass
					4.43	30.742	0.0365	-2.5 to 2.5	Pass
				-30	3.85	43.330	0.0515	-2.5 to 2.5	Pass
				-20	3.85	3.734	0.0044	-2.5 to 2.5	Pass
				-10	3.85	16.150	0.0192	-2.5 to 2.5	Pass
				0	3.85	31.714	0.0377	-2.5 to 2.5	Pass
				10	3.85	36.993	0.0440	-2.5 to 2.5	Pass
				30	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass

				40	3.85	5.579	0.0066	-2.5 to 2.5	Pass
				50	3.85	11.072	0.0132	-2.5 to 2.5	Pass
16QAM	831.5	75	0	20	3.27	17.252	0.0207	-2.5 to 2.5	Pass
					3.85	7.696	0.0093	-2.5 to 2.5	Pass
					4.43	2.403	0.0029	-2.5 to 2.5	Pass
					-30	3.85	-0.916	-0.0011	-2.5 to 2.5
				-20	3.85	-2.689	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-6.967	-0.0084	-2.5 to 2.5	Pass
				0	3.85	-5.350	-0.0064	-2.5 to 2.5	Pass
				10	3.85	-5.736	-0.0069	-2.5 to 2.5	Pass
				30	3.85	-6.609	-0.0079	-2.5 to 2.5	Pass
				40	3.85	-8.254	-0.0099	-2.5 to 2.5	Pass
				50	3.85	-8.254	-0.0099	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	34.289	0.0410	-2.5 to 2.5	Pass
					3.85	23.189	0.0277	-2.5 to 2.5	Pass
					4.43	26.522	0.0317	-2.5 to 2.5	Pass
					-30	3.85	27.823	0.0333	-2.5 to 2.5
				-20	3.85	23.532	0.0281	-2.5 to 2.5	Pass
				-10	3.85	21.544	0.0258	-2.5 to 2.5	Pass
				0	3.85	18.697	0.0224	-2.5 to 2.5	Pass
				10	3.85	16.222	0.0194	-2.5 to 2.5	Pass
				30	3.85	12.617	0.0151	-2.5 to 2.5	Pass
				40	3.85	9.055	0.0108	-2.5 to 2.5	Pass
				50	3.85	5.536	0.0066	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	22.702	0.0270	-2.5 to 2.5	Pass
					3.85	17.610	0.0209	-2.5 to 2.5	Pass
					4.43	15.864	0.0189	-2.5 to 2.5	Pass
					-30	3.85	17.023	0.0202	-2.5 to 2.5
				-20	3.85	17.095	0.0203	-2.5 to 2.5	Pass
				-10	3.85	21.544	0.0256	-2.5 to 2.5	Pass
				0	3.85	21.772	0.0259	-2.5 to 2.5	Pass
				10	3.85	21.830	0.0259	-2.5 to 2.5	Pass
				30	3.85	21.386	0.0254	-2.5 to 2.5	Pass
				40	3.85	22.531	0.0268	-2.5 to 2.5	Pass
				50	3.85	23.260	0.0276	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	75	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.112	/	Pass
		836.5	6	0	1.111	/	Pass
		848.3	6	0	1.110	/	Pass
	16QAM	824.7	6	0	1.115	/	Pass
		836.5	6	0	1.112	/	Pass
		848.3	6	0	1.106	/	Pass
3	QPSK	825.5	15	0	2.750	/	Pass
		836.5	15	0	2.757	/	Pass
		847.5	15	0	2.773	/	Pass
	16QAM	825.5	15	0	2.784	/	Pass
		836.5	15	0	2.755	/	Pass
		847.5	15	0	2.745	/	Pass
5	QPSK	826.5	25	0	4.547	/	Pass
		836.5	25	0	4.554	/	Pass
		846.5	25	0	4.542	/	Pass
	16QAM	826.5	25	0	4.548	/	Pass
		836.5	25	0	4.574	/	Pass
		846.5	25	0	4.554	/	Pass
10	QPSK	829	50	0	9.066	/	Pass
		836.5	50	0	9.036	/	Pass
		844	50	0	9.039	/	Pass
	16QAM	829	50	0	9.066	/	Pass
		836.5	50	0	9.061	/	Pass
		844	50	0	9.048	/	Pass
15	QPSK	831.5	75	0	13.606	/	Pass
		836.5	75	0	13.572	/	Pass
		841.5	75	0	13.551	/	Pass
	16QAM	831.5	75	0	13.588	/	Pass
		836.5	75	0	13.591	/	Pass
		841.5	75	0	13.563	/	Pass

4.1.2 Band26b_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.269	/	Pass
		836.5	6	0	1.272	/	Pass
		848.3	6	0	1.271	/	Pass
	16QAM	824.7	6	0	1.281	/	Pass
		836.5	6	0	1.275	/	Pass
		848.3	6	0	1.269	/	Pass
3	QPSK	825.5	15	0	3.078	/	Pass
		836.5	15	0	3.080	/	Pass
		847.5	15	0	3.110	/	Pass




	16QAM	825.5	15	0	3.098	/	Pass
		836.5	15	0	3.098	/	Pass
		847.5	15	0	3.106	/	Pass
5	QPSK	826.5	25	0	5.087	/	Pass
		836.5	25	0	5.070	/	Pass
		846.5	25	0	5.026	/	Pass
	16QAM	826.5	25	0	5.028	/	Pass
		836.5	25	0	5.063	/	Pass
		846.5	25	0	5.066	/	Pass
10	QPSK	829	50	0	10.041	/	Pass
		836.5	50	0	10.027	/	Pass
		844	50	0	10.003	/	Pass
	16QAM	829	50	0	10.027	/	Pass
		836.5	50	0	10.065	/	Pass
		844	50	0	9.956	/	Pass
15	QPSK	831.5	75	0	15.191	/	Pass
		836.5	75	0	15.138	/	Pass
		841.5	75	0	15.093	/	Pass
	16QAM	831.5	75	0	15.225	/	Pass
		836.5	75	0	15.091	/	Pass
		841.5	75	0	15.132	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV







Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV



Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV







Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV







Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2.2 Band26b_XDB




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV



Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV



Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV



Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV

