

TC530R Antenna SPECIFICATION

Antenna Manufacturer Name	Wistron
Address	Wistron Corporation (Hsichih office) 21F, 88, Sec. 1, Hsintai 5th Rd., Hsichih
P/N:	025.902HE.0001
Test DATE	2024/6/25
DATASHEET REVISION	00

Yamy

Test Engineer: Danny Zheng




Zebra Technologies Corporation

Description of Antenna 6

Frequency Range	2.4 GHz, 5 GHz, and 6 GHz
Impedance	50 Ω
Antenna type	PIFA
Manufacturing Process	LDS

Antenna Peak Gain:



Antenna	Thunderbolt LA	Peak Gain (dBi)		
		Free Space		
	Chamber	Auden GTS1800		
	Frequency Band	MHz	Max Spec	Result
t6	RFID	902.75		-1.06
Ant6		914.75		-1.04
0		927.25		-2.06
Core		Max Peak Gain		-1.04
Ű				

Antenna Pattern:

	Core0 _ Ant6							
Frequency	915MHz	2442MHz	5180MHz	5500MHz	5825MHz	5925MHz	6525MHz	7125MHz
on Pattern	z z y	x	x	x	x	x y	x y	x y
3D Radiation	x			x	zx	×	z x	r z



Zebra Technologies Corporation

Description of Antenna 7

Peak Gain (dBi)

Free Space

Auden GTS1800

-1.47

-1.24

-0.96

-0.96

Max Spec Result

Frequency Range	2.4 GHz, 5 GHz, and 6 GHz
Impedance	50 Ω
Antenna type	PIFA
Manufacturing Process	LDS

Antenna Peak Gain:

			Peak Ga	in (dBi)	
			F ree S	Free Space	
Antenna	Chamber	Name	Auden GTS 1800		
	Frequency Band	MHz	Max Spec	Result	
		2412	3	1.05	
		2437	3	1.01	
		2462	3	0.96	
	2.4GHz	2484	3	1.14	
		Max Peak Gain	3	1.14	
		4900	4	3.11	
		4950	4	2.59	
		5000	4	2.55	
		5180	4	1.80	
		5250	4	2.23	
		5350	4	2.40	
	5GHz	5450	4	2.50	
		5550	4	3.46	
17		5650	4	3.68	
An		5750	4	3.60	
Core 1 _ Ant7		5825	4	2.65	
e l		Max Peak Gain	4	3.68	
ō					
0					
		5925	4	2.48	
		5975	4	2.51	
		6025	4	1.66	
		6125	4	2.89	
		6225	4	3.09	
		6325	4	3.10	
	0011-	6425	4	3.18	
	6GHz	6525	4	2.01	
		6625	4	2.49	
		6725 6825	4	2.75	
			4		
		6925 7096	4	2.07	
		7096	4		
		Max Peak Gain	4	2.07	

Core 1_Ant7 RFID Max Peak Gair Antenna Pattern:

Frequency Band

Antenr

Thunderbolt LANsku DV2-2

Chamber Name

MHz

902.75

914.75

927.2

